


Annex A.6 Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	178.515	-50.31	-27	Pass	9700
1000	5150	0.1	Peak	5149.4	-47.85	-27	Pass	41499
5150	5350	0.1	Peak	5183.717	6.83	24	Pass	2000
5350	10300	0.1	Peak	6906.649	-48.4	-27	Pass	49499
10300	10700	0.1	Peak	10361.215	-53.6	-27	Pass	4000
10700	25000	0.1	Peak	22274.562	-48.28	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	917.692	-49.87	-27	Pass	9700
1000	5150	0.1	Peak	5149.2	-55.36	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	7.53	24	Pass	2000
5350	10300	0.1	Peak	6959.95	-46.24	-27	Pass	49499
10300	10700	0.1	Peak	10438.735	-55.54	-27	Pass	4000
10700	25000	0.1	Peak	24634.951	-47.71	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	796.179	-49.77	-27	Pass	9700
1000	5150	0.1	Peak	5149.8	-56.72	-27	Pass	41499
5150	5350	0.1	Peak	5242.446	6.79	24	Pass	2000
5350	10300	0.1	Peak	6986.651	-46.43	-27	Pass	49499
10300	10700	0.1	Peak	10473.043	-55.54	-27	Pass	4000
10700	25000	0.1	Peak	24126.784	-48.04	-27	Pass	142999



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	920.992	-49.33	-27	Pass	9700
1000	5150	0.1	Peak	5150	-48.31	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	8.2	24	Pass	2000
5350	10300	0.1	Peak	6906.649	-49.27	-27	Pass	49499
10300	10700	0.1	Peak	10358.715	-55.42	-27	Pass	4000
10700	25000	0.1	Peak	21824.948	-48.43	-27	Pass	142999



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	925.992	-49.99	-27	Pass	9700
1000	5150	0.1	Peak	5149.8	-55.31	-27	Pass	41499
5150	5350	0.1	Peak	5214.932	6.42	24	Pass	2000
5350	10300	0.1	Peak	6959.95	-46.46	-27	Pass	49499
10300	10700	0.1	Peak	10438.635	-56.4	-27	Pass	4000
10700	25000	0.1	Peak	23423.698	-48.02	-27	Pass	142999



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	961.996	-49.33	-27	Pass	9700
1000	5150	0.1	Peak	5146.999	-55.83	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	7.38	24	Pass	2000
5350	10300	0.1	Peak	6986.651	-46.55	-27	Pass	49499
10300	10700	0.1	Peak	10478.745	-55.51	-27	Pass	4000
10700	25000	0.1	Peak	20092.394	-47.76	-27	Pass	142999



7. 802.11n_40M_Band1_L

7.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	680.267	-49.98	-27	Pass	9700
1000	5150	0.1	Peak	5147.299	-43.97	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	2.61	24	Pass	2000
5350	10300	0.1	Peak	6920.049	-46.36	-27	Pass	49499
10300	10700	0.1	Peak	10378.02	-55.91	-27	Pass	4000
10700	25000	0.1	Peak	21927.751	-48.62	-27	Pass	142999



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	922.592	-50.66	-27	Pass	9700
1000	5150	0.1	Peak	5149.9	-53.67	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	4.34	24	Pass	2000
5350	10300	0.1	Peak	6973.251	-46.72	-27	Pass	49499
10300	10700	0.1	Peak	10460.84	-56	-27	Pass	4000
10700	25000	0.1	Peak	24441.025	-48.26	-27	Pass	142999



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-49.13	-27	Pass	9700
1000	5150	0.1	Peak	5147.9	-46.3	-27	Pass	41499
5150	5350	0.1	Peak	5182.416	7.58	24	Pass	2000
5350	10300	0.1	Peak	6906.649	-48.42	-27	Pass	49499
10300	10700	0.1	Peak	10362.416	-54.16	-27	Pass	4000
10700	25000	0.1	Peak	23527.804	-48.72	-27	Pass	142999



10. 802.11ac_20M_Band1_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	546.353	-50.57	-27	Pass	9700
1000	5150	0.1	Peak	5133.397	-55.18	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	6.36	24	Pass	2000
5350	10300	0.1	Peak	6959.95	-47.25	-27	Pass	49499
10300	10700	0.1	Peak	10443.036	-56.22	-27	Pass	4000
10700	25000	0.1	Peak	23954.061	-48.6	-27	Pass	142999



11. 802.11ac_20M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	849.384	-49.38	-27	Pass	9700
1000	5150	0.1	Peak	4790.624	-57.49	-27	Pass	41499
5150	5350	0.1	Peak	5238.644	6.75	24	Pass	2000
5350	10300	0.1	Peak	6986.651	-47.27	-27	Pass	49499
10300	10700	0.1	Peak	10404.326	-55.59	-27	Pass	4000
10700	25000	0.1	Peak	21611.141	-48.92	-27	Pass	142999



12. 802.11ac_40M_Band1_L

12.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.695	-49.95	-27	Pass	9700
1000	5150	0.1	Peak	5150	-46.51	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	2.53	24	Pass	2000
5350	10300	0.1	Peak	6919.949	-45.61	-27	Pass	49499
10300	10700	0.1	Peak	10359.815	-55.89	-27	Pass	4000
10700	25000	0.1	Peak	23522.703	-48.33	-27	Pass	142999



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-46.05	-27	Pass	9700
1000	5150	0.1	Peak	5150	-53.8	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	4.4	24	Pass	2000
5350	10300	0.1	Peak	6973.251	-46.98	-27	Pass	49499
10300	10700	0.1	Peak	10390.223	-55.65	-27	Pass	4000
10700	25000	0.1	Peak	21965.952	-47.9	-27	Pass	142999



14. 802.11ac_80M_Band1_M

14.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	632.262	-48.67	-27	Pass	9700
1000	5150	0.1	Peak	5138.498	-44.61	-27	Pass	41499
5150	5350	0.1	Peak	5204.927	-1.15	24	Pass	2000
5350	10300	0.1	Peak	6946.65	-43.73	-27	Pass	49499
10300	10700	0.1	Peak	10390.223	-55.98	-27	Pass	4000
10700	25000	0.1	Peak	23369.296	-48.61	-27	Pass	142999



15. 802.11a_20M_Band2_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	998.1	-50.24	-27	Pass	9700
1000	5150	1	Peak	5031.972	-46.46	-27	Pass	4150
5150	5350	1	Peak	5257.536	13.94	24	Pass	691
5350	10300	1	Peak	7013.336	-42.27	-27	Pass	4950
10300	10700	1	Peak	10346.377	-45.66	-27	Pass	691
10700	25000	1	Peak	24340.954	-37.25	-27	Pass	14300



16. 802.11a_20M_Band2_M

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	751.374	-50.37	-27	Pass	9700
1000	5150	1	Peak	5066.98	-47.21	-27	Pass	4150
5150	5350	1	Peak	5301.304	13.6	24	Pass	691
5350	10300	1	Peak	5368.004	-41.99	-27	Pass	4950
10300	10700	1	Peak	10600.87	-45.92	-27	Pass	691
10700	25000	1	Peak	23884.922	-37.61	-27	Pass	14300



17. 802.11a_20M_Band2_H

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	906.19	-50.42	-27	Pass	9700
1000	5150	1	Peak	4643.878	-46.26	-27	Pass	4150
5150	5350	1	Peak	5318.986	13.67	24	Pass	691
5350	10300	1	Peak	5350	-36.11	-27	Pass	4950
10300	10700	1	Peak	10643.188	-44.36	-27	Pass	691
10700	25000	1	Peak	24331.953	-36.99	-27	Pass	14300



18. 802.11n_20M_Band2_L

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	844.084	-50.19	-27	Pass	9700
1000	5150	1	Peak	5139.998	-45.98	-27	Pass	4150
5150	5350	1	Peak	5262.174	13.89	24	Pass	691
5350	10300	1	Peak	7013.336	-42.12	-27	Pass	4950
10300	10700	1	Peak	10386.957	-45.51	-27	Pass	691
10700	25000	1	Peak	24206.945	-37.61	-27	Pass	14300



19. 802.11n_20M_Band2_M

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	535.052	-50.08	-27	Pass	9700
1000	5150	1	Peak	4792.914	-45.69	-27	Pass	4150
5150	5350	1	Peak	5298.696	13.47	24	Pass	691
5350	10300	1	Peak	7066.347	-42.02	-27	Pass	4950
10300	10700	1	Peak	10602.609	-45.76	-27	Pass	691
10700	25000	1	Peak	23912.924	-36.84	-27	Pass	14300



20. 802.11n_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	936.693	-49.16	-27	Pass	9700
1000	5150	1	Peak	5020.969	-46.53	-27	Pass	4150
5150	5350	1	Peak	5318.986	12.87	24	Pass	691
5350	10300	1	Peak	5354.001	-35.99	-27	Pass	4950
10300	10700	1	Peak	10366.087	-45.89	-27	Pass	691
10700	25000	1	Peak	23876.921	-37.41	-27	Pass	14300



21. 802.11n_40M_Band2_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	959.996	-50.21	-27	Pass	9700
1000	5150	1	Peak	5144.999	-46.08	-27	Pass	4150
5150	5350	1	Peak	5272.609	11.02	24	Pass	691
5350	10300	1	Peak	7026.339	-41.73	-27	Pass	4950
10300	10700	1	Peak	10538.261	-45.91	-27	Pass	691
10700	25000	1	Peak	24597.972	-37.2	-27	Pass	14300



22. 802.11n_40M_Band2_H

22.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	533.152	-49.31	-27	Pass	9700
1000	5150	1	Peak	4696.891	-45.87	-27	Pass	4150
5150	5350	1	Peak	5307.971	6.58	24	Pass	691
5350	10300	1	Peak	5357.001	-40.38	-27	Pass	4950
10300	10700	1	Peak	10695.942	-45.33	-27	Pass	691
10700	25000	1	Peak	24350.955	-37.3	-27	Pass	14300



23. 802.11ac_20M_Band2_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	785.078	-49.25	-27	Pass	9700
1000	5150	1	Peak	5149	-46.8	-27	Pass	4150
5150	5350	1	Peak	5258.696	13.48	24	Pass	691
5350	10300	1	Peak	7013.336	-42.26	-27	Pass	4950
10300	10700	1	Peak	10694.783	-44.61	-27	Pass	691
10700	25000	1	Peak	23458.892	-36.98	-27	Pass	14300



24. 802.11ac_20M_Band2_M

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	641.063	-49.2	-27	Pass	9700
1000	5150	1	Peak	4650.88	-47.09	-27	Pass	4150
5150	5350	1	Peak	5301.884	13.7	24	Pass	691
5350	10300	1	Peak	5360.002	-41.4	-27	Pass	4950
10300	10700	1	Peak	10664.058	-45.53	-27	Pass	691
10700	25000	1	Peak	21807.777	-37.79	-27	Pass	14300



25. 802.11ac_20M_Band2_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	943.094	-49.66	-27	Pass	9700
1000	5150	1	Peak	5129.995	-46.33	-27	Pass	4150
5150	5350	1	Peak	5318.986	13.06	24	Pass	691
5350	10300	1	Peak	5357.001	-36.8	-27	Pass	4950
10300	10700	1	Peak	10639.71	-45.42	-27	Pass	691
10700	25000	1	Peak	24143.94	-37.46	-27	Pass	14300



26. 802.11ac_40M_Band2_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	963.396	-49.58	-27	Pass	9700
1000	5150	1	Peak	5125.994	-46.01	-27	Pass	4150
5150	5350	1	Peak	5273.188	10.99	24	Pass	691
5350	10300	1	Peak	5351	-41.02	-27	Pass	4950
10300	10700	1	Peak	10368.406	-45.69	-27	Pass	691
10700	25000	1	Peak	24398.958	-37.23	-27	Pass	14300



27. 802.11ac_40M_Band2_H

27.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	991.999	-50.09	-27	Pass	9700
1000	5150	1	Peak	5075.982	-46.91	-27	Pass	4150
5150	5350	1	Peak	5311.739	6.55	24	Pass	691
5350	10300	1	Peak	5356.001	-41.29	-27	Pass	4950
10300	10700	1	Peak	10380.58	-45.94	-27	Pass	691
10700	25000	1	Peak	23898.923	-36.88	-27	Pass	14300



28. 802.11ac_80M_Band2_M

28.4. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	870.987	-50.14	-27	Pass	9700
1000	5150	1	Peak	5139.998	-46.56	-27	Pass	4150
5150	5350	1	Peak	5294.928	2.02	24	Pass	691
5350	10300	1	Peak	7053.344	-40.07	-27	Pass	4950
10300	10700	1	Peak	10368.986	-46.03	-27	Pass	691
10700	25000	1	Peak	21824.778	-37.31	-27	Pass	14300



29. 802.11a_20M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	993.599	-48.6	-27	Pass	9700
1000	5470	1	Peak	5466.999	-37.72	-27	Pass	4470
5470	5725	1	Peak	5498.826	14.85	24	Pass	691
5725	10940	1	Peak	6936.232	-44.1	-27	Pass	5215
10940	11450	1	Peak	11005.783	-44.22	-27	Pass	691
11450	25000	1	Peak	21844.767	-37.11	-27	Pass	13550



30. 802.11a_20M_Band3_M

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	50.002	-50.23	-27	Pass	9700
1000	5470	1	Peak	1373.083	-44.69	-27	Pass	4470
5470	5725	1	Peak	5579.022	14.32	24	Pass	691
5725	10940	1	Peak	7439.329	-43.81	-27	Pass	5215
10940	11450	1	Peak	11161	-43.68	-27	Pass	691
11450	25000	1	Peak	21832.766	-37.95	-27	Pass	13550



31. 802.11a_20M_Band3_H

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.295	-49.64	-27	Pass	9700
1000	5470	1	Peak	1496.111	-38.62	-27	Pass	4470
5470	5725	1	Peak	5699.13	16.24	24	Pass	691
5725	10940	1	Peak	5731.001	-33.32	-27	Pass	5215
10940	11450	1	Peak	11398.261	-42.13	-27	Pass	691
11450	25000	1	Peak	20077.637	-37.61	-27	Pass	13550



32. 802.11n_20M_Band3_L

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	963.796	-49.48	-27	Pass	9700
1000	5470	1	Peak	5470	-36.68	-27	Pass	4470
5470	5725	1	Peak	5500.674	14.26	24	Pass	691
5725	10940	1	Peak	7333.308	-44.31	-27	Pass	5215
10940	11450	1	Peak	10997.652	-44.17	-27	Pass	691
11450	25000	1	Peak	19263.577	-38.04	-27	Pass	13550



33. 802.11n_20M_Band3_M

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	711.47	-49.47	-27	Pass	9700
1000	5470	1	Peak	1374.084	-44.85	-27	Pass	4470
5470	5725	1	Peak	5581.239	14.05	24	Pass	691
5725	10940	1	Peak	7440.329	-43.89	-27	Pass	5215
10940	11450	1	Peak	11159.522	-44.43	-27	Pass	691
11450	25000	1	Peak	21812.765	-37.22	-27	Pass	13550



34. 802.11n_20M_Band3_H

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	372.435	-49.98	-27	Pass	9700
1000	5470	1	Peak	1495.111	-39.43	-27	Pass	4470
5470	5725	1	Peak	5699.13	15.66	24	Pass	691
5725	10940	1	Peak	5725	-30.93	-27	Pass	5215
10940	11450	1	Peak	11399.739	-42.04	-27	Pass	691
11450	25000	1	Peak	21918.773	-37.68	-27	Pass	13550



35. 802.11n_40M_Band3_L

35.3. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	463.745	-50.34	-27	Pass	9700
1000	5470	1	Peak	5464.999	-37.58	-27	Pass	4470
5470	5725	1	Peak	5511.761	9.55	24	Pass	691
5725	10940	1	Peak	6950.235	-43.79	-27	Pass	5215
10940	11450	1	Peak	11443.348	-45.5	-27	Pass	691
11450	25000	1	Peak	24468.961	-36.95	-27	Pass	13550



36. 802.11n_40M_Band3_M

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	897.389	-50.57	-27	Pass	9700
1000	5470	1	Peak	5444.994	-44.92	-27	Pass	4470
5470	5725	1	Peak	5592.326	11.84	24	Pass	691
5725	10940	1	Peak	7453.331	-44.16	-27	Pass	5215
10940	11450	1	Peak	11437.435	-44.67	-27	Pass	691
11450	25000	1	Peak	21788.763	-37.96	-27	Pass	13550



37. 802.11n_40M_Band3_H

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	856.685	-49.79	-27	Pass	9700
1000	5470	1	Peak	1469.105	-44.91	-27	Pass	4470
5470	5725	1	Peak	5673.261	12.31	24	Pass	691
5725	10940	1	Peak	5731.001	-36.55	-27	Pass	5215
10940	11450	1	Peak	11343.565	-44.61	-27	Pass	691
11450	25000	1	Peak	21828.766	-37.28	-27	Pass	13550



38. 802.11ac_20M_Band3_L

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	803.28	-49.82	-27	Pass	9700
1000	5470	1	Peak	5466.999	-37.69	-27	Pass	4470
5470	5725	1	Peak	5498.457	14.45	24	Pass	691
5725	10940	1	Peak	6935.232	-44.73	-27	Pass	5215
10940	11450	1	Peak	11432.261	-44.6	-27	Pass	691
11450	25000	1	Peak	20102.639	-37.46	-27	Pass	13550



39. 802.11ac_20M_Band3_M

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	89.906	-49.92	-27	Pass	9700
1000	5470	1	Peak	1372.083	-45.18	-27	Pass	4470
5470	5725	1	Peak	5580.87	14.16	24	Pass	691
5725	10940	1	Peak	7440.329	-44.11	-27	Pass	5215
10940	11450	1	Peak	11159.522	-44.74	-27	Pass	691
11450	25000	1	Peak	19467.592	-37.6	-27	Pass	13550



40. 802.11ac_20M_Band3_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	943.194	-49.95	-27	Pass	9700
1000	5470	1	Peak	1493.11	-39.75	-27	Pass	4470
5470	5725	1	Peak	5698.761	15.17	24	Pass	691
5725	10940	1	Peak	5728.001	-32.34	-27	Pass	5215
10940	11450	1	Peak	11398.261	-42.05	-27	Pass	691
11450	25000	1	Peak	24756.982	-37.03	-27	Pass	13550



41. 802.11ac_40M_Band3_L

41.3. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	73.304	-50.39	-27	Pass	9700
1000	5470	1	Peak	5465.999	-37.96	-27	Pass	4470
5470	5725	1	Peak	5507.696	9.95	24	Pass	691
5725	10940	1	Peak	6940.233	-44.77	-27	Pass	5215
10940	11450	1	Peak	11443.348	-44.59	-27	Pass	691
11450	25000	1	Peak	21913.772	-36.85	-27	Pass	13550



42. 802.11ac_40M_Band3_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-49.66	-27	Pass	9700
1000	5470	1	Peak	5447.995	-44.62	-27	Pass	4470
5470	5725	1	Peak	5593.065	11.69	24	Pass	691
5725	10940	1	Peak	7453.331	-43.16	-27	Pass	5215
10940	11450	1	Peak	11427.087	-44.94	-27	Pass	691
11450	25000	1	Peak	22116.787	-37.16	-27	Pass	13550



43. 802.11ac_40M_Band3_H

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.895	-50.06	-27	Pass	9700
1000	5470	1	Peak	1461.103	-45.21	-27	Pass	4470
5470	5725	1	Peak	5665.5	12.42	24	Pass	691
5725	10940	1	Peak	5725	-37.41	-27	Pass	5215
10940	11450	1	Peak	11337.652	-44.15	-27	Pass	691
11450	25000	1	Peak	23524.891	-37.63	-27	Pass	13550



44. 802.11ac_80M_Band3_L

44.3. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	795.279	-50.25	-27	Pass	9700
1000	5470	1	Peak	5459.998	-42.02	-27	Pass	4470
5470	5725	1	Peak	5513.609	3.73	24	Pass	691
5725	10940	1	Peak	7373.316	-43.87	-27	Pass	5215
10940	11450	1	Peak	11415.261	-45.19	-27	Pass	691
11450	25000	1	Peak	24438.959	-37.81	-27	Pass	13550



45. 802.11ac_80M_Band3_M

45.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	677.667	-49.24	-27	Pass	9700
1000	5470	1	Peak	5466.999	-45.43	-27	Pass	4470
5470	5725	1	Peak	5601.196	3.83	24	Pass	691
5725	10940	1	Peak	7480.337	-43	-27	Pass	5215
10940	11450	1	Peak	11271.87	-44.65	-27	Pass	691
11450	25000	1	Peak	21920.773	-37.69	-27	Pass	13550



46. 802.11a_20M_Band4_L

46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	50.002	-49.42	-27	Pass	9700
1000	5650	1	Peak	1540.116	-43.82	-27	Pass	4650
5650	5700	1	Peak	5650.217	-45.79	-26.84	Pass	691
5700	5720	1	Peak	5700.986	-37.74	10.28	Pass	691
5720	5725	1	Peak	5720.072	-34.8	15.77	Pass	691
5725	5850	1	Peak	5744.022	14.24	30	Pass	691
5850	5855	1	Peak	5855	-45.53	15.6	Pass	691
5855	5875	1	Peak	5874.623	-45.18	10.11	Pass	691
5875	5925	1	Peak	5925	-45.97	-27	Pass	691
5925	25000	1	Peak	23463.919	-37	-27	Pass	19075



47. 802.11a_20M_Band4_M

47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-49.41	-27	Pass	9700
1000	5650	1	Peak	1580.125	-44.78	-27	Pass	4650
5650	5700	1	Peak	5650.58	-45.79	-26.57	Pass	691
5700	5720	1	Peak	5701.71	-42.4	10.48	Pass	691
5720	5725	1	Peak	5720.094	-40.15	15.81	Pass	691
5725	5850	1	Peak	5783.514	13.52	30	Pass	691
5850	5855	1	Peak	5854.855	-41.63	15.93	Pass	691
5855	5875	1	Peak	5874.594	-43.62	10.11	Pass	691
5875	5925	1	Peak	5924.928	-45.74	-26.95	Pass	691
5925	25000	1	Peak	24938.997	-38.08	-27	Pass	19075



48. 802.11a_20M_Band4_H

48.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-49.5	-27	Pass	9700
1000	5650	1	Peak	1619.133	-44.08	-27	Pass	4650
5650	5700	1	Peak	5650.145	-45.94	-26.89	Pass	691
5700	5720	1	Peak	5700.29	-45.24	10.08	Pass	691
5720	5725	1	Peak	5720.065	-44.08	15.75	Pass	691
5725	5850	1	Peak	5822.645	14.21	30	Pass	691
5850	5855	1	Peak	5854.913	-35.72	15.8	Pass	691
5855	5875	1	Peak	5873.725	-37.89	10.36	Pass	691
5875	5925	1	Peak	5924.638	-44.98	-26.73	Pass	691
5925	25000	1	Peak	23902.942	-36.75	-27	Pass	19075



49. 802.11n_20M_Band4_L

49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.1	-49.47	-27	Pass	9700
1000	5650	1	Peak	1538.116	-41.77	-27	Pass	4650
5650	5700	1	Peak	5650.072	-45.82	-26.95	Pass	691
5700	5720	1	Peak	5702.319	-37.72	10.65	Pass	691
5720	5725	1	Peak	5720	-33.53	15.6	Pass	691
5725	5850	1	Peak	5746.014	13.75	30	Pass	691
5850	5855	1	Peak	5855	-45.71	15.6	Pass	691
5855	5875	1	Peak	5873.174	-45.15	10.51	Pass	691
5875	5925	1	Peak	5924.71	-47.05	-26.79	Pass	691
5925	25000	1	Peak	22012.843	-36.82	-27	Pass	19075



50. 802.11n_20M_Band4_M

50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-48.59	-27	Pass	9700
1000	5650	1	Peak	1575.124	-43.27	-27	Pass	4650
5650	5700	1	Peak	5650.942	-45.02	-26.3	Pass	691
5700	5720	1	Peak	5701.043	-41.91	10.29	Pass	691
5720	5725	1	Peak	5720.717	-35.03	17.24	Pass	691
5725	5850	1	Peak	5783.877	13.4	30	Pass	691
5850	5855	1	Peak	5855	-40.95	15.6	Pass	691
5855	5875	1	Peak	5874.826	-44.26	10.05	Pass	691
5875	5925	1	Peak	5924.638	-46.12	-26.73	Pass	691
5925	25000	1	Peak	23850.94	-37.44	-27	Pass	19075



51. 802.11n_20M_Band4_H

51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	834.783	-49.98	-27	Pass	9700
1000	5650	1	Peak	1618.133	-44.88	-27	Pass	4650
5650	5700	1	Peak	5650.29	-46.3	-26.79	Pass	691
5700	5720	1	Peak	5700.551	-44.97	10.15	Pass	691
5720	5725	1	Peak	5720.145	-44.17	15.93	Pass	691
5725	5850	1	Peak	5823.732	13.68	30	Pass	691
5850	5855	1	Peak	5854.594	-33.73	16.53	Pass	691
5855	5875	1	Peak	5857.841	-33.88	14.8	Pass	691
5875	5925	1	Peak	5925	-44.53	-27	Pass	691
5925	25000	1	Peak	22565.872	-37.42	-27	Pass	19075



52. 802.11n_40M_Band4_L

52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	710.97	-50.15	-27	Pass	9700
1000	5650	1	Peak	5648	-45.02	-27	Pass	4650
5650	5700	1	Peak	5650.072	-44.3	-26.95	Pass	691
5700	5720	1	Peak	5709.681	-24.47	12.71	Pass	691
5720	5725	1	Peak	5720.101	-22.85	15.83	Pass	691
5725	5850	1	Peak	5757.79	11.75	30	Pass	691
5850	5855	1	Peak	5854.935	-43.02	15.75	Pass	691
5855	5875	1	Peak	5872.507	-43.97	10.7	Pass	691
5875	5925	1	Peak	5924.928	-46.78	-26.95	Pass	691
5925	25000	1	Peak	24680.983	-37.59	-27	Pass	19075



53. 802.11n_40M_Band4_H

53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	707.97	-49.95	-27	Pass	9700
1000	5650	1	Peak	5456.958	-46.39	-27	Pass	4650
5650	5700	1	Peak	5650.145	-45.72	-26.89	Pass	691
5700	5720	1	Peak	5701.42	-40.6	10.4	Pass	691
5720	5725	1	Peak	5720.065	-37.81	15.75	Pass	691
5725	5850	1	Peak	5790.58	10.55	30	Pass	691
5850	5855	1	Peak	5854.993	-35.62	15.62	Pass	691
5855	5875	1	Peak	5864.449	-35.79	12.95	Pass	691
5875	5925	1	Peak	5924.71	-45.39	-26.79	Pass	691
5925	25000	1	Peak	21819.833	-37.45	-27	Pass	19075



54. 802.11ac_20M_Band4_L

54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	960.596	-50.15	-27	Pass	9700
1000	5650	1	Peak	1535.115	-41.59	-27	Pass	4650
5650	5700	1	Peak	5650	-44.79	-27	Pass	691
5700	5720	1	Peak	5711.072	-32.04	13.1	Pass	691
5720	5725	1	Peak	5720.007	-30.66	15.62	Pass	691
5725	5850	1	Peak	5743.659	13.85	30	Pass	691
5850	5855	1	Peak	5854.957	-44.29	15.7	Pass	691
5855	5875	1	Peak	5874.42	-44.33	10.16	Pass	691
5875	5925	1	Peak	5924.855	-45.91	-26.89	Pass	691
5925	25000	1	Peak	23813.938	-37.66	-27	Pass	19075



55. 802.11ac_20M_Band4_M

55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	49.902	-50.13	-27	Pass	9700
1000	5650	1	Peak	1579.125	-44.96	-27	Pass	4650
5650	5700	1	Peak	5650.217	-46.25	-26.84	Pass	691
5700	5720	1	Peak	5700.957	-40.66	10.27	Pass	691
5720	5725	1	Peak	5720	-39.6	15.6	Pass	691
5725	5850	1	Peak	5786.413	13.18	30	Pass	691
5850	5855	1	Peak	5854.949	-41.68	15.72	Pass	691
5855	5875	1	Peak	5874.246	-43.85	10.21	Pass	691
5875	5925	1	Peak	5924.928	-46.69	-26.95	Pass	691
5925	25000	1	Peak	23938.944	-37.35	-27	Pass	19075



56. 802.11ac_20M_Band4_H

56.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	49.902	-49.33	-27	Pass	9700
1000	5650	1	Peak	1623.134	-44.36	-27	Pass	4650
5650	5700	1	Peak	5650.362	-46.3	-26.73	Pass	691
5700	5720	1	Peak	5700.435	-45.62	10.12	Pass	691
5720	5725	1	Peak	5720.043	-44.39	15.7	Pass	691
5725	5850	1	Peak	5826.449	13.74	30	Pass	691
5850	5855	1	Peak	5854.754	-33.77	16.16	Pass	691
5855	5875	1	Peak	5857.899	-33.92	14.79	Pass	691
5875	5925	1	Peak	5924.493	-44.62	-26.62	Pass	691
5925	25000	1	Peak	23774.936	-37.82	-27	Pass	19075



57. 802.11ac_40M_Band4_L

57.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	30	-48.31	-27	Pass	9700
1000	5650	1	Peak	5649	-44.81	-27	Pass	4650
5650	5700	1	Peak	5651.812	-41.91	-25.66	Pass	691
5700	5720	1	Peak	5707.768	-22.19	12.18	Pass	691
5720	5725	1	Peak	5720.746	-21.35	17.3	Pass	691
5725	5850	1	Peak	5757.79	11.83	30	Pass	691
5850	5855	1	Peak	5854.21	-41.05	17.4	Pass	691
5855	5875	1	Peak	5874.246	-44.57	10.21	Pass	691
5875	5925	1	Peak	5924.783	-46.13	-26.84	Pass	691
5925	25000	1	Peak	21936.839	-37.46	-27	Pass	19075



58. 802.11ac_40M_Band4_H

58.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	994.999	-50.04	-27	Pass	9700
1000	5650	1	Peak	5536.976	-46.83	-27	Pass	4650
5650	5700	1	Peak	5651.087	-45.29	-26.2	Pass	691
5700	5720	1	Peak	5701.507	-41.03	10.42	Pass	691
5720	5725	1	Peak	5720.007	-36.15	15.62	Pass	691
5725	5850	1	Peak	5797.826	10.72	30	Pass	691
5850	5855	1	Peak	5854.514	-34.8	16.71	Pass	691
5855	5875	1	Peak	5870.884	-37.51	11.15	Pass	691
5875	5925	1	Peak	5924.638	-44.8	-26.73	Pass	691
5925	25000	1	Peak	24156.956	-37.7	-27	Pass	19075



59. 802.11ac_80M_Band4_M

59.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	977.698	-49.92	-27	Pass	9700
1000	5650	1	Peak	5637.997	-44.38	-27	Pass	4650
5650	5700	1	Peak	5650.942	-41.96	-26.3	Pass	691
5700	5720	1	Peak	5703.536	-23.26	10.99	Pass	691
5720	5725	1	Peak	5720.362	-20.49	16.43	Pass	691
5725	5850	1	Peak	5756.341	8.49	30	Pass	691
5850	5855	1	Peak	5854.804	-32.57	16.05	Pass	691
5855	5875	1	Peak	5873.986	-33.42	10.28	Pass	691
5875	5925	1	Peak	5924.783	-44.71	-26.84	Pass	691
5925	25000	1	Peak	20062.741	-37.64	-27	Pass	19075



END