## **UNII Declaration Letter**

We have declared below	v featured for FCC ed	quipment authorizatio	on, device FCC ID:2A	UYFRMX2103
(1) DFS Device	<ul><li>☐ Master, ☐ Clie</li><li>☑ Client without rac</li></ul>	ent with Radar detect dar detection capabili		
(2) Active / Passive Sca	nning , adhoc mode a	access point capabili	ty	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz 2422 – 2452 MHz 5745 – 5825 MHz		<ul> <li>☐ Yes,</li> <li>☐ No</li> <li>☐ Yes,</li> <li>☐ No</li> </ul>	<ul> <li>☐ Yes, ⊠ No</li> <li>☐ Yes, ☐ No</li> <li>☐ Yes, ☒ No</li> </ul>	
5755 – 5795 MHz 5180 – 5240 MHz 5190 – 5230 MHz 5260 – 5320 MHz 5270 – 5310 MHz	☐ Yes,         ☒ No	⊠ Yes,       □ No	☐ Yes,       ☒ No	⋈       Yes,       □       No         ⋈       Yes,       □       No         ⋈       Yes,       □       No         □       Yes,       ⋈       No         □       Yes,       ⋈       No
5500 – 5700 MHz 5510 – 5670 MHz	<ul> <li>☐ Yes, ⊠ No</li> <li>☐ Yes, ⊠ No</li> </ul>	<ul><li></li></ul>	☐ Yes, ☒ No☐ Yes, ☒ No☐	☐ Yes, ☒ No☐ Yes, ☒ No☐
<ul> <li>(3) Country code selection</li> <li>If no, pls explain how was change the country code</li> <li>(4) Meet 15.202 required</li> <li>pls check below:</li> <li>☐ A master device is controled</li> <li>Image: A client device is desired</li> <li>A client device is desired</li> <li>A client device is desired</li> </ul>	as implemented : Cou e. ment -  Yes ,  lefined as a device or or an enabling signal. bling signals to other fined as a device ope	No ,  perating in a mode in devices erating in a mode in which we have a second to be a second t	which it has the capale to select a channel	ability to I and initiate a ns of the device
(5) For client devices the scanning in some and p classes or those that op of operations through so how the software and / o be modified by end user   ☐ Apply, ☐ No Appli (If apply, pls help to provide et allow USB connection for user allow USB connection for user the device configuration can be allow USB connection for user the device to the device configuration can be allow USB connection for user the device to the	assive scanning in ot erate on non-DFS fre oftware, the application or hardware is implement or an installer. y, explanation on how it was in not be modified by user as	chers) in different ban equencies) or modula on must provide softwa nented to ensure that mplement (By hardware of program is not exposed to	ds (devices with multir devices which confidered and operations of proper operations may be software, and how software, and how software.	tiple equipment igure the modes description on nodes can not
If you have any question	ns, please feel free to	contact me at the ac	ddress shown below.	
Yours sincerely, Signatory: Yary	Ungfiry			

Printed Name : Yang LiangPing Position : Certification Manager