


## **Annex A.5 Spurious Emission at Antenna Terminals**

# GSM

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.25	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.12	-13	Pass	2986
30	500	0.1	Peak	381	-41.32	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.63	-13	N/A	5001
1000	10000	1	Peak	8009.856	-19.91	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.05	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.73	-13	Pass	2986
30	500	0.1	Peak	480.3	-42.38	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.12	-13	N/A	5001
1000	10000	1	Peak	6748.702	-20.21	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.75	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.87	-13	Pass	2986
30	500	0.1	Peak	365.7	-42.21	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.07	-13	N/A	5001
1000	10000	1	Peak	7778.827	-20.3	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.37	-13	Pass	2986
30	1000	0.1	Peak	809.195	-46.67	-13	Pass	9700
1000	3000	1	Peak	1850	28.86	-13	N/A	2001
3000	20000	1	Peak	19419	-20.2	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.66	-13	Pass	401
0.15	30	0.01	Peak	23.02	-58.55	-13	Pass	2986
30	1000	0.1	Peak	779.491	-46.17	-13	Pass	9700
1000	3000	1	Peak	1880	28.96	-13	N/A	2001
3000	20000	1	Peak	19351.996	-19.41	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.29	-13	Pass	401
0.15	30	0.01	Peak	0.23	-59.46	-13	Pass	2986
30	1000	0.1	Peak	492.056	-47.05	-13	Pass	9700
1000	3000	1	Peak	1910	28.3	-13	N/A	2001
3000	20000	1	Peak	19066.961	-18.83	-13	Pass	17001




## EGPRS

### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.28	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54	-13	Pass	2986
30	500	0.1	Peak	335.1	-41.67	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.42	-13	N/A	5001
1000	10000	1	Peak	8784.95	-20.17	-13	Pass	9001






### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.3	-13	Pass	401
0.15	30	0.01	Peak	2.17	-52.59	-13	Pass	2986
30	500	0.1	Peak	371	-42.05	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.91	-13	N/A	5001
1000	10000	1	Peak	9684	-20.23	-13	Pass	9001



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.44	-13	Pass	401
0.15	30	0.01	Peak	0.44	-53.92	-13	Pass	2986
30	500	0.1	Peak	491.2	-41.82	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.6	-13	N/A	5001
1000	10000	1	Peak	7725.821	-19.55	-13	Pass	9001



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.21	-13	Pass	401
0.15	30	0.01	Peak	2.7	-59.42	-13	Pass	2986
30	1000	0.1	Peak	865.711	-47.49	-13	Pass	9700
1000	3000	1	Peak	1850	21.9	-13	N/A	2001
3000	20000	1	Peak	19806	-19.92	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.93	-13	Pass	401
0.15	30	0.01	Peak	0.23	-60.25	-13	Pass	2986
30	1000	0.1	Peak	724.385	-47.07	-13	Pass	9700
1000	3000	1	Peak	1880	25.49	-13	N/A	2001
3000	20000	1	Peak	19391	-19.74	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.96	-13	Pass	401
0.15	30	0.01	Peak	0.2	-58.48	-13	Pass	2986
30	1000	0.1	Peak	385.943	-47.07	-13	Pass	9700
1000	3000	1	Peak	1910	26.11	-13	N/A	2001
3000	20000	1	Peak	19874	-19.06	-13	Pass	17001




## WCDMA

### 5. WCDMA\_Band2


#### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.66	-13	Pass	401
0.15	30	0.01	Peak	1.45	-64.1	-13	Pass	2986
30	1000	0.1	Peak	721.384	-50.98	-13	Pass	9700
1000	3000	1	Peak	1854	23.56	-13	N/A	2001
3000	20000	1	Peak	19368.998	-24.48	-13	Pass	17001




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.13	-13	Pass	401
0.15	30	0.01	Peak	0.33	-63.88	-13	Pass	2986
30	1000	0.1	Peak	737.186	-50.61	-13	Pass	9700
1000	3000	1	Peak	1881	23.6	-13	N/A	2001
3000	20000	1	Peak	19793	-24.24	-13	Pass	17001



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.78	-13	Pass	401
0.15	30	0.01	Peak	0.96	-63.7	-13	Pass	2986
30	1000	0.1	Peak	719.184	-50.8	-13	Pass	9700
1000	3000	1	Peak	1906	23.59	-13	N/A	2001
3000	20000	1	Peak	19624	-24.28	-13	Pass	17001






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.61	-13	Pass	401
0.15	30	0.01	Peak	0.43	-63.74	-13	Pass	2986
30	1000	0.1	Peak	736.086	-50.86	-13	Pass	9700
1000	3000	1	Peak	1714	23.38	-13	N/A	2001
3000	20000	1	Peak	19826	-24.25	-13	Pass	17001




## 6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.33	-13	Pass	401
0.15	30	0.01	Peak	3.92	-64.67	-13	Pass	2986
30	1000	0.1	Peak	514.559	-50.69	-13	Pass	9700
1000	3000	1	Peak	1734	23.34	-13	N/A	2001
3000	20000	1	Peak	19517	-24.2	-13	Pass	17001



### 6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.71	-13	Pass	401
0.15	30	0.01	Peak	0.39	-63.98	-13	Pass	2986
30	1000	0.1	Peak	862.509	-51.09	-13	Pass	9700
1000	3000	1	Peak	1751	23.51	-13	N/A	2001
3000	20000	1	Peak	19793	-24.27	-13	Pass	17001



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.61	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.7	-13	Pass	2986
30	500	0.1	Peak	479	-51.83	-13	Pass	4701
500	1000	0.1	Peak	827.6	18.15	-13	N/A	5001
1000	10000	1	Peak	9500	-29.89	-13	Pass	9001




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.06	-13	Pass	401
0.15	30	0.01	Peak	1.6	-64.01	-13	Pass	2986
30	500	0.1	Peak	447.5	-52.27	-13	Pass	4701
500	1000	0.1	Peak	835.5	18.39	-13	N/A	5001
1000	10000	1	Peak	8830.956	-29.89	-13	Pass	9001



### 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.55	-13	Pass	2986
30	500	0.1	Peak	383.8	-51.25	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.05	-13	N/A	5001
1000	10000	1	Peak	8761.948	-30.76	-13	Pass	9001




# LTE

## 8. LTE\_Band2


### 8.1.LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	904.837	-63.46	-13	Pass	9700
1000	1840	1	RMS	1840	-52.19	-13	Pass	841
1840	1920	1	RMS	1850.2	20.9	60	Pass	401
1920	3000	1	RMS	2952	-49.6	-13	Pass	1081
3000	12000	1	RMS	7171.509	-39.87	-13	Pass	9001
12000	20000	1	RMS	19687	-34.17	-13	Pass	8001



**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2986
30	1000	0.1	RMS	863.309	-63.31	-13	Pass	9700
1000	1840	1	RMS	1840	-52.42	-13	Pass	841
1840	1920	1	RMS	1850.2	20.01	60	Pass	401
1920	3000	1	RMS	2840	-49.6	-13	Pass	1081
3000	12000	1	RMS	11430	-43.13	-13	Pass	9001
12000	20000	1	RMS	19796	-36.36	-13	Pass	8001






**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.41	-13	Pass	2986
30	1000	0.1	RMS	881.121	-63.49	-13	Pass	9700
1000	1840	1	RMS	1806	-52.51	-13	Pass	841
1840	1920	1	RMS	1879.4	21.14	60	Pass	401
1920	3000	1	RMS	2947	-49.55	-13	Pass	1081
3000	12000	1	RMS	11426	-43.11	-13	Pass	9001
12000	20000	1	RMS	19801	-36.36	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	892.229	-63.32	-13	Pass	9700
1000	1840	1	RMS	1799	-52.45	-13	Pass	841
1840	1920	1	RMS	1879.4	20.21	60	Pass	401
1920	3000	1	RMS	2842	-49.61	-13	Pass	1081
3000	12000	1	RMS	11441	-43.18	-13	Pass	9001
12000	20000	1	RMS	19801	-36.29	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.81	-13	Pass	2986
30	1000	0.1	RMS	884.924	-63.42	-13	Pass	9700
1000	1840	1	RMS	1792	-52.51	-13	Pass	841
1840	1920	1	RMS	1908.8	21.02	60	Pass	401
1920	3000	1	RMS	2844	-49.5	-13	Pass	1081
3000	12000	1	RMS	11448	-43.23	-13	Pass	9001
12000	20000	1	RMS	19792	-36.33	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	974.483	-63.46	-13	Pass	9700
1000	1840	1	RMS	1807	-52.43	-13	Pass	841
1840	1920	1	RMS	1908.8	20.12	60	Pass	401
1920	3000	1	RMS	2953	-49.4	-13	Pass	1081
3000	12000	1	RMS	7151.507	-40.3	-13	Pass	9001
12000	20000	1	RMS	19806	-36.31	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	Pass	401
0.15	30	0.01	RMS	19.76	-70.18	-13	Pass	2986
30	1000	0.1	RMS	874.717	-61.1	-13	Pass	9700
1000	1840	1	RMS	1840	-51.84	-13	Pass	841
1840	1920	1	RMS	1850.2	20.82	60	Pass	401
1920	3000	1	RMS	2924	-49.37	-13	Pass	1081
3000	12000	1	RMS	11431	-42.89	-13	Pass	9001
12000	20000	1	RMS	19666	-34.22	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.93	-13	Pass	2986
30	1000	0.1	RMS	939.36	-62.01	-13	Pass	9700
1000	1840	1	RMS	1840	-52.08	-13	Pass	841
1840	1920	1	RMS	1850.2	20	60	Pass	401
1920	3000	1	RMS	2844	-49.5	-13	Pass	1081
3000	12000	1	RMS	11451	-43.16	-13	Pass	9001
12000	20000	1	RMS	19811	-36.33	-13	Pass	8001




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	993.496	-63.29	-13	Pass	9700
1000	1840	1	RMS	1790	-52.54	-13	Pass	841
1840	1920	1	RMS	1878.6	21.05	60	Pass	401
1920	3000	1	RMS	2940	-49.66	-13	Pass	1081
3000	12000	1	RMS	11438	-43.12	-13	Pass	9001
12000	20000	1	RMS	19800	-36.43	-13	Pass	8001



**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.66	-13	Pass	2986
30	1000	0.1	RMS	903.036	-63.32	-13	Pass	9700
1000	1840	1	RMS	1801	-52.5	-13	Pass	841
1840	1920	1	RMS	1878.6	20.09	60	Pass	401
1920	3000	1	RMS	2942	-49.62	-13	Pass	1081
3000	12000	1	RMS	11427	-43.1	-13	Pass	9001
12000	20000	1	RMS	19802	-36.37	-13	Pass	8001






**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	1000	0.1	RMS	884.824	-63.33	-13	Pass	9700
1000	1840	1	RMS	1796	-52.44	-13	Pass	841
1840	1920	1	RMS	1907.2	20.9	60	Pass	401
1920	3000	1	RMS	2952	-49.6	-13	Pass	1081
3000	12000	1	RMS	7128.504	-39.32	-13	Pass	9001
12000	20000	1	RMS	13658	-36.29	-13	Pass	8001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	Pass	2986
30	1000	0.1	RMS	858.206	-63.39	-13	Pass	9700
1000	1840	1	RMS	1804	-52.58	-13	Pass	841
1840	1920	1	RMS	1907.2	20	60	Pass	401
1920	3000	1	RMS	2948	-49.65	-13	Pass	1081
3000	12000	1	RMS	11448	-43.14	-13	Pass	9001
12000	20000	1	RMS	19801	-36.4	-13	Pass	8001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	979.186	-63.28	-13	Pass	9700
1000	1840	1	RMS	1840	-52.1	-13	Pass	841
1840	1920	1	RMS	1850.2	21.07	60	Pass	401
1920	3000	1	RMS	2946	-49.52	-13	Pass	1081
3000	12000	1	RMS	11757	-43.16	-13	Pass	9001
12000	20000	1	RMS	19640	-33.61	-13	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.37	-13	Pass	9700
1000	1840	1	RMS	1840	-52.22	-13	Pass	841
1840	1920	1	RMS	1850.2	20.15	60	Pass	401
1920	3000	1	RMS	2949	-49.45	-13	Pass	1081
3000	12000	1	RMS	11448	-43.14	-13	Pass	9001
12000	20000	1	RMS	19799	-36.44	-13	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	891.728	-63.34	-13	Pass	9700
1000	1840	1	RMS	1812	-52.47	-13	Pass	841
1840	1920	1	RMS	1877.8	21.25	60	Pass	401
1920	3000	1	RMS	2850	-49.61	-13	Pass	1081
3000	12000	1	RMS	11434	-43.1	-13	Pass	9001
12000	20000	1	RMS	19800	-36.38	-13	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.14	-13	Pass	2986
30	1000	0.1	RMS	874.016	-63.33	-13	Pass	9700
1000	1840	1	RMS	1802	-52.53	-13	Pass	841
1840	1920	1	RMS	1877.8	20.45	60	Pass	401
1920	3000	1	RMS	2846	-49.56	-13	Pass	1081
3000	12000	1	RMS	7107.501	-37.93	-13	Pass	9001
12000	20000	1	RMS	19798	-36.4	-13	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	883.323	-63.19	-13	Pass	9700
1000	1840	1	RMS	1801	-52.41	-13	Pass	841
1840	1920	1	RMS	1905.2	21.17	60	Pass	401
1920	3000	1	RMS	2952	-49.49	-13	Pass	1081
3000	12000	1	RMS	11425	-43.11	-13	Pass	9001
12000	20000	1	RMS	19799	-36.39	-13	Pass	8001



**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2986
30	1000	0.1	RMS	872.115	-63.29	-13	Pass	9700
1000	1840	1	RMS	1810	-52.51	-13	Pass	841
1840	1920	1	RMS	1905.2	20.45	60	Pass	401
1920	3000	1	RMS	2949	-49.51	-13	Pass	1081
3000	12000	1	RMS	11458	-43.12	-13	Pass	9001
12000	20000	1	RMS	19797	-36.39	-13	Pass	8001






**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	882.322	-63.25	-13	Pass	9700
1000	1840	1	RMS	1840	-49.58	-13	Pass	841
1840	1920	1	RMS	1850.4	21.08	60	Pass	401
1920	3000	1	RMS	2846	-49.45	-13	Pass	1081
3000	12000	1	RMS	11452	-43.06	-13	Pass	9001
12000	20000	1	RMS	19653	-34.71	-13	Pass	8001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.37	-72.05	-13	Pass	2986
30	1000	0.1	RMS	896.531	-63.37	-13	Pass	9700
1000	1840	1	RMS	1840	-49.98	-13	Pass	841
1840	1920	1	RMS	1850.4	20.25	60	Pass	401
1920	3000	1	RMS	2948	-49.51	-13	Pass	1081
3000	12000	1	RMS	11427	-43.08	-13	Pass	9001
12000	20000	1	RMS	19795	-36.34	-13	Pass	8001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.75	-13	Pass	2986
30	1000	0.1	RMS	885.824	-63.21	-13	Pass	9700
1000	1840	1	RMS	1840	-52.42	-13	Pass	841
1840	1920	1	RMS	1875.4	21.33	60	Pass	401
1920	3000	1	RMS	2952	-49.47	-13	Pass	1081
3000	12000	1	RMS	7125.504	-39.59	-13	Pass	9001
12000	20000	1	RMS	19797	-36.35	-13	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	880.121	-63.28	-13	Pass	9700
1000	1840	1	RMS	1800	-52.49	-13	Pass	841
1840	1920	1	RMS	1875.4	20.37	60	Pass	401
1920	3000	1	RMS	2841	-49.54	-13	Pass	1081
3000	12000	1	RMS	11434	-43.16	-13	Pass	9001
12000	20000	1	RMS	19799	-36.35	-13	Pass	8001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	906.238	-63.43	-13	Pass	9700
1000	1840	1	RMS	1792	-52.51	-13	Pass	841
1840	1920	1	RMS	1900.4	21.24	60	Pass	401
1920	3000	1	RMS	2951	-49.57	-13	Pass	1081
3000	12000	1	RMS	11438	-43.11	-13	Pass	9001
12000	20000	1	RMS	19804	-36.35	-13	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.44	-71.76	-13	Pass	2986
30	1000	0.1	RMS	993.296	-63.26	-13	Pass	9700
1000	1840	1	RMS	1798	-52.47	-13	Pass	841
1840	1920	1	RMS	1900.4	20.39	60	Pass	401
1920	3000	1	RMS	2951	-49.5	-13	Pass	1081
3000	12000	1	RMS	11426	-43.11	-13	Pass	9001
12000	20000	1	RMS	19798	-36.33	-13	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.67	-13	Pass	2986
30	1000	0.1	RMS	875.718	-63.31	-13	Pass	9700
1000	1840	1	RMS	1840	-46.43	-13	Pass	841
1840	1920	1	RMS	1850.8	21.08	60	Pass	401
1920	3000	1	RMS	2950	-49.44	-13	Pass	1081
3000	12000	1	RMS	11425	-43.06	-13	Pass	9001
12000	20000	1	RMS	19632	-34.03	-13	Pass	8001



**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	Pass	2986
30	1000	0.1	RMS	863.61	-63.31	-13	Pass	9700
1000	1840	1	RMS	1840	-46.96	-13	Pass	841
1840	1920	1	RMS	1850.8	20.27	60	Pass	401
1920	3000	1	RMS	2949	-49.58	-13	Pass	1081
3000	12000	1	RMS	7106.501	-38.93	-13	Pass	9001
12000	20000	1	RMS	13637	-36.36	-13	Pass	8001






**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	887.425	-63.32	-13	Pass	9700
1000	1840	1	RMS	1803	-52.48	-13	Pass	841
1840	1920	1	RMS	1873.2	21.32	60	Pass	401
1920	3000	1	RMS	2947	-49.53	-13	Pass	1081
3000	12000	1	RMS	11460	-43.11	-13	Pass	9001
12000	20000	1	RMS	19803	-36.33	-13	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.82	-13	Pass	2986
30	1000	0.1	RMS	908.84	-63.32	-13	Pass	9700
1000	1840	1	RMS	1805	-52.43	-13	Pass	841
1840	1920	1	RMS	1873.2	20.43	60	Pass	401
1920	3000	1	RMS	2955	-49.5	-13	Pass	1081
3000	12000	1	RMS	11437	-43.06	-13	Pass	9001
12000	20000	1	RMS	19804	-36.41	-13	Pass	8001




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2986
30	1000	0.1	RMS	866.211	-63.26	-13	Pass	9700
1000	1840	1	RMS	1808	-52.46	-13	Pass	841
1840	1920	1	RMS	1895.8	21.21	60	Pass	401
1920	3000	1	RMS	1920	-49.12	-13	Pass	1081
3000	12000	1	RMS	11457	-43.09	-13	Pass	9001
12000	20000	1	RMS	19801	-36.38	-13	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	873.416	-63.02	-13	Pass	9700
1000	1840	1	RMS	1804	-52.45	-13	Pass	841
1840	1920	1	RMS	1895.8	20.43	60	Pass	401
1920	3000	1	RMS	1922	-49.4	-13	Pass	1081
3000	12000	1	RMS	11426	-43.06	-13	Pass	9001
12000	20000	1	RMS	19801	-36.37	-13	Pass	8001




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	876.818	-63.31	-13	Pass	9700
1000	1840	1	RMS	1840	-47.4	-13	Pass	841
1840	1920	1	RMS	1851	21.01	60	Pass	401
1920	3000	1	RMS	2939	-49.52	-13	Pass	1081
3000	12000	1	RMS	7089.499	-39.15	-13	Pass	9001
12000	20000	1	RMS	19612	-33.51	-13	Pass	8001




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.51	-13	Pass	2986
30	1000	0.1	RMS	878.219	-63.37	-13	Pass	9700
1000	1840	1	RMS	1840	-48.14	-13	Pass	841
1840	1920	1	RMS	1851	20.23	60	Pass	401
1920	3000	1	RMS	2948	-49.57	-13	Pass	1081
3000	12000	1	RMS	11430	-43.07	-13	Pass	9001
12000	20000	1	RMS	19805	-36.37	-13	Pass	8001




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-13	Pass	2986
30	1000	0.1	RMS	987.492	-63.28	-13	Pass	9700
1000	1840	1	RMS	1835	-47.59	-13	Pass	841
1840	1920	1	RMS	1871	21.23	60	Pass	401
1920	3000	1	RMS	2946	-49.52	-13	Pass	1081
3000	12000	1	RMS	11440	-42.99	-13	Pass	9001
12000	20000	1	RMS	19798	-36.36	-13	Pass	8001



**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.74	-13	Pass	2986
30	1000	0.1	RMS	725.485	-63.32	-13	Pass	9700
1000	1840	1	RMS	1835	-48.49	-13	Pass	841
1840	1920	1	RMS	1871	20.27	60	Pass	401
1920	3000	1	RMS	2952	-49.54	-13	Pass	1081
3000	12000	1	RMS	11444	-43	-13	Pass	9001
12000	20000	1	RMS	19798	-36.37	-13	Pass	8001






**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	1000	0.1	RMS	482.755	-63.07	-13	Pass	9700
1000	1840	1	RMS	1801	-52.43	-13	Pass	841
1840	1920	1	RMS	1891	21.25	60	Pass	401
1920	3000	1	RMS	2950	-49.49	-13	Pass	1081
3000	12000	1	RMS	11428	-43.07	-13	Pass	9001
12000	20000	1	RMS	19798	-36.28	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	1000	0.1	RMS	893.229	-63.12	-13	Pass	9700
1000	1840	1	RMS	1804	-52.39	-13	Pass	841
1840	1920	1	RMS	1891	20.33	60	Pass	401
1920	3000	1	RMS	2951	-49.51	-13	Pass	1081
3000	12000	1	RMS	7095.5	-39.07	-13	Pass	9001
12000	20000	1	RMS	19801	-36.3	-13	Pass	8001



## 9. LTE\_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	863.81	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1710.238	18.22	60	Pass	401
1765	3000	1	RMS	2845	-49.5	-13	Pass	1236
3000	12000	1	RMS	11441	-43.03	-13	Pass	9001
12000	20000	1	RMS	19794	-36.37	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.69	-13	Pass	2986
30	1000	0.1	RMS	893.529	-63.47	-13	Pass	9700
1000	1700	1	RMS	1700	-52.49	-13	Pass	701
1700	1765	1	RMS	1710.238	18.36	60	Pass	401
1765	3000	1	RMS	2949	-49.52	-13	Pass	1236
3000	12000	1	RMS	11439	-43.09	-13	Pass	9001
12000	20000	1	RMS	19800	-36.3	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-13	Pass	2986
30	1000	0.1	RMS	899.834	-63.45	-13	Pass	9700
1000	1700	1	RMS	1696	-52.78	-13	Pass	701
1700	1765	1	RMS	1732.013	18.18	60	Pass	401
1765	3000	1	RMS	2950	-49.5	-13	Pass	1236
3000	12000	1	RMS	11427	-43.06	-13	Pass	9001
12000	20000	1	RMS	19803	-36.35	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	Pass	2986
30	1000	0.1	RMS	874.117	-63.33	-13	Pass	9700
1000	1700	1	RMS	1699	-52.73	-13	Pass	701
1700	1765	1	RMS	1732.013	18.23	60	Pass	401
1765	3000	1	RMS	2845	-49.49	-13	Pass	1236
3000	12000	1	RMS	11435	-43.09	-13	Pass	9001
12000	20000	1	RMS	19799	-36.39	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.25	-13	Pass	9700
1000	1700	1	RMS	1698	-52.68	-13	Pass	701
1700	1765	1	RMS	1753.788	18.3	60	Pass	401
1765	3000	1	RMS	2951	-49.41	-13	Pass	1236
3000	12000	1	RMS	11436	-43.07	-13	Pass	9001
12000	20000	1	RMS	19806	-36.36	-13	Pass	8001



**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	Pass	2986
30	1000	0.1	RMS	867.812	-63.44	-13	Pass	9700
1000	1700	1	RMS	1695	-52.66	-13	Pass	701
1700	1765	1	RMS	1753.788	18.45	60	Pass	401
1765	3000	1	RMS	2952	-49.46	-13	Pass	1236
3000	12000	1	RMS	11452	-43.12	-13	Pass	9001
12000	20000	1	RMS	19804	-36.31	-13	Pass	8001






**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2986
30	1000	0.1	RMS	867.812	-63.49	-13	Pass	9700
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1710.238	18.11	60	Pass	401
1765	3000	1	RMS	2947	-49.5	-13	Pass	1236
3000	12000	1	RMS	11437	-43.06	-13	Pass	9001
12000	20000	1	RMS	19792	-36.3	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2986
30	1000	0.1	RMS	854.303	-63.56	-13	Pass	9700
1000	1700	1	RMS	1700	-52.31	-13	Pass	701
1700	1765	1	RMS	1710.238	18.35	60	Pass	401
1765	3000	1	RMS	2850	-49.5	-13	Pass	1236
3000	12000	1	RMS	11443	-43.11	-13	Pass	9001
12000	20000	1	RMS	19806	-36.27	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	1000	0.1	RMS	894.43	-63.28	-13	Pass	9700
1000	1700	1	RMS	1697	-52.71	-13	Pass	701
1700	1765	1	RMS	1731.2	18.07	60	Pass	401
1765	3000	1	RMS	2950	-49.38	-13	Pass	1236
3000	12000	1	RMS	11435	-43	-13	Pass	9001
12000	20000	1	RMS	19808	-36.35	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.72	-71.97	-13	Pass	2986
30	1000	0.1	RMS	877.719	-63.43	-13	Pass	9700
1000	1700	1	RMS	1699	-52.68	-13	Pass	701
1700	1765	1	RMS	1731.2	18.15	60	Pass	401
1765	3000	1	RMS	2836	-49.48	-13	Pass	1236
3000	12000	1	RMS	11442	-43.12	-13	Pass	9001
12000	20000	1	RMS	19801	-36.33	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2986
30	1000	0.1	RMS	891.028	-63.34	-13	Pass	9700
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1765	1	RMS	1752.163	18.14	60	Pass	401
1765	3000	1	RMS	2848	-49.49	-13	Pass	1236
3000	12000	1	RMS	11423	-43.1	-13	Pass	9001
12000	20000	1	RMS	19800	-36.27	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2986
30	1000	0.1	RMS	869.213	-63.45	-13	Pass	9700
1000	1700	1	RMS	1696	-52.68	-13	Pass	701
1700	1765	1	RMS	1752.163	18.37	60	Pass	401
1765	3000	1	RMS	2944	-49.43	-13	Pass	1236
3000	12000	1	RMS	11458	-43.04	-13	Pass	9001
12000	20000	1	RMS	19803	-36.33	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.6	-71.97	-13	Pass	2986
30	1000	0.1	RMS	874.217	-63.39	-13	Pass	9700
1000	1700	1	RMS	1700	-52.47	-13	Pass	701
1700	1765	1	RMS	1710.238	18.44	60	Pass	401
1765	3000	1	RMS	2952	-49.49	-13	Pass	1236
3000	12000	1	RMS	11441	-42.9	-13	Pass	9001
12000	20000	1	RMS	19800	-36.38	-13	Pass	8001



**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.08	-13	Pass	2986
30	1000	0.1	RMS	876.518	-63.44	-13	Pass	9700
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1710.238	18.51	60	Pass	401
1765	3000	1	RMS	2947	-49.46	-13	Pass	1236
3000	12000	1	RMS	11430	-43.07	-13	Pass	9001
12000	20000	1	RMS	19805	-36.3	-13	Pass	8001






**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	889.927	-63.4	-13	Pass	9700
1000	1700	1	RMS	1700	-52.65	-13	Pass	701
1700	1765	1	RMS	1730.225	18.3	60	Pass	401
1765	3000	1	RMS	2947	-49.44	-13	Pass	1236
3000	12000	1	RMS	11431	-43.06	-13	Pass	9001
12000	20000	1	RMS	19798	-36.33	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	876.218	-63.34	-13	Pass	9700
1000	1700	1	RMS	1695	-52.64	-13	Pass	701
1700	1765	1	RMS	1730.225	18.53	60	Pass	401
1765	3000	1	RMS	2840	-49.53	-13	Pass	1236
3000	12000	1	RMS	11438	-43.1	-13	Pass	9001
12000	20000	1	RMS	19795	-36.34	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.13	-13	Pass	2986
30	1000	0.1	RMS	875.918	-63.27	-13	Pass	9700
1000	1700	1	RMS	1700	-52.77	-13	Pass	701
1700	1765	1	RMS	1750.213	18.38	60	Pass	401
1765	3000	1	RMS	2944	-49.49	-13	Pass	1236
3000	12000	1	RMS	11435	-43.01	-13	Pass	9001
12000	20000	1	RMS	19796	-36.34	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-13	Pass	2986
30	1000	0.1	RMS	863.91	-63.43	-13	Pass	9700
1000	1700	1	RMS	1698	-52.67	-13	Pass	701
1700	1765	1	RMS	1750.213	18.6	60	Pass	401
1765	3000	1	RMS	2950	-49.45	-13	Pass	1236
3000	12000	1	RMS	11427	-43.07	-13	Pass	9001
12000	20000	1	RMS	19802	-36.35	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2986
30	1000	0.1	RMS	975.684	-63.38	-13	Pass	9700
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1765	1	RMS	1710.563	18.47	60	Pass	401
1765	3000	1	RMS	2944	-49.49	-13	Pass	1236
3000	12000	1	RMS	11444	-43.05	-13	Pass	9001
12000	20000	1	RMS	19797	-36.39	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.07	-13	Pass	2986
30	1000	0.1	RMS	885.424	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-50.31	-13	Pass	701
1700	1765	1	RMS	1710.563	18.72	60	Pass	401
1765	3000	1	RMS	2948	-49.5	-13	Pass	1236
3000	12000	1	RMS	11433	-43.06	-13	Pass	9001
12000	20000	1	RMS	19801	-36.31	-13	Pass	8001




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2986
30	1000	0.1	RMS	990.694	-63.46	-13	Pass	9700
1000	1700	1	RMS	1696	-52.77	-13	Pass	701
1700	1765	1	RMS	1727.95	18.38	60	Pass	401
1765	3000	1	RMS	2847	-49.51	-13	Pass	1236
3000	12000	1	RMS	11431	-43.05	-13	Pass	9001
12000	20000	1	RMS	19797	-36.36	-13	Pass	8001



**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.58	-72.16	-13	Pass	2986
30	1000	0.1	RMS	901.935	-63.44	-13	Pass	9700
1000	1700	1	RMS	1699	-52.69	-13	Pass	701
1700	1765	1	RMS	1727.95	18.42	60	Pass	401
1765	3000	1	RMS	2946	-49.49	-13	Pass	1236
3000	12000	1	RMS	11435	-43.03	-13	Pass	9001
12000	20000	1	RMS	19803	-36.3	-13	Pass	8001






**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	887.726	-63.39	-13	Pass	9700
1000	1700	1	RMS	1691	-52.68	-13	Pass	701
1700	1765	1	RMS	1745.5	18.47	60	Pass	401
1765	3000	1	RMS	2948	-49.49	-13	Pass	1236
3000	12000	1	RMS	11441	-43.04	-13	Pass	9001
12000	20000	1	RMS	19791	-36.31	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.43	-13	Pass	9700
1000	1700	1	RMS	1700	-52.68	-13	Pass	701
1700	1765	1	RMS	1745.5	18.6	60	Pass	401
1765	3000	1	RMS	2936	-49.51	-13	Pass	1236
3000	12000	1	RMS	11444	-43.08	-13	Pass	9001
12000	20000	1	RMS	19799	-36.25	-13	Pass	8001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.26	-13	Pass	2986
30	1000	0.1	RMS	876.718	-63.41	-13	Pass	9700
1000	1700	1	RMS	1700	-49.01	-13	Pass	701
1700	1765	1	RMS	1710.725	18.42	60	Pass	401
1765	3000	1	RMS	2922	-49.46	-13	Pass	1236
3000	12000	1	RMS	11430	-42.94	-13	Pass	9001
12000	20000	1	RMS	19804	-36.32	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2986
30	1000	0.1	RMS	911.141	-63.4	-13	Pass	9700
1000	1700	1	RMS	1700	-48.62	-13	Pass	701
1700	1765	1	RMS	1710.725	18.67	60	Pass	401
1765	3000	1	RMS	2952	-49.46	-13	Pass	1236
3000	12000	1	RMS	11435	-43.11	-13	Pass	9001
12000	20000	1	RMS	19801	-36.26	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.33	-13	Pass	2986
30	1000	0.1	RMS	883.723	-63.47	-13	Pass	9700
1000	1700	1	RMS	1699	-49.1	-13	Pass	701
1700	1765	1	RMS	1725.838	18.3	60	Pass	401
1765	3000	1	RMS	2950	-49.48	-13	Pass	1236
3000	12000	1	RMS	11758	-43.08	-13	Pass	9001
12000	20000	1	RMS	19803	-36.28	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.08	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.36	-13	Pass	9700
1000	1700	1	RMS	1699	-48.78	-13	Pass	701
1700	1765	1	RMS	1725.838	18.36	60	Pass	401
1765	3000	1	RMS	2951	-49.43	-13	Pass	1236
3000	12000	1	RMS	11436	-43.01	-13	Pass	9001
12000	20000	1	RMS	19801	-36.3	-13	Pass	8001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2986
30	1000	0.1	RMS	880.921	-63.36	-13	Pass	9700
1000	1700	1	RMS	1699	-52.69	-13	Pass	701
1700	1765	1	RMS	1740.788	18.38	60	Pass	401
1765	3000	1	RMS	1767	-36.67	-13	Pass	1236
3000	12000	1	RMS	11424	-43.09	-13	Pass	9001
12000	20000	1	RMS	19809	-36.37	-13	Pass	8001



**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.3	-13	Pass	9700
1000	1700	1	RMS	1695	-52.72	-13	Pass	701
1700	1765	1	RMS	1740.788	18.6	60	Pass	401
1765	3000	1	RMS	1767	-36.26	-13	Pass	1236
3000	12000	1	RMS	11004.977	-43.07	-13	Pass	9001
12000	20000	1	RMS	19807	-36.39	-13	Pass	8001






**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2986
30	1000	0.1	RMS	880.621	-63.4	-13	Pass	9700
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1765	1	RMS	1711.05	18.35	60	Pass	401
1765	3000	1	RMS	2843	-49.48	-13	Pass	1236
3000	12000	1	RMS	11430	-43.06	-13	Pass	9001
12000	20000	1	RMS	19802	-36.35	-13	Pass	8001




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	Pass	2986
30	1000	0.1	RMS	867.012	-63.4	-13	Pass	9700
1000	1700	1	RMS	1699	-49.4	-13	Pass	701
1700	1765	1	RMS	1711.05	18.57	60	Pass	401
1765	3000	1	RMS	2920	-49.42	-13	Pass	1236
3000	12000	1	RMS	11442	-43.05	-13	Pass	9001
12000	20000	1	RMS	19795	-36.28	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-13	Pass	2986
30	1000	0.1	RMS	870.414	-63.41	-13	Pass	9700
1000	1700	1	RMS	1693	-52.72	-13	Pass	701
1700	1765	1	RMS	1723.563	18.26	60	Pass	401
1765	3000	1	RMS	2847	-49.53	-13	Pass	1236
3000	12000	1	RMS	11425	-43.08	-13	Pass	9001
12000	20000	1	RMS	19800	-36.32	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.88	-13	Pass	2986
30	1000	0.1	RMS	885.624	-63.44	-13	Pass	9700
1000	1700	1	RMS	1700	-52.66	-13	Pass	701
1700	1765	1	RMS	1723.563	18.32	60	Pass	401
1765	3000	1	RMS	2948	-49.43	-13	Pass	1236
3000	12000	1	RMS	11454	-43.1	-13	Pass	9001
12000	20000	1	RMS	19804	-36.37	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.43	-13	Pass	2986
30	1000	0.1	RMS	986.891	-63.31	-13	Pass	9700
1000	1700	1	RMS	1700	-48.49	-13	Pass	701
1700	1765	1	RMS	1736.075	18.21	60	Pass	401
1765	3000	1	RMS	1772	-35.65	-13	Pass	1236
3000	12000	1	RMS	11430	-43.04	-13	Pass	9001
12000	20000	1	RMS	19800	-36.31	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	864.11	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-48.05	-13	Pass	701
1700	1765	1	RMS	1736.075	18.26	60	Pass	401
1765	3000	1	RMS	1772	-35.58	-13	Pass	1236
3000	12000	1	RMS	11450	-43.07	-13	Pass	9001
12000	20000	1	RMS	19790	-36.35	-13	Pass	8001



## 10. LTE\_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.42	-69.53	-13	Pass	2986
30	814	0.1	RMS	790.4	-61.81	-13	Pass	7841
814	860	0.1	RMS	824.2	18.06	60	Pass	461
860	1000	0.1	RMS	872.9	-61.42	-13	Pass	1401
1000	3000	1	RMS	1648	-47.61	-13	Pass	2001
3000	10000	1	RMS	6951	-39.77	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	Pass	401
0.15	30	0.01	RMS	2.46	-70.41	-13	Pass	2986
30	814	0.1	RMS	667.1	-61.96	-13	Pass	7841
814	860	0.1	RMS	824.3	17.15	60	Pass	461
860	1000	0.1	RMS	864.7	-63.37	-13	Pass	1401
1000	3000	1	RMS	1648	-48.35	-13	Pass	2001
3000	10000	1	RMS	7109	-43.59	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	814	0.1	RMS	729.8	-63.63	-13	Pass	7841
814	860	0.1	RMS	836	18.13	60	Pass	461
860	1000	0.1	RMS	881.5	-63.36	-13	Pass	1401
1000	3000	1	RMS	2850	-49.47	-13	Pass	2001
3000	10000	1	RMS	8007	-43.92	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	814	0.1	RMS	486.7	-63.45	-13	Pass	7841
814	860	0.1	RMS	836	17.17	60	Pass	461
860	1000	0.1	RMS	882	-63.33	-13	Pass	1401
1000	3000	1	RMS	2844	-49.5	-13	Pass	2001
3000	10000	1	RMS	8008	-43.94	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	Pass	2986
30	814	0.1	RMS	710.4	-63.69	-13	Pass	7841
814	860	0.1	RMS	847.8	18.07	60	Pass	461
860	1000	0.1	RMS	881.4	-63.18	-13	Pass	1401
1000	3000	1	RMS	2950	-49.51	-13	Pass	2001
3000	10000	1	RMS	7107	-43.97	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.63	-13	Pass	2986
30	814	0.1	RMS	731.3	-63.71	-13	Pass	7841
814	860	0.1	RMS	847.9	17.16	60	Pass	461
860	1000	0.1	RMS	870.9	-63.45	-13	Pass	1401
1000	3000	1	RMS	2953	-49.48	-13	Pass	2001
3000	10000	1	RMS	7110	-43.94	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.33	-13	Pass	7841
814	860	0.1	RMS	824.2	18.18	60	Pass	461
860	1000	0.1	RMS	978.8	-63.38	-13	Pass	1401
1000	3000	1	RMS	1648	-47.89	-13	Pass	2001
3000	10000	1	RMS	6963	-39.35	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	814	0.1	RMS	465.1	-63.62	-13	Pass	7841
814	860	0.1	RMS	824.2	17.38	60	Pass	461
860	1000	0.1	RMS	988.8	-63.36	-13	Pass	1401
1000	3000	1	RMS	1648	-48.5	-13	Pass	2001
3000	10000	1	RMS	8002	-43.95	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2986
30	814	0.1	RMS	743.7	-63.65	-13	Pass	7841
814	860	0.1	RMS	835.2	18.22	60	Pass	461
860	1000	0.1	RMS	866.3	-63.21	-13	Pass	1401
1000	3000	1	RMS	2951	-49.5	-13	Pass	2001
3000	10000	1	RMS	7110	-43.91	-13	Pass	7001



**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.73	-13	Pass	2986
30	814	0.1	RMS	735.8	-63.57	-13	Pass	7841
814	860	0.1	RMS	835.2	17.25	60	Pass	461
860	1000	0.1	RMS	890.8	-63.49	-13	Pass	1401
1000	3000	1	RMS	2944	-49.52	-13	Pass	2001
3000	10000	1	RMS	8004	-44	-13	Pass	7001






**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	729.9	-63.59	-13	Pass	7841
814	860	0.1	RMS	846.2	18.11	60	Pass	461
860	1000	0.1	RMS	872.6	-63.33	-13	Pass	1401
1000	3000	1	RMS	2947	-49.56	-13	Pass	2001
3000	10000	1	RMS	7109	-43.9	-13	Pass	7001




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.11	-13	Pass	2986
30	814	0.1	RMS	727.6	-63.58	-13	Pass	7841
814	860	0.1	RMS	846.2	17.29	60	Pass	461
860	1000	0.1	RMS	882	-63.42	-13	Pass	1401
1000	3000	1	RMS	2944	-49.41	-13	Pass	2001
3000	10000	1	RMS	7999	-43.85	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.49	-13	Pass	7841
814	860	0.1	RMS	824.3	18.53	60	Pass	461
860	1000	0.1	RMS	868.6	-63.17	-13	Pass	1401
1000	3000	1	RMS	1648	-48.01	-13	Pass	2001
3000	10000	1	RMS	6949	-40.33	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.9	-70.21	-13	Pass	2986
30	814	0.1	RMS	772.7	-61.72	-13	Pass	7841
814	860	0.1	RMS	824.3	17.55	60	Pass	461
860	1000	0.1	RMS	999.4	-63.36	-13	Pass	1401
1000	3000	1	RMS	1648	-48.65	-13	Pass	2001
3000	10000	1	RMS	7110	-43.81	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	Pass	401
0.15	30	0.01	RMS	17.8	-70.62	-13	Pass	2986
30	814	0.1	RMS	808.4	-61.71	-13	Pass	7841
814	860	0.1	RMS	834.3	18.6	60	Pass	461
860	1000	0.1	RMS	868.4	-61.43	-13	Pass	1401
1000	3000	1	RMS	2850	-49.3	-13	Pass	2001
3000	10000	1	RMS	7109	-43.84	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.53	-71.84	-13	Pass	2986
30	814	0.1	RMS	473.7	-63.59	-13	Pass	7841
814	860	0.1	RMS	834.3	17.82	60	Pass	461
860	1000	0.1	RMS	862.1	-63.43	-13	Pass	1401
1000	3000	1	RMS	2950	-49.42	-13	Pass	2001
3000	10000	1	RMS	7105	-43.87	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.43	-72	-13	Pass	2986
30	814	0.1	RMS	730.1	-63.61	-13	Pass	7841
814	860	0.1	RMS	844.3	18.54	60	Pass	461
860	1000	0.1	RMS	906.9	-63.4	-13	Pass	1401
1000	3000	1	RMS	2949	-49.26	-13	Pass	2001
3000	10000	1	RMS	7105	-43.79	-13	Pass	7001



**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	Pass	401
0.15	30	0.01	RMS	25.22	-70.94	-13	Pass	2986
30	814	0.1	RMS	776.4	-61.79	-13	Pass	7841
814	860	0.1	RMS	844.3	17.82	60	Pass	461
860	1000	0.1	RMS	889.1	-63.4	-13	Pass	1401
1000	3000	1	RMS	2845	-49.37	-13	Pass	2001
3000	10000	1	RMS	7113	-43.92	-13	Pass	7001






**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2986
30	814	0.1	RMS	814	-60.7	-13	Pass	7841
814	860	0.1	RMS	824.6	19	60	Pass	461
860	1000	0.1	RMS	879.4	-63.34	-13	Pass	1401
1000	3000	1	RMS	1649	-48.81	-13	Pass	2001
3000	10000	1	RMS	6962	-40.31	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.57	-13	Pass	7841
814	860	0.1	RMS	824.6	18.21	60	Pass	461
860	1000	0.1	RMS	988.6	-63.3	-13	Pass	1401
1000	3000	1	RMS	1649	-49.33	-13	Pass	2001
3000	10000	1	RMS	8006	-43.88	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2986
30	814	0.1	RMS	471.3	-63.54	-13	Pass	7841
814	860	0.1	RMS	832.1	19.13	60	Pass	461
860	1000	0.1	RMS	884.7	-63.36	-13	Pass	1401
1000	3000	1	RMS	2949	-49.43	-13	Pass	2001
3000	10000	1	RMS	7115	-43.96	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	814	0.1	RMS	622.2	-63.69	-13	Pass	7841
814	860	0.1	RMS	832.1	18.15	60	Pass	461
860	1000	0.1	RMS	881.9	-63.45	-13	Pass	1401
1000	3000	1	RMS	2952	-49.48	-13	Pass	2001
3000	10000	1	RMS	7998	-43.96	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2986
30	814	0.1	RMS	738.6	-63.6	-13	Pass	7841
814	860	0.1	RMS	839.6	19.04	60	Pass	461
860	1000	0.1	RMS	864.7	-63.22	-13	Pass	1401
1000	3000	1	RMS	2937	-49.54	-13	Pass	2001
3000	10000	1	RMS	7109	-43.95	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	814	0.1	RMS	471.2	-63.52	-13	Pass	7841
814	860	0.1	RMS	839.6	18.09	60	Pass	461
860	1000	0.1	RMS	990	-63.37	-13	Pass	1401
1000	3000	1	RMS	2936	-49.5	-13	Pass	2001
3000	10000	1	RMS	8004	-44.04	-13	Pass	7001



## 11. LTE\_Band7

11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.34	-25	Pass	2986
30	1000	0.1	RMS	891.528	-63.29	-25	Pass	9700
1000	2480	1	RMS	2478	-50.77	-25	Pass	1481
2480	2590	1	RMS	2500.075	21.97	60	Pass	401
2590	3000	1	RMS	2953	-49.52	-25	Pass	411
3000	12000	1	RMS	7162.508	-49.28	-25	Pass	9001
12000	26000	1	RMS	25902	-40.28	-25	Pass	14001



**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.78	-25	Pass	2986
30	1000	0.1	RMS	856.005	-63.4	-25	Pass	9700
1000	2480	1	RMS	2480	-50.93	-25	Pass	1481
2480	2590	1	RMS	2500.075	21.01	60	Pass	401
2590	3000	1	RMS	2953	-49.6	-25	Pass	411
3000	12000	1	RMS	11597	-52.92	-25	Pass	9001
12000	26000	1	RMS	25900	-40.11	-25	Pass	14001






**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-25	Pass	2986
30	1000	0.1	RMS	853.803	-63.47	-25	Pass	9700
1000	2480	1	RMS	2475	-50.93	-25	Pass	1481
2480	2590	1	RMS	2532.8	22.24	60	Pass	401
2590	3000	1	RMS	2948	-49.62	-25	Pass	411
3000	12000	1	RMS	11591	-52.9	-25	Pass	9001
12000	26000	1	RMS	25890	-40.17	-25	Pass	14001




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-25	Pass	2986
30	1000	0.1	RMS	872.115	-63.37	-25	Pass	9700
1000	2480	1	RMS	2476	-50.95	-25	Pass	1481
2480	2590	1	RMS	2532.8	21.43	60	Pass	401
2590	3000	1	RMS	2950	-49.63	-25	Pass	411
3000	12000	1	RMS	11604	-52.95	-25	Pass	9001
12000	26000	1	RMS	25889	-40.23	-25	Pass	14001



**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-25	Pass	2986
30	1000	0.1	RMS	880.221	-63.41	-25	Pass	9700
1000	2480	1	RMS	2480	-50.89	-25	Pass	1481
2480	2590	1	RMS	2565.25	22.28	60	Pass	401
2590	3000	1	RMS	2950	-49.58	-25	Pass	411
3000	12000	1	RMS	11601	-52.94	-25	Pass	9001
12000	26000	1	RMS	25905	-40.26	-25	Pass	14001




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-25	Pass	2986
30	1000	0.1	RMS	891.028	-63.43	-25	Pass	9700
1000	2480	1	RMS	2479	-50.88	-25	Pass	1481
2480	2590	1	RMS	2565.25	21.46	60	Pass	401
2590	3000	1	RMS	2948	-49.61	-25	Pass	411
3000	12000	1	RMS	7155.507	-49.22	-25	Pass	9001
12000	26000	1	RMS	25892	-40.33	-25	Pass	14001




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	Pass	2986
30	1000	0.1	RMS	870.414	-63.42	-25	Pass	9700
1000	2480	1	RMS	2476	-50.84	-25	Pass	1481
2480	2590	1	RMS	2500.35	22.16	60	Pass	401
2590	3000	1	RMS	2948	-49.56	-25	Pass	411
3000	12000	1	RMS	11524	-52.94	-25	Pass	9001
12000	26000	1	RMS	25900	-40.27	-25	Pass	14001



**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2986
30	1000	0.1	RMS	886.825	-63.4	-25	Pass	9700
1000	2480	1	RMS	2480	-50.93	-25	Pass	1481
2480	2590	1	RMS	2500.35	21.26	60	Pass	401
2590	3000	1	RMS	2952	-49.63	-25	Pass	411
3000	12000	1	RMS	11600	-52.95	-25	Pass	9001
12000	26000	1	RMS	25896	-40.23	-25	Pass	14001




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2986
30	1000	0.1	RMS	894.03	-63.33	-25	Pass	9700
1000	2480	1	RMS	2480	-50.87	-25	Pass	1481
2480	2590	1	RMS	2530.325	22.28	60	Pass	401
2590	3000	1	RMS	2948	-49.62	-25	Pass	411
3000	12000	1	RMS	11522	-52.91	-25	Pass	9001
12000	26000	1	RMS	25896	-40.17	-25	Pass	14001



**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	Pass	2986
30	1000	0.1	RMS	887.926	-63.33	-25	Pass	9700
1000	2480	1	RMS	2480	-50.98	-25	Pass	1481
2480	2590	1	RMS	2530.325	21.29	60	Pass	401
2590	3000	1	RMS	2952	-49.61	-25	Pass	411
3000	12000	1	RMS	11607	-52.92	-25	Pass	9001
12000	26000	1	RMS	25901	-40.22	-25	Pass	14001






**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-25	Pass	2986
30	1000	0.1	RMS	895.831	-63.53	-25	Pass	9700
1000	2480	1	RMS	2472	-50.94	-25	Pass	1481
2480	2590	1	RMS	2560.575	22.25	60	Pass	401
2590	3000	1	RMS	2946	-49.62	-25	Pass	411
3000	12000	1	RMS	7167.509	-49.74	-25	Pass	9001
12000	26000	1	RMS	25894	-40.17	-25	Pass	14001




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-25	Pass	2986
30	1000	0.1	RMS	867.612	-63.46	-25	Pass	9700
1000	2480	1	RMS	2478	-50.96	-25	Pass	1481
2480	2590	1	RMS	2560.575	21.28	60	Pass	401
2590	3000	1	RMS	2950	-49.58	-25	Pass	411
3000	12000	1	RMS	11591	-52.85	-25	Pass	9001
12000	26000	1	RMS	25902	-40.22	-25	Pass	14001




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-25	Pass	2986
30	1000	0.1	RMS	878.319	-63.42	-25	Pass	9700
1000	2480	1	RMS	2479	-50.83	-25	Pass	1481
2480	2590	1	RMS	2500.625	22.12	60	Pass	401
2590	3000	1	RMS	2953	-49.61	-25	Pass	411
3000	12000	1	RMS	11601	-52.87	-25	Pass	9001
12000	26000	1	RMS	25900	-40.26	-25	Pass	14001



**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-25	Pass	2986
30	1000	0.1	RMS	861.708	-63.23	-25	Pass	9700
1000	2480	1	RMS	2479	-50.87	-25	Pass	1481
2480	2590	1	RMS	2500.625	21.26	60	Pass	401
2590	3000	1	RMS	2950	-49.58	-25	Pass	411
3000	12000	1	RMS	11591	-52.88	-25	Pass	9001
12000	26000	1	RMS	25897	-40.25	-25	Pass	14001



**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.4	-71.87	-25	Pass	2986
30	1000	0.1	RMS	848.5	-63.4	-25	Pass	9700
1000	2480	1	RMS	2475	-50.97	-25	Pass	1481
2480	2590	1	RMS	2528.125	22.34	60	Pass	401
2590	3000	1	RMS	2938	-49.66	-25	Pass	411
3000	12000	1	RMS	11519	-52.91	-25	Pass	9001
12000	26000	1	RMS	25895	-40.12	-25	Pass	14001




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72	-25	Pass	2986
30	1000	0.1	RMS	851.902	-63.44	-25	Pass	9700
1000	2480	1	RMS	2474	-50.94	-25	Pass	1481
2480	2590	1	RMS	2528.125	21.3	60	Pass	401
2590	3000	1	RMS	2949	-49.65	-25	Pass	411
3000	12000	1	RMS	7174.51	-49.57	-25	Pass	9001
12000	26000	1	RMS	25895	-40.22	-25	Pass	14001




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.69	-25	Pass	2986
30	1000	0.1	RMS	878.219	-63.26	-25	Pass	9700
1000	2480	1	RMS	2480	-50.87	-25	Pass	1481
2480	2590	1	RMS	2555.625	22.25	60	Pass	401
2590	3000	1	RMS	2945	-49.63	-25	Pass	411
3000	12000	1	RMS	11606	-52.9	-25	Pass	9001
12000	26000	1	RMS	25899	-40.24	-25	Pass	14001



**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	Pass	2986
30	1000	0.1	RMS	871.715	-63.42	-25	Pass	9700
1000	2480	1	RMS	2475	-51.04	-25	Pass	1481
2480	2590	1	RMS	2555.625	21.37	60	Pass	401
2590	3000	1	RMS	2950	-49.62	-25	Pass	411
3000	12000	1	RMS	11592	-52.85	-25	Pass	9001
12000	26000	1	RMS	25893	-40.22	-25	Pass	14001






**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-25	Pass	2986
30	1000	0.1	RMS	870.814	-63.35	-25	Pass	9700
1000	2480	1	RMS	2480	-50.81	-25	Pass	1481
2480	2590	1	RMS	2500.9	22.14	60	Pass	401
2590	3000	1	RMS	2949	-49.63	-25	Pass	411
3000	12000	1	RMS	11520	-52.96	-25	Pass	9001
12000	26000	1	RMS	25893	-40.14	-25	Pass	14001



**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-25	Pass	2986
30	1000	0.1	RMS	923.85	-63.43	-25	Pass	9700
1000	2480	1	RMS	2480	-50.74	-25	Pass	1481
2480	2590	1	RMS	2500.9	21.27	60	Pass	401
2590	3000	1	RMS	2949	-49.62	-25	Pass	411
3000	12000	1	RMS	11586	-52.91	-25	Pass	9001
12000	26000	1	RMS	25894	-40.19	-25	Pass	14001




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2986
30	1000	0.1	RMS	890.928	-63.38	-25	Pass	9700
1000	2480	1	RMS	2480	-50.87	-25	Pass	1481
2480	2590	1	RMS	2525.925	22.3	60	Pass	401
2590	3000	1	RMS	2841	-49.64	-25	Pass	411
3000	12000	1	RMS	7180.51	-50.17	-25	Pass	9001
12000	26000	1	RMS	25886	-40.22	-25	Pass	14001




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-25	Pass	2986
30	1000	0.1	RMS	869.513	-63.38	-25	Pass	9700
1000	2480	1	RMS	2479	-50.87	-25	Pass	1481
2480	2590	1	RMS	2525.925	21.28	60	Pass	401
2590	3000	1	RMS	2946	-49.64	-25	Pass	411
3000	12000	1	RMS	11598	-53.01	-25	Pass	9001
12000	26000	1	RMS	25887	-40.19	-25	Pass	14001




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-25	Pass	2986
30	1000	0.1	RMS	898.032	-63.46	-25	Pass	9700
1000	2480	1	RMS	2478	-51	-25	Pass	1481
2480	2590	1	RMS	2550.95	22.21	60	Pass	401
2590	3000	1	RMS	2952	-49.66	-25	Pass	411
3000	12000	1	RMS	11519	-52.9	-25	Pass	9001
12000	26000	1	RMS	25901	-40.32	-25	Pass	14001



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.79	-25	Pass	2986
30	1000	0.1	RMS	997.698	-63.33	-25	Pass	9700
1000	2480	1	RMS	2475	-50.94	-25	Pass	1481
2480	2590	1	RMS	2550.95	21.25	60	Pass	401
2590	3000	1	RMS	2949	-49.61	-25	Pass	411
3000	12000	1	RMS	11604	-52.99	-25	Pass	9001
12000	26000	1	RMS	25901	-40.23	-25	Pass	14001



## 12. LTE\_Band38


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-25	Pass	2986
30	1000	0.1	RMS	910.741	-63.46	-25	Pass	9700
1000	2550	1	RMS	2549	-49.95	-25	Pass	1551
2550	2640	1	RMS	2570.025	18.47	60	Pass	401
2640	3000	1	RMS	2951.4	-49.66	-25	Pass	401
3000	12000	1	RMS	7245.518	-50.93	-25	Pass	9001
12000	26500	1	RMS	25897	-40.19	-25	Pass	14501



**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-25	Pass	2986
30	1000	0.1	RMS	873.416	-63.26	-25	Pass	9700
1000	2550	1	RMS	2550	-50.09	-25	Pass	1551
2550	2640	1	RMS	2570.25	17.3	60	Pass	401
2640	3000	1	RMS	2950.5	-49.69	-25	Pass	401
3000	12000	1	RMS	11607	-52.94	-25	Pass	9001
12000	26500	1	RMS	25883	-40.24	-25	Pass	14501






**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-25	Pass	2986
30	1000	0.1	RMS	902.736	-63.42	-25	Pass	9700
1000	2550	1	RMS	2550	-50.29	-25	Pass	1551
2550	2640	1	RMS	2592.525	18.7	60	Pass	401
2640	3000	1	RMS	2945.1	-49.66	-25	Pass	401
3000	12000	1	RMS	11520	-52.96	-25	Pass	9001
12000	26500	1	RMS	25902	-40.21	-25	Pass	14501




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2986
30	1000	0.1	RMS	857.606	-63.42	-25	Pass	9700
1000	2550	1	RMS	2510	-50.36	-25	Pass	1551
2550	2640	1	RMS	2592.75	17.84	60	Pass	401
2640	3000	1	RMS	2944.2	-49.67	-25	Pass	401
3000	12000	1	RMS	11607	-52.96	-25	Pass	9001
12000	26500	1	RMS	25881	-40.28	-25	Pass	14501



**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-25	Pass	2986
30	1000	0.1	RMS	850.101	-63.61	-25	Pass	9700
1000	2550	1	RMS	2513	-50.43	-25	Pass	1551
2550	2640	1	RMS	2615.025	18.92	60	Pass	401
2640	3000	1	RMS	2837.1	-49.66	-25	Pass	401
3000	12000	1	RMS	11604	-52.89	-25	Pass	9001
12000	26500	1	RMS	25906	-40.26	-25	Pass	14501




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.44	-25	Pass	2986
30	1000	0.1	RMS	872.315	-63.54	-25	Pass	9700
1000	2550	1	RMS	2540	-50.44	-25	Pass	1551
2550	2640	1	RMS	2615.25	17.84	60	Pass	401
2640	3000	1	RMS	2950.5	-49.7	-25	Pass	401
3000	12000	1	RMS	7219.515	-50.58	-25	Pass	9001
12000	26500	1	RMS	25897	-40.27	-25	Pass	14501




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.88	-25	Pass	2986
30	1000	0.1	RMS	890.427	-63.42	-25	Pass	9700
1000	2550	1	RMS	2549	-50.36	-25	Pass	1551
2550	2640	1	RMS	2570.7	18.29	60	Pass	401
2640	3000	1	RMS	2949.6	-49.71	-25	Pass	401
3000	12000	1	RMS	11606	-52.96	-25	Pass	9001
12000	26500	1	RMS	25901	-40.28	-25	Pass	14501




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	Pass	2986
30	1000	0.1	RMS	896.131	-63.46	-25	Pass	9700
1000	2550	1	RMS	2516	-50.35	-25	Pass	1551
2550	2640	1	RMS	2570.475	17.2	60	Pass	401
2640	3000	1	RMS	2947.8	-49.7	-25	Pass	401
3000	12000	1	RMS	11603	-52.93	-25	Pass	9001
12000	26500	1	RMS	25899	-40.17	-25	Pass	14501




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.16	-25	Pass	2986
30	1000	0.1	RMS	873.316	-63.42	-25	Pass	9700
1000	2550	1	RMS	2519	-50.45	-25	Pass	1551
2550	2640	1	RMS	2590.275	18.61	60	Pass	401
2640	3000	1	RMS	2948.7	-49.68	-25	Pass	401
3000	12000	1	RMS	11598	-52.87	-25	Pass	9001
12000	26500	1	RMS	25895	-40.24	-25	Pass	14501



**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.61	-25	Pass	2986
30	1000	0.1	RMS	771.19	-62.44	-25	Pass	9700
1000	2550	1	RMS	2511	-50.33	-25	Pass	1551
2550	2640	1	RMS	2590.5	17.55	60	Pass	401
2640	3000	1	RMS	2947.8	-49.59	-25	Pass	401
3000	12000	1	RMS	11608	-52.89	-25	Pass	9001
12000	26500	1	RMS	25912	-40.2	-25	Pass	14501






**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.24	-25	Pass	401
0.15	30	0.01	RMS	2.7	-71.67	-25	Pass	2986
30	1000	0.1	RMS	894.23	-61.97	-25	Pass	9700
1000	2550	1	RMS	2510	-50.29	-25	Pass	1551
2550	2640	1	RMS	2610.525	18.91	60	Pass	401
2640	3000	1	RMS	2948.7	-49.58	-25	Pass	401
3000	12000	1	RMS	7266.521	-51.08	-25	Pass	9001
12000	26500	1	RMS	25904	-40.15	-25	Pass	14501



**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.07	-25	Pass	2986
30	1000	0.1	RMS	887.025	-63.5	-25	Pass	9700
1000	2550	1	RMS	2511	-50.44	-25	Pass	1551
2550	2640	1	RMS	2610.3	17.81	60	Pass	401
2640	3000	1	RMS	2950.5	-49.69	-25	Pass	401
3000	12000	1	RMS	11599	-52.98	-25	Pass	9001
12000	26500	1	RMS	25886	-40.17	-25	Pass	14501




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-25	Pass	2986
30	1000	0.1	RMS	863.61	-62.22	-25	Pass	9700
1000	2550	1	RMS	2548	-49.57	-25	Pass	1551
2550	2640	1	RMS	2570.7	18.41	60	Pass	401
2640	3000	1	RMS	2949.6	-49.57	-25	Pass	401
3000	12000	1	RMS	11602	-52.95	-25	Pass	9001
12000	26500	1	RMS	25896	-40.29	-25	Pass	14501




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-25	Pass	2986
30	1000	0.1	RMS	863.81	-63.33	-25	Pass	9700
1000	2550	1	RMS	2544	-48.85	-25	Pass	1551
2550	2640	1	RMS	2570.7	17.81	60	Pass	401
2640	3000	1	RMS	2948.7	-49.69	-25	Pass	401
3000	12000	1	RMS	11611	-52.91	-25	Pass	9001
12000	26500	1	RMS	25880	-40.31	-25	Pass	14501




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-25	Pass	2986
30	1000	0.1	RMS	857.906	-63.32	-25	Pass	9700
1000	2550	1	RMS	2533	-50.42	-25	Pass	1551
2550	2640	1	RMS	2588.25	18.72	60	Pass	401
2640	3000	1	RMS	2949.6	-49.7	-25	Pass	401
3000	12000	1	RMS	11600	-52.94	-25	Pass	9001
12000	26500	1	RMS	25889	-40.2	-25	Pass	14501




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.4	-25	Pass	2986
30	1000	0.1	RMS	877.018	-63.55	-25	Pass	9700
1000	2550	1	RMS	2509	-50.49	-25	Pass	1551
2550	2640	1	RMS	2588.25	17.84	60	Pass	401
2640	3000	1	RMS	2946	-49.73	-25	Pass	401
3000	12000	1	RMS	7256.52	-50.81	-25	Pass	9001
12000	26500	1	RMS	25903	-40.24	-25	Pass	14501




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2986
30	1000	0.1	RMS	873.316	-63.37	-25	Pass	9700
1000	2550	1	RMS	2511	-50.39	-25	Pass	1551
2550	2640	1	RMS	2605.575	18.95	60	Pass	401
2640	3000	1	RMS	2947.8	-49.65	-25	Pass	401
3000	12000	1	RMS	11614	-52.97	-25	Pass	9001
12000	26500	1	RMS	25902	-40.25	-25	Pass	14501



**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-25	Pass	2986
30	1000	0.1	RMS	992.195	-63.07	-25	Pass	9700
1000	2550	1	RMS	2547	-50.3	-25	Pass	1551
2550	2640	1	RMS	2605.8	17.8	60	Pass	401
2640	3000	1	RMS	2848.8	-49.58	-25	Pass	401
3000	12000	1	RMS	11607	-52.8	-25	Pass	9001
12000	26500	1	RMS	25900	-40.19	-25	Pass	14501






**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-25	Pass	2986
30	1000	0.1	RMS	494.157	-62.29	-25	Pass	9700
1000	2550	1	RMS	2550	-48.9	-25	Pass	1551
2550	2640	1	RMS	2570.925	19.03	60	Pass	401
2640	3000	1	RMS	2942.4	-49.59	-25	Pass	401
3000	12000	1	RMS	11599	-52.9	-25	Pass	9001
12000	26500	1	RMS	25895	-40.12	-25	Pass	14501



**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2986
30	1000	0.1	RMS	981.388	-63.33	-25	Pass	9700
1000	2550	1	RMS	2548	-49.8	-25	Pass	1551
2550	2640	1	RMS	2571.15	17.52	60	Pass	401
2640	3000	1	RMS	2951.4	-49.64	-25	Pass	401
3000	12000	1	RMS	11602	-53.02	-25	Pass	9001
12000	26500	1	RMS	25882	-40.13	-25	Pass	14501




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.39	-71.93	-25	Pass	2986
30	1000	0.1	RMS	877.819	-63.46	-25	Pass	9700
1000	2550	1	RMS	2550	-50.25	-25	Pass	1551
2550	2640	1	RMS	2585.775	18.53	60	Pass	401
2640	3000	1	RMS	2948.7	-49.69	-25	Pass	401
3000	12000	1	RMS	7275.522	-50.58	-25	Pass	9001
12000	26500	1	RMS	25903	-40.2	-25	Pass	14501




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.29	-25	Pass	2986
30	1000	0.1	RMS	869.413	-63.61	-25	Pass	9700
1000	2550	1	RMS	2550	-50.06	-25	Pass	1551
2550	2640	1	RMS	2585.775	17.54	60	Pass	401
2640	3000	1	RMS	2942.4	-49.65	-25	Pass	401
3000	12000	1	RMS	11517	-53.02	-25	Pass	9001
12000	26500	1	RMS	25895	-40.27	-25	Pass	14501




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2986
30	1000	0.1	RMS	862.709	-63.63	-25	Pass	9700
1000	2550	1	RMS	2517	-50.45	-25	Pass	1551
2550	2640	1	RMS	2600.85	18.31	60	Pass	401
2640	3000	1	RMS	2947.8	-49.68	-25	Pass	401
3000	12000	1	RMS	11602	-52.94	-25	Pass	9001
12000	26500	1	RMS	25900	-40.15	-25	Pass	14501



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-25	Pass	2986
30	1000	0.1	RMS	995.997	-63.38	-25	Pass	9700
1000	2550	1	RMS	2549	-50.48	-25	Pass	1551
2550	2640	1	RMS	2601.075	17.75	60	Pass	401
2640	3000	1	RMS	2952.3	-49.75	-25	Pass	401
3000	12000	1	RMS	11603	-52.79	-25	Pass	9001
12000	26500	1	RMS	25899	-40.09	-25	Pass	14501



### 13. LTE\_Band41 120M OPPO

13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2986
30	1000	0.1	RMS	388.844	-61.96	-25	Pass	9700
1000	2476	1	RMS	2474	-50.66	-25	Pass	1477
2476	2710	1	RMS	2535.085	15.57	60	Pass	401
2710	3000	1	RMS	2949.975	-49.23	-25	Pass	401
3000	12000	1	RMS	7159.508	-48.7	-25	Pass	9001
12000	27000	1	RMS	25889	-40.05	-25	Pass	15001



**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.39	-25	Pass	2986
30	1000	0.1	RMS	895.531	-63.41	-25	Pass	9700
1000	2476	1	RMS	2473	-50.92	-25	Pass	1477
2476	2710	1	RMS	2535.085	15.93	60	Pass	401
2710	3000	1	RMS	2948.525	-49.46	-25	Pass	401
3000	12000	1	RMS	7148.506	-50.06	-25	Pass	9001
12000	27000	1	RMS	25901	-40.04	-25	Pass	15001






**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-25	Pass	2986
30	1000	0.1	RMS	873.016	-63.25	-25	Pass	9700
1000	2476	1	RMS	2476	-50.93	-25	Pass	1477
2476	2710	1	RMS	2605.285	15.88	60	Pass	401
2710	3000	1	RMS	2952.15	-49.51	-25	Pass	401
3000	12000	1	RMS	11597	-52.78	-25	Pass	9001
12000	27000	1	RMS	25901	-40.03	-25	Pass	15001




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-25	Pass	2986
30	1000	0.1	RMS	881.822	-63.34	-25	Pass	9700
1000	2476	1	RMS	2476	-51	-25	Pass	1477
2476	2710	1	RMS	2605.285	16.23	60	Pass	401
2710	3000	1	RMS	2953.6	-49.49	-25	Pass	401
3000	12000	1	RMS	7138.505	-49.57	-25	Pass	9001
12000	27000	1	RMS	25910	-40.02	-25	Pass	15001




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.46	-25	Pass	2986
30	1000	0.1	RMS	868.413	-63.2	-25	Pass	9700
1000	2476	1	RMS	2470	-50.91	-25	Pass	1477
2476	2710	1	RMS	2649.745	16.13	60	Pass	401
2710	3000	1	RMS	2950.7	-49.55	-25	Pass	401
3000	12000	1	RMS	11612	-52.82	-25	Pass	9001
12000	27000	1	RMS	25897	-40.04	-25	Pass	15001




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.51	-25	Pass	2986
30	1000	0.1	RMS	903.536	-63.32	-25	Pass	9700
1000	2476	1	RMS	2464	-50.94	-25	Pass	1477
2476	2710	1	RMS	2650.33	16.24	60	Pass	401
2710	3000	1	RMS	2949.25	-49.5	-25	Pass	401
3000	12000	1	RMS	11597	-52.75	-25	Pass	9001
12000	27000	1	RMS	25905	-39.99	-25	Pass	15001



**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.52	-25	Pass	2986
30	1000	0.1	RMS	885.124	-63.43	-25	Pass	9700
1000	2476	1	RMS	2476	-50.98	-25	Pass	1477
2476	2710	1	RMS	2535.085	15.49	60	Pass	401
2710	3000	1	RMS	2945.625	-49.49	-25	Pass	401
3000	12000	1	RMS	11590	-52.68	-25	Pass	9001
12000	27000	1	RMS	25893	-40.05	-25	Pass	15001




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.09	-25	Pass	2986
30	1000	0.1	RMS	864.41	-63.22	-25	Pass	9700
1000	2476	1	RMS	2473	-50.9	-25	Pass	1477
2476	2710	1	RMS	2535.085	15.55	60	Pass	401
2710	3000	1	RMS	2952.15	-49.54	-25	Pass	401
3000	12000	1	RMS	7127.504	-49.32	-25	Pass	9001
12000	27000	1	RMS	25891	-39.99	-25	Pass	15001




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.65	-25	Pass	2986
30	1000	0.1	RMS	992.895	-63.45	-25	Pass	9700
1000	2476	1	RMS	2473	-50.88	-25	Pass	1477
2476	2710	1	RMS	2602.945	16.38	60	Pass	401
2710	3000	1	RMS	2947.075	-49.56	-25	Pass	401
3000	12000	1	RMS	11603	-52.7	-25	Pass	9001
12000	27000	1	RMS	25889	-40.06	-25	Pass	15001



**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.48	-25	Pass	2986
30	1000	0.1	RMS	865.311	-63.28	-25	Pass	9700
1000	2476	1	RMS	2465	-51.01	-25	Pass	1477
2476	2710	1	RMS	2602.945	15.95	60	Pass	401
2710	3000	1	RMS	2935.475	-49.54	-25	Pass	401
3000	12000	1	RMS	11602	-52.8	-25	Pass	9001
12000	27000	1	RMS	25899	-40.03	-25	Pass	15001






**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72	-25	Pass	2986
30	1000	0.1	RMS	877.519	-63.39	-25	Pass	9700
1000	2476	1	RMS	2476	-50.78	-25	Pass	1477
2476	2710	1	RMS	2645.65	15.86	60	Pass	401
2710	3000	1	RMS	2945.625	-49.56	-25	Pass	401
3000	12000	1	RMS	11519	-52.84	-25	Pass	9001
12000	27000	1	RMS	25892	-39.97	-25	Pass	15001




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-25	Pass	2986
30	1000	0.1	RMS	880.521	-63.41	-25	Pass	9700
1000	2476	1	RMS	2470	-50.88	-25	Pass	1477
2476	2710	1	RMS	2645.065	16.36	60	Pass	401
2710	3000	1	RMS	2950.7	-49.56	-25	Pass	401
3000	12000	1	RMS	7134.505	-49.53	-25	Pass	9001
12000	27000	1	RMS	25899	-40.1	-25	Pass	15001




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	Pass	2986
30	1000	0.1	RMS	841.599	-63.23	-25	Pass	9700
1000	2476	1	RMS	2474	-50.93	-25	Pass	1477
2476	2710	1	RMS	2535.67	16.71	60	Pass	401
2710	3000	1	RMS	2948.525	-49.52	-25	Pass	401
3000	12000	1	RMS	11601	-52.69	-25	Pass	9001
12000	27000	1	RMS	25886	-40.08	-25	Pass	15001




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.3	-72.09	-25	Pass	2986
30	1000	0.1	RMS	894.13	-63.29	-25	Pass	9700
1000	2476	1	RMS	2471	-50.88	-25	Pass	1477
2476	2710	1	RMS	2535.67	16.22	60	Pass	401
2710	3000	1	RMS	2949.975	-49.49	-25	Pass	401
3000	12000	1	RMS	11591	-52.74	-25	Pass	9001
12000	27000	1	RMS	25879	-40.09	-25	Pass	15001



**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.77	-25	Pass	2986
30	1000	0.1	RMS	858.206	-63.36	-25	Pass	9700
1000	2476	1	RMS	2475	-50.89	-25	Pass	1477
2476	2710	1	RMS	2600.605	15.87	60	Pass	401
2710	3000	1	RMS	2948.525	-49.54	-25	Pass	401
3000	12000	1	RMS	11598	-52.86	-25	Pass	9001
12000	27000	1	RMS	25895	-40.16	-25	Pass	15001




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.04	-25	Pass	2986
30	1000	0.1	RMS	886.024	-63.37	-25	Pass	9700
1000	2476	1	RMS	2476	-50.91	-25	Pass	1477
2476	2710	1	RMS	2600.605	15.54	60	Pass	401
2710	3000	1	RMS	2949.975	-49.52	-25	Pass	401
3000	12000	1	RMS	7134.505	-50.26	-25	Pass	9001
12000	27000	1	RMS	25897	-39.97	-25	Pass	15001




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-25	Pass	2986
30	1000	0.1	RMS	886.124	-63.09	-25	Pass	9700
1000	2476	1	RMS	2469	-51	-25	Pass	1477
2476	2710	1	RMS	2640.385	16.31	60	Pass	401
2710	3000	1	RMS	2949.25	-49.55	-25	Pass	401
3000	12000	1	RMS	11604	-52.81	-25	Pass	9001
12000	27000	1	RMS	25893	-40.04	-25	Pass	15001



**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	Pass	2986
30	1000	0.1	RMS	866.411	-63.37	-25	Pass	9700
1000	2476	1	RMS	2466	-50.89	-25	Pass	1477
2476	2710	1	RMS	2640.385	16.98	60	Pass	401
2710	3000	1	RMS	2950.7	-49.54	-25	Pass	401
3000	12000	1	RMS	11521	-52.82	-25	Pass	9001
12000	27000	1	RMS	25901	-40.04	-25	Pass	15001






**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.69	-72.18	-25	Pass	2986
30	1000	0.1	RMS	844.599	-63.43	-25	Pass	9700
1000	2476	1	RMS	2476	-50.96	-25	Pass	1477
2476	2710	1	RMS	2535.67	16.44	60	Pass	401
2710	3000	1	RMS	2949.975	-49.52	-25	Pass	401
3000	12000	1	RMS	11605	-52.68	-25	Pass	9001
12000	27000	1	RMS	25894	-40	-25	Pass	15001




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2986
30	1000	0.1	RMS	892.128	-63.41	-25	Pass	9700
1000	2476	1	RMS	2475	-50.9	-25	Pass	1477
2476	2710	1	RMS	2535.67	15.97	60	Pass	401
2710	3000	1	RMS	2947.075	-49.52	-25	Pass	401
3000	12000	1	RMS	7131.504	-49.69	-25	Pass	9001
12000	27000	1	RMS	25896	-40	-25	Pass	15001




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-25	Pass	2986
30	1000	0.1	RMS	870.614	-63.35	-25	Pass	9700
1000	2476	1	RMS	2474	-51.02	-25	Pass	1477
2476	2710	1	RMS	2598.265	16.65	60	Pass	401
2710	3000	1	RMS	2944.9	-49.5	-25	Pass	401
3000	12000	1	RMS	11610	-52.9	-25	Pass	9001
12000	27000	1	RMS	25900	-40.04	-25	Pass	15001




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-25	Pass	2986
30	1000	0.1	RMS	988.793	-63.45	-25	Pass	9700
1000	2476	1	RMS	2462	-50.14	-25	Pass	1477
2476	2710	1	RMS	2598.265	16.85	60	Pass	401
2710	3000	1	RMS	2947.8	-49.54	-25	Pass	401
3000	12000	1	RMS	11602	-52.8	-25	Pass	9001
12000	27000	1	RMS	25894	-40.01	-25	Pass	15001



**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-25	Pass	2986
30	1000	0.1	RMS	890.427	-63.16	-25	Pass	9700
1000	2476	1	RMS	2474	-50.94	-25	Pass	1477
2476	2710	1	RMS	2635.705	16.59	60	Pass	401
2710	3000	1	RMS	2949.25	-49.49	-25	Pass	401
3000	12000	1	RMS	11606	-52.77	-25	Pass	9001
12000	27000	1	RMS	25897	-39.95	-25	Pass	15001



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-25	Pass	2986
30	1000	0.1	RMS	886.425	-63.45	-25	Pass	9700
1000	2476	1	RMS	2471	-50.95	-25	Pass	1477
2476	2710	1	RMS	2635.705	16.36	60	Pass	401
2710	3000	1	RMS	2948.525	-49.55	-25	Pass	401
3000	12000	1	RMS	7133.505	-50.01	-25	Pass	9001
12000	27000	1	RMS	25902	-40.05	-25	Pass	15001



END