

17.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.59	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF3COM

x: Off y: ---
x: Off y: ---
x: Off y: ---



Statistic Count	1 / 1
Sample Count	998714
Sample Time	9.992 ms
Avg Power	15.407 dBm
Max Power	28.349 dBm
PAR	12.943 dB

Probability	
10,000%	5.578 dB
1,0000%	9.047 dB
0,1000%	10.594 dB
0,0100%	11.625 dB
0,0010%	12.234 dB
0,0001%	12.703 dB

Repetition...
List Mode
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set
Global List
Config...


17.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.1	0.1	10.03	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.10000 Ref. Level: 30.00 Connector:RF3COM




Statistic	Value
Statistic Count	1 / 1
Sample Count	999312
Sample Time	19.996 ms
Avg Power	16.423 dBm
Max Power	28.054 dBm
PAR	11.631 dB

Probability	Value (dB)
10,000%	5.672 dB
1,0000%	8.578 dB
0,1000%	10.031 dB
0,0100%	10.781 dB
0,0010%	11.156 dB
0,0001%	11.578 dB

Off On

 Global List

17.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



17.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	9.94	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF3COM

x: Off y: ---
x: Off y: ---
x: Off y: ---



Statistic Count	1 / 1
Sample Count	999312
Sample Time	19.996 ms
Avg Power	16.371 dBm
Max Power	28.177 dBm
PAR	11.806 dB

Probability	
10,000%	5.719 dB
1,0000%	8.625 dB
0,1000%	9.938 dB
0,0100%	10.781 dB
0,0010%	11.297 dB
0,0001%	11.672 dB

Repetition...
List Mode
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set
Global List
Config...

17.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	10.55	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF3COM

x: Off y: ---
x: Off y: ---
x: Off y: ---



Statistic Count	1 / 1
Sample Count	1023880
Sample Time	20.488 ms
Avg Power	15.330 dBm
Max Power	27.764 dBm
PAR	12.434 dB

Probability	
10,000%	5.578 dB
1,0000%	9.000 dB
0,1000%	10.547 dB
0,0100%	11.531 dB
0,0010%	12.094 dB
0,0001%	12.375 dB

Repetition...
List Mode
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set
Global List
Config...


17.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.98	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF3COM



Statistic Count 1 / 1		Probability	
Sample Count	999112	10,000%	5.766 dB
Sample Time	19.992 ms	1,0000%	8.484 dB
Avg Power	16.392 dBm	0,1000%	9.984 dB
Max Power	28.167 dBm	0,0100%	10.969 dB
PAR	11.775 dB	0,0010%	11.484 dB
		0,0001%	11.719 dB

Repetition...
List Mode Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set Global List
Config...

17.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.41	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF3COM

x: Off y: ---
x: Off y: ---
x: Off y: ---



Statistic Count	1 / 1
Sample Count	1023880
Sample Time	20.488 ms
Avg Power	15.441 dBm
Max Power	27.988 dBm
PAR	12.547 dB

Probability	
10,000%	5.578 dB
1,0000%	8.813 dB
0,1000%	10.406 dB
0,0100%	11.484 dB
0,0010%	12.188 dB
0,0001%	12.516 dB


Repetition...
List Mode
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set
Global List
Config...

NR

18. NR_n5_SCS15_20M_L_Edge_1RB_Left(16QAM)

18.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.47	13	Pass



18. NR_n5_SCS15_20M_L_Outer Full(16QAM)

18.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.35	13	Pass



18. NR_n5_SCS15_20M_L_Edge_1RB_Left(QPSK)

18.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	4.86	13	Pass



18. NR_n5_SCS15_20M_L_Outer Full(QPSK)

18.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.61	13	Pass



18. NR_n5_SCS15_20M_M_Edge_1RB_Left(16QAM)

18.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.42	13	Pass



18. NR_n5_SCS15_20M_M_Outer Full(16QAM)

18.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.27	13	Pass



18. NR_n5_SCS15_20M_M_Edge_1RB_Left(QPSK)

18.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	4.62	13	Pass



18. NR_n5_SCS15_20M_M_Outer Full(QPSK)

18.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.62	13	Pass



18. NR_n5_SCS15_20M_H_Edge_1RB_Left(16QAM)

18.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.36	13	Pass



18. NR_n5_SCS15_20M_H_Outer Full(16QAM)

18.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	6.27	13	Pass



18. NR_n5_SCS15_20M_H_Edge_1RB_Left(QPSK)

18.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	4.57	13	Pass



18. NR_n5_SCS15_20M_H_Outer Full(QPSK)

18.12. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.53	13	Pass



19. NR_n7_SCS15_20M_L_Edge_1RB_Left(16QAM)

19.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.2	13	Pass



19. NR_n7_SCS15_20M_L_Outer Full(16QAM)

19.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	6.01	13	Pass



19. NR_n7_SCS15_20M_L_Edge_1RB_Left(QPSK)

19.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	4.41	13	Pass



19. NR_n7_SCS15_20M_L_Outer Full(QPSK)

19.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.2	13	Pass



19. NR_n7_SCS15_20M_M_Edge_1RB_Left(16QAM)

19.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.39	13	Pass



19. NR_n7_SCS15_20M_M_Outer Full(16QAM)

19.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	6.07	13	Pass



19. NR_n7_SCS15_20M_M_Edge_1RB_Left(QPSK)

19.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	4.52	13	Pass



19. NR_n7_SCS15_20M_M_Outer Full(QPSK)

19.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.31	13	Pass



19. NR_n7_SCS15_20M_H_Edge_1RB_Left(16QAM)

19.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.37	13	Pass



19. NR_n7_SCS15_20M_H_Outer Full(16QAM)

19.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.95	13	Pass



19. NR_n7_SCS15_20M_H_Edge_1RB_Left(QPSK)

19.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	4.5	13	Pass



19. NR_n7_SCS15_20M_H_Outer Full(QPSK)


19.12. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.17	13	Pass




20. NR_n38_SCS30_20M_L_Edge_1RB_Left(16QAM)

20.1. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_L_Outer Full(16QAM)

20.2. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_L_Edge_1RB_Left(QPSK)

20.3. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_L_Outer Full(QPSK)

20.4. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_M_Edge_1RB_Left(16QAM)

20.5. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_M_Outer Full(16QAM)

20.6. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_M_Edge_1RB_Left(QPSK)

20.7. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_M_Outer Full(QPSK)

20.8. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_H_Edge_1RB_Left(16QAM)

20.9. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_H_Outer Full(16QAM)

20.10. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_H_Edge_1RB_Left(QPSK)

20.11. NR Peak to Average Ratio_temp(NTNV)_Step2




20. NR_n38_SCS30_20M_H_Outer Full(QPSK)

20.12. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_L_Edge_1RB_Left(16QAM)

21.1. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_L_Outer Full(16QAM)

21.2. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_L_Edge_1RB_Left(QPSK)

21.3. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_L_Outer Full(QPSK)

21.4. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_M_Edge_1RB_Left(16QAM)

21.5. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_M_Outer Full(16QAM)

21.6. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_M_Edge_1RB_Left(QPSK)

21.7. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_M_Outer Full(QPSK)

21.8. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_H_Edge_1RB_Left(16QAM)

21.9. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_H_Outer Full(16QAM)

21.10. NR Peak to Average Ratio_temp(NTNV)_Step2




21. NR_n41_SCS30_100M_H_Edge_1RB_Left(QPSK)

21.11. NR Peak to Average Ratio_temp(NTNV)_Step2



21. NR_n41_SCS30_100M_H_Outer Full(QPSK)


21.12. NR Peak to Average Ratio_temp(NTNV)_Step2



22. DC_7A_n5A_SCS15_20M_L_Edge_1RB_Left(QPSK)

22.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.59	13	Pass



22. DC_7A_n5A_SCS15_20M_L_Outer Full(QPSK)

22.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.51	13	Pass



22. DC_7A_n5A_SCS15_20M_L_Edge_1RB_Left(16AQM)

22.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.73	13	Pass



22. DC_7A_n5A_SCS15_20M_L_Outer Full(16AQM)

22.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.17	13	Pass



22. DC_7A_n5A_SCS15_20M_M_Edge_1RB_Left(QPSK)

22.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.26	13	Pass



22. DC_7A_n5A_SCS15_20M_M_Outer Full(QPSK)

22.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.48	13	Pass



22. DC_7A_n5A_SCS15_20M_M_Edge_1RB_Left(16AQM)

22.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.48	13	Pass



22. DC_7A_n5A_SCS15_20M_M_Outer Full(16AQM)

22.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.13	13	Pass



22. DC_7A_n5A_SCS15_20M_H_Edge_1RB_Left(QPSK)

22.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.13	13	Pass



22. DC_7A_n5A_SCS15_20M_H_Outer Full(QPSK)

22.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.43	13	Pass



22. DC_7A_n5A_SCS15_20M_H_Edge_1RB_Left(16AQM)

22.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.31	13	Pass



22. DC_7A_n5A_SCS15_20M_H_Outer Full(16AQM)

22.12. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	6.16	13	Pass



23. DC_66A_n7A_SCS15_20M_L_Edge_1RB_Left(QPSK)

23.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.4	13	Pass



23. DC_66A_n7A_SCS15_20M_L_Outer Full(QPSK)

23.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.25	13	Pass



23. DC_66A_n7A_SCS15_20M_L_Edge_1RB_Left(16AQM)

23.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.64	13	Pass



23. DC_66A_n7A_SCS15_20M_L_Outer Full(16AQM)

23.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.99	13	Pass



23. DC_66A_n7A_SCS15_20M_M_Edge_1RB_Left(QPSK)

23.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.21	13	Pass



23. DC_66A_n7A_SCS15_20M_M_Outer Full(QPSK)

23.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.3	13	Pass



23. DC_66A_n7A_SCS15_20M_M_Edge_1RB_Left(16AQM)

23.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.46	13	Pass



23. DC_66A_n7A_SCS15_20M_M_Outer Full(16AQM)

23.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	6.05	13	Pass



23. DC_66A_n7A_SCS15_20M_H_Edge_1RB_Left(QPSK)

23.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	4.92	13	Pass



23. DC_66A_n7A_SCS15_20M_H_Outer Full(QPSK)

23.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.17	13	Pass



23. DC_66A_n7A_SCS15_20M_H_Edge_1RB_Left(16AQM)

23.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.3	13	Pass



23. DC_66A_n7A_SCS15_20M_H_Outer Full(16AQM)

23.12. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.87	13	Pass



END