


APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

| | |
|-----------|---------|
| Test Mode | TX Mode |
|-----------|---------|


Ant 0°



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Antenna Height | Table Degree | |
|-----|-----|--------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 0.0181 | 47.28 | 15.01 | 62.29 | 122.45 | -60.16 | AVG | | |
| 2 | * | 0.0720 | 41.29 | 13.73 | 55.02 | 110.46 | -55.44 | AVG | | |
| 3 | | 0.1352 | 34.26 | 13.78 | 48.04 | 104.99 | -56.95 | AVG | | |

| | |
|-----------|---------|
| Test Mode | TX Mode |
|-----------|---------|


Ant 0°



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Antenna Height | Table Degree | |
|-----|-----|--------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 0.3976 | 40.78 | 13.64 | 54.42 | 95.62 | -41.20 | AVG | | |
| 2 | * | 2.1101 | 39.56 | 12.21 | 51.77 | 69.54 | -17.77 | QP | | |
| 3 | | 3.4174 | 38.64 | 11.99 | 50.63 | 69.54 | -18.91 | QP | | |

| | |
|-----------|---------|
| Test Mode | TX Mode |
|-----------|---------|


Ant 90°



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Antenna Height | Table Degree | |
|-----|-----|--------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | * | 0.0183 | 47.69 | 14.94 | 62.63 | 122.36 | -59.73 | AVG | | |
| 2 | | 0.0834 | 25.64 | 13.76 | 39.40 | 109.18 | -69.78 | AVG | | |
| 3 | | 0.1271 | 26.83 | 13.78 | 40.61 | 105.52 | -64.91 | AVG | | |

Test Mode TX Mode

Ant 90°




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|-------------------------|-----------------|---------|
| 1 | | 0.3976 | 40.59 | 13.64 | 54.23 | 95.62 | -41.39 | AVG | | |
| 2 | * | 2.1101 | 39.57 | 12.21 | 51.78 | 69.54 | -17.76 | QP | | |
| 3 | | 3.1900 | 38.82 | 11.97 | 50.79 | 69.54 | -18.75 | QP | | |

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode | WCDMA Band IV_TX CH1413


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 34.850 | -62.45 | -5.40 | -67.85 | -13.00 | -54.85 | peak | |
| 2 | | 63.465 | -61.73 | -5.40 | -67.13 | -13.00 | -54.13 | peak | |
| 3 | | 164.830 | -67.53 | -2.87 | -70.40 | -13.00 | -57.40 | peak | |
| 4 | | 562.045 | -72.73 | 4.01 | -68.72 | -13.00 | -55.72 | peak | |
| 5 | | 822.975 | -72.55 | 8.93 | -63.62 | -13.00 | -50.62 | peak | |
| 6 | * | 970.900 | -74.37 | 11.41 | -62.96 | -13.00 | -49.96 | peak | |

| | |
|-----------|-------------------------|
| Test Mode | WCDMA Band IV_TX CH1413 |
|-----------|-------------------------|


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -68.49 | -5.73 | -74.22 | -13.00 | -61.22 | peak | |
| 2 | | 161.920 | -65.96 | -2.82 | -68.78 | -13.00 | -55.78 | peak | |
| 3 | | 216.725 | -62.31 | -5.36 | -67.67 | -13.00 | -54.67 | peak | |
| 4 | | 322.940 | -65.13 | -0.87 | -66.00 | -13.00 | -53.00 | peak | |
| 5 | | 581.930 | -72.52 | 4.55 | -67.97 | -13.00 | -54.97 | peak | |
| 6 | * | 906.395 | -72.87 | 10.06 | -62.81 | -13.00 | -49.81 | peak | |

Test Mode | LTE Band 4_TX CH20175_1.4M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -60.79 | -5.73 | -66.52 | -13.00 | -53.52 | peak | |
| 2 | | 62.980 | -63.73 | -5.33 | -69.06 | -13.00 | -56.06 | peak | |
| 3 | | 184.230 | -62.45 | -4.60 | -67.05 | -13.00 | -54.05 | peak | |
| 4 | | 266.680 | -69.63 | -2.71 | -72.34 | -13.00 | -59.34 | peak | |
| 5 | | 514.030 | -72.56 | 3.22 | -69.34 | -13.00 | -56.34 | peak | |
| 6 | * | 921.430 | -73.16 | 10.52 | -62.64 | -13.00 | -49.64 | peak | |

Test Mode | LTE Band 4_TX CH20175_1.4M

Horizontal



| No. Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measurement dBm | Limit dBm | Margin dB | Detector | Comment |
|---------|-----------|-------------------|-------------------|-----------------|-----------|-----------|----------|---------|
| 1 | 85.775 | -64.76 | -9.06 | -73.82 | -13.00 | -60.82 | peak | |
| 2 | 162.405 | -64.99 | -2.83 | -67.82 | -13.00 | -54.82 | peak | |
| 3 | 215.755 | -62.52 | -5.40 | -67.92 | -13.00 | -54.92 | peak | |
| 4 | 327.305 | -65.39 | -0.79 | -66.18 | -13.00 | -53.18 | peak | |
| 5 | 513.060 | -73.07 | 3.22 | -69.85 | -13.00 | -56.85 | peak | |
| 6 * | 987.390 | -73.85 | 11.42 | -62.43 | -13.00 | -49.43 | peak | |

Test Mode | LTE Band 4_TX CH20175_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 63.465 | -59.60 | -5.40 | -65.00 | -13.00 | -52.00 | peak | |
| 2 | | 163.860 | -65.81 | -2.87 | -68.68 | -13.00 | -55.68 | peak | |
| 3 | | 333.125 | -71.51 | -0.68 | -72.19 | -13.00 | -59.19 | peak | |
| 4 | | 525.670 | -72.14 | 3.37 | -68.77 | -13.00 | -55.77 | peak | |
| 5 | | 797.270 | -72.73 | 8.84 | -63.89 | -13.00 | -50.89 | peak | |
| 6 | * | 998.060 | -74.14 | 11.42 | -62.72 | -13.00 | -49.72 | peak | |

Test Mode | LTE Band 4_TX CH20175_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -68.57 | -5.73 | -74.30 | -13.00 | -61.30 | peak | |
| 2 | | 162.890 | -63.40 | -2.85 | -66.25 | -13.00 | -53.25 | peak | |
| 3 | | 215.755 | -62.13 | -5.40 | -67.53 | -13.00 | -54.53 | peak | |
| 4 | | 327.305 | -64.98 | -0.79 | -65.77 | -13.00 | -52.77 | peak | |
| 5 | | 572.230 | -73.57 | 4.30 | -69.27 | -13.00 | -56.27 | peak | |
| 6 | * | 922.885 | -72.94 | 10.57 | -62.37 | -13.00 | -49.37 | peak | |

Test Mode | LTE Band 4_TX CH20175_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 63.950 | -59.06 | -5.47 | -64.53 | -13.00 | -51.53 | peak | |
| 2 | | 163.860 | -65.38 | -2.87 | -68.25 | -13.00 | -55.25 | peak | |
| 3 | | 328.760 | -71.48 | -0.77 | -72.25 | -13.00 | -59.25 | peak | |
| 4 | | 601.815 | -73.64 | 5.07 | -68.57 | -13.00 | -55.57 | peak | |
| 5 | | 803.575 | -72.29 | 8.91 | -63.38 | -13.00 | -50.38 | peak | |
| 6 | * | 991.270 | -72.74 | 11.42 | -61.32 | -13.00 | -48.32 | peak | |

Test Mode | LTE Band 4_TX CH20175_20M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 163.375 | -63.49 | -2.85 | -66.34 | -13.00 | -53.34 | peak | |
| 2 | | 215.270 | -61.89 | -5.42 | -67.31 | -13.00 | -54.31 | peak | |
| 3 | | 324.880 | -65.35 | -0.84 | -66.19 | -13.00 | -53.19 | peak | |
| 4 | | 493.660 | -72.97 | 2.94 | -70.03 | -13.00 | -57.03 | peak | |
| 5 | | 741.495 | -73.07 | 7.45 | -65.62 | -13.00 | -52.62 | peak | |
| 6 | * | 969.445 | -74.35 | 11.41 | -62.94 | -13.00 | -49.94 | peak | |

Test Mode | LTE Band 7_TX CH21100_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 34.365 | -60.97 | -5.44 | -66.41 | -25.00 | -41.41 | peak | |
| 2 | | 63.950 | -63.51 | -5.47 | -68.98 | -25.00 | -43.98 | peak | |
| 3 | | 184.715 | -62.27 | -4.66 | -66.93 | -25.00 | -41.93 | peak | |
| 4 | | 259.890 | -69.42 | -2.97 | -72.39 | -25.00 | -47.39 | peak | |
| 5 | | 506.755 | -73.36 | 3.13 | -70.23 | -25.00 | -45.23 | peak | |
| 6 | * | 956.835 | -74.06 | 11.41 | -62.65 | -25.00 | -37.65 | peak | |

Test Mode | LTE Band 7_TX CH21100_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 62.980 | -68.76 | -5.33 | -74.09 | -25.00 | -49.09 | peak | |
| 2 | X | 162.890 | -65.18 | -2.85 | -68.03 | -25.00 | -43.03 | peak | |
| 3 | X | 214.300 | -62.01 | -5.46 | -67.47 | -25.00 | -42.47 | peak | |
| 4 | X | 328.760 | -65.64 | -0.77 | -66.41 | -25.00 | -41.41 | peak | |
| 5 | X | 453.405 | -71.98 | 2.24 | -69.74 | -25.00 | -44.74 | peak | |
| 6 | * | 946.650 | -73.87 | 11.29 | -62.58 | -25.00 | -37.58 | peak | |

| | |
|-----------|---------------------------|
| Test Mode | LTE Band 7_TX CH21100_20M |
|-----------|---------------------------|


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 62.980 | -59.97 | -5.33 | -65.30 | -25.00 | -40.30 | peak | |
| 2 | | 161.920 | -66.53 | -2.82 | -69.35 | -25.00 | -44.35 | peak | |
| 3 | | 334.095 | -71.69 | -0.68 | -72.37 | -25.00 | -47.37 | peak | |
| 4 | | 459.225 | -72.29 | 2.34 | -69.95 | -25.00 | -44.95 | peak | |
| 5 | | 754.590 | -71.55 | 7.77 | -63.78 | -25.00 | -38.78 | peak | |
| 6 | * | 989.330 | -73.63 | 11.42 | -62.21 | -25.00 | -37.21 | peak | |

Test Mode | LTE Band 7_TX CH21100_20M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 31.940 | -68.08 | -5.80 | -73.88 | -25.00 | -48.88 | peak | |
| 2 | | 163.375 | -64.70 | -2.85 | -67.55 | -25.00 | -42.55 | peak | |
| 3 | | 214.785 | -62.38 | -5.44 | -67.82 | -25.00 | -42.82 | peak | |
| 4 | | 323.425 | -65.75 | -0.86 | -66.61 | -25.00 | -41.61 | peak | |
| 5 | | 455.345 | -72.23 | 2.28 | -69.95 | -25.00 | -44.95 | peak | |
| 6 | * | 986.905 | -73.97 | 11.43 | -62.54 | -25.00 | -37.54 | peak | |

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 63.465 | -59.88 | -5.40 | -65.28 | -13.00 | -52.28 | peak | |
| 2 | | 163.375 | -65.25 | -2.85 | -68.10 | -13.00 | -55.10 | peak | |
| 3 | | 331.670 | -71.75 | -0.71 | -72.46 | -13.00 | -59.46 | peak | |
| 4 | | 531.490 | -73.45 | 3.45 | -70.00 | -13.00 | -57.00 | peak | |
| 5 | | 814.730 | -73.08 | 8.93 | -64.15 | -13.00 | -51.15 | peak | |
| 6 | * | 998.545 | -74.51 | 11.44 | -63.07 | -13.00 | -50.07 | peak | |

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 86.260 | -64.54 | -9.04 | -73.58 | -13.00 | -60.58 | peak | |
| 2 | | 162.405 | -63.99 | -2.83 | -66.82 | -13.00 | -53.82 | peak | |
| 3 | | 215.270 | -62.22 | -5.42 | -67.64 | -13.00 | -54.64 | peak | |
| 4 | | 328.275 | -65.42 | -0.77 | -66.19 | -13.00 | -53.19 | peak | |
| 5 | | 452.920 | -72.36 | 2.23 | -70.13 | -13.00 | -57.13 | peak | |
| 6 | * | 960.715 | -73.12 | 11.41 | -61.71 | -13.00 | -48.71 | peak | |

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|---------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | | 63.465 | -60.17 | -5.40 | -65.57 | -13.00 | -52.57 | peak | |
| 2 | | 162.890 | -65.15 | -2.85 | -68.00 | -13.00 | -55.00 | peak | |
| 3 | | 329.245 | -71.01 | -0.76 | -71.77 | -13.00 | -58.77 | peak | |
| 4 | | 559.620 | -71.74 | 3.95 | -67.79 | -13.00 | -54.79 | peak | |
| 5 | | 789.510 | -72.32 | 8.64 | -63.68 | -13.00 | -50.68 | peak | |
| 6 | * | 951.015 | -73.50 | 11.39 | -62.11 | -13.00 | -49.11 | peak | |

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 86.260 | -64.54 | -9.04 | -73.58 | -13.00 | -60.58 | peak | |
| 2 | | 162.405 | -63.99 | -2.83 | -66.82 | -13.00 | -53.82 | peak | |
| 3 | | 215.270 | -62.22 | -5.42 | -67.64 | -13.00 | -54.64 | peak | |
| 4 | | 328.275 | -65.42 | -0.77 | -66.19 | -13.00 | -53.19 | peak | |
| 5 | | 452.920 | -72.36 | 2.23 | -70.13 | -13.00 | -57.13 | peak | |
| 6 | * | 960.715 | -73.12 | 11.41 | -61.71 | -13.00 | -48.71 | peak | |


Test Mode: LTE Band 12_TX CH23095_10M

Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 63.465 | -60.23 | -5.40 | -65.63 | -13.00 | -52.63 | peak | |
| 2 | | 163.375 | -65.32 | -2.85 | -68.17 | -13.00 | -55.17 | peak | |
| 3 | | 337.975 | -71.77 | -0.59 | -72.36 | -13.00 | -59.36 | peak | |
| 4 | | 578.050 | -71.58 | 4.45 | -67.13 | -13.00 | -54.13 | peak | |
| 5 | | 811.335 | -72.91 | 8.92 | -63.99 | -13.00 | -50.99 | peak | |
| 6 | * | 942.770 | -73.78 | 11.17 | -62.61 | -13.00 | -49.61 | peak | |


Test Mode: LTE Band 12_TX CH23095_10M



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 30.000 | -68.15 | -5.84 | -73.99 | -13.00 | -60.99 | peak | |
| 2 | | 163.375 | -63.77 | -2.85 | -66.62 | -13.00 | -53.62 | peak | |
| 3 | | 216.240 | -61.63 | -5.38 | -67.01 | -13.00 | -54.01 | peak | |
| 4 | | 322.940 | -65.91 | -0.87 | -66.78 | -13.00 | -53.78 | peak | |
| 5 | | 500.935 | -72.03 | 3.05 | -68.98 | -13.00 | -55.98 | peak | |
| 6 | * | 939.860 | -73.24 | 11.08 | -62.16 | -13.00 | -49.16 | peak | |

Test Mode: LTE Band 17_TX CH23790_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 85.775 | -65.11 | -9.06 | -74.17 | -13.00 | -61.17 | peak | |
| 2 | | 164.345 | -64.51 | -2.87 | -67.38 | -13.00 | -54.38 | peak | |
| 3 | | 215.755 | -62.45 | -5.40 | -67.85 | -13.00 | -54.85 | peak | |
| 4 | | 327.305 | -65.75 | -0.79 | -66.54 | -13.00 | -53.54 | peak | |
| 5 | | 491.720 | -72.35 | 2.90 | -69.45 | -13.00 | -56.45 | peak | |
| 6 | * | 927.735 | -71.77 | 10.72 | -61.05 | -13.00 | -48.05 | peak | |

| | |
|------------|---------------------------|
| Test Mode: | LTE Band 17_TX CH23790_5M |
|------------|---------------------------|


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 85.775 | -65.11 | -9.06 | -74.17 | -13.00 | -61.17 | peak | |
| 2 | | 164.345 | -64.51 | -2.87 | -67.38 | -13.00 | -54.38 | peak | |
| 3 | | 215.755 | -62.45 | -5.40 | -67.85 | -13.00 | -54.85 | peak | |
| 4 | | 327.305 | -65.75 | -0.79 | -66.54 | -13.00 | -53.54 | peak | |
| 5 | | 491.720 | -72.35 | 2.90 | -69.45 | -13.00 | -56.45 | peak | |
| 6 | * | 927.735 | -71.77 | 10.72 | -61.05 | -13.00 | -48.05 | peak | |

Test Mode: LTE Band 17_TX CH23790_10M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 62.495 | -62.16 | -5.26 | -67.42 | -13.00 | -54.42 | peak | |
| 2 | | 166.770 | -65.00 | -2.92 | -67.92 | -13.00 | -54.92 | peak | |
| 3 | | 335.550 | -71.83 | -0.64 | -72.47 | -13.00 | -59.47 | peak | |
| 4 | | 570.775 | -72.23 | 4.25 | -67.98 | -13.00 | -54.98 | peak | |
| 5 | | 779.810 | -73.41 | 8.40 | -65.01 | -13.00 | -52.01 | peak | |
| 6 | * | 914.640 | -72.41 | 10.31 | -62.10 | -13.00 | -49.10 | peak | |

Test Mode: LTE Band 17_TX CH23790_10M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 84.320 | -65.74 | -9.05 | -74.79 | -13.00 | -61.79 | peak | |
| 2 | | 162.405 | -65.14 | -2.83 | -67.97 | -13.00 | -54.97 | peak | |
| 3 | | 217.210 | -61.96 | -5.33 | -67.29 | -13.00 | -54.29 | peak | |
| 4 | | 324.880 | -65.69 | -0.84 | -66.53 | -13.00 | -53.53 | peak | |
| 5 | | 452.920 | -73.49 | 2.23 | -71.26 | -13.00 | -58.26 | peak | |
| 6 * | | 973.325 | -73.96 | 11.41 | -62.55 | -13.00 | -49.55 | peak | |

Test Mode | LTE Band 38_TX CH38000_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 31.940 | -61.19 | -5.80 | -66.99 | -25.00 | -41.99 | peak | |
| 2 | | 64.435 | -62.01 | -5.55 | -67.56 | -25.00 | -42.56 | peak | |
| 3 | | 168.225 | -67.05 | -2.95 | -70.00 | -25.00 | -45.00 | peak | |
| 4 | | 353.980 | -72.30 | -0.29 | -72.59 | -25.00 | -47.59 | peak | |
| 5 | | 592.600 | -72.78 | 4.83 | -67.95 | -25.00 | -42.95 | peak | |
| 6 | * | 942.770 | -72.38 | 11.17 | -61.21 | -25.00 | -36.21 | peak | |

Test Mode | LTE Band 38_TX CH38000_5M


Horizontal



| No. Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|---------|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | 32.425 | -68.95 | -5.73 | -74.68 | -25.00 | -49.68 | peak | |
| 2 | 163.375 | -67.07 | -2.85 | -69.92 | -25.00 | -44.92 | peak | |
| 3 | 214.785 | -62.62 | -5.44 | -68.06 | -25.00 | -43.06 | peak | |
| 4 | 321.485 | -65.09 | -0.90 | -65.99 | -25.00 | -40.99 | peak | |
| 5 | 464.560 | -72.58 | 2.44 | -70.14 | -25.00 | -45.14 | peak | |
| 6 * | 996.120 | -72.69 | 11.43 | -61.26 | -25.00 | -36.26 | peak | |


Test Mode | LTE Band 38_TX CH38000_20M

Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 33.880 | -60.85 | -5.50 | -66.35 | -25.00 | -41.35 | peak | |
| 2 | | 62.980 | -62.22 | -5.33 | -67.55 | -25.00 | -42.55 | peak | |
| 3 | | 171.135 | -66.36 | -3.11 | -69.47 | -25.00 | -44.47 | peak | |
| 4 | | 383.080 | -72.77 | 0.41 | -72.36 | -25.00 | -47.36 | peak | |
| 5 | | 586.780 | -71.84 | 4.68 | -67.16 | -25.00 | -42.16 | peak | |
| 6 | * | 913.670 | -71.56 | 10.28 | -61.28 | -25.00 | -36.28 | peak | |


Test Mode | LTE Band 38_TX CH38000_20M



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -69.54 | -5.73 | -75.27 | -25.00 | -50.27 | peak | |
| 2 | | 162.890 | -66.66 | -2.85 | -69.51 | -25.00 | -44.51 | peak | |
| 3 | | 213.815 | -62.63 | -5.47 | -68.10 | -25.00 | -43.10 | peak | |
| 4 | | 324.880 | -65.14 | -0.84 | -65.98 | -25.00 | -40.98 | peak | |
| 5 | | 631.400 | -73.21 | 5.55 | -67.66 | -25.00 | -42.66 | peak | |
| 6 | * | 984.480 | -72.12 | 11.42 | -60.70 | -25.00 | -35.70 | peak | |

Test Mode | LTE Band 41_TX CH40640_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -61.36 | -5.73 | -67.09 | -25.00 | -42.09 | peak | |
| 2 | | 63.950 | -61.24 | -5.47 | -66.71 | -25.00 | -41.71 | peak | |
| 3 | | 170.650 | -66.62 | -3.05 | -69.67 | -25.00 | -44.67 | peak | |
| 4 | | 327.305 | -71.30 | -0.79 | -72.09 | -25.00 | -47.09 | peak | |
| 5 | | 729.855 | -71.89 | 7.19 | -64.70 | -25.00 | -39.70 | peak | |
| 6 | * | 941.315 | -73.43 | 11.12 | -62.31 | -25.00 | -37.31 | peak | |

Test Mode | LTE Band 41_TX CH40640_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -68.11 | -5.73 | -73.84 | -25.00 | -48.84 | peak | |
| 2 | | 162.405 | -66.57 | -2.83 | -69.40 | -25.00 | -44.40 | peak | |
| 3 | | 216.240 | -62.69 | -5.38 | -68.07 | -25.00 | -43.07 | peak | |
| 4 | | 322.940 | -65.05 | -0.87 | -65.92 | -25.00 | -40.92 | peak | |
| 5 | | 462.135 | -72.44 | 2.40 | -70.04 | -25.00 | -45.04 | peak | |
| 6 | * | 726.460 | -71.32 | 7.11 | -64.21 | -25.00 | -39.21 | peak | |

Test Mode | LTE Band 41_TX CH40640_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.910 | -61.42 | -5.65 | -67.07 | -25.00 | -42.07 | peak | |
| 2 | | 63.465 | -61.10 | -5.40 | -66.50 | -25.00 | -41.50 | peak | |
| 3 | | 171.135 | -66.33 | -3.11 | -69.44 | -25.00 | -44.44 | peak | |
| 4 | | 339.915 | -71.49 | -0.56 | -72.05 | -25.00 | -47.05 | peak | |
| 5 | | 747.800 | -71.41 | 7.59 | -63.82 | -25.00 | -38.82 | peak | |
| 6 | * | 956.835 | -73.36 | 11.41 | -61.95 | -25.00 | -36.95 | peak | |

Test Mode | LTE Band 41_TX CH40640_20M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -67.79 | -5.73 | -73.52 | -25.00 | -48.52 | peak | |
| 2 | | 163.860 | -66.65 | -2.87 | -69.52 | -25.00 | -44.52 | peak | |
| 3 | | 214.300 | -62.29 | -5.46 | -67.75 | -25.00 | -42.75 | peak | |
| 4 | | 324.395 | -65.29 | -0.85 | -66.14 | -25.00 | -41.14 | peak | |
| 5 | | 595.510 | -72.43 | 4.92 | -67.51 | -25.00 | -42.51 | peak | |
| 6 | * | 986.905 | -73.93 | 11.43 | -62.50 | -25.00 | -37.50 | peak | |

Test Mode | LTE Band 66_TX CH132322_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 31.940 | -61.47 | -5.80 | -67.27 | -13.00 | -54.27 | peak | |
| 2 | | 64.435 | -61.43 | -5.55 | -66.98 | -13.00 | -53.98 | peak | |
| 3 | | 163.375 | -66.76 | -2.85 | -69.61 | -13.00 | -56.61 | peak | |
| 4 | | 331.185 | -71.78 | -0.72 | -72.50 | -13.00 | -59.50 | peak | |
| 5 | | 630.430 | -72.30 | 5.53 | -66.77 | -13.00 | -53.77 | peak | |
| 6 | * | 912.700 | -73.07 | 10.25 | -62.82 | -13.00 | -49.82 | peak | |

Test Mode | LTE Band 66_TX CH132322_5M


Horizontal



| No. Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measurement dBm | Limit dBm | Margin dB | Detector | Comment |
|---------|-----------|-------------------|-------------------|-----------------|-----------|-----------|----------|---------|
| 1 | 32.425 | -68.99 | -5.73 | -74.72 | -13.00 | -61.72 | peak | |
| 2 | 164.345 | -65.62 | -2.87 | -68.49 | -13.00 | -55.49 | peak | |
| 3 | 215.755 | -61.54 | -5.40 | -66.94 | -13.00 | -53.94 | peak | |
| 4 | 324.880 | -65.17 | -0.84 | -66.01 | -13.00 | -53.01 | peak | |
| 5 | 629.945 | -72.61 | 5.53 | -67.08 | -13.00 | -54.08 | peak | |
| 6 * | 791.935 | -70.72 | 8.70 | -62.02 | -13.00 | -49.02 | peak | |

Test Mode | LTE Band 66_TX CH132322_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 34.850 | -62.34 | -5.40 | -67.74 | -13.00 | -54.74 | peak | |
| 2 | | 63.465 | -61.93 | -5.40 | -67.33 | -13.00 | -54.33 | peak | |
| 3 | | 163.860 | -67.32 | -2.87 | -70.19 | -13.00 | -57.19 | peak | |
| 4 | | 331.670 | -72.52 | -0.71 | -73.23 | -13.00 | -60.23 | peak | |
| 5 | | 611.515 | -72.94 | 5.23 | -67.71 | -13.00 | -54.71 | peak | |
| 6 | * | 988.845 | -73.64 | 11.43 | -62.21 | -13.00 | -49.21 | peak | |

Test Mode | LTE Band 66_TX CH132322_20M

Horizontal




| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 32.425 | -68.44 | -5.73 | -74.17 | -13.00 | -61.17 | peak | |
| 2 | | 164.345 | -66.22 | -2.87 | -69.09 | -13.00 | -56.09 | peak | |
| 3 | | 215.755 | -61.66 | -5.40 | -67.06 | -13.00 | -54.06 | peak | |
| 4 | | 324.395 | -65.19 | -0.85 | -66.04 | -13.00 | -53.04 | peak | |
| 5 | | 532.945 | -71.99 | 3.47 | -68.52 | -13.00 | -55.52 | peak | |
| 6 | * | 967.990 | -74.04 | 11.41 | -62.63 | -13.00 | -49.63 | peak | |

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode | WCDMA Band IV_TX CH1413


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5879.000 | -70.67 | 18.63 | -52.04 | -13.00 | -39.04 | peak | |

Test Mode | WCDMA Band IV_TX CH1413


Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 5063.000 | -72.01 | 17.93 | -54.08 | -13.00 | -41.08 | peak | |

| | |
|-----------|----------------------------|
| Test Mode | LTE Band 4_TX CH20175_1.4M |
|-----------|----------------------------|


Vertical



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure-ment | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|--------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | | 3473.500 | -66.82 | 13.19 | -53.63 | -13.00 | -40.63 | peak | |
| 2 | * | 5199.000 | -61.32 | 18.08 | -43.24 | -13.00 | -30.24 | peak | |

Test Mode | LTE Band 4_TX CH20175_1.4M


Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 5199.000 | -63.71 | 18.08 | -45.63 | -13.00 | -32.63 | peak | |

Test Mode | LTE Band 4_TX CH20175_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 3465.000 | -64.17 | 13.17 | -51.00 | -13.00 | -38.00 | peak | |
| 2 | * | 5199.000 | -59.14 | 18.08 | -41.06 | -13.00 | -28.06 | peak | |

| | |
|-----------|--------------------------|
| Test Mode | LTE Band 4_TX CH20175_5M |
|-----------|--------------------------|


Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 5199.000 | -62.02 | 18.08 | -43.94 | -13.00 | -30.94 | peak | |

Test Mode | LTE Band 4_TX CH20175_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 3465.000 | -63.24 | 13.17 | -50.07 | -13.00 | -37.07 | peak | |
| 2 | * | 5199.000 | -60.08 | 18.08 | -42.00 | -13.00 | -29.00 | peak | |

Test Mode | LTE Band 4_TX CH20175_20M


Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 5199.000 | -61.24 | 18.08 | -43.16 | -13.00 | -30.16 | peak | |

Test Mode | LTE Band 7_TX CH21100_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 5067.250 | -66.21 | 17.94 | -48.27 | -25.00 | -23.27 | peak | |
| 2 | | 7604.500 | -71.55 | 22.65 | -48.90 | -25.00 | -23.90 | peak | |
| 3 | * | 10141.750 | -73.08 | 25.01 | -48.07 | -25.00 | -23.07 | peak | |

Test Mode | LTE Band 7_TX CH21100_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5080.000 | -69.57 | 17.95 | -51.62 | -25.00 | -26.62 | peak | |

Test Mode | LTE Band 7_TX CH21100_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5080.000 | -68.52 | 17.95 | -50.57 | -25.00 | -25.57 | peak | |

Test Mode | LTE Band 7_TX CH21100_20M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5080.000 | -70.69 | 17.95 | -52.74 | -25.00 | -27.74 | peak | |

| | |
|-----------|-----------------------------|
| Test Mode | LTE Band 12_TX CH23095_1.4M |
|-----------|-----------------------------|


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 4247.000 | -62.74 | 15.05 | -47.69 | -13.00 | -34.69 | peak | |

Test Mode | LTE Band 12_TX CH23095_1.4M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 2122.000 | -60.38 | 9.70 | -50.68 | -13.00 | -37.68 | peak | |
| 2 | | 4247.000 | -66.96 | 15.05 | -51.91 | -13.00 | -38.91 | peak | |


Test Mode | LTE Band 12_TX CH23095_5M

Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 1425.000 | -61.34 | 5.45 | -55.89 | -13.00 | -42.89 | peak | |


| | |
|-----------|---------------------------|
| Test Mode | LTE Band 12_TX CH23095_5M |
|-----------|---------------------------|



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 2122.000 | -68.45 | 9.70 | -58.75 | -13.00 | -45.75 | peak | |

Test Mode | LTE Band 12_TX CH23095_10M

Vertical



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBm | dB | dBm | dBm | dB | | |
| 1 | * | 4247.000 | -62.99 | 15.05 | -47.94 | -13.00 | -34.94 | peak | |

| | |
|-----------|----------------------------|
| Test Mode | LTE Band 12_TX CH23095_10M |
|-----------|----------------------------|

Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 2122.000 | -60.05 | 9.70 | -50.35 | -13.00 | -37.35 | peak | |
| 2 | | 4247.000 | -66.88 | 15.05 | -51.83 | -13.00 | -38.83 | peak | |

| | |
|-----------|---------------------------|
| Test Mode | LTE Band 17_TX CH23790_5M |
|-----------|---------------------------|


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 4272.500 | -68.01 | 15.07 | -52.94 | -13.00 | -39.94 | peak | |

Test Mode | LTE Band 17_TX CH23790_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 2130.500 | -66.10 | 9.72 | -56.38 | -13.00 | -43.38 | peak | |

| | |
|-----------|----------------------------|
| Test Mode | LTE Band 12_TX CH23790_10M |
|-----------|----------------------------|


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 4264.000 | -69.38 | 15.06 | -54.32 | -13.00 | -41.32 | peak | |

Test Mode | LTE Band 12_TX CH23790_10M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 2130.500 | -67.75 | 9.72 | -58.03 | -13.00 | -45.03 | peak | |

Test Mode | LTE Band 38_TX CH38000_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5194.750 | -70.75 | 18.08 | -52.67 | -25.00 | -27.67 | peak | |

Test Mode | LTE Band 38_TX CH38000_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5194.750 | -70.50 | 18.08 | -52.42 | -25.00 | -27.42 | peak | |

Test Mode | LTE Band 38_TX CH38000_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5003.500 | -71.84 | 17.86 | -53.98 | -25.00 | -28.98 | peak | |

Test Mode | LTE Band 38_TX CH38000_20M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5972.500 | -71.15 | 18.69 | -52.46 | -25.00 | -27.46 | peak | |

Test Mode | LTE Band 41_TX CH40640_5M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 5194.750 | -70.97 | 18.08 | -52.89 | -25.00 | -27.89 | peak | |
| 2 | * | 7783.000 | -71.62 | 22.59 | -49.03 | -25.00 | -24.03 | peak | |

Test Mode | LTE Band 41_TX CH40640_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 4327.750 | -69.88 | 15.12 | -54.76 | -25.00 | -29.76 | peak | |

Test Mode | LTE Band 41_TX CH40640_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 3881.500 | -69.01 | 14.41 | -54.60 | -25.00 | -29.60 | peak | |


Test Mode | LTE Band 41_TX CH40640_20M

Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 6712.000 | -71.91 | 20.65 | -51.26 | -25.00 | -26.26 | peak | |

| | |
|-----------|----------------------------|
| Test Mode | LTE Band 66_TX CH132322_5M |
|-----------|----------------------------|



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5245.750 | -67.48 | 18.13 | -49.35 | -13.00 | -36.35 | peak | |

Test Mode | LTE Band 66_TX CH132322_5M


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5233.000 | -69.07 | 18.12 | -50.95 | -13.00 | -37.95 | peak | |

Test Mode | LTE Band 66_TX CH132322_20M


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | | 3490.500 | -67.12 | 13.24 | -53.88 | -13.00 | -40.88 | peak | |
| 2 | * | 5241.500 | -61.06 | 18.12 | -42.94 | -13.00 | -29.94 | peak | |

Test Mode | LTE Band 66_TX CH132322_20M

Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBm | Correct Factor dB | Measure- ment dBm | Limit dBm | Margin dB | Detector | Comment |
|-----|-----|--------------|-------------------------|-------------------------|-------------------------|--------------|--------------|----------|---------|
| 1 | * | 5224.500 | -63.05 | 18.10 | -44.95 | -13.00 | -31.95 | peak | |

APPENDIX G - BAND EDGE

