

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.100	36.72	-18.19	68.2	-31.48	Peak	156.00	150	Horizontal	Pass
1**	1163.100	26.72	-18.19	54.0	-27.28	AV	156.00	150	Horizontal	Pass
2	4324.250	47.64	-4.93	68.2	-20.56	Peak	68.00	150	Horizontal	Pass
2**	4324.250	37.56	-4.93	54.0	-16.44	AV	68.00	150	Horizontal	Pass
3	5770.250	103.10	-2.29	--	--	Peak	11.00	150	Horizontal	N/A
3**	5770.250	95.61	-2.29	--	--	AV	11.00	150	Horizontal	N/A
4	7516.500	52.39	0.93	68.2	-15.81	Peak	92.00	150	Horizontal	Pass
4**	7516.500	43.76	0.93	54.0	-10.24	AV	92.00	150	Horizontal	Pass
5	11788.363	49.17	-3.64	68.2	-19.03	Peak	0.00	150	Horizontal	Pass
5**	11788.363	40.74	-3.64	54.0	-13.26	AV	0.00	150	Horizontal	Pass
6	15708.637	51.12	-0.08	68.2	-17.08	Peak	173.00	150	Horizontal	Pass
6**	15708.637	42.33	-0.08	54.0	-11.67	AV	173.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.600	40.84	-18.13	68.2	-27.36	Peak	219.00	150	Vertical	Pass
1**	1161.600	30.86	-18.13	54.0	-23.14	AV	219.00	150	Vertical	Pass
2	4345.250	48.13	-4.88	68.2	-20.07	Peak	332.00	150	Vertical	Pass
2**	4345.250	37.23	-4.88	54.0	-16.77	AV	332.00	150	Vertical	Pass
3	5769.750	94.70	-2.25	--	--	Peak	75.00	150	Vertical	N/A
3**	5769.750	86.96	-2.25	--	--	AV	75.00	150	Vertical	N/A
4	7456.500	52.65	1.14	68.2	-15.55	Peak	154.00	150	Vertical	Pass
4**	7456.500	43.17	1.14	54.0	-10.83	AV	154.00	150	Vertical	Pass
5	11701.675	49.20	-4.19	68.2	-19.00	Peak	207.00	150	Vertical	Pass
5**	11701.675	39.42	-4.19	54.0	-14.58	AV	207.00	150	Vertical	Pass
6	15814.425	51.37	-0.73	68.2	-16.83	Peak	200.00	150	Vertical	Pass
6**	15814.425	41.71	-0.73	54.0	-12.29	AV	200.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.400	36.11	-18.25	68.2	-32.09	Peak	122.00	150	Horizontal	Pass
1**	1166.400	28.96	-18.25	54.0	-25.04	AV	122.00	150	Horizontal	Pass
2	4297.000	47.54	-4.46	68.2	-20.66	Peak	62.00	150	Horizontal	Pass
2**	4297.000	38.71	-4.46	54.0	-15.29	AV	62.00	150	Horizontal	Pass
3	5750.250	109.23	-2.77	--	--	Peak	13.00	150	Horizontal	N/A
3**	5750.250	100.60	-2.77	--	--	AV	13.00	150	Horizontal	N/A
4	7462.500	52.65	1.09	68.2	-15.55	Peak	312.00	150	Horizontal	Pass
4**	7462.500	43.83	1.09	54.0	-10.17	AV	312.00	150	Horizontal	Pass
5	11776.487	49.65	-3.74	68.2	-18.55	Peak	285.00	150	Horizontal	Pass
5**	11776.487	38.90	-3.74	54.0	-15.10	AV	285.00	150	Horizontal	Pass
6	15739.875	50.88	-0.73	68.2	-17.32	Peak	268.00	150	Horizontal	Pass
6**	15739.875	40.80	-0.73	54.0	-13.20	AV	268.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.000	40.18	-18.14	68.2	-28.02	Peak	219.00	150	Vertical	Pass
1**	1165.000	28.29	-18.14	54.0	-25.71	AV	219.00	150	Vertical	Pass
2	4287.750	48.02	-4.48	68.2	-20.18	Peak	143.00	150	Vertical	Pass
2**	4287.750	39.30	-4.48	54.0	-14.70	AV	143.00	150	Vertical	Pass
3	5739.750	101.70	-3.11	--	--	Peak	85.00	150	Vertical	N/A
3**	5739.750	92.37	-3.11	--	--	AV	85.00	150	Vertical	N/A
4	7566.250	53.05	-0.12	68.2	-15.15	Peak	85.00	150	Vertical	Pass
4**	7566.250	43.09	-0.12	54.0	-10.91	AV	85.00	150	Vertical	Pass
5	11439.000	49.45	-3.95	68.2	-18.75	Peak	360.00	150	Vertical	Pass
5**	11439.000	38.32	-3.95	54.0	-15.68	AV	360.00	150	Vertical	Pass
6	15696.825	50.81	0.01	68.2	-17.39	Peak	359.00	150	Vertical	Pass
6**	15696.825	41.07	0.01	54.0	-12.93	AV	359.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	36.73	-18.15	68.2	-31.47	Peak	94.00	150	Horizontal	Pass
1**	1163.800	27.56	-18.15	54.0	-26.44	AV	94.00	150	Horizontal	Pass
2	4151.500	47.19	-6.03	68.2	-21.01	Peak	163.00	150	Horizontal	Pass
2**	4151.500	37.45	-6.03	54.0	-16.55	AV	163.00	150	Horizontal	Pass
3	5779.750	110.01	-2.82	--	--	Peak	12.00	150	Horizontal	N/A
3**	5779.750	101.24	-2.82	--	--	AV	12.00	150	Horizontal	N/A
4	7512.500	52.44	0.55	68.2	-15.76	Peak	156.00	150	Horizontal	Pass
4**	7512.500	43.80	0.55	54.0	-10.20	AV	156.00	150	Horizontal	Pass
5	11454.913	48.95	-3.91	68.2	-19.25	Peak	150.00	150	Horizontal	Pass
5**	11454.913	39.49	-3.91	54.0	-14.51	AV	150.00	150	Horizontal	Pass
6	15709.688	51.05	-0.10	68.2	-17.15	Peak	116.00	150	Horizontal	Pass
6**	15709.688	41.75	-0.10	54.0	-12.25	AV	116.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.400	41.39	-18.20	68.2	-26.81	Peak	205.00	150	Vertical	Pass
1**	1162.400	28.82	-18.20	54.0	-25.18	AV	205.00	150	Vertical	Pass
2	4307.000	47.51	-4.16	68.2	-20.69	Peak	193.00	150	Vertical	Pass
2**	4307.000	39.00	-4.16	54.0	-15.00	AV	193.00	150	Vertical	Pass
3	5789.500	102.38	-3.29	--	--	Peak	87.00	150	Vertical	N/A
3**	5789.500	92.11	-3.29	--	--	AV	87.00	150	Vertical	N/A
4	7470.250	52.44	0.66	68.2	-15.76	Peak	53.00	150	Vertical	Pass
4**	7470.250	43.01	0.66	54.0	-10.99	AV	53.00	150	Vertical	Pass
5	11773.400	49.09	-3.77	68.2	-19.11	Peak	331.00	150	Vertical	Pass
5**	11773.400	39.23	-3.77	54.0	-14.77	AV	331.00	150	Vertical	Pass
6	16139.400	52.16	-0.58	68.2	-16.04	Peak	0.00	150	Vertical	Pass
6**	16139.400	43.19	-0.58	54.0	-10.81	AV	0.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	37.46	-18.17	68.2	-30.74	Peak	231.00	150	Horizontal	Pass
1**	1163.400	27.66	-18.17	54.0	-26.34	AV	231.00	150	Horizontal	Pass
2	4233.250	46.99	-5.11	68.2	-21.21	Peak	117.00	150	Horizontal	Pass
2**	4233.250	37.61	-5.11	54.0	-16.39	AV	117.00	150	Horizontal	Pass
3	5826.000	109.50	-3.00	--	--	Peak	279.00	150	Horizontal	N/A
3**	5826.000	99.81	-3.00	--	--	AV	279.00	150	Horizontal	N/A
4	7580.250	52.44	-0.36	68.2	-15.76	Peak	303.00	150	Horizontal	Pass
4**	7580.250	43.33	-0.36	54.0	-10.67	AV	303.00	150	Horizontal	Pass
5	11813.775	49.32	-3.44	68.2	-18.88	Peak	331.00	150	Horizontal	Pass
5**	11813.775	39.61	-3.44	54.0	-14.39	AV	331.00	150	Horizontal	Pass
6	15931.763	51.20	-0.58	68.2	-17.00	Peak	22.00	150	Horizontal	Pass
6**	15931.763	42.28	-0.58	54.0	-11.72	AV	22.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.700	40.28	-18.16	68.2	-27.92	Peak	178.00	150	Vertical	Pass
1**	1163.700	31.30	-18.16	54.0	-22.70	AV	178.00	150	Vertical	Pass
2	4303.000	48.18	-4.32	68.2	-20.02	Peak	90.00	150	Vertical	Pass
2**	4303.000	38.72	-4.32	54.0	-15.28	AV	90.00	150	Vertical	Pass
3	5820.750	102.13	-2.87	--	--	Peak	75.00	150	Vertical	N/A
3**	5820.750	91.80	-2.87	--	--	AV	75.00	150	Vertical	N/A
4	7596.250	53.15	-0.14	68.2	-15.05	Peak	66.00	150	Vertical	Pass
4**	7596.250	42.28	-0.14	54.0	-11.72	AV	66.00	150	Vertical	Pass
5	11218.125	49.74	-4.12	68.2	-18.46	Peak	196.00	150	Vertical	Pass
5**	11218.125	39.85	-4.12	54.0	-14.15	AV	196.00	150	Vertical	Pass
6	15452.701	50.63	-0.17	68.2	-17.57	Peak	48.00	150	Vertical	Pass
6**	15452.701	41.27	-0.17	54.0	-12.73	AV	48.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	38.42	-18.15	68.2	-29.78	Peak	161.00	150	Horizontal	Pass
1**	1163.800	27.55	-18.15	54.0	-26.45	AV	161.00	150	Horizontal	Pass
2	4314.000	47.34	-4.37	68.2	-20.86	Peak	0.00	150	Horizontal	Pass
2**	4314.000	38.23	-4.37	54.0	-15.77	AV	0.00	150	Horizontal	Pass
3	5761.250	105.54	-2.33	--	--	Peak	12.00	150	Horizontal	N/A
3**	5761.250	97.18	-2.33	--	--	AV	12.00	150	Horizontal	N/A
4	7552.000	53.07	-0.29	68.2	-15.13	Peak	149.00	150	Horizontal	Pass
4**	7552.000	42.53	-0.29	54.0	-11.47	AV	149.00	150	Horizontal	Pass
5	11795.013	49.32	-3.58	68.2	-18.88	Peak	160.00	150	Horizontal	Pass
5**	11795.013	39.97	-3.58	54.0	-14.03	AV	160.00	150	Horizontal	Pass
6	15942.787	51.62	-0.37	68.2	-16.58	Peak	161.00	150	Horizontal	Pass
6**	15942.787	43.12	-0.37	54.0	-10.88	AV	161.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.600	40.22	-18.12	68.2	-27.98	Peak	203.00	150	Vertical	Pass
1**	1164.600	30.92	-18.12	54.0	-23.08	AV	203.00	150	Vertical	Pass
2	4180.000	46.96	-5.14	68.2	-21.24	Peak	117.00	150	Vertical	Pass
2**	4180.000	37.84	-5.14	54.0	-16.16	AV	117.00	150	Vertical	Pass
3	5753.250	98.05	-2.75	--	--	Peak	329.00	150	Vertical	N/A
3**	5753.250	88.10	-2.75	--	--	AV	329.00	150	Vertical	N/A
4	7448.000	52.63	0.45	68.2	-15.57	Peak	52.00	150	Vertical	Pass
4**	7448.000	42.96	0.45	54.0	-11.04	AV	52.00	150	Vertical	Pass
5	12204.225	50.05	-2.98	68.2	-18.15	Peak	25.00	150	Vertical	Pass
5**	12204.225	39.89	-2.98	54.0	-14.11	AV	25.00	150	Vertical	Pass
6	15705.487	51.06	-0.01	68.2	-17.14	Peak	96.00	150	Vertical	Pass
6**	15705.487	42.24	-0.01	54.0	-11.76	AV	96.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.600	36.54	-18.13	68.2	-31.66	Peak	112.00	150	Horizontal	Pass
1**	1161.600	28.31	-18.13	54.0	-25.69	AV	112.00	150	Horizontal	Pass
2	4315.250	47.58	-4.52	68.2	-20.62	Peak	4.00	150	Horizontal	Pass
2**	4315.250	38.68	-4.52	54.0	-15.32	AV	4.00	150	Horizontal	Pass
3	5798.250	105.07	-3.35	--	--	Peak	4.00	150	Horizontal	N/A
3**	5798.250	96.08	-3.35	--	--	AV	4.00	150	Horizontal	N/A
4	7506.000	52.78	-0.06	68.2	-15.42	Peak	156.00	150	Horizontal	Pass
4**	7506.000	43.40	-0.06	54.0	-10.60	AV	156.00	150	Horizontal	Pass
5	11676.262	49.54	-4.33	68.2	-18.66	Peak	309.00	150	Horizontal	Pass
5**	11676.262	39.74	-4.33	54.0	-14.26	AV	309.00	150	Horizontal	Pass
6	15466.087	51.80	-0.36	68.2	-16.40	Peak	172.00	150	Horizontal	Pass
6**	15466.087	42.59	-0.36	54.0	-11.41	AV	172.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.200	40.85	-18.13	68.2	-27.35	Peak	219.00	150	Vertical	Pass
1**	1164.200	32.28	-18.13	54.0	-21.72	AV	219.00	150	Vertical	Pass
2	4261.250	47.26	-4.48	68.2	-20.94	Peak	182.00	150	Vertical	Pass
2**	4261.250	38.15	-4.48	54.0	-15.85	AV	182.00	150	Vertical	Pass
3	5778.750	97.88	-2.72	--	--	Peak	70.00	150	Vertical	N/A
3**	5778.750	87.47	-2.72	--	--	AV	70.00	150	Vertical	N/A
4	7462.500	52.25	1.09	68.2	-15.95	Peak	253.00	150	Vertical	Pass
4**	7462.500	43.69	1.09	54.0	-10.31	AV	253.00	150	Vertical	Pass
5	11443.750	48.90	-3.91	68.2	-19.30	Peak	273.00	150	Vertical	Pass
5**	11443.750	40.06	-3.91	54.0	-13.94	AV	273.00	150	Vertical	Pass
6	15705.487	51.26	-0.01	68.2	-16.94	Peak	177.00	150	Vertical	Pass
6**	15705.487	42.00	-0.01	54.0	-12.00	AV	177.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	38.20	-18.13	68.2	-30.00	Peak	126.00	150	Horizontal	Pass
1**	1164.900	29.20	-18.13	54.0	-24.80	AV	126.00	150	Horizontal	Pass
2	4199.250	47.45	-5.45	68.2	-20.75	Peak	195.00	150	Horizontal	Pass
2**	4199.250	37.62	-5.45	54.0	-16.38	AV	195.00	150	Horizontal	Pass
3	5779.750	103.32	-2.82	--	--	Peak	11.00	150	Horizontal	N/A
3**	5779.750	95.56	-2.82	--	--	AV	11.00	150	Horizontal	N/A
4	7450.250	52.50	0.68	68.2	-15.70	Peak	339.00	150	Horizontal	Pass
4**	7450.250	43.42	0.68	54.0	-10.58	AV	339.00	150	Horizontal	Pass
5	11445.650	49.67	-3.90	68.2	-18.53	Peak	321.00	150	Horizontal	Pass
5**	11445.650	40.05	-3.90	54.0	-13.95	AV	321.00	150	Horizontal	Pass
6	15544.838	51.85	-0.55	68.2	-16.35	Peak	334.00	150	Horizontal	Pass
6**	15544.838	41.68	-0.55	54.0	-12.32	AV	334.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.900	40.85	-18.19	68.2	-27.35	Peak	197.00	150	Vertical	Pass
1**	1162.900	29.84	-18.19	54.0	-24.16	AV	197.00	150	Vertical	Pass
2	4269.500	47.32	-4.82	68.2	-20.88	Peak	13.00	150	Vertical	Pass
2**	4269.500	37.66	-4.82	54.0	-16.34	AV	13.00	150	Vertical	Pass
3	5772.250	95.65	-2.48	--	--	Peak	126.00	150	Vertical	N/A
3**	5772.250	85.97	-2.48	--	--	AV	126.00	150	Vertical	N/A
4	7454.500	52.38	1.17	68.2	-15.82	Peak	357.00	150	Vertical	Pass
4**	7454.500	43.82	1.17	54.0	-10.18	AV	357.00	150	Vertical	Pass
5	12298.988	49.67	-2.44	68.2	-18.53	Peak	53.00	150	Vertical	Pass
5**	12298.988	40.32	-2.44	54.0	-13.68	AV	53.00	150	Vertical	Pass
6	15781.613	50.91	-0.80	68.2	-17.29	Peak	9.00	150	Vertical	Pass
6**	15781.613	40.83	-0.80	54.0	-13.17	AV	9.00	150	Vertical	Pass

Simultaneous transmission

MAIN antenna: 5G 802.11n20 mode + AUX antenna: BLE mode and 5G 802.11n20 mode

30 MHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.900	39.11	-17.29	68.2	-29.09	Peak	196.00	150	Horizontal	Pass
1**	1326.900	28.62	-17.29	54.0	-25.38	AV	196.00	150	Horizontal	Pass
2	2401.700	100.18	-13.35	--	--	Peak	6.00	150	Horizontal	N/A
2**	2401.700	98.86	-13.35	--	--	AV	6.00	150	Horizontal	N/A
3	4042.500	46.49	-6.09	68.2	-21.71	Peak	242.00	150	Horizontal	Pass
3**	4042.500	37.67	-6.09	54.0	-16.33	AV	242.00	150	Horizontal	Pass
4	5173.000	89.20	-2.74	--	--	Peak	4.00	150	Horizontal	N/A
4**	5173.000	81.98	-2.74	--	--	AV	4.00	150	Horizontal	N/A
5	11196.750	49.31	-4.07	68.2	-18.89	Peak	355.00	150	Horizontal	Pass
5**	11196.750	40.96	-4.07	54.0	-13.04	AV	355.00	150	Horizontal	Pass
6	15701.026	51.22	0.08	68.2	-16.98	Peak	304.00	150	Horizontal	Pass
6**	15701.026	42.44	0.08	54.0	-11.56	AV	304.00	150	Horizontal	Pass

30 MHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	41.93	-17.29	68.2	-26.27	Peak	303.00	150	Vertical	Pass
1**	1499.500	29.62	-17.29	54.0	-24.38	AV	303.00	150	Vertical	Pass
2	2402.200	91.01	-13.33	--	--	Peak	203.00	150	Vertical	N/A
2**	2402.200	89.97	-13.33	--	--	AV	203.00	150	Vertical	N/A
3	4133.000	47.41	-5.66	68.2	-20.79	Peak	298.00	150	Vertical	Pass
3**	4133.000	37.74	-5.66	54.0	-16.26	AV	298.00	150	Vertical	Pass
4	5182.000	98.38	-2.12	--	--	Peak	19.00	150	Vertical	N/A
4**	5182.000	92.99	-2.12	--	--	AV	19.00	150	Vertical	N/A
5	11168.012	49.71	-4.28	68.2	-18.49	Peak	186.00	150	Vertical	Pass
5**	11168.012	40.44	-4.28	54.0	-13.56	AV	186.00	150	Vertical	Pass
6	15706.013	52.32	-0.02	68.2	-15.88	Peak	225.00	150	Vertical	Pass
6**	15706.013	42.37	-0.02	54.0	-11.63	AV	225.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
802.11ax(HE40)-SU	Low	Pass	
	High	Pass	
802.11ax(HE80)-SU	Middle	Pass	
802.11ax(HE160)-SU	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
High		Pass	
802.11ax(HE40)-SU	Low	Pass	
	High	Pass	
802.11ax(HE80)-SU	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
High		Pass	
802.11ac(VHT40)	Low	Pass	


		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
802.11ax(HE80)-SU	Low	Pass	
	High	Pass	
802.11ax(HE160)-SU	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
	802.11ax(HE80)-SU	Middle	Pass

Note 1: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.54	3.94	68.2	-10.66	Peak	360.00	150	Horizontal	Pass
1**	5150.000	47.14	3.94	54.0	-6.86	AV	360.00	150	Horizontal	Pass
2	5004.400	58.24	3.63	68.2	-9.96	Peak	201.00	150	Horizontal	Pass
2**	5004.400	46.19	3.63	54.0	-7.81	AV	201.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.86	3.96	68.2	-10.34	Peak	64.00	150	Horizontal	Pass
1**	5350.000	47.32	3.96	54.0	-6.68	AV	64.00	150	Horizontal	Pass
2	5352.750	58.81	3.93	68.2	-9.39	Peak	275.00	150	Horizontal	Pass
2**	5352.750	47.28	3.93	54.0	-6.72	AV	275.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.91	3.94	68.2	-11.29	Peak	114.00	150	Horizontal	Pass
1**	5150.000	47.35	3.94	54.0	-6.65	AV	114.00	150	Horizontal	Pass
2	5147.075	59.06	3.90	68.2	-9.14	Peak	301.00	150	Horizontal	Pass
2**	5147.075	47.17	3.90	54.0	-6.83	AV	301.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	3.96	68.2	-10.30	Peak	219.00	150	Horizontal	Pass
1**	5350.000	47.48	3.96	54.0	-6.52	AV	219.00	150	Horizontal	Pass
2	5358.433	58.96	3.79	68.2	-9.24	Peak	347.00	150	Horizontal	Pass
2**	5358.433	47.05	3.79	54.0	-6.95	AV	347.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.40	3.94	68.2	-10.80	Peak	164.00	150	Horizontal	Pass
1**	5150.000	48.63	3.94	54.0	-5.37	AV	164.00	150	Horizontal	Pass
2	5149.350	58.64	3.93	68.2	-9.56	Peak	143.00	150	Horizontal	Pass
2**	5149.350	48.35	3.93	54.0	-5.65	AV	143.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	3.96	68.2	-10.05	Peak	189.00	150	Horizontal	Pass
1**	5350.000	47.51	3.96	54.0	-6.49	AV	189.00	150	Horizontal	Pass
2	5383.733	59.18	3.91	68.2	-9.02	Peak	224.00	150	Horizontal	Pass
2**	5383.733	46.83	3.91	54.0	-7.17	AV	224.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.01	3.94	68.2	-11.19	Peak	269.00	150	Horizontal	Pass
1**	5150.000	47.52	3.94	54.0	-6.48	AV	269.00	150	Horizontal	Pass
2	4982.300	58.49	3.25	68.2	-9.71	Peak	193.00	150	Horizontal	Pass
2**	4982.300	46.39	3.25	54.0	-7.61	AV	193.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.19	3.96	68.2	-10.01	Peak	42.00	150	Horizontal	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	42.00	150	Horizontal	Pass
2	5438.550	58.87	5.07	68.2	-9.33	Peak	294.00	150	Horizontal	Pass
2**	5438.550	47.04	5.07	54.0	-6.96	AV	294.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.47	3.94	68.2	-9.73	Peak	257.00	150	Horizontal	Pass
1**	5150.000	48.78	3.94	54.0	-5.22	AV	257.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.55	3.96	68.2	-9.65	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.45	3.96	54.0	-6.55	AV	360.00	150	Horizontal	Pass
2	5377.683	58.89	4.03	68.2	-9.31	Peak	358.00	150	Horizontal	Pass
2**	5377.683	47.05	4.03	54.0	-6.95	AV	358.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.96	3.94	68.2	-9.24	Peak	266.00	150	Horizontal	Pass
1**	5150.000	49.74	3.94	54.0	-4.26	AV	266.00	150	Horizontal	N/A
1***	5150.000	48.952	3.94	54.0	-5.048	AV	266.00	150	Horizontal	Pass
2	5144.150	60.05	3.66	68.2	-8.15	Peak	118.00	150	Horizontal	Pass
2**	5144.150	49.22	3.66	54.0	-4.78	AV	118.00	150	Horizontal	N/A
2***	5144.150	48.290	3.66	54.0	-5.710	AV	118.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.66	3.96	68.2	-10.54	Peak	253.00	150	Horizontal	Pass
1**	5350.000	47.58	3.96	54.0	-6.42	AV	253.00	150	Horizontal	Pass
2	5382.084	59.44	4.02	68.2	-8.76	Peak	35.00	150	Horizontal	Pass
2**	5382.084	46.97	4.02	54.0	-7.03	AV	35.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.500	59.32	3.95	68.2	-8.88	Peak	48.00	150	Horizontal	Pass
1**	5130.500	49.16	3.95	54.0	-4.84	AV	48.00	150	Horizontal	Pass
1***	5130.500	48.364	3.95	54.0	-5.636	AV	48.00	150	Horizontal	Pass
2	5150.000	59.19	3.94	68.2	-9.01	Peak	121.00	150	Horizontal	Pass
2**	5150.000	49.21	3.94	54.0	-4.79	AV	121.00	150	Horizontal	Pass
2***	5150.000	48.692	3.94	54.0	-5.308	AV	121.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.70	3.96	68.2	-7.50	Peak	268.00	150	Horizontal	Pass
1**	5350.000	49.19	3.96	54.0	-4.81	AV	268.00	150	Horizontal	Pass
1***	5350.000	48.058	3.96	54.0	-5.942	AV	268.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.37	3.94	68.2	-11.83	Peak	318.00	150	Horizontal	Pass
1**	5150.000	47.23	3.94	54.0	-6.77	AV	318.00	150	Horizontal	Pass
2	5119.450	58.64	4.02	68.2	-9.56	Peak	102.00	150	Horizontal	Pass
2**	5119.450	46.54	4.02	54.0	-7.46	AV	102.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.57	3.96	68.2	-10.63	Peak	266.00	150	Horizontal	Pass
1**	5350.000	47.44	3.96	54.0	-6.56	AV	266.00	150	Horizontal	Pass
2	5382.450	59.46	4.05	68.2	-8.74	Peak	289.00	150	Horizontal	Pass
2**	5382.450	46.94	4.05	54.0	-7.06	AV	289.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.51	3.94	68.2	-9.69	Peak	113.00	150	Horizontal	Pass
1**	5150.000	48.61	3.94	54.0	-5.39	AV	113.00	150	Horizontal	Pass
2	5147.075	59.23	3.90	68.2	-8.97	Peak	278.00	150	Horizontal	Pass
2**	5147.075	48.21	3.90	54.0	-5.79	AV	278.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	3.96	68.2	-9.96	Peak	87.00	150	Horizontal	Pass
1**	5350.000	47.49	3.96	54.0	-6.51	AV	87.00	150	Horizontal	Pass
2	5376.584	58.83	3.81	68.2	-9.37	Peak	131.00	150	Horizontal	Pass
2**	5376.584	46.77	3.81	54.0	-7.23	AV	131.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.79	3.94	68.2	-9.41	Peak	37.00	150	Horizontal	Pass
1**	5150.000	49.91	3.94	54.0	-4.09	AV	37.00	150	Horizontal	Pass
1***	5150.000	48.087	3.94	54.0	-5.913	AV	37.00	150	Horizontal	Pass
2	5134.075	59.84	3.59	68.2	-8.36	Peak	116.00	150	Horizontal	Pass
2**	5134.075	48.59	3.59	54.0	-5.41	AV	116.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.18	3.96	68.2	-10.02	Peak	301.00	150	Horizontal	Pass
1**	5350.000	47.55	3.96	54.0	-6.45	AV	301.00	150	Horizontal	Pass
2	5379.700	58.79	4.00	68.2	-9.41	Peak	24.00	150	Horizontal	Pass
2**	5379.700	46.90	4.00	54.0	-7.10	AV	24.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.550	59.86	3.88	68.2	-8.34	Peak	115.00	150	Horizontal	Pass
1**	5115.550	48.00	3.88	54.0	-6.00	AV	115.00	150	Horizontal	Pass
2	5150.000	58.20	3.94	68.2	-10.00	Peak	116.00	150	Horizontal	Pass
2**	5150.000	49.58	3.94	54.0	-4.42	AV	116.00	150	Horizontal	Pass
2***	5150.000	48.254	3.94	54.0	-5.746	AV	116.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.83	3.96	68.2	-9.37	Peak	291.00	150	Horizontal	Pass
1**	5350.000	48.84	3.96	54.0	-5.16	AV	291.00	150	Horizontal	Pass
2	5359.900	60.27	3.78	68.2	-7.93	Peak	140.00	150	Horizontal	Pass
2**	5359.900	48.45	3.78	54.0	-5.55	AV	140.00	150	Horizontal	Pass

U-NII-2A 11a CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.76	3.94	68.2	-11.44	Peak	207.00	150	Horizontal	Pass
1**	5150.000	47.08	3.94	54.0	-6.92	AV	207.00	150	Horizontal	Pass
2	5075.900	58.77	3.85	68.2	-9.43	Peak	292.00	150	Horizontal	Pass
2**	5075.900	46.45	3.85	54.0	-7.55	AV	292.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.25	3.96	68.2	-9.95	Peak	106.00	150	Horizontal	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	106.00	150	Horizontal	Pass
2	5350.917	58.74	3.95	68.2	-9.46	Peak	216.00	150	Horizontal	Pass
2**	5350.917	47.39	3.95	54.0	-6.61	AV	216.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.83	3.94	68.2	-11.37	Peak	338.00	150	Horizontal	Pass
1**	5150.000	47.24	3.94	54.0	-6.76	AV	338.00	150	Horizontal	Pass
2	5124.975	58.21	4.07	68.2	-9.99	Peak	154.00	150	Horizontal	Pass
2**	5124.975	47.39	4.07	54.0	-6.61	AV	154.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.35	3.96	68.2	-9.85	Peak	240.00	150	Horizontal	Pass
1**	5350.000	47.40	3.96	54.0	-6.60	AV	240.00	150	Horizontal	Pass
2	5350.733	59.11	3.95	68.2	-9.09	Peak	268.00	150	Horizontal	Pass
2**	5350.733	47.61	3.95	54.0	-6.39	AV	268.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.71	3.94	68.2	-11.49	Peak	246.00	150	Horizontal	Pass
1**	5150.000	47.30	3.94	54.0	-6.70	AV	246.00	150	Horizontal	Pass
2	5107.750	58.00	4.04	68.2	-10.20	Peak	83.00	150	Horizontal	Pass
2**	5107.750	46.73	4.04	54.0	-7.27	AV	83.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.42	3.96	68.2	-8.78	Peak	113.00	150	Horizontal	Pass
1**	5350.000	48.64	3.96	54.0	-5.36	AV	113.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.85	3.94	68.2	-11.35	Peak	45.00	150	Horizontal	Pass
1**	5150.000	47.42	3.94	54.0	-6.58	AV	45.00	150	Horizontal	Pass
2	5147.725	59.03	3.91	68.2	-9.17	Peak	97.00	150	Horizontal	Pass
2**	5147.725	47.35	3.91	54.0	-6.65	AV	97.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.77	3.96	68.2	-9.43	Peak	130.00	150	Horizontal	Pass
1**	5350.000	47.58	3.96	54.0	-6.42	AV	130.00	150	Horizontal	Pass
2	5352.383	58.96	3.93	68.2	-9.24	Peak	298.00	150	Horizontal	Pass
2**	5352.383	47.34	3.93	54.0	-6.66	AV	298.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.86	3.94	68.2	-11.34	Peak	41.00	150	Horizontal	Pass
1**	5150.000	47.38	3.94	54.0	-6.62	AV	41.00	150	Horizontal	Pass
2	5116.525	58.36	3.90	68.2	-9.84	Peak	350.00	150	Horizontal	Pass
2**	5116.525	46.61	3.90	54.0	-7.39	AV	350.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.98	3.96	68.2	-8.22	Peak	22.00	150	Horizontal	Pass
1**	5350.000	48.59	3.96	54.0	-5.41	AV	22.00	150	Horizontal	Pass
2**	5393.267	45.12	2.71	54.0	-8.88	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.45	3.94	68.2	-10.75	Peak	181.00	150	Horizontal	Pass
1**	5150.000	47.47	3.94	54.0	-6.53	AV	181.00	150	Horizontal	Pass
2	5085.325	58.04	4.19	68.2	-10.16	Peak	18.00	150	Horizontal	Pass
2**	5085.325	46.91	4.19	54.0	-7.09	AV	18.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.12	3.96	68.2	-8.08	Peak	156.00	150	Horizontal	Pass
1**	5350.000	49.50	3.96	54.0	-4.50	AV	156.00	150	Horizontal	Pass
1***	5350.000	48.175	3.96	54.0	-5.825	AV	156.00	150	Horizontal	Pass
2	5360.817	62.26	3.68	68.2	-5.94	Peak	14.00	150	Horizontal	Pass
2**	5360.817	48.65	3.68	54.0	-5.35	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.30	3.94	68.2	-10.90	Peak	89.00	150	Horizontal	Pass
1**	5150.000	47.69	3.94	54.0	-6.31	AV	89.00	150	Horizontal	Pass
2	5084.675	58.31	4.12	68.2	-9.89	Peak	134.00	150	Horizontal	Pass
2**	5084.675	46.81	4.12	54.0	-7.19	AV	134.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	3.96	68.2	-10.21	Peak	13.00	150	Horizontal	Pass
1**	5350.000	47.55	3.96	54.0	-6.45	AV	13.00	150	Horizontal	Pass
2	5438.733	58.68	5.05	68.2	-9.52	Peak	236.00	150	Horizontal	Pass
2**	5438.733	46.95	5.05	54.0	-7.05	AV	236.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.100	58.11	4.19	68.2	-10.09	Peak	106.00	150	Horizontal	Pass
1**	5094.100	47.26	4.19	54.0	-6.74	AV	106.00	150	Horizontal	Pass
2	5150.000	57.35	3.94	68.2	-10.85	Peak	146.00	150	Horizontal	Pass
2**	5150.000	47.68	3.94	54.0	-6.32	AV	146.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.02	3.96	68.2	-9.18	Peak	124.00	150	Horizontal	Pass
1**	5350.000	48.77	3.96	54.0	-5.23	AV	124.00	150	Horizontal	Pass
2	5362.833	60.07	3.60	68.2	-8.13	Peak	21.00	150	Horizontal	Pass
2**	5362.833	46.88	3.60	54.0	-7.12	AV	21.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5104.825	58.40	3.97	68.2	-9.80	Peak	323.00	150	Horizontal	Pass
1**	5104.825	46.51	3.97	54.0	-7.49	AV	323.00	150	Horizontal	Pass
2	5149.350	57.72	3.93	68.2	-10.48	Peak	306.00	150	Horizontal	Pass
2**	5149.350	47.34	3.93	54.0	-6.66	AV	306.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.73	3.96	68.2	-8.47	Peak	287.00	150	Horizontal	Pass
1**	5350.000	50.15	3.96	54.0	-3.85	AV	287.00	150	Horizontal	Pass
1***	5350.000	48.377	3.96	54.0	-5.623	AV	287.00	150	Horizontal	Pass
2	5354.217	61.50	3.72	68.2	-6.70	Peak	22.00	150	Horizontal	Pass
2**	5354.217	49.62	3.72	54.0	-4.38	AV	22.00	150	Horizontal	Pass
2***	5354.217	48.083	3.72	54.0	-5.917	AV	22.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5430.200	59.34	4.69	68.2	-8.86	Peak	332.00	150	Horizontal	Pass
1**	5430.200	46.79	4.69	54.0	-7.21	AV	332.00	150	Horizontal	Pass
2	5460.000	55.99	4.23	68.2	-12.21	Peak	210.00	150	Horizontal	Pass
2**	5460.000	45.57	4.23	54.0	-8.43	AV	210.00	150	Horizontal	Pass
3	5460.200	56.68	4.21	68.2	-11.52	Peak	175.00	150	Horizontal	Pass
3**	5460.200	45.47	4.21	--	--	AV	175.00	150	Horizontal	N/A
4	5470.000	55.61	3.80	68.2	-12.59	Peak	318.00	150	Horizontal	Pass
4**	5470.000	45.23	3.80	--	--	AV	318.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.38	4.45	68.2	-10.82	Peak	88.00	150	Horizontal	Pass
2	5813.541	59.76	4.64	68.2	-8.44	Peak	1.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.000	58.81	3.91	68.2	-9.39	Peak	191.00	150	Horizontal	Pass
1**	5353.000	47.23	3.91	54.0	-6.77	AV	191.00	150	Horizontal	Pass
2	5460.000	55.58	4.23	68.2	-12.62		323.00	150	Horizontal	Pass
2**	5460.000	45.32	4.23	54.0	-8.68	AV	323.00	150	Horizontal	Pass
3	5462.200	57.13	4.18	68.2	-11.07	Peak	92.00	150	Horizontal	Pass
3**	5462.200	45.37	4.18	--	--	AV	92.00	150	Horizontal	N/A
4	5470.000	55.33	3.80	68.2	-12.87	Peak	343.00	150	Horizontal	Pass
4**	5470.000	45.16	3.80	--	--	AV	343.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.19	4.45	68.2	-11.01	Peak	296.00	150	Horizontal	Pass
2	5842.916	59.82	5.69	68.2	-8.38	Peak	325.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.600	58.91	3.93	68.2	-9.29	Peak	234.00	150	Horizontal	Pass
1**	5352.600	47.29	3.93	54.0	-6.71	AV	234.00	150	Horizontal	Pass
2	5460.000	57.00	4.23	68.2	-11.20	Peak	302.00	150	Horizontal	Pass
2**	5460.000	45.43	4.23	54.0	-8.57	AV	302.00	150	Horizontal	Pass
3	5467.000	58.35	3.97	68.2	-9.85	Peak	13.00	150	Horizontal	Pass
3**	5467.000	45.44	3.97	--	--	AV	13.00	150	Horizontal	N/A
4	5470.000	55.42	3.80	68.2	-12.78	Peak	114.00	150	Horizontal	Pass
4**	5470.000	45.86	3.80	--	--	AV	114.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.25	4.45	68.2	-10.95	Peak	256.00	150	Horizontal	Pass
2	5766.875	59.64	4.81	68.2	-8.56	Peak	284.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.600	59.34	5.06	68.2	-8.86	Peak	248.00	150	Horizontal	Pass
1**	5436.600	46.85	5.06	54.0	-7.15	AV	248.00	150	Horizontal	Pass
2	5460.000	55.32	4.23	68.2	-12.88	Peak	355.00	150	Horizontal	Pass
2**	5460.000	45.42	4.23	54.0	-8.58	AV	355.00	150	Horizontal	Pass
3	5465.000	56.96	4.07	68.2	-11.24	Peak	79.00	150	Horizontal	Pass
3**	5465.000	45.23	4.07	--	--	AV	79.00	150	Horizontal	N/A
4	5470.000	55.52	3.80	68.2	-12.68	Peak	104.00	150	Horizontal	Pass
4**	5470.000	44.91	3.80	--	--	AV	104.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.35	4.45	68.2	-10.85	Peak	178.00	150	Horizontal	Pass
2	5842.292	59.89	5.58	68.2	-8.31	Peak	311.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.800	59.46	3.78	68.2	-8.74	Peak	208.00	150	Horizontal	Pass
1**	5353.800	47.20	3.78	54.0	-6.80	AV	208.00	150	Horizontal	Pass
2	5460.000	55.74	4.23	68.2	-12.46	Peak	85.00	150	Horizontal	Pass
2**	5460.000	45.42	4.23	54.0	-8.58	AV	85.00	150	Horizontal	Pass
3	5463.400	56.68	4.26	68.2	-11.52	Peak	9.00	150	Horizontal	Pass
3**	5463.400	45.50	4.26	--	45.50	AV	9.00	150	Horizontal	N/A
4	5470.000	55.44	3.80	68.2	-12.76	Peak	166.00	150	Horizontal	Pass
4**	5470.000	45.53	3.80	--	45.53	AV	166.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.58	4.45	68.2	-11.62	Peak	245.00	150	Horizontal	Pass
2	5843.958	59.69	5.83	68.2	-8.51	Peak	223.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.400	59.34	3.93	68.2	-8.86	Peak	35.00	150	Horizontal	Pass
1**	5352.400	47.44	3.93	54.0	-6.56	AV	35.00	150	Horizontal	Pass
2	5460.000	56.24	4.23	68.2	-11.96	Peak	283.00	150	Horizontal	Pass
2**	5460.000	45.64	4.23	54.0	-8.36	AV	283.00	150	Horizontal	Pass
3	5466.600	58.05	3.98	68.2	-10.15	Peak	13.00	150	Horizontal	Pass
3**	5466.600	45.54	3.98	--	--	AV	13.00	150	Horizontal	N/A
4	5470.000	57.46	3.80	68.2	-10.74	Peak	13.00	150	Horizontal	Pass
4**	5470.000	45.35	3.80	--	--	AV	13.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.83	4.45	68.2	-11.37	Peak	63.00	150	Horizontal	Pass
2	5740.417	59.61	4.25	68.2	-8.59	Peak	290.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.400	58.80	4.16	68.2	-9.40	Peak	334.00	150	Horizontal	Pass
1**	5378.400	46.86	4.16	54.0	-7.14	AV	334.00	150	Horizontal	Pass
2	5460.000	56.41	4.23	68.2	-11.79	Peak	135.00	150	Horizontal	Pass
2**	5460.000	45.84	4.23	54.0	-8.16	AV	135.00	150	Horizontal	Pass
3	5460.200	57.59	4.21	68.2	-10.61	Peak	145.00	150	Horizontal	Pass
3**	5460.200	45.62	4.21	--	--	AV	145.00	150	Horizontal	N/A
4	5470.000	55.88	3.80	68.2	-12.32	Peak	225.00	150	Horizontal	Pass
4**	5470.000	45.57	3.80	--	--	AV	225.00	150	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.09	4.45	68.2	-11.11	Peak	57.00	150	Horizontal	Pass
2	5743.333	59.96	4.34	68.2	-8.24	Peak	59.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.18	3.80	68.2	-12.02	Peak	111.00	150	Horizontal	Pass
1**	5470.000	45.50	3.80	--	--	AV	111.00	150	Horizontal	N/A
2	5460.000	56.10	4.23	68.2	-12.10	Peak	160.00	150	Horizontal	Pass
2**	5460.000	45.89	4.23	54.0	-8.11	AV	160.00	150	Horizontal	Pass
3	5466.800	57.02	3.97	68.2	-11.18	Peak	145.00	150	Horizontal	Pass
3**	5466.800	45.91	3.97	--	--	AV	145.00	150	Horizontal	N/A
4	5380.000	58.61	3.97	68.2	-9.59	Peak	135.00	150	Horizontal	Pass
4**	5380.000	46.90	3.97	54.0	-7.10	AV	135.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	4.45	68.2	-10.47	Peak	154.00	150	Horizontal	Pass
2	5836.250	59.67	5.19	68.2	-8.53	Peak	124.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.27	3.80	68.2	-9.93	Peak	146.00	150	Horizontal	Pass
1**	5470.000	46.53	3.80	--	--	AV	146.00	150	Horizontal	N/A
2	5460.000	56.82	4.23	68.2	-11.38	Peak	150.00	150	Horizontal	Pass
2**	5460.000	45.98	4.23	54.0	-8.02	AV	150.00	150	Horizontal	Pass
3	5463.600	59.27	4.24	68.2	-8.93	Peak	165.00	150	Horizontal	Pass
3**	5463.600	46.30	4.24	--	--	AV	165.00	150	Horizontal	N/A
4	5457.600	59.42	4.50	68.2	-8.78	Peak	158.00	150	Horizontal	Pass
4**	5457.600	46.08	4.50	54.0	-7.92	AV	158.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.82	4.45	68.2	-11.38	Peak	347.00	150	Horizontal	Pass
2	5837.292	60.91	5.31	68.2	-7.29	Peak	43.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.63	3.80	68.2	-11.57	Peak	167.00	150	Horizontal	Pass
1**	5470.000	46.73	3.80	--	--	AV	167.00	150	Horizontal	N/A
2	5460.000	56.64	4.23	68.2	-11.56	Peak	21.00	150	Horizontal	Pass
2**	5460.000	46.49	4.23	54.0	-7.51	AV	21.00	150	Horizontal	Pass
3	5467.200	59.03	3.96	68.2	-9.17	Peak	145.00	150	Horizontal	Pass
3**	5467.200	46.49	3.96	--	--	AV	145.00	150	Horizontal	N/A
4	5454.600	60.39	4.53	68.2	-7.81	Peak	155.00	150	Horizontal	Pass
4**	5454.600	46.57	4.53	54.0	-7.43	AV	155.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.87	4.45	68.2	-10.33	Peak	224.00	150	Horizontal	Pass
2	5848.542	60.81	5.66	68.2	-7.39	Peak	222.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.800	59.71	5.02	68.2	-8.49	Peak	275.00	150	Horizontal	Pass
1**	5435.800	47.04	5.02	54.0	-6.96	AV	275.00	150	Horizontal	Pass
2	5460.000	56.80	4.23	68.2	-11.40	Peak	283.00	150	Horizontal	Pass
2**	5460.000	46.09	4.23	54.0	-7.91	AV	283.00	150	Horizontal	Pass
3	5461.000	57.77	4.14	68.2	-10.43	Peak	334.00	150	Horizontal	Pass
3**	5461.000	46.21	4.14	--	--	AV	334.00	150	Horizontal	N/A
4	5470.000	56.15	3.80	68.2	-12.05	Peak	299.00	150	Horizontal	Pass
4**	5470.000	45.89	3.80	--	--	AV	299.00	150	Horizontal	N/A
4*	5452.400	47.986	4.30	54.0	-6.014	AV	106.00	100	Vertical	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.87	4.45	68.2	-11.33	Peak	21.00	150	Horizontal	Pass
2	5772.500	59.68	4.80	68.2	-8.52	Peak	53.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.00	4.91	68.2	-10.20	Peak	40.00	150	Horizontal	Pass
2	5636.458	59.42	5.50	68.2	-8.78	Peak	162.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.91	4.25	68.2	-10.29	Peak	57.00	150	Horizontal	Pass
2	5982.750	58.97	4.88	68.2	-9.23	Peak	241.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.41	4.91	68.2	-10.79	Peak	323.00	150	Horizontal	Pass
2	5633.958	59.48	5.40	68.2	-8.72	Peak	168.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.68	4.25	68.2	-9.52	Peak	138.00	150	Horizontal	Pass
2	5938.250	58.80	4.55	68.2	-9.40	Peak	129.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.02	4.91	68.2	-11.18	Peak	312.00	150	Horizontal	Pass
2	5637.292	59.94	5.46	68.2	-8.26	Peak	177.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.64	4.25	68.2	-11.56	Peak	214.00	150	Horizontal	Pass
2	5947.750	58.94	4.61	68.2	-9.26	Peak	173.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.12	4.91	68.2	-10.08	Peak	137.00	150	Horizontal	Pass
2	5634.584	59.38	5.45	68.2	-8.82	Peak	125.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.40	4.25	68.2	-10.80	Peak	245.00	150	Horizontal	Pass
2	5965.250	59.24	4.60	68.2	-8.96	Peak	342.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.35	4.91	68.2	-9.85	Peak	288.00	150	Horizontal	Pass
2	5630.625	59.09	5.15	68.2	-9.11	Peak	146.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	4.25	68.2	-11.46	Peak	237.00	150	Horizontal	Pass
2	5930.000	59.25	4.43	68.2	-8.95	Peak	251.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.04	4.91	68.2	-10.16	Peak	295.00	150	Horizontal	Pass
2	5636.042	59.65	5.51	68.2	-8.55	Peak	277.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.89	4.25	68.2	-11.31	Peak	310.00	150	Horizontal	Pass
2	5977.750	58.99	4.78	68.2	-9.21	Peak	26.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.95	4.91	68.2	-11.25	Peak	348.00	150	Horizontal	Pass
2	5636.250	59.86	5.50	68.2	-8.34	Peak	298.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.26	4.25	68.2	-10.94	Peak	160.00	150	Horizontal	Pass
2	5995.500	59.55	5.25	68.2	-8.65	Peak	207.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.12	4.91	68.2	-10.08	Peak	172.00	150	Horizontal	Pass
2	5605.416	59.87	4.79	68.2	-8.33	Peak	258.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.32	4.25	68.2	-9.88	Peak	268.00	150	Horizontal	Pass
2	5959.750	58.87	4.64	68.2	-9.33	Peak	38.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.69	4.91	68.2	-10.51	Peak	297.00	150	Horizontal	Pass
2	5635.833	60.42	5.52	68.2	-7.78	Peak	256.00	150	Horizontal	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.31	4.25	68.2	-10.89	Peak	129.00	150	Horizontal	Pass
2	5968.000	59.43	4.62	68.2	-8.77	Peak	263.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.51	3.94	68.2	-11.69	Peak	330.00	150	Horizontal	Pass
1**	5150.000	47.43	3.94	54.0	-6.57	AV	330.00	150	Horizontal	Pass
2	5095.400	58.59	4.15	68.2	-9.61	Peak	184.00	150	Horizontal	Pass
2**	5095.400	46.96	4.15	54.0	-7.04	AV	184.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.75	3.96	68.2	-10.45	Peak	141.00	150	Horizontal	Pass
1**	5350.000	47.54	3.96	54.0	-6.46	AV	141.00	150	Horizontal	Pass
2	5351.283	59.43	3.94	68.2	-8.77	Peak	200.00	150	Horizontal	Pass
2**	5351.283	47.51	3.94	54.0	-6.49	AV	200.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.11	3.94	68.2	-11.09	Peak	259.00	150	Horizontal	Pass
1**	5150.000	47.49	3.94	54.0	-6.51	AV	259.00	150	Horizontal	Pass
2	5119.450	58.60	4.02	68.2	-9.60	Peak	197.00	150	Horizontal	Pass
2**	5119.450	46.88	4.02	54.0	-7.12	AV	197.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.79	3.96	68.2	-10.41	Peak	241.00	100	Horizontal	Pass
1**	5350.000	47.83	3.96	54.0	-6.17	AV	241.00	100	Horizontal	Pass
2	5350.733	59.44	3.95	68.2	-8.76	Peak	143.00	100	Horizontal	Pass
2**	5350.733	47.61	3.95	54.0	-6.39	AV	143.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.72	3.94	68.2	-9.48	Peak	203.00	150	Horizontal	Pass
1**	5150.000	49.32	3.94	54.0	-4.68	AV	203.00	150	Horizontal	N/A
1***	5150.000	46.591	3.94	54.0	-7.409	AV	203.00	150	Horizontal	Pass
2	5147.400	58.86	3.90	68.2	-9.34	Peak	0.00	150	Horizontal	Pass
2**	5147.400	48.55	3.90	54.0	-5.45	AV	0.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.82	3.96	68.2	-10.38	Peak	343.00	150	Horizontal	Pass
1**	5350.000	47.67	3.96	54.0	-6.33	AV	343.00	150	Horizontal	Pass
2	5355.133	59.08	3.59	68.2	-9.12	Peak	276.00	150	Horizontal	Pass
2**	5355.133	47.01	3.59	54.0	-6.99	AV	276.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.76	3.94	68.2	-10.44	Peak	322.00	150	Horizontal	Pass
1**	5150.000	47.40	3.94	54.0	-6.60	AV	322.00	150	Horizontal	Pass
2	5145.125	58.11	3.75	68.2	-10.09	Peak	236.00	150	Horizontal	Pass
2**	5145.125	47.06	3.75	54.0	-6.94	AV	236.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	3.96	68.2	-10.29	Peak	231.00	150	Horizontal	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	231.00	150	Horizontal	Pass
2	5363.017	59.11	3.59	68.2	-9.09	Peak	306.00	150	Horizontal	Pass
2**	5363.017	46.85	3.59	54.0	-7.15	AV	306.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.46	3.94	68.2	-9.74	Peak	360.00	150	Horizontal	Pass
1**	5150.000	49.00	3.94	54.0	-5.00	AV	360.00	150	Horizontal	Pass
2	5138.300	59.41	3.45	68.2	-8.79	Peak	15.00	150	Horizontal	Pass
2**	5138.300	47.03	3.45	54.0	-6.97	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.70	3.96	68.2	-10.50	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	360.00	150	Horizontal	Pass
2	5367.600	59.12	3.69	68.2	-9.08	Peak	5.00	150	Horizontal	Pass
2**	5367.600	46.84	3.69	54.0	-7.16	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.12	3.94	68.2	-8.08	Peak	360.00	150	Horizontal	Pass
1**	5150.000	50.38	3.94	54.0	-3.62	AV	360.00	150	Horizontal	N/A
1***	5150.000	48.552	3.94	54.0	-5.448	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.28	3.96	68.2	-9.92	Peak	280.00	150	Horizontal	Pass
1**	5350.000	47.54	3.96	54.0	-6.46	AV	280.00	150	Horizontal	Pass
2	5383.000	58.88	4.02	68.2	-9.32	Peak	128.00	150	Horizontal	Pass
2**	5383.000	47.25	4.02	54.0	-6.75	AV	128.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.550	60.23	4.09	68.2	-7.97	Peak	9.00	150	Horizontal	Pass
1**	5128.550	49.12	4.09	54.0	-4.88	AV	9.00	150	Horizontal	Pass
1**	5128.550	47.569	4.09	54.0	-6.431	AV	9.00	150	Horizontal	Pass
2	5150.000	58.80	3.94	68.2	-9.40	Peak	354.00	150	Horizontal	Pass
2**	5150.000	49.53	3.94	54.0	-4.47	AV	354.00	150	Horizontal	Pass
2***	5150.000	48.826	3.94	54.0	-5.174	AV	354.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.87	3.96	68.2	-9.33	Peak	341.00	150	Horizontal	Pass
1**	5350.000	49.99	3.96	54.0	-4.01	AV	341.00	150	Horizontal	Pass
1***	5350.000	48.943	3.96	54.0	-5.057	AV	341.00	150	Horizontal	Pass
2	5353.117	61.04	3.89	68.2	-7.16	Peak	344.00	150	Horizontal	Pass
2**	5353.117	49.54	3.89	54.0	-4.46	AV	344.00	150	Horizontal	Pass
2***	5353.117	48.877	3.89	54.0	-5.123	AV	344.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.33	3.94	68.2	-10.87	Peak	339.00	150	Horizontal	Pass
1**	5150.000	47.31	3.94	54.0	-6.69	AV	339.00	150	Horizontal	Pass
2	5137.650	58.87	3.48	68.2	-9.33	Peak	144.00	150	Horizontal	Pass
2**	5137.650	46.57	3.48	54.0	-7.43	AV	144.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.30	3.96	68.2	-10.90	Peak	268.00	150	Horizontal	Pass
1**	5350.000	47.13	3.96	54.0	-6.87	AV	268.00	150	Horizontal	Pass
2	5435.983	59.10	5.03	68.2	-9.10	Peak	0.00	150	Horizontal	Pass
2**	5435.983	47.74	5.03	54.0	-6.26	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.45	3.94	68.2	-10.75	Peak	15.00	150	Horizontal	Pass
1**	5150.000	48.22	3.94	54.0	-5.78	AV	15.00	150	Horizontal	Pass
2	5122.375	58.78	3.99	68.2	-9.42	Peak	233.00	150	Horizontal	Pass
2**	5122.375	47.01	3.99	54.0	-6.99	AV	233.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.89	3.96	68.2	-10.31	Peak	315.00	150	Horizontal	Pass
1**	5350.000	47.50	3.96	54.0	-6.50	AV	315.00	150	Horizontal	Pass
2	5358.250	59.06	3.78	68.2	-9.14	Peak	255.00	150	Horizontal	Pass
2**	5358.250	47.40	3.78	54.0	-6.60	AV	255.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.04	3.94	68.2	-10.16	Peak	337.00	150	Horizontal	Pass
1**	5150.000	48.87	3.94	54.0	-5.13	AV	337.00	150	Horizontal	Pass
2	5146.425	58.90	3.86	68.2	-9.30	Peak	347.00	150	Horizontal	Pass
2**	5146.425	48.61	3.86	54.0	-5.39	AV	347.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.31	3.96	68.2	-9.89	Peak	299.00	150	Horizontal	Pass
1**	5350.000	47.45	3.96	54.0	-6.55	AV	299.00	150	Horizontal	Pass
2	5364.300	59.27	3.57	68.2	-8.93	Peak	150.00	150	Horizontal	Pass
2**	5364.300	46.83	3.57	54.0	-7.17	AV	150.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	59.60	4.10	68.2	-8.60	Peak	352.00	150	Horizontal	Pass
1**	5128.875	49.03	4.10	54.0	-4.97	AV	352.00	150	Horizontal	Pass
1***	5128.875	47.495	4.10	54.0	-6.505	AV	352.00	150	Horizontal	Pass
2	5150.000	57.56	3.94	68.2	-10.64	Peak	0.00	150	Horizontal	Pass
2**	5150.000	48.68	3.94	54.0	-5.32	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.95	3.96	68.2	-9.25	Peak	352.00	150	Horizontal	Pass
1**	5350.000	48.91	3.96	54.0	-5.09	AV	352.00	150	Horizontal	Pass
2	5352.933	59.78	3.92	68.2	-8.42	Peak	344.00	150	Horizontal	Pass
2**	5352.933	49.10	3.92	54.0	-4.90	AV	344.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.550	58.78	3.88	68.2	-9.42	Peak	271.00	150	Horizontal	Pass
1**	5115.550	47.27	3.88	54.0	-6.73	AV	271.00	150	Horizontal	Pass
2	5149.350	57.93	3.93	68.2	-10.27	Peak	329.00	150	Horizontal	Pass
2**	5149.350	47.62	3.93	54.0	-6.38	AV	329.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	3.96	68.2	-9.81	Peak	107.00	150	Horizontal	Pass
1**	5350.000	47.50	3.96	54.0	-6.50	AV	107.00	150	Horizontal	Pass
2	5430.667	59.69	4.67	68.2	-8.51	Peak	142.00	150	Horizontal	Pass
2**	5430.667	47.58	4.67	54.0	-6.42	AV	142.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	58.92	3.91	68.2	-9.28	Peak	268.00	150	Horizontal	Pass
1**	5148.050	47.27	3.91	54.0	-6.73	AV	268.00	150	Horizontal	Pass
2	5150.000	57.20	3.94	68.2	-11.00	Peak	301.00	150	Horizontal	Pass
2**	5150.000	47.29	3.94	54.0	-6.71	AV	301.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.53	3.96	68.2	-9.67	Peak	222.00	150	Horizontal	Pass
1**	5350.000	47.83	3.96	54.0	-6.17	AV	222.00	150	Horizontal	Pass
2	5350.733	59.57	3.95	68.2	-8.63	Peak	334.00	150	Horizontal	Pass
2**	5350.733	47.80	3.95	54.0	-6.20	AV	334.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.525	59.09	3.90	68.2	-9.11	Peak	283.00	150	Horizontal	Pass
1**	5116.525	47.17	3.90	54.0	-6.83	AV	283.00	150	Horizontal	Pass
2	5150.000	57.20	3.94	68.2	-11.00	Peak	360.00	150	Horizontal	Pass
2**	5150.000	47.78	3.94	54.0	-6.22	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.63	3.96	68.2	-7.57	Peak	307.00	150	Horizontal	Pass
1**	5350.000	50.16	3.96	54.0	-3.84	AV	307.00	150	Horizontal	Pass
1***	5350.000	48.770	3.96	54.0	-5.23	AV	307.00	150	Horizontal	Pass
2	5350.550	61.21	3.95	68.2	-6.99	Peak	347.00	150	Horizontal	Pass
2**	5350.550	50.06	3.95	54.0	-3.94	AV	347.00	150	Horizontal	Pass
2***	5350.550	48.842	3.95	54.0	-5.158	AV	347.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.825	58.80	4.00	68.2	-9.40	Peak	232.00	150	Horizontal	Pass
1**	5078.825	46.82	4.00	54.0	-7.18	AV	232.00	150	Horizontal	Pass
2	5150.000	56.69	3.94	68.2	-11.51	Peak	309.00	150	Horizontal	Pass
2**	5150.000	47.36	3.94	54.0	-6.64	AV	309.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.48	3.96	68.2	-9.72	Peak	2.00	150	Horizontal	Pass
1**	5350.000	47.71	3.96	54.0	-6.29	AV	2.00	150	Horizontal	Pass
2	5443.683	59.79	4.97	68.2	-8.41	Peak	33.00	150	Horizontal	Pass
2**	5443.683	47.74	4.97	54.0	-6.26	AV	33.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.925	59.26	3.96	68.2	-8.94	Peak	192.00	150	Horizontal	Pass
1**	5087.925	47.24	3.96	54.0	-6.76	AV	192.00	150	Horizontal	Pass
2	5150.000	57.62	3.94	68.2	-10.58	Peak	91.00	150	Horizontal	Pass
2**	5150.000	47.83	3.94	54.0	-6.17	AV	91.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.21	3.96	68.2	-9.99	Peak	346.00	150	Horizontal	Pass
1**	5350.000	48.55	3.96	54.0	-5.45	AV	346.00	150	Horizontal	Pass
2	5352.016	59.91	3.94	68.2	-8.29	Peak	280.00	150	Horizontal	Pass
2**	5352.016	48.14	3.94	54.0	-5.86	AV	280.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.150	58.57	4.22	68.2	-9.63	Peak	349.00	150	Horizontal	Pass
1**	5092.150	47.34	4.22	54.0	-6.66	AV	349.00	150	Horizontal	Pass
2	5150.000	57.03	3.94	68.2	-11.17	Peak	278.00	150	Horizontal	Pass
2**	5150.000	47.69	3.94	54.0	-6.31	AV	278.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.88	3.96	68.2	-9.32	Peak	310.00	150	Horizontal	Pass
1**	5350.000	48.91	3.96	54.0	-5.09	AV	310.00	150	Horizontal	Pass
2	5355.500	59.83	3.61	68.2	-8.37	Peak	345.00	150	Horizontal	Pass
2**	5355.500	48.46	3.61	54.0	-5.54	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.64	3.94	68.2	-10.56	Peak	0.00	150	Horizontal	Pass
1**	5150.000	47.64	3.94	54.0	-6.36	AV	0.00	150	Horizontal	Pass
2	5128.875	58.48	4.10	68.2	-9.72	Peak	295.00	150	Horizontal	Pass
2**	5128.875	47.95	4.10	54.0	-6.05	AV	295.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.79	3.96	68.2	-9.41	Peak	352.00	150	Horizontal	Pass
1**	5350.000	47.90	3.96	54.0	-6.10	AV	352.00	150	Horizontal	Pass
2	5444.417	59.44	4.94	68.2	-8.76	Peak	164.00	150	Horizontal	Pass
2**	5444.417	47.73	4.94	54.0	-6.27	AV	164.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.22	3.94	68.2	-10.98	Peak	13.00	150	Horizontal	Pass
1**	5150.000	47.16	3.94	54.0	-6.84	AV	13.00	150	Horizontal	Pass
2	5147.075	58.67	3.90	68.2	-9.53	Peak	2.00	150	Horizontal	Pass
2**	5147.075	47.16	3.90	54.0	-6.84	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.18	3.96	68.2	-9.02	Peak	339.00	150	Horizontal	Pass
1**	5350.000	49.28	3.96	54.0	-4.72	AV	339.00	150	Horizontal	N/A
1***	5350.000	48.70	3.96	54.0	-5.30	AV	339.00	150	Horizontal	Pass
2	5352.567	60.92	3.93	68.2	-7.28	Peak	351.00	150	Horizontal	Pass
2**	5352.567	48.99	3.93	54.0	-5.01	AV	351.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.61	3.94	68.2	-10.59	Peak	309.00	150	Horizontal	Pass
1**	5150.000	47.62	3.94	54.0	-6.38	AV	309.00	150	Horizontal	Pass
2	5085.325	58.48	4.19	68.2	-9.72	Peak	83.00	150	Horizontal	Pass
2**	5085.325	47.69	4.19	54.0	-6.31	AV	83.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.63	3.96	68.2	-8.57	Peak	344.00	150	Horizontal	Pass
1**	5350.000	49.34	3.96	54.0	-4.66	AV	344.00	150	Horizontal	N/A
1***	5350.000	48.902	3.96	54.0	-5.098	AV	344.00	150	Horizontal	Pass
2	5442.950	60.66	4.97	68.2	-7.54	Peak	278.00	150	Horizontal	Pass
2**	5442.950	47.88	4.97	54.0	-6.12	AV	278.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.52	3.80	68.2	-11.68	Peak	360.00	150	Horizontal	Pass
1**	5470.000	46.06	3.80	--	--	AV	360.00	150	Horizontal	N/A
2	5460.000	56.94	4.23	68.2	-11.26	Peak	104.00	150	Horizontal	Pass
2**	5460.000	46.72	4.23	54.0	-7.28	AV	104.00	150	Horizontal	Pass
3	5463.400	58.49	4.26	68.2	-9.71	Peak	243.00	150	Horizontal	Pass
3**	5463.400	46.69	4.26	--	--	AV	243.00	150	Horizontal	N/A
4	5432.600	60.05	4.71	68.2	-8.15	Peak	352.00	150	Horizontal	Pass
4**	5432.600	47.54	4.71	54.0	-6.46	AV	352.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.34	4.45	68.2	-10.86	Peak	261.00	150	Horizontal	Pass
2	5803.334	60.30	4.53	68.2	-7.90	Peak	194.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.15	3.80	68.2	-12.05	Peak	48.00	150	Horizontal	Pass
1**	5470.000	46.08	3.80	--	--	AV	48.00	150	Horizontal	N/A
2	5460.000	58.12	4.23	68.2	-10.08	Peak	285.00	150	Horizontal	Pass
2**	5460.000	46.79	4.23	54.0	-7.21	AV	285.00	150	Horizontal	Pass
3	5464.600	58.21	4.12	68.2	-9.99	Peak	233.00	150	Horizontal	Pass
3**	5464.600	46.45	4.12	--	--	AV	233.00	150	Horizontal	N/A
4	5438.800	59.34	5.05	68.2	-8.86	Peak	210.00	150	Horizontal	Pass
4**	5438.800	47.74	5.05	54.0	-6.26	AV	210.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.72	4.45	68.2	-10.48	Peak	28.00	150	Horizontal	Pass
2	5777.500	59.85	4.96	68.2	-8.35	Peak	339.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.04	3.80	68.2	-8.16	Peak	360.00	150	Horizontal	Pass
1**	5470.000	47.77	3.80	--	--	AV	360.00	150	Horizontal	N/A
2	5460.000	57.68	4.23	68.2	-10.52	Peak	360.00	150	Horizontal	Pass
2**	5460.000	47.08	4.23	54.0	-6.92	AV	360.00	150	Horizontal	Pass
3	5437.000	59.85	5.08	68.2	-8.35	Peak	49.00	150	Horizontal	Pass
3**	5437.000	47.84	5.08	54.0	-6.16	AV	49.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.21	4.45	68.2	-10.99	Peak	28.00	150	Horizontal	Pass
2	5773.334	59.76	4.82	68.2	-8.44	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.36	3.80	68.2	-11.84	Peak	10.00	150	Horizontal	Pass
1**	5470.000	46.12	3.80	--	--	AV	10.00	150	Horizontal	N/A
2	5460.000	56.70	4.23	68.2	-11.50	Peak	73.00	150	Horizontal	Pass
2**	5460.000	46.64	4.23	54.0	-7.36	AV	73.00	150	Horizontal	Pass
3	5469.400	58.30	3.81	68.2	-9.90	Peak	130.00	150	Horizontal	Pass
3**	5469.400	46.15	3.81	--	--	AV	130.00	150	Horizontal	N/A
4	5432.200	59.65	4.68	68.2	-8.55	Peak	284.00	150	Horizontal	Pass
4**	5432.200	47.47	4.68	54.0	-6.53	AV	284.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.19	4.45	68.2	-11.01	Peak	241.00	150	Horizontal	Pass
2	5836.250	60.01	5.19	68.2	-8.19	Peak	347.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.09	3.80	68.2	-9.11	Peak	360.00	150	Horizontal	Pass
1**	5470.000	47.95	3.80	--	--	AV	360.00	150	Horizontal	N/A
2	5460.000	57.31	4.23	68.2	-10.89	Peak	147.00	150	Horizontal	Pass
2**	5460.000	46.93	4.23	54.0	-7.07	AV	147.00	150	Horizontal	Pass
3	5468.800	60.32	3.86	68.2	-7.88	Peak	337.00	150	Horizontal	Pass
3**	5468.800	47.58	3.86	--	--	AV	337.00	150	Horizontal	N/A
4	5351.800	59.66	3.94	68.2	-8.54	Peak	159.00	150	Horizontal	Pass
4**	5351.800	47.58	3.94	54.0	-6.42	AV	159.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.20	4.45	68.2	-11.00	Peak	10.00	150	Horizontal	Pass
2	5848.542	60.12	5.66	68.2	-8.08	Peak	274.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.94	3.80	68.2	-10.26	Peak	343.00	150	Horizontal	Pass
1**	5470.000	46.97	3.80	-	-	AV	343.00	150	Horizontal	N/A
2	5460.000	58.13	4.23	68.2	-10.07	Peak	320.00	150	Horizontal	Pass
2**	5460.000	47.20	4.23	54.0	-6.80	AV	320.00	150	Horizontal	Pass
3	5469.200	59.57	3.83	68.2	-8.63	Peak	343.00	150	Horizontal	Pass
3**	5469.200	47.18	3.83	-	-	AV	343.00	150	Horizontal	N/A
4	5435.600	59.35	5.00	68.2	-8.85	Peak	283.00	150	Horizontal	Pass
4**	5435.600	47.97	5.00	54.0	-6.03	AV	283.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.10	4.45	68.2	-11.10	Peak	169.00	150	Horizontal	Pass
2	5795.000	59.61	4.40	68.2	-8.59	Peak	110.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.68	1.99	68.2	-9.52	Peak	270.00	150	Horizontal	Pass
2	5460.000	58.26	2.12	68.2	-9.94	Peak	270.00	150	Horizontal	Pass
2**	5460.000	47.28	2.12	54.0	-6.72	AV	270.00	150	Horizontal	Pass
3	5468.600	60.05	2.31	68.2	-8.15	Peak	270.00	150	Horizontal	Pass
4	5455.000	59.59	1.74	68.2	-8.61	Peak	270.00	150	Horizontal	Pass
4**	5455.000	46.43	1.74	54.0	-7.57	AV	270.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.43	0.41	68.2	-12.77	Peak	160.00	150	Horizontal	Pass
2	5801.875	58.63	3.27	68.2	-9.57	Peak	340.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.12	3.80	68.2	-11.08	Peak	289.00	150	Horizontal	Pass
1**	5470.000	46.73	3.80	--	--	AV	289.00	150	Horizontal	N/A
2	5460.000	57.55	4.23	68.2	-10.65	Peak	324.00	150	Horizontal	Pass
2**	5460.000	46.73	4.23	54.0	-7.27	AV	324.00	150	Horizontal	Pass
3	5468.200	59.26	3.91	68.2	-8.94	Peak	359.00	150	Horizontal	Pass
3**	5468.200	46.49	3.91	--	--	AV	359.00	150	Horizontal	N/A
4	5405.800	59.80	4.11	68.2	-8.40	Peak	106.00	150	Horizontal	Pass
4**	5405.800	47.25	4.11	54.0	-6.75	AV	106.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.12	4.45	68.2	-10.08	Peak	360.00	150	Horizontal	Pass
2	5725.625	61.27	4.40	68.2	-6.93	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.52	3.80	68.2	-7.68	Peak	340.00	150	Horizontal	Pass
1**	5470.000	48.08	3.80	--	--	AV	340.00	150	Horizontal	N/A
2	5460.000	58.82	4.23	68.2	-9.38	Peak	348.00	150	Horizontal	Pass
2**	5460.000	47.10	4.23	54.0	-6.90	AV	348.00	150	Horizontal	Pass
3	5463.600	61.32	4.24	68.2	-6.88	Peak	342.00	150	Horizontal	Pass
3**	5463.600	47.59	4.24	--	--	AV	342.00	150	Horizontal	N/A
4	5457.200	60.29	4.55	68.2	-7.91	Peak	9.00	150	Horizontal	Pass
4**	5457.200	47.51	4.55	54.0	-6.49	AV	9.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.27	4.45	68.2	-10.93	Peak	235.00	150	Horizontal	Pass
2	5776.459	59.85	4.79	68.2	-8.35	Peak	105.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.24	3.80	68.2	-9.96	Peak	344.00	150	Horizontal	Pass
1**	5470.000	47.32	3.80	--	--	AV	344.00	150	Horizontal	N/A
2	5460.000	57.64	4.23	68.2	-10.56	Peak	87.00	150	Horizontal	Pass
2**	5460.000	47.41	4.23	54.0	-6.59	AV	87.00	150	Horizontal	Pass
3	5461.800	59.92	4.15	68.2	-8.28	Peak	6.00	150	Horizontal	Pass
3**	5461.800	47.72	4.15	--	--	AV	6.00	150	Horizontal	N/A
4	5454.600	61.32	4.53	68.2	-6.88	Peak	344.00	150	Horizontal	Pass
4**	5454.600	47.78	4.53	54.0	-6.22	AV	344.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.98	4.45	68.2	-11.22	Peak	35.00	150	Horizontal	Pass
2	5847.500	59.83	5.67	68.2	-8.37	Peak	232.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.62	1.99	68.2	-9.58	Peak	254.00	150	Horizontal	Pass
2	5460.000	58.18	2.12	68.2	-10.02	Peak	254.00	150	Horizontal	Pass
2**	5460.000	47.35	2.12	54.0	-6.65	AV	254.00	150	Horizontal	Pass
3	5464.200	60.60	2.27	68.2	-7.60	Peak	254.00	150	Horizontal	Pass
4	5459.800	59.28	2.03	68.2	-8.92	Peak	254.00	150	Horizontal	Pass
4**	5459.800	47.03	2.03	54.0	-6.97	AV	254.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.04	0.41	68.2	-13.16	Peak	233.00	150	Horizontal	Pass
2	5799.166	59.07	3.30	68.2	-9.13	Peak	271.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.79	4.91	68.2	-10.41	Peak	221.00	150	Horizontal	Pass
2	5614.583	59.95	4.66	68.2	-8.25	Peak	332.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	4.25	68.2	-11.42	Peak	103.00	150	Horizontal	Pass
2	5939.750	59.92	4.57	68.2	-8.28	Peak	62.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.35	4.91	68.2	-10.85	Peak	15.00	150	Horizontal	Pass
2	5643.958	59.32	5.05	68.2	-8.88	Peak	0.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.77	4.25	68.2	-11.43	Peak	135.00	150	Horizontal	Pass
2	5940.250	59.50	4.62	68.2	-8.70	Peak	137.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.73	4.91	68.2	-9.47	Peak	348.00	150	Horizontal	Pass
2	5647.500	59.77	4.97	68.2	-8.43	Peak	74.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.65	4.25	68.2	-11.55	Peak	106.00	150	Horizontal	Pass
2	5993.750	59.37	5.27	68.2	-8.83	Peak	254.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.78	4.91	68.2	-10.42	Peak	71.00	150	Horizontal	Pass
2	5633.750	59.36	5.38	68.2	-8.84	Peak	225.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.16	4.25	68.2	-12.04	Peak	339.00	150	Horizontal	Pass
2	5955.250	59.52	4.63	68.2	-8.68	Peak	136.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.23	4.91	68.2	-10.97	Peak	322.00	150	Horizontal	Pass
2	5640.208	59.28	5.37	68.2	-8.92	Peak	342.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.36	4.25	68.2	-11.84	Peak	122.00	150	Horizontal	Pass
2	5940.500	58.86	4.64	68.2	-9.34	Peak	63.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.58	4.91	68.2	-10.62	Peak	21.00	150	Horizontal	Pass
2	5641.875	59.68	5.27	68.2	-8.52	Peak	11.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.68	4.25	68.2	-11.52	Peak	360.00	150	Horizontal	Pass
2	5939.000	59.49	4.54	68.2	-8.71	Peak	74.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.24	4.91	68.2	-10.96	Peak	172.00	150	Horizontal	Pass
2	5639.375	59.75	5.41	68.2	-8.45	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.06	4.25	68.2	-11.14	Peak	1.00	150	Horizontal	Pass
2	5959.000	59.24	4.65	68.2	-8.96	Peak	205.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.99	4.91	68.2	-10.21	Peak	320.00	150	Horizontal	Pass
2	5638.541	59.76	5.43	68.2	-8.44	Peak	305.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.64	4.25	68.2	-11.56	Peak	1.00	150	Horizontal	Pass
2	5925.750	59.31	4.30	68.2	-8.89	Peak	115.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.70	4.91	68.2	-10.50	Peak	15.00	150	Horizontal	Pass
2	5636.666	59.57	5.49	68.2	-8.63	Peak	100.00	150	Horizontal	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.52	4.25	68.2	-9.68	Peak	360.00	150	Horizontal	Pass
2	5939.250	59.59	4.54	68.2	-8.61	Peak	256.00	150	Horizontal	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.59	3.94	68.2	-11.61	Peak	285.00	150	Horizontal	Pass
1**	5150.000	47.96	3.94	54.0	-6.04	AV	285.00	150	Horizontal	Pass
2	5092.150	58.16	4.22	68.2	-10.04	Peak	286.00	150	Horizontal	Pass
2**	5092.150	47.19	4.22	54.0	-6.81	AV	286.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	3.96	68.2	-9.96	Peak	100.00	150	Horizontal	Pass
1**	5350.000	47.70	3.96	54.0	-6.30	AV	100.00	150	Horizontal	Pass
2	5352.200	59.52	3.93	68.2	-8.68	Peak	110.00	150	Horizontal	Pass
2**	5352.200	47.63	3.93	54.0	-6.37	AV	110.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.40	3.94	68.2	-11.80	Peak	6.00	150	Horizontal	Pass
1**	5150.000	47.74	3.94	54.0	-6.26	AV	6.00	150	Horizontal	Pass
2	5090.200	58.95	4.09	68.2	-9.25	Peak	341.00	150	Horizontal	Pass
2**	5090.200	47.32	4.09	54.0	-6.68	AV	341.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.54	3.96	68.2	-10.66	Peak	268.00	150	Horizontal	Pass
1**	5350.000	47.58	3.96	54.0	-6.42	AV	268.00	150	Horizontal	Pass
2	5405.917	59.52	4.13	68.2	-8.68	Peak	214.00	150	Horizontal	Pass
2**	5405.917	47.21	4.13	54.0	-6.79	AV	214.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.86	3.94	68.2	-9.34	Peak	291.00	150	Horizontal	Pass
1**	5150.000	49.35	3.94	54.0	-4.65	AV	291.00	150	Horizontal	N/A
1***	5150.000	48.310	3.94	54.0	-5.69	AV	291.00	150	Horizontal	Pass
2	5148.050	60.10	3.91	68.2	-8.10	Peak	279.00	150	Horizontal	Pass
2**	5148.050	49.32	3.91	54.0	-4.68	AV	279.00	150	Horizontal	N/A
2***	5148.050	48.246	3.91	54.0	-5.754	AV	279.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.36	3.96	68.2	-10.84	Peak	95.00	150	Horizontal	Pass
1**	5350.000	47.61	3.96	54.0	-6.39	AV	95.00	150	Horizontal	Pass
2	5449.000	59.91	4.58	68.2	-8.29	Peak	360.00	150	Horizontal	Pass
2**	5449.000	47.31	4.58	54.0	-6.69	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.16	3.94	68.2	-11.04	Peak	239.00	150	Horizontal	Pass
1**	5150.000	47.67	3.94	54.0	-6.33	AV	239.00	150	Horizontal	Pass
2	5146.100	59.00	3.83	68.2	-9.20	Peak	242.00	150	Horizontal	Pass
2**	5146.100	47.36	3.83	54.0	-6.64	AV	242.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.51	3.96	68.2	-10.69	Peak	326.00	150	Horizontal	Pass
1**	5350.000	47.62	3.96	54.0	-6.38	AV	326.00	150	Horizontal	Pass
2	5413.250	59.32	3.85	68.2	-8.88	Peak	278.00	150	Horizontal	Pass
2**	5413.250	46.98	3.85	54.0	-7.02	AV	278.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.82	3.94	68.2	-8.38	Peak	256.00	150	Horizontal	Pass
1**	5150.000	49.61	3.94	54.0	-4.39	AV	256.00	150	Horizontal	N/A
1***	5150.000	48.213	3.94	54.0	-5.787	AV	256.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.64	3.96	68.2	-10.56	Peak	285.00	150	Horizontal	Pass
1**	5350.000	47.38	3.96	54.0	-6.62	AV	285.00	150	Horizontal	Pass
2	5383.183	59.69	3.99	68.2	-8.51	Peak	339.00	150	Horizontal	Pass
2**	5383.183	47.15	3.99	54.0	-6.85	AV	339.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.13	3.94	68.2	-10.07	Peak	290.00	150	Horizontal	Pass
1**	5150.000	49.20	3.94	54.0	-4.80	AV	290.00	150	Horizontal	N/A
1***	5150.000	47.964	3.94	54.0	-6.036	AV	290.00	150	Horizontal	Pass
2	5146.425	59.60	3.86	68.2	-8.60	Peak	346.00	150	Horizontal	Pass
2**	5146.425	48.72	3.86	54.0	-5.28	AV	346.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.74	3.96	68.2	-10.46	Peak	327.00	150	Horizontal	Pass
1**	5350.000	47.84	3.96	54.0	-6.16	AV	327.00	150	Horizontal	Pass
2	5357.883	59.34	3.75	68.2	-8.86	Peak	278.00	150	Horizontal	Pass
2**	5357.883	47.23	3.75	54.0	-6.77	AV	278.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.075	59.13	3.72	74.0	-14.87	Peak	250.00	150	Horizontal	Pass
1**	5121.075	48.38	3.72	54.0	-5.62	AV	250.00	150	Horizontal	Pass
2	5149.675	57.10	3.26	74.0	-16.90	Peak	0.00	150	Horizontal	Pass
2**	5149.675	48.44	3.26	54.0	-5.56	AV	0.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.62	2.98	74.0	-15.38	Peak	259.00	150	Horizontal	Pass
1**	5350.000	48.16	2.98	54.0	-5.84	AV	259.00	150	Horizontal	Pass
2	5355.500	60.61	3.15	74.0	-13.39	Peak	335.00	150	Horizontal	Pass
2**	5355.500	48.98	3.15	54.0	-5.02	AV	335.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.73	3.94	68.2	-10.47	Peak	268.00	150	Horizontal	Pass
1**	5150.000	48.24	3.94	54.0	-5.76	AV	268.00	150	Horizontal	Pass
2	5148.375	58.83	3.92	68.2	-9.37	Peak	273.00	150	Horizontal	Pass
2**	5148.375	48.22	3.92	54.0	-5.78	AV	273.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.44	3.96	68.2	-9.76	Peak	114.00	150	Horizontal	Pass
1**	5350.000	47.84	3.96	54.0	-6.16	AV	114.00	150	Horizontal	Pass
2	5354.217	59.65	3.72	68.2	-8.55	Peak	52.00	150	Horizontal	Pass
2**	5354.217	47.38	3.72	54.0	-6.62	AV	52.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.51	3.94	68.2	-8.69	Peak	258.00	150	Horizontal	Pass
1**	5150.000	49.72	3.94	54.0	-4.28	AV	258.00	150	Horizontal	N/A
1***	5150.000	48.187	3.94	54.0	-5.813	AV	258.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.57	3.96	68.2	-10.63	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.40	3.96	54.0	-6.60	AV	360.00	150	Horizontal	Pass
2	5436.717	59.42	5.07	68.2	-8.78	Peak	360.00	150	Horizontal	Pass
2**	5436.717	47.55	5.07	54.0	-6.45	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.03	3.94	68.2	-9.17	Peak	264.00	150	Horizontal	Pass
1**	5150.000	50.21	3.94	54.0	-3.79	AV	264.00	150	Horizontal	N/A
1***	5150.000	48.832	3.94	54.0	-5.168	AV	264.00	150	Horizontal	Pass
2	5148.375	59.80	3.92	68.2	-8.40	Peak	271.00	150	Horizontal	Pass
2**	5148.375	49.40	3.92	54.0	-4.60	AV	271.00	150	Horizontal	N/A
2***	5148.375	48.724	3.92	54.0	-5.276	AV	271.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.52	3.96	68.2	-10.68	Peak	218.00	150	Horizontal	Pass
1**	5350.000	47.54	3.96	54.0	-6.46	AV	218.00	150	Horizontal	Pass
2	5439.467	59.49	4.98	68.2	-8.71	Peak	240.00	150	Horizontal	Pass
2**	5439.467	47.46	4.98	54.0	-6.54	AV	240.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	59.47	3.79	74.0	-14.53	Peak	335.00	150	Horizontal	Pass
1**	5126.600	48.27	3.79	54.0	-5.73	AV	335.00	150	Horizontal	Pass
2	5150.000	57.20	3.22	74.0	-16.80	Peak	233.00	150	Horizontal	Pass
2**	5150.000	48.05	3.22	54.0	-5.95	AV	233.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.375	59.38	3.77	74.0	-14.62	Peak	350.00	150	Horizontal	Pass
1**	5122.375	48.46	3.77	54.0	-5.54	AV	350.00	150	Horizontal	Pass
2	5150.000	58.38	3.22	74.0	-15.62	Peak	274.00	150	Horizontal	Pass
2**	5150.000	48.42	3.22	54.0	-5.58	AV	274.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.96	3.94	68.2	-11.24	Peak	226.00	150	Horizontal	Pass
1**	5150.000	47.74	3.94	54.0	-6.26	AV	226.00	150	Horizontal	Pass
2	5122.700	58.64	4.01	68.2	-9.56	Peak	274.00	150	Horizontal	Pass
2**	5122.700	47.31	4.01	54.0	-6.69	AV	274.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	3.96	68.2	-10.30	Peak	225.00	150	Horizontal	Pass
1**	5350.000	47.75	3.96	54.0	-6.25	AV	225.00	150	Horizontal	Pass
2	5429.017	59.26	4.63	68.2	-8.94	Peak	200.00	150	Horizontal	Pass
2**	5429.017	47.52	4.63	54.0	-6.48	AV	200.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.57	3.94	68.2	-11.63	Peak	346.00	150	Horizontal	Pass
1**	5150.000	47.55	3.94	54.0	-6.45	AV	346.00	150	Horizontal	Pass
2	5134.400	58.39	3.59	68.2	-9.81	Peak	360.00	150	Horizontal	Pass
2**	5134.400	46.83	3.59	54.0	-7.17	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.93	3.96	68.2	-10.27	Peak	321.00	150	Horizontal	Pass
1**	5350.000	47.65	3.96	54.0	-6.35	AV	321.00	150	Horizontal	Pass
2	5435.617	60.02	5.00	68.2	-8.18	Peak	53.00	150	Horizontal	Pass
2**	5435.617	47.96	5.00	54.0	-6.04	AV	53.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.46	3.94	68.2	-10.74	Peak	164.00	150	Horizontal	Pass
1**	5150.000	47.64	3.94	54.0	-6.36	AV	164.00	150	Horizontal	Pass
2	5082.400	58.18	3.79	68.2	-10.02	Peak	276.00	150	Horizontal	Pass
2**	5082.400	47.44	3.79	54.0	-6.56	AV	276.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.20	3.96	68.2	-8.00	Peak	305.00	150	Horizontal	Pass
1**	5350.000	51.18	3.96	54.0	-2.82	AV	305.00	150	Horizontal	N/A
1***	5350.000	48.630	3.96	54.0	-5.37	AV	305.00	150	Horizontal	Pass
2	5350.183	62.01	3.96	68.2	-6.19	Peak	259.00	150	Horizontal	Pass
2**	5350.183	50.29	3.96	54.0	-3.71	AV	259.00	150	Horizontal	N/A
2***	5350.183	48.890	3.96	54.0	-5.11	AV	259.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.19	3.94	68.2	-11.01	Peak	0.00	150	Horizontal	Pass
1**	5150.000	47.78	3.94	54.0	-6.22	AV	0.00	150	Horizontal	Pass
2	5123.350	58.65	4.07	68.2	-9.55	Peak	281.00	150	Horizontal	Pass
2**	5123.350	47.59	4.07	54.0	-6.41	AV	281.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.06	3.96	68.2	-10.14	Peak	351.00	150	Horizontal	Pass
1**	5350.000	47.51	3.96	54.0	-6.49	AV	351.00	150	Horizontal	Pass
2	5423.333	59.59	4.08	68.2	-8.61	Peak	214.00	150	Horizontal	Pass
2**	5423.333	46.85	4.08	54.0	-7.15	AV	214.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.97	3.94	68.2	-11.23	Peak	212.00	150	Horizontal	Pass
1**	5150.000	48.08	3.94	54.0	-5.92	AV	212.00	150	Horizontal	Pass
2	5106.450	58.72	4.09	68.2	-9.48	Peak	308.00	150	Horizontal	Pass
2**	5106.450	47.54	4.09	54.0	-6.46	AV	308.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.93	3.96	68.2	-9.27	Peak	271.00	150	Horizontal	Pass
1**	5350.000	49.16	3.96	54.0	-4.84	AV	271.00	150	Horizontal	N/A
1***	5350.000	48.658	3.96	54.0	-5.642	AV	271.00	150	Horizontal	Pass
2	5350.183	61.08	3.96	68.2	-7.12	Peak	271.00	150	Horizontal	Pass
2**	5350.183	49.66	3.96	54.0	-4.34	AV	271.00	150	Horizontal	N/A
2***	5350.183	48.765	3.96	54.0	-5.235	AV	271.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.31	3.94	68.2	-10.89	Peak	244.00	150	Horizontal	Pass
1**	5150.000	47.50	3.94	54.0	-6.50	AV	244.00	150	Horizontal	Pass
2	5090.850	58.08	4.15	68.2	-10.12	Peak	48.00	150	Horizontal	Pass
2**	5090.850	46.77	4.15	54.0	-7.23	AV	48.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.79	3.96	68.2	-9.41	Peak	325.00	150	Horizontal	Pass
1**	5350.000	49.63	3.96	54.0	-4.37	AV	325.00	150	Horizontal	N/A
1***	5350.000	47.572	3.96	54.0	-6.428	AV	325.00	150	Horizontal	Pass
2	5355.500	61.13	3.61	68.2	-7.07	Peak	343.00	150	Horizontal	Pass
2**	5355.500	49.27	3.61	54.0	-4.73	AV	343.00	150	Horizontal	N/A
2***	5355.500	48.571	3.61	54.0	-5.429	AV	343.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.91	3.94	68.2	-11.29	Peak	331.00	150	Horizontal	Pass
1**	5150.000	47.54	3.94	54.0	-6.46	AV	331.00	150	Horizontal	Pass
2	5147.725	58.36	3.91	68.2	-9.84	Peak	328.00	150	Horizontal	Pass
2**	5147.725	47.74	3.91	54.0	-6.26	AV	328.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.77	3.96	68.2	-8.43	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.85	3.96	54.0	-6.15	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.50	3.94	68.2	-10.70	Peak	310.00	150	Horizontal	Pass
1**	5150.000	47.81	3.94	54.0	-6.19	AV	310.00	150	Horizontal	Pass
2	5126.600	59.31	4.07	68.2	-8.89	Peak	337.00	150	Horizontal	Pass
2**	5126.600	47.58	4.07	54.0	-6.42	AV	337.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.16	3.96	68.2	-9.04	Peak	281.00	150	Horizontal	Pass
1**	5350.000	49.12	3.96	54.0	-4.88	AV	281.00	150	Horizontal	N/A
1***	5350.000	48.681	3.96	54.0	-5.319	AV	281.00	150	Horizontal	Pass
2	5356.783	59.91	3.68	68.2	-8.29	Peak	345.00	150	Horizontal	Pass
2**	5356.783	47.71	3.68	54.0	-6.29	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.77	3.94	68.2	-10.43	Peak	360.00	150	Horizontal	Pass
1**	5150.000	47.47	3.94	54.0	-6.53	AV	360.00	150	Horizontal	Pass
2	5146.750	58.47	3.89	68.2	-9.73	Peak	360.00	150	Horizontal	Pass
2**	5146.750	47.57	3.89	54.0	-6.43	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.23	3.96	68.2	-8.97	Peak	321.00	150	Horizontal	Pass
1**	5350.000	48.43	3.96	54.0	-5.57	AV	321.00	150	Horizontal	Pass
2	5414.533	60.09	3.80	68.2	-8.11	Peak	247.00	150	Horizontal	Pass
2**	5414.533	46.58	3.80	54.0	-7.42	AV	247.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.82	3.80	68.2	-11.38	Peak	348.00	150	Horizontal	Pass
1**	5470.000	46.38	3.80	--	--	AV	348.00	150	Horizontal	N/A
2	5460.000	57.23	4.23	68.2	-10.97	Peak	254.00	150	Horizontal	Pass
2**	5460.000	46.99	4.23	54.0	-7.01	AV	254.00	150	Horizontal	Pass
3	5460.800	58.11	4.16	68.2	-10.09	Peak	65.00	150	Horizontal	Pass
3**	5460.800	46.70	4.16	--	--	AV	65.00	150	Horizontal	N/A
4	5406.400	59.76	4.12	68.2	-8.44	Peak	321.00	150	Horizontal	Pass
4**	5406.400	47.25	4.12	54.0	-6.75	AV	321.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.52	4.45	68.2	-9.68	Peak	172.00	150	Horizontal	Pass
2	5845.209	59.90	5.78	68.2	-8.30	Peak	322.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.71	3.80	68.2	-11.49	Peak	261.00	150	Horizontal	Pass
1**	5470.000	46.17	3.80	--	--	AV	261.00	150	Horizontal	N/A
2	5460.000	56.27	4.23	68.2	-11.93	Peak	306.00	150	Horizontal	Pass
2**	5460.000	46.76	4.23	54.0	-7.24	AV	306.00	150	Horizontal	Pass
3	5464.200	58.58	4.17	68.2	-9.62	Peak	18.00	150	Horizontal	Pass
3**	5464.200	46.64	4.17	--	--	AV	18.00	150	Horizontal	N/A
4	5407.000	59.71	4.09	68.2	-8.49	Peak	89.00	150	Horizontal	Pass
4**	5407.000	47.09	4.09	54.0	-6.91	AV	89.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.21	4.45	68.2	-10.99	Peak	8.00	150	Horizontal	Pass
2	5776.250	60.12	4.75	68.2	-8.08	Peak	115.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.97	3.80	68.2	-9.23	Peak	318.00	150	Horizontal	Pass
1**	5470.000	48.03	3.80	--	--	AV	318.00	150	Horizontal	N/A
2	5460.000	57.57	4.23	68.2	-10.63	Peak	8.00	150	Horizontal	Pass
2**	5460.000	47.04	4.23	54.0	-6.96	AV	8.00	150	Horizontal	Pass
3	5469.400	60.79	3.81	68.2	-7.41	Peak	0.00	150	Horizontal	Pass
3**	5469.400	47.48	3.81	--	--	AV	0.00	150	Horizontal	N/A
4	5455.400	59.91	4.55	68.2	-8.29	Peak	10.00	150	Horizontal	Pass
4**	5455.400	47.52	4.55	54.0	-6.48	AV	10.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.14	4.45	68.2	-11.06	Peak	256.00	150	Horizontal	Pass
2	5839.375	59.89	5.40	68.2	-8.31	Peak	347.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.64	3.80	68.2	-11.56	Peak	284.00	150	Horizontal	Pass
1**	5470.000	46.21	3.80	--	--	AV	284.00	150	Horizontal	N/A
2	5460.000	57.53	4.23	68.2	-10.67	Peak	284.00	150	Horizontal	Pass
2**	5460.000	46.70	4.23	54.0	-7.30	AV	284.00	150	Horizontal	Pass
3	5467.400	58.60	3.96	68.2	-9.60	Peak	360.00	150	Horizontal	Pass
3**	5467.400	46.50	3.96	--	--	AV	360.00	150	Horizontal	N/A
4	5454.000	59.54	4.52	68.2	-8.66	Peak	13.00	150	Horizontal	Pass
4**	5454.000	47.09	4.52	54.0	-6.91	AV	13.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.48	4.45	68.2	-10.72	Peak	258.00	150	Horizontal	Pass
2	5781.666	60.15	4.64	68.2	-8.05	Peak	62.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.38	3.80	68.2	-8.82	Peak	10.00	150	Horizontal	Pass
1**	5470.000	47.76	3.80	--	--	AV	10.00	150	Horizontal	N/A
2	5460.000	57.11	4.23	68.2	-11.09	Peak	130.00	150	Horizontal	Pass
2**	5460.000	47.20	4.23	54.0	-6.80	AV	130.00	150	Horizontal	Pass
3	5468.400	61.06	3.89	68.2	-7.14	Peak	349.00	150	Horizontal	Pass
3**	5468.400	48.36	3.89	--	--	AV	349.00	150	Horizontal	N/A
4	5437.000	59.76	5.08	68.2	-8.44	Peak	326.00	150	Horizontal	Pass
4**	5437.000	47.76	5.08	54.0	-6.24	AV	326.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.84	4.45	68.2	-11.36	Peak	45.00	150	Horizontal	Pass
2	5845.625	60.00	5.76	68.2	-8.20	Peak	283.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.23	3.80	68.2	-9.97	Peak	360.00	150	Horizontal	Pass
1**	5470.000	47.12	3.80	--	--	AV	360.00	150	Horizontal	N/A
2	5460.000	57.46	4.23	68.2	-10.74	Peak	271.00	150	Horizontal	Pass
2**	5460.000	47.23	4.23	54.0	-6.77	AV	271.00	150	Horizontal	Pass
3	5464.600	61.48	4.12	68.2	-6.72	Peak	349.00	150	Horizontal	Pass
3**	5464.600	47.72	4.12	--	--	AV	349.00	150	Horizontal	N/A
4	5453.200	59.39	4.50	68.2	-8.81	Peak	14.00	150	Horizontal	Pass
4**	5453.200	48.04	4.50	54.0	-5.96	AV	14.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.76	4.45	68.2	-11.44	Peak	348.00	150	Horizontal	Pass
2	5814.583	59.35	4.69	68.2	-8.85	Peak	58.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.28	1.99	68.2	-11.92	Peak	270.00	150	Horizontal	Pass
2	5460.000	56.13	2.12	68.2	-12.07	Peak	270.00	150	Horizontal	Pass
2**	5460.000	45.24	2.12	54.0	-8.76	AV	270.00	150	Horizontal	Pass
3	5461.400	58.40	2.34	68.2	-9.80	Peak	270.00	150	Horizontal	Pass
4	5390.200	59.28	2.99	68.2	-8.92	Peak	270.00	150	Horizontal	Pass
4**	5390.200	46.25	2.99	54.0	-7.75	AV	270.00	150	Horizontal	Pass
5	5384.800	58.54	3.21	68.2	-9.66	Peak	270.00	150	Horizontal	Pass
5**	5384.800	46.44	3.21	54.0	-7.56	AV	270.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.15	0.41	68.2	-13.05	Peak	63.00	150	Horizontal	Pass
2	5800.625	58.21	3.34	68.2	-9.99	Peak	282.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.93	3.80	68.2	-9.27	Peak	0.00	150	Horizontal	Pass
1**	5470.000	46.57	3.80	--	--	AV	0.00	150	Horizontal	N/A
2	5460.000	56.71	4.23	68.2	-11.49	Peak	278.00	150	Horizontal	Pass
2**	5460.000	46.75	4.23	54.0	-7.25	AV	278.00	150	Horizontal	Pass
3	5467.400	59.03	3.96	68.2	-9.17	Peak	350.00	150	Horizontal	Pass
3**	5467.400	46.58	3.96	--	--	AV	350.00	150	Horizontal	N/A
4	5359.000	60.00	3.83	68.2	-8.20	Peak	82.00	150	Horizontal	Pass
4**	5359.000	47.39	3.83	54.0	-6.61	AV	82.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.32	4.45	68.2	-9.88	Peak	260.00	150	Horizontal	Pass
2	5845.834	60.11	5.75	68.2	-8.09	Peak	37.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.34	3.80	68.2	-9.86	Peak	272.00	150	Horizontal	Pass
1**	5470.000	46.71	3.80	--	--	AV	272.00	150	Horizontal	N/A
2	5460.000	57.78	4.23	68.2	-10.42	Peak	302.00	150	Horizontal	Pass
2**	5460.000	46.82	4.23	54.0	-7.18	AV	302.00	150	Horizontal	Pass
3	5462.200	59.62	4.18	68.2	-8.58	Peak	342.00	150	Horizontal	Pass
3**	5462.200	46.88	4.18	--	--	AV	342.00	150	Horizontal	N/A
4	5419.600	59.79	4.03	68.2	-8.41	Peak	175.00	150	Horizontal	Pass
4**	5419.600	47.05	4.03	54.0	-6.95	AV	175.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.65	4.45	68.2	-10.55	Peak	360.00	150	Horizontal	Pass
2	5845.000	59.59	5.79	68.2	-8.61	Peak	30.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.24	3.80	68.2	-10.96	Peak	39.00	150	Horizontal	Pass
1**	5470.000	46.74	3.80	--	--	AV	39.00	150	Horizontal	N/A
2	5460.000	56.97	4.23	68.2	-11.23	Peak	174.00	150	Horizontal	Pass
2**	5460.000	47.01	4.23	54.0	-6.99	AV	174.00	150	Horizontal	Pass
3	5464.000	59.30	4.19	68.2	-8.90	Peak	342.00	150	Horizontal	Pass
3**	5464.000	47.80	4.19	--	--	AV	342.00	150	Horizontal	N/A
4	5441.000	59.61	4.95	68.2	-8.59	Peak	196.00	150	Horizontal	Pass
4**	5441.000	47.60	4.95	54.0	-6.40	AV	196.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.45	4.45	68.2	-10.75	Peak	172.00	150	Horizontal	Pass
2	5844.167	59.81	5.82	68.2	-8.39	Peak	147.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.82	1.99	68.2	-11.38	Peak	19.00	150	Horizontal	Pass
2	5460.000	56.48	2.12	68.2	-11.72	Peak	19.00	150	Horizontal	Pass
2**	5460.000	45.19	2.12	54.0	-8.81	AV	19.00	150	Horizontal	Pass
3	5469.200	57.62	1.85	68.2	-10.58	Peak	19.00	150	Horizontal	Pass
4	5385.200	58.11	3.06	68.2	-10.09	Peak	19.00	150	Horizontal	Pass
4**	5385.200	46.04	3.06	54.0	-7.96	AV	19.00	150	Horizontal	Pass
5	5385.400	56.53	2.96	68.2	-11.67	Peak	19.00	150	Horizontal	Pass
5**	5385.400	46.48	2.96	54.0	-7.52	AV	19.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.15	0.41	68.2	-14.05	Peak	104.00	150	Horizontal	Pass
2	5809.584	58.45	3.15	68.2	-9.75	Peak	158.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.27	4.91	68.2	-10.93	Peak	113.00	150	Horizontal	Pass
2	5634.375	59.53	5.44	68.2	-8.67	Peak	261.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.66	4.25	68.2	-10.54	Peak	283.00	150	Horizontal	Pass
2	5940.000	59.91	4.59	68.2	-8.29	Peak	32.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.74	4.91	68.2	-10.46	Peak	262.00	150	Horizontal	Pass
2	5642.916	59.22	5.16	68.2	-8.98	Peak	148.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.52	4.25	68.2	-10.68	Peak	40.00	150	Horizontal	Pass
2	5940.000	60.26	4.59	68.2	-7.94	Peak	8.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.47	4.91	68.2	-9.73	Peak	338.00	150	Horizontal	Pass
2	5636.250	59.62	5.50	68.2	-8.58	Peak	1.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.08	4.25	68.2	-11.12	Peak	328.00	150	Horizontal	Pass
2	5939.750	60.68	4.57	68.2	-7.52	Peak	119.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.89	4.91	68.2	-10.31	Peak	135.00	150	Horizontal	Pass
2	5638.125	59.76	5.43	68.2	-8.44	Peak	298.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.38	4.25	68.2	-10.82	Peak	303.00	150	Horizontal	Pass
2	5939.750	59.83	4.57	68.2	-8.37	Peak	18.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.44	4.91	68.2	-9.76	Peak	264.00	150	Horizontal	Pass
2	5608.125	59.55	4.84	68.2	-8.65	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.19	4.25	68.2	-11.01	Peak	203.00	150	Horizontal	Pass
2	5939.500	59.98	4.54	68.2	-8.22	Peak	13.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.11	4.91	68.2	-11.09	Peak	83.00	150	Horizontal	Pass
2	5635.209	60.39	5.51	68.2	-7.81	Peak	83.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	4.25	68.2	-11.46	Peak	20.00	150	Horizontal	Pass
2	5939.750	60.76	4.57	68.2	-7.44	Peak	136.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.19	4.91	68.2	-11.01	Peak	87.00	150	Horizontal	Pass
2	5637.917	59.82	5.44	68.2	-8.38	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.47	4.25	68.2	-10.73	Peak	137.00	150	Horizontal	Pass
2	5940.250	60.55	4.62	68.2	-7.65	Peak	356.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.95	4.91	68.2	-10.25	Peak	326.00	150	Horizontal	Pass
2	5639.375	59.74	5.41	68.2	-8.46	Peak	330.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.85	4.25	68.2	-10.35	Peak	220.00	150	Horizontal	Pass
2	5946.000	59.68	4.68	68.2	-8.52	Peak	64.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.70	4.91	68.2	-10.50	Peak	236.00	150	Horizontal	Pass
2	5631.667	59.39	5.18	68.2	-8.81	Peak	75.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.34	4.25	68.2	-10.86	Peak	219.00	150	Horizontal	Pass
2	5939.500	59.62	4.54	68.2	-8.58	Peak	355.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ21C0926-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ21C0926-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ21C0926-AI.PDF".

--END OF REPORT--