

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	41.64	-17.70	74.0	-32.36	Peak	138.00	150	Horizontal	Pass
1**	1599.500	33.19	-17.70	54.0	-20.81	AV	138.00	150	Horizontal	Pass
2	2460.800	105.61	-12.61	74.0	31.61	Peak	17.00	150	Horizontal	N/A
2**	2460.800	102.73	-12.61	54.0	48.73	AV	17.00	150	Horizontal	N/A
3	5265.500	50.48	-3.69	74.0	-23.52	Peak	85.00	150	Horizontal	Pass
3**	5265.500	41.53	-3.69	54.0	-12.47	AV	85.00	150	Horizontal	Pass
4	7453.750	52.90	1.09	74.0	-21.10	Peak	360.00	150	Horizontal	Pass
4**	7453.750	43.70	1.09	54.0	-10.30	AV	360.00	150	Horizontal	Pass
5	11204.825	49.64	-4.07	74.0	-24.36	Peak	218.00	150	Horizontal	Pass
5**	11204.825	40.14	-4.07	54.0	-13.86	AV	218.00	150	Horizontal	Pass
6	16589.850	53.37	-0.00	74.0	-20.63	Peak	354.00	150	Horizontal	Pass
6**	16589.850	42.61	-0.00	54.0	-11.39	AV	354.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1792.500	45.30	-17.22	74.0	-28.70	Peak	18.00	150	Vertical	Pass
1**	1792.500	35.27	-17.22	54.0	-18.73	AV	18.00	150	Vertical	Pass
2	2460.500	97.14	-12.62	74.0	23.14	Peak	271.00	150	Vertical	N/A
2**	2460.500	94.20	-12.62	54.0	40.20	AV	271.00	150	Vertical	N/A
3	5279.000	50.65	-3.38	74.0	-23.35	Peak	43.00	150	Vertical	Pass
3**	5279.000	40.68	-3.38	54.0	-13.32	AV	43.00	150	Vertical	Pass
4	7511.000	52.98	0.51	74.0	-21.02	Peak	83.00	150	Vertical	Pass
4**	7511.000	43.12	0.51	54.0	-10.88	AV	83.00	150	Vertical	Pass
5	10628.888	49.48	-4.51	74.0	-24.52	Peak	107.00	150	Vertical	Pass
5**	10628.888	38.86	-4.51	54.0	-15.14	AV	107.00	150	Vertical	Pass
6	16172.474	52.72	-0.45	74.0	-21.28	Peak	254.00	150	Vertical	Pass
6**	16172.474	43.87	-0.45	54.0	-10.13	AV	254.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1776.300	42.96	-16.98	74.0	-31.04	Peak	167.00	150	Horizontal	Pass
1**	1776.300	32.69	-16.98	54.0	-21.31	AV	167.00	150	Horizontal	Pass
2	2418.400	106.80	-12.92	74.0	32.80	Peak	13.00	150	Horizontal	N/A
2**	2418.400	98.78	-12.92	54.0	44.78	AV	13.00	150	Horizontal	N/A
3	5274.250	50.31	-3.03	74.0	-23.69	Peak	360.00	150	Horizontal	Pass
3**	5274.250	41.43	-3.03	54.0	-12.57	AV	360.00	150	Horizontal	Pass
4	7840.250	53.13	1.85	74.0	-20.87	Peak	88.00	150	Horizontal	Pass
4**	7840.250	43.80	1.85	54.0	-10.20	AV	88.00	150	Horizontal	Pass
5	11185.112	49.65	-4.16	74.0	-24.35	Peak	250.00	150	Horizontal	Pass
5**	11185.112	39.98	-4.16	54.0	-14.02	AV	250.00	150	Horizontal	Pass
6	17798.136	53.64	3.20	74.0	-20.36	Peak	306.00	150	Horizontal	Pass
6**	17798.136	44.95	3.20	54.0	-9.05	AV	306.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.700	45.83	-17.19	74.0	-28.17	Peak	355.00	150	Vertical	Pass
1**	1831.700	36.99	-17.19	54.0	-17.01	AV	355.00	150	Vertical	Pass
2	2414.300	98.43	-13.41	74.0	24.43	Peak	270.00	150	Vertical	N/A
2**	2414.300	90.70	-13.41	54.0	36.70	AV	270.00	150	Vertical	N/A
3	5325.750	50.38	-3.33	74.0	-23.62	Peak	273.00	150	Vertical	Pass
3**	5325.750	41.19	-3.33	54.0	-12.81	AV	273.00	150	Vertical	Pass
4	7823.000	53.28	1.75	74.0	-20.72	Peak	239.00	150	Vertical	Pass
4**	7823.000	44.62	1.75	54.0	-9.38	AV	239.00	150	Vertical	Pass
5	11174.901	48.97	-4.23	74.0	-25.03	Peak	98.00	150	Vertical	Pass
5**	11174.901	39.47	-4.23	54.0	-14.53	AV	98.00	150	Vertical	Pass
6	16911.675	53.47	1.32	74.0	-20.53	Peak	170.00	150	Vertical	Pass
6**	16911.675	43.72	1.32	54.0	-10.28	AV	170.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.200	41.03	-17.48	74.0	-32.97	Peak	182.00	150	Horizontal	Pass
1**	1380.200	31.34	-17.48	54.0	-22.66	AV	182.00	150	Horizontal	Pass
2	2435.600	106.90	-12.11	74.0	32.90	Peak	28.00	150	Horizontal	N/A
2**	2435.600	99.60	-12.11	54.0	45.60	AV	28.00	150	Horizontal	N/A
3	5244.250	50.19	-3.62	74.0	-23.81	Peak	349.00	150	Horizontal	Pass
3**	5244.250	40.92	-3.62	54.0	-13.08	AV	349.00	150	Horizontal	Pass
4	7843.250	53.59	1.52	74.0	-20.41	Peak	80.00	150	Horizontal	Pass
4**	7843.250	43.92	1.52	54.0	-10.08	AV	80.00	150	Horizontal	Pass
5	11186.062	49.58	-4.15	74.0	-24.42	Peak	208.00	150	Horizontal	Pass
5**	11186.062	40.28	-4.15	54.0	-13.72	AV	208.00	150	Horizontal	Pass
6	16539.449	53.99	0.02	74.0	-20.01	Peak	316.00	150	Horizontal	Pass
6**	16539.449	43.55	0.02	54.0	-10.45	AV	316.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.500	44.90	-17.23	74.0	-29.10	Peak	345.00	150	Vertical	Pass
1**	1826.500	32.51	-17.23	54.0	-21.49	AV	345.00	150	Vertical	Pass
2	2435.500	97.48	-12.09	74.0	23.48	Peak	222.00	150	Vertical	N/A
2**	2435.500	89.00	-12.09	54.0	35.00	AV	222.00	150	Vertical	N/A
3	5184.250	50.95	-2.24	74.0	-23.05	Peak	164.00	150	Vertical	Pass
3**	5184.250	41.91	-2.24	54.0	-12.09	AV	164.00	150	Vertical	Pass
4	7505.000	52.56	-0.23	74.0	-21.44	Peak	122.00	150	Vertical	Pass
4**	7505.000	43.05	-0.23	54.0	-10.95	AV	122.00	150	Vertical	Pass
5	11168.250	48.91	-4.28	74.0	-25.09	Peak	80.00	150	Vertical	Pass
5**	11168.250	39.14	-4.28	54.0	-14.86	AV	80.00	150	Vertical	Pass
6	16837.650	54.22	0.92	74.0	-19.78	Peak	276.00	150	Vertical	Pass
6**	16837.650	43.52	0.92	54.0	-10.48	AV	276.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.24	-17.77	74.0	-31.76	Peak	156.00	150	Horizontal	Pass
1**	1600.100	35.95	-17.77	54.0	-18.05	AV	156.00	150	Horizontal	Pass
2	2465.100	107.47	-12.75	74.0	33.47	Peak	16.00	150	Horizontal	N/A
2**	2465.100	99.64	-12.75	54.0	45.64	AV	16.00	150	Horizontal	N/A
3	5170.500	50.62	-2.94	74.0	-23.38	Peak	57.00	150	Horizontal	Pass
3**	5170.500	40.46	-2.94	54.0	-13.54	AV	57.00	150	Horizontal	Pass
4	7511.750	52.72	0.48	74.0	-21.28	Peak	99.00	150	Horizontal	Pass
4**	7511.750	43.31	0.48	54.0	-10.69	AV	99.00	150	Horizontal	Pass
5	10627.463	48.84	-4.49	74.0	-25.16	Peak	68.00	150	Horizontal	Pass
5**	10627.463	39.13	-4.49	54.0	-14.87	AV	68.00	150	Horizontal	Pass
6	17149.500	53.34	1.62	74.0	-20.66	Peak	80.00	150	Horizontal	Pass
6**	17149.500	44.50	1.62	54.0	-9.50	AV	80.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.200	48.73	-17.31	74.0	-25.27	Peak	18.00	150	Vertical	Pass
1**	1797.200	32.63	-17.31	54.0	-21.37	AV	18.00	150	Vertical	Pass
2	2463.900	99.58	-12.70	74.0	25.58	Peak	276.00	150	Vertical	N/A
2**	2463.900	90.80	-12.70	54.0	36.80	AV	276.00	150	Vertical	N/A
3	5183.500	50.55	-2.15	74.0	-23.45	Peak	120.00	150	Vertical	Pass
3**	5183.500	41.65	-2.15	54.0	-12.35	AV	120.00	150	Vertical	Pass
4	7455.500	52.76	1.16	74.0	-21.24	Peak	360.00	150	Vertical	Pass
4**	7455.500	44.16	1.16	54.0	-9.84	AV	360.00	150	Vertical	Pass
5	10665.700	49.13	-4.79	74.0	-24.87	Peak	0.00	150	Vertical	Pass
5**	10665.700	39.60	-4.79	54.0	-14.40	AV	0.00	150	Vertical	Pass
6	16911.412	53.59	1.33	74.0	-20.41	Peak	53.00	150	Vertical	Pass
6**	16911.412	44.20	1.33	54.0	-9.80	AV	53.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.100	42.13	-17.28	74.0	-31.87	Peak	222.00	150	Horizontal	Pass
1**	1498.100	32.67	-17.28	54.0	-21.33	AV	222.00	150	Horizontal	Pass
2	2417.400	107.48	-13.10	74.0	33.48	Peak	25.00	150	Horizontal	N/A
2**	2417.400	99.40	-13.10	54.0	45.40	AV	25.00	150	Horizontal	N/A
3	4563.000	49.29	-4.45	74.0	-24.71	Peak	309.00	150	Horizontal	Pass
3**	4563.000	38.54	-4.45	54.0	-15.46	AV	309.00	150	Horizontal	Pass
4	7833.750	53.69	2.25	74.0	-20.31	Peak	153.00	150	Horizontal	Pass
4**	7833.750	44.56	2.25	54.0	-9.44	AV	153.00	150	Horizontal	Pass
5	11200.787	49.02	-4.05	74.0	-24.98	Peak	29.00	150	Horizontal	Pass
5**	11200.787	39.85	-4.05	54.0	-14.15	AV	29.00	150	Horizontal	Pass
6	16417.386	53.87	0.21	74.0	-20.13	Peak	91.00	150	Horizontal	Pass
6**	16417.386	42.83	0.21	54.0	-11.17	AV	91.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.200	45.19	-17.19	74.0	-28.81	Peak	360.00	150	Vertical	Pass
1**	1828.200	32.36	-17.19	54.0	-21.64	AV	360.00	150	Vertical	Pass
2	2416.100	98.03	-13.32	74.0	24.03	Peak	271.00	150	Vertical	N/A
2**	2416.100	90.13	-13.32	54.0	36.13	AV	271.00	150	Vertical	N/A
3	5325.000	51.34	-3.31	74.0	-22.66	Peak	222.00	150	Vertical	Pass
3**	5325.000	41.09	-3.31	54.0	-12.91	AV	222.00	150	Vertical	Pass
4	7462.250	52.79	1.10	74.0	-21.21	Peak	198.00	150	Vertical	Pass
4**	7462.250	44.15	1.10	54.0	-9.85	AV	198.00	150	Vertical	Pass
5	11060.662	49.45	-4.95	74.0	-24.55	Peak	204.00	150	Vertical	Pass
5**	11060.662	39.23	-4.95	54.0	-14.77	AV	204.00	150	Vertical	Pass
6	16901.963	54.24	1.48	74.0	-19.76	Peak	230.00	150	Vertical	Pass
6**	16901.963	44.81	1.48	54.0	-9.19	AV	230.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.800	41.84	-17.40	74.0	-32.16	Peak	136.00	150	Horizontal	Pass
1**	1583.800	32.20	-17.40	54.0	-21.80	AV	136.00	150	Horizontal	Pass
2	2434.900	107.57	-12.10	74.0	33.57	Peak	25.00	150	Horizontal	N/A
2**	2434.900	100.32	-12.10	54.0	46.32	AV	25.00	150	Horizontal	N/A
3	5229.750	50.89	-3.61	74.0	-23.11	Peak	301.00	150	Horizontal	Pass
3**	5229.750	40.82	-3.61	54.0	-13.18	AV	301.00	150	Horizontal	Pass
4	7820.500	52.87	1.88	74.0	-21.13	Peak	219.00	150	Horizontal	Pass
4**	7820.500	43.72	1.88	54.0	-10.28	AV	219.00	150	Horizontal	Pass
5	9650.388	48.75	-4.60	74.0	-25.25	Peak	216.00	150	Horizontal	Pass
5**	9650.388	39.16	-4.60	54.0	-14.84	AV	216.00	150	Horizontal	Pass
6	16833.188	54.77	0.86	74.0	-19.23	Peak	230.00	150	Horizontal	Pass
6**	16833.188	44.15	0.86	54.0	-9.85	AV	230.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.400	46.03	-17.19	74.0	-27.97	Peak	342.00	150	Vertical	Pass
1**	1831.400	33.71	-17.19	54.0	-20.29	AV	342.00	150	Vertical	Pass
2	2441.200	96.60	-12.29	74.0	22.60	Peak	183.00	150	Vertical	N/A
2**	2441.200	89.93	-12.29	54.0	35.93	AV	183.00	150	Vertical	N/A
3	5194.500	50.81	-3.01	74.0	-23.19	Peak	158.00	150	Vertical	Pass
3**	5194.500	41.26	-3.01	54.0	-12.74	AV	158.00	150	Vertical	Pass
4	7508.500	52.91	0.41	74.0	-21.09	Peak	52.00	150	Vertical	Pass
4**	7508.500	43.35	0.41	54.0	-10.65	AV	52.00	150	Vertical	Pass
5	10672.113	48.53	-4.79	74.0	-25.47	Peak	238.00	150	Vertical	Pass
5**	10672.113	39.26	-4.79	54.0	-14.74	AV	238.00	150	Vertical	Pass
6	16538.401	53.20	0.02	74.0	-20.80	Peak	76.00	150	Vertical	Pass
6**	16538.401	43.90	0.02	54.0	-10.10	AV	76.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.43	-17.78	74.0	-32.57	Peak	99.00	150	Horizontal	Pass
1**	1600.200	35.94	-17.78	54.0	-18.06	AV	99.00	150	Horizontal	Pass
2	2457.700	107.16	-12.66	74.0	33.16	Peak	320.00	150	Horizontal	N/A
2**	2457.700	99.45	-12.66	54.0	45.45	AV	320.00	150	Horizontal	N/A
3	5350.000	50.41	-3.09	74.0	-23.59	Peak	149.00	150	Horizontal	Pass
3**	5350.000	41.02	-3.09	54.0	-12.98	AV	149.00	150	Horizontal	Pass
4	7874.750	52.88	2.10	74.0	-21.12	Peak	230.00	150	Horizontal	Pass
4**	7874.750	43.98	2.10	54.0	-10.02	AV	230.00	150	Horizontal	Pass
5	10546.475	49.10	-4.58	74.0	-24.90	Peak	24.00	150	Horizontal	Pass
5**	10546.475	38.58	-4.58	54.0	-15.42	AV	24.00	150	Horizontal	Pass
6	17662.949	53.86	2.75	74.0	-20.14	Peak	348.00	150	Horizontal	Pass
6**	17662.949	44.82	2.75	54.0	-9.18	AV	348.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.300	45.72	-17.21	74.0	-28.28	Peak	359.00	150	Vertical	Pass
1**	1827.300	32.70	-17.21	54.0	-21.30	AV	359.00	150	Vertical	Pass
2	2460.100	98.98	-12.63	74.0	24.98	Peak	268.00	150	Vertical	N/A
2**	2460.100	90.49	-12.63	54.0	36.49	AV	268.00	150	Vertical	N/A
3	5322.750	51.80	-3.34	74.0	-22.20	Peak	214.00	150	Vertical	Pass
3**	5322.750	41.54	-3.34	54.0	-12.46	AV	214.00	150	Vertical	Pass
4	7458.500	53.22	1.15	74.0	-20.78	Peak	281.00	150	Vertical	Pass
4**	7458.500	44.03	1.15	54.0	-9.97	AV	281.00	150	Vertical	Pass
5	10216.350	48.81	-4.84	74.0	-25.19	Peak	34.00	150	Vertical	Pass
5**	10216.350	39.05	-4.84	54.0	-14.95	AV	34.00	150	Vertical	Pass
6	17251.088	53.73	1.93	74.0	-20.27	Peak	163.00	150	Vertical	Pass
6**	17251.088	43.58	1.93	54.0	-10.42	AV	163.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.20	-17.78	74.0	-31.80	Peak	134.00	150	Horizontal	Pass
1**	1600.200	35.18	-17.78	54.0	-18.82	AV	134.00	150	Horizontal	Pass
2	2432.200	104.62	-12.34	74.0	30.62	Peak	20.00	150	Horizontal	N/A
2**	2432.200	95.42	-12.34	54.0	41.42	AV	20.00	150	Horizontal	N/A
3	5269.750	50.22	-3.31	74.0	-23.78	Peak	4.00	150	Horizontal	Pass
3**	5269.750	40.54	-3.31	54.0	-13.46	AV	4.00	150	Horizontal	Pass
4	7839.250	52.92	1.98	74.0	-21.08	Peak	210.00	150	Horizontal	Pass
4**	7839.250	44.17	1.98	54.0	-9.83	AV	210.00	150	Horizontal	Pass
5	10204.000	48.71	-5.06	74.0	-25.29	Peak	331.00	150	Horizontal	Pass
5**	10204.000	38.83	-5.06	54.0	-15.17	AV	331.00	150	Horizontal	Pass
6	15472.650	52.17	-0.46	74.0	-21.83	Peak	228.00	150	Horizontal	Pass
6**	15472.650	41.91	-0.46	54.0	-12.09	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.400	45.92	-17.19	74.0	-28.08	Peak	0.00	150	Vertical	Pass
1**	1831.400	33.54	-17.19	54.0	-20.46	AV	0.00	150	Vertical	Pass
2	2424.300	93.94	-12.83	74.0	19.94	Peak	273.00	150	Vertical	N/A
2**	2424.300	86.32	-12.83	54.0	32.32	AV	273.00	150	Vertical	N/A
3	5322.750	54.00	-3.34	74.0	-20.00	Peak	220.00	150	Vertical	Pass
3**	5322.750	41.54	-3.34	54.0	-12.46	AV	220.00	150	Vertical	Pass
4	7821.250	52.98	1.74	74.0	-21.02	Peak	83.00	150	Vertical	Pass
4**	7821.250	43.78	1.74	54.0	-10.22	AV	83.00	150	Vertical	Pass
5	11043.325	49.65	-5.03	74.0	-24.35	Peak	103.00	150	Vertical	Pass
5**	11043.325	38.79	-5.03	54.0	-15.21	AV	103.00	150	Vertical	Pass
6	16895.662	53.71	1.48	74.0	-20.29	Peak	354.00	150	Vertical	Pass
6**	16895.662	43.83	1.48	54.0	-10.17	AV	354.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.05	-17.74	74.0	-31.95	Peak	293.00	150	Horizontal	Pass
1**	1599.800	34.63	-17.74	54.0	-19.37	AV	293.00	150	Horizontal	Pass
2	2434.200	104.51	-12.16	74.0	30.51	Peak	25.00	150	Horizontal	N/A
2**	2434.200	97.74	-12.16	54.0	43.74	AV	25.00	150	Horizontal	N/A
3	5339.750	51.02	-3.46	74.0	-22.98	Peak	45.00	150	Horizontal	Pass
3**	5339.750	40.65	-3.46	54.0	-13.35	AV	45.00	150	Horizontal	Pass
4	7494.500	52.47	-0.36	74.0	-21.53	Peak	242.00	150	Horizontal	Pass
4**	7494.500	42.99	-0.36	54.0	-11.01	AV	242.00	150	Horizontal	Pass
5	11188.200	49.33	-4.13	74.0	-24.67	Peak	262.00	150	Horizontal	Pass
5**	11188.200	39.52	-4.13	54.0	-14.48	AV	262.00	150	Horizontal	Pass
6	16667.025	53.31	0.22	74.0	-20.69	Peak	300.00	150	Horizontal	Pass
6**	16667.025	45.21	0.22	54.0	-8.79	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.100	45.34	-17.21	74.0	-28.66	Peak	349.00	150	Vertical	Pass
1**	1825.100	35.67	-17.21	54.0	-18.33	AV	349.00	150	Vertical	Pass
2	2445.400	94.79	-12.59	74.0	20.79	Peak	202.00	150	Vertical	N/A
2**	2445.400	86.88	-12.59	54.0	32.88	AV	202.00	150	Vertical	N/A
3	5306.000	50.07	-3.34	74.0	-23.93	Peak	308.00	150	Vertical	Pass
3**	5306.000	41.10	-3.34	54.0	-12.90	AV	308.00	150	Vertical	Pass
4	7835.250	53.50	2.18	74.0	-20.50	Peak	102.00	150	Vertical	Pass
4**	7835.250	44.04	2.18	54.0	-9.96	AV	102.00	150	Vertical	Pass
5	10715.338	49.03	-4.83	74.0	-24.97	Peak	285.00	150	Vertical	Pass
5**	10715.338	39.41	-4.83	54.0	-14.59	AV	285.00	150	Vertical	Pass
6	16332.338	52.93	-0.14	74.0	-21.07	Peak	348.00	150	Vertical	Pass
6**	16332.338	43.59	-0.14	54.0	-10.41	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.67	-17.76	74.0	-32.33	Peak	184.00	150	Horizontal	Pass
1**	1600.000	36.05	-17.76	54.0	-17.95	AV	184.00	150	Horizontal	Pass
2	2451.800	102.98	-12.81	74.0	28.98	Peak	26.00	150	Horizontal	N/A
2**	2451.800	95.42	-12.81	54.0	41.42	AV	26.00	150	Horizontal	N/A
3	5364.000	51.20	-3.22	74.0	-22.80	Peak	20.00	150	Horizontal	Pass
3**	5364.000	41.95	-3.22	54.0	-12.05	AV	20.00	150	Horizontal	Pass
4	7546.500	53.02	0.09	74.0	-20.98	Peak	157.00	150	Horizontal	Pass
4**	7546.500	42.41	0.09	54.0	-11.59	AV	157.00	150	Horizontal	Pass
5	11184.638	49.44	-4.16	74.0	-24.56	Peak	98.00	150	Horizontal	Pass
5**	11184.638	40.51	-4.16	54.0	-13.49	AV	98.00	150	Horizontal	Pass
6	17796.563	54.79	3.18	74.0	-19.21	Peak	110.00	150	Horizontal	Pass
6**	17796.563	44.75	3.18	54.0	-9.25	AV	110.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.300	43.89	-18.18	74.0	-30.11	Peak	265.00	150	Vertical	Pass
1**	1163.300	36.41	-18.18	54.0	-17.59	AV	265.00	150	Vertical	Pass
2	2445.200	92.90	-12.58	74.0	18.90	Peak	199.00	150	Vertical	N/A
2**	2445.200	85.25	-12.58	54.0	31.25	AV	199.00	150	Vertical	N/A
3	5316.000	51.28	-3.40	74.0	-22.72	Peak	120.00	150	Vertical	Pass
3**	5316.000	41.60	-3.40	54.0	-12.40	AV	120.00	150	Vertical	Pass
4	7449.500	52.70	0.60	74.0	-21.30	Peak	137.00	150	Vertical	Pass
4**	7449.500	43.79	0.60	54.0	-10.21	AV	137.00	150	Vertical	Pass
5	11306.000	49.11	-4.06	74.0	-24.89	Peak	222.00	150	Vertical	Pass
5**	11306.000	40.38	-4.06	54.0	-13.62	AV	222.00	150	Vertical	Pass
6	16838.176	53.84	0.92	74.0	-20.16	Peak	214.00	150	Vertical	Pass
6**	16838.176	44.33	0.92	54.0	-9.67	AV	214.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	42.54	-17.40	74.0	-31.46	Peak	211.00	150	Horizontal	Pass
1**	1495.600	34.05	-17.40	54.0	-19.95	AV	211.00	150	Horizontal	Pass
2	2452.600	103.80	-12.88	74.0	29.80	Peak	18.00	150	Horizontal	N/A
2**	2452.600	95.59	-12.88	54.0	41.59	AV	18.00	150	Horizontal	N/A
3	5153.500	51.22	-3.51	74.0	-22.78	Peak	341.00	150	Horizontal	Pass
3**	5153.500	40.87	-3.51	54.0	-13.13	AV	341.00	150	Horizontal	Pass
4	7839.750	53.60	1.91	74.0	-20.40	Peak	0.00	150	Horizontal	Pass
4**	7839.750	44.64	1.91	54.0	-9.36	AV	0.00	150	Horizontal	Pass
5	11217.175	49.26	-4.11	74.0	-24.74	Peak	360.00	150	Horizontal	Pass
5**	11217.175	40.18	-4.11	54.0	-13.82	AV	360.00	150	Horizontal	Pass
6	16904.849	53.69	1.44	74.0	-20.31	Peak	0.00	150	Horizontal	Pass
6**	16904.849	44.45	1.44	54.0	-9.55	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.300	44.81	-17.17	74.0	-29.19	Peak	87.00	150	Vertical	Pass
1**	1829.300	33.43	-17.17	54.0	-20.57	AV	87.00	150	Vertical	Pass
2	2452.200	92.99	-12.83	74.0	18.99	Peak	216.00	150	Vertical	N/A
2**	2452.200	84.47	-12.83	54.0	30.47	AV	216.00	150	Vertical	N/A
3	5342.250	50.74	-3.51	74.0	-23.26	Peak	140.00	150	Vertical	Pass
3**	5342.250	41.15	-3.51	54.0	-12.85	AV	140.00	150	Vertical	Pass
4	7514.250	54.03	0.77	74.0	-19.97	Peak	27.00	150	Vertical	Pass
4**	7514.250	43.93	0.77	54.0	-10.07	AV	27.00	150	Vertical	Pass
5	11096.526	49.54	-4.57	74.0	-24.46	Peak	54.00	150	Vertical	Pass
5**	11096.526	39.58	-4.57	54.0	-14.42	AV	54.00	150	Vertical	Pass
6	16806.938	54.46	0.52	74.0	-19.54	Peak	108.00	150	Vertical	Pass
6**	16806.938	43.84	0.52	54.0	-10.16	AV	108.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.63	-17.71	74.0	-32.37	Peak	197.00	150	Horizontal	Pass
1**	1599.600	33.29	-17.71	54.0	-20.71	AV	197.00	150	Horizontal	Pass
2	2448.100	104.11	-12.97	74.0	30.11	Peak	11.00	150	Horizontal	N/A
2**	2448.100	96.89	-12.97	54.0	42.89	AV	11.00	150	Horizontal	N/A
3	5211.250	50.91	-3.43	74.0	-23.09	Peak	352.00	150	Horizontal	Pass
3**	5211.250	41.05	-3.43	54.0	-12.95	AV	352.00	150	Horizontal	Pass
4	7832.500	53.43	2.25	74.0	-20.57	Peak	187.00	150	Horizontal	Pass
4**	7832.500	44.28	2.25	54.0	-9.72	AV	187.00	150	Horizontal	Pass
5	11101.987	49.22	-4.52	74.0	-24.78	Peak	73.00	150	Horizontal	Pass
5**	11101.987	39.53	-4.52	54.0	-14.47	AV	73.00	150	Horizontal	Pass
6	17259.749	54.31	1.94	74.0	-19.69	Peak	248.00	150	Horizontal	Pass
6**	17259.749	43.33	1.94	54.0	-10.67	AV	248.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.100	45.66	-17.17	74.0	-28.34	Peak	360.00	150	Vertical	Pass
1**	1829.100	34.70	-17.17	54.0	-19.30	AV	360.00	150	Vertical	Pass
2	2456.800	95.82	-12.67	74.0	21.82	Peak	273.00	150	Vertical	N/A
2**	2456.800	87.67	-12.67	54.0	33.67	AV	273.00	150	Vertical	N/A
3	4319.000	47.75	-4.59	74.0	-26.25	Peak	107.00	150	Vertical	Pass
3**	4319.000	38.93	-4.59	54.0	-15.07	AV	107.00	150	Vertical	Pass
4	7457.500	52.87	1.14	74.0	-21.13	Peak	283.00	150	Vertical	Pass
4**	7457.500	43.82	1.14	54.0	-10.18	AV	283.00	150	Vertical	Pass
5	10787.299	49.18	-5.27	74.0	-24.82	Peak	27.00	150	Vertical	Pass
5**	10787.299	39.16	-5.27	54.0	-14.84	AV	27.00	150	Vertical	Pass
6	17066.025	53.24	1.05	74.0	-20.76	Peak	256.00	150	Vertical	Pass
6**	17066.025	43.96	1.05	54.0	-10.04	AV	256.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	41.99	-17.70	74.0	-32.01	Peak	148.00	150	Horizontal	Pass
1**	1599.500	33.60	-17.70	54.0	-20.40	AV	148.00	150	Horizontal	Pass
2	2408.100	106.61	-13.49	74.0	32.61	Peak	13.00	150	Horizontal	N/A
2**	2408.100	98.03	-13.49	54.0	44.03	AV	13.00	150	Horizontal	N/A
3	5255.750	49.75	-3.96	74.0	-24.25	Peak	0.00	150	Horizontal	Pass
3**	5255.750	40.40	-3.96	54.0	-13.60	AV	0.00	150	Horizontal	Pass
4	7864.250	53.54	1.57	74.0	-20.46	Peak	193.00	150	Horizontal	Pass
4**	7864.250	44.02	1.57	54.0	-9.98	AV	193.00	150	Horizontal	Pass
5	11180.599	49.73	-4.19	74.0	-24.27	Peak	29.00	150	Horizontal	Pass
5**	11180.599	39.35	-4.19	54.0	-14.65	AV	29.00	150	Horizontal	Pass
6	15715.463	53.01	-0.22	74.0	-20.99	Peak	0.00	150	Horizontal	Pass
6**	15715.463	43.54	-0.22	54.0	-10.46	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.000	45.14	-17.18	74.0	-28.86	Peak	210.00	150	Vertical	Pass
1**	1829.000	36.07	-17.18	54.0	-17.93	AV	210.00	150	Vertical	Pass
2	2414.800	97.85	-13.38	74.0	23.85	Peak	246.00	150	Vertical	N/A
2**	2414.800	89.39	-13.38	54.0	35.39	AV	246.00	150	Vertical	N/A
3	5273.750	50.50	-3.08	74.0	-23.50	Peak	0.00	150	Vertical	Pass
3**	5273.750	41.04	-3.08	54.0	-12.96	AV	0.00	150	Vertical	Pass
4	7830.500	53.47	1.98	74.0	-20.53	Peak	311.00	150	Vertical	Pass
4**	7830.500	44.38	1.98	54.0	-9.62	AV	311.00	150	Vertical	Pass
5	11151.863	49.35	-4.40	74.0	-24.65	Peak	95.00	150	Vertical	Pass
5**	11151.863	39.26	-4.40	54.0	-14.74	AV	95.00	150	Vertical	Pass
6	17310.151	53.57	1.99	74.0	-20.43	Peak	360.00	150	Vertical	Pass
6**	17310.151	44.06	1.99	54.0	-9.94	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.10	-17.72	74.0	-31.90	Peak	254.00	150	Horizontal	Pass
1**	1599.700	34.51	-17.72	54.0	-19.49	AV	254.00	150	Horizontal	Pass
2	2435.300	107.93	-12.06	74.0	33.93	Peak	26.00	150	Horizontal	N/A
2**	2435.300	99.60	-12.06	54.0	45.60	AV	26.00	150	Horizontal	N/A
3	5271.500	50.72	-3.27	74.0	-23.28	Peak	176.00	150	Horizontal	Pass
3**	5271.500	40.53	-3.27	54.0	-13.47	AV	176.00	150	Horizontal	Pass
4	7848.500	53.58	1.11	74.0	-20.42	Peak	202.00	150	Horizontal	Pass
4**	7848.500	43.82	1.11	54.0	-10.18	AV	202.00	150	Horizontal	Pass
5	11188.675	49.72	-4.13	74.0	-24.28	Peak	360.00	150	Horizontal	Pass
5**	11188.675	40.55	-4.13	54.0	-13.45	AV	360.00	150	Horizontal	Pass
6	17361.074	53.45	2.07	74.0	-20.55	Peak	286.00	150	Horizontal	Pass
6**	17361.074	44.08	2.07	54.0	-9.92	AV	286.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.000	45.36	-17.19	74.0	-28.64	Peak	356.00	150	Vertical	Pass
1**	1828.000	36.23	-17.19	54.0	-17.77	AV	356.00	150	Vertical	Pass
2	2435.200	96.78	-12.07	74.0	22.78	Peak	273.00	150	Vertical	N/A
2**	2435.200	89.59	-12.07	54.0	35.59	AV	273.00	150	Vertical	N/A
3	5311.250	50.51	-3.70	74.0	-23.49	Peak	359.00	150	Vertical	Pass
3**	5311.250	40.89	-3.70	54.0	-13.11	AV	359.00	150	Vertical	Pass
4	7838.000	53.00	2.03	74.0	-21.00	Peak	21.00	150	Vertical	Pass
4**	7838.000	44.90	2.03	54.0	-9.10	AV	21.00	150	Vertical	Pass
5	11185.825	49.09	-4.15	74.0	-24.91	Peak	77.00	150	Vertical	Pass
5**	11185.825	40.43	-4.15	54.0	-13.57	AV	77.00	150	Vertical	Pass
6	16820.850	53.36	0.70	74.0	-20.64	Peak	260.00	150	Vertical	Pass
6**	16820.850	43.82	0.70	54.0	-10.18	AV	260.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.30	-17.74	74.0	-31.70	Peak	47.00	150	Horizontal	Pass
1**	1599.800	34.84	-17.74	54.0	-19.16	AV	47.00	150	Horizontal	Pass
2	2458.300	106.81	-12.66	74.0	32.81	Peak	20.00	150	Horizontal	N/A
2**	2458.300	99.15	-12.66	54.0	45.15	AV	20.00	150	Horizontal	N/A
3	5203.250	50.40	-3.47	74.0	-23.60	Peak	232.00	150	Horizontal	Pass
3**	5203.250	40.55	-3.47	54.0	-13.45	AV	232.00	150	Horizontal	Pass
4	7450.250	53.52	0.68	74.0	-20.48	Peak	183.00	150	Horizontal	Pass
4**	7450.250	43.69	0.68	54.0	-10.31	AV	183.00	150	Horizontal	Pass
5	10478.788	49.31	-4.51	74.0	-24.69	Peak	228.00	150	Horizontal	Pass
5**	10478.788	38.77	-4.51	54.0	-15.23	AV	228.00	150	Horizontal	Pass
6	16900.387	53.73	1.51	74.0	-20.27	Peak	51.00	150	Horizontal	Pass
6**	16900.387	44.82	1.51	54.0	-9.18	AV	51.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.600	46.38	-17.18	74.0	-27.62	Peak	350.00	150	Vertical	Pass
1**	1828.600	34.17	-17.18	54.0	-19.83	AV	350.00	150	Vertical	Pass
2	2457.600	98.75	-12.66	74.0	24.75	Peak	274.00	150	Vertical	N/A
2**	2457.600	90.24	-12.66	54.0	36.24	AV	274.00	150	Vertical	N/A
3	5322.250	50.81	-3.35	74.0	-23.19	Peak	360.00	150	Vertical	Pass
3**	5322.250	41.57	-3.35	54.0	-12.43	AV	360.00	150	Vertical	Pass
4	7839.250	53.32	1.98	74.0	-20.68	Peak	0.00	150	Vertical	Pass
4**	7839.250	44.11	1.98	54.0	-9.89	AV	0.00	150	Vertical	Pass
5	11200.312	49.41	-4.05	74.0	-24.59	Peak	248.00	150	Vertical	Pass
5**	11200.312	40.14	-4.05	54.0	-13.86	AV	248.00	150	Vertical	Pass
6	16895.926	53.47	1.48	74.0	-20.53	Peak	91.00	150	Vertical	Pass
6**	16895.926	44.45	1.48	54.0	-9.55	AV	91.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.73	-17.78	74.0	-32.27	Peak	334.00	150	Horizontal	Pass
1**	1600.300	34.81	-17.78	54.0	-19.19	AV	334.00	150	Horizontal	Pass
2	2419.100	104.76	-12.96	74.0	30.76	Peak	20.00	150	Horizontal	N/A
2**	2419.100	96.52	-12.96	54.0	42.52	AV	20.00	150	Horizontal	N/A
3	5177.500	50.91	-2.47	74.0	-23.09	Peak	79.00	150	Horizontal	Pass
3**	5177.500	41.01	-2.47	54.0	-12.99	AV	79.00	150	Horizontal	Pass
4	7570.250	52.44	-0.19	74.0	-21.56	Peak	333.00	150	Horizontal	Pass
4**	7570.250	42.95	-0.19	54.0	-11.05	AV	333.00	150	Horizontal	Pass
5	10642.425	48.97	-4.69	74.0	-25.03	Peak	272.00	150	Horizontal	Pass
5**	10642.425	39.08	-4.69	54.0	-14.92	AV	272.00	150	Horizontal	Pass
6	16567.276	53.26	0.02	74.0	-20.74	Peak	176.00	150	Horizontal	Pass
6**	16567.276	42.45	0.02	54.0	-11.55	AV	176.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.000	47.44	-17.12	74.0	-26.56	Peak	4.00	150	Vertical	Pass
1**	1799.000	33.17	-17.12	54.0	-20.83	AV	4.00	150	Vertical	Pass
2	2418.300	94.73	-12.93	74.0	20.73	Peak	273.00	150	Vertical	N/A
2**	2418.300	86.67	-12.93	54.0	32.67	AV	273.00	150	Vertical	N/A
3	5321.750	50.81	-3.36	74.0	-23.19	Peak	353.00	150	Vertical	Pass
3**	5321.750	41.95	-3.36	54.0	-12.05	AV	353.00	150	Vertical	Pass
4	7847.250	53.34	1.09	74.0	-20.66	Peak	146.00	150	Vertical	Pass
4**	7847.250	43.76	1.09	54.0	-10.24	AV	146.00	150	Vertical	Pass
5	10817.937	49.81	-5.11	74.0	-24.19	Peak	147.00	150	Vertical	Pass
5**	10817.937	39.14	-5.11	54.0	-14.86	AV	147.00	150	Vertical	Pass
6	16410.563	53.12	0.25	74.0	-20.88	Peak	262.00	150	Vertical	Pass
6**	16410.563	43.86	0.25	54.0	-10.14	AV	262.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1740.700	42.34	-16.93	74.0	-31.66	Peak	222.00	150	Horizontal	Pass
1**	1740.700	32.55	-16.93	54.0	-21.45	AV	222.00	150	Horizontal	Pass
2	2446.200	104.23	-12.65	74.0	30.23	Peak	13.00	150	Horizontal	N/A
2**	2446.200	95.89	-12.65	54.0	41.89	AV	13.00	150	Horizontal	N/A
3	5183.250	50.70	-2.11	74.0	-23.30	Peak	29.00	150	Horizontal	Pass
3**	5183.250	41.13	-2.11	54.0	-12.87	AV	29.00	150	Horizontal	Pass
4	7841.750	52.90	1.68	74.0	-21.10	Peak	201.00	150	Horizontal	Pass
4**	7841.750	43.42	1.68	54.0	-10.58	AV	201.00	150	Horizontal	Pass
5	11434.724	49.19	-3.98	74.0	-24.81	Peak	0.00	150	Horizontal	Pass
5**	11434.724	39.37	-3.98	54.0	-14.63	AV	0.00	150	Horizontal	Pass
6	17577.376	54.19	3.23	74.0	-19.81	Peak	244.00	150	Horizontal	Pass
6**	17577.376	43.74	3.23	54.0	-10.26	AV	244.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.200	45.41	-17.24	74.0	-28.59	Peak	347.00	150	Vertical	Pass
1**	1826.200	33.98	-17.24	54.0	-20.02	AV	347.00	150	Vertical	Pass
2	2452.000	94.89	-12.82	74.0	20.89	Peak	273.00	150	Vertical	N/A
2**	2452.000	87.45	-12.82	54.0	33.45	AV	273.00	150	Vertical	N/A
3	5181.750	50.74	-2.14	74.0	-23.26	Peak	360.00	150	Vertical	Pass
3**	5181.750	41.27	-2.14	54.0	-12.73	AV	360.00	150	Vertical	Pass
4	7438.250	52.52	0.39	74.0	-21.48	Peak	242.00	150	Vertical	Pass
4**	7438.250	42.07	0.39	54.0	-11.93	AV	242.00	150	Vertical	Pass
5	10541.013	48.62	-4.56	74.0	-25.38	Peak	285.00	150	Vertical	Pass
5**	10541.013	38.64	-4.56	54.0	-15.36	AV	285.00	150	Vertical	Pass
6	17654.551	53.55	2.83	74.0	-20.45	Peak	107.00	150	Vertical	Pass
6**	17654.551	43.34	2.83	54.0	-10.66	AV	107.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	43.27	-17.29	74.0	-30.73	Peak	145.00	150	Horizontal	Pass
1**	1499.800	33.91	-17.29	54.0	-20.09	AV	145.00	150	Horizontal	Pass
2	2451.300	102.84	-12.78	74.0	28.84	Peak	31.00	150	Horizontal	N/A
2**	2451.300	95.31	-12.78	54.0	41.31	AV	31.00	150	Horizontal	N/A
3	5190.750	50.49	-2.68	74.0	-23.51	Peak	105.00	150	Horizontal	Pass
3**	5190.750	41.84	-2.68	54.0	-12.16	AV	105.00	150	Horizontal	Pass
4	7836.000	53.74	2.14	74.0	-20.26	Peak	113.00	150	Horizontal	Pass
4**	7836.000	44.40	2.14	54.0	-9.60	AV	113.00	150	Horizontal	Pass
5	10332.250	49.12	-4.68	74.0	-24.88	Peak	128.00	150	Horizontal	Pass
5**	10332.250	40.33	-4.68	54.0	-13.67	AV	128.00	150	Horizontal	Pass
6	16896.450	53.44	1.49	74.0	-20.56	Peak	360.00	150	Horizontal	Pass
6**	16896.450	45.35	1.49	54.0	-8.65	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.300	45.78	-17.19	74.0	-28.22	Peak	351.00	150	Vertical	Pass
1**	1794.300	32.03	-17.19	54.0	-21.97	AV	351.00	150	Vertical	Pass
2	2446.100	92.43	-12.63	74.0	18.43	Peak	42.00	150	Vertical	N/A
2**	2446.100	84.32	-12.63	54.0	30.32	AV	42.00	150	Vertical	N/A
3	5187.500	50.80	-2.48	74.0	-23.20	Peak	181.00	150	Vertical	Pass
3**	5187.500	41.32	-2.48	54.0	-12.68	AV	181.00	150	Vertical	Pass
4	7463.000	53.35	1.08	74.0	-20.65	Peak	89.00	150	Vertical	Pass
4**	7463.000	43.92	1.08	54.0	-10.08	AV	89.00	150	Vertical	Pass
5	13179.450	51.10	-0.41	74.0	-22.90	Peak	1.00	150	Vertical	Pass
5**	13179.450	41.61	-0.41	54.0	-12.39	AV	1.00	150	Vertical	Pass
6	17803.125	54.62	3.20	74.0	-19.38	Peak	360.00	150	Vertical	Pass
6**	17803.125	45.35	3.20	54.0	-8.65	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	43.12	-17.46	74.0	-30.88	Peak	145.00	150	Horizontal	Pass
1**	1494.800	34.22	-17.46	54.0	-19.78	AV	145.00	150	Horizontal	Pass
2	2445.100	102.57	-12.58	74.0	28.57	Peak	23.00	150	Horizontal	N/A
2**	2445.100	94.69	-12.58	54.0	40.69	AV	23.00	150	Horizontal	N/A
3	5341.500	50.62	-3.45	74.0	-23.38	Peak	133.00	150	Horizontal	Pass
3**	5341.500	41.39	-3.45	54.0	-12.61	AV	133.00	150	Horizontal	Pass
4	7827.000	53.50	1.77	74.0	-20.50	Peak	167.00	150	Horizontal	Pass
4**	7827.000	44.34	1.77	54.0	-9.66	AV	167.00	150	Horizontal	Pass
5	11785.750	50.17	-3.66	74.0	-23.83	Peak	159.00	150	Horizontal	Pass
5**	11785.750	40.76	-3.66	54.0	-13.24	AV	159.00	150	Horizontal	Pass
6	16897.761	54.28	1.50	74.0	-19.72	Peak	1.00	150	Horizontal	Pass
6**	16897.761	45.14	1.50	54.0	-8.86	AV	1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.400	45.82	-17.09	74.0	-28.18	Peak	205.00	150	Vertical	Pass
1**	1833.400	34.03	-17.09	54.0	-19.97	AV	205.00	150	Vertical	Pass
2	2455.600	90.98	-12.90	74.0	16.98	Peak	88.00	150	Vertical	N/A
2**	2455.600	82.85	-12.90	54.0	28.85	AV	88.00	150	Vertical	N/A
3	3317.750	47.23	-8.62	74.0	-26.77	Peak	194.00	150	Vertical	Pass
3**	3317.750	34.59	-8.62	54.0	-19.41	AV	194.00	150	Vertical	Pass
4	7835.250	53.37	2.18	74.0	-20.63	Peak	358.00	150	Vertical	Pass
4**	7835.250	43.92	2.18	54.0	-10.08	AV	358.00	150	Vertical	Pass
5	11712.600	49.33	-4.14	74.0	-24.67	Peak	59.00	150	Vertical	Pass
5**	11712.600	39.06	-4.14	54.0	-14.94	AV	59.00	150	Vertical	Pass
6	16891.463	53.54	1.44	74.0	-20.46	Peak	360.00	150	Vertical	Pass
6**	16891.463	43.90	1.44	54.0	-10.10	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	42.10	-17.38	74.0	-31.90	Peak	173.00	150	Horizontal	Pass
1**	1495.800	31.74	-17.38	54.0	-22.26	AV	173.00	150	Horizontal	Pass
2	2456.000	104.13	-12.81	74.0	30.13	Peak	318.00	150	Horizontal	N/A
2**	2456.000	96.38	-12.81	54.0	42.38	AV	318.00	150	Horizontal	N/A
3	5184.250	50.34	-2.24	74.0	-23.66	Peak	354.00	150	Horizontal	Pass
3**	5184.250	41.06	-2.24	54.0	-12.94	AV	354.00	150	Horizontal	Pass
4	7568.750	52.63	-0.08	74.0	-21.37	Peak	273.00	150	Horizontal	Pass
4**	7568.750	44.84	-0.08	54.0	-9.16	AV	273.00	150	Horizontal	Pass
5	10678.525	48.54	-4.79	74.0	-25.46	Peak	353.00	150	Horizontal	Pass
5**	10678.525	39.49	-4.79	54.0	-14.51	AV	353.00	150	Horizontal	Pass
6	16505.325	52.40	0.00	74.0	-21.60	Peak	288.00	150	Horizontal	Pass
6**	16505.325	43.69	0.00	54.0	-10.31	AV	288.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.400	45.05	-17.17	74.0	-28.95	Peak	360.00	150	Vertical	Pass
1**	1829.400	34.21	-17.17	54.0	-19.79	AV	360.00	150	Vertical	Pass
2	2454.000	95.41	-13.09	74.0	21.41	Peak	271.00	150	Vertical	N/A
2**	2454.000	88.20	-13.09	54.0	34.20	AV	271.00	150	Vertical	N/A
3	5130.000	50.07	-2.93	74.0	-23.93	Peak	139.00	150	Vertical	Pass
3**	5130.000	40.45	-2.93	54.0	-13.55	AV	139.00	150	Vertical	Pass
4	7455.750	52.30	1.15	74.0	-21.70	Peak	92.00	150	Vertical	Pass
4**	7455.750	44.08	1.15	54.0	-9.92	AV	92.00	150	Vertical	Pass
5	9010.088	48.42	-5.07	74.0	-25.58	Peak	35.00	150	Vertical	Pass
5**	9010.088	38.37	-5.07	54.0	-15.63	AV	35.00	150	Vertical	Pass
6	16405.050	51.97	0.29	74.0	-22.03	Peak	322.00	150	Vertical	Pass
6**	16405.050	43.20	0.29	54.0	-10.80	AV	322.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.64	-17.74	74.0	-32.36	Peak	0.00	150	Horizontal	Pass
1**	1599.800	34.77	-17.74	54.0	-19.23	AV	0.00	150	Horizontal	Pass
2	2413.800	108.10	-13.42	74.0	34.10	Peak	16.00	150	Horizontal	N/A
2**	2413.800	98.61	-13.42	54.0	44.61	AV	16.00	150	Horizontal	N/A
3	5339.000	50.69	-3.64	74.0	-23.31	Peak	352.00	150	Horizontal	Pass
3**	5339.000	40.44	-3.64	54.0	-13.56	AV	352.00	150	Horizontal	Pass
4	7715.000	52.57	0.90	74.0	-21.43	Peak	19.00	150	Horizontal	Pass
4**	7715.000	42.51	0.90	54.0	-11.49	AV	19.00	150	Horizontal	Pass
5	10669.025	49.24	-4.79	74.0	-24.76	Peak	82.00	150	Horizontal	Pass
5**	10669.025	39.80	-4.79	54.0	-14.20	AV	82.00	150	Horizontal	Pass
6	16894.349	52.89	1.47	74.0	-21.11	Peak	144.00	150	Horizontal	Pass
6**	16894.349	43.69	1.47	54.0	-10.31	AV	144.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.300	45.76	-17.24	74.0	-28.24	Peak	359.00	150	Vertical	Pass
1**	1826.300	32.78	-17.24	54.0	-21.22	AV	359.00	150	Vertical	Pass
2	2414.500	100.92	-13.40	74.0	26.92	Peak	273.00	150	Vertical	N/A
2**	2414.500	88.74	-13.40	54.0	34.74	AV	273.00	150	Vertical	N/A
3	5174.000	51.35	-2.61	74.0	-22.65	Peak	77.00	150	Vertical	Pass
3**	5174.000	41.31	-2.61	54.0	-12.69	AV	77.00	150	Vertical	Pass
4	7824.000	52.85	1.95	74.0	-21.15	Peak	339.00	150	Vertical	Pass
4**	7824.000	43.73	1.95	54.0	-10.27	AV	339.00	150	Vertical	Pass
5	11187.250	49.01	-4.14	74.0	-24.99	Peak	229.00	150	Vertical	Pass
5**	11187.250	39.27	-4.14	54.0	-14.73	AV	229.00	150	Vertical	Pass
6	17317.501	54.11	1.97	74.0	-19.89	Peak	93.00	150	Vertical	Pass
6**	17317.501	43.91	1.97	54.0	-10.09	AV	93.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.100	42.33	-17.47	74.0	-31.67	Peak	296.00	150	Horizontal	Pass
1**	1576.100	31.98	-17.47	54.0	-22.02	AV	296.00	150	Horizontal	Pass
2	2436.200	109.01	-12.19	74.0	35.01	Peak	28.00	150	Horizontal	N/A
2**	2436.200	99.53	-12.19	54.0	45.53	AV	28.00	150	Horizontal	N/A
3	5236.500	50.28	-3.30	74.0	-23.72	Peak	241.00	150	Horizontal	Pass
3**	5236.500	41.59	-3.30	54.0	-12.41	AV	241.00	150	Horizontal	Pass
4	7463.250	53.10	1.04	74.0	-20.90	Peak	224.00	150	Horizontal	Pass
4**	7463.250	43.51	1.04	54.0	-10.49	AV	224.00	150	Horizontal	Pass
5	10200.200	48.69	-5.12	74.0	-25.31	Peak	147.00	150	Horizontal	Pass
5**	10200.200	39.17	-5.12	54.0	-14.83	AV	147.00	150	Horizontal	Pass
6	16900.650	53.31	1.51	74.0	-20.69	Peak	202.00	150	Horizontal	Pass
6**	16900.650	44.37	1.51	54.0	-9.63	AV	202.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.300	44.21	-17.21	74.0	-29.79	Peak	360.00	150	Vertical	Pass
1**	1827.300	35.93	-17.21	54.0	-18.07	AV	360.00	150	Vertical	Pass
2	2433.600	99.65	-12.21	74.0	25.65	Peak	222.00	150	Vertical	N/A
2**	2433.600	88.89	-12.21	54.0	34.89	AV	222.00	150	Vertical	N/A
3	5313.500	51.04	-3.69	74.0	-22.96	Peak	178.00	150	Vertical	Pass
3**	5313.500	42.40	-3.69	54.0	-11.60	AV	178.00	150	Vertical	Pass
4	7453.000	52.76	1.01	74.0	-21.24	Peak	360.00	150	Vertical	Pass
4**	7453.000	44.19	1.01	54.0	-9.81	AV	360.00	150	Vertical	Pass
5	9652.525	48.63	-4.61	74.0	-25.37	Peak	273.00	150	Vertical	Pass
5**	9652.525	39.59	-4.61	54.0	-14.41	AV	273.00	150	Vertical	Pass
6	16666.500	52.99	0.21	74.0	-21.01	Peak	314.00	150	Vertical	Pass
6**	16666.500	43.62	0.21	54.0	-10.38	AV	314.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.200	42.38	-17.35	74.0	-31.62	Peak	81.00	150	Horizontal	Pass
1**	1583.200	32.38	-17.35	54.0	-21.62	AV	81.00	150	Horizontal	Pass
2	2454.000	106.83	-13.09	74.0	32.83	Peak	11.00	150	Horizontal	N/A
2**	2454.000	97.89	-13.09	54.0	43.89	AV	11.00	150	Horizontal	N/A
3	5181.500	50.17	-2.15	74.0	-23.83	Peak	360.00	150	Horizontal	Pass
3**	5181.500	42.08	-2.15	54.0	-11.92	AV	360.00	150	Horizontal	Pass
4	7764.250	53.31	-0.25	74.0	-20.69	Peak	31.00	150	Horizontal	Pass
4**	7764.250	42.76	-0.25	54.0	-11.24	AV	31.00	150	Horizontal	Pass
5	11789.550	49.91	-3.63	74.0	-24.09	Peak	180.00	150	Horizontal	Pass
5**	11789.550	40.64	-3.63	54.0	-13.36	AV	180.00	150	Horizontal	Pass
6	16902.488	54.08	1.48	74.0	-19.92	Peak	360.00	150	Horizontal	Pass
6**	16902.488	45.89	1.48	54.0	-8.11	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.500	46.24	-17.19	74.0	-27.76	Peak	360.00	150	Vertical	Pass
1**	1831.500	32.71	-17.19	54.0	-21.29	AV	360.00	150	Vertical	Pass
2	2459.400	97.37	-12.64	74.0	23.37	Peak	86.00	150	Vertical	N/A
2**	2459.400	89.38	-12.64	54.0	35.38	AV	86.00	150	Vertical	N/A
3	5244.000	51.05	-3.61	74.0	-22.95	Peak	21.00	150	Vertical	Pass
3**	5244.000	41.16	-3.61	54.0	-12.84	AV	21.00	150	Vertical	Pass
4	7859.250	53.97	1.19	74.0	-20.03	Peak	217.00	150	Vertical	Pass
4**	7859.250	45.05	1.19	54.0	-8.95	AV	217.00	150	Vertical	Pass
5	11306.713	48.54	-4.07	74.0	-25.46	Peak	89.00	150	Vertical	Pass
5**	11306.713	39.81	-4.07	54.0	-14.19	AV	89.00	150	Vertical	Pass
6	16890.150	53.74	1.43	74.0	-20.26	Peak	100.00	150	Vertical	Pass
6**	16890.150	44.62	1.43	54.0	-9.38	AV	100.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.82	-17.74	74.0	-32.18	Peak	156.00	150	Horizontal	Pass
1**	1599.800	35.03	-17.74	54.0	-18.97	AV	156.00	150	Horizontal	Pass
2	2456.500	109.18	-12.69	74.0	35.18	Peak	320.00	150	Horizontal	N/A
2**	2456.500	99.79	-12.69	54.0	45.79	AV	320.00	150	Horizontal	N/A
3	5186.250	50.77	-2.40	74.0	-23.23	Peak	77.00	150	Horizontal	Pass
3**	5186.250	41.28	-2.40	54.0	-12.72	AV	77.00	150	Horizontal	Pass
4	7827.500	52.77	1.82	74.0	-21.23	Peak	29.00	150	Horizontal	Pass
4**	7827.500	43.31	1.82	54.0	-10.69	AV	29.00	150	Horizontal	Pass
5	11162.550	48.79	-4.32	74.0	-25.21	Peak	55.00	150	Horizontal	Pass
5**	11162.550	39.53	-4.32	54.0	-14.47	AV	55.00	150	Horizontal	Pass
6	16886.475	53.28	1.40	74.0	-20.72	Peak	195.00	150	Horizontal	Pass
6**	16886.475	44.13	1.40	54.0	-9.87	AV	195.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.800	46.03	-17.20	74.0	-27.97	Peak	350.00	150	Vertical	Pass
1**	1831.800	35.96	-17.20	54.0	-18.04	AV	350.00	150	Vertical	Pass
2	2453.900	99.98	-13.08	74.0	25.98	Peak	273.00	150	Vertical	N/A
2**	2453.900	89.28	-13.08	54.0	35.28	AV	273.00	150	Vertical	N/A
3	5342.500	50.56	-3.51	74.0	-23.44	Peak	323.00	150	Vertical	Pass
3**	5342.500	41.03	-3.51	54.0	-12.97	AV	323.00	150	Vertical	Pass
4	7824.250	52.97	2.00	74.0	-21.03	Peak	251.00	150	Vertical	Pass
4**	7824.250	43.54	2.00	54.0	-10.46	AV	251.00	150	Vertical	Pass
5	11685.287	49.28	-4.28	74.0	-24.72	Peak	149.00	150	Vertical	Pass
5**	11685.287	39.54	-4.28	54.0	-14.46	AV	149.00	150	Vertical	Pass
6	17299.124	53.53	2.01	74.0	-20.47	Peak	216.00	150	Vertical	Pass
6**	17299.124	44.10	2.01	54.0	-9.90	AV	216.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.000	41.56	-17.55	74.0	-32.44	Peak	253.00	150	Horizontal	Pass
1**	1598.000	31.95	-17.55	54.0	-22.05	AV	253.00	150	Horizontal	Pass
2	2418.600	105.94	-12.92	74.0	31.94	Peak	10.00	150	Horizontal	N/A
2**	2418.600	96.53	-12.92	54.0	42.53	AV	10.00	150	Horizontal	N/A
3	5318.000	50.62	-3.44	74.0	-23.38	Peak	0.00	150	Horizontal	Pass
3**	5318.000	41.45	-3.44	54.0	-12.55	AV	0.00	150	Horizontal	Pass
4	7741.250	52.75	-0.60	74.0	-21.25	Peak	163.00	150	Horizontal	Pass
4**	7741.250	42.70	-0.60	54.0	-11.30	AV	163.00	150	Horizontal	Pass
5	11322.863	48.98	-4.22	74.0	-25.02	Peak	360.00	150	Horizontal	Pass
5**	11322.863	39.24	-4.22	54.0	-14.76	AV	360.00	150	Horizontal	Pass
6	17160.526	53.39	1.59	74.0	-20.61	Peak	37.00	150	Horizontal	Pass
6**	17160.526	44.18	1.59	54.0	-9.82	AV	37.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.800	45.86	-17.18	74.0	-28.14	Peak	337.00	150	Vertical	Pass
1**	1828.800	34.31	-17.18	54.0	-19.69	AV	337.00	150	Vertical	Pass
2	2426.700	96.19	-12.50	74.0	22.19	Peak	268.00	150	Vertical	N/A
2**	2426.700	86.35	-12.50	54.0	32.35	AV	268.00	150	Vertical	N/A
3	5181.000	49.98	-2.18	74.0	-24.02	Peak	283.00	150	Vertical	Pass
3**	5181.000	41.92	-2.18	54.0	-12.08	AV	283.00	150	Vertical	Pass
4	7834.250	53.46	2.23	74.0	-20.54	Peak	143.00	150	Vertical	Pass
4**	7834.250	44.38	2.23	54.0	-9.62	AV	143.00	150	Vertical	Pass
5	10559.537	48.95	-4.50	74.0	-25.05	Peak	273.00	150	Vertical	Pass
5**	10559.537	38.84	-4.50	54.0	-15.16	AV	273.00	150	Vertical	Pass
6	16899.864	52.92	1.52	74.0	-21.08	Peak	360.00	150	Vertical	Pass
6**	16899.864	44.62	1.52	54.0	-9.38	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.21	-17.78	74.0	-31.79	Peak	310.00	150	Horizontal	Pass
1**	1600.200	35.00	-17.78	54.0	-19.00	AV	310.00	150	Horizontal	Pass
2	2439.900	106.11	-12.39	74.0	32.11	Peak	18.00	150	Horizontal	N/A
2**	2439.900	96.32	-12.39	54.0	42.32	AV	18.00	150	Horizontal	N/A
3	5163.250	50.44	-3.37	74.0	-23.56	Peak	0.00	150	Horizontal	Pass
3**	5163.250	41.04	-3.37	54.0	-12.96	AV	0.00	150	Horizontal	Pass
4	7274.000	52.51	-0.62	74.0	-21.49	Peak	119.00	150	Horizontal	Pass
4**	7274.000	42.74	-0.62	54.0	-11.26	AV	119.00	150	Horizontal	Pass
5	10226.326	49.80	-4.66	74.0	-24.20	Peak	319.00	150	Horizontal	Pass
5**	10226.326	39.81	-4.66	54.0	-14.19	AV	319.00	150	Horizontal	Pass
6	16752.338	54.06	0.41	74.0	-19.94	Peak	190.00	150	Horizontal	Pass
6**	16752.338	42.94	0.41	54.0	-11.06	AV	190.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.300	46.23	-17.17	74.0	-27.77	Peak	350.00	150	Vertical	Pass
1**	1829.300	36.34	-17.17	54.0	-17.66	AV	350.00	150	Vertical	Pass
2	2449.600	96.75	-12.80	74.0	22.75	Peak	269.00	150	Vertical	N/A
2**	2449.600	86.78	-12.80	54.0	32.78	AV	269.00	150	Vertical	N/A
3	5200.000	50.72	-3.20	74.0	-23.28	Peak	110.00	150	Vertical	Pass
3**	5200.000	41.34	-3.20	54.0	-12.66	AV	110.00	150	Vertical	Pass
4	7834.500	52.88	2.22	74.0	-21.12	Peak	0.00	150	Vertical	Pass
4**	7834.500	44.67	2.22	54.0	-9.33	AV	0.00	150	Vertical	Pass
5	10478.075	49.26	-4.51	74.0	-24.74	Peak	319.00	150	Vertical	Pass
5**	10478.075	38.81	-4.51	54.0	-15.19	AV	319.00	150	Vertical	Pass
6	17472.113	54.47	3.09	74.0	-19.53	Peak	0.00	150	Vertical	Pass
6**	17472.113	43.62	3.09	54.0	-10.38	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.66	-17.77	74.0	-32.34	Peak	339.00	150	Horizontal	Pass
1**	1600.100	36.71	-17.77	54.0	-17.29	AV	339.00	150	Horizontal	Pass
2	2452.700	104.30	-12.89	74.0	30.30	Peak	13.00	150	Horizontal	N/A
2**	2452.700	94.53	-12.89	54.0	40.53	AV	13.00	150	Horizontal	N/A
3	5341.000	51.48	-3.42	74.0	-22.52	Peak	255.00	150	Horizontal	Pass
3**	5341.000	41.67	-3.42	54.0	-12.33	AV	255.00	150	Horizontal	Pass
4	7456.250	53.19	1.14	74.0	-20.81	Peak	247.00	150	Horizontal	Pass
4**	7456.250	44.21	1.14	54.0	-9.79	AV	247.00	150	Horizontal	Pass
5	10629.599	49.11	-4.52	74.0	-24.89	Peak	283.00	150	Horizontal	Pass
5**	10629.599	38.13	-4.52	54.0	-15.87	AV	283.00	150	Horizontal	Pass
6	17374.724	54.03	2.32	74.0	-19.97	Peak	102.00	150	Horizontal	Pass
6**	17374.724	44.54	2.32	54.0	-9.46	AV	102.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.900	44.21	-17.20	74.0	-29.79	Peak	1.00	150	Vertical	Pass
1**	1831.900	33.19	-17.20	54.0	-20.81	AV	1.00	150	Vertical	Pass
2	2426.700	93.79	-12.50	74.0	19.79	Peak	47.00	150	Vertical	N/A
2**	2426.700	83.85	-12.50	54.0	29.85	AV	47.00	150	Vertical	N/A
3	5179.500	50.53	-2.23	74.0	-23.47	Peak	356.00	150	Vertical	Pass
3**	5179.500	41.23	-2.23	54.0	-12.77	AV	356.00	150	Vertical	Pass
4	7819.250	53.74	1.89	74.0	-20.26	Peak	331.00	150	Vertical	Pass
4**	7819.250	43.88	1.89	54.0	-10.12	AV	331.00	150	Vertical	Pass
5	11816.625	49.57	-3.42	74.0	-24.43	Peak	0.00	150	Vertical	Pass
5**	11816.625	40.15	-3.42	54.0	-13.85	AV	0.00	150	Vertical	Pass
6	16899.338	53.67	1.51	74.0	-20.33	Peak	360.00	150	Vertical	Pass
6**	16899.338	44.26	1.51	54.0	-9.74	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.19	-17.76	74.0	-31.81	Peak	187.00	150	Horizontal	Pass
1**	1600.000	36.03	-17.76	54.0	-17.97	AV	187.00	150	Horizontal	Pass
2	2454.400	103.36	-13.15	74.0	29.36	Peak	26.00	150	Horizontal	N/A
2**	2454.400	93.85	-13.15	54.0	39.85	AV	26.00	150	Horizontal	N/A
3	5353.000	51.29	-3.09	74.0	-22.71	Peak	115.00	150	Horizontal	Pass
3**	5353.000	41.68	-3.09	54.0	-12.32	AV	115.00	150	Horizontal	Pass
4	7837.250	54.11	2.06	74.0	-19.89	Peak	0.00	150	Horizontal	Pass
4**	7837.250	44.63	2.06	54.0	-9.37	AV	0.00	150	Horizontal	Pass
5	11222.400	49.27	-4.13	74.0	-24.73	Peak	93.00	150	Horizontal	Pass
5**	11222.400	39.83	-4.13	54.0	-14.17	AV	93.00	150	Horizontal	Pass
6	17803.911	54.61	3.19	74.0	-19.39	Peak	360.00	150	Horizontal	Pass
6**	17803.911	44.78	3.19	54.0	-9.22	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.700	45.37	-17.17	74.0	-28.63	Peak	347.00	150	Vertical	Pass
1**	1829.700	34.00	-17.17	54.0	-20.00	AV	347.00	150	Vertical	Pass
2	2448.900	92.60	-12.88	74.0	18.60	Peak	40.00	150	Vertical	N/A
2**	2448.900	84.12	-12.88	54.0	30.12	AV	40.00	150	Vertical	N/A
3	5182.000	50.88	-2.12	74.0	-23.12	Peak	175.00	150	Vertical	Pass
3**	5182.000	42.65	-2.12	54.0	-11.35	AV	175.00	150	Vertical	Pass
4	7138.500	52.81	0.52	74.0	-21.19	Peak	44.00	150	Vertical	Pass
4**	7138.500	42.84	0.52	54.0	-11.16	AV	44.00	150	Vertical	Pass
5	11443.987	50.20	-3.91	74.0	-23.80	Peak	169.00	150	Vertical	Pass
5**	11443.987	40.53	-3.91	54.0	-13.47	AV	169.00	150	Vertical	Pass
6	16902.488	54.13	1.48	74.0	-19.87	Peak	180.00	150	Vertical	Pass
6**	16902.488	44.00	1.48	54.0	-10.00	AV	180.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.24	-17.74	74.0	-31.76	Peak	84.00	150	Horizontal	Pass
1**	1599.800	34.80	-17.74	54.0	-19.20	AV	84.00	150	Horizontal	Pass
2	2446.500	106.18	-12.70	74.0	32.18	Peak	360.00	150	Horizontal	N/A
2**	2446.500	96.02	-12.70	54.0	42.02	AV	360.00	150	Horizontal	N/A
3	5183.000	50.53	-2.08	74.0	-23.47	Peak	68.00	150	Horizontal	Pass
3**	5183.000	42.77	-2.08	54.0	-11.23	AV	68.00	150	Horizontal	Pass
4	7856.000	54.25	1.10	74.0	-19.75	Peak	296.00	150	Horizontal	Pass
4**	7856.000	45.05	1.10	54.0	-8.95	AV	296.00	150	Horizontal	Pass
5	10706.076	49.09	-4.80	74.0	-24.91	Peak	184.00	150	Horizontal	Pass
5**	10706.076	39.26	-4.80	54.0	-14.74	AV	184.00	150	Horizontal	Pass
6	17037.412	53.59	0.82	74.0	-20.41	Peak	133.00	150	Horizontal	Pass
6**	17037.412	45.01	0.82	54.0	-8.99	AV	133.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.100	45.75	-17.21	74.0	-28.25	Peak	360.00	150	Vertical	Pass
1**	1825.100	34.78	-17.21	54.0	-19.22	AV	360.00	150	Vertical	Pass
2	2449.300	97.05	-12.83	74.0	23.05	Peak	270.00	150	Vertical	N/A
2**	2449.300	87.18	-12.83	54.0	33.18	AV	270.00	150	Vertical	N/A
3	4512.250	48.67	-4.51	74.0	-25.33	Peak	145.00	150	Vertical	Pass
3**	4512.250	39.53	-4.51	54.0	-14.47	AV	145.00	150	Vertical	Pass
4	7839.500	53.83	1.95	74.0	-20.17	Peak	36.00	150	Vertical	Pass
4**	7839.500	44.73	1.95	54.0	-9.27	AV	36.00	150	Vertical	Pass
5	11428.076	49.71	-4.02	74.0	-24.29	Peak	7.00	150	Vertical	Pass
5**	11428.076	39.26	-4.02	54.0	-14.74	AV	7.00	150	Vertical	Pass
6	16401.113	53.17	0.32	74.0	-20.83	Peak	104.00	150	Vertical	Pass
6**	16401.113	43.86	0.32	54.0	-10.14	AV	104.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.96	-17.77	74.0	-31.04	Peak	222.00	150	Horizontal	Pass
1**	1600.100	36.33	-17.77	54.0	-17.67	AV	222.00	150	Horizontal	Pass
2	2413.000	102.62	-13.42	74.0	28.62	Peak	307.00	150	Horizontal	N/A
2**	2413.000	99.85	-13.42	54.0	45.85	AV	307.00	150	Horizontal	N/A
3	4824.000	49.58	-3.03	74.0	-24.42	Peak	360.00	150	Horizontal	Pass
3**	4824.000	42.91	-3.03	54.0	-11.09	AV	360.00	150	Horizontal	Pass
4	7850.500	53.39	1.13	74.0	-20.61	Peak	0.00	150	Horizontal	Pass
4**	7850.500	43.73	1.13	54.0	-10.27	AV	0.00	150	Horizontal	Pass
5	10201.388	49.55	-5.10	74.0	-24.45	Peak	13.00	150	Horizontal	Pass
5**	10201.388	39.22	-5.10	54.0	-14.78	AV	13.00	150	Horizontal	Pass
6	16869.937	53.89	1.25	74.0	-20.11	Peak	361.00	150	Horizontal	Pass
6**	16869.937	43.62	1.25	54.0	-10.38	AV	361.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.500	45.81	-17.33	74.0	-28.19	Peak	23.00	150	Vertical	Pass
1**	1797.500	34.77	-17.33	54.0	-19.23	AV	23.00	150	Vertical	Pass
2	2413.000	97.18	-13.42	74.0	23.18	Peak	345.00	150	Vertical	N/A
2**	2413.000	94.36	-13.42	54.0	40.36	AV	345.00	150	Vertical	N/A
3	5187.000	50.20	-2.44	74.0	-23.80	Peak	62.00	150	Vertical	Pass
3**	5187.000	42.41	-2.44	54.0	-11.59	AV	62.00	150	Vertical	Pass
4	7836.000	53.03	2.14	74.0	-20.97	Peak	360.00	150	Vertical	Pass
4**	7836.000	44.10	2.14	54.0	-9.90	AV	360.00	150	Vertical	Pass
5	11218.125	49.00	-4.12	74.0	-25.00	Peak	145.00	150	Vertical	Pass
5**	11218.125	40.96	-4.12	54.0	-13.04	AV	145.00	150	Vertical	Pass
6	16905.114	53.99	1.43	74.0	-20.01	Peak	63.00	150	Vertical	Pass
6**	16905.114	44.43	1.43	54.0	-9.57	AV	63.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.89	-17.72	74.0	-32.11	Peak	241.00	150	Horizontal	Pass
1**	1599.700	34.32	-17.72	54.0	-19.68	AV	241.00	150	Horizontal	Pass
2	2435.600	100.92	-12.11	74.0	26.92	Peak	310.00	150	Horizontal	N/A
2**	2435.600	97.91	-12.11	54.0	43.91	AV	310.00	150	Horizontal	N/A
3	5270.500	50.66	-3.28	74.0	-23.34	Peak	256.00	150	Horizontal	Pass
3**	5270.500	41.17	-3.28	54.0	-12.83	AV	256.00	150	Horizontal	Pass
4	7831.000	53.28	2.03	74.0	-20.72	Peak	133.00	150	Horizontal	Pass
4**	7831.000	44.70	2.03	54.0	-9.30	AV	133.00	150	Horizontal	Pass
5	10717.712	49.14	-4.84	74.0	-24.86	Peak	273.00	150	Horizontal	Pass
5**	10717.712	40.12	-4.84	54.0	-13.88	AV	273.00	150	Horizontal	Pass
6	17262.375	54.39	1.95	74.0	-19.61	Peak	193.00	150	Horizontal	Pass
6**	17262.375	43.91	1.95	54.0	-10.09	AV	193.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	45.79	-17.23	74.0	-28.21	Peak	350.00	150	Vertical	Pass
1**	1826.600	33.40	-17.23	54.0	-20.60	AV	350.00	150	Vertical	Pass
2	2435.700	95.43	-12.12	74.0	21.43	Peak	199.00	150	Vertical	N/A
2**	2435.700	92.36	-12.12	54.0	38.36	AV	199.00	150	Vertical	N/A
3	5318.250	51.83	-3.48	74.0	-22.17	Peak	212.00	150	Vertical	Pass
3**	5318.250	40.90	-3.48	54.0	-13.10	AV	212.00	150	Vertical	Pass
4	7856.500	53.48	1.13	74.0	-20.52	Peak	38.00	150	Vertical	Pass
4**	7856.500	44.49	1.13	54.0	-9.51	AV	38.00	150	Vertical	Pass
5	10322.750	49.33	-4.75	74.0	-24.67	Peak	86.00	150	Vertical	Pass
5**	10322.750	39.65	-4.75	54.0	-14.35	AV	86.00	150	Vertical	Pass
6	17297.287	53.97	2.01	74.0	-20.03	Peak	188.00	150	Vertical	Pass
6**	17297.287	44.23	2.01	54.0	-9.77	AV	188.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.700	42.05	-17.42	74.0	-31.95	Peak	310.00	150	Horizontal	Pass
1**	1613.700	32.36	-17.42	54.0	-21.64	AV	310.00	150	Horizontal	Pass
2	2460.800	101.10	-12.61	74.0	27.10	Peak	247.00	150	Horizontal	N/A
2**	2460.800	98.18	-12.61	54.0	44.18	AV	247.00	150	Horizontal	N/A
3	5246.500	50.48	-3.72	74.0	-23.52	Peak	28.00	150	Horizontal	Pass
3**	5246.500	41.38	-3.72	54.0	-12.62	AV	28.00	150	Horizontal	Pass
4	7271.250	53.41	-0.43	74.0	-20.59	Peak	28.00	150	Horizontal	Pass
4**	7271.250	42.39	-0.43	54.0	-11.61	AV	28.00	150	Horizontal	Pass
5	10328.925	49.12	-4.70	74.0	-24.88	Peak	60.00	150	Horizontal	Pass
5**	10328.925	39.70	-4.70	54.0	-14.30	AV	60.00	150	Horizontal	Pass
6	17083.875	53.57	1.18	74.0	-20.43	Peak	201.00	150	Horizontal	Pass
6**	17083.875	43.49	1.18	54.0	-10.51	AV	201.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	44.66	-17.45	74.0	-29.34	Peak	183.00	150	Vertical	Pass
1**	1331.200	36.28	-17.45	54.0	-17.72	AV	183.00	150	Vertical	Pass
2	2460.600	95.65	-12.62	74.0	21.65	Peak	224.00	150	Vertical	N/A
2**	2460.600	92.62	-12.62	54.0	38.62	AV	224.00	150	Vertical	N/A
3	5209.000	50.90	-3.29	74.0	-23.10	Peak	261.00	150	Vertical	Pass
3**	5209.000	40.83	-3.29	54.0	-13.17	AV	261.00	150	Vertical	Pass
4	7846.750	53.43	1.17	74.0	-20.57	Peak	111.00	150	Vertical	Pass
4**	7846.750	43.79	1.17	54.0	-10.21	AV	111.00	150	Vertical	Pass
5	10231.075	49.59	-4.58	74.0	-24.41	Peak	329.00	150	Vertical	Pass
5**	10231.075	39.98	-4.58	54.0	-14.02	AV	329.00	150	Vertical	Pass
6	15946.463	52.48	-0.30	74.0	-21.52	Peak	189.00	150	Vertical	Pass
6**	15946.463	42.79	-0.30	54.0	-11.21	AV	189.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.88	-17.78	74.0	-32.12	Peak	225.00	150	Horizontal	Pass
1**	1600.200	35.13	-17.78	54.0	-18.87	AV	225.00	150	Horizontal	Pass
2	2413.400	102.08	-13.42	74.0	28.08	Peak	0.00	150	Horizontal	N/A
2**	2413.400	94.53	-13.42	54.0	40.53	AV	0.00	150	Horizontal	N/A
3	4502.750	48.94	-4.45	74.0	-25.06	Peak	46.00	150	Horizontal	Pass
3**	4502.750	39.39	-4.45	54.0	-14.61	AV	46.00	150	Horizontal	Pass
4	7869.500	53.68	1.88	74.0	-20.32	Peak	323.00	150	Horizontal	Pass
4**	7869.500	43.51	1.88	54.0	-10.49	AV	323.00	150	Horizontal	Pass
5	10905.575	49.04	-4.92	74.0	-24.96	Peak	360.00	150	Horizontal	Pass
5**	10905.575	38.56	-4.92	54.0	-15.44	AV	360.00	150	Horizontal	Pass
6	16814.026	53.46	0.61	74.0	-20.54	Peak	361.00	150	Horizontal	Pass
6**	16814.026	43.97	0.61	54.0	-10.03	AV	361.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.100	45.54	-17.18	74.0	-28.46	Peak	345.00	150	Vertical	Pass
1**	1831.100	33.05	-17.18	54.0	-20.95	AV	345.00	150	Vertical	Pass
2	2415.000	98.61	-13.37	74.0	24.61	Peak	345.00	150	Vertical	N/A
2**	2415.000	90.15	-13.37	54.0	36.15	AV	345.00	150	Vertical	N/A
3	5319.000	52.52	-3.55	74.0	-21.48	Peak	215.00	150	Vertical	Pass
3**	5319.000	41.27	-3.55	54.0	-12.73	AV	215.00	150	Vertical	Pass
4	7818.500	53.24	1.79	74.0	-20.76	Peak	11.00	150	Vertical	Pass
4**	7818.500	44.17	1.79	54.0	-9.83	AV	11.00	150	Vertical	Pass
5	10876.125	48.93	-4.78	74.0	-25.07	Peak	49.00	150	Vertical	Pass
5**	10876.125	39.07	-4.78	54.0	-14.93	AV	49.00	150	Vertical	Pass
6	16895.926	54.33	1.48	74.0	-19.67	Peak	51.00	150	Vertical	Pass
6**	16895.926	44.51	1.48	54.0	-9.49	AV	51.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.200	42.41	-17.47	74.0	-31.59	Peak	291.00	150	Horizontal	Pass
1**	1576.200	32.26	-17.47	54.0	-21.74	AV	291.00	150	Horizontal	Pass
2	2442.100	102.30	-12.30	74.0	28.30	Peak	334.00	150	Horizontal	N/A
2**	2442.100	94.60	-12.30	54.0	40.60	AV	334.00	150	Horizontal	N/A
3	5182.750	50.48	-2.08	74.0	-23.52	Peak	21.00	150	Horizontal	Pass
3**	5182.750	41.80	-2.08	54.0	-12.20	AV	21.00	150	Horizontal	Pass
4	7136.000	53.06	0.93	74.0	-20.94	Peak	298.00	150	Horizontal	Pass
4**	7136.000	43.92	0.93	54.0	-10.08	AV	298.00	150	Horizontal	Pass
5	11192.475	49.94	-4.10	74.0	-24.06	Peak	150.00	150	Horizontal	Pass
5**	11192.475	40.19	-4.10	54.0	-13.81	AV	150.00	150	Horizontal	Pass
6	17625.938	54.70	3.08	74.0	-19.30	Peak	-1.00	150	Horizontal	Pass
6**	17625.938	44.33	3.08	54.0	-9.67	AV	-1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.000	45.55	-17.18	74.0	-28.45	Peak	337.00	150	Vertical	Pass
1**	1829.000	35.44	-17.18	54.0	-18.56	AV	337.00	150	Vertical	Pass
2	2442.900	96.62	-12.41	74.0	22.62	Peak	345.00	150	Vertical	N/A
2**	2442.900	89.33	-12.41	54.0	35.33	AV	345.00	150	Vertical	N/A
3	5224.750	50.52	-3.59	74.0	-23.48	Peak	109.00	150	Vertical	Pass
3**	5224.750	40.61	-3.59	54.0	-13.39	AV	109.00	150	Vertical	Pass
4	7876.000	53.30	2.14	74.0	-20.70	Peak	100.00	150	Vertical	Pass
4**	7876.000	43.93	2.14	54.0	-10.07	AV	100.00	150	Vertical	Pass
5	11225.012	49.52	-4.14	74.0	-24.48	Peak	297.00	150	Vertical	Pass
5**	11225.012	40.19	-4.14	54.0	-13.81	AV	297.00	150	Vertical	Pass
6	16893.038	53.72	1.46	74.0	-20.28	Peak	118.00	150	Vertical	Pass
6**	16893.038	44.39	1.46	54.0	-9.61	AV	118.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.100	41.71	-17.59	74.0	-32.29	Peak	281.00	150	Horizontal	Pass
1**	1572.100	32.64	-17.59	54.0	-21.36	AV	281.00	150	Horizontal	Pass
2	2457.300	101.76	-12.66	74.0	27.76	Peak	0.00	150	Horizontal	N/A
2**	2457.300	95.01	-12.66	54.0	41.01	AV	0.00	150	Horizontal	N/A
3	5239.750	50.94	-3.22	74.0	-23.06	Peak	4.00	150	Horizontal	Pass
3**	5239.750	41.49	-3.22	54.0	-12.51	AV	4.00	150	Horizontal	Pass
4	7847.250	54.24	1.09	74.0	-19.76	Peak	134.00	150	Horizontal	Pass
4**	7847.250	44.90	1.09	54.0	-9.10	AV	134.00	150	Horizontal	Pass
5	11800.713	50.41	-3.53	74.0	-23.59	Peak	331.00	150	Horizontal	Pass
5**	11800.713	40.75	-3.53	54.0	-13.25	AV	331.00	150	Horizontal	Pass
6	16521.600	53.87	0.01	74.0	-20.13	Peak	300.00	150	Horizontal	Pass
6**	16521.600	44.02	0.01	54.0	-9.98	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.200	46.12	-17.19	74.0	-27.88	Peak	197.00	150	Vertical	Pass
1**	1828.200	32.76	-17.19	54.0	-21.24	AV	197.00	150	Vertical	Pass
2	2458.100	95.41	-12.66	74.0	21.41	Peak	342.00	150	Vertical	N/A
2**	2458.100	87.29	-12.66	54.0	33.29	AV	342.00	150	Vertical	N/A
3	5182.500	51.72	-2.10	74.0	-22.28	Peak	38.00	150	Vertical	Pass
3**	5182.500	42.08	-2.10	54.0	-11.92	AV	38.00	150	Vertical	Pass
4	7830.500	53.75	1.98	74.0	-20.25	Peak	70.00	150	Vertical	Pass
4**	7830.500	44.55	1.98	54.0	-9.45	AV	70.00	150	Vertical	Pass
5	11816.388	49.77	-3.43	74.0	-24.23	Peak	49.00	150	Vertical	Pass
5**	11816.388	39.98	-3.43	54.0	-14.02	AV	49.00	150	Vertical	Pass
6	17043.449	54.08	0.87	74.0	-19.92	Peak	67.00	150	Vertical	Pass
6**	17043.449	44.06	0.87	54.0	-9.94	AV	67.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	42.01	-17.70	74.0	-31.99	Peak	337.00	150	Horizontal	Pass
1**	1599.500	32.94	-17.70	54.0	-21.06	AV	337.00	150	Horizontal	Pass
2	2414.100	102.75	-13.42	74.0	28.75	Peak	355.00	150	Horizontal	N/A
2**	2414.100	95.28	-13.42	54.0	41.28	AV	355.00	150	Horizontal	N/A
3	5306.250	50.96	-3.33	74.0	-23.04	Peak	168.00	150	Horizontal	Pass
3**	5306.250	42.08	-3.33	54.0	-11.92	AV	168.00	150	Horizontal	Pass
4	7831.500	53.63	2.10	74.0	-20.37	Peak	210.00	150	Horizontal	Pass
4**	7831.500	44.65	2.10	54.0	-9.35	AV	210.00	150	Horizontal	Pass
5	10976.113	49.13	-4.83	74.0	-24.87	Peak	265.00	150	Horizontal	Pass
5**	10976.113	39.59	-4.83	54.0	-14.41	AV	265.00	150	Horizontal	Pass
6	16840.275	54.25	0.95	74.0	-19.75	Peak	228.00	150	Horizontal	Pass
6**	16840.275	45.03	0.95	54.0	-8.97	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1899.300	45.71	-15.77	74.0	-28.29	Peak	344.00	150	Vertical	Pass
1**	1899.300	34.17	-15.77	54.0	-19.83	AV	344.00	150	Vertical	Pass
2	2414.100	97.92	-13.42	74.0	23.92	Peak	16.00	150	Vertical	N/A
2**	2414.100	90.06	-13.42	54.0	36.06	AV	16.00	150	Vertical	N/A
3	5330.000	50.82	-3.67	74.0	-23.18	Peak	239.00	150	Vertical	Pass
3**	5330.000	42.00	-3.67	54.0	-12.00	AV	239.00	150	Vertical	Pass
4	7861.750	54.58	1.34	74.0	-19.42	Peak	360.00	150	Vertical	Pass
4**	7861.750	44.11	1.34	54.0	-9.89	AV	360.00	150	Vertical	Pass
5	10828.387	49.52	-4.95	74.0	-24.48	Peak	83.00	150	Vertical	Pass
5**	10828.387	39.93	-4.95	54.0	-14.07	AV	83.00	150	Vertical	Pass
6	16828.988	53.96	0.81	74.0	-20.04	Peak	234.00	150	Vertical	Pass
6**	16828.988	44.14	0.81	54.0	-9.86	AV	234.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	42.00	-17.77	74.0	-32.00	Peak	163.00	150	Horizontal	Pass
1**	1600.500	35.29	-17.77	54.0	-18.71	AV	163.00	150	Horizontal	Pass
2	2441.600	101.76	-12.26	74.0	27.76	Peak	313.00	150	Horizontal	N/A
2**	2441.600	94.12	-12.26	54.0	40.12	AV	313.00	150	Horizontal	N/A
3	5186.000	50.87	-2.39	74.0	-23.13	Peak	207.00	150	Horizontal	Pass
3**	5186.000	41.63	-2.39	54.0	-12.37	AV	207.00	150	Horizontal	Pass
4	7867.000	53.52	1.53	74.0	-20.48	Peak	320.00	150	Horizontal	Pass
4**	7867.000	44.48	1.53	54.0	-9.52	AV	320.00	150	Horizontal	Pass
5	10679.238	49.19	-4.79	74.0	-24.81	Peak	285.00	150	Horizontal	Pass
5**	10679.238	39.89	-4.79	54.0	-14.11	AV	285.00	150	Horizontal	Pass
6	17474.738	54.89	3.09	74.0	-19.11	Peak	160.00	150	Horizontal	Pass
6**	17474.738	44.03	3.09	54.0	-9.97	AV	160.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.500	46.76	-17.16	74.0	-27.24	Peak	350.00	150	Vertical	Pass
1**	1832.500	37.77	-17.16	54.0	-16.23	AV	350.00	150	Vertical	Pass
2	2444.300	96.71	-12.54	74.0	22.71	Peak	231.00	150	Vertical	N/A
2**	2444.300	89.66	-12.54	54.0	35.66	AV	231.00	150	Vertical	N/A
3	5181.750	51.04	-2.14	74.0	-22.96	Peak	205.00	150	Vertical	Pass
3**	5181.750	41.53	-2.14	54.0	-12.47	AV	205.00	150	Vertical	Pass
4	7838.250	54.83	2.02	74.0	-19.17	Peak	335.00	150	Vertical	Pass
4**	7838.250	44.97	2.02	54.0	-9.03	AV	335.00	150	Vertical	Pass
5	11219.787	49.75	-4.12	74.0	-24.25	Peak	211.00	150	Vertical	Pass
5**	11219.787	39.66	-4.12	54.0	-14.34	AV	211.00	150	Vertical	Pass
6	16904.324	54.04	1.45	74.0	-19.96	Peak	51.00	150	Vertical	Pass
6**	16904.324	44.05	1.45	54.0	-9.95	AV	51.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.67	-17.75	74.0	-32.33	Peak	279.00	150	Horizontal	Pass
1**	1599.900	35.36	-17.75	54.0	-18.64	AV	279.00	150	Horizontal	Pass
2	2455.400	103.15	-12.95	74.0	29.15	Peak	312.00	150	Horizontal	N/A
2**	2455.400	95.96	-12.95	54.0	41.96	AV	312.00	150	Horizontal	N/A
3	5223.750	50.66	-3.53	74.0	-23.34	Peak	264.00	150	Horizontal	Pass
3**	5223.750	42.00	-3.53	54.0	-12.00	AV	264.00	150	Horizontal	Pass
4	7845.750	54.33	1.33	74.0	-19.67	Peak	282.00	150	Horizontal	Pass
4**	7845.750	44.65	1.33	54.0	-9.35	AV	282.00	150	Horizontal	Pass
5	10719.849	49.27	-4.84	74.0	-24.73	Peak	280.00	150	Horizontal	Pass
5**	10719.849	39.54	-4.84	54.0	-14.46	AV	280.00	150	Horizontal	Pass
6	17323.536	54.44	1.95	74.0	-19.56	Peak	176.00	150	Horizontal	Pass
6**	17323.536	44.51	1.95	54.0	-9.49	AV	176.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.100	46.19	-17.25	74.0	-27.81	Peak	349.00	150	Vertical	Pass
1**	1826.100	34.58	-17.25	54.0	-19.42	AV	349.00	150	Vertical	Pass
2	2455.100	95.43	-13.02	74.0	21.43	Peak	254.00	150	Vertical	N/A
2**	2455.100	88.10	-13.02	54.0	34.10	AV	254.00	150	Vertical	N/A
3	5325.750	50.42	-3.33	74.0	-23.58	Peak	305.00	150	Vertical	Pass
3**	5325.750	41.44	-3.33	54.0	-12.56	AV	305.00	150	Vertical	Pass
4	7828.000	54.42	1.87	74.0	-19.58	Peak	242.00	150	Vertical	Pass
4**	7828.000	43.84	1.87	54.0	-10.16	AV	242.00	150	Vertical	Pass
5	11170.388	50.21	-4.27	74.0	-23.79	Peak	6.00	150	Vertical	Pass
5**	11170.388	39.45	-4.27	54.0	-14.55	AV	6.00	150	Vertical	Pass
6	16830.301	53.31	0.82	74.0	-20.69	Peak	9.00	150	Vertical	Pass
6**	16830.301	44.97	0.82	54.0	-9.03	AV	9.00	150	Vertical	Pass