

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.78	-17.71	74.0	-32.22	Peak	146.00	150	Horizontal	Pass
1**	1599.600	34.26	-17.71	54.0	-19.74	AV	146.00	150	Horizontal	Pass
2	2420.400	99.57	-13.06	74.0	25.57	Peak	313.00	150	Horizontal	N/A
2**	2420.400	92.26	-13.06	54.0	38.26	AV	313.00	150	Horizontal	N/A
3	5184.250	50.99	-2.24	74.0	-23.01	Peak	158.00	150	Horizontal	Pass
3**	5184.250	41.85	-2.24	54.0	-12.15	AV	158.00	150	Horizontal	Pass
4	7455.250	53.85	1.16	74.0	-20.15	Peak	174.00	150	Horizontal	Pass
4**	7455.250	44.64	1.16	54.0	-9.36	AV	174.00	150	Horizontal	Pass
5	10571.412	49.66	-4.39	74.0	-24.34	Peak	280.00	150	Horizontal	Pass
5**	10571.412	40.35	-4.39	54.0	-13.65	AV	280.00	150	Horizontal	Pass
6	16418.699	53.31	0.20	74.0	-20.69	Peak	268.00	150	Horizontal	Pass
6**	16418.699	43.95	0.20	54.0	-10.05	AV	268.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.600	45.20	-17.15	74.0	-28.80	Peak	344.00	150	Vertical	Pass
1**	1832.600	35.56	-17.15	54.0	-18.44	AV	344.00	150	Vertical	Pass
2	2416.800	94.22	-13.22	74.0	20.22	Peak	349.00	150	Vertical	N/A
2**	2416.800	87.12	-13.22	54.0	33.12	AV	349.00	150	Vertical	N/A
3	5321.750	51.18	-3.36	74.0	-22.82	Peak	355.00	150	Vertical	Pass
3**	5321.750	43.08	-3.36	54.0	-10.92	AV	355.00	150	Vertical	Pass
4	7842.250	53.25	1.62	74.0	-20.75	Peak	301.00	150	Vertical	Pass
4**	7842.250	44.23	1.62	54.0	-9.77	AV	301.00	150	Vertical	Pass
5	10804.638	49.34	-5.31	74.0	-24.66	Peak	236.00	150	Vertical	Pass
5**	10804.638	39.17	-5.31	54.0	-14.83	AV	236.00	150	Vertical	Pass
6	16903.801	54.27	1.45	74.0	-19.73	Peak	36.00	150	Vertical	Pass
6**	16903.801	45.10	1.45	54.0	-8.90	AV	36.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	41.58	-17.77	74.0	-32.42	Peak	43.00	150	Horizontal	Pass
1**	1600.500	34.60	-17.77	54.0	-19.40	AV	43.00	150	Horizontal	Pass
2	2446.700	101.32	-12.73	74.0	27.32	Peak	308.00	150	Horizontal	N/A
2**	2446.700	92.84	-12.73	54.0	38.84	AV	308.00	150	Horizontal	N/A
3	5223.000	50.31	-3.48	74.0	-23.69	Peak	171.00	150	Horizontal	Pass
3**	5223.000	41.33	-3.48	54.0	-12.67	AV	171.00	150	Horizontal	Pass
4	7461.250	53.43	1.13	74.0	-20.57	Peak	31.00	150	Horizontal	Pass
4**	7461.250	43.95	1.13	54.0	-10.05	AV	31.00	150	Horizontal	Pass
5	10180.725	49.05	-5.17	74.0	-24.95	Peak	52.00	150	Horizontal	Pass
5**	10180.725	39.66	-5.17	54.0	-14.34	AV	52.00	150	Horizontal	Pass
6	16782.788	53.70	0.43	74.0	-20.30	Peak	238.00	150	Horizontal	Pass
6**	16782.788	43.64	0.43	54.0	-10.36	AV	238.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.800	46.55	-17.20	74.0	-27.45	Peak	332.00	150	Vertical	Pass
1**	1831.800	35.66	-17.20	54.0	-18.34	AV	332.00	150	Vertical	Pass
2	2444.800	95.10	-12.56	74.0	21.10	Peak	231.00	150	Vertical	N/A
2**	2444.800	86.53	-12.56	54.0	32.53	AV	231.00	150	Vertical	N/A
3	5191.750	51.03	-2.73	74.0	-22.97	Peak	153.00	150	Vertical	Pass
3**	5191.750	41.76	-2.73	54.0	-12.24	AV	153.00	150	Vertical	Pass
4	7819.500	53.29	1.92	74.0	-20.71	Peak	232.00	150	Vertical	Pass
4**	7819.500	44.93	1.92	54.0	-9.07	AV	232.00	150	Vertical	Pass
5	11804.750	49.88	-3.50	74.0	-24.12	Peak	18.00	150	Vertical	Pass
5**	11804.750	40.74	-3.50	54.0	-13.26	AV	18.00	150	Vertical	Pass
6	16884.375	53.73	1.38	74.0	-20.27	Peak	312.00	150	Vertical	Pass
6**	16884.375	44.22	1.38	54.0	-9.78	AV	312.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.64	-17.76	74.0	-32.36	Peak	236.00	150	Horizontal	Pass
1**	1600.000	35.63	-17.76	54.0	-18.37	AV	236.00	150	Horizontal	Pass
2	2450.400	99.82	-12.73	74.0	25.82	Peak	339.00	150	Horizontal	N/A
2**	2450.400	92.70	-12.73	54.0	38.70	AV	339.00	150	Horizontal	N/A
3	5181.500	51.34	-2.15	74.0	-22.66	Peak	180.00	150	Horizontal	Pass
3**	5181.500	41.84	-2.15	54.0	-12.16	AV	180.00	150	Horizontal	Pass
4	7851.750	53.37	0.98	74.0	-20.63	Peak	87.00	150	Horizontal	Pass
4**	7851.750	44.13	0.98	54.0	-9.87	AV	87.00	150	Horizontal	Pass
5	10624.850	50.32	-4.46	74.0	-23.68	Peak	169.00	150	Horizontal	Pass
5**	10624.850	39.32	-4.46	54.0	-14.68	AV	169.00	150	Horizontal	Pass
6	17291.776	53.84	2.00	74.0	-20.16	Peak	238.00	150	Horizontal	Pass
6**	17291.776	44.43	2.00	54.0	-9.57	AV	238.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.500	44.73	-17.18	74.0	-29.27	Peak	360.00	150	Vertical	Pass
1**	1828.500	34.22	-17.18	54.0	-19.78	AV	360.00	150	Vertical	Pass
2	2448.100	94.99	-12.97	74.0	20.99	Peak	253.00	150	Vertical	N/A
2**	2448.100	87.51	-12.97	54.0	33.51	AV	253.00	150	Vertical	N/A
3	5314.500	51.05	-3.60	74.0	-22.95	Peak	222.00	150	Vertical	Pass
3**	5314.500	42.96	-3.60	54.0	-11.04	AV	222.00	150	Vertical	Pass
4	7834.000	53.78	2.24	74.0	-20.22	Peak	127.00	150	Vertical	Pass
4**	7834.000	45.16	2.24	54.0	-8.84	AV	127.00	150	Vertical	Pass
5	11768.412	50.57	-3.81	74.0	-23.43	Peak	352.00	150	Vertical	Pass
5**	11768.412	40.15	-3.81	54.0	-13.85	AV	352.00	150	Vertical	Pass
6	17264.212	54.11	1.95	74.0	-19.89	Peak	244.00	150	Vertical	Pass
6**	17264.212	44.34	1.95	54.0	-9.66	AV	244.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	42.42	-17.34	74.0	-31.58	Peak	0.00	150	Horizontal	Pass
1**	1330.200	32.13	-17.34	54.0	-21.87	AV	0.00	150	Horizontal	Pass
2	2416.200	102.88	-13.32	74.0	28.88	Peak	308.00	150	Horizontal	N/A
2**	2416.200	95.68	-13.32	54.0	41.68	AV	308.00	150	Horizontal	N/A
3	5358.250	51.41	-3.13	74.0	-22.59	Peak	269.00	150	Horizontal	Pass
3**	5358.250	41.53	-3.13	54.0	-12.47	AV	269.00	150	Horizontal	Pass
4	7835.500	53.63	2.16	74.0	-20.37	Peak	321.00	150	Horizontal	Pass
4**	7835.500	44.55	2.16	54.0	-9.45	AV	321.00	150	Horizontal	Pass
5	11212.188	49.06	-4.09	74.0	-24.94	Peak	218.00	150	Horizontal	Pass
5**	11212.188	40.74	-4.09	54.0	-13.26	AV	218.00	150	Horizontal	Pass
6	16382.737	54.09	0.12	74.0	-19.91	Peak	176.00	150	Horizontal	Pass
6**	16382.737	43.78	0.12	54.0	-10.22	AV	176.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1795.100	47.09	-17.20	74.0	-26.91	Peak	25.00	150	Vertical	Pass
1**	1795.100	33.01	-17.20	54.0	-20.99	AV	25.00	150	Vertical	Pass
2	2415.800	97.58	-13.34	74.0	23.58	Peak	344.00	150	Vertical	N/A
2**	2415.800	89.43	-13.34	54.0	35.43	AV	344.00	150	Vertical	N/A
3	5325.500	51.29	-3.32	74.0	-22.71	Peak	12.00	150	Vertical	Pass
3**	5325.500	42.91	-3.32	54.0	-11.09	AV	12.00	150	Vertical	Pass
4	7822.000	53.33	1.59	74.0	-20.67	Peak	4.00	150	Vertical	Pass
4**	7822.000	44.33	1.59	54.0	-9.67	AV	4.00	150	Vertical	Pass
5	10317.525	48.91	-4.79	74.0	-25.09	Peak	189.00	150	Vertical	Pass
5**	10317.525	38.20	-4.79	54.0	-15.80	AV	189.00	150	Vertical	Pass
6	17376.823	53.84	2.35	74.0	-20.16	Peak	344.00	150	Vertical	Pass
6**	17376.823	43.49	2.35	54.0	-10.51	AV	344.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1709.400	42.72	-17.37	74.0	-31.28	Peak	290.00	150	Horizontal	Pass
1**	1709.400	32.96	-17.37	54.0	-21.04	AV	290.00	150	Horizontal	Pass
2	2440.100	101.31	-12.37	74.0	27.31	Peak	310.00	150	Horizontal	N/A
2**	2440.100	93.75	-12.37	54.0	39.75	AV	310.00	150	Horizontal	N/A
3	5175.000	50.43	-2.58	74.0	-23.57	Peak	175.00	150	Horizontal	Pass
3**	5175.000	41.10	-2.58	54.0	-12.90	AV	175.00	150	Horizontal	Pass
4	7841.000	53.31	1.76	74.0	-20.69	Peak	62.00	150	Horizontal	Pass
4**	7841.000	44.50	1.76	54.0	-9.50	AV	62.00	150	Horizontal	Pass
5	11208.625	49.81	-4.08	74.0	-24.19	Peak	71.00	150	Horizontal	Pass
5**	11208.625	40.34	-4.08	54.0	-13.66	AV	71.00	150	Horizontal	Pass
6	16811.662	53.90	0.58	74.0	-20.10	Peak	356.00	150	Horizontal	Pass
6**	16811.662	43.70	0.58	54.0	-10.30	AV	356.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.800	46.56	-17.34	74.0	-27.44	Peak	1.00	150	Vertical	Pass
1**	1797.800	32.02	-17.34	54.0	-21.98	AV	1.00	150	Vertical	Pass
2	2440.500	96.24	-12.34	74.0	22.24	Peak	345.00	150	Vertical	N/A
2**	2440.500	88.35	-12.34	54.0	34.35	AV	345.00	150	Vertical	N/A
3	5320.250	50.74	-3.45	74.0	-23.26	Peak	360.00	150	Vertical	Pass
3**	5320.250	41.31	-3.45	54.0	-12.69	AV	360.00	150	Vertical	Pass
4	7833.000	53.48	2.28	74.0	-20.52	Peak	357.00	150	Vertical	Pass
4**	7833.000	44.78	2.28	54.0	-9.22	AV	357.00	150	Vertical	Pass
5	11209.338	49.11	-4.08	74.0	-24.89	Peak	253.00	150	Vertical	Pass
5**	11209.338	40.42	-4.08	54.0	-13.58	AV	253.00	150	Vertical	Pass
6	17640.114	54.08	2.96	74.0	-19.92	Peak	103.00	150	Vertical	Pass
6**	17640.114	45.66	2.96	54.0	-8.34	AV	103.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.54	-17.77	74.0	-32.46	Peak	197.00	150	Horizontal	Pass
1**	1600.100	35.70	-17.77	54.0	-18.30	AV	197.00	150	Horizontal	Pass
2	2456.300	101.91	-12.74	74.0	27.91	Peak	1.00	150	Horizontal	N/A
2**	2456.300	94.61	-12.74	54.0	40.61	AV	1.00	150	Horizontal	N/A
3	5329.250	50.07	-3.60	74.0	-23.93	Peak	207.00	150	Horizontal	Pass
3**	5329.250	41.63	-3.60	54.0	-12.37	AV	207.00	150	Horizontal	Pass
4	7838.000	53.25	2.03	74.0	-20.75	Peak	146.00	150	Horizontal	Pass
4**	7838.000	44.26	2.03	54.0	-9.74	AV	146.00	150	Horizontal	Pass
5	11798.813	49.76	-3.55	74.0	-24.24	Peak	1.00	150	Horizontal	Pass
5**	11798.813	39.79	-3.55	54.0	-14.21	AV	1.00	150	Horizontal	Pass
6	16704.824	53.65	0.44	74.0	-20.35	Peak	37.00	150	Horizontal	Pass
6**	16704.824	43.60	0.44	54.0	-10.40	AV	37.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.100	46.70	-17.18	74.0	-27.30	Peak	332.00	150	Vertical	Pass
1**	1831.100	36.07	-17.18	54.0	-17.93	AV	332.00	150	Vertical	Pass
2	2464.400	95.73	-12.72	74.0	21.73	Peak	345.00	150	Vertical	N/A
2**	2464.400	87.15	-12.72	54.0	33.15	AV	345.00	150	Vertical	N/A
3	5181.500	51.10	-2.15	74.0	-22.90	Peak	289.00	150	Vertical	Pass
3**	5181.500	42.31	-2.15	54.0	-11.69	AV	289.00	150	Vertical	Pass
4	7844.500	53.46	1.43	74.0	-20.54	Peak	21.00	150	Vertical	Pass
4**	7844.500	44.27	1.43	54.0	-9.73	AV	21.00	150	Vertical	Pass
5	11202.688	49.75	-4.06	74.0	-24.25	Peak	57.00	150	Vertical	Pass
5**	11202.688	40.47	-4.06	54.0	-13.53	AV	57.00	150	Vertical	Pass
6	17071.012	53.36	1.08	74.0	-20.64	Peak	71.00	150	Vertical	Pass
6**	17071.012	43.48	1.08	54.0	-10.52	AV	71.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	42.36	-17.29	74.0	-31.64	Peak	236.00	150	Horizontal	Pass
1**	1499.400	32.47	-17.29	54.0	-21.53	AV	236.00	150	Horizontal	Pass
2	2416.700	100.09	-13.24	74.0	26.09	Peak	249.00	150	Horizontal	N/A
2**	2416.700	92.24	-13.24	54.0	38.24	AV	249.00	150	Horizontal	N/A
3	5196.500	50.13	-3.21	74.0	-23.87	Peak	67.00	150	Horizontal	Pass
3**	5196.500	41.65	-3.21	54.0	-12.35	AV	67.00	150	Horizontal	Pass
4	7504.750	53.05	-0.26	74.0	-20.95	Peak	129.00	150	Horizontal	Pass
4**	7504.750	44.04	-0.26	54.0	-9.96	AV	129.00	150	Horizontal	Pass
5	10471.425	48.94	-4.53	74.0	-25.06	Peak	253.00	150	Horizontal	Pass
5**	10471.425	39.22	-4.53	54.0	-14.78	AV	253.00	150	Horizontal	Pass
6	16914.037	53.73	1.28	74.0	-20.27	Peak	288.00	150	Horizontal	Pass
6**	16914.037	44.83	1.28	54.0	-9.17	AV	288.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.200	45.61	-17.17	74.0	-28.39	Peak	349.00	150	Vertical	Pass
1**	1829.200	34.26	-17.17	54.0	-19.74	AV	349.00	150	Vertical	Pass
2	2415.600	94.80	-13.35	74.0	20.80	Peak	349.00	150	Vertical	N/A
2**	2415.600	86.80	-13.35	54.0	32.80	AV	349.00	150	Vertical	N/A
3	4492.500	48.96	-4.22	74.0	-25.04	Peak	4.00	150	Vertical	Pass
3**	4492.500	38.41	-4.22	54.0	-15.59	AV	4.00	150	Vertical	Pass
4	7461.750	53.20	1.11	74.0	-20.80	Peak	75.00	150	Vertical	Pass
4**	7461.750	44.21	1.11	54.0	-9.79	AV	75.00	150	Vertical	Pass
5	10194.500	49.12	-5.14	74.0	-24.88	Peak	140.00	150	Vertical	Pass
5**	10194.500	39.02	-5.14	54.0	-14.98	AV	140.00	150	Vertical	Pass
6	16336.538	53.22	-0.17	74.0	-20.78	Peak	296.00	150	Vertical	Pass
6**	16336.538	43.61	-0.17	54.0	-10.39	AV	296.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.700	41.80	-17.74	74.0	-32.20	Peak	323.00	150	Horizontal	Pass
1**	1590.700	31.58	-17.74	54.0	-22.42	AV	323.00	150	Horizontal	Pass
2	2447.300	100.90	-12.84	74.0	26.90	Peak	308.00	150	Horizontal	N/A
2**	2447.300	92.88	-12.84	54.0	38.88	AV	308.00	150	Horizontal	N/A
3	5215.250	51.08	-3.40	74.0	-22.92	Peak	23.00	150	Horizontal	Pass
3**	5215.250	40.80	-3.40	54.0	-13.20	AV	23.00	150	Horizontal	Pass
4	7668.250	53.00	0.22	74.0	-21.00	Peak	296.00	150	Horizontal	Pass
4**	7668.250	43.31	0.22	54.0	-10.69	AV	296.00	150	Horizontal	Pass
5	11785.987	50.17	-3.66	74.0	-23.83	Peak	339.00	150	Horizontal	Pass
5**	11785.987	40.39	-3.66	54.0	-13.61	AV	339.00	150	Horizontal	Pass
6	16813.238	53.68	0.60	74.0	-20.32	Peak	41.00	150	Horizontal	Pass
6**	16813.238	43.88	0.60	54.0	-10.12	AV	41.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.300	45.18	-17.19	74.0	-28.82	Peak	334.00	150	Vertical	Pass
1**	1831.300	36.53	-17.19	54.0	-17.47	AV	334.00	150	Vertical	Pass
2	2450.200	95.30	-12.72	74.0	21.30	Peak	231.00	150	Vertical	N/A
2**	2450.200	89.09	-12.72	54.0	35.09	AV	231.00	150	Vertical	N/A
3	5316.250	50.28	-3.37	74.0	-23.72	Peak	337.00	150	Vertical	Pass
3**	5316.250	41.40	-3.37	54.0	-12.60	AV	337.00	150	Vertical	Pass
4	7508.250	52.88	0.38	74.0	-21.12	Peak	126.00	150	Vertical	Pass
4**	7508.250	43.65	0.38	54.0	-10.35	AV	126.00	150	Vertical	Pass
5	10565.950	48.93	-4.44	74.0	-25.07	Peak	125.00	150	Vertical	Pass
5**	10565.950	39.66	-4.44	54.0	-14.34	AV	125.00	150	Vertical	Pass
6	16895.662	53.63	1.48	74.0	-20.37	Peak	361.00	150	Vertical	Pass
6**	16895.662	44.74	1.48	54.0	-9.26	AV	361.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.78	-17.77	74.0	-32.22	Peak	234.00	150	Horizontal	Pass
1**	1600.100	36.04	-17.77	54.0	-17.96	AV	234.00	150	Horizontal	Pass
2	2450.300	100.66	-12.73	74.0	26.66	Peak	357.00	150	Horizontal	N/A
2**	2450.300	92.51	-12.73	54.0	38.51	AV	357.00	150	Horizontal	N/A
3	4306.500	47.53	-4.17	74.0	-26.47	Peak	4.00	150	Horizontal	Pass
3**	4306.500	39.55	-4.17	54.0	-14.45	AV	4.00	150	Horizontal	Pass
4	7466.250	52.71	0.84	74.0	-21.29	Peak	234.00	150	Horizontal	Pass
4**	7466.250	44.00	0.84	54.0	-10.00	AV	234.00	150	Horizontal	Pass
5	10380.701	49.32	-4.65	74.0	-24.68	Peak	103.00	150	Horizontal	Pass
5**	10380.701	40.86	-4.65	54.0	-13.14	AV	103.00	150	Horizontal	Pass
6	16827.676	53.14	0.79	74.0	-20.86	Peak	240.00	150	Horizontal	Pass
6**	16827.676	44.23	0.79	54.0	-9.77	AV	240.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.600	45.68	-17.33	74.0	-28.32	Peak	357.00	150	Vertical	Pass
1**	1797.600	32.59	-17.33	54.0	-21.41	AV	357.00	150	Vertical	Pass
2	2448.100	95.62	-12.97	74.0	21.62	Peak	231.00	150	Vertical	N/A
2**	2448.100	88.26	-12.97	54.0	34.26	AV	231.00	150	Vertical	N/A
3	5265.500	50.55	-3.69	74.0	-23.45	Peak	257.00	150	Vertical	Pass
3**	5265.500	41.12	-3.69	54.0	-12.88	AV	257.00	150	Vertical	Pass
4	7838.500	53.46	2.01	74.0	-20.54	Peak	102.00	150	Vertical	Pass
4**	7838.500	44.76	2.01	54.0	-9.24	AV	102.00	150	Vertical	Pass
5	11209.338	49.65	-4.08	74.0	-24.35	Peak	160.00	150	Vertical	Pass
5**	11209.338	40.87	-4.08	54.0	-13.13	AV	160.00	150	Vertical	Pass
6	16669.912	53.49	0.24	74.0	-20.51	Peak	120.00	150	Vertical	Pass
6**	16669.912	42.80	0.24	54.0	-11.20	AV	120.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.80	-17.74	74.0	-32.20	Peak	360.00	150	Horizontal	Pass
1**	1599.800	34.88	-17.74	54.0	-19.12	AV	360.00	150	Horizontal	Pass
2	2417.000	104.65	-13.18	74.0	30.65	Peak	303.00	150	Horizontal	N/A
2**	2417.000	95.57	-13.18	54.0	41.57	AV	303.00	150	Horizontal	N/A
3	5345.250	50.62	-3.38	74.0	-23.38	Peak	94.00	150	Horizontal	Pass
3**	5345.250	40.97	-3.38	54.0	-13.03	AV	94.00	150	Horizontal	Pass
4	7836.250	53.18	2.12	74.0	-20.82	Peak	354.00	150	Horizontal	Pass
4**	7836.250	44.52	2.12	54.0	-9.48	AV	354.00	150	Horizontal	Pass
5	10684.225	49.39	-4.79	74.0	-24.61	Peak	160.00	150	Horizontal	Pass
5**	10684.225	39.58	-4.79	54.0	-14.42	AV	160.00	150	Horizontal	Pass
6	17327.739	54.01	1.94	74.0	-19.99	Peak	120.00	150	Horizontal	Pass
6**	17327.739	44.01	1.94	54.0	-9.99	AV	120.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.800	45.80	-17.20	74.0	-28.20	Peak	360.00	150	Vertical	Pass
1**	1794.800	32.36	-17.20	54.0	-21.64	AV	360.00	150	Vertical	Pass
2	2413.900	98.77	-13.42	74.0	24.77	Peak	227.00	150	Vertical	N/A
2**	2413.900	91.49	-13.42	54.0	37.49	AV	227.00	150	Vertical	N/A
3	5166.000	50.38	-2.99	74.0	-23.62	Peak	0.00	150	Vertical	Pass
3**	5166.000	40.68	-2.99	54.0	-13.32	AV	0.00	150	Vertical	Pass
4	7520.500	53.46	0.79	74.0	-20.54	Peak	0.00	150	Vertical	Pass
4**	7520.500	43.16	0.79	54.0	-10.84	AV	0.00	150	Vertical	Pass
5	11215.513	49.82	-4.11	74.0	-24.18	Peak	116.00	150	Vertical	Pass
5**	11215.513	41.44	-4.11	54.0	-12.56	AV	116.00	150	Vertical	Pass
6	16887.525	53.44	1.41	74.0	-20.56	Peak	186.00	150	Vertical	Pass
6**	16887.525	44.08	1.41	54.0	-9.92	AV	186.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.67	-17.71	74.0	-32.33	Peak	332.00	150	Horizontal	Pass
1**	1599.600	34.15	-17.71	54.0	-19.85	AV	332.00	150	Horizontal	Pass
2	2438.000	104.42	-12.39	74.0	30.42	Peak	310.00	150	Horizontal	N/A
2**	2438.000	94.41	-12.39	54.0	40.41	AV	310.00	150	Horizontal	N/A
3	5185.500	50.24	-2.36	74.0	-23.76	Peak	57.00	150	Horizontal	Pass
3**	5185.500	41.46	-2.36	54.0	-12.54	AV	57.00	150	Horizontal	Pass
4	7462.250	53.38	1.10	74.0	-20.62	Peak	73.00	150	Horizontal	Pass
4**	7462.250	44.07	1.10	54.0	-9.93	AV	73.00	150	Horizontal	Pass
5	11321.675	48.83	-4.21	74.0	-25.17	Peak	360.00	150	Horizontal	Pass
5**	11321.675	39.55	-4.21	54.0	-14.45	AV	360.00	150	Horizontal	Pass
6	17387.588	54.51	2.55	74.0	-19.49	Peak	77.00	150	Horizontal	Pass
6**	17387.588	43.94	2.55	54.0	-10.06	AV	77.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.200	45.65	-17.21	74.0	-28.35	Peak	345.00	150	Vertical	Pass
1**	1827.200	34.13	-17.21	54.0	-19.87	AV	345.00	150	Vertical	Pass
2	2442.600	98.27	-12.37	74.0	24.27	Peak	337.00	150	Vertical	N/A
2**	2442.600	88.96	-12.37	54.0	34.96	AV	337.00	150	Vertical	N/A
3	5239.750	50.74	-3.22	74.0	-23.26	Peak	176.00	150	Vertical	Pass
3**	5239.750	41.36	-3.22	54.0	-12.64	AV	176.00	150	Vertical	Pass
4	7458.000	53.24	1.14	74.0	-20.76	Peak	134.00	150	Vertical	Pass
4**	7458.000	43.63	1.14	54.0	-10.37	AV	134.00	150	Vertical	Pass
5	11302.438	49.61	-4.03	74.0	-24.39	Peak	319.00	150	Vertical	Pass
5**	11302.438	41.38	-4.03	54.0	-12.62	AV	319.00	150	Vertical	Pass
6	16352.550	53.92	-0.25	74.0	-20.08	Peak	37.00	150	Vertical	Pass
6**	16352.550	43.63	-0.25	54.0	-10.37	AV	37.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.96	-17.78	74.0	-32.04	Peak	40.00	150	Horizontal	Pass
1**	1600.300	35.32	-17.78	54.0	-18.68	AV	40.00	150	Horizontal	Pass
2	2456.100	102.49	-12.79	74.0	28.49	Peak	0.00	150	Horizontal	N/A
2**	2456.100	94.86	-12.79	54.0	40.86	AV	0.00	150	Horizontal	N/A
3	5248.750	50.63	-3.93	74.0	-23.37	Peak	187.00	150	Horizontal	Pass
3**	5248.750	41.29	-3.93	54.0	-12.71	AV	187.00	150	Horizontal	Pass
4	7461.250	53.10	1.13	74.0	-20.90	Peak	259.00	150	Horizontal	Pass
4**	7461.250	43.46	1.13	54.0	-10.54	AV	259.00	150	Horizontal	Pass
5	10726.737	48.61	-4.86	74.0	-25.39	Peak	194.00	150	Horizontal	Pass
5**	10726.737	39.34	-4.86	54.0	-14.66	AV	194.00	150	Horizontal	Pass
6	16520.550	53.55	0.01	74.0	-20.45	Peak	37.00	150	Horizontal	Pass
6**	16520.550	44.82	0.01	54.0	-9.18	AV	37.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	45.52	-17.23	74.0	-28.48	Peak	330.00	150	Vertical	Pass
1**	1826.600	34.05	-17.23	54.0	-19.95	AV	330.00	150	Vertical	Pass
2	2458.400	98.36	-12.66	74.0	24.36	Peak	249.00	150	Vertical	N/A
2**	2458.400	88.49	-12.66	54.0	34.49	AV	249.00	150	Vertical	N/A
3	5320.250	52.26	-3.45	74.0	-21.74	Peak	218.00	150	Vertical	Pass
3**	5320.250	41.80	-3.45	54.0	-12.20	AV	218.00	150	Vertical	Pass
4	7865.750	53.54	1.56	74.0	-20.46	Peak	153.00	150	Vertical	Pass
4**	7865.750	44.01	1.56	54.0	-9.99	AV	153.00	150	Vertical	Pass
5	10685.650	48.97	-4.79	74.0	-25.03	Peak	35.00	150	Vertical	Pass
5**	10685.650	39.56	-4.79	54.0	-14.44	AV	35.00	150	Vertical	Pass
6	16900.912	53.57	1.50	74.0	-20.43	Peak	230.00	150	Vertical	Pass
6**	16900.912	45.29	1.50	54.0	-8.71	AV	230.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.90	-17.72	74.0	-32.10	Peak	84.00	150	Horizontal	Pass
1**	1599.700	34.20	-17.72	54.0	-19.80	AV	84.00	150	Horizontal	Pass
2	2416.600	101.87	-13.26	74.0	27.87	Peak	317.00	150	Horizontal	N/A
2**	2416.600	92.20	-13.26	54.0	38.20	AV	317.00	150	Horizontal	N/A
3	5262.250	50.30	-3.75	74.0	-23.70	Peak	255.00	150	Horizontal	Pass
3**	5262.250	41.73	-3.75	54.0	-12.27	AV	255.00	150	Horizontal	Pass
4	7818.750	53.14	1.82	74.0	-20.86	Peak	360.00	150	Horizontal	Pass
4**	7818.750	43.85	1.82	54.0	-10.15	AV	360.00	150	Horizontal	Pass
5	13553.250	50.83	0.65	74.0	-23.17	Peak	131.00	150	Horizontal	Pass
5**	13553.250	41.21	0.65	54.0	-12.79	AV	131.00	150	Horizontal	Pass
6	16911.675	53.49	1.32	74.0	-20.51	Peak	51.00	150	Horizontal	Pass
6**	16911.675	44.35	1.32	54.0	-9.65	AV	51.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.000	46.69	-17.32	74.0	-27.31	Peak	170.00	150	Vertical	Pass
1**	1798.000	33.02	-17.32	54.0	-20.98	AV	170.00	150	Vertical	Pass
2	2413.700	95.90	-13.42	74.0	21.90	Peak	19.00	150	Vertical	N/A
2**	2413.700	86.29	-13.42	54.0	32.29	AV	19.00	150	Vertical	N/A
3	5627.000	51.44	-2.22	74.0	-22.56	Peak	360.00	150	Vertical	Pass
3**	5627.000	40.96	-2.22	54.0	-13.04	AV	360.00	150	Vertical	Pass
4	7464.250	53.55	0.90	74.0	-20.45	Peak	276.00	150	Vertical	Pass
4**	7464.250	44.20	0.90	54.0	-9.80	AV	276.00	150	Vertical	Pass
5	13550.888	51.27	0.69	74.0	-22.73	Peak	77.00	150	Vertical	Pass
5**	13550.888	41.13	0.69	54.0	-12.87	AV	77.00	150	Vertical	Pass
6	17476.051	54.36	3.09	74.0	-19.64	Peak	156.00	150	Vertical	Pass
6**	17476.051	43.97	3.09	54.0	-10.03	AV	156.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	41.58	-17.77	74.0	-32.42	Peak	210.00	150	Horizontal	Pass
1**	1600.500	35.16	-17.77	54.0	-18.84	AV	210.00	150	Horizontal	Pass
2	2450.200	103.66	-12.72	74.0	29.66	Peak	317.00	150	Horizontal	N/A
2**	2450.200	93.36	-12.72	54.0	39.36	AV	317.00	150	Horizontal	N/A
3	5234.250	50.37	-3.27	74.0	-23.63	Peak	46.00	150	Horizontal	Pass
3**	5234.250	40.51	-3.27	54.0	-13.49	AV	46.00	150	Horizontal	Pass
4	7456.500	52.69	1.14	74.0	-21.31	Peak	87.00	150	Horizontal	Pass
4**	7456.500	44.17	1.14	54.0	-9.83	AV	87.00	150	Horizontal	Pass
5	11790.737	49.98	-3.62	74.0	-24.02	Peak	243.00	150	Horizontal	Pass
5**	11790.737	39.12	-3.62	54.0	-14.88	AV	243.00	150	Horizontal	Pass
6	17273.926	53.28	1.97	74.0	-20.72	Peak	280.00	150	Horizontal	Pass
6**	17273.926	44.02	1.97	54.0	-9.98	AV	280.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.100	45.30	-17.19	74.0	-28.70	Peak	352.00	150	Vertical	Pass
1**	1828.100	35.37	-17.19	54.0	-18.63	AV	352.00	150	Vertical	Pass
2	2450.700	97.31	-12.75	74.0	23.31	Peak	231.00	150	Vertical	N/A
2**	2450.700	87.20	-12.75	54.0	33.20	AV	231.00	150	Vertical	N/A
3	5318.250	51.40	-3.48	74.0	-22.60	Peak	228.00	150	Vertical	Pass
3**	5318.250	40.70	-3.48	54.0	-13.30	AV	228.00	150	Vertical	Pass
4	7834.250	52.90	2.23	74.0	-21.10	Peak	301.00	150	Vertical	Pass
4**	7834.250	44.76	2.23	54.0	-9.24	AV	301.00	150	Vertical	Pass
5	13663.762	51.60	0.31	74.0	-22.40	Peak	116.00	150	Vertical	Pass
5**	13663.762	40.75	0.31	54.0	-13.25	AV	116.00	150	Vertical	Pass
6	17369.475	53.47	2.22	74.0	-20.53	Peak	202.00	150	Vertical	Pass
6**	17369.475	43.41	2.22	54.0	-10.59	AV	202.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.48	-17.72	74.0	-32.52	Peak	332.00	150	Horizontal	Pass
1**	1599.700	34.91	-17.72	54.0	-19.09	AV	332.00	150	Horizontal	Pass
2	2451.200	101.76	-12.77	74.0	27.76	Peak	318.00	150	Horizontal	N/A
2**	2451.200	92.82	-12.77	54.0	38.82	AV	318.00	150	Horizontal	N/A
3	5258.750	51.40	-3.78	74.0	-22.60	Peak	127.00	150	Horizontal	Pass
3**	5258.750	41.21	-3.78	54.0	-12.79	AV	127.00	150	Horizontal	Pass
4	7457.750	52.60	1.14	74.0	-21.40	Peak	12.00	150	Horizontal	Pass
4**	7457.750	44.18	1.14	54.0	-9.82	AV	12.00	150	Horizontal	Pass
5	12452.175	49.68	-2.17	74.0	-24.32	Peak	140.00	150	Horizontal	Pass
5**	12452.175	40.52	-2.17	54.0	-13.48	AV	140.00	150	Horizontal	Pass
6	16534.199	53.02	0.02	74.0	-20.98	Peak	34.00	150	Horizontal	Pass
6**	16534.199	43.43	0.02	54.0	-10.57	AV	34.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.000	46.24	-17.22	74.0	-27.76	Peak	190.00	150	Vertical	Pass
1**	1827.000	35.50	-17.22	54.0	-18.50	AV	190.00	150	Vertical	Pass
2	2451.300	96.27	-12.78	74.0	22.27	Peak	232.00	150	Vertical	N/A
2**	2451.300	87.48	-12.78	54.0	33.48	AV	232.00	150	Vertical	N/A
3	5166.250	51.30	-3.01	74.0	-22.70	Peak	164.00	150	Vertical	Pass
3**	5166.250	41.18	-3.01	54.0	-12.82	AV	164.00	150	Vertical	Pass
4	7831.750	53.55	2.14	74.0	-20.45	Peak	11.00	150	Vertical	Pass
4**	7831.750	44.60	2.14	54.0	-9.40	AV	11.00	150	Vertical	Pass
5	11800.001	49.49	-3.53	74.0	-24.51	Peak	343.00	150	Vertical	Pass
5**	11800.001	40.27	-3.53	54.0	-13.73	AV	343.00	150	Vertical	Pass
6	16563.599	52.79	0.02	74.0	-21.21	Peak	35.00	150	Vertical	Pass
6**	16563.599	42.59	0.02	54.0	-11.41	AV	35.00	150	Vertical	Pass

MIMO
1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.46	-17.76	74.0	-32.54	Peak	121.00	150	Horizontal	Pass
1**	1600.000	35.84	-17.76	54.0	-18.16	AV	121.00	150	Horizontal	Pass
2	2413.200	104.83	-13.42	74.0	30.83	Peak	35.00	150	Horizontal	N/A
2**	2413.200	102.04	-13.42	54.0	48.04	AV	35.00	150	Horizontal	N/A
3	4824.000	48.13	-3.03	74.0	-25.87	Peak	2.00	150	Horizontal	Pass
3**	4824.000	42.94	-3.03	54.0	-11.06	AV	2.00	150	Horizontal	Pass
4	7858.000	52.84	1.12	74.0	-21.16	Peak	333.00	150	Horizontal	Pass
4**	7858.000	44.09	1.12	54.0	-9.91	AV	333.00	150	Horizontal	Pass
5	13643.550	50.52	0.25	74.0	-23.48	Peak	92.00	150	Horizontal	Pass
5**	13643.550	41.82	0.25	54.0	-12.18	AV	92.00	150	Horizontal	Pass
6	17310.413	54.29	1.99	74.0	-19.71	Peak	1.00	150	Horizontal	Pass
6**	17310.413	44.44	1.99	54.0	-9.56	AV	1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	44.18	-17.10	74.0	-29.82	Peak	130.00	150	Vertical	Pass
1**	1328.500	33.62	-17.10	54.0	-20.38	AV	130.00	150	Vertical	Pass
2	2413.000	100.33	-13.42	74.0	26.33	Peak	352.00	150	Vertical	N/A
2**	2413.000	97.51	-13.42	54.0	43.51	AV	352.00	150	Vertical	N/A
3	5181.000	50.17	-2.18	74.0	-23.83	Peak	324.00	150	Vertical	Pass
3**	5181.000	42.46	-2.18	54.0	-11.54	AV	324.00	150	Vertical	Pass
4	7455.500	52.55	1.16	74.0	-21.45	Peak	201.00	150	Vertical	Pass
4**	7455.500	44.69	1.16	54.0	-9.31	AV	201.00	150	Vertical	Pass
5	13607.850	51.76	-0.07	74.0	-22.24	Peak	216.00	150	Vertical	Pass
5**	13607.850	41.11	-0.07	54.0	-12.89	AV	216.00	150	Vertical	Pass
6	17566.614	53.74	3.20	74.0	-20.26	Peak	146.00	150	Vertical	Pass
6**	17566.614	44.13	3.20	54.0	-9.87	AV	146.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.200	44.79	-17.47	74.0	-29.21	Peak	148.00	150	Horizontal	Pass
1**	1493.200	31.67	-17.47	54.0	-22.33	AV	148.00	150	Horizontal	Pass
2	2435.800	105.45	-12.13	74.0	31.45	Peak	30.00	150	Horizontal	N/A
2**	2435.800	102.58	-12.13	54.0	48.58	AV	30.00	150	Horizontal	N/A
3	5326.750	51.52	-3.36	74.0	-22.48	Peak	103.00	150	Horizontal	Pass
3**	5326.750	40.86	-3.36	54.0	-13.14	AV	103.00	150	Horizontal	Pass
4	7849.500	53.10	1.19	74.0	-20.90	Peak	184.00	150	Horizontal	Pass
4**	7849.500	43.66	1.19	54.0	-10.34	AV	184.00	150	Horizontal	Pass
5	13611.525	51.40	-0.04	74.0	-22.60	Peak	12.00	150	Horizontal	Pass
5**	13611.525	41.80	-0.04	54.0	-12.20	AV	12.00	150	Horizontal	Pass
6	17240.324	53.26	1.84	74.0	-20.74	Peak	256.00	150	Horizontal	Pass
6**	17240.324	45.22	1.84	54.0	-8.78	AV	256.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.800	44.88	-17.22	74.0	-29.12	Peak	354.00	150	Vertical	Pass
1**	1826.800	36.15	-17.22	54.0	-17.85	AV	354.00	150	Vertical	Pass
2	2435.900	100.62	-12.15	74.0	26.62	Peak	206.00	150	Vertical	N/A
2**	2435.900	97.69	-12.15	54.0	43.69	AV	206.00	150	Vertical	N/A
3	5267.250	50.52	-3.61	74.0	-23.48	Peak	259.00	150	Vertical	Pass
3**	5267.250	40.53	-3.61	54.0	-13.47	AV	259.00	150	Vertical	Pass
4	7829.000	53.43	1.93	74.0	-20.57	Peak	64.00	150	Vertical	Pass
4**	7829.000	43.70	1.93	54.0	-10.30	AV	64.00	150	Vertical	Pass
5	14090.063	51.61	-0.15	74.0	-22.39	Peak	1.00	150	Vertical	Pass
5**	14090.063	41.77	-0.15	54.0	-12.23	AV	1.00	150	Vertical	Pass
6	16671.488	53.79	0.25	74.0	-20.21	Peak	176.00	150	Vertical	Pass
6**	16671.488	43.81	0.25	54.0	-10.19	AV	176.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.74	-17.75	74.0	-32.26	Peak	20.00	150	Horizontal	Pass
1**	1599.900	35.43	-17.75	54.0	-18.57	AV	20.00	150	Horizontal	Pass
2	2460.500	105.25	-12.62	74.0	31.25	Peak	15.00	150	Horizontal	N/A
2**	2460.500	102.23	-12.62	54.0	48.23	AV	15.00	150	Horizontal	N/A
3	5198.500	50.29	-3.28	74.0	-23.71	Peak	174.00	150	Horizontal	Pass
3**	5198.500	41.88	-3.28	54.0	-12.12	AV	174.00	150	Horizontal	Pass
4	7449.500	53.80	0.60	74.0	-20.20	Peak	349.00	150	Horizontal	Pass
4**	7449.500	43.04	0.60	54.0	-10.96	AV	349.00	150	Horizontal	Pass
5	12508.225	49.71	-2.41	74.0	-24.29	Peak	0.00	150	Horizontal	Pass
5**	12508.225	39.57	-2.41	54.0	-14.43	AV	0.00	150	Horizontal	Pass
6	16911.150	54.50	1.33	74.0	-19.50	Peak	108.00	150	Horizontal	Pass
6**	16911.150	44.56	1.33	54.0	-9.44	AV	108.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1795.400	46.97	-17.21	74.0	-27.03	Peak	20.00	150	Vertical	Pass
1**	1795.400	33.01	-17.21	54.0	-20.99	AV	20.00	150	Vertical	Pass
2	2460.500	99.98	-12.62	74.0	25.98	Peak	253.00	150	Vertical	N/A
2**	2460.500	97.01	-12.62	54.0	43.01	AV	253.00	150	Vertical	N/A
3	5324.000	53.35	-3.32	74.0	-20.65	Peak	2.00	150	Vertical	Pass
3**	5324.000	41.46	-3.32	54.0	-12.54	AV	2.00	150	Vertical	Pass
4	7824.750	53.07	1.94	74.0	-20.93	Peak	107.00	150	Vertical	Pass
4**	7824.750	44.66	1.94	54.0	-9.34	AV	107.00	150	Vertical	Pass
5	13448.250	50.82	0.18	74.0	-23.18	Peak	298.00	150	Vertical	Pass
5**	13448.250	41.56	0.18	54.0	-12.44	AV	298.00	150	Vertical	Pass
6	16911.675	53.96	1.32	74.0	-20.04	Peak	92.00	150	Vertical	Pass
6**	16911.675	44.60	1.32	54.0	-9.40	AV	92.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.52	-17.78	74.0	-32.48	Peak	135.00	150	Horizontal	Pass
1**	1600.200	35.30	-17.78	54.0	-18.70	AV	135.00	150	Horizontal	Pass
2	2414.100	108.59	-13.42	74.0	34.59	Peak	0.00	150	Horizontal	N/A
2**	2414.100	101.46	-13.42	54.0	47.46	AV	0.00	150	Horizontal	N/A
3	5349.000	50.80	-3.09	74.0	-23.20	Peak	341.00	150	Horizontal	Pass
3**	5349.000	40.50	-3.09	54.0	-13.50	AV	341.00	150	Horizontal	Pass
4	7454.000	52.78	1.12	74.0	-21.22	Peak	125.00	150	Horizontal	Pass
4**	7454.000	44.02	1.12	54.0	-9.98	AV	125.00	150	Horizontal	Pass
5	12431.513	49.87	-2.43	74.0	-24.13	Peak	17.00	150	Horizontal	Pass
5**	12431.513	39.88	-2.43	54.0	-14.12	AV	17.00	150	Horizontal	Pass
6	17297.287	52.82	2.01	74.0	-21.18	Peak	338.00	150	Horizontal	Pass
6**	17297.287	44.06	2.01	54.0	-9.94	AV	338.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.500	46.67	-17.27	74.0	-27.33	Peak	3.00	150	Vertical	Pass
1**	1796.500	32.32	-17.27	54.0	-21.68	AV	3.00	150	Vertical	Pass
2	2415.700	100.53	-13.34	74.0	26.53	Peak	251.00	150	Vertical	N/A
2**	2415.700	93.87	-13.34	54.0	39.87	AV	251.00	150	Vertical	N/A
3	5215.250	50.40	-3.40	74.0	-23.60	Peak	360.00	150	Vertical	Pass
3**	5215.250	41.02	-3.40	54.0	-12.98	AV	360.00	150	Vertical	Pass
4	7469.000	53.68	0.63	74.0	-20.32	Peak	260.00	150	Vertical	Pass
4**	7469.000	43.49	0.63	54.0	-10.51	AV	260.00	150	Vertical	Pass
5	13373.963	51.41	-0.15	74.0	-22.59	Peak	104.00	150	Vertical	Pass
5**	13373.963	42.34	-0.15	54.0	-11.66	AV	104.00	150	Vertical	Pass
6	16900.912	54.22	1.50	74.0	-19.78	Peak	50.00	150	Vertical	Pass
6**	16900.912	44.64	1.50	54.0	-9.36	AV	50.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.700	42.54	-17.53	74.0	-31.46	Peak	84.00	150	Horizontal	Pass
1**	1570.700	31.38	-17.53	54.0	-22.62	AV	84.00	150	Horizontal	Pass
2	2434.100	109.23	-12.17	74.0	35.23	Peak	16.00	150	Horizontal	N/A
2**	2434.100	101.86	-12.17	54.0	47.86	AV	16.00	150	Horizontal	N/A
3	5261.000	50.43	-3.76	74.0	-23.57	Peak	341.00	150	Horizontal	Pass
3**	5261.000	41.10	-3.76	54.0	-12.90	AV	341.00	150	Horizontal	Pass
4	7568.500	53.26	-0.07	74.0	-20.74	Peak	122.00	150	Horizontal	Pass
4**	7568.500	42.70	-0.07	54.0	-11.30	AV	122.00	150	Horizontal	Pass
5	11781.713	49.14	-3.70	74.0	-24.86	Peak	63.00	150	Horizontal	Pass
5**	11781.713	39.86	-3.70	54.0	-14.14	AV	63.00	150	Horizontal	Pass
6	17267.100	53.27	1.96	74.0	-20.73	Peak	176.00	150	Horizontal	Pass
6**	17267.100	44.88	1.96	54.0	-9.12	AV	176.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1824.400	46.70	-17.10	74.0	-27.30	Peak	335.00	150	Vertical	Pass
1**	1824.400	33.20	-17.10	54.0	-20.80	AV	335.00	150	Vertical	Pass
2	2442.000	101.12	-12.29	74.0	27.12	Peak	209.00	150	Vertical	N/A
2**	2442.000	93.78	-12.29	54.0	39.78	AV	209.00	150	Vertical	N/A
3	5320.250	50.92	-3.45	74.0	-23.08	Peak	12.00	150	Vertical	Pass
3**	5320.250	41.38	-3.45	54.0	-12.62	AV	12.00	150	Vertical	Pass
4	7820.750	53.23	1.84	74.0	-20.77	Peak	189.00	150	Vertical	Pass
4**	7820.750	44.24	1.84	54.0	-9.76	AV	189.00	150	Vertical	Pass
5	13921.800	50.71	-0.34	74.0	-23.29	Peak	282.00	150	Vertical	Pass
5**	13921.800	42.38	-0.34	54.0	-11.62	AV	282.00	150	Vertical	Pass
6	17269.987	53.44	1.96	74.0	-20.56	Peak	352.00	150	Vertical	Pass
6**	17269.987	43.45	1.96	54.0	-10.55	AV	352.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.700	42.31	-17.39	74.0	-31.69	Peak	118.00	150	Horizontal	Pass
1**	1582.700	32.32	-17.39	54.0	-21.68	AV	118.00	150	Horizontal	Pass
2	2459.000	109.20	-12.65	74.0	35.20	Peak	5.00	150	Horizontal	N/A
2**	2459.000	101.45	-12.65	54.0	47.45	AV	5.00	150	Horizontal	N/A
3	5311.250	50.08	-3.70	74.0	-23.92	Peak	275.00	150	Horizontal	Pass
3**	5311.250	40.81	-3.70	54.0	-13.19	AV	275.00	150	Horizontal	Pass
4	7839.000	53.75	1.99	74.0	-20.25	Peak	83.00	150	Horizontal	Pass
4**	7839.000	44.53	1.99	54.0	-9.47	AV	83.00	150	Horizontal	Pass
5	14160.938	51.46	-0.53	74.0	-22.54	Peak	39.00	150	Horizontal	Pass
5**	14160.938	41.01	-0.53	54.0	-12.99	AV	39.00	150	Horizontal	Pass
6	17824.387	53.92	3.02	74.0	-20.08	Peak	324.00	150	Horizontal	Pass
6**	17824.387	44.37	3.02	54.0	-9.63	AV	324.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.000	45.20	-16.94	74.0	-28.80	Peak	173.00	150	Vertical	Pass
1**	1800.000	32.75	-16.94	54.0	-21.25	AV	173.00	150	Vertical	Pass
2	2456.100	100.26	-12.79	74.0	26.26	Peak	308.00	150	Vertical	N/A
2**	2456.100	93.54	-12.79	54.0	39.54	AV	308.00	150	Vertical	N/A
3	5099.750	50.66	-2.92	74.0	-23.34	Peak	275.00	150	Vertical	Pass
3**	5099.750	39.78	-2.92	54.0	-14.22	AV	275.00	150	Vertical	Pass
4	7829.000	52.87	1.93	74.0	-21.13	Peak	292.00	150	Vertical	Pass
4**	7829.000	44.01	1.93	54.0	-9.99	AV	292.00	150	Vertical	Pass
5	12692.525	49.99	-2.33	74.0	-24.01	Peak	6.00	150	Vertical	Pass
5**	12692.525	39.99	-2.33	54.0	-14.01	AV	6.00	150	Vertical	Pass
6	17789.213	53.84	3.08	74.0	-20.16	Peak	134.00	150	Vertical	Pass
6**	17789.213	44.19	3.08	54.0	-9.81	AV	134.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.600	41.53	-17.36	74.0	-32.47	Peak	54.00	150	Horizontal	Pass
1**	1612.600	32.18	-17.36	54.0	-21.82	AV	54.00	150	Horizontal	Pass
2	2415.700	108.33	-13.34	74.0	34.33	Peak	3.00	150	Horizontal	N/A
2**	2415.700	101.78	-13.34	54.0	47.78	AV	3.00	150	Horizontal	N/A
3	5325.500	51.14	-3.32	74.0	-22.86	Peak	269.00	150	Horizontal	Pass
3**	5325.500	41.44	-3.32	54.0	-12.56	AV	269.00	150	Horizontal	Pass
4	7844.000	53.42	1.46	74.0	-20.58	Peak	59.00	150	Horizontal	Pass
4**	7844.000	44.19	1.46	54.0	-9.81	AV	59.00	150	Horizontal	Pass
5	13852.237	51.44	-0.25	74.0	-22.56	Peak	282.00	150	Horizontal	Pass
5**	13852.237	40.94	-0.25	54.0	-13.06	AV	282.00	150	Horizontal	Pass
6	16906.950	53.16	1.40	74.0	-20.84	Peak	228.00	150	Horizontal	Pass
6**	16906.950	44.44	1.40	54.0	-9.56	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.100	45.54	-17.31	74.0	-28.46	Peak	30.00	150	Vertical	Pass
1**	1797.100	36.86	-17.31	54.0	-17.14	AV	30.00	150	Vertical	Pass
2	2413.800	100.84	-13.42	74.0	26.84	Peak	16.00	150	Vertical	N/A
2**	2413.800	93.00	-13.42	54.0	39.00	AV	16.00	150	Vertical	N/A
3	5190.250	50.84	-2.67	74.0	-23.16	Peak	160.00	150	Vertical	Pass
3**	5190.250	41.94	-2.67	54.0	-12.06	AV	160.00	150	Vertical	Pass
4	7837.500	52.95	2.05	74.0	-21.05	Peak	177.00	150	Vertical	Pass
4**	7837.500	44.30	2.05	54.0	-9.70	AV	177.00	150	Vertical	Pass
5	14073.000	51.11	-0.48	74.0	-22.89	Peak	325.00	150	Vertical	Pass
5**	14073.000	41.27	-0.48	54.0	-12.73	AV	325.00	150	Vertical	Pass
6	17286.001	53.80	1.99	74.0	-20.20	Peak	118.00	150	Vertical	Pass
6**	17286.001	44.26	1.99	54.0	-9.74	AV	118.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.33	-17.78	74.0	-32.67	Peak	298.00	150	Horizontal	Pass
1**	1600.200	36.74	-17.78	54.0	-17.26	AV	298.00	150	Horizontal	Pass
2	2442.100	108.15	-12.30	74.0	34.15	Peak	27.00	150	Horizontal	N/A
2**	2442.100	100.84	-12.30	54.0	46.84	AV	27.00	150	Horizontal	N/A
3	5185.000	50.70	-2.33	74.0	-23.30	Peak	332.00	150	Horizontal	Pass
3**	5185.000	41.61	-2.33	54.0	-12.39	AV	332.00	150	Horizontal	Pass
4	7875.000	53.27	2.12	74.0	-20.73	Peak	74.00	150	Horizontal	Pass
4**	7875.000	44.18	2.12	54.0	-9.82	AV	74.00	150	Horizontal	Pass
5	10824.588	49.11	-5.01	74.0	-24.89	Peak	17.00	150	Horizontal	Pass
5**	10824.588	39.04	-5.01	54.0	-14.96	AV	17.00	150	Horizontal	Pass
6	16385.100	53.31	0.14	74.0	-20.69	Peak	204.00	150	Horizontal	Pass
6**	16385.100	42.80	0.14	54.0	-11.20	AV	204.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1900.600	45.62	-15.85	74.0	-28.38	Peak	320.00	150	Vertical	Pass
1**	1900.600	34.84	-15.85	54.0	-19.16	AV	320.00	150	Vertical	Pass
2	2434.700	101.02	-12.12	74.0	27.02	Peak	307.00	150	Vertical	N/A
2**	2434.700	93.75	-12.12	54.0	39.75	AV	307.00	150	Vertical	N/A
3	5180.250	50.11	-2.21	74.0	-23.89	Peak	285.00	150	Vertical	Pass
3**	5180.250	41.90	-2.21	54.0	-12.10	AV	285.00	150	Vertical	Pass
4	7842.500	52.72	1.60	74.0	-21.28	Peak	269.00	150	Vertical	Pass
4**	7842.500	43.69	1.60	54.0	-10.31	AV	269.00	150	Vertical	Pass
5	11789.312	49.14	-3.63	74.0	-24.86	Peak	320.00	150	Vertical	Pass
5**	11789.312	40.11	-3.63	54.0	-13.89	AV	320.00	150	Vertical	Pass
6	16350.451	52.50	-0.28	74.0	-21.50	Peak	352.00	150	Vertical	Pass
6**	16350.451	42.46	-0.28	54.0	-11.54	AV	352.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.54	-17.74	74.0	-31.46	Peak	327.00	150	Horizontal	Pass
1**	1599.800	35.33	-17.74	54.0	-18.67	AV	327.00	150	Horizontal	Pass
2	2458.700	108.35	-12.66	74.0	34.35	Peak	13.00	150	Horizontal	N/A
2**	2458.700	101.47	-12.66	54.0	47.47	AV	13.00	150	Horizontal	N/A
3	5184.750	50.81	-2.30	74.0	-23.19	Peak	0.00	150	Horizontal	Pass
3**	5184.750	41.77	-2.30	54.0	-12.23	AV	0.00	150	Horizontal	Pass
4	7451.500	53.20	0.83	74.0	-20.80	Peak	226.00	150	Horizontal	Pass
4**	7451.500	43.58	0.83	54.0	-10.42	AV	226.00	150	Horizontal	Pass
5	13590.525	51.52	0.02	74.0	-22.48	Peak	136.00	150	Horizontal	Pass
5**	13590.525	42.36	0.02	54.0	-11.64	AV	136.00	150	Horizontal	Pass
6	17808.376	53.82	3.15	74.0	-20.18	Peak	298.00	150	Horizontal	Pass
6**	17808.376	45.32	3.15	54.0	-8.68	AV	298.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.200	46.13	-17.17	74.0	-27.87	Peak	194.00	150	Vertical	Pass
1**	1829.200	34.77	-17.17	54.0	-19.23	AV	194.00	150	Vertical	Pass
2	2458.300	100.33	-12.66	74.0	26.33	Peak	273.00	150	Vertical	N/A
2**	2458.300	92.44	-12.66	54.0	38.44	AV	273.00	150	Vertical	N/A
3	5325.250	50.67	-3.31	74.0	-23.33	Peak	204.00	150	Vertical	Pass
3**	5325.250	41.76	-3.31	54.0	-12.24	AV	204.00	150	Vertical	Pass
4	7829.000	52.98	1.93	74.0	-21.02	Peak	251.00	150	Vertical	Pass
4**	7829.000	44.12	1.93	54.0	-9.88	AV	251.00	150	Vertical	Pass
5	14079.563	51.20	-0.35	74.0	-22.80	Peak	176.00	150	Vertical	Pass
5**	14079.563	42.18	-0.35	54.0	-11.82	AV	176.00	150	Vertical	Pass
6	17806.801	54.45	3.17	74.0	-19.55	Peak	216.00	150	Vertical	Pass
6**	17806.801	45.04	3.17	54.0	-8.96	AV	216.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	41.54	-17.77	74.0	-32.46	Peak	91.00	150	Horizontal	Pass
1**	1600.500	34.55	-17.77	54.0	-19.45	AV	91.00	150	Horizontal	Pass
2	2415.300	106.27	-13.36	74.0	32.27	Peak	357.00	150	Horizontal	N/A
2**	2415.300	98.88	-13.36	54.0	44.88	AV	357.00	150	Horizontal	N/A
3	5317.750	50.47	-3.41	74.0	-23.53	Peak	235.00	150	Horizontal	Pass
3**	5317.750	40.43	-3.41	54.0	-13.57	AV	235.00	150	Horizontal	Pass
4	7453.750	52.79	1.09	74.0	-21.21	Peak	211.00	150	Horizontal	Pass
4**	7453.750	43.69	1.09	54.0	-10.31	AV	211.00	150	Horizontal	Pass
5	11071.350	49.49	-4.84	74.0	-24.51	Peak	164.00	150	Horizontal	Pass
5**	11071.350	39.66	-4.84	54.0	-14.34	AV	164.00	150	Horizontal	Pass
6	17848.537	54.05	2.82	74.0	-19.95	Peak	352.00	150	Horizontal	Pass
6**	17848.537	44.10	2.82	54.0	-9.90	AV	352.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.400	46.30	-17.17	74.0	-27.70	Peak	200.00	150	Vertical	Pass
1**	1829.400	37.59	-17.17	54.0	-16.41	AV	200.00	150	Vertical	Pass
2	2430.000	97.57	-12.46	74.0	23.57	Peak	306.00	150	Vertical	N/A
2**	2430.000	90.61	-12.46	54.0	36.61	AV	306.00	150	Vertical	N/A
3	5749.500	51.32	-2.88	74.0	-22.68	Peak	360.00	150	Vertical	Pass
3**	5749.500	42.89	-2.88	54.0	-11.11	AV	360.00	150	Vertical	Pass
4	7849.500	53.18	1.19	74.0	-20.82	Peak	235.00	150	Vertical	Pass
4**	7849.500	43.27	1.19	54.0	-10.73	AV	235.00	150	Vertical	Pass
5	11193.900	49.31	-4.09	74.0	-24.69	Peak	256.00	150	Vertical	Pass
5**	11193.900	40.15	-4.09	54.0	-13.85	AV	256.00	150	Vertical	Pass
6	17322.488	53.48	1.95	74.0	-20.52	Peak	228.00	150	Vertical	Pass
6**	17322.488	43.48	1.95	54.0	-10.52	AV	228.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.100	41.96	-17.42	74.0	-32.04	Peak	80.00	150	Horizontal	Pass
1**	1584.100	32.42	-17.42	54.0	-21.58	AV	80.00	150	Horizontal	Pass
2	2423.000	105.37	-12.80	74.0	31.37	Peak	18.00	150	Horizontal	N/A
2**	2423.000	98.28	-12.80	54.0	44.28	AV	18.00	150	Horizontal	N/A
3	5203.500	50.76	-3.49	74.0	-23.24	Peak	164.00	150	Horizontal	Pass
3**	5203.500	41.29	-3.49	54.0	-12.71	AV	164.00	150	Horizontal	Pass
4	7842.500	53.55	1.60	74.0	-20.45	Peak	358.00	150	Horizontal	Pass
4**	7842.500	44.58	1.60	54.0	-9.42	AV	358.00	150	Horizontal	Pass
5	11778.388	49.39	-3.73	74.0	-24.61	Peak	120.00	150	Horizontal	Pass
5**	11778.388	40.72	-3.73	54.0	-13.28	AV	120.00	150	Horizontal	Pass
6	17806.275	54.56	3.17	74.0	-19.44	Peak	236.00	150	Horizontal	Pass
6**	17806.275	44.36	3.17	54.0	-9.64	AV	236.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.400	46.24	-17.20	74.0	-27.76	Peak	343.00	150	Vertical	Pass
1**	1827.400	35.14	-17.20	54.0	-18.86	AV	343.00	150	Vertical	Pass
2	2421.600	96.40	-12.93	74.0	22.40	Peak	51.00	150	Vertical	N/A
2**	2421.600	88.88	-12.93	54.0	34.88	AV	51.00	150	Vertical	N/A
3	5187.500	50.60	-2.48	74.0	-23.40	Peak	80.00	150	Vertical	Pass
3**	5187.500	41.97	-2.48	54.0	-12.03	AV	80.00	150	Vertical	Pass
4	7139.750	53.28	0.50	74.0	-20.72	Peak	171.00	150	Vertical	Pass
4**	7139.750	43.23	0.50	54.0	-10.77	AV	171.00	150	Vertical	Pass
5	13951.462	51.58	-0.16	74.0	-22.42	Peak	255.00	150	Vertical	Pass
5**	13951.462	42.84	-0.16	54.0	-11.16	AV	255.00	150	Vertical	Pass
6	17799.713	54.35	3.22	74.0	-19.65	Peak	0.00	150	Vertical	Pass
6**	17799.713	45.60	3.22	54.0	-8.40	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.21	-17.76	74.0	-31.79	Peak	130.00	150	Horizontal	Pass
1**	1600.000	35.74	-17.76	54.0	-18.26	AV	130.00	150	Horizontal	Pass
2	2433.600	106.31	-12.21	74.0	32.31	Peak	320.00	150	Horizontal	N/A
2**	2433.600	97.95	-12.21	54.0	43.95	AV	320.00	150	Horizontal	N/A
3	6575.750	52.27	-1.33	74.0	-21.73	Peak	184.00	150	Horizontal	Pass
3**	6575.750	43.15	-1.33	54.0	-10.85	AV	184.00	150	Horizontal	Pass
4	7820.000	53.37	1.98	74.0	-20.63	Peak	64.00	150	Horizontal	Pass
4**	7820.000	43.64	1.98	54.0	-10.36	AV	64.00	150	Horizontal	Pass
5	14098.987	50.80	0.03	74.0	-23.20	Peak	360.00	150	Horizontal	Pass
5**	14098.987	42.49	0.03	54.0	-11.51	AV	360.00	150	Horizontal	Pass
6	17300.437	53.25	2.01	74.0	-20.75	Peak	338.00	150	Horizontal	Pass
6**	17300.437	43.93	2.01	54.0	-10.07	AV	338.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.300	46.36	-17.17	74.0	-27.64	Peak	347.00	150	Vertical	Pass
1**	1830.300	35.40	-17.17	54.0	-18.60	AV	347.00	150	Vertical	Pass
2	2447.300	98.96	-12.84	74.0	24.96	Peak	204.00	150	Vertical	N/A
2**	2447.300	91.87	-12.84	54.0	37.87	AV	204.00	150	Vertical	N/A
3	5188.500	50.27	-2.57	74.0	-23.73	Peak	349.00	150	Vertical	Pass
3**	5188.500	41.52	-2.57	54.0	-12.48	AV	349.00	150	Vertical	Pass
4	7835.000	53.19	2.19	74.0	-20.81	Peak	67.00	150	Vertical	Pass
4**	7835.000	44.37	2.19	54.0	-9.63	AV	67.00	150	Vertical	Pass
5	13604.700	50.98	-0.10	74.0	-23.02	Peak	40.00	150	Vertical	Pass
5**	13604.700	41.84	-0.10	54.0	-12.16	AV	40.00	150	Vertical	Pass
6	17801.026	53.69	3.22	74.0	-20.31	Peak	12.00	150	Vertical	Pass
6**	17801.026	44.55	3.22	54.0	-9.45	AV	12.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.53	-17.75	74.0	-31.47	Peak	271.00	150	Horizontal	Pass
1**	1599.900	35.68	-17.75	54.0	-18.32	AV	271.00	150	Horizontal	Pass
2	2445.500	105.35	-12.59	74.0	31.35	Peak	26.00	150	Horizontal	N/A
2**	2445.500	98.20	-12.59	54.0	44.20	AV	26.00	150	Horizontal	N/A
3	5323.750	50.74	-3.32	74.0	-23.26	Peak	360.00	150	Horizontal	Pass
3**	5323.750	41.73	-3.32	54.0	-12.27	AV	360.00	150	Horizontal	Pass
4	7455.250	54.13	1.16	74.0	-19.87	Peak	191.00	150	Horizontal	Pass
4**	7455.250	43.99	1.16	54.0	-10.01	AV	191.00	150	Horizontal	Pass
5	13675.312	50.98	0.31	74.0	-23.02	Peak	307.00	150	Horizontal	Pass
5**	13675.312	41.37	0.31	54.0	-12.63	AV	307.00	150	Horizontal	Pass
6	16894.875	54.77	1.47	74.0	-19.23	Peak	360.00	150	Horizontal	Pass
6**	16894.875	44.66	1.47	54.0	-9.34	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.300	46.64	-17.17	74.0	-27.36	Peak	355.00	150	Vertical	Pass
1**	1830.300	36.92	-17.17	54.0	-17.08	AV	355.00	150	Vertical	Pass
2	2451.000	95.86	-12.76	74.0	21.86	Peak	48.00	150	Vertical	N/A
2**	2451.000	88.32	-12.76	54.0	34.32	AV	48.00	150	Vertical	N/A
3	5096.750	51.01	-2.94	74.0	-22.99	Peak	51.00	150	Vertical	Pass
3**	5096.750	40.73	-2.94	54.0	-13.27	AV	51.00	150	Vertical	Pass
4	7551.750	53.05	-0.26	74.0	-20.95	Peak	213.00	150	Vertical	Pass
4**	7551.750	42.56	-0.26	54.0	-11.44	AV	213.00	150	Vertical	Pass
5	13288.388	51.56	-0.21	74.0	-22.44	Peak	280.00	150	Vertical	Pass
5**	13288.388	42.59	-0.21	54.0	-11.41	AV	280.00	150	Vertical	Pass
6	17303.325	54.69	2.01	74.0	-19.31	Peak	100.00	150	Vertical	Pass
6**	17303.325	44.67	2.01	54.0	-9.33	AV	100.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.18	-17.77	74.0	-31.82	Peak	27.00	150	Horizontal	Pass
1**	1600.100	35.92	-17.77	54.0	-18.08	AV	27.00	150	Horizontal	Pass
2	2447.800	107.25	-12.92	74.0	33.25	Peak	317.00	150	Horizontal	N/A
2**	2447.800	98.80	-12.92	54.0	44.80	AV	317.00	150	Horizontal	N/A
3	5324.000	50.08	-3.32	74.0	-23.92	Peak	324.00	150	Horizontal	Pass
3**	5324.000	40.58	-3.32	54.0	-13.42	AV	324.00	150	Horizontal	Pass
4	7136.500	52.65	0.83	74.0	-21.35	Peak	186.00	150	Horizontal	Pass
4**	7136.500	44.06	0.83	54.0	-9.94	AV	186.00	150	Horizontal	Pass
5	14140.200	51.09	-0.41	74.0	-22.91	Peak	160.00	150	Horizontal	Pass
5**	14140.200	41.64	-0.41	54.0	-12.36	AV	160.00	150	Horizontal	Pass
6	17389.162	54.33	2.57	74.0	-19.67	Peak	134.00	150	Horizontal	Pass
6**	17389.162	44.62	2.57	54.0	-9.38	AV	134.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.100	45.94	-17.17	74.0	-28.06	Peak	357.00	150	Vertical	Pass
1**	1829.100	34.88	-17.17	54.0	-19.12	AV	357.00	150	Vertical	Pass
2	2450.400	99.05	-12.73	74.0	25.05	Peak	307.00	150	Vertical	N/A
2**	2450.400	92.31	-12.73	54.0	38.31	AV	307.00	150	Vertical	N/A
3	5309.750	51.19	-3.70	74.0	-22.81	Peak	15.00	150	Vertical	Pass
3**	5309.750	41.41	-3.70	54.0	-12.59	AV	15.00	150	Vertical	Pass
4	7829.500	53.84	1.95	74.0	-20.16	Peak	218.00	150	Vertical	Pass
4**	7829.500	43.70	1.95	54.0	-10.30	AV	218.00	150	Vertical	Pass
5	13404.937	50.69	-0.07	74.0	-23.31	Peak	360.00	150	Vertical	Pass
5**	13404.937	41.33	-0.07	54.0	-12.67	AV	360.00	150	Vertical	Pass
6	17786.587	53.98	3.04	74.0	-20.02	Peak	244.00	150	Vertical	Pass
6**	17786.587	45.01	3.04	54.0	-8.99	AV	244.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.53	-17.71	74.0	-32.47	Peak	275.00	150	Horizontal	Pass
1**	1599.600	34.03	-17.71	54.0	-19.97	AV	275.00	150	Horizontal	Pass
2	2415.800	108.41	-13.34	74.0	34.41	Peak	0.00	150	Horizontal	N/A
2**	2415.800	101.11	-13.34	54.0	47.11	AV	0.00	150	Horizontal	N/A
3	5318.500	50.27	-3.51	74.0	-23.73	Peak	251.00	150	Horizontal	Pass
3**	5318.500	41.28	-3.51	54.0	-12.72	AV	251.00	150	Horizontal	Pass
4	7511.000	53.59	0.51	74.0	-20.41	Peak	27.00	150	Horizontal	Pass
4**	7511.000	43.68	0.51	54.0	-10.32	AV	27.00	150	Horizontal	Pass
5	13561.125	51.74	0.52	74.0	-22.26	Peak	126.00	150	Horizontal	Pass
5**	13561.125	41.81	0.52	54.0	-12.19	AV	126.00	150	Horizontal	Pass
6	16896.713	53.45	1.49	74.0	-20.55	Peak	294.00	150	Horizontal	Pass
6**	16896.713	43.87	1.49	54.0	-10.13	AV	294.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.900	45.31	-17.25	74.0	-28.69	Peak	360.00	150	Vertical	Pass
1**	1825.900	34.10	-17.25	54.0	-19.90	AV	360.00	150	Vertical	Pass
2	2413.200	101.28	-13.42	74.0	27.28	Peak	347.00	150	Vertical	N/A
2**	2413.200	93.75	-13.42	54.0	39.75	AV	347.00	150	Vertical	N/A
3	5324.750	52.02	-3.32	74.0	-21.98	Peak	209.00	150	Vertical	Pass
3**	5324.750	41.85	-3.32	54.0	-12.15	AV	209.00	150	Vertical	Pass
4	7864.500	54.02	1.60	74.0	-19.98	Peak	322.00	150	Vertical	Pass
4**	7864.500	44.43	1.60	54.0	-9.57	AV	322.00	150	Vertical	Pass
5	13933.612	50.92	-0.26	74.0	-23.08	Peak	326.00	150	Vertical	Pass
5**	13933.612	41.28	-0.26	54.0	-12.72	AV	326.00	150	Vertical	Pass
6	17803.387	53.61	3.20	74.0	-20.39	Peak	312.00	150	Vertical	Pass
6**	17803.387	44.15	3.20	54.0	-9.85	AV	312.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.79	-17.76	74.0	-32.21	Peak	199.00	150	Horizontal	Pass
1**	1600.000	35.31	-17.76	54.0	-18.69	AV	199.00	150	Horizontal	Pass
2	2440.900	108.22	-12.31	74.0	34.22	Peak	360.00	150	Horizontal	N/A
2**	2440.900	100.87	-12.31	54.0	46.87	AV	360.00	150	Horizontal	N/A
3	5173.250	50.34	-2.71	74.0	-23.66	Peak	294.00	150	Horizontal	Pass
3**	5173.250	41.15	-2.71	54.0	-12.85	AV	294.00	150	Horizontal	Pass
4	7518.000	52.72	0.90	74.0	-21.28	Peak	0.00	150	Horizontal	Pass
4**	7518.000	43.20	0.90	54.0	-10.80	AV	0.00	150	Horizontal	Pass
5	13654.575	51.18	0.30	74.0	-22.82	Peak	258.00	150	Horizontal	Pass
5**	13654.575	40.92	0.30	54.0	-13.08	AV	258.00	150	Horizontal	Pass
6	17276.813	54.24	1.97	74.0	-19.76	Peak	340.00	150	Horizontal	Pass
6**	17276.813	44.26	1.97	54.0	-9.74	AV	340.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.200	45.81	-17.28	74.0	-28.19	Peak	5.00	150	Vertical	Pass
1**	1798.200	37.77	-17.28	54.0	-16.23	AV	5.00	150	Vertical	Pass
2	2434.900	100.46	-12.10	74.0	26.46	Peak	254.00	150	Vertical	N/A
2**	2434.900	92.97	-12.10	54.0	38.97	AV	254.00	150	Vertical	N/A
3	5325.000	51.34	-3.31	74.0	-22.66	Peak	204.00	150	Vertical	Pass
3**	5325.000	41.81	-3.31	54.0	-12.19	AV	204.00	150	Vertical	Pass
4	7825.750	53.19	1.80	74.0	-20.81	Peak	341.00	150	Vertical	Pass
4**	7825.750	44.10	1.80	54.0	-9.90	AV	341.00	150	Vertical	Pass
5	13680.037	51.05	0.31	74.0	-22.95	Peak	351.00	150	Vertical	Pass
5**	13680.037	42.07	0.31	54.0	-11.93	AV	351.00	150	Vertical	Pass
6	17657.962	53.88	2.80	74.0	-20.12	Peak	116.00	150	Vertical	Pass
6**	17657.962	43.55	2.80	54.0	-10.45	AV	116.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.75	-17.78	74.0	-32.25	Peak	126.00	150	Horizontal	Pass
1**	1600.200	36.24	-17.78	54.0	-17.76	AV	126.00	150	Horizontal	Pass
2	2457.900	108.80	-12.66	74.0	34.80	Peak	320.00	150	Horizontal	N/A
2**	2457.900	101.40	-12.66	54.0	47.40	AV	320.00	150	Horizontal	N/A
3	5183.750	50.23	-2.18	74.0	-23.77	Peak	57.00	150	Horizontal	Pass
3**	5183.750	42.16	-2.18	54.0	-11.84	AV	57.00	150	Horizontal	Pass
4	7870.000	52.92	1.94	74.0	-21.08	Peak	155.00	150	Horizontal	Pass
4**	7870.000	43.47	1.94	54.0	-10.53	AV	155.00	150	Horizontal	Pass
5	11797.387	49.16	-3.56	74.0	-24.84	Peak	176.00	150	Horizontal	Pass
5**	11797.387	40.53	-3.56	54.0	-13.47	AV	176.00	150	Horizontal	Pass
6	17282.324	53.26	1.98	74.0	-20.74	Peak	324.00	150	Horizontal	Pass
6**	17282.324	42.97	1.98	54.0	-11.03	AV	324.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.600	45.31	-17.18	74.0	-28.69	Peak	359.00	150	Vertical	Pass
1**	1830.600	34.63	-17.18	54.0	-19.37	AV	359.00	150	Vertical	Pass
2	2459.000	101.30	-12.65	74.0	27.30	Peak	249.00	150	Vertical	N/A
2**	2459.000	94.50	-12.65	54.0	40.50	AV	249.00	150	Vertical	N/A
3	5320.250	50.97	-3.45	74.0	-23.03	Peak	20.00	150	Vertical	Pass
3**	5320.250	41.10	-3.45	54.0	-12.90	AV	20.00	150	Vertical	Pass
4	7504.000	52.94	-0.36	74.0	-21.06	Peak	341.00	150	Vertical	Pass
4**	7504.000	42.90	-0.36	54.0	-11.10	AV	341.00	150	Vertical	Pass
5	14133.638	51.21	-0.34	74.0	-22.79	Peak	68.00	150	Vertical	Pass
5**	14133.638	41.69	-0.34	54.0	-12.31	AV	68.00	150	Vertical	Pass
6	17326.948	53.90	1.94	74.0	-20.10	Peak	122.00	150	Vertical	Pass
6**	17326.948	44.13	1.94	54.0	-9.87	AV	122.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.17	-17.78	74.0	-31.83	Peak	27.00	150	Horizontal	Pass
1**	1600.300	35.16	-17.78	54.0	-18.84	AV	27.00	150	Horizontal	Pass
2	2418.300	106.27	-12.93	74.0	32.27	Peak	17.00	150	Horizontal	N/A
2**	2418.300	98.17	-12.93	54.0	44.17	AV	17.00	150	Horizontal	N/A
3	5161.000	50.42	-3.53	74.0	-23.58	Peak	226.00	150	Horizontal	Pass
3**	5161.000	40.46	-3.53	54.0	-13.54	AV	226.00	150	Horizontal	Pass
4	7518.000	52.90	0.90	74.0	-21.10	Peak	115.00	150	Horizontal	Pass
4**	7518.000	43.54	0.90	54.0	-10.46	AV	115.00	150	Horizontal	Pass
5	13373.963	50.80	-0.15	74.0	-23.20	Peak	310.00	150	Horizontal	Pass
5**	13373.963	41.09	-0.15	54.0	-12.91	AV	310.00	150	Horizontal	Pass
6	17273.661	53.52	1.97	74.0	-20.48	Peak	280.00	150	Horizontal	Pass
6**	17273.661	43.13	1.97	54.0	-10.87	AV	280.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.100	44.93	-17.17	74.0	-29.07	Peak	360.00	150	Vertical	Pass
1**	1829.100	36.87	-17.17	54.0	-17.13	AV	360.00	150	Vertical	Pass
2	2420.500	98.26	-13.06	74.0	24.26	Peak	308.00	150	Vertical	N/A
2**	2420.500	90.88	-13.06	54.0	36.88	AV	308.00	150	Vertical	N/A
3	5240.500	50.54	-3.24	74.0	-23.46	Peak	74.00	150	Vertical	Pass
3**	5240.500	41.21	-3.24	54.0	-12.79	AV	74.00	150	Vertical	Pass
4	7683.750	52.92	0.97	74.0	-21.08	Peak	283.00	150	Vertical	Pass
4**	7683.750	43.70	0.97	54.0	-10.30	AV	283.00	150	Vertical	Pass
5	12441.250	49.85	-2.29	74.0	-24.15	Peak	360.00	150	Vertical	Pass
5**	12441.250	40.15	-2.29	54.0	-13.85	AV	360.00	150	Vertical	Pass
6	17395.462	53.38	2.69	74.0	-20.62	Peak	351.00	150	Vertical	Pass
6**	17395.462	43.82	2.69	54.0	-10.18	AV	351.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.91	-17.72	74.0	-32.09	Peak	147.00	150	Horizontal	Pass
1**	1599.700	34.42	-17.72	54.0	-19.58	AV	147.00	150	Horizontal	Pass
2	2423.400	105.77	-12.81	74.0	31.77	Peak	13.00	150	Horizontal	N/A
2**	2423.400	98.24	-12.81	54.0	44.24	AV	13.00	150	Horizontal	N/A
3	4283.250	48.97	-4.84	74.0	-25.03	Peak	59.00	150	Horizontal	Pass
3**	4283.250	39.33	-4.84	54.0	-14.67	AV	59.00	150	Horizontal	Pass
4	7825.250	53.62	1.87	74.0	-20.38	Peak	157.00	150	Horizontal	Pass
4**	7825.250	44.03	1.87	54.0	-9.97	AV	157.00	150	Horizontal	Pass
5	13437.487	51.97	0.12	74.0	-22.03	Peak	152.00	150	Horizontal	Pass
5**	13437.487	41.96	0.12	54.0	-12.04	AV	152.00	150	Horizontal	Pass
6	17820.975	54.42	3.05	74.0	-19.58	Peak	118.00	150	Horizontal	Pass
6**	17820.975	44.57	3.05	54.0	-9.43	AV	118.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.700	44.41	-17.18	74.0	-29.59	Peak	10.00	150	Vertical	Pass
1**	1830.700	32.58	-17.18	54.0	-21.42	AV	10.00	150	Vertical	Pass
2	2421.800	95.62	-12.90	74.0	21.62	Peak	48.00	150	Vertical	N/A
2**	2421.800	88.17	-12.90	54.0	34.17	AV	48.00	150	Vertical	N/A
3	5243.250	50.34	-3.59	74.0	-23.66	Peak	324.00	150	Vertical	Pass
3**	5243.250	41.32	-3.59	54.0	-12.68	AV	324.00	150	Vertical	Pass
4	7837.750	53.95	2.04	74.0	-20.05	Peak	0.00	150	Vertical	Pass
4**	7837.750	44.38	2.04	54.0	-9.62	AV	0.00	150	Vertical	Pass
5	11207.437	48.93	-4.08	74.0	-25.07	Peak	0.00	150	Vertical	Pass
5**	11207.437	40.25	-4.08	54.0	-13.75	AV	0.00	150	Vertical	Pass
6	17310.413	53.94	1.99	74.0	-20.06	Peak	306.00	150	Vertical	Pass
6**	17310.413	44.35	1.99	54.0	-9.65	AV	306.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 8VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.75	-17.75	74.0	-32.25	Peak	103.00	150	Horizontal	Pass
1**	1599.900	36.07	-17.75	54.0	-17.93	AV	103.00	150	Horizontal	Pass
2	2433.100	105.81	-12.27	74.0	31.81	Peak	22.00	150	Horizontal	N/A
2**	2433.100	97.67	-12.27	54.0	43.67	AV	22.00	150	Horizontal	N/A
3	5268.500	51.07	-3.49	74.0	-22.93	Peak	0.00	150	Horizontal	Pass
3**	5268.500	40.81	-3.49	54.0	-13.19	AV	0.00	150	Horizontal	Pass
4	7512.500	53.17	0.55	74.0	-20.83	Peak	341.00	150	Horizontal	Pass
4**	7512.500	44.30	0.55	54.0	-9.70	AV	341.00	150	Horizontal	Pass
5	13551.938	51.70	0.68	74.0	-22.30	Peak	132.00	150	Horizontal	Pass
5**	13551.938	41.85	0.68	54.0	-12.15	AV	132.00	150	Horizontal	Pass
6	17296.239	54.57	2.01	74.0	-19.43	Peak	64.00	150	Horizontal	Pass
6**	17296.239	43.95	2.01	54.0	-10.05	AV	64.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.800	46.11	-17.14	74.0	-27.89	Peak	327.00	150	Vertical	Pass
1**	1832.800	32.85	-17.14	54.0	-21.15	AV	327.00	150	Vertical	Pass
2	2445.100	98.21	-12.58	74.0	24.21	Peak	229.00	150	Vertical	N/A
2**	2445.100	90.49	-12.58	54.0	36.49	AV	229.00	150	Vertical	N/A
3	5313.750	50.56	-3.67	74.0	-23.44	Peak	53.00	150	Vertical	Pass
3**	5313.750	41.44	-3.67	54.0	-12.56	AV	53.00	150	Vertical	Pass
4	7833.250	53.22	2.27	74.0	-20.78	Peak	188.00	150	Vertical	Pass
4**	7833.250	44.18	2.27	54.0	-9.82	AV	188.00	150	Vertical	Pass
5	10567.375	49.47	-4.43	74.0	-24.53	Peak	144.00	150	Vertical	Pass
5**	10567.375	38.78	-4.43	54.0	-15.22	AV	144.00	150	Vertical	Pass
6	16895.137	52.98	1.47	74.0	-21.02	Peak	326.00	150	Vertical	Pass
6**	16895.137	43.22	1.47	54.0	-10.78	AV	326.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.15	-17.78	74.0	-31.85	Peak	9.00	150	Horizontal	Pass
1**	1600.300	35.50	-17.78	54.0	-18.50	AV	9.00	150	Horizontal	Pass
2	2445.900	105.75	-12.61	74.0	31.75	Peak	360.00	150	Horizontal	N/A
2**	2445.900	97.71	-12.61	54.0	43.71	AV	360.00	150	Horizontal	N/A
3	5222.500	51.14	-3.45	74.0	-22.86	Peak	169.00	150	Horizontal	Pass
3**	5222.500	41.14	-3.45	54.0	-12.86	AV	169.00	150	Horizontal	Pass
4	7459.750	52.89	1.14	74.0	-21.11	Peak	226.00	150	Horizontal	Pass
4**	7459.750	44.41	1.14	54.0	-9.59	AV	226.00	150	Horizontal	Pass
5	13407.563	52.45	-0.05	74.0	-21.55	Peak	280.00	150	Horizontal	Pass
5**	13407.563	41.17	-0.05	54.0	-12.83	AV	280.00	150	Horizontal	Pass
6	17797.614	54.04	3.19	74.0	-19.96	Peak	101.00	150	Horizontal	Pass
6**	17797.614	45.17	3.19	54.0	-8.83	AV	101.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.200	45.94	-17.28	74.0	-28.06	Peak	189.00	150	Vertical	Pass
1**	1798.200	32.68	-17.28	54.0	-21.32	AV	189.00	150	Vertical	Pass
2	2440.700	97.63	-12.33	74.0	23.63	Peak	212.00	150	Vertical	N/A
2**	2440.700	87.64	-12.33	54.0	33.64	AV	212.00	150	Vertical	N/A
3	5862.500	51.41	-2.01	74.0	-22.59	Peak	0.00	150	Vertical	Pass
3**	5862.500	41.74	-2.01	54.0	-12.26	AV	0.00	150	Vertical	Pass
4	7841.500	52.88	1.70	74.0	-21.12	Peak	165.00	150	Vertical	Pass
4**	7841.500	44.62	1.70	54.0	-9.38	AV	165.00	150	Vertical	Pass
5	13417.275	50.80	0.00	74.0	-23.20	Peak	28.00	150	Vertical	Pass
5**	13417.275	41.74	0.00	54.0	-12.26	AV	28.00	150	Vertical	Pass
6	16406.886	54.03	0.28	74.0	-19.97	Peak	77.00	150	Vertical	Pass
6**	16406.886	43.44	0.28	54.0	-10.56	AV	77.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.11	-17.76	74.0	-31.89	Peak	292.00	150	Horizontal	Pass
1**	1600.000	36.06	-17.76	54.0	-17.94	AV	292.00	150	Horizontal	Pass
2	2452.700	106.10	-12.89	74.0	32.10	Peak	15.00	150	Horizontal	N/A
2**	2452.700	97.01	-12.89	54.0	43.01	AV	15.00	150	Horizontal	N/A
3	5199.500	51.00	-3.22	74.0	-23.00	Peak	333.00	150	Horizontal	Pass
3**	5199.500	40.88	-3.22	54.0	-13.12	AV	333.00	150	Horizontal	Pass
4	7705.750	53.91	1.81	74.0	-20.09	Peak	259.00	150	Horizontal	Pass
4**	7705.750	43.59	1.81	54.0	-10.41	AV	259.00	150	Horizontal	Pass
5	14077.463	51.73	-0.40	74.0	-22.27	Peak	86.00	150	Horizontal	Pass
5**	14077.463	41.72	-0.40	54.0	-12.28	AV	86.00	150	Horizontal	Pass
6	17236.650	54.42	1.81	74.0	-19.58	Peak	194.00	150	Horizontal	Pass
6**	17236.650	43.99	1.81	54.0	-10.01	AV	194.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.100	44.79	-17.19	74.0	-29.21	Peak	0.00	150	Vertical	Pass
1**	1828.100	33.32	-17.19	54.0	-20.68	AV	0.00	150	Vertical	Pass
2	2444.600	95.67	-12.56	74.0	21.67	Peak	206.00	150	Vertical	N/A
2**	2444.600	86.85	-12.56	54.0	32.85	AV	206.00	150	Vertical	N/A
3	5176.250	51.14	-2.63	74.0	-22.86	Peak	300.00	150	Vertical	Pass
3**	5176.250	41.24	-2.63	54.0	-12.76	AV	300.00	150	Vertical	Pass
4	7843.000	53.30	1.54	74.0	-20.70	Peak	251.00	150	Vertical	Pass
4**	7843.000	44.70	1.54	54.0	-9.30	AV	251.00	150	Vertical	Pass
5	13307.025	51.23	-0.04	74.0	-22.77	Peak	0.00	150	Vertical	Pass
5**	13307.025	40.68	-0.04	54.0	-13.32	AV	0.00	150	Vertical	Pass
6	16852.613	54.67	1.10	74.0	-19.33	Peak	329.00	150	Vertical	Pass
6**	16852.613	43.84	1.10	54.0	-10.16	AV	329.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.33	-17.78	74.0	-31.67	Peak	138.00	150	Horizontal	Pass
1**	1600.200	35.68	-17.78	54.0	-18.32	AV	138.00	150	Horizontal	Pass
2	2448.800	106.60	-12.89	74.0	32.60	Peak	315.00	150	Horizontal	N/A
2**	2448.800	99.57	-12.89	54.0	45.57	AV	315.00	150	Horizontal	N/A
3	5200.000	50.02	-3.20	74.0	-23.98	Peak	342.00	150	Horizontal	Pass
3**	5200.000	40.75	-3.20	54.0	-13.25	AV	342.00	150	Horizontal	Pass
4	7842.250	53.55	1.62	74.0	-20.45	Peak	360.00	150	Horizontal	Pass
4**	7842.250	43.72	1.62	54.0	-10.28	AV	360.00	150	Horizontal	Pass
5	13595.250	51.13	-0.06	74.0	-22.87	Peak	52.00	150	Horizontal	Pass
5**	13595.250	40.57	-0.06	54.0	-13.43	AV	52.00	150	Horizontal	Pass
6	17786.849	53.49	3.04	74.0	-20.51	Peak	325.00	150	Horizontal	Pass
6**	17786.849	44.73	3.04	54.0	-9.27	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.300	46.00	-17.19	74.0	-28.00	Peak	356.00	150	Vertical	Pass
1**	1828.300	38.13	-17.19	54.0	-15.87	AV	356.00	150	Vertical	Pass
2	2450.500	98.78	-12.74	74.0	24.78	Peak	305.00	150	Vertical	N/A
2**	2450.500	92.20	-12.74	54.0	38.20	AV	305.00	150	Vertical	N/A
3	5362.000	50.68	-3.19	74.0	-23.32	Peak	275.00	150	Vertical	Pass
3**	5362.000	40.80	-3.19	54.0	-13.20	AV	275.00	150	Vertical	Pass
4	7824.250	52.78	2.00	74.0	-21.22	Peak	299.00	150	Vertical	Pass
4**	7824.250	44.08	2.00	54.0	-9.92	AV	299.00	150	Vertical	Pass
5	14089.538	51.42	-0.16	74.0	-22.58	Peak	96.00	150	Vertical	Pass
5**	14089.538	42.23	-0.16	54.0	-11.77	AV	96.00	150	Vertical	Pass
6	17160.262	53.20	1.59	74.0	-20.80	Peak	96.00	150	Vertical	Pass
6**	17160.262	43.55	1.59	54.0	-10.45	AV	96.00	150	Vertical	Pass