



**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-13	Pass	2985
30	1000	0.1	RMS	851.103	-64.85	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.54	-13	Pass	700
1700	1790	1	RMS	1765.7	22.2	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	12000	-43.34	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000




19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2985
30	1000	0.1	RMS	828.397	-64.8	-13	Pass	9699
1000	1700	1	RMS	1692.99	-31.56	-13	Pass	700
1700	1790	1	RMS	1711.025	22.94	60	Pass	401
1790	3000	1	RMS	2945.955	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	1000	0.1	RMS	851.803	-64.95	-13	Pass	9699
1000	1700	1	RMS	1692.99	-32.84	-13	Pass	700
1700	1790	1	RMS	1711.025	22.21	60	Pass	401
1790	3000	1	RMS	2950.959	-49.82	-13	Pass	1210
3000	12000	1	RMS	12000	-43.39	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.16	-13	Pass	8000




19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	865.121	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.68	-13	Pass	700
1700	1790	1	RMS	1736	22.9	60	Pass	401
1790	3000	1	RMS	2957.965	-49.92	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.32	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.15	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	842.999	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1736	22	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.36	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.12	-13	Pass	8000




**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.99	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.88	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.43	-13	Pass	700
1700	1790	1	RMS	1760.975	22.93	60	Pass	401
1790	3000	1	RMS	2947.957	-49.89	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.43	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.23	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.72	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.53	-13	Pass	700
1700	1790	1	RMS	1760.975	21.93	60	Pass	401
1790	3000	1	RMS	2948.958	-49.85	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.45	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.17	-13	Pass	8000



20. CA_7C


**20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	Pass	2985
30	1000	0.1	RMS	806.595	-64.91	-25	Pass	9699
1000	2475	1	RMS	2475	-51.97	-25	Pass	1475
2475	2735	1	RMS	2528.3	7.71	60	Pass	401
2735	3000	1	RMS	2947	-49.93	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.91	-25	Pass	9000
12000	26000	1	RMS	25999	-39.55	-25	Pass	14000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-25	Pass	2985
30	1000	0.1	RMS	830.098	-65.04	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.02	-25	Pass	1475
2475	2735	1	RMS	2521.15	9.13	60	Pass	401
2735	3000	1	RMS	2945.675	-49.96	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.99	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.42	-25	Pass	14000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.04	-25	Pass	2985
30	1000	0.1	RMS	841.599	-64.92	-25	Pass	9699
1000	2475	1	RMS	2453.986	-52.02	-25	Pass	1475
2475	2735	1	RMS	2528.3	10.17	60	Pass	401
2735	3000	1	RMS	2947.663	-50.46	-25	Pass	401
3000	12000	1	RMS	11804.758	-54.1	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.57	-25	Pass	14000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.27	-73.28	-25	Pass	2985
30	1000	0.1	RMS	840.899	-65.02	-25	Pass	9699
1000	2475	1	RMS	2475	-52	-25	Pass	1475
2475	2735	1	RMS	2521.15	7.72	60	Pass	401
2735	3000	1	RMS	2949.65	-49.95	-25	Pass	401
3000	12000	1	RMS	11801.755	-54.01	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.49	-25	Pass	14000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-25	Pass	2985
30	1000	0.1	RMS	844.899	-65.07	-25	Pass	9699
1000	2475	1	RMS	2453.986	-52.03	-25	Pass	1475
2475	2735	1	RMS	2548.45	7.76	60	Pass	401
2735	3000	1	RMS	2949.65	-49.96	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.93	-25	Pass	9000
12000	26000	1	RMS	25999	-39.46	-25	Pass	14000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.52	-25	Pass	2985
30	1000	0.1	RMS	846.4	-64.75	-25	Pass	9699
1000	2475	1	RMS	2471.998	-51.97	-25	Pass	1475
2475	2735	1	RMS	2546.5	8.79	60	Pass	401
2735	3000	1	RMS	2950.313	-49.94	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.94	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.44	-25	Pass	14000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.33	-25	Pass	2985
30	1000	0.1	RMS	981.475	-64.97	-25	Pass	9699
1000	2475	1	RMS	2475	-51.97	-25	Pass	1475
2475	2735	1	RMS	2548.45	11.4	60	Pass	401
2735	3000	1	RMS	2949.65	-49.95	-25	Pass	401
3000	12000	1	RMS	11788.739	-54	-25	Pass	9000
12000	26000	1	RMS	25999	-39.41	-25	Pass	14000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-25	Pass	2985
30	1000	0.1	RMS	858.312	-64.97	-25	Pass	9699
1000	2475	1	RMS	2475	-51.99	-25	Pass	1475
2475	2735	1	RMS	2540.65	7.57	60	Pass	401
2735	3000	1	RMS	2950.313	-49.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.98	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.32	-25	Pass	14000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.46	-25	Pass	2985
30	1000	0.1	RMS	822.397	-65.03	-25	Pass	9699
1000	2475	1	RMS	2459.99	-52.03	-25	Pass	1475
2475	2735	1	RMS	2568.6	7.94	60	Pass	401
2735	3000	1	RMS	2943.688	-49.93	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.97	-25	Pass	9000
12000	26000	1	RMS	25999	-39.49	-25	Pass	14000




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.77	-25	Pass	2985
30	1000	0.1	RMS	829.598	-64.97	-25	Pass	9699
1000	2475	1	RMS	2471.998	-52.03	-25	Pass	1475
2475	2735	1	RMS	2560.8	8.77	60	Pass	401
2735	3000	1	RMS	2945.675	-49.93	-25	Pass	401
3000	12000	1	RMS	11786.736	-53.94	-25	Pass	9000
12000	26000	1	RMS	25999	-39.48	-25	Pass	14000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-25	Pass	2985
30	1000	0.1	RMS	847.8	-64.94	-25	Pass	9699
1000	2475	1	RMS	2470.997	-52.05	-25	Pass	1475
2475	2735	1	RMS	2568.6	11.59	60	Pass	401
2735	3000	1	RMS	2947	-49.93	-25	Pass	401
3000	12000	1	RMS	6961.484	-53.96	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.49	-25	Pass	14000




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.29	-25	Pass	2985
30	1000	0.1	RMS	858.412	-64.96	-25	Pass	9699
1000	2475	1	RMS	2447.982	-51.98	-25	Pass	1475
2475	2735	1	RMS	2561.45	7.34	60	Pass	401
2735	3000	1	RMS	2950.313	-49.9	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.98	-25	Pass	9000
12000	26000	1	RMS	25998	-39.49	-25	Pass	14000




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.71	-25	Pass	2985
30	1000	0.1	RMS	841.899	-64.98	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.04	-25	Pass	1475
2475	2735	1	RMS	2501	7.57	60	Pass	401
2735	3000	1	RMS	2948.988	-49.95	-25	Pass	401
3000	12000	1	RMS	8250.641	-53.96	-25	Pass	9000
12000	26000	1	RMS	25979.997	-39.49	-25	Pass	14000




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.99	-25	Pass	2985
30	1000	0.1	RMS	842.299	-64.88	-25	Pass	9699
1000	2475	1	RMS	2459.99	-51.97	-25	Pass	1475
2475	2735	1	RMS	2521.8	6.59	60	Pass	401
2735	3000	1	RMS	2948.988	-49.96	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.98	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.28	-73.39	-25	Pass	2985
30	1000	0.1	RMS	850.301	-64.79	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.93	-25	Pass	1475
2475	2735	1	RMS	2501	11.23	60	Pass	401
2735	3000	1	RMS	2945.675	-49.94	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.98	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.41	-25	Pass	14000




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-25	Pass	2985
30	1000	0.1	RMS	976.168	-64.96	-25	Pass	9699
1000	2475	1	RMS	2475	-52.02	-25	Pass	1475
2475	2735	1	RMS	2521.8	4.97	60	Pass	401
2735	3000	1	RMS	2952.3	-49.95	-25	Pass	401
3000	12000	1	RMS	8249.641	-53.99	-25	Pass	9000
12000	26000	1	RMS	25998	-39.46	-25	Pass	14000




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.16	-25	Pass	2985
30	1000	0.1	RMS	846.1	-64.77	-25	Pass	9699
1000	2475	1	RMS	2458.989	-52.03	-25	Pass	1475
2475	2735	1	RMS	2515.95	7.96	60	Pass	401
2735	3000	1	RMS	2947.663	-49.95	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.98	-25	Pass	9000
12000	26000	1	RMS	25998	-39.42	-25	Pass	14000




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	852.304	-65.01	-25	Pass	9699
1000	2475	1	RMS	2461.991	-52.04	-25	Pass	1475
2475	2735	1	RMS	2547.8	5.77	60	Pass	401
2735	3000	1	RMS	2947	-49.97	-25	Pass	401
3000	12000	1	RMS	11810.766	-54.02	-25	Pass	9000
12000	26000	1	RMS	25982.997	-39.45	-25	Pass	14000




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.18	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.91	-25	Pass	2985
30	1000	0.1	RMS	865.822	-65.02	-25	Pass	9699
1000	2475	1	RMS	2466.995	-52.01	-25	Pass	1475
2475	2735	1	RMS	2553.65	11.28	60	Pass	401
2735	3000	1	RMS	2948.988	-49.95	-25	Pass	401
3000	12000	1	RMS	11799.752	-54	-25	Pass	9000
12000	26000	1	RMS	26000	-39.38	-25	Pass	14000




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.35	-25	Pass	2985
30	1000	0.1	RMS	843.899	-64.89	-25	Pass	9699
1000	2475	1	RMS	2475	-51.98	-25	Pass	1475
2475	2735	1	RMS	2546.5	4.26	60	Pass	401
2735	3000	1	RMS	2948.988	-49.94	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.94	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.37	-25	Pass	14000




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.51	-25	Pass	401
0.15	30	0.01	RMS	0.3	-72.65	-25	Pass	2985
30	1000	0.1	RMS	861.817	-64.94	-25	Pass	9699
1000	2475	1	RMS	2466.995	-52	-25	Pass	1475
2475	2735	1	RMS	2530.9	8.02	60	Pass	401
2735	3000	1	RMS	2948.988	-49.92	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.98	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.4	-25	Pass	14000




**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-25	Pass	2985
30	1000	0.1	RMS	838.499	-64.95	-25	Pass	9699
1000	2475	1	RMS	2475	-51.97	-25	Pass	1475
2475	2735	1	RMS	2552.35	6.76	60	Pass	401
2735	3000	1	RMS	2947	-49.91	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.99	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.34	-25	Pass	14000




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-25	Pass	2985
30	1000	0.1	RMS	827.097	-64.6	-25	Pass	9699
1000	2475	1	RMS	2450.984	-51.98	-25	Pass	1475
2475	2735	1	RMS	2530.9	11.55	60	Pass	401
2735	3000	1	RMS	2950.313	-49.91	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.91	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.4	-25	Pass	14000



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.24	-25	Pass	2985
30	1000	0.1	RMS	843.699	-64.99	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.03	-25	Pass	1475
2475	2735	1	RMS	2551.7	5.39	60	Pass	401
2735	3000	1	RMS	2947	-49.94	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.95	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.45	-25	Pass	14000



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.91	-25	Pass	2985
30	1000	0.1	RMS	826.697	-60.85	-25	Pass	9699
1000	2525	1	RMS	2513.993	-47.49	-25	Pass	1525
2525	2665	1	RMS	2598.85	8.95	60	Pass	401
2665	3000	1	RMS	2955.613	-45.98	-25	Pass	401
3000	12000	1	RMS	11821.779	-53.83	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.33	-25	Pass	14500




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.45	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.22	-25	Pass	2985
30	1000	0.1	RMS	835.898	-60.8	-25	Pass	9699
1000	2525	1	RMS	2522.999	-44.1	-25	Pass	1525
2525	2665	1	RMS	2589.4	8.26	60	Pass	401
2665	3000	1	RMS	2945.563	-46	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.91	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.3	-25	Pass	14500




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	Pass	2985
30	1000	0.1	RMS	835.798	-60.8	-25	Pass	9699
1000	2525	1	RMS	2513.993	-38.29	-25	Pass	1525
2525	2665	1	RMS	2570.5	12.68	60	Pass	401
2665	3000	1	RMS	2949.75	-45.97	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.91	-25	Pass	9000
12000	26500	1	RMS	26010.922	-39.28	-25	Pass	14500




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.91	-25	Pass	2985
30	1000	0.1	RMS	824.297	-60.93	-25	Pass	9699
1000	2525	1	RMS	2525	-45.86	-25	Pass	1525
2525	2665	1	RMS	2582.4	6.66	60	Pass	401
2665	3000	1	RMS	2948.913	-45.99	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.8	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.27	-25	Pass	14500




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.89	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.21	-25	Pass	2985
30	1000	0.1	RMS	848.4	-60.94	-25	Pass	9699
1000	2525	1	RMS	2494.98	-47.78	-25	Pass	1525
2525	2665	1	RMS	2609	8.75	60	Pass	401
2665	3000	1	RMS	2950.588	-45.98	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.92	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.19	-25	Pass	14500




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.96	-25	Pass	2985
30	1000	0.1	RMS	843.499	-60.92	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.68	-25	Pass	1525
2525	2665	1	RMS	2597.1	7.82	60	Pass	401
2665	3000	1	RMS	2946.4	-46	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.93	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.18	-25	Pass	14500




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2985
30	1000	0.1	RMS	842.999	-60.86	-25	Pass	9699
1000	2525	1	RMS	2523.999	-40.16	-25	Pass	1525
2525	2665	1	RMS	2609	12.7	60	Pass	401
2665	3000	1	RMS	2665.838	-44.61	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.88	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.29	-25	Pass	14500




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.08	-25	Pass	2985
30	1000	0.1	RMS	843.999	-60.9	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.49	-25	Pass	1525
2525	2665	1	RMS	2592.55	6.46	60	Pass	401
2665	3000	1	RMS	2948.075	-45.99	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.91	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.26	-25	Pass	14500




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-25	Pass	2985
30	1000	0.1	RMS	827.097	-60.77	-25	Pass	9699
1000	2525	1	RMS	2485.974	-47.75	-25	Pass	1525
2525	2665	1	RMS	2590.8	8.52	60	Pass	401
2665	3000	1	RMS	2944.725	-45.99	-25	Pass	401
3000	12000	1	RMS	6962.484	-53.93	-25	Pass	9000
12000	26500	1	RMS	26013.923	-39.28	-25	Pass	14500




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-25	Pass	2985
30	1000	0.1	RMS	850.602	-60.9	-25	Pass	9699
1000	2525	1	RMS	2523.999	-47.59	-25	Pass	1525
2525	2665	1	RMS	2608.65	7.71	60	Pass	401
2665	3000	1	RMS	2665.838	-45.45	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.91	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.21	-25	Pass	14500




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-25	Pass	2985
30	1000	0.1	RMS	852.004	-60.94	-25	Pass	9699
1000	2525	1	RMS	2489.977	-47.75	-25	Pass	1525
2525	2665	1	RMS	2590.8	12.32	60	Pass	401
2665	3000	1	RMS	2675.05	-44.45	-25	Pass	401
3000	12000	1	RMS	11822.781	-53.88	-25	Pass	9000
12000	26500	1	RMS	25991.919	-39.31	-25	Pass	14500




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	Pass	2985
30	1000	0.1	RMS	836.398	-60.9	-25	Pass	9699
1000	2525	1	RMS	2487.976	-47.72	-25	Pass	1525
2525	2665	1	RMS	2608.65	6.23	60	Pass	401
2665	3000	1	RMS	2953.1	-46.02	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.93	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.24	-25	Pass	14500




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.11	-25	Pass	2985
30	1000	0.1	RMS	843.199	-60.88	-25	Pass	9699
1000	2525	1	RMS	2495.981	-47.55	-25	Pass	1525
2525	2665	1	RMS	2608.3	8.75	60	Pass	401
2665	3000	1	RMS	2946.4	-46.01	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.91	-25	Pass	9000
12000	26500	1	RMS	25987.919	-39.28	-25	Pass	14500




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.12	-25	Pass	2985
30	1000	0.1	RMS	842.499	-60.74	-25	Pass	9699
1000	2525	1	RMS	2522.999	-41.22	-25	Pass	1525
2525	2665	1	RMS	2587.65	7.16	60	Pass	401
2665	3000	1	RMS	2665	-45.69	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.91	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.29	-25	Pass	14500




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-25	Pass	2985
30	1000	0.1	RMS	833.298	-60.83	-25	Pass	9699
1000	2525	1	RMS	2495.981	-41.41	-25	Pass	1525
2525	2665	1	RMS	2570.85	12.14	60	Pass	401
2665	3000	1	RMS	2683.425	-44.27	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.87	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.29	-25	Pass	14500




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2985
30	1000	0.1	RMS	850.201	-60.94	-25	Pass	9699
1000	2525	1	RMS	2522.999	-43.89	-25	Pass	1525
2525	2665	1	RMS	2586.6	5.81	60	Pass	401
2665	3000	1	RMS	2948.913	-45.97	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.91	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.3	-25	Pass	14500




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.99	-25	Pass	2985
30	1000	0.1	RMS	854.807	-60.94	-25	Pass	9699
1000	2525	1	RMS	2500.984	-47.48	-25	Pass	1525
2525	2665	1	RMS	2613.55	9.06	60	Pass	401
2665	3000	1	RMS	2944.725	-45.98	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.89	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.32	-25	Pass	14500




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-25	Pass	2985
30	1000	0.1	RMS	844.299	-60.94	-25	Pass	9699
1000	2525	1	RMS	2523.999	-42.65	-25	Pass	1525
2525	2665	1	RMS	2590.8	6.5	60	Pass	401
2665	3000	1	RMS	2665	-44.77	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.83	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.33	-25	Pass	14500




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-25	Pass	2985
30	1000	0.1	RMS	889.453	-60.79	-25	Pass	9699
1000	2525	1	RMS	2500.984	-42.56	-25	Pass	1525
2525	2665	1	RMS	2576.1	12.92	60	Pass	401
2665	3000	1	RMS	2688.45	-44.84	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.89	-25	Pass	9000
12000	26500	1	RMS	26015.923	-39.3	-25	Pass	14500




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-25	Pass	2985
30	1000	0.1	RMS	837.599	-60.85	-25	Pass	9699
1000	2525	1	RMS	2523.999	-44.98	-25	Pass	1525
2525	2665	1	RMS	2592.55	5.6	60	Pass	401
2665	3000	1	RMS	2948.075	-45.96	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.9	-25	Pass	9000
12000	26500	1	RMS	25988.919	-39.35	-25	Pass	14500




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	Pass	2985
30	1000	0.1	RMS	835.998	-60.81	-25	Pass	9699
1000	2525	1	RMS	2505.988	-47.52	-25	Pass	1525
2525	2665	1	RMS	2581	8.73	60	Pass	401
2665	3000	1	RMS	2951.425	-45.98	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.91	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.28	-25	Pass	14500




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-25	Pass	2985
30	1000	0.1	RMS	840.799	-60.87	-25	Pass	9699
1000	2525	1	RMS	2523.999	-44.1	-25	Pass	1525
2525	2665	1	RMS	2603.05	7.22	60	Pass	401
2665	3000	1	RMS	2665.838	-44.36	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.89	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.24	-25	Pass	14500




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.9	-25	Pass	2985
30	1000	0.1	RMS	843.999	-60.81	-25	Pass	9699
1000	2525	1	RMS	2505.988	-42.38	-25	Pass	1525
2525	2665	1	RMS	2581.35	12.3	60	Pass	401
2665	3000	1	RMS	2693.475	-44.88	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.88	-25	Pass	9000
12000	26500	1	RMS	25989.919	-39.25	-25	Pass	14500



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-25	Pass	2985
30	1000	0.1	RMS	833.998	-60.95	-25	Pass	9699
1000	2525	1	RMS	2525	-45.94	-25	Pass	1525
2525	2665	1	RMS	2602.35	5.05	60	Pass	401
2665	3000	1	RMS	2665.838	-45.86	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.93	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.31	-25	Pass	14500



22. CA_41C_full


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2985
30	1000	0.1	RMS	834.898	-61.01	-25	Pass	9699
1000	2475	1	RMS	2473.999	-42.55	-25	Pass	1475
2475	2735	1	RMS	2519.85	8.05	60	Pass	401
2735	3000	1	RMS	2948.325	-45.99	-25	Pass	401
3000	12000	1	RMS	11817.774	-53.91	-25	Pass	9000
12000	27000	1	RMS	25998.853	-39.29	-25	Pass	15000




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.53	-25	Pass	2985
30	1000	0.1	RMS	838.799	-60.95	-25	Pass	9699
1000	2475	1	RMS	2475	-46.18	-25	Pass	1475
2475	2735	1	RMS	2517.9	12.45	60	Pass	401
2735	3000	1	RMS	2948.325	-46	-25	Pass	401
3000	12000	1	RMS	6959.483	-53.91	-25	Pass	9000
12000	27000	1	RMS	26020.856	-39.33	-25	Pass	15000




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.97	-25	Pass	2985
30	1000	0.1	RMS	839.999	-60.83	-25	Pass	9699
1000	2475	1	RMS	2475	-39.11	-25	Pass	1475
2475	2735	1	RMS	2519.85	11.53	60	Pass	401
2735	3000	1	RMS	2949.65	-46	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.86	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.31	-25	Pass	15000




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.75	-25	Pass	2985
30	1000	0.1	RMS	851.103	-60.84	-25	Pass	9699
1000	2475	1	RMS	2475	-47.39	-25	Pass	1475
2475	2735	1	RMS	2517.9	11.23	60	Pass	401
2735	3000	1	RMS	2947	-46	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.92	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.27	-25	Pass	15000




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.7	-25	Pass	2985
30	1000	0.1	RMS	841.399	-60.87	-25	Pass	9699
1000	2475	1	RMS	2458.989	-47.99	-25	Pass	1475
2475	2735	1	RMS	2580.95	7.52	60	Pass	401
2735	3000	1	RMS	2949.65	-45.98	-25	Pass	401
3000	12000	1	RMS	8250.641	-53.87	-25	Pass	9000
12000	27000	1	RMS	25996.853	-39.25	-25	Pass	15000




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.04	-25	Pass	2985
30	1000	0.1	RMS	844.799	-60.88	-25	Pass	9699
1000	2475	1	RMS	2475	-47.95	-25	Pass	1475
2475	2735	1	RMS	2601.1	12.82	60	Pass	401
2735	3000	1	RMS	2949.65	-45.99	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.88	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.33	-25	Pass	15000




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.99	-25	Pass	2985
30	1000	0.1	RMS	845.9	-60.79	-25	Pass	9699
1000	2475	1	RMS	2471.998	-47.93	-25	Pass	1475
2475	2735	1	RMS	2604.35	11.86	60	Pass	401
2735	3000	1	RMS	2948.988	-45.99	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.91	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.29	-25	Pass	15000




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.45	-25	Pass	2985
30	1000	0.1	RMS	844.599	-60.87	-25	Pass	9699
1000	2475	1	RMS	2468.996	-47.91	-25	Pass	1475
2475	2735	1	RMS	2601.1	11.08	60	Pass	401
2735	3000	1	RMS	2950.313	-45.97	-25	Pass	401
3000	12000	1	RMS	11823.782	-53.9	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.3	-25	Pass	15000




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-25	Pass	2985
30	1000	0.1	RMS	830.898	-60.97	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.95	-25	Pass	1475
2475	2735	1	RMS	2688.2	7.69	60	Pass	401
2735	3000	1	RMS	2947.663	-45.99	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.9	-25	Pass	9000
12000	27000	1	RMS	26953.993	-39.32	-25	Pass	15000




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.94	-25	Pass	2985
30	1000	0.1	RMS	838.599	-60.94	-25	Pass	9699
1000	2475	1	RMS	2461.991	-47.88	-25	Pass	1475
2475	2735	1	RMS	2684.95	12.55	60	Pass	401
2735	3000	1	RMS	2948.988	-45.99	-25	Pass	401
3000	12000	1	RMS	6960.483	-53.84	-25	Pass	9000
12000	27000	1	RMS	25973.849	-39.32	-25	Pass	15000




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	Pass	2985
30	1000	0.1	RMS	850.802	-60.88	-25	Pass	9699
1000	2475	1	RMS	2466.995	-47.93	-25	Pass	1475
2475	2735	1	RMS	2666.1	11.61	60	Pass	401
2735	3000	1	RMS	2952.963	-45.98	-25	Pass	401
3000	12000	1	RMS	6957.483	-53.8	-25	Pass	9000
12000	27000	1	RMS	26011.855	-39.18	-25	Pass	15000




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.71	-25	Pass	2985
30	1000	0.1	RMS	840.499	-60.99	-25	Pass	9699
1000	2475	1	RMS	2463.993	-47.99	-25	Pass	1475
2475	2735	1	RMS	2685.6	11.22	60	Pass	401
2735	3000	1	RMS	2943.688	-46	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.87	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.33	-25	Pass	15000




**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.41	-25	Pass	2985
30	1000	0.1	RMS	844.599	-60.8	-25	Pass	9699
1000	2475	1	RMS	2470.997	-47.94	-25	Pass	1475
2475	2735	1	RMS	2534.15	8.5	60	Pass	401
2735	3000	1	RMS	2948.988	-45.97	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.85	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.3	-25	Pass	15000




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-25	Pass	2985
30	1000	0.1	RMS	836.498	-60.76	-25	Pass	9699
1000	2475	1	RMS	2473.999	-43.12	-25	Pass	1475
2475	2735	1	RMS	2513.35	7.62	60	Pass	401
2735	3000	1	RMS	2952.963	-46.02	-25	Pass	401
3000	12000	1	RMS	6964.484	-53.92	-25	Pass	9000
12000	27000	1	RMS	26029.858	-39.22	-25	Pass	15000




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.95	-25	Pass	2985
30	1000	0.1	RMS	842.499	-60.71	-25	Pass	9699
1000	2475	1	RMS	2459.99	-47.91	-25	Pass	1475
2475	2735	1	RMS	2534.15	12.36	60	Pass	401
2735	3000	1	RMS	2946.338	-45.99	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.85	-25	Pass	9000
12000	27000	1	RMS	25989.852	-39.28	-25	Pass	15000




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.77	-25	Pass	2985
30	1000	0.1	RMS	835.498	-60.86	-25	Pass	9699
1000	2475	1	RMS	2473.999	-44.75	-25	Pass	1475
2475	2735	1	RMS	2513.35	5.98	60	Pass	401
2735	3000	1	RMS	2950.975	-45.96	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.89	-25	Pass	9000
12000	27000	1	RMS	25983.851	-39.27	-25	Pass	15000




**22.25. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.12	-25	Pass	2985
30	1000	0.1	RMS	835.598	-60.76	-25	Pass	9699
1000	2475	1	RMS	2475	-47.93	-25	Pass	1475
2475	2735	1	RMS	2573.8	7.15	60	Pass	401
2735	3000	1	RMS	2948.325	-45.97	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.91	-25	Pass	9000
12000	27000	1	RMS	26009.855	-39.29	-25	Pass	15000




**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.8	-25	Pass	2985
30	1000	0.1	RMS	851.703	-60.94	-25	Pass	9699
1000	2475	1	RMS	2457.988	-47.74	-25	Pass	1475
2475	2735	1	RMS	2590.05	7.01	60	Pass	401
2735	3000	1	RMS	2950.313	-45.99	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.91	-25	Pass	9000
12000	27000	1	RMS	26020.856	-39.34	-25	Pass	15000




**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.1	-25	Pass	2985
30	1000	0.1	RMS	840.099	-60.94	-25	Pass	9699
1000	2475	1	RMS	2461.991	-47.67	-25	Pass	1475
2475	2735	1	RMS	2573.8	11.49	60	Pass	401
2735	3000	1	RMS	2950.313	-45.99	-25	Pass	401
3000	12000	1	RMS	6953.483	-53.85	-25	Pass	9000
12000	27000	1	RMS	25993.852	-39.27	-25	Pass	15000




**22.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.66	-25	Pass	2985
30	1000	0.1	RMS	839.299	-60.8	-25	Pass	9699
1000	2475	1	RMS	2457.988	-47.92	-25	Pass	1475
2475	2735	1	RMS	2595.25	5.68	60	Pass	401
2735	3000	1	RMS	2944.35	-46.01	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.88	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.33	-25	Pass	15000




**22.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-25	Pass	2985
30	1000	0.1	RMS	848.4	-61.04	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48	-25	Pass	1475
2475	2735	1	RMS	2688.2	7.75	60	Pass	401
2735	3000	1	RMS	2950.975	-45.99	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.89	-25	Pass	9000
12000	27000	1	RMS	25963.848	-39.28	-25	Pass	15000




**22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.7	-25	Pass	2985
30	1000	0.1	RMS	846.6	-60.74	-25	Pass	9699
1000	2475	1	RMS	2459.99	-47.5	-25	Pass	1475
2475	2735	1	RMS	2672.6	7.42	60	Pass	401
2735	3000	1	RMS	2949.65	-46.01	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.89	-25	Pass	9000
12000	27000	1	RMS	26003.854	-39.26	-25	Pass	15000




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	Pass	2985
30	1000	0.1	RMS	856.309	-60.86	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.92	-25	Pass	1475
2475	2735	1	RMS	2651.15	11.65	60	Pass	401
2735	3000	1	RMS	2946.338	-45.99	-25	Pass	401
3000	12000	1	RMS	11783.732	-53.93	-25	Pass	9000
12000	27000	1	RMS	25994.852	-39.34	-25	Pass	15000



**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	Pass	2985
30	1000	0.1	RMS	835.998	-60.67	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.96	-25	Pass	1475
2475	2735	1	RMS	2672.6	5.68	60	Pass	401
2735	3000	1	RMS	2951.638	-46	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.9	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.23	-25	Pass	15000



23. n5 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.47	-13	Pass	7840
814	859	0.1	RMS	825.526	10.69	60	Pass	450
859	1000	0.1	RMS	898.728	-63.64	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.97	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.54	-13	Pass	7000




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.73	-13	Pass	7840
814	859	0.1	RMS	825.626	9.5	60	Pass	450
859	1000	0.1	RMS	893.124	-63.81	-13	Pass	1410
1000	3000	1	RMS	2865.933	-49.01	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.53	-13	Pass	7000




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	Pass	2985
30	814	0.1	RMS	754.592	-64.26	-13	Pass	7840
814	859	0.1	RMS	837.352	10.16	60	Pass	450
859	1000	0.1	RMS	898.428	-63.85	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.97	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.5	-13	Pass	7000




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.67	-13	Pass	2985
30	814	0.1	RMS	744.291	-64.26	-13	Pass	7840
814	859	0.1	RMS	836.45	9.28	60	Pass	450
859	1000	0.1	RMS	914.139	-63.93	-13	Pass	1410
1000	3000	1	RMS	2878.939	-48.97	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.49	-13	Pass	7000




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	814	0.1	RMS	738.89	-64.22	-13	Pass	7840
814	859	0.1	RMS	845.47	10.26	60	Pass	450
859	1000	0.1	RMS	904.232	-63.89	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.98	-13	Pass	2000
3000	10000	1	RMS	8389.77	-60.46	-13	Pass	7000




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	814	0.1	RMS	745.691	-64.23	-13	Pass	7840
814	859	0.1	RMS	846.773	9.17	60	Pass	450
859	1000	0.1	RMS	892.424	-63.86	-13	Pass	1410
1000	3000	1	RMS	2880.94	-49.01	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.5	-13	Pass	7000




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.58	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.24	-13	Pass	2985
30	814	0.1	RMS	812	-49.22	-13	Pass	7840
814	859	0.1	RMS	831.94	5.94	60	Pass	450
859	1000	0.1	RMS	900.63	-63.9	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.02	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.57	-13	Pass	7000




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.39	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.73	-13	Pass	2985
30	814	0.1	RMS	813.2	-49.61	-13	Pass	7840
814	859	0.1	RMS	828.031	5.1	60	Pass	450
859	1000	0.1	RMS	907.735	-63.9	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.56	-13	Pass	7000




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.62	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.71	-13	Pass	2985
30	814	0.1	RMS	813.7	-54.95	-13	Pass	7840
814	859	0.1	RMS	836.951	6.15	60	Pass	450
859	1000	0.1	RMS	900.93	-63.9	-13	Pass	1410
1000	3000	1	RMS	2878.939	-49.01	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.53	-13	Pass	7000




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.72	-13	Pass	7840
814	859	0.1	RMS	838.254	5.22	60	Pass	450
859	1000	0.1	RMS	906.033	-63.96	-13	Pass	1410
1000	3000	1	RMS	2873.937	-49.01	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.51	-13	Pass	7000




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.21	-13	Pass	7840
814	859	0.1	RMS	841.962	6.19	60	Pass	450
859	1000	0.1	RMS	898.628	-63.83	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49.03	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.51	-13	Pass	7000




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.9	-13	Pass	7840
814	859	0.1	RMS	843.265	4.92	60	Pass	450
859	1000	0.1	RMS	909.136	-63.94	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.99	-13	Pass	2000
3000	10000	1	RMS	8384.769	-60.46	-13	Pass	7000




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-13	Pass	2985
30	814	0.1	RMS	813.8	-46.76	-13	Pass	7840
814	859	0.1	RMS	836.65	4.44	60	Pass	450
859	1000	0.1	RMS	894.625	-63.93	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.98	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.5	-13	Pass	7000




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	Pass	2985
30	814	0.1	RMS	813.8	-47.51	-13	Pass	7840
814	859	0.1	RMS	834.245	3.32	60	Pass	450
859	1000	0.1	RMS	998.299	-63.97	-13	Pass	1410
1000	3000	1	RMS	2876.938	-49.03	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.48	-13	Pass	7000




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	Pass	2985
30	814	0.1	RMS	813.6	-49.52	-13	Pass	7840
814	859	0.1	RMS	839.156	4.89	60	Pass	450
859	1000	0.1	RMS	891.423	-63.9	-13	Pass	1410
1000	3000	1	RMS	2881.941	-49	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.44	-13	Pass	7000




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	Pass	2985
30	814	0.1	RMS	812.9	-50.11	-13	Pass	7840
814	859	0.1	RMS	839.256	3.5	60	Pass	450
859	1000	0.1	RMS	886.82	-64	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.98	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.45	-13	Pass	7000




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	814	0.1	RMS	813.5	-52.62	-13	Pass	7840
814	859	0.1	RMS	841.661	4.9	60	Pass	450
859	1000	0.1	RMS	889.622	-63.87	-13	Pass	1410
1000	3000	1	RMS	2876.938	-49.01	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.53	-13	Pass	7000



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.04	-13	Pass	7840
814	859	0.1	RMS	839.256	3.75	60	Pass	450
859	1000	0.1	RMS	894.825	-63.95	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.55	-13	Pass	7000



24. n7 15kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-25	Pass	2985
30	1000	0.1	RMS	911.783	-63.91	-25	Pass	9699
1000	2490	1	RMS	2488.999	-48.72	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.46	60	Pass	401
2580	3000	1	RMS	2877.709	-49.02	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.31	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.86	-25	Pass	19500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-25	Pass	2985
30	1000	0.1	RMS	904.974	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-48.83	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.39	60	Pass	401
2580	3000	1	RMS	2868.687	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.3	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.97	-25	Pass	19500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-25	Pass	2985
30	1000	0.1	RMS	866.022	-63.94	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.86	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.25	60	Pass	401
2580	3000	1	RMS	2868.687	-49.04	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.39	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45	-25	Pass	19500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.87	-25	Pass	2985
30	1000	0.1	RMS	899.867	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-50.79	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.2	60	Pass	401
2580	3000	1	RMS	2871.695	-49.01	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.36	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.96	-25	Pass	19500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-25	Pass	2985
30	1000	0.1	RMS	914.987	-63.98	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.85	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.22	60	Pass	401
2580	3000	1	RMS	2868.687	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25489.836	-44.89	-25	Pass	19500




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	Pass	2985
30	1000	0.1	RMS	911.282	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.91	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.15	60	Pass	401
2580	3000	1	RMS	2868.687	-49.03	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.99	-25	Pass	19500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-25	Pass	2985
30	1000	0.1	RMS	899.066	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-47.86	-25	Pass	1490
2490	2580	1	RMS	2508	15.09	60	Pass	401
2580	3000	1	RMS	2877.709	-48.97	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.42	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.98	-25	Pass	19500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	Pass	2985
30	1000	0.1	RMS	911.182	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-48.04	-25	Pass	1490
2490	2580	1	RMS	2509.125	14.03	60	Pass	401
2580	3000	1	RMS	2874.702	-49.01	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.3	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.82	-25	Pass	19500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.47	-25	Pass	2985
30	1000	0.1	RMS	899.767	-63.91	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.82	-25	Pass	1490
2490	2580	1	RMS	2535.675	15.05	60	Pass	401
2580	3000	1	RMS	2867.685	-49.01	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.35	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.88	-25	Pass	19500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-25	Pass	2985
30	1000	0.1	RMS	894.36	-63.94	-25	Pass	9699
1000	2490	1	RMS	2490	-50.82	-25	Pass	1490
2490	2580	1	RMS	2536.575	14.05	60	Pass	401
2580	3000	1	RMS	2868.687	-48.99	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.9	-25	Pass	19500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-25	Pass	2985
30	1000	0.1	RMS	883.846	-63.88	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.79	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.99	60	Pass	401
2580	3000	1	RMS	2580	-45.46	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.93	-25	Pass	19500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-25	Pass	2985
30	1000	0.1	RMS	910.481	-63.99	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.84	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.99	60	Pass	401
2580	3000	1	RMS	2580	-45.95	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25199.743	-44.92	-25	Pass	19500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.92	-25	Pass	2985
30	1000	0.1	RMS	901.67	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-46.4	-25	Pass	1490
2490	2580	1	RMS	2511.825	13.67	60	Pass	401
2580	3000	1	RMS	2876.706	-48.98	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.44	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.96	-25	Pass	19500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.38	-25	Pass	2985
30	1000	0.1	RMS	899.266	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-47.65	-25	Pass	1490
2490	2580	1	RMS	2512.5	12.71	60	Pass	401
2580	3000	1	RMS	2870.692	-48.96	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.39	-25	Pass	3500
6500	26000	1	RMS	25510.843	-44.92	-25	Pass	19500




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-25	Pass	2985
30	1000	0.1	RMS	875.034	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.56	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.57	60	Pass	401
2580	3000	1	RMS	2878.711	-49.01	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.32	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.81	-25	Pass	19500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-25	Pass	2985
30	1000	0.1	RMS	890.455	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-50.53	-25	Pass	1490
2490	2580	1	RMS	2535.225	12.48	60	Pass	401
2580	3000	1	RMS	2879.714	-48.95	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.89	-25	Pass	19500




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-25	Pass	2985
30	1000	0.1	RMS	884.347	-63.87	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.79	-25	Pass	1490
2490	2580	1	RMS	2559.3	13.64	60	Pass	401
2580	3000	1	RMS	2580	-43.61	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.77	-25	Pass	19500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-25	Pass	2985
30	1000	0.1	RMS	879.941	-63.84	-25	Pass	9699
1000	2490	1	RMS	2459.98	-49.03	-25	Pass	1490
2490	2580	1	RMS	2555.925	12.65	60	Pass	401
2580	3000	1	RMS	2580	-44.95	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.31	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.92	-25	Pass	19500



25. n38 30kHz_PC3


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.51	-25	Pass	2985
30	1000	0.1	RMS	925.802	-61.28	-25	Pass	9699
1000	2560	1	RMS	2560	-38.81	-25	Pass	1560
2560	2630	1	RMS	2583.1	14.11	60	Pass	401
2630	3000	1	RMS	2878.825	-48.89	-25	Pass	401
3000	6500	1	RMS	6223.921	-63.93	-25	Pass	3500
6500	27000	1	RMS	26923.982	-43.74	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-25	Pass	2985
30	1000	0.1	RMS	730.586	-61.5	-25	Pass	9699
1000	2560	1	RMS	2560	-40.97	-25	Pass	1560
2560	2630	1	RMS	2578.375	13.12	60	Pass	401
2630	3000	1	RMS	2871.425	-48.84	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.08	-25	Pass	3500
6500	27000	1	RMS	25859.723	-43.59	-25	Pass	20500




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.44	-25	Pass	2985
30	1000	0.1	RMS	766.29	-61.73	-25	Pass	9699
1000	2560	1	RMS	2516.972	-50.25	-25	Pass	1560
2560	2630	1	RMS	2597.975	14.22	60	Pass	401
2630	3000	1	RMS	2875.125	-48.9	-25	Pass	401
3000	6500	1	RMS	6081.881	-64.02	-25	Pass	3500
6500	27000	1	RMS	25797.708	-43.68	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.85	-25	Pass	2985
30	1000	0.1	RMS	763.29	-61.18	-25	Pass	9699
1000	2560	1	RMS	2558.999	-50.3	-25	Pass	1560
2560	2630	1	RMS	2595.35	13.12	60	Pass	401
2630	3000	1	RMS	2873.275	-48.9	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.1	-25	Pass	3500
6500	27000	1	RMS	25827.715	-43.64	-25	Pass	20500




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.58	-25	Pass	2985
30	1000	0.1	RMS	722.985	-61	-25	Pass	9699
1000	2560	1	RMS	2496.96	-50.32	-25	Pass	1560
2560	2630	1	RMS	2613.025	14.28	60	Pass	401
2630	3000	1	RMS	2630	-40.55	-25	Pass	401
3000	6500	1	RMS	6206.916	-64.13	-25	Pass	3500
6500	27000	1	RMS	25811.711	-43.89	-25	Pass	20500



25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.91	-25	Pass	2985
30	1000	0.1	RMS	902.371	-61.3	-25	Pass	9699
1000	2560	1	RMS	2521.976	-50.34	-25	Pass	1560
2560	2630	1	RMS	2610.05	13.16	60	Pass	401
2630	3000	1	RMS	2630	-43.22	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.22	-25	Pass	3500
6500	27000	1	RMS	26239.815	-43.87	-25	Pass	20500



26. n41 30kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.7	-25	Pass	2985
30	1000	0.1	RMS	786.192	-61.56	-25	Pass	9699
1000	2486	1	RMS	2486	-38.82	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.61	60	Pass	401
2700	3000	1	RMS	2880	-48.86	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.17	-25	Pass	3500
6500	27000	1	RMS	25847.72	-43.89	-25	Pass	20500




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.91	-25	Pass	2985
30	1000	0.1	RMS	878.839	-61.2	-25	Pass	9699
1000	2486	1	RMS	2486	-40.74	-25	Pass	1486
2486	2700	1	RMS	2506.865	13.31	60	Pass	401
2700	3000	1	RMS	2873.25	-48.87	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.04	-25	Pass	3500
6500	27000	1	RMS	25902.733	-43.32	-25	Pass	20500




26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.24	-25	Pass	2985
30	1000	0.1	RMS	916.289	-61.05	-25	Pass	9699
1000	2486	1	RMS	2486	-50.79	-25	Pass	1486
2486	2700	1	RMS	2596.21	14.07	60	Pass	401
2700	3000	1	RMS	2863.5	-48.86	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.98	-25	Pass	3500
6500	27000	1	RMS	25498.635	-43.83	-25	Pass	20500




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.33	-25	Pass	2985
30	1000	0.1	RMS	892.758	-61.11	-25	Pass	9699
1000	2486	1	RMS	2486	-50.66	-25	Pass	1486
2486	2700	1	RMS	2593.535	13.04	60	Pass	401
2700	3000	1	RMS	2867.25	-48.85	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.01	-25	Pass	3500
6500	27000	1	RMS	25464.627	-43.71	-25	Pass	20500




26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.45	-68.78	-25	Pass	2985
30	1000	0.1	RMS	835.398	-61.66	-25	Pass	9699
1000	2486	1	RMS	2486	-50.66	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.88	60	Pass	401
2700	3000	1	RMS	2700	-41.04	-25	Pass	401
3000	6500	1	RMS	6207.917	-64.07	-25	Pass	3500
6500	27000	1	RMS	25480.631	-43.95	-25	Pass	20500




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.34	-68.55	-25	Pass	2985
30	1000	0.1	RMS	919.593	-61.27	-25	Pass	9699
1000	2486	1	RMS	2486	-50.7	-25	Pass	1486
2486	2700	1	RMS	2678.065	12.84	60	Pass	401
2700	3000	1	RMS	2700	-43.48	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.93	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.91	-25	Pass	20500




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.2	-25	Pass	2985
30	1000	0.1	RMS	896.262	-61.39	-25	Pass	9699
1000	2486	1	RMS	2486	-34.91	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.47	60	Pass	401
2700	3000	1	RMS	2877.75	-48.78	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.03	-25	Pass	3500
6500	27000	1	RMS	25825.715	-43.57	-25	Pass	20500




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.41	-70.45	-25	Pass	2985
30	1000	0.1	RMS	734.386	-61.29	-25	Pass	9699
1000	2486	1	RMS	2486	-37.98	-25	Pass	1486
2486	2700	1	RMS	2525.055	8.61	60	Pass	401
2700	3000	1	RMS	2875.5	-48.83	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.11	-25	Pass	3500
6500	27000	1	RMS	25846.72	-43.74	-25	Pass	20500




26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.64	-25	Pass	2985
30	1000	0.1	RMS	915.688	-60.94	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.71	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.3	60	Pass	401
2700	3000	1	RMS	2869.5	-48.85	-25	Pass	401
3000	6500	1	RMS	6030.866	-64.16	-25	Pass	3500
6500	27000	1	RMS	26219.81	-43.78	-25	Pass	20500




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-25	Pass	2985
30	1000	0.1	RMS	981.475	-61.26	-25	Pass	9699
1000	2486	1	RMS	2464.986	-51.03	-25	Pass	1486
2486	2700	1	RMS	2591.93	8.34	60	Pass	401
2700	3000	1	RMS	2874	-49.04	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.02	-25	Pass	3500
6500	27000	1	RMS	26943.986	-43.86	-25	Pass	20500




26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.89	-25	Pass	2985
30	1000	0.1	RMS	917.691	-61.28	-25	Pass	9699
1000	2486	1	RMS	2465.987	-50.95	-25	Pass	1486
2486	2700	1	RMS	2666.295	9.12	60	Pass	401
2700	3000	1	RMS	2700	-36.38	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.12	-25	Pass	3500
6500	27000	1	RMS	25892.731	-43.93	-25	Pass	20500




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.35	-25	Pass	2985
30	1000	0.1	RMS	765.59	-61.63	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.08	-25	Pass	1486
2486	2700	1	RMS	2658.805	8.27	60	Pass	401
2700	3000	1	RMS	2700	-38.53	-25	Pass	401
3000	6500	1	RMS	6077.879	-64.18	-25	Pass	3500
6500	27000	1	RMS	25854.722	-43.9	-25	Pass	20500




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.35	-25	Pass	2985
30	1000	0.1	RMS	838.899	-61.75	-25	Pass	9699
1000	2486	1	RMS	2484.999	-36.9	-25	Pass	1486
2486	2700	1	RMS	2532.01	7.06	60	Pass	401
2700	3000	1	RMS	2863.5	-49.11	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.2	-25	Pass	3500
6500	27000	1	RMS	25836.717	-43.72	-25	Pass	20500




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.72	-25	Pass	2985
30	1000	0.1	RMS	956.142	-61.36	-25	Pass	9699
1000	2486	1	RMS	2484.999	-38.98	-25	Pass	1486
2486	2700	1	RMS	2557.69	6.01	60	Pass	401
2700	3000	1	RMS	2870.25	-49.02	-25	Pass	401
3000	6500	1	RMS	6207.917	-64.15	-25	Pass	3500
6500	27000	1	RMS	25801.709	-44.07	-25	Pass	20500




26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-25	Pass	2985
30	1000	0.1	RMS	889.754	-61.48	-25	Pass	9699
1000	2486	1	RMS	2486	-47.17	-25	Pass	1486
2486	2700	1	RMS	2588.185	7.22	60	Pass	401
2700	3000	1	RMS	2700	-47.26	-25	Pass	401
3000	6500	1	RMS	6213.918	-64.32	-25	Pass	3500
6500	27000	1	RMS	26895.975	-43.68	-25	Pass	20500




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.91	-25	Pass	2985
30	1000	0.1	RMS	734.186	-61.53	-25	Pass	9699
1000	2486	1	RMS	2486	-48.74	-25	Pass	1486
2486	2700	1	RMS	2602.63	6.21	60	Pass	401
2700	3000	1	RMS	2701.5	-48.37	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.24	-25	Pass	3500
6500	27000	1	RMS	25203.564	-44.12	-25	Pass	20500




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.9	-25	Pass	2985
30	1000	0.1	RMS	886.149	-61.23	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.91	-25	Pass	1486
2486	2700	1	RMS	2626.17	7.13	60	Pass	401
2700	3000	1	RMS	2700	-36.99	-25	Pass	401
3000	6500	1	RMS	6212.918	-64.28	-25	Pass	3500
6500	27000	1	RMS	26900.976	-43.84	-25	Pass	20500



**26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.95	-25	Pass	2985
30	1000	0.1	RMS	880.241	-61.29	-25	Pass	9699
1000	2486	1	RMS	2486	-50.81	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.1	60	Pass	401
2700	3000	1	RMS	2700	-39.35	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.23	-25	Pass	3500
6500	27000	1	RMS	26952.989	-44.09	-25	Pass	20500



27. n66 15kHz


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	Pass	2985
30	1000	0.1	RMS	992.09	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1712.375	14.61	60	Pass	401
1790	3000	1	RMS	2876.898	-49.04	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.38	-13	Pass	3500
6500	20000	1	RMS	19981.997	-50.63	-13	Pass	13500




27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2985
30	1000	0.1	RMS	893.559	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.61	-13	Pass	700
1700	1790	1	RMS	1712.375	14.55	60	Pass	401
1790	3000	1	RMS	2869.892	-48.99	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.59	-13	Pass	13500




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.36	-13	Pass	2985
30	1000	0.1	RMS	883.045	-63.92	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.92	-13	Pass	700
1700	1790	1	RMS	1744.775	14.61	60	Pass	401
1790	3000	1	RMS	2879.901	-48.98	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.41	-13	Pass	3500
6500	20000	1	RMS	19918.985	-50.57	-13	Pass	13500




27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.61	-13	Pass	2985
30	1000	0.1	RMS	894.861	-63.89	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.93	-13	Pass	700
1700	1790	1	RMS	1744.775	14.51	60	Pass	401
1790	3000	1	RMS	2873.896	-49.04	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.46	-13	Pass	3500
6500	20000	1	RMS	19897.981	-50.6	-13	Pass	13500




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2985
30	1000	0.1	RMS	882.644	-63.99	-13	Pass	9699
1000	1700	1	RMS	1685.98	-52.97	-13	Pass	700
1700	1790	1	RMS	1777.4	14.36	60	Pass	401
1790	3000	1	RMS	2869.892	-49.04	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19908.983	-50.53	-13	Pass	13500




**27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	1000	0.1	RMS	912.083	-63.91	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.98	-13	Pass	700
1700	1790	1	RMS	1777.4	14.28	60	Pass	401
1790	3000	1	RMS	2871.894	-49.02	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.44	-13	Pass	3500
6500	20000	1	RMS	19906.982	-50.52	-13	Pass	13500




27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.7	-13	Pass	2985
30	1000	0.1	RMS	884.647	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-52.08	-13	Pass	700
1700	1790	1	RMS	1718	10.34	60	Pass	401
1790	3000	1	RMS	2868.892	-49.02	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.44	-13	Pass	3500
6500	20000	1	RMS	19906.982	-50.61	-13	Pass	13500




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.75	-13	Pass	2985
30	1000	0.1	RMS	903.672	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-51.41	-13	Pass	700
1700	1790	1	RMS	1719.125	10.41	60	Pass	401
1790	3000	1	RMS	2876.898	-49.04	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.38	-13	Pass	3500
6500	20000	1	RMS	19949.991	-50.55	-13	Pass	13500




27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2985
30	1000	0.1	RMS	904.473	-63.86	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.96	-13	Pass	700
1700	1790	1	RMS	1745.45	10.15	60	Pass	401
1790	3000	1	RMS	2875.897	-49.05	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.39	-13	Pass	3500
6500	20000	1	RMS	19909.983	-50.59	-13	Pass	13500




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.6	-13	Pass	2985
30	1000	0.1	RMS	885.648	-64	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.89	-13	Pass	700
1700	1790	1	RMS	1746.35	10.1	60	Pass	401
1790	3000	1	RMS	2881.902	-49.07	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.4	-13	Pass	3500
6500	20000	1	RMS	19901.982	-50.58	-13	Pass	13500




27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.66	-13	Pass	2985
30	1000	0.1	RMS	890.355	-64.01	-13	Pass	9699
1000	1700	1	RMS	1674.964	-52.95	-13	Pass	700
1700	1790	1	RMS	1769.75	9.96	60	Pass	401
1790	3000	1	RMS	2869.892	-48.96	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.36	-13	Pass	3500
6500	20000	1	RMS	19931.987	-50.55	-13	Pass	13500




27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-13	Pass	2985
30	1000	0.1	RMS	914.987	-63.94	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.94	-13	Pass	700
1700	1790	1	RMS	1770.2	9.93	60	Pass	401
1790	3000	1	RMS	2874.897	-49.03	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.35	-13	Pass	3500
6500	20000	1	RMS	19914.984	-50.6	-13	Pass	13500




27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	Pass	2985
30	1000	0.1	RMS	886.95	-63.9	-13	Pass	9699
1000	1700	1	RMS	1700	-50.88	-13	Pass	700
1700	1790	1	RMS	1719.575	8.97	60	Pass	401
1790	3000	1	RMS	2875.897	-49.04	-13	Pass	1210
3000	6500	1	RMS	6221.921	-64.43	-13	Pass	3500
6500	20000	1	RMS	19937.988	-50.61	-13	Pass	13500




27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	885.648	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-50.7	-13	Pass	700
1700	1790	1	RMS	1720.25	8.81	60	Pass	401
1790	3000	1	RMS	2873.896	-49.01	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.39	-13	Pass	3500
6500	20000	1	RMS	19958.992	-50.62	-13	Pass	13500




27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2985
30	1000	0.1	RMS	994.693	-63.95	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.86	-13	Pass	700
1700	1790	1	RMS	1744.55	8.79	60	Pass	401
1790	3000	1	RMS	2869.892	-48.97	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.37	-13	Pass	3500
6500	20000	1	RMS	19909.983	-50.58	-13	Pass	13500




27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2985
30	1000	0.1	RMS	886.349	-63.87	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.88	-13	Pass	700
1700	1790	1	RMS	1745.225	8.65	60	Pass	401
1790	3000	1	RMS	2870.893	-48.98	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.42	-13	Pass	3500
6500	20000	1	RMS	19921.985	-50.52	-13	Pass	13500




27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	1000	0.1	RMS	891.456	-64.02	-13	Pass	9699
1000	1700	1	RMS	1668.956	-52.89	-13	Pass	700
1700	1790	1	RMS	1769.525	8.71	60	Pass	401
1790	3000	1	RMS	2870.893	-49.06	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.38	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.62	-13	Pass	13500



27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	1000	0.1	RMS	895.061	-63.96	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.92	-13	Pass	700
1700	1790	1	RMS	1768.175	8.54	60	Pass	401
1790	3000	1	RMS	2869.892	-49.01	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.39	-13	Pass	3500
6500	20000	1	RMS	19951.991	-50.64	-13	Pass	13500



28. DC_2A_n41A_SCS30


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.13	-25	Pass	2985
30	1000	0.1	RMS	902.571	-61.5	-25	Pass	9699
1000	2486	1	RMS	2486	-40.77	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.82	60	Pass	401
2700	3000	1	RMS	2872.5	-48.7	-25	Pass	401
3000	6500	1	RMS	5008.574	-62.87	-25	Pass	3500
6500	27000	1	RMS	26898.975	-43.57	-25	Pass	20500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.97	-25	Pass	2985
30	1000	0.1	RMS	829.298	-61.5	-25	Pass	9699
1000	2486	1	RMS	2486	-42.58	-25	Pass	1486
2486	2700	1	RMS	2504.19	12.66	60	Pass	401
2700	3000	1	RMS	2869.5	-48.67	-25	Pass	401
3000	6500	1	RMS	5011.575	-63.23	-25	Pass	3500
6500	27000	1	RMS	25857.722	-43.22	-25	Pass	20500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.07	-25	Pass	2985
30	1000	0.1	RMS	862.217	-61.58	-25	Pass	9699
1000	2486	1	RMS	2461.984	-50.69	-25	Pass	1486
2486	2700	1	RMS	2591.93	13.59	60	Pass	401
2700	3000	1	RMS	2868.75	-48.68	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.72	-25	Pass	3500
6500	27000	1	RMS	25847.72	-43.21	-25	Pass	20500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.86	-25	Pass	2985
30	1000	0.1	RMS	760.389	-61.78	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.59	-25	Pass	1486
2486	2700	1	RMS	2593	12.73	60	Pass	401
2700	3000	1	RMS	2874	-48.67	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.8	-25	Pass	3500
6500	27000	1	RMS	26209.808	-43.51	-25	Pass	20500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.44	-70.68	-25	Pass	2985
30	1000	0.1	RMS	993.892	-61.54	-25	Pass	9699
1000	2486	1	RMS	2478.995	-50.75	-25	Pass	1486
2486	2700	1	RMS	2682.88	13.41	60	Pass	401
2700	3000	1	RMS	2700	-38.24	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.64	-25	Pass	3500
6500	27000	1	RMS	25840.718	-43.23	-25	Pass	20500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.96	-25	Pass	2985
30	1000	0.1	RMS	887.351	-61.09	-25	Pass	9699
1000	2486	1	RMS	2474.993	-50.77	-25	Pass	1486
2486	2700	1	RMS	2678.065	12.47	60	Pass	401
2700	3000	1	RMS	2700	-40.75	-25	Pass	401
3000	6500	1	RMS	6077.879	-63.74	-25	Pass	3500
6500	27000	1	RMS	25461.626	-43.38	-25	Pass	20500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.2	-25	Pass	2985
30	1000	0.1	RMS	960.047	-61.8	-25	Pass	9699
1000	2486	1	RMS	2486	-39.36	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.8	60	Pass	401
2700	3000	1	RMS	2874.75	-48.63	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.62	-25	Pass	3500
6500	27000	1	RMS	25517.64	-43.54	-25	Pass	20500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.42	-70.9	-25	Pass	2985
30	1000	0.1	RMS	743.187	-61.67	-25	Pass	9699
1000	2486	1	RMS	2486	-41.41	-25	Pass	1486
2486	2700	1	RMS	2530.94	7.91	60	Pass	401
2700	3000	1	RMS	2880.75	-48.63	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.72	-25	Pass	3500
6500	27000	1	RMS	25849.721	-43.44	-25	Pass	20500




28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.21	-25	Pass	2985
30	1000	0.1	RMS	894.26	-61.55	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.48	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.62	60	Pass	401
2700	3000	1	RMS	2874	-48.62	-25	Pass	401
3000	6500	1	RMS	6202.915	-63.63	-25	Pass	3500
6500	27000	1	RMS	25793.707	-43.56	-25	Pass	20500




28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.98	-25	Pass	2985
30	1000	0.1	RMS	902.871	-61.64	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.57	-25	Pass	1486
2486	2700	1	RMS	2591.93	7.88	60	Pass	401
2700	3000	1	RMS	2876.25	-48.68	-25	Pass	401
3000	6500	1	RMS	6200.915	-63.62	-25	Pass	3500
6500	27000	1	RMS	26975.994	-43.51	-25	Pass	20500




28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.62	-25	Pass	2985
30	1000	0.1	RMS	759.289	-60.34	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.75	-25	Pass	1486
2486	2700	1	RMS	2646.5	8.54	60	Pass	401
2700	3000	1	RMS	2700	-38.66	-25	Pass	401
3000	6500	1	RMS	6074.879	-63.69	-25	Pass	3500
6500	27000	1	RMS	25837.718	-43.24	-25	Pass	20500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.85	-25	Pass	2985
30	1000	0.1	RMS	997.597	-61.83	-25	Pass	9699
1000	2486	1	RMS	2475.993	-50.74	-25	Pass	1486
2486	2700	1	RMS	2659.875	7.92	60	Pass	401
2700	3000	1	RMS	2700	-39.64	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.82	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.29	-25	Pass	20500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.87	-25	Pass	2985
30	1000	0.1	RMS	903.672	-60.95	-25	Pass	9699
1000	2486	1	RMS	2486	-41.2	-25	Pass	1486
2486	2700	1	RMS	2559.295	6.76	60	Pass	401
2700	3000	1	RMS	2870.25	-48.69	-25	Pass	401
3000	6500	1	RMS	5097.599	-63.55	-25	Pass	3500
6500	27000	1	RMS	25925.739	-43.46	-25	Pass	20500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.13	-25	Pass	2985
30	1000	0.1	RMS	874.333	-61.45	-25	Pass	9699
1000	2486	1	RMS	2486	-42.76	-25	Pass	1486
2486	2700	1	RMS	2558.225	6.02	60	Pass	401
2700	3000	1	RMS	2879.25	-48.65	-25	Pass	401
3000	6500	1	RMS	6062.875	-63.69	-25	Pass	3500
6500	27000	1	RMS	25527.642	-43.49	-25	Pass	20500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.87	-25	Pass	2985
30	1000	0.1	RMS	903.973	-61.48	-25	Pass	9699
1000	2486	1	RMS	2486	-47.3	-25	Pass	1486
2486	2700	1	RMS	2579.09	6.6	60	Pass	401
2700	3000	1	RMS	2700.75	-46.31	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.52	-25	Pass	3500
6500	27000	1	RMS	25196.562	-43.54	-25	Pass	20500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.94	-25	Pass	2985
30	1000	0.1	RMS	955.942	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-49.05	-25	Pass	1486
2486	2700	1	RMS	2576.95	5.69	60	Pass	401
2700	3000	1	RMS	2700	-47.99	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.85	-25	Pass	3500
6500	27000	1	RMS	25824.714	-43.64	-25	Pass	20500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.64	-25	Pass	2985
30	1000	0.1	RMS	977.37	-61.47	-25	Pass	9699
1000	2486	1	RMS	2486	-49.85	-25	Pass	1486
2486	2700	1	RMS	2626.17	7.06	60	Pass	401
2700	3000	1	RMS	2701.5	-38.58	-25	Pass	401
3000	6500	1	RMS	6211.918	-63.71	-25	Pass	3500
6500	27000	1	RMS	25210.565	-43.57	-25	Pass	20500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.8	-25	Pass	2985
30	1000	0.1	RMS	755.189	-61.23	-25	Pass	9699
1000	2486	1	RMS	2486	-50.42	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.12	60	Pass	401
2700	3000	1	RMS	2701.5	-40.01	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.71	-25	Pass	3500
6500	27000	1	RMS	25539.645	-43.43	-25	Pass	20500



29. DC_5A_n7A_SCS15


29.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	Pass	2985
30	1000	0.1	RMS	904.974	-63.94	-25	Pass	9699
1000	2490	1	RMS	2490	-48.76	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.25	60	Pass	401
2580	3000	1	RMS	2883.723	-48.73	-25	Pass	420
3000	6500	1	RMS	5004.573	-61.87	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.49	-25	Pass	19500




29.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-25	Pass	2985
30	1000	0.1	RMS	890.855	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-49.72	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.34	60	Pass	401
2580	3000	1	RMS	2881.718	-48.72	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.31	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.53	-25	Pass	19500




29.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-25	Pass	2985
30	1000	0.1	RMS	896.262	-63.85	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.62	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.36	60	Pass	401
2580	3000	1	RMS	2868.687	-48.7	-25	Pass	420
3000	6500	1	RMS	6217.919	-64	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.49	-25	Pass	19500




29.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	Pass	2985
30	1000	0.1	RMS	895.862	-64	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.72	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.39	60	Pass	401
2580	3000	1	RMS	2876.706	-48.72	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.96	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.43	-25	Pass	19500




29.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-25	Pass	2985
30	1000	0.1	RMS	896.963	-64.05	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.78	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.43	60	Pass	401
2580	3000	1	RMS	2879.714	-48.7	-25	Pass	420
3000	6500	1	RMS	5134.61	-63.29	-25	Pass	3500
6500	26000	1	RMS	25187.739	-44.51	-25	Pass	19500




29.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.39	-25	Pass	2985
30	1000	0.1	RMS	987.083	-64.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.74	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.49	60	Pass	401
2580	3000	1	RMS	2869.69	-48.75	-25	Pass	420
3000	6500	1	RMS	5134.61	-63.39	-25	Pass	3500
6500	26000	1	RMS	25900.968	-44.48	-25	Pass	19500




29.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-25	Pass	2985
30	1000	0.1	RMS	902.471	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-46.4	-25	Pass	1490
2490	2580	1	RMS	2504.625	14.84	60	Pass	401
2580	3000	1	RMS	2869.69	-48.73	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.01	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.42	-25	Pass	19500




29.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-25	Pass	2985
30	1000	0.1	RMS	871.73	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-46.35	-25	Pass	1490
2490	2580	1	RMS	2508.9	13.93	60	Pass	401
2580	3000	1	RMS	2873.699	-48.7	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.44	-25	Pass	19500




29.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.93	-25	Pass	2985
30	1000	0.1	RMS	885.248	-63.93	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.76	-25	Pass	1490
2490	2580	1	RMS	2532.075	14.89	60	Pass	401
2580	3000	1	RMS	2868.687	-48.73	-25	Pass	420
3000	6500	1	RMS	6079.88	-64.02	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.53	-25	Pass	19500




29.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-25	Pass	2985
30	1000	0.1	RMS	993.792	-64.02	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.76	-25	Pass	1490
2490	2580	1	RMS	2532.3	13.94	60	Pass	401
2580	3000	1	RMS	2873.699	-48.72	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.05	-25	Pass	3500
6500	26000	1	RMS	25813.94	-44.51	-25	Pass	19500




29.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-25	Pass	2985
30	1000	0.1	RMS	887.15	-64.05	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.77	-25	Pass	1490
2490	2580	1	RMS	2562.9	14.95	60	Pass	401
2580	3000	1	RMS	2580	-45.18	-25	Pass	420
3000	6500	1	RMS	5122.606	-63.99	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.33	-25	Pass	19500




29.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.56	-25	Pass	2985
30	1000	0.1	RMS	900.067	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.78	-25	Pass	1490
2490	2580	1	RMS	2559.975	14.07	60	Pass	401
2580	3000	1	RMS	2580	-46.2	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.95	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.45	-25	Pass	19500




29.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-43.25	-25	Pass	1490
2490	2580	1	RMS	2509.35	13.61	60	Pass	401
2580	3000	1	RMS	2873.699	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.46	-25	Pass	19500




29.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-25	Pass	2985
30	1000	0.1	RMS	881.142	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-44.59	-25	Pass	1490
2490	2580	1	RMS	2510.25	12.63	60	Pass	401
2580	3000	1	RMS	2875.704	-48.71	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.07	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.47	-25	Pass	19500




29.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.54	-25	Pass	2985
30	1000	0.1	RMS	749.288	-64.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.67	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.6	60	Pass	401
2580	3000	1	RMS	2880.716	-48.71	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.39	-25	Pass	19500




29.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-25	Pass	2985
30	1000	0.1	RMS	899.667	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2535.225	12.6	60	Pass	401
2580	3000	1	RMS	2875.704	-48.72	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.51	-25	Pass	19500




29.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2985
30	1000	0.1	RMS	999.299	-64.03	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.76	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.69	60	Pass	401
2580	3000	1	RMS	2580	-42.6	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.96	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.51	-25	Pass	19500



29.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.31	-25	Pass	2985
30	1000	0.1	RMS	883.946	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-50.7	-25	Pass	1490
2490	2580	1	RMS	2560.2	12.6	60	Pass	401
2580	3000	1	RMS	2580	-44.29	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.46	-25	Pass	19500



30. DC_5A_n66A_SCS15


30.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	884.647	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-52.19	-13	Pass	700
1700	1790	1	RMS	1712.375	19.33	60	Pass	401
1790	3000	1	RMS	2874.897	-48.64	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.01	-13	Pass	3500
6500	20000	1	RMS	19919.985	-50.05	-13	Pass	13500




30.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2985
30	1000	0.1	RMS	989.586	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1790	1	RMS	1712.375	18.4	60	Pass	401
1790	3000	1	RMS	2868.892	-48.71	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.04	-13	Pass	3500
6500	20000	1	RMS	19903.982	-50.08	-13	Pass	13500




30.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.04	-13	Pass	2985
30	1000	0.1	RMS	900.768	-64.06	-13	Pass	9699
1000	1700	1	RMS	1673.963	-52.92	-13	Pass	700
1700	1790	1	RMS	1744.775	19.21	60	Pass	401
1790	3000	1	RMS	2875.897	-48.71	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.01	-13	Pass	3500
6500	20000	1	RMS	19941.989	-50.09	-13	Pass	13500




30.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.52	-13	Pass	2985
30	1000	0.1	RMS	911.583	-64.04	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.91	-13	Pass	700
1700	1790	1	RMS	1744.775	18.32	60	Pass	401
1790	3000	1	RMS	2871.894	-48.67	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.98	-13	Pass	3500
6500	20000	1	RMS	19902.982	-50.09	-13	Pass	13500




30.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	Pass	2985
30	1000	0.1	RMS	889.554	-64.04	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.92	-13	Pass	700
1700	1790	1	RMS	1777.175	19.09	60	Pass	401
1790	3000	1	RMS	2871.894	-48.66	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.04	-13	Pass	3500
6500	20000	1	RMS	19930.987	-50.08	-13	Pass	13500




30.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2985
30	1000	0.1	RMS	880.842	-64.04	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.88	-13	Pass	700
1700	1790	1	RMS	1777.175	18.19	60	Pass	401
1790	3000	1	RMS	2879.901	-48.66	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.03	-13	Pass	3500
6500	20000	1	RMS	19919.985	-50.03	-13	Pass	13500




30.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.71	-13	Pass	2985
30	1000	0.1	RMS	903.973	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-47.51	-13	Pass	700
1700	1790	1	RMS	1717.775	15.07	60	Pass	401
1790	3000	1	RMS	2877.899	-48.71	-13	Pass	1210
3000	6500	1	RMS	6222.921	-64.04	-13	Pass	3500
6500	20000	1	RMS	19936.988	-50.09	-13	Pass	13500




30.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	887.15	-63.95	-13	Pass	9699
1000	1700	1	RMS	1700	-47.52	-13	Pass	700
1700	1790	1	RMS	1719.125	14.14	60	Pass	401
1790	3000	1	RMS	2873.896	-48.68	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.99	-13	Pass	3500
6500	20000	1	RMS	19899.981	-50.07	-13	Pass	13500




30.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.63	-13	Pass	2985
30	1000	0.1	RMS	905.975	-64.02	-13	Pass	9699
1000	1700	1	RMS	1662.947	-52.88	-13	Pass	700
1700	1790	1	RMS	1745.45	14.83	60	Pass	401
1790	3000	1	RMS	2880.902	-48.7	-13	Pass	1210
3000	6500	1	RMS	6079.88	-64.01	-13	Pass	3500
6500	20000	1	RMS	19979.996	-50.11	-13	Pass	13500




30.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	1000	0.1	RMS	903.272	-63.97	-13	Pass	9699
1000	1700	1	RMS	1688.984	-52.92	-13	Pass	700
1700	1790	1	RMS	1746.575	13.98	60	Pass	401
1790	3000	1	RMS	2875.897	-48.69	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.03	-13	Pass	3500
6500	20000	1	RMS	19949.991	-50.07	-13	Pass	13500




30.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2985
30	1000	0.1	RMS	876.436	-64.13	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.89	-13	Pass	700
1700	1790	1	RMS	1772.9	14.74	60	Pass	401
1790	3000	1	RMS	1790	-47.52	-13	Pass	1210
3000	6500	1	RMS	6203.915	-64.08	-13	Pass	3500
6500	20000	1	RMS	19938.989	-50.12	-13	Pass	13500




30.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-13	Pass	2985
30	1000	0.1	RMS	878.339	-63.95	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.91	-13	Pass	700
1700	1790	1	RMS	1774.025	13.83	60	Pass	401
1790	3000	1	RMS	1790	-48.37	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.05	-13	Pass	3500
6500	20000	1	RMS	19902.982	-50.09	-13	Pass	13500




30.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	1000	0.1	RMS	891.356	-64.07	-13	Pass	9699
1000	1700	1	RMS	1700	-43.8	-13	Pass	700
1700	1790	1	RMS	1719.35	13.58	60	Pass	401
1790	3000	1	RMS	2875.897	-48.7	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.05	-13	Pass	3500
6500	20000	1	RMS	19911.983	-50.1	-13	Pass	13500




30.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71	-13	Pass	2985
30	1000	0.1	RMS	904.273	-63.94	-13	Pass	9699
1000	1700	1	RMS	1700	-45.18	-13	Pass	700
1700	1790	1	RMS	1722.5	12.59	60	Pass	401
1790	3000	1	RMS	2866.89	-48.71	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.03	-13	Pass	3500
6500	20000	1	RMS	19915.984	-50.07	-13	Pass	13500




30.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	1000	0.1	RMS	915.288	-64.01	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1744.55	13.54	60	Pass	401
1790	3000	1	RMS	2872.895	-48.66	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.95	-13	Pass	3500
6500	20000	1	RMS	19941.989	-50.12	-13	Pass	13500




30.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.85	-13	Pass	2985
30	1000	0.1	RMS	909.981	-64.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.85	-13	Pass	700
1700	1790	1	RMS	1745.225	12.56	60	Pass	401
1790	3000	1	RMS	2876.898	-48.65	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.01	-13	Pass	3500
6500	20000	1	RMS	19936.988	-49.96	-13	Pass	13500




30.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.49	-13	Pass	2985
30	1000	0.1	RMS	881.042	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.83	-13	Pass	700
1700	1790	1	RMS	1769.3	13.38	60	Pass	401
1790	3000	1	RMS	1790	-43.74	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.99	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.12	-13	Pass	13500



30.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-13	Pass	2985
30	1000	0.1	RMS	896.363	-64.07	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.91	-13	Pass	700
1700	1790	1	RMS	1769.975	12.38	60	Pass	401
1790	3000	1	RMS	1790	-45.54	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64	-13	Pass	3500
6500	20000	1	RMS	19914.984	-50.03	-13	Pass	13500



31. DC_7A_n5A_SCS15


31.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.12	-13	Pass	2985
30	814	0.1	RMS	812.9	-63.86	-13	Pass	7840
814	859	0.1	RMS	825.526	10.59	60	Pass	450
859	1000	0.1	RMS	903.231	-64.2	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.02	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.69	-13	Pass	7000




31.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	814	0.1	RMS	812.9	-63.91	-13	Pass	7840
814	859	0.1	RMS	825.626	9.51	60	Pass	450
859	1000	0.1	RMS	896.627	-64.21	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.09	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.68	-13	Pass	7000




31.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	Pass	2985
30	814	0.1	RMS	744.291	-64.47	-13	Pass	7840
814	859	0.1	RMS	837.051	10.11	60	Pass	450
859	1000	0.1	RMS	889.822	-64.19	-13	Pass	1410
1000	3000	1	RMS	2871.936	-49.05	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.65	-13	Pass	7000




31.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-13	Pass	2985
30	814	0.1	RMS	743.191	-64.52	-13	Pass	7840
814	859	0.1	RMS	836.45	9.23	60	Pass	450
859	1000	0.1	RMS	895.126	-64.26	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.05	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.69	-13	Pass	7000




31.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	Pass	2985
30	814	0.1	RMS	745.891	-64.55	-13	Pass	7840
814	859	0.1	RMS	845.47	10.18	60	Pass	450
859	1000	0.1	RMS	999.3	-64.25	-13	Pass	1410
1000	3000	1	RMS	2871.936	-49.07	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.69	-13	Pass	7000




31.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	Pass	2985
30	814	0.1	RMS	741.491	-64.61	-13	Pass	7840
814	859	0.1	RMS	845.67	9.11	60	Pass	450
859	1000	0.1	RMS	898.228	-64.14	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.09	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.65	-13	Pass	7000




31.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	814	0.1	RMS	812	-48.93	-13	Pass	7840
814	859	0.1	RMS	831.94	5.87	60	Pass	450
859	1000	0.1	RMS	999.8	-64.21	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.66	-13	Pass	7000




31.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.11	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.36	-13	Pass	2985
30	814	0.1	RMS	813.2	-49.5	-13	Pass	7840
814	859	0.1	RMS	828.633	5.12	60	Pass	450
859	1000	0.1	RMS	883.117	-63.9	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.02	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.69	-13	Pass	7000




31.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.94	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.07	-13	Pass	7840
814	859	0.1	RMS	838.955	5.98	60	Pass	450
859	1000	0.1	RMS	899.028	-64.1	-13	Pass	1410
1000	3000	1	RMS	2878.939	-49.03	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60.67	-13	Pass	7000




31.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.74	-13	Pass	7840
814	859	0.1	RMS	838.254	5.15	60	Pass	450
859	1000	0.1	RMS	879.014	-64.22	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.02	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.64	-13	Pass	7000




31.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.4	-13	Pass	7840
814	859	0.1	RMS	841.962	6.16	60	Pass	450
859	1000	0.1	RMS	891.623	-64.08	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.07	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.63	-13	Pass	7000




31.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.45	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.08	-13	Pass	7840
814	859	0.1	RMS	841.361	4.88	60	Pass	450
859	1000	0.1	RMS	872.309	-64.15	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.04	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.56	-13	Pass	7000




31.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-13	Pass	2985
30	814	0.1	RMS	813.8	-46.83	-13	Pass	7840
814	859	0.1	RMS	836.65	4.41	60	Pass	450
859	1000	0.1	RMS	875.211	-64.19	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.03	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.62	-13	Pass	7000




31.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	814	0.1	RMS	813.8	-47.34	-13	Pass	7840
814	859	0.1	RMS	834.245	3.27	60	Pass	450
859	1000	0.1	RMS	899.829	-63.98	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.05	-13	Pass	2000
3000	10000	1	RMS	8377.768	-60.68	-13	Pass	7000




31.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.46	-13	Pass	2985
30	814	0.1	RMS	813.6	-49.58	-13	Pass	7840
814	859	0.1	RMS	839.156	4.81	60	Pass	450
859	1000	0.1	RMS	889.622	-64.26	-13	Pass	1410
1000	3000	1	RMS	2873.937	-49.06	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.62	-13	Pass	7000




31.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	812.9	-50.15	-13	Pass	7840
814	859	0.1	RMS	839.256	3.45	60	Pass	450
859	1000	0.1	RMS	900.83	-64.22	-13	Pass	1410
1000	3000	1	RMS	2873.937	-49.08	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.68	-13	Pass	7000




31.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.95	-13	Pass	2985
30	814	0.1	RMS	813.5	-52.52	-13	Pass	7840
814	859	0.1	RMS	841.661	4.97	60	Pass	450
859	1000	0.1	RMS	988.392	-64.12	-13	Pass	1410
1000	3000	1	RMS	2871.936	-49	-13	Pass	2000
3000	10000	1	RMS	8394.771	-60.61	-13	Pass	7000



31.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.27	-13	Pass	2985
30	814	0.1	RMS	813.5	-52.93	-13	Pass	7840
814	859	0.1	RMS	839.256	3.81	60	Pass	450
859	1000	0.1	RMS	901.13	-64.15	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.08	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.62	-13	Pass	7000



32. DC_7A_n66A_SCS15


32.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2985
30	1000	0.1	RMS	893.959	-63.92	-13	Pass	9699
1000	1700	1	RMS	1700	-52.13	-13	Pass	700
1700	1790	1	RMS	1712.375	19.29	60	Pass	401
1790	3000	1	RMS	2870.893	-48.67	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64	-13	Pass	3500
6500	20000	1	RMS	19922.985	-50.1	-13	Pass	13500




32.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.85	-13	Pass	2985
30	1000	0.1	RMS	896.463	-64.01	-13	Pass	9699
1000	1700	1	RMS	1700	-52.2	-13	Pass	700
1700	1790	1	RMS	1712.375	18.37	60	Pass	401
1790	3000	1	RMS	2868.892	-48.67	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.01	-13	Pass	3500
6500	20000	1	RMS	19892.98	-50.04	-13	Pass	13500




32.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.56	-13	Pass	2985
30	1000	0.1	RMS	911.382	-64.04	-13	Pass	9699
1000	1700	1	RMS	1682.976	-52.9	-13	Pass	700
1700	1790	1	RMS	1744.775	19.24	60	Pass	401
1790	3000	1	RMS	2866.89	-48.66	-13	Pass	1210
3000	6500	1	RMS	6221.921	-64.03	-13	Pass	3500
6500	20000	1	RMS	19926.986	-50.01	-13	Pass	13500




32.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.16	-13	Pass	2985
30	1000	0.1	RMS	911.182	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1790	1	RMS	1744.775	18.32	60	Pass	401
1790	3000	1	RMS	2880.902	-48.68	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64	-13	Pass	3500
6500	20000	1	RMS	19931.987	-49.95	-13	Pass	13500




32.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.9	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.45	-13	Pass	2985
30	1000	0.1	RMS	899.166	-64.03	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.87	-13	Pass	700
1700	1790	1	RMS	1777.175	19.15	60	Pass	401
1790	3000	1	RMS	2878.9	-48.7	-13	Pass	1210
3000	6500	1	RMS	6079.88	-64.04	-13	Pass	3500
6500	20000	1	RMS	19966.994	-50.1	-13	Pass	13500




32.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.96	-13	Pass	2985
30	1000	0.1	RMS	886.349	-64.02	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.87	-13	Pass	700
1700	1790	1	RMS	1777.175	18.24	60	Pass	401
1790	3000	1	RMS	2876.898	-48.68	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.1	-13	Pass	13500




32.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	1000	0.1	RMS	874.534	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-47.37	-13	Pass	700
1700	1790	1	RMS	1718	14.97	60	Pass	401
1790	3000	1	RMS	2880.902	-48.62	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.04	-13	Pass	3500
6500	20000	1	RMS	19902.982	-50.11	-13	Pass	13500




32.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	1000	0.1	RMS	897.464	-63.99	-13	Pass	9699
1000	1700	1	RMS	1700	-47.49	-13	Pass	700
1700	1790	1	RMS	1718.9	14.09	60	Pass	401
1790	3000	1	RMS	2874.897	-48.67	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.03	-13	Pass	3500
6500	20000	1	RMS	19955.992	-50.12	-13	Pass	13500




32.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-13	Pass	2985
30	1000	0.1	RMS	890.455	-63.94	-13	Pass	9699
1000	1700	1	RMS	1668.956	-52.87	-13	Pass	700
1700	1790	1	RMS	1745.45	14.9	60	Pass	401
1790	3000	1	RMS	2874.897	-48.69	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.96	-13	Pass	3500
6500	20000	1	RMS	19934.988	-50.03	-13	Pass	13500




32.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	Pass	2985
30	1000	0.1	RMS	906.876	-64	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.89	-13	Pass	700
1700	1790	1	RMS	1746.575	14.02	60	Pass	401
1790	3000	1	RMS	2878.9	-48.68	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.97	-13	Pass	3500
6500	20000	1	RMS	19943.989	-50.11	-13	Pass	13500




32.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.84	-13	Pass	2985
30	1000	0.1	RMS	905.174	-64.05	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.9	-13	Pass	700
1700	1790	1	RMS	1772.9	14.79	60	Pass	401
1790	3000	1	RMS	1790	-47.68	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.03	-13	Pass	3500
6500	20000	1	RMS	19928.987	-50.01	-13	Pass	13500




32.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	Pass	2985
30	1000	0.1	RMS	892.958	-64	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.86	-13	Pass	700
1700	1790	1	RMS	1774.025	13.86	60	Pass	401
1790	3000	1	RMS	1790	-48.48	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.05	-13	Pass	3500
6500	20000	1	RMS	19905.982	-50.09	-13	Pass	13500




32.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.85	-13	Pass	2985
30	1000	0.1	RMS	882.945	-63.99	-13	Pass	9699
1000	1700	1	RMS	1700	-43.62	-13	Pass	700
1700	1790	1	RMS	1719.575	13.58	60	Pass	401
1790	3000	1	RMS	2876.898	-48.67	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.03	-13	Pass	3500
6500	20000	1	RMS	19907.983	-50.02	-13	Pass	13500




32.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-13	Pass	2985
30	1000	0.1	RMS	907.778	-63.92	-13	Pass	9699
1000	1700	1	RMS	1700	-45.05	-13	Pass	700
1700	1790	1	RMS	1720.25	12.62	60	Pass	401
1790	3000	1	RMS	2871.894	-48.66	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.91	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.01	-13	Pass	13500




32.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.4	-13	Pass	2985
30	1000	0.1	RMS	901.369	-63.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.78	-13	Pass	700
1700	1790	1	RMS	1746.8	13.51	60	Pass	401
1790	3000	1	RMS	2881.902	-48.62	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.04	-13	Pass	3500
6500	20000	1	RMS	19915.984	-50.07	-13	Pass	13500




32.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2985
30	1000	0.1	RMS	909.28	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1790	1	RMS	1745.225	12.57	60	Pass	401
1790	3000	1	RMS	2881.902	-48.67	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.02	-13	Pass	3500
6500	20000	1	RMS	19911.983	-50.14	-13	Pass	13500




32.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.64	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.39	-13	Pass	2985
30	1000	0.1	RMS	887.25	-64	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.89	-13	Pass	700
1700	1790	1	RMS	1769.525	13.41	60	Pass	401
1790	3000	1	RMS	1790	-43.59	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.04	-13	Pass	3500
6500	20000	1	RMS	19926.986	-50.08	-13	Pass	13500



32.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.17	-13	Pass	2985
30	1000	0.1	RMS	885.148	-64.03	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.9	-13	Pass	700
1700	1790	1	RMS	1768.625	12.4	60	Pass	401
1790	3000	1	RMS	1790	-45.55	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.94	-13	Pass	3500
6500	20000	1	RMS	19897.981	-50.09	-13	Pass	13500



33. DC_12A_n66A_SCS15


33.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.06	-13	Pass	2985
30	1000	0.1	RMS	901.169	-63.85	-13	Pass	9699
1000	1700	1	RMS	1700	-43.75	-13	Pass	700
1700	1790	1	RMS	1719.35	13.64	60	Pass	401
1790	3000	1	RMS	2874.897	-48.66	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.91	-13	Pass	3500
6500	20000	1	RMS	19921.985	-50.04	-13	Pass	13500




33.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.27	-13	Pass	2985
30	1000	0.1	RMS	987.483	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-45.14	-13	Pass	700
1700	1790	1	RMS	1722.725	12.67	60	Pass	401
1790	3000	1	RMS	2879.901	-48.66	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.92	-13	Pass	3500
6500	20000	1	RMS	19916.984	-49.96	-13	Pass	13500




33.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.54	-13	Pass	2985
30	1000	0.1	RMS	875.235	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-52.67	-13	Pass	700
1700	1790	1	RMS	1744.325	13.45	60	Pass	401
1790	3000	1	RMS	2878.9	-48.63	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.93	-13	Pass	3500
6500	20000	1	RMS	19921.985	-50.05	-13	Pass	13500




33.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.23	-13	Pass	2985
30	1000	0.1	RMS	998.999	-63.93	-13	Pass	9699
1000	1700	1	RMS	1700	-52.71	-13	Pass	700
1700	1790	1	RMS	1745.225	12.47	60	Pass	401
1790	3000	1	RMS	2874.897	-48.64	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.89	-13	Pass	3500
6500	20000	1	RMS	19902.98 2	-49.99	-13	Pass	13500




33.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2985
30	1000	0.1	RMS	898.165	-63.9	-13	Pass	9699
1000	1700	1	RMS	1668.956	-52.76	-13	Pass	700
1700	1790	1	RMS	1769.525	13.37	60	Pass	401
1790	3000	1	RMS	1790	-43.83	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.88	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50	-13	Pass	13500




33.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2985
30	1000	0.1	RMS	889.854	-63.9	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.75	-13	Pass	700
1700	1790	1	RMS	1770.2	12.39	60	Pass	401
1790	3000	1	RMS	1790	-45.55	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.92	-13	Pass	3500
6500	20000	1	RMS	19903.98 2	-50.04	-13	Pass	13500




33.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.65	-13	Pass	2985
30	1000	0.1	RMS	902.07	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1790	1	RMS	1712.375	19.4	60	Pass	401
1790	3000	1	RMS	2871.894	-48.66	-13	Pass	1210
3000	6500	1	RMS	6221.921	-63.95	-13	Pass	3500
6500	20000	1	RMS	19922.985	-49.98	-13	Pass	13500




33.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2985
30	1000	0.1	RMS	986.983	-63.78	-13	Pass	9699
1000	1700	1	RMS	1700	-52.08	-13	Pass	700
1700	1790	1	RMS	1712.375	18.5	60	Pass	401
1790	3000	1	RMS	2873.896	-48.69	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.93	-13	Pass	3500
6500	20000	1	RMS	19918.985	-50.04	-13	Pass	13500




33.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.15	-13	Pass	2985
30	1000	0.1	RMS	892.958	-63.88	-13	Pass	9699
1000	1700	1	RMS	1669.957	-52.73	-13	Pass	700
1700	1790	1	RMS	1744.775	19.33	60	Pass	401
1790	3000	1	RMS	2873.896	-48.69	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.9	-13	Pass	3500
6500	20000	1	RMS	19890.979	-50	-13	Pass	13500




33.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-13	Pass	2985
30	1000	0.1	RMS	892.858	-63.94	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.72	-13	Pass	700
1700	1790	1	RMS	1744.775	18.41	60	Pass	401
1790	3000	1	RMS	2876.898	-48.64	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.92	-13	Pass	3500
6500	20000	1	RMS	19903.982	-49.96	-13	Pass	13500




33.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2985
30	1000	0.1	RMS	900.268	-63.86	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.76	-13	Pass	700
1700	1790	1	RMS	1777.4	19.16	60	Pass	401
1790	3000	1	RMS	2867.891	-48.65	-13	Pass	1210
3000	6500	1	RMS	6221.921	-63.91	-13	Pass	3500
6500	20000	1	RMS	19903.982	-49.99	-13	Pass	13500




33.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.55	-13	Pass	2985
30	1000	0.1	RMS	900.768	-63.86	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.75	-13	Pass	700
1700	1790	1	RMS	1777.175	18.18	60	Pass	401
1790	3000	1	RMS	2871.894	-48.61	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.91	-13	Pass	3500
6500	20000	1	RMS	19927.986	-50.01	-13	Pass	13500




33.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	Pass	2985
30	1000	0.1	RMS	888.252	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-47.38	-13	Pass	700
1700	1790	1	RMS	1718	15.03	60	Pass	401
1790	3000	1	RMS	2874.897	-48.7	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.94	-13	Pass	3500
6500	20000	1	RMS	19905.98 2	-49.99	-13	Pass	13500




33.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	879.941	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-47.38	-13	Pass	700
1700	1790	1	RMS	1718.9	14.12	60	Pass	401
1790	3000	1	RMS	2867.891	-48.69	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.96	-13	Pass	3500
6500	20000	1	RMS	19911.983	-49.98	-13	Pass	13500




33.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	1000	0.1	RMS	908.378	-63.93	-13	Pass	9699
1000	1700	1	RMS	1700	-52.71	-13	Pass	700
1700	1790	1	RMS	1745.45	14.85	60	Pass	401
1790	3000	1	RMS	2879.901	-48.71	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.89	-13	Pass	3500
6500	20000	1	RMS	19917.985	-50.04	-13	Pass	13500




33.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.5	-13	Pass	2985
30	1000	0.1	RMS	895.662	-63.94	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.72	-13	Pass	700
1700	1790	1	RMS	1746.575	14.01	60	Pass	401
1790	3000	1	RMS	2881.902	-48.72	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.91	-13	Pass	3500
6500	20000	1	RMS	19912.984	-49.96	-13	Pass	13500




33.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2985
30	1000	0.1	RMS	863.419	-63.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1772.9	14.71	60	Pass	401
1790	3000	1	RMS	1790	-47.52	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.89	-13	Pass	3500
6500	20000	1	RMS	19913.984	-50.04	-13	Pass	13500



33.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2985
30	1000	0.1	RMS	891.756	-63.94	-13	Pass	9699
1000	1700	1	RMS	1669.957	-52.7	-13	Pass	700
1700	1790	1	RMS	1774.025	13.82	60	Pass	401
1790	3000	1	RMS	1790	-48.38	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.91	-13	Pass	3500
6500	20000	1	RMS	19933.988	-50.01	-13	Pass	13500



34. DC_26A_n41A_SCS30


34.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.91	-25	Pass	2985
30	1000	0.1	RMS	758.289	-61.55	-25	Pass	9699
1000	2486	1	RMS	2486	-40.53	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.56	60	Pass	401
2700	3000	1	RMS	2879.25	-48.64	-25	Pass	401
3000	6500	1	RMS	5009.574	-63.02	-25	Pass	3500
6500	27000	1	RMS	25807.71	-43.56	-25	Pass	20500




34.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.09	-25	Pass	2985
30	1000	0.1	RMS	736.186	-61.15	-25	Pass	9699
1000	2486	1	RMS	2486	-42.65	-25	Pass	1486
2486	2700	1	RMS	2506.33	12.54	60	Pass	401
2700	3000	1	RMS	2880	-48.7	-25	Pass	401
3000	6500	1	RMS	5012.575	-63.47	-25	Pass	3500
6500	27000	1	RMS	26757.941	-43.38	-25	Pass	20500




34.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.39	-70.55	-25	Pass	2985
30	1000	0.1	RMS	903.772	-61.42	-25	Pass	9699
1000	2486	1	RMS	2486	-50.81	-25	Pass	1486
2486	2700	1	RMS	2596.21	13.6	60	Pass	401
2700	3000	1	RMS	2883	-48.71	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.72	-25	Pass	3500
6500	27000	1	RMS	25880.728	-43.24	-25	Pass	20500




34.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.19	-25	Pass	2985
30	1000	0.1	RMS	868.125	-61.31	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.76	-25	Pass	1486
2486	2700	1	RMS	2591.395	12.61	60	Pass	401
2700	3000	1	RMS	2868	-48.7	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.69	-25	Pass	3500
6500	27000	1	RMS	25484.632	-43.5	-25	Pass	20500




34.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.33	-25	Pass	2985
30	1000	0.1	RMS	872.03	-61.32	-25	Pass	9699
1000	2486	1	RMS	2470.99	-50.84	-25	Pass	1486
2486	2700	1	RMS	2682.88	13.39	60	Pass	401
2700	3000	1	RMS	2700	-38.23	-25	Pass	401
3000	6500	1	RMS	6062.875	-63.67	-25	Pass	3500
6500	27000	1	RMS	25804.71	-43.45	-25	Pass	20500




34.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.67	-25	Pass	2985
30	1000	0.1	RMS	887.651	-61.61	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.76	-25	Pass	1486
2486	2700	1	RMS	2681.81	12.53	60	Pass	401
2700	3000	1	RMS	2700	-40.78	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.78	-25	Pass	3500
6500	27000	1	RMS	25900.733	-43.64	-25	Pass	20500




34.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.42	-25	Pass	2985
30	1000	0.1	RMS	899.567	-61.46	-25	Pass	9699
1000	2486	1	RMS	2486	-39.47	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.82	60	Pass	401
2700	3000	1	RMS	2873.25	-48.68	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.76	-25	Pass	3500
6500	27000	1	RMS	25832.716	-43.36	-25	Pass	20500




34.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.42	-69.55	-25	Pass	2985
30	1000	0.1	RMS	997.597	-61.1	-25	Pass	9699
1000	2486	1	RMS	2486	-41.46	-25	Pass	1486
2486	2700	1	RMS	2530.405	7.75	60	Pass	401
2700	3000	1	RMS	2881.5	-48.6	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.77	-25	Pass	3500
6500	27000	1	RMS	26185.802	-43.26	-25	Pass	20500




34.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.92	-25	Pass	2985
30	1000	0.1	RMS	880.041	-61.57	-25	Pass	9699
1000	2486	1	RMS	2456.98	-50.68	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.57	60	Pass	401
2700	3000	1	RMS	2871.75	-48.65	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.8	-25	Pass	3500
6500	27000	1	RMS	26951.988	-43.17	-25	Pass	20500




34.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.37	-25	Pass	2985
30	1000	0.1	RMS	984.179	-61.6	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.62	-25	Pass	1486
2486	2700	1	RMS	2593.535	7.81	60	Pass	401
2700	3000	1	RMS	2870.25	-48.66	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.59	-25	Pass	3500
6500	27000	1	RMS	25504.637	-43.31	-25	Pass	20500




34.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.07	-25	Pass	2985
30	1000	0.1	RMS	792.293	-61.72	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.54	-25	Pass	1486
2486	2700	1	RMS	2646.5	8.63	60	Pass	401
2700	3000	1	RMS	2700	-38.35	-25	Pass	401
3000	6500	1	RMS	6225.922	-63.87	-25	Pass	3500
6500	27000	1	RMS	25193.561	-43.48	-25	Pass	20500




34.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.89	-25	Pass	2985
30	1000	0.1	RMS	889.854	-61.63	-25	Pass	9699
1000	2486	1	RMS	2460.983	-50.76	-25	Pass	1486
2486	2700	1	RMS	2664.69	7.78	60	Pass	401
2700	3000	1	RMS	2700	-39.56	-25	Pass	401
3000	6500	1	RMS	6078.88	-63.68	-25	Pass	3500
6500	27000	1	RMS	25198.562	-43.55	-25	Pass	20500




34.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.11	-25	Pass	2985
30	1000	0.1	RMS	888.352	-61.69	-25	Pass	9699
1000	2486	1	RMS	2486	-41.2	-25	Pass	1486
2486	2700	1	RMS	2559.83	6.75	60	Pass	401
2700	3000	1	RMS	2867.25	-48.69	-25	Pass	401
3000	6500	1	RMS	6197.914	-63.62	-25	Pass	3500
6500	27000	1	RMS	25500.636	-43.37	-25	Pass	20500




34.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.53	-70.2	-25	Pass	2985
30	1000	0.1	RMS	812.095	-61.83	-25	Pass	9699
1000	2486	1	RMS	2486	-42.8	-25	Pass	1486
2486	2700	1	RMS	2558.225	6	60	Pass	401
2700	3000	1	RMS	2873.25	-48.63	-25	Pass	401
3000	6500	1	RMS	6227.922	-63.8	-25	Pass	3500
6500	27000	1	RMS	25508.638	-42.95	-25	Pass	20500




34.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.49	-69.13	-25	Pass	2985
30	1000	0.1	RMS	933.011	-61.72	-25	Pass	9699
1000	2486	1	RMS	2486	-47.2	-25	Pass	1486
2486	2700	1	RMS	2579.09	6.66	60	Pass	401
2700	3000	1	RMS	2702.25	-46.3	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.74	-25	Pass	3500
6500	27000	1	RMS	25849.721	-43.49	-25	Pass	20500




34.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.1	-25	Pass	2985
30	1000	0.1	RMS	893.959	-61.69	-25	Pass	9699
1000	2486	1	RMS	2486	-48.79	-25	Pass	1486
2486	2700	1	RMS	2576.95	5.66	60	Pass	401
2700	3000	1	RMS	2700	-47.99	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.8	-25	Pass	3500
6500	27000	1	RMS	25550.648	-43.45	-25	Pass	20500




34.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.48	-25	Pass	2985
30	1000	0.1	RMS	891.256	-61.34	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.07	-25	Pass	1486
2486	2700	1	RMS	2626.17	7	60	Pass	401
2700	3000	1	RMS	2700.75	-38.64	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.67	-25	Pass	3500
6500	27000	1	RMS	25911.736	-43.09	-25	Pass	20500



34.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.45	-25	Pass	2985
30	1000	0.1	RMS	964.753	-61.84	-25	Pass	9699
1000	2486	1	RMS	2486	-50.49	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.09	60	Pass	401
2700	3000	1	RMS	2701.5	-39.91	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.76	-25	Pass	3500
6500	27000	1	RMS	25511.638	-42.96	-25	Pass	20500



35. DC_66A_n5A_SCS15


35.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.42	-13	Pass	2985
30	814	0.1	RMS	814	-63.72	-13	Pass	7840
814	859	0.1	RMS	825.526	10.52	60	Pass	450
859	1000	0.1	RMS	886.119	-64.08	-13	Pass	1410
1000	3000	1	RMS	2869.935	-49.08	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.54	-13	Pass	7000




35.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.3	-13	Pass	2985
30	814	0.1	RMS	813.4	-63.77	-13	Pass	7840
814	859	0.1	RMS	826.428	9.45	60	Pass	450
859	1000	0.1	RMS	893.725	-64.11	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.03	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.59	-13	Pass	7000




35.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2985
30	814	0.1	RMS	743.891	-64.48	-13	Pass	7840
814	859	0.1	RMS	837.352	10.3	60	Pass	450
859	1000	0.1	RMS	904.032	-64.05	-13	Pass	1410
1000	3000	1	RMS	2876.938	-48.99	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.54	-13	Pass	7000




35.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.58	-13	Pass	2985
30	814	0.1	RMS	811.5	-64.22	-13	Pass	7840
814	859	0.1	RMS	836.45	9.29	60	Pass	450
859	1000	0.1	RMS	883.317	-64.08	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.06	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.57	-13	Pass	7000



35.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.58	-13	Pass	2985
30	814	0.1	RMS	758.093	-64.48	-13	Pass	7840
814	859	0.1	RMS	845.47	10.25	60	Pass	450
859	1000	0.1	RMS	916.241	-64.1	-13	Pass	1410
1000	3000	1	RMS	2871.936	-49.06	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.62	-13	Pass	7000



35.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	814	0.1	RMS	766.494	-64.49	-13	Pass	7840
814	859	0.1	RMS	845.67	9.22	60	Pass	450
859	1000	0.1	RMS	901.53	-64.07	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.05	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.59	-13	Pass	7000

