



35.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-13	Pass	2985
30	814	0.1	RMS	812	-48.96	-13	Pass	7840
814	859	0.1	RMS	831.94	5.9	60	Pass	450
859	1000	0.1	RMS	994.196	-64.16	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.08	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.46	-13	Pass	7000




35.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.2	-49.31	-13	Pass	7840
814	859	0.1	RMS	828.031	5.1	60	Pass	450
859	1000	0.1	RMS	886.82	-64.01	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.06	-13	Pass	2000
3000	10000	1	RMS	8415.774	-60.58	-13	Pass	7000




35.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.49	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.23	-13	Pass	7840
814	859	0.1	RMS	838.955	6.06	60	Pass	450
859	1000	0.1	RMS	928.049	-64.06	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.02	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.54	-13	Pass	7000




35.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.88	-13	Pass	2985
30	814	0.1	RMS	813.8	-55.94	-13	Pass	7840
814	859	0.1	RMS	838.254	5.09	60	Pass	450
859	1000	0.1	RMS	997.098	-64.01	-13	Pass	1410
1000	3000	1	RMS	2876.938	-49.09	-13	Pass	2000
3000	10000	1	RMS	8408.773	-60.57	-13	Pass	7000




35.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.72	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.43	-13	Pass	7840
814	859	0.1	RMS	841.962	6.19	60	Pass	450
859	1000	0.1	RMS	895.526	-64	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.03	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.61	-13	Pass	7000




35.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.4	-62.03	-13	Pass	7840
814	859	0.1	RMS	843.265	4.94	60	Pass	450
859	1000	0.1	RMS	886.62	-64.03	-13	Pass	1410
1000	3000	1	RMS	2867.934	-49.07	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.58	-13	Pass	7000




35.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.31	-13	Pass	2985
30	814	0.1	RMS	813.8	-46.66	-13	Pass	7840
814	859	0.1	RMS	836.65	4.36	60	Pass	450
859	1000	0.1	RMS	912.038	-64.12	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.01	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.55	-13	Pass	7000




35.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	814	0.1	RMS	813.8	-47.32	-13	Pass	7840
814	859	0.1	RMS	834.245	3.41	60	Pass	450
859	1000	0.1	RMS	890.722	-63.98	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.03	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.55	-13	Pass	7000




35.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2985
30	814	0.1	RMS	813.7	-49.62	-13	Pass	7840
814	859	0.1	RMS	839.156	4.77	60	Pass	450
859	1000	0.1	RMS	899.929	-64.07	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49	-13	Pass	2000
3000	10000	1	RMS	8394.771	-60.5	-13	Pass	7000




35.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	814	0.1	RMS	812.9	-49.99	-13	Pass	7840
814	859	0.1	RMS	839.256	3.51	60	Pass	450
859	1000	0.1	RMS	899.729	-64.05	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49.06	-13	Pass	2000
3000	10000	1	RMS	8404.772	-60.58	-13	Pass	7000




35.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.5	-13	Pass	2985
30	814	0.1	RMS	813.5	-52.62	-13	Pass	7840
814	859	0.1	RMS	841.661	5.03	60	Pass	450
859	1000	0.1	RMS	889.322	-64.07	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.03	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.56	-13	Pass	7000



35.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.99	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.1	-13	Pass	7840
814	859	0.1	RMS	841.661	3.75	60	Pass	450
859	1000	0.1	RMS	904.332	-64.13	-13	Pass	1410
1000	3000	1	RMS	2878.939	-49.02	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.59	-13	Pass	7000



36. DC_66A_n7A_SCS15


36.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.14	-25	Pass	2985
30	1000	0.1	RMS	1000	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-49.3	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.12	60	Pass	401
2580	3000	1	RMS	2876.706	-48.7	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.17	-25	Pass	3500
6500	26000	1	RMS	25489.836	-44.48	-25	Pass	19500




36.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-25	Pass	2985
30	1000	0.1	RMS	890.455	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-49.6	-25	Pass	1490
2490	2580	1	RMS	2502.15	18.22	60	Pass	401
2580	3000	1	RMS	2879.714	-48.76	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.38	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.47	-25	Pass	19500




36.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-25	Pass	2985
30	1000	0.1	RMS	883.145	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.7	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.25	60	Pass	401
2580	3000	1	RMS	2870.692	-48.71	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.06	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.51	-25	Pass	19500




36.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.4	-25	Pass	2985
30	1000	0.1	RMS	893.759	-64.04	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.74	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.35	60	Pass	401
2580	3000	1	RMS	2872.697	-48.7	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.41	-25	Pass	19500




36.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2985
30	1000	0.1	RMS	901.369	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.74	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.27	60	Pass	401
2580	3000	1	RMS	2869.69	-48.71	-25	Pass	420
3000	6500	1	RMS	5135.61	-63.4	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.47	-25	Pass	19500




36.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.94	-25	Pass	2985
30	1000	0.1	RMS	889.053	-63.99	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.77	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.36	60	Pass	401
2580	3000	1	RMS	2871.695	-48.7	-25	Pass	420
3000	6500	1	RMS	5134.61	-63.75	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.43	-25	Pass	19500




36.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-25	Pass	2985
30	1000	0.1	RMS	905.675	-64.02	-25	Pass	9699
1000	2490	1	RMS	2490	-46.25	-25	Pass	1490
2490	2580	1	RMS	2507.775	14.9	60	Pass	401
2580	3000	1	RMS	2878.711	-48.69	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.45	-25	Pass	19500




36.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-25	Pass	2985
30	1000	0.1	RMS	887.451	-64.01	-25	Pass	9699
1000	2490	1	RMS	2490	-46.17	-25	Pass	1490
2490	2580	1	RMS	2509.125	13.99	60	Pass	401
2580	3000	1	RMS	2878.711	-48.73	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.98	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.52	-25	Pass	19500




36.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.44	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-25	Pass	2985
30	1000	0.1	RMS	896.863	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-50.67	-25	Pass	1490
2490	2580	1	RMS	2532.3	14.92	60	Pass	401
2580	3000	1	RMS	2875.704	-48.71	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.4	-25	Pass	19500




36.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-25	Pass	2985
30	1000	0.1	RMS	888.752	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.72	-25	Pass	1490
2490	2580	1	RMS	2532.75	14.01	60	Pass	401
2580	3000	1	RMS	2872.697	-48.71	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.01	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.45	-25	Pass	19500




36.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.97	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.74	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.88	60	Pass	401
2580	3000	1	RMS	2580	-45.32	-25	Pass	420
3000	6500	1	RMS	5122.606	-63.91	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.47	-25	Pass	19500




36.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-25	Pass	2985
30	1000	0.1	RMS	874.433	-63.96	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.71	-25	Pass	1490
2490	2580	1	RMS	2559.75	13.97	60	Pass	401
2580	3000	1	RMS	2580	-46.28	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.01	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.48	-25	Pass	19500




36.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-25	Pass	2985
30	1000	0.1	RMS	883.145	-63.97	-25	Pass	9699
1000	2490	1	RMS	2490	-43.18	-25	Pass	1490
2490	2580	1	RMS	2509.35	13.57	60	Pass	401
2580	3000	1	RMS	2867.685	-48.74	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.98	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.45	-25	Pass	19500




36.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-25	Pass	2985
30	1000	0.1	RMS	903.272	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-44.56	-25	Pass	1490
2490	2580	1	RMS	2510.025	12.64	60	Pass	401
2580	3000	1	RMS	2867.685	-48.75	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.07	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.42	-25	Pass	19500




36.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	Pass	2985
30	1000	0.1	RMS	872.331	-64.09	-25	Pass	9699
1000	2490	1	RMS	2490	-50.68	-25	Pass	1490
2490	2580	1	RMS	2534.325	13.57	60	Pass	401
2580	3000	1	RMS	2868.687	-48.72	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25510.843	-44.51	-25	Pass	19500




36.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.76	-25	Pass	2985
30	1000	0.1	RMS	912.083	-64.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.74	-25	Pass	1490
2490	2580	1	RMS	2535.225	12.56	60	Pass	401
2580	3000	1	RMS	2867.685	-48.72	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.43	-25	Pass	19500




36.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-25	Pass	2985
30	1000	0.1	RMS	891.256	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-50.76	-25	Pass	1490
2490	2580	1	RMS	2559.3	13.68	60	Pass	401
2580	3000	1	RMS	2580	-42.64	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.34	-25	Pass	19500



36.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.52	-25	Pass	2985
30	1000	0.1	RMS	902.17	-64.07	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.77	-25	Pass	1490
2490	2580	1	RMS	2560.2	12.6	60	Pass	401
2580	3000	1	RMS	2580	-44.31	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.44	-25	Pass	19500



37. DC_66A_n41A_SCS30


37.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-25	Pass	2985
30	1000	0.1	RMS	935.314	-61.56	-25	Pass	9699
1000	2486	1	RMS	2486	-40.36	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.77	60	Pass	401
2700	3000	1	RMS	2871.75	-48.68	-25	Pass	401
3000	6500	1	RMS	5009.574	-62.74	-25	Pass	3500
6500	27000	1	RMS	25204.564	-43.36	-25	Pass	20500




37.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-25	Pass	2985
30	1000	0.1	RMS	975.668	-60.68	-25	Pass	9699
1000	2486	1	RMS	2486	-42.52	-25	Pass	1486
2486	2700	1	RMS	2504.19	12.59	60	Pass	401
2700	3000	1	RMS	2880	-48.66	-25	Pass	401
3000	6500	1	RMS	5010.574	-63.07	-25	Pass	3500
6500	27000	1	RMS	26951.988	-43.2	-25	Pass	20500




37.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.28	-25	Pass	2985
30	1000	0.1	RMS	922.097	-60.57	-25	Pass	9699
1000	2486	1	RMS	2477.995	-50.59	-25	Pass	1486
2486	2700	1	RMS	2591.93	13.75	60	Pass	401
2700	3000	1	RMS	2866.5	-48.7	-25	Pass	401
3000	6500	1	RMS	6357.959	-63.77	-25	Pass	3500
6500	27000	1	RMS	25506.637	-43.5	-25	Pass	20500




37.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.75	-25	Pass	2985
30	1000	0.1	RMS	849.701	-61.74	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.61	-25	Pass	1486
2486	2700	1	RMS	2593.535	12.78	60	Pass	401
2700	3000	1	RMS	2879.25	-48.67	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.64	-25	Pass	3500
6500	27000	1	RMS	25549.648	-43.42	-25	Pass	20500




37.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.35	-70.06	-25	Pass	2985
30	1000	0.1	RMS	917.39	-61.14	-25	Pass	9699
1000	2486	1	RMS	2468.989	-50.68	-25	Pass	1486
2486	2700	1	RMS	2682.88	13.57	60	Pass	401
2700	3000	1	RMS	2700	-37.99	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.55	-25	Pass	3500
6500	27000	1	RMS	25493.634	-43.47	-25	Pass	20500




37.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.46	-25	Pass	2985
30	1000	0.1	RMS	899.867	-61.66	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.57	-25	Pass	1486
2486	2700	1	RMS	2678.065	12.73	60	Pass	401
2700	3000	1	RMS	2700	-40.72	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.53	-25	Pass	3500
6500	27000	1	RMS	25478.63	-43.44	-25	Pass	20500




37.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-25	Pass	2985
30	1000	0.1	RMS	876.436	-61.36	-25	Pass	9699
1000	2486	1	RMS	2486	-39.16	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.87	60	Pass	401
2700	3000	1	RMS	2871	-48.71	-25	Pass	401
3000	6500	1	RMS	6071.878	-63.51	-25	Pass	3500
6500	27000	1	RMS	25501.636	-43.64	-25	Pass	20500




37.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.59	-25	Pass	2985
30	1000	0.1	RMS	901.67	-61.39	-25	Pass	9699
1000	2486	1	RMS	2486	-41.63	-25	Pass	1486
2486	2700	1	RMS	2530.405	7.91	60	Pass	401
2700	3000	1	RMS	2873.25	-48.65	-25	Pass	401
3000	6500	1	RMS	6205.916	-63.57	-25	Pass	3500
6500	27000	1	RMS	25199.563	-43.25	-25	Pass	20500




37.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.98	-25	Pass	2985
30	1000	0.1	RMS	912.784	-61.37	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.55	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.77	60	Pass	401
2700	3000	1	RMS	2869.5	-48.67	-25	Pass	401
3000	6500	1	RMS	6076.879	-63.7	-25	Pass	3500
6500	27000	1	RMS	25492.634	-43.16	-25	Pass	20500




37.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.73	-25	Pass	2985
30	1000	0.1	RMS	853.406	-61.74	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.61	-25	Pass	1486
2486	2700	1	RMS	2591.93	7.99	60	Pass	401
2700	3000	1	RMS	2867.25	-48.62	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.73	-25	Pass	3500
6500	27000	1	RMS	25496.635	-43.19	-25	Pass	20500




37.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.67	-25	Pass	2985
30	1000	0.1	RMS	995.294	-61.71	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.52	-25	Pass	1486
2486	2700	1	RMS	2646.5	8.62	60	Pass	401
2700	3000	1	RMS	2700	-38.31	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.85	-25	Pass	3500
6500	27000	1	RMS	25529.643	-43.18	-25	Pass	20500




37.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.69	-25	Pass	2985
30	1000	0.1	RMS	759.789	-61.27	-25	Pass	9699
1000	2486	1	RMS	2486	-50.59	-25	Pass	1486
2486	2700	1	RMS	2647.035	8.02	60	Pass	401
2700	3000	1	RMS	2700	-39.44	-25	Pass	401
3000	6500	1	RMS	6077.879	-63.62	-25	Pass	3500
6500	27000	1	RMS	25504.637	-42.99	-25	Pass	20500




37.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.82	-25	Pass	2985
30	1000	0.1	RMS	931.409	-61.02	-25	Pass	9699
1000	2486	1	RMS	2486	-41.1	-25	Pass	1486
2486	2700	1	RMS	2559.295	6.81	60	Pass	401
2700	3000	1	RMS	2867.25	-48.61	-25	Pass	401
3000	6500	1	RMS	6211.918	-63.71	-25	Pass	3500
6500	27000	1	RMS	25818.713	-43.37	-25	Pass	20500




37.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.27	-25	Pass	2985
30	1000	0.1	RMS	902.671	-61.28	-25	Pass	9699
1000	2486	1	RMS	2486	-42.74	-25	Pass	1486
2486	2700	1	RMS	2558.225	6.01	60	Pass	401
2700	3000	1	RMS	2874.75	-48.56	-25	Pass	401
3000	6500	1	RMS	6071.878	-63.71	-25	Pass	3500
6500	27000	1	RMS	26632.911	-43.57	-25	Pass	20500




37.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.84	-25	Pass	2985
30	1000	0.1	RMS	916.289	-61.43	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.29	-25	Pass	1486
2486	2700	1	RMS	2588.185	6.71	60	Pass	401
2700	3000	1	RMS	2700	-46.2	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.43	-25	Pass	3500
6500	27000	1	RMS	25504.637	-43.21	-25	Pass	20500




37.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.48	-25	Pass	2985
30	1000	0.1	RMS	883.345	-61.63	-25	Pass	9699
1000	2486	1	RMS	2486	-48.7	-25	Pass	1486
2486	2700	1	RMS	2576.95	5.81	60	Pass	401
2700	3000	1	RMS	2700	-47.83	-25	Pass	401
3000	6500	1	RMS	5858.817	-63.68	-25	Pass	3500
6500	27000	1	RMS	25501.636	-43.55	-25	Pass	20500



37.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.29	-25	Pass	2985
30	1000	0.1	RMS	954.54	-61.51	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.02	-25	Pass	1486
2486	2700	1	RMS	2626.17	7.04	60	Pass	401
2700	3000	1	RMS	2700.75	-38.59	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.65	-25	Pass	3500
6500	27000	1	RMS	25463.627	-43.58	-25	Pass	20500



37.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.14	-25	Pass	2985
30	1000	0.1	RMS	830.698	-61.54	-25	Pass	9699
1000	2486	1	RMS	2486	-50.26	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.14	60	Pass	401
2700	3000	1	RMS	2701.5	-39.8	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.67	-25	Pass	3500
6500	27000	1	RMS	25864.724	-43.01	-25	Pass	20500

