



30.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.2	14.43	30	Pass	401
2570	2571	0.1	RMS	2570	-28.31	-10	Pass	401
2571	2575	1	RMS	2571	-30.55	-10	Pass	5
2575	2576	1	RMS	2575.013	-37.75	-13	Pass	401
2576	2595	1	RMS	2576	-38.64	-25	Pass	401




30.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-50.5	-25	Pass	401
2485	2496	1	RMS	2494.488	-41.64	-13	Pass	401
2496	2499	1	RMS	2499	-34.42	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.08	-10	Pass	401
2500	2520	1	RMS	2500.45	21.71	30	Pass	401




30.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.69	-25	Pass	401
2485	2496	1	RMS	2496	-32.15	-13	Pass	401
2496	2499	1	RMS	2499	-29.13	-10	Pass	4
2499	2500	0.3	RMS	2500	-24	-10	Pass	401
2500	2520	1	RMS	2512.95	11.03	30	Pass	401




30.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.875	-50.54	-25	Pass	401
2485	2496	1	RMS	2495.313	-44.7	-13	Pass	401
2496	2499	1	RMS	2499	-35.72	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.48	-10	Pass	401
2500	2520	1	RMS	2500.45	20.71	30	Pass	401




30.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.38	-25	Pass	401
2485	2496	1	RMS	2495.973	-32.38	-13	Pass	401
2496	2499	1	RMS	2499	-29.68	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.04	-10	Pass	401
2500	2520	1	RMS	2512.8	9.99	30	Pass	401




30.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.86	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.21	-10	Pass	401
2571	2575	1	RMS	2571	-36.33	-10	Pass	5
2575	2585	1	RMS	2576.6	-44.69	-13	Pass	401
2585	2595	1	RMS	2585	-49.8	-25	Pass	401




30.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.9	10.82	30	Pass	401
2570	2571	0.3	RMS	2570.028	-35.08	-10	Pass	401
2571	2575	1	RMS	2571	-31.31	-10	Pass	5
2575	2585	1	RMS	2575.1	-33.78	-13	Pass	401
2585	2595	1	RMS	2586.35	-43.99	-25	Pass	401




30.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	20.81	30	Pass	401
2570	2571	0.051	RMS	2570	-23.32	-10	Pass	401
2571	2575	1	RMS	2571	-37.05	-10	Pass	5
2575	2585	1	RMS	2576.1	-42.36	-13	Pass	401
2585	2595	1	RMS	2585.375	-49.98	-25	Pass	401




30.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.8	9.96	30	Pass	401
2570	2571	0.3	RMS	2570.195	-36.48	-10	Pass	401
2571	2575	1	RMS	2571	-31.84	-10	Pass	5
2575	2585	1	RMS	2575	-33.98	-13	Pass	401
2585	2595	1	RMS	2585	-43.61	-25	Pass	401




30.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2477.838	-50.71	-25	Pass	401
2480	2496	1	RMS	2495.92	-45.72	-13	Pass	401
2496	2499	1	RMS	2499	-35.61	-10	Pass	4
2499	2500	0.051	RMS	2500	-26.01	-10	Pass	401
2500	2520	1	RMS	2500.6	21.58	30	Pass	401




30.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.35	-50.72	-25	Pass	401
2480	2496	1	RMS	2496	-32.99	-13	Pass	401
2496	2499	1	RMS	2499	-29.58	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.37	-10	Pass	401
2500	2520	1	RMS	2515.05	9.76	30	Pass	401




30.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.663	-50.7	-25	Pass	401
2480	2496	1	RMS	2496	-42.01	-13	Pass	401
2496	2499	1	RMS	2499	-37.31	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.04	-10	Pass	401
2500	2520	1	RMS	2500.55	20.68	30	Pass	401




30.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.688	-50.72	-25	Pass	401
2480	2496	1	RMS	2496	-33.4	-13	Pass	401
2496	2499	1	RMS	2499	-30.35	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.93	-10	Pass	401
2500	2520	1	RMS	2510.15	8.85	30	Pass	401




30.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.83	30	Pass	401
2570	2571	0.051	RMS	2570.013	-27.5	-10	Pass	401
2571	2575	1	RMS	2571	-36.93	-10	Pass	5
2575	2590	1	RMS	2575.825	-47.16	-13	Pass	401
2590	2595	1	RMS	2590.425	-50.25	-25	Pass	401




30.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.45	9.69	30	Pass	401
2570	2571	0.39	RMS	2570.105	-34.33	-10	Pass	401
2571	2575	1	RMS	2571	-31.33	-10	Pass	5
2575	2590	1	RMS	2575	-34.53	-13	Pass	401
2590	2595	1	RMS	2590	-46.36	-25	Pass	401




30.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	20.84	30	Pass	401
2570	2571	0.051	RMS	2570	-27.3	-10	Pass	401
2571	2575	1	RMS	2571	-37.92	-10	Pass	5
2575	2590	1	RMS	2575.488	-46.95	-13	Pass	401
2590	2595	1	RMS	2590.175	-50.3	-25	Pass	401



30.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.2	8.81	30	Pass	401
2570	2571	0.39	RMS	2570.158	-34.95	-10	Pass	401
2571	2575	1	RMS	2571	-31.79	-10	Pass	5
2575	2590	1	RMS	2575.075	-34.34	-13	Pass	401
2590	2595	1	RMS	2590	-46.08	-25	Pass	401



31. DC_5A_n66A_SCS15


31.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.28	-13	Pass	401
1708	1709	1	RMS	1709	-38.12	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.42	-13	Pass	401
1710	1750	1	RMS	1710.3	21.61	30	Pass	401




31.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-27.42	-13	Pass	401
1708	1709	1	RMS	1709	-27.1	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.66	-13	Pass	401
1710	1750	1	RMS	1713.8	15.4	30	Pass	401




31.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.22	-13	Pass	401
1708	1709	1	RMS	1709	-40.7	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.22	-13	Pass	401
1710	1750	1	RMS	1710.3	20.73	30	Pass	401




31.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-26.87	-13	Pass	401
1708	1709	1	RMS	1709	-26.51	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.74	-13	Pass	401
1710	1750	1	RMS	1712.4	14.45	30	Pass	401




31.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.55	21.41	30	Pass	401
1780	1781	0.051	RMS	1780	-17.79	-13	Pass	401
1781	1782	1	RMS	1781	-19.76	-13	Pass	2
1782	1805	1	RMS	1782	-46.49	-13	Pass	401




31.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.05	15.14	30	Pass	401
1780	1781	0.051	RMS	1780	-28.99	-13	Pass	401
1781	1782	1	RMS	1781	-26.6	-13	Pass	2
1782	1805	1	RMS	1782	-28.85	-13	Pass	401




31.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	20.49	30	Pass	401
1780	1781	0.051	RMS	1780	-18.16	-13	Pass	401
1781	1782	1	RMS	1781	-20.56	-13	Pass	2
1782	1805	1	RMS	1782	-47.22	-13	Pass	401




31.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.4	14.23	30	Pass	401
1780	1781	0.051	RMS	1780	-30.64	-13	Pass	401
1781	1782	1	RMS	1781	-27.15	-13	Pass	2
1782	1805	1	RMS	1782	-29.22	-13	Pass	401



31.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1706.71	-41.34	-13	Pass	401
1708	1709	1	RMS	1709	-37.84	-13	Pass	2
1709	1710	0.15	RMS	1710	-16.11	-13	Pass	401
1710	1750	1	RMS	1710.4	21.76	30	Pass	401




31.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.41	-13	Pass	401
1708	1709	1	RMS	1709	-30.8	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.45	-13	Pass	401
1710	1750	1	RMS	1722.8	11.11	30	Pass	401



31.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1702.733	-46.36	-13	Pass	401
1708	1709	1	RMS	1709	-40.55	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-18.48	-13	Pass	401
1710	1750	1	RMS	1710.4	20.85	30	Pass	401




31.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.17	-13	Pass	401
1708	1709	1	RMS	1709	-30.48	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.35	-13	Pass	401
1710	1750	1	RMS	1722.7	10.15	30	Pass	401




31.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	21.41	30	Pass	401
1780	1781	0.15	RMS	1780	-18.4	-13	Pass	401
1781	1782	1	RMS	1781	-24.46	-13	Pass	2
1782	1805	1	RMS	1782	-46.48	-13	Pass	401




31.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.9	10.61	30	Pass	401
1780	1781	0.15	RMS	1780.08	-39.05	-13	Pass	401
1781	1782	1	RMS	1781	-31.4	-13	Pass	2
1782	1805	1	RMS	1782	-32.26	-13	Pass	401




31.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	20.44	30	Pass	401
1780	1781	0.15	RMS	1780	-18.52	-13	Pass	401
1781	1782	1	RMS	1781	-25.74	-13	Pass	2
1782	1805	1	RMS	1782	-47.43	-13	Pass	401




31.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.65	9.59	30	Pass	401
1780	1781	0.15	RMS	1780.128	-39.2	-13	Pass	401
1781	1782	1	RMS	1781	-31.31	-13	Pass	2
1782	1805	1	RMS	1782.058	-31.97	-13	Pass	401




31.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.14	-45.6	-13	Pass	401
1708	1709	1	RMS	1709	-39.23	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.51	-13	Pass	401
1710	1750	1	RMS	1710.5	21.8	30	Pass	401




31.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.93	-13	Pass	401
1708	1709	1	RMS	1709	-30.77	-13	Pass	2
1709	1710	0.2	RMS	1710	-34.87	-13	Pass	401
1710	1750	1	RMS	1724.8	9.92	30	Pass	401




31.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.033	-46.45	-13	Pass	401
1708	1709	1	RMS	1709	-42.06	-13	Pass	2
1709	1710	0.2	RMS	1710	-20.22	-13	Pass	401
1710	1750	1	RMS	1710.5	20.76	30	Pass	401




31.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.68	-13	Pass	401
1708	1709	1	RMS	1709	-30.69	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-34.75	-13	Pass	401
1710	1750	1	RMS	1720	8.85	30	Pass	401




31.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.4	30	Pass	401
1780	1781	0.2	RMS	1780	-19.84	-13	Pass	401
1781	1782	1	RMS	1781	-28.99	-13	Pass	2
1782	1805	1	RMS	1782	-46.84	-13	Pass	401




31.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.45	9.49	30	Pass	401
1780	1781	0.2	RMS	1780.183	-38.23	-13	Pass	401
1781	1782	1	RMS	1781	-31.87	-13	Pass	2
1782	1805	1	RMS	1782	-32.57	-13	Pass	401




31.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.42	30	Pass	401
1780	1781	0.2	RMS	1780	-20.11	-13	Pass	401
1781	1782	1	RMS	1781	-29.48	-13	Pass	2
1782	1805	1	RMS	1782	-47.61	-13	Pass	401



31.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1770.15	8.56	30	Pass	401
1780	1781	0.2	RMS	1780.14	-37.58	-13	Pass	401
1781	1782	1	RMS	1781	-31.8	-13	Pass	2
1782	1805	1	RMS	1782	-31.97	-13	Pass	401



32. DC_7A_n5A_SCS15


32.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.22	-45.32	-13	Pass	401
823	824	0.051	RMS	824	-17.49	-13	Pass	401
824	844	0.1	RMS	824.35	19.49	30	Pass	401




32.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-38.41	-13	Pass	401
823	824	0.051	RMS	824	-30.28	-13	Pass	401
824	844	0.1	RMS	825	6.53	30	Pass	401




32.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-47.25	-13	Pass	401
823	824	0.051	RMS	824	-18.4	-13	Pass	401
824	844	0.1	RMS	824.35	18.68	30	Pass	401




32.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-37.56	-13	Pass	401
823	824	0.051	RMS	824	-30.25	-13	Pass	401
824	844	0.1	RMS	826.9	5.59	30	Pass	401




32.25. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.26	30	Pass	401
849	850	0.05	RMS	849.05	-19.52	-13	Pass	21
850	874	0.1	RMS	850.78	-50.85	-13	Pass	401




32.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.37	30	Pass	401
849	850	0.051	RMS	849	-29.23	-13	Pass	401
850	874	0.1	RMS	850.36	-38.24	-13	Pass	401




32.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.34	30	Pass	401
849	850	0.051	RMS	849	-16.93	-13	Pass	401
850	874	0.1	RMS	850.78	-50.96	-13	Pass	401




32.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.9	5.45	30	Pass	401
849	850	0.051	RMS	849	-31.02	-13	Pass	401
850	874	0.1	RMS	850.42	-38.19	-13	Pass	401




32.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.48	-45.45	-13	Pass	401
823	824	0.15	RMS	824	-16.64	-13	Pass	401
824	844	0.1	RMS	824.45	19.49	30	Pass	401




32.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-36.32	-13	Pass	401
823	824	0.15	RMS	824	-30.06	-13	Pass	401
824	844	0.1	RMS	825.1	2.24	30	Pass	401




32.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.42	-47.1	-13	Pass	401
823	824	0.15	RMS	824	-17.76	-13	Pass	401
824	844	0.1	RMS	824.5	18.65	30	Pass	401




32.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-38.12	-13	Pass	401
823	824	0.15	RMS	824	-30.89	-13	Pass	401
824	844	0.1	RMS	826.7	1.42	30	Pass	401



32.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.31	30	Pass	401
849	850	0.1	RMS	849.003	-18.74	-13	Pass	401
850	874	0.1	RMS	850.06	-53.39	-13	Pass	401




32.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.05	2.11	30	Pass	401
849	850	0.15	RMS	849.065	-38.26	-13	Pass	401
850	874	0.1	RMS	850	-40.94	-13	Pass	401




32.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.34	30	Pass	401
849	850	0.15	RMS	849	-17.26	-13	Pass	401
850	874	0.1	RMS	850	-53.3	-13	Pass	401




32.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	843	0.99	30	Pass	401
849	850	0.15	RMS	849.24	-38.69	-13	Pass	401
850	874	0.1	RMS	850	-42.09	-13	Pass	401




32.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-47.71	-13	Pass	401
823	824	0.2	RMS	824	-18.32	-13	Pass	401
824	844	0.1	RMS	824.55	19.54	30	Pass	401




32.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-34.73	-13	Pass	401
823	824	0.2	RMS	823.993	-30.56	-13	Pass	401
824	844	0.1	RMS	825.65	0.67	30	Pass	401




32.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-47.86	-13	Pass	401
823	824	0.2	RMS	824	-19.45	-13	Pass	401
824	844	0.1	RMS	824.55	18.69	30	Pass	401




32.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-35.82	-13	Pass	401
823	824	0.2	RMS	824	-31.12	-13	Pass	401
824	844	0.1	RMS	826.55	0.06	30	Pass	401




32.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.3	30	Pass	401
849	850	0.2	RMS	849	-17.69	-13	Pass	401
850	874	0.1	RMS	850	-53.3	-13	Pass	401




32.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.75	1.04	30	Pass	401
849	850	0.2	RMS	849.16	-36.53	-13	Pass	401
850	874	0.1	RMS	850.18	-41.06	-13	Pass	401




32.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.46	30	Pass	401
849	850	0.2	RMS	849	-18.74	-13	Pass	401
850	874	0.1	RMS	850	-53.2	-13	Pass	401



32.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.35	0.41	30	Pass	401
849	850	0.2	RMS	849.24	-37.44	-13	Pass	401
850	874	0.1	RMS	850.24	-41.71	-13	Pass	401



33. DC_7A_n66A_SCS15


33.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.033	-45.51	-13	Pass	401
1708	1709	1	RMS	1709	-39.36	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.61	-13	Pass	401
1710	1750	1	RMS	1710.5	21.83	30	Pass	401




33.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.24	-13	Pass	401
1708	1709	1	RMS	1709	-31.08	-13	Pass	2
1709	1710	0.2	RMS	1710	-34.96	-13	Pass	401
1710	1750	1	RMS	1724.9	9.88	30	Pass	401




33.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.033	-38.16	-13	Pass	401
1708	1709	1	RMS	1709	-41.23	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-19.79	-13	Pass	401
1710	1750	1	RMS	1710.5	20.91	30	Pass	401




33.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.8	-13	Pass	401
1708	1709	1	RMS	1709	-30.79	-13	Pass	2
1709	1710	0.2	RMS	1710	-34.8	-13	Pass	401
1710	1750	1	RMS	1720.1	8.86	30	Pass	401




33.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	21.36	30	Pass	401
1780	1781	0.2	RMS	1780	-19.81	-13	Pass	401
1781	1782	1	RMS	1781	-28.83	-13	Pass	2
1782	1805	1	RMS	1782	-46.9	-13	Pass	401




33.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.35	9.49	30	Pass	401
1780	1781	0.2	RMS	1780.218	-38.38	-13	Pass	401
1781	1782	1	RMS	1781	-31.95	-13	Pass	2
1782	1805	1	RMS	1782	-32.72	-13	Pass	401




33.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.41	30	Pass	401
1780	1781	0.2	RMS	1780	-20.02	-13	Pass	401
1781	1782	1	RMS	1781	-30.46	-13	Pass	2
1782	1805	1	RMS	1782	-47.64	-13	Pass	401




33.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1770.15	8.63	30	Pass	401
1780	1781	0.2	RMS	1780.143	-37.7	-13	Pass	401
1781	1782	1	RMS	1781	-31.68	-13	Pass	2
1782	1805	1	RMS	1782	-31.94	-13	Pass	401




33.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.51	-13	Pass	401
1708	1709	1	RMS	1709	-38.22	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.59	-13	Pass	401
1710	1750	1	RMS	1710.3	21.6	30	Pass	401




33.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.24	-13	Pass	401
1708	1709	1	RMS	1709	-26.96	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.71	-13	Pass	401
1710	1750	1	RMS	1713.8	15.36	30	Pass	401




33.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.25	-13	Pass	401
1708	1709	1	RMS	1709	-40.54	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-18.88	-13	Pass	401
1710	1750	1	RMS	1710.3	20.69	30	Pass	401




33.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-26.83	-13	Pass	401
1708	1709	1	RMS	1709	-26.45	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.69	-13	Pass	401
1710	1750	1	RMS	1712.4	14.37	30	Pass	401




33.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.46	30	Pass	401
1780	1781	0.051	RMS	1780	-17.9	-13	Pass	401
1781	1782	1	RMS	1781	-18.87	-13	Pass	2
1782	1805	1	RMS	1782	-46.32	-13	Pass	401




33.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.2	15.12	30	Pass	401
1780	1781	0.051	RMS	1780	-29.16	-13	Pass	401
1781	1782	1	RMS	1781	-26.05	-13	Pass	2
1782	1805	1	RMS	1782	-28.68	-13	Pass	401




33.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	20.5	30	Pass	401
1780	1781	0.051	RMS	1780.003	-18.21	-13	Pass	401
1781	1782	1	RMS	1781	-21.27	-13	Pass	2
1782	1805	1	RMS	1782	-47.14	-13	Pass	401




33.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.35	14.19	30	Pass	401
1780	1781	0.051	RMS	1780	-30.63	-13	Pass	401
1781	1782	1	RMS	1781	-27.67	-13	Pass	2
1782	1805	1	RMS	1782	-29.19	-13	Pass	401



33.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1706.818	-38.93	-13	Pass	401
1708	1709	1	RMS	1709	-37.45	-13	Pass	2
1709	1710	0.15	RMS	1710	-16.01	-13	Pass	401
1710	1750	1	RMS	1710.4	21.84	30	Pass	401




33.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.37	-13	Pass	401
1708	1709	1	RMS	1709	-30.77	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.52	-13	Pass	401
1710	1750	1	RMS	1722.8	11.17	30	Pass	401



33.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.66	-13	Pass	401
1708	1709	1	RMS	1709	-39.71	-13	Pass	2
1709	1710	0.15	RMS	1710	-18.25	-13	Pass	401
1710	1750	1	RMS	1710.4	20.91	30	Pass	401




33.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.1	-13	Pass	401
1708	1709	1	RMS	1709	-30.33	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.22	-13	Pass	401
1710	1750	1	RMS	1722.6	10.14	30	Pass	401




33.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	21.41	30	Pass	401
1780	1781	0.15	RMS	1780.003	-18.34	-13	Pass	401
1781	1782	1	RMS	1781	-23.95	-13	Pass	2
1782	1805	1	RMS	1782	-46.6	-13	Pass	401




33.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.85	10.58	30	Pass	401
1780	1781	0.15	RMS	1780.1	-39.08	-13	Pass	401
1781	1782	1	RMS	1781	-31.73	-13	Pass	2
1782	1805	1	RMS	1782	-32.29	-13	Pass	401



33.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.55	20.44	30	Pass	401
1780	1781	0.15	RMS	1780.003	-18.62	-13	Pass	401
1781	1782	1	RMS	1781	-25	-13	Pass	2
1782	1805	1	RMS	1782	-47.25	-13	Pass	401



33.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.65	9.58	30	Pass	401
1780	1781	0.15	RMS	1780.553	-39.16	-13	Pass	401
1781	1782	1	RMS	1781	-31.8	-13	Pass	2
1782	1805	1	RMS	1782	-31.95	-13	Pass	401



34. DC_12A_n66A_SCS15


34.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.37	-13	Pass	401
1708	1709	1	RMS	1709	-38.21	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.59	-13	Pass	401
1710	1750	1	RMS	1710.3	21.65	30	Pass	401




34.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.21	-13	Pass	401
1708	1709	1	RMS	1709	-26.99	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.61	-13	Pass	401
1710	1750	1	RMS	1713.5	15.45	30	Pass	401




34.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.34	-13	Pass	401
1708	1709	1	RMS	1709	-40.58	-13	Pass	2
1709	1710	0.051	RMS	1710	-19	-13	Pass	401
1710	1750	1	RMS	1710.3	20.74	30	Pass	401




34.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-26.82	-13	Pass	401
1708	1709	1	RMS	1709	-26.48	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.77	-13	Pass	401
1710	1750	1	RMS	1712.7	14.48	30	Pass	401




34.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.49	30	Pass	401
1780	1781	0.051	RMS	1780	-18.1	-13	Pass	401
1781	1782	1	RMS	1781	-39.69	-13	Pass	2
1782	1805	1	RMS	1782	-46.7	-13	Pass	401




34.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.05	15.17	30	Pass	401
1780	1781	0.051	RMS	1780	-29.24	-13	Pass	401
1781	1782	1	RMS	1781	-28.5	-13	Pass	2
1782	1805	1	RMS	1782	-28.78	-13	Pass	401




34.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	20.5	30	Pass	401
1780	1781	0.051	RMS	1780	-18.36	-13	Pass	401
1781	1782	1	RMS	1781	-40.17	-13	Pass	2
1782	1805	1	RMS	1782	-47.07	-13	Pass	401




34.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.35	14.22	30	Pass	401
1780	1781	0.051	RMS	1780	-30.69	-13	Pass	401
1781	1782	1	RMS	1781	-29.29	-13	Pass	2
1782	1805	1	RMS	1782	-29.25	-13	Pass	401




34.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1706.925	-35.94	-13	Pass	401
1708	1709	1	RMS	1709	-37.65	-13	Pass	2
1709	1710	0.15	RMS	1710	-16.02	-13	Pass	401
1710	1750	1	RMS	1710.4	21.93	30	Pass	401




34.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.39	-13	Pass	401
1708	1709	1	RMS	1709	-30.81	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.36	-13	Pass	401
1710	1750	1	RMS	1722.9	11.24	30	Pass	401



34.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1705.635	-42.94	-13	Pass	401
1708	1709	1	RMS	1709	-40.38	-13	Pass	2
1709	1710	0.15	RMS	1710	-18.11	-13	Pass	401
1710	1750	1	RMS	1710.5	20.9	30	Pass	401




34.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.1	-13	Pass	401
1708	1709	1	RMS	1709	-30.42	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.25	-13	Pass	401
1710	1750	1	RMS	1722.6	10.16	30	Pass	401




34.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	21.43	30	Pass	401
1780	1781	0.15	RMS	1780.003	-18.35	-13	Pass	401
1781	1782	1	RMS	1781	-40.01	-13	Pass	2
1782	1805	1	RMS	1782	-46.77	-13	Pass	401




34.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.85	10.61	30	Pass	401
1780	1781	0.15	RMS	1780.088	-39.14	-13	Pass	401
1781	1782	1	RMS	1781	-31.9	-13	Pass	2
1782	1805	1	RMS	1782	-32.29	-13	Pass	401




34.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	20.44	30	Pass	401
1780	1781	0.15	RMS	1780	-18.62	-13	Pass	401
1781	1782	1	RMS	1781	-40.13	-13	Pass	2
1782	1805	1	RMS	1782	-47.32	-13	Pass	401




34.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.75	9.61	30	Pass	401
1780	1781	0.15	RMS	1780.145	-39.25	-13	Pass	401
1781	1782	1	RMS	1781	-31.59	-13	Pass	2
1782	1805	1	RMS	1782	-31.96	-13	Pass	401




34.25. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.033	-45.66	-13	Pass	401
1708	1709	1	RMS	1709	-39.48	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.59	-13	Pass	401
1710	1750	1	RMS	1710.5	21.88	30	Pass	401




34.26. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.15	-13	Pass	401
1708	1709	1	RMS	1709	-31.09	-13	Pass	2
1709	1710	0.2	RMS	1710	-35.05	-13	Pass	401
1710	1750	1	RMS	1725	9.95	30	Pass	401




34.27. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.033	-38.89	-13	Pass	401
1708	1709	1	RMS	1709	-41.37	-13	Pass	2
1709	1710	0.2	RMS	1710	-19.71	-13	Pass	401
1710	1750	1	RMS	1710.5	20.93	30	Pass	401




34.28. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.81	-13	Pass	401
1708	1709	1	RMS	1709	-30.93	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-34.82	-13	Pass	401
1710	1750	1	RMS	1720.3	8.95	30	Pass	401




34.29. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.45	30	Pass	401
1780	1781	0.2	RMS	1780	-19.72	-13	Pass	401
1781	1782	1	RMS	1781	-41.37	-13	Pass	2
1782	1805	1	RMS	1782	-46.92	-13	Pass	401




34.30. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.6	9.54	30	Pass	401
1780	1781	0.2	RMS	1780.188	-38.22	-13	Pass	401
1781	1782	1	RMS	1781	-32.13	-13	Pass	2
1782	1805	1	RMS	1782.058	-32.56	-13	Pass	401




34.31. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.52	30	Pass	401
1780	1781	0.2	RMS	1780	-19.88	-13	Pass	401
1781	1782	1	RMS	1781	-41.7	-13	Pass	2
1782	1805	1	RMS	1782	-47.72	-13	Pass	401



34.32. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1770.3	8.65	30	Pass	401
1780	1781	0.2	RMS	1780.125	-37.57	-13	Pass	401
1781	1782	1	RMS	1781	-31.72	-13	Pass	2
1782	1805	1	RMS	1782.115	-32	-13	Pass	401



35. DC_26A_n41A_SCS30


35.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2486.535	-45.45	-25	Pass	401
2490	2495	1	RMS	2495	-27.37	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.24	-13	Pass	401
2496	2596	1	RMS	2497	21.61	30	Pass	401




35.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-31.61	-25	Pass	401
2490	2495	1	RMS	2494.938	-28.1	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.15	-13	Pass	4
2496	2596	1	RMS	2506	9.92	30	Pass	401




35.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-45.26	-25	Pass	401
2490	2495	1	RMS	2495	-28.91	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-29.25	-13	Pass	401
2496	2596	1	RMS	2497	20.68	30	Pass	401




35.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-32.54	-25	Pass	401
2490	2495	1	RMS	2494.988	-29.34	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.65	-13	Pass	4
2496	2596	1	RMS	2507.25	8.97	30	Pass	401




35.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.58	30	Pass	401
2690	2691	0.1	RMS	2690.015	-23.12	-13	Pass	401
2691	2695	1	RMS	2691	-27.46	-13	Pass	401
2695	2710	1	RMS	2697.85	-45.07	-13	Pass	401
2710	2795	1	RMS	2710	-49.61	-25	Pass	401




35.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2679.75	9.93	30	Pass	401
2690	2691	0.4	RMS	2690	-35.87	-13	Pass	4
2691	2695	1	RMS	2691.02	-31.21	-13	Pass	401
2695	2710	1	RMS	2695.038	-32.27	-13	Pass	401
2710	2715	1	RMS	2711.95	-41.49	-25	Pass	401
2715	2795	1	RMS	2715.4	-41.76	-25	Pass	401




35.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.69	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.21	-13	Pass	401
2691	2695	1	RMS	2691	-28.23	-13	Pass	401
2695	2710	1	RMS	2695.563	-44.34	-13	Pass	401
2710	2795	1	RMS	2710.213	-49.27	-25	Pass	401




35.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2678.25	8.83	30	Pass	401
2690	2691	0.4	RMS	2690	-36.93	-13	Pass	4
2691	2695	1	RMS	2691.23	-30.9	-13	Pass	401
2695	2710	1	RMS	2695	-32.29	-13	Pass	401
2710	2715	1	RMS	2710.963	-41.04	-25	Pass	401
2715	2795	1	RMS	2715	-42.74	-25	Pass	401




35.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2484.308	-39.37	-25	Pass	401
2490	2495	1	RMS	2495	-28.09	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.05	-13	Pass	401
2496	2596	1	RMS	2497	21.59	30	Pass	401




35.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.95	-25	Pass	401
2490	2495	1	RMS	2494.85	-34.2	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.1	-13	Pass	2
2496	2596	1	RMS	2546.25	5.44	30	Pass	401




35.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2484.308	-40.46	-25	Pass	401
2490	2495	1	RMS	2495	-29.09	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.45	-13	Pass	401
2496	2596	1	RMS	2497	20.74	30	Pass	401




35.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-37.64	-25	Pass	401
2490	2495	1	RMS	2494.8	-35.17	-13	Pass	401
2495	2496	1.2	RMS	2496	-30.14	-13	Pass	2
2496	2596	1	RMS	2547.25	4.39	30	Pass	401



35.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.54	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.68	-13	Pass	401
2691	2695	1	RMS	2691.01	-29.77	-13	Pass	401
2695	2750	1	RMS	2696.1	-45.18	-13	Pass	401
2750	2795	1	RMS	2767.55	-49.6	-25	Pass	401




35.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.75	5.05	30	Pass	401
2690	2691	1.2	RMS	2690	-27.27	-13	Pass	2
2691	2695	1	RMS	2692.45	-33.04	-13	Pass	401
2695	2750	1	RMS	2695	-34.87	-13	Pass	401
2750	2755	1	RMS	2754.563	-49.76	-25	Pass	401
2755	2795	1	RMS	2780.4	-49.58	-25	Pass	401




35.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.64	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.01	-13	Pass	401
2691	2695	1	RMS	2691.01	-30.15	-13	Pass	401
2695	2750	1	RMS	2696.513	-44.45	-13	Pass	401
2750	2795	1	RMS	2772.5	-49.68	-25	Pass	401




35.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2644.25	4.21	30	Pass	401
2690	2691	1.2	RMS	2690	-28.21	-13	Pass	2
2691	2695	1	RMS	2692.48	-34.83	-13	Pass	401
2695	2750	1	RMS	2695	-36.24	-13	Pass	401
2750	2755	1	RMS	2754.338	-49.82	-25	Pass	401
2755	2795	1	RMS	2776.7	-49.68	-25	Pass	401




35.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-45.38	-25	Pass	401
2490	2495	1	RMS	2495	-28.05	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.53	-13	Pass	401
2496	2596	1	RMS	2497	21.67	30	Pass	401




35.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.82	-25	Pass	401
2490	2495	1	RMS	2494.825	-35.98	-13	Pass	401
2495	2496	1	RMS	2496	-33.42	-13	Pass	2
2496	2596	1	RMS	2560	3.4	30	Pass	401




35.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-45.61	-25	Pass	401
2490	2495	1	RMS	2495	-29.96	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-29.17	-13	Pass	401
2496	2596	1	RMS	2497	20.89	30	Pass	401




35.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.54	-25	Pass	401
2490	2495	1	RMS	2494.988	-38.61	-13	Pass	401
2495	2496	1	RMS	2496	-35.03	-13	Pass	2
2496	2596	1	RMS	2566.25	2.4	30	Pass	401




35.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1 @272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.64	30	Pass	401
2690	2691	0.1	RMS	2690	-23.9	-13	Pass	401
2691	2695	1	RMS	2691	-28.64	-13	Pass	401
2695	2790	1	RMS	2695.475	-45.01	-13	Pass	401
2790	2795	1	RMS	2791.425	-49.65	-25	Pass	401




35.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600	3.38	30	Pass	401
2690	2691	2	RMS	2690	-33.02	-13	Pass	2
2691	2695	1	RMS	2691.02	-35.92	-13	Pass	401
2695	2790	1	RMS	2696.425	-35.82	-13	Pass	401
2790	2795	1	RMS	2792.063	-49.65	-25	Pass	401




35.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.64	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.02	-13	Pass	401
2691	2695	1	RMS	2691	-30.05	-13	Pass	401
2695	2790	1	RMS	2696.663	-45.7	-13	Pass	401
2790	2795	1	RMS	2793.45	-49.64	-25	Pass	401



35.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2609.25	2.4	30	Pass	401
2690	2691	2	RMS	2690	-35.58	-13	Pass	2
2691	2695	1	RMS	2693.25	-37.88	-13	Pass	401
2695	2790	1	RMS	2700.938	-38.04	-13	Pass	401
2790	2795	1	RMS	2791.6	-49.59	-25	Pass	401



36. DC_66A_n5A_SCS15


36.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.22	-45.37	-13	Pass	401
823	824	0.051	RMS	824	-17.71	-13	Pass	401
824	844	0.1	RMS	824.35	19.56	30	Pass	401




36.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.03	-13	Pass	401
823	824	0.051	RMS	823.998	-30.38	-13	Pass	401
824	844	0.1	RMS	825.05	6.55	30	Pass	401




36.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-45.05	-13	Pass	401
823	824	0.051	RMS	824	-18.29	-13	Pass	401
824	844	0.1	RMS	824.35	18.81	30	Pass	401




36.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-37.68	-13	Pass	401
823	824	0.051	RMS	824	-30.23	-13	Pass	401
824	844	0.1	RMS	826.9	5.57	30	Pass	401




36.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.23	30	Pass	401
849	850	0.03	RMS	849	-18.89	-13	Pass	401
850	874	0.1	RMS	850.84	-48.35	-13	Pass	401




36.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.32	30	Pass	401
849	850	0.051	RMS	849	-29.17	-13	Pass	401
850	874	0.1	RMS	850.36	-38.35	-13	Pass	401




36.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.34	30	Pass	401
849	850	0.051	RMS	849	-16.93	-13	Pass	401
850	874	0.1	RMS	850.78	-50.66	-13	Pass	401




36.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.9	5.39	30	Pass	401
849	850	0.051	RMS	849	-31.07	-13	Pass	401
850	874	0.1	RMS	850.42	-37.6	-13	Pass	401




36.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.42	-45.36	-13	Pass	401
823	824	0.15	RMS	824	-16.78	-13	Pass	401
824	844	0.1	RMS	824.45	19.55	30	Pass	401




36.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-36.17	-13	Pass	401
823	824	0.15	RMS	823.993	-29.78	-13	Pass	401
824	844	0.1	RMS	825.1	2.34	30	Pass	401




36.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-43.79	-13	Pass	401
823	824	0.1	RMS	824	-20.28	-13	Pass	401
824	844	0.1	RMS	824.5	18.65	30	Pass	401




36.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-37.84	-13	Pass	401
823	824	0.15	RMS	824	-30.79	-13	Pass	401
824	844	0.1	RMS	826.7	1.47	30	Pass	401




36.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.39	30	Pass	401
849	850	0.1	RMS	849	-18.28	-13	Pass	401
850	874	0.1	RMS	850.12	-53.25	-13	Pass	401




36.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841	2.16	30	Pass	401
849	850	0.15	RMS	849.03	-38.41	-13	Pass	401
850	874	0.1	RMS	850	-40.87	-13	Pass	401




36.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.41	30	Pass	401
849	850	0.15	RMS	849	-17.33	-13	Pass	401
850	874	0.1	RMS	850.06	-53.31	-13	Pass	401




36.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	843	1.02	30	Pass	401
849	850	0.15	RMS	849.268	-38.95	-13	Pass	401
850	874	0.1	RMS	850.24	-41.99	-13	Pass	401




36.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-47.26	-13	Pass	401
823	824	0.2	RMS	824	-18.26	-13	Pass	401
824	844	0.1	RMS	824.55	19.51	30	Pass	401




36.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-34.86	-13	Pass	401
823	824	0.2	RMS	824	-30.56	-13	Pass	401
824	844	0.1	RMS	826.2	0.69	30	Pass	401




36.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.14	-47.44	-13	Pass	401
823	824	0.2	RMS	824	-19.62	-13	Pass	401
824	844	0.1	RMS	824.55	18.66	30	Pass	401




36.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-35.44	-13	Pass	401
823	824	0.2	RMS	823.993	-31.21	-13	Pass	401
824	844	0.1	RMS	826.55	0.14	30	Pass	401



36.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.31	30	Pass	401
849	850	0.2	RMS	849	-17.64	-13	Pass	401
850	874	0.1	RMS	850.06	-53.72	-13	Pass	401




36.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	1.07	30	Pass	401
849	850	0.2	RMS	849.205	-36.48	-13	Pass	401
850	874	0.1	RMS	850.6	-41.04	-13	Pass	401



36.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.42	30	Pass	401
849	850	0.2	RMS	849	-18.76	-13	Pass	401
850	874	0.1	RMS	850	-53.2	-13	Pass	401



36.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.95	0.55	30	Pass	401
849	850	0.2	RMS	849.195	-37.33	-13	Pass	401
850	874	0.1	RMS	850.24	-41.59	-13	Pass	401



37. DC_66A_n7A_SCS15


37.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476.363	-50.69	-25	Pass	401
2480	2496	1	RMS	2495.68	-41.25	-13	Pass	401
2496	2499	1	RMS	2499	-35.89	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.96	-10	Pass	401
2500	2520	1	RMS	2500.5	21.63	30	Pass	401




37.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.4	-50.7	-25	Pass	401
2480	2496	1	RMS	2496	-32.87	-13	Pass	401
2496	2499	1	RMS	2499	-29.44	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.38	-10	Pass	401
2500	2520	1	RMS	2514.95	9.77	30	Pass	401




37.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.638	-50.73	-25	Pass	401
2480	2496	1	RMS	2496	-46.73	-13	Pass	401
2496	2499	1	RMS	2499	-37.58	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-28	-10	Pass	401
2500	2520	1	RMS	2500.5	20.76	30	Pass	401




37.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2477.113	-50.74	-25	Pass	401
2480	2496	1	RMS	2496	-33.2	-13	Pass	401
2496	2499	1	RMS	2499	-30.05	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.85	-10	Pass	401
2500	2520	1	RMS	2510.2	8.84	30	Pass	401




37.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.83	30	Pass	401
2570	2571	0.051	RMS	2570	-27.38	-10	Pass	401
2571	2575	1	RMS	2571	-37.26	-10	Pass	5
2575	2590	1	RMS	2576.538	-47.55	-13	Pass	401
2590	2595	1	RMS	2590.188	-50.27	-25	Pass	401




37.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.3	9.75	30	Pass	401
2570	2571	0.39	RMS	2570.063	-33.76	-10	Pass	401
2571	2575	1	RMS	2571	-31.17	-10	Pass	5
2575	2590	1	RMS	2575.038	-34.36	-13	Pass	401
2590	2595	1	RMS	2590	-46.46	-25	Pass	401




37.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	20.88	30	Pass	401
2570	2571	0.051	RMS	2570	-27.04	-10	Pass	401
2571	2575	1	RMS	2571	-38.09	-10	Pass	5
2575	2590	1	RMS	2575.225	-48.16	-13	Pass	401
2590	2595	1	RMS	2590.075	-50.29	-25	Pass	401




37.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.15	8.85	30	Pass	401
2570	2571	0.39	RMS	2570.063	-34.51	-10	Pass	401
2571	2575	1	RMS	2571	-31.4	-10	Pass	5
2575	2590	1	RMS	2575.038	-34.28	-13	Pass	401
2590	2595	1	RMS	2590	-46.18	-25	Pass	401




37.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.668	-46.77	-25	Pass	401
2494	2496	1	RMS	2495.93	-45.45	-13	Pass	401
2496	2499	1	RMS	2499	-33.94	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.84	-10	Pass	401
2500	2520	1	RMS	2500.3	21.63	30	Pass	401




37.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.61	-25	Pass	401
2494	2496	1	RMS	2496	-32.79	-13	Pass	401
2496	2499	1	RMS	2499	-26.02	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.53	-10	Pass	401
2500	2520	1	RMS	2503.75	15.26	30	Pass	401




37.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.905	-47.71	-25	Pass	401
2494	2496	1	RMS	2495.955	-46.46	-13	Pass	401
2496	2499	1	RMS	2499	-35	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.47	-10	Pass	401
2500	2520	1	RMS	2500.3	20.64	30	Pass	401




37.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.74	-25	Pass	401
2494	2496	1	RMS	2496	-34.37	-13	Pass	401
2496	2499	1	RMS	2499	-26.36	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.06	-10	Pass	401
2500	2520	1	RMS	2502.2	14.31	30	Pass	401




37.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.66	30	Pass	401
2570	2571	0.051	RMS	2570	-18.66	-10	Pass	401
2571	2575	1	RMS	2571	-35.93	-10	Pass	5
2575	2576	1	RMS	2575.013	-47.05	-13	Pass	401
2576	2595	1	RMS	2576.903	-47.68	-25	Pass	401




37.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.85	15.4	30	Pass	401
2570	2571	0.1	RMS	2570	-26.07	-10	Pass	401
2571	2575	1	RMS	2571	-29.89	-10	Pass	5
2575	2576	1	RMS	2575.438	-38.08	-13	Pass	401
2576	2595	1	RMS	2576	-38.27	-25	Pass	401




37.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	20.75	30	Pass	401
2570	2571	0.051	RMS	2570	-18.38	-10	Pass	401
2571	2575	1	RMS	2571	-36.04	-10	Pass	5
2575	2576	1	RMS	2575.008	-47.88	-13	Pass	401
2576	2595	1	RMS	2576.523	-48.4	-25	Pass	401




37.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567	14.41	30	Pass	401
2570	2571	0.1	RMS	2570	-28.34	-10	Pass	401
2571	2575	1	RMS	2571	-30.7	-10	Pass	5
2575	2576	1	RMS	2575.003	-37.72	-13	Pass	401
2576	2595	1	RMS	2576	-38.63	-25	Pass	401




37.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.85	-50.55	-25	Pass	401
2485	2496	1	RMS	2494.185	-44.32	-13	Pass	401
2496	2499	1	RMS	2499	-34.49	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.04	-10	Pass	401
2500	2520	1	RMS	2500.45	21.68	30	Pass	401




37.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-49.84	-25	Pass	401
2485	2496	1	RMS	2496	-32.33	-13	Pass	401
2496	2499	1	RMS	2499	-29.32	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.17	-10	Pass	401
2500	2520	1	RMS	2512.8	10.94	30	Pass	401




37.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-50.57	-25	Pass	401
2485	2496	1	RMS	2494.543	-45.1	-13	Pass	401
2496	2499	1	RMS	2499	-36.04	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.43	-10	Pass	401
2500	2520	1	RMS	2500.45	20.81	30	Pass	401




37.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.51	-25	Pass	401
2485	2496	1	RMS	2496	-32.38	-13	Pass	401
2496	2499	1	RMS	2499	-29.72	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.13	-10	Pass	401
2500	2520	1	RMS	2512.7	9.89	30	Pass	401




37.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.84	30	Pass	401
2570	2571	0.051	RMS	2570	-23.47	-10	Pass	401
2571	2575	1	RMS	2571	-35.7	-10	Pass	5
2575	2585	1	RMS	2575.025	-47.26	-13	Pass	401
2585	2595	1	RMS	2585.7	-49.79	-25	Pass	401




37.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.95	10.88	30	Pass	401
2570	2571	0.3	RMS	2570.005	-35.61	-10	Pass	401
2571	2575	1	RMS	2571	-31.13	-10	Pass	5
2575	2585	1	RMS	2575.025	-33.62	-13	Pass	401
2585	2595	1	RMS	2586.15	-43.99	-25	Pass	401




37.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	20.91	30	Pass	401
2570	2571	0.051	RMS	2570	-23.29	-10	Pass	401
2571	2575	1	RMS	2571	-36.63	-10	Pass	5
2575	2585	1	RMS	2575.225	-48.1	-13	Pass	401
2585	2595	1	RMS	2585.05	-49.93	-25	Pass	401



37.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.75	9.91	30	Pass	401
2570	2571	0.3	RMS	2570.055	-36.48	-10	Pass	401
2571	2575	1	RMS	2571	-31.96	-10	Pass	5
2575	2585	1	RMS	2575	-33.94	-13	Pass	401
2585	2595	1	RMS	2585	-43.56	-25	Pass	401



38. DC_66A_n41A_SCS30


38.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-43.78	-25	Pass	401
2490	2495	1	RMS	2495	-27.42	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.71	-13	Pass	401
2496	2596	1	RMS	2497	21.62	30	Pass	401




38.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.12	-25	Pass	401
2490	2495	1	RMS	2495	-29.1	-13	Pass	401
2495	2496	0.4	RMS	2495	-27.14	-13	Pass	4
2496	2596	1	RMS	2506.25	10	30	Pass	401




38.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-46.47	-25	Pass	401
2490	2495	1	RMS	2495	-28.47	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.22	-13	Pass	401
2496	2596	1	RMS	2497	20.61	30	Pass	401




38.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.74	-25	Pass	401
2490	2495	1	RMS	2494.925	-29.61	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.94	-13	Pass	4
2496	2596	1	RMS	2512	8.99	30	Pass	401




38.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.57	30	Pass	401
2690	2691	0.1	RMS	2690	-22.3	-13	Pass	401
2691	2695	1	RMS	2691	-27.04	-13	Pass	401
2695	2710	1	RMS	2697.888	-45.21	-13	Pass	401
2710	2795	1	RMS	2712.338	-49.46	-25	Pass	401




38.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2679.75	9.96	30	Pass	401
2690	2691	0.4	RMS	2690.333	-34.22	-13	Pass	4
2691	2695	1	RMS	2691.01	-29.54	-13	Pass	401
2695	2710	1	RMS	2695.15	-31.48	-13	Pass	401
2710	2715	1	RMS	2711.725	-41.43	-25	Pass	401
2715	2795	1	RMS	2715.2	-41.64	-25	Pass	401




38.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @50, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.43	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.68	-13	Pass	401
2691	2695	1	RMS	2691	-28.49	-13	Pass	401
2695	2710	1	RMS	2699.238	-45.26	-13	Pass	401
2710	2795	1	RMS	2711.063	-49.54	-25	Pass	401




38.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2678.25	8.93	30	Pass	401
2690	2691	0.4	RMS	2690.333	-36.52	-13	Pass	4
2691	2695	1	RMS	2691.11	-31.19	-13	Pass	401
2695	2710	1	RMS	2695.338	-32.47	-13	Pass	401
2710	2715	1	RMS	2710.95	-41.15	-25	Pass	401
2715	2795	1	RMS	2715	-42.95	-25	Pass	401




38.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-44.97	-25	Pass	401
2490	2495	1	RMS	2495	-27.88	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.96	-13	Pass	401
2496	2596	1	RMS	2497	21.63	30	Pass	401




38.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.92	-25	Pass	401
2490	2495	1	RMS	2494.9	-34.23	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.06	-13	Pass	2
2496	2596	1	RMS	2546.25	5.39	30	Pass	401




38.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.8	-25	Pass	401
2490	2495	1	RMS	2495	-29.37	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.22	-13	Pass	401
2496	2596	1	RMS	2497	20.64	30	Pass	401




38.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-37.61	-25	Pass	401
2490	2495	1	RMS	2494.738	-35.22	-13	Pass	401
2495	2496	1.2	RMS	2496	-30.17	-13	Pass	2
2496	2596	1	RMS	2547.25	4.49	30	Pass	401




38.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.55	30	Pass	401
2690	2691	0.1	RMS	2690	-24.66	-13	Pass	401
2691	2695	1	RMS	2691	-29.62	-13	Pass	401
2695	2750	1	RMS	2696.65	-34.64	-13	Pass	401
2750	2795	1	RMS	2781.613	-49.42	-25	Pass	401




38.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2637.25	5.04	30	Pass	401
2690	2691	1.2	RMS	2690	-27.74	-13	Pass	2
2691	2695	1	RMS	2692.45	-34.07	-13	Pass	401
2695	2750	1	RMS	2695	-35.83	-13	Pass	401
2750	2755	1	RMS	2754.463	-49.81	-25	Pass	401
2755	2795	1	RMS	2791.3	-49.63	-25	Pass	401



38.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @161, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.68	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.2	-13	Pass	401
2691	2695	1	RMS	2691.02	-30.62	-13	Pass	401
2695	2750	1	RMS	2696.65	-35.49	-13	Pass	401
2750	2795	1	RMS	2764.513	-49.37	-25	Pass	401




38.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.75	4.22	30	Pass	401
2690	2691	1.2	RMS	2690	-28.01	-13	Pass	2
2691	2695	1	RMS	2692.36	-34.81	-13	Pass	401
2695	2750	1	RMS	2695	-36.24	-13	Pass	401
2750	2755	1	RMS	2754.588	-49.82	-25	Pass	401
2755	2795	1	RMS	2776.3	-49.64	-25	Pass	401




38.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-46.41	-25	Pass	401
2490	2495	1	RMS	2495	-28.76	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.26	-13	Pass	401
2496	2596	1	RMS	2497	21.68	30	Pass	401




38.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.85	-25	Pass	401
2490	2495	1	RMS	2494.625	-36.05	-13	Pass	401
2495	2496	1	RMS	2495	-32.55	-13	Pass	2
2496	2596	1	RMS	2567.5	3.38	30	Pass	401




38.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-45.91	-25	Pass	401
2490	2495	1	RMS	2495	-30.71	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-29.91	-13	Pass	401
2496	2596	1	RMS	2497	20.77	30	Pass	401




38.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-39.5	-25	Pass	401
2490	2495	1	RMS	2495	-38.59	-13	Pass	401
2495	2496	1	RMS	2496	-35.08	-13	Pass	2
2496	2596	1	RMS	2566.25	2.59	30	Pass	401




38.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1 @272, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.5	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.71	-13	Pass	401
2691	2695	1	RMS	2691	-29.45	-13	Pass	401
2695	2790	1	RMS	2695	-45.43	-13	Pass	401
2790	2795	1	RMS	2790.863	-49.49	-25	Pass	401




38.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600.25	3.3	30	Pass	401
2690	2691	2	RMS	2690	-33.08	-13	Pass	2
2691	2695	1	RMS	2691.33	-35.95	-13	Pass	401
2695	2790	1	RMS	2696.425	-35.95	-13	Pass	401
2790	2795	1	RMS	2792.55	-49.69	-25	Pass	401




38.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @272, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.65	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.09	-13	Pass	401
2691	2695	1	RMS	2691	-30.19	-13	Pass	401
2695	2790	1	RMS	2695.475	-45.64	-13	Pass	401
2790	2795	1	RMS	2790.3	-49.42	-25	Pass	401



38.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2597.75	2.21	30	Pass	401
2690	2691	2	RMS	2690	-35.82	-13	Pass	2
2691	2695	1	RMS	2693.44	-37.96	-13	Pass	401
2695	2790	1	RMS	2703.55	-38.15	-13	Pass	401
2790	2795	1	RMS	2794.138	-49.69	-25	Pass	401



END