



RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.930	-70.02	-16.02	-13.0	-57.02	104.00	Horizontal	Vertical	Pass
1745.300	-48.73	2.05	-13.0	-35.73	13.00	Horizontal	Vertical	N/A
2141.600	-19.26	3.76	-13.0	-6.26	201.00	Horizontal	Vertical	N/A
6692.500	-39.16	14.87	-13.0	-26.16	246.00	Horizontal	Vertical	Pass
12701.075	-38.60	16.53	-13.0	-25.60	57.00	Horizontal	Vertical	Pass
20320.662	-43.45	11.14	-13.0	-30.45	162.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-62.40	-18.61	-13.0	-49.40	262.00	Vertical	Vertical	Pass
1745.200	-50.00	2.05	-13.0	-37.00	63.00	Vertical	Vertical	Pass
2147.400	-25.22	3.18	-13.0	-12.22	203.00	Vertical	Vertical	N/A
6610.000	-38.53	14.34	-13.0	-25.53	10.00	Vertical	Vertical	Pass
13355.875	-38.72	16.20	-13.0	-25.72	72.00	Vertical	Vertical	Pass
20347.949	-42.69	11.16	-13.0	-29.69	362.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.028	-62.49	-18.46	-13.0	-49.49	162.00	Vertical	Horizontal	Pass
1764.100	-50.59	1.94	-13.0	-37.59	359.00	Vertical	Horizontal	Pass
2139.600	-33.79	3.80	-13.0	-20.79	290.00	Vertical	Horizontal	N/A
4054.500	-45.12	9.34	-13.0	-32.12	97.00	Vertical	Horizontal	Pass
12773.588	-38.27	15.92	-13.0	-25.27	137.00	Vertical	Horizontal	Pass
20095.427	-43.08	11.02	-13.0	-30.08	162.00	Vertical	Horizontal	Pass


27.3 n66 BW20, QPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.784	-69.31	-16.03	-13.0	-56.31	138.00	Horizontal	Horizontal	Pass
1744.800	-48.74	2.05	-13.0	-35.74	283.00	Horizontal	Horizontal	N/A
2140.600	-19.05	3.72	-13.0	-6.05	188.00	Horizontal	Horizontal	N/A
6696.000	-38.98	15.14	-13.0	-25.98	328.00	Horizontal	Horizontal	Pass
12771.276	-38.58	15.92	-13.0	-25.58	-1.00	Horizontal	Horizontal	Pass
20032.989	-43.32	10.99	-13.0	-30.32	361.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.833	-71.92	-16.03	-13.0	-58.92	92.00	Horizontal	Vertical	Pass
1744.400	-48.92	2.05	-13.0	-35.92	360.00	Horizontal	Vertical	N/A
2140.900	-19.49	3.73	-13.0	-6.49	212.00	Horizontal	Vertical	N/A
6724.000	-38.98	15.60	-13.0	-25.98	205.00	Horizontal	Vertical	Pass
12699.888	-38.34	16.54	-13.0	-25.34	85.00	Horizontal	Vertical	Pass
20386.802	-43.50	11.18	-13.0	-30.50	272.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.028	-61.79	-18.46	-13.0	-48.79	147.00	Vertical	Vertical	Pass
1745.200	-48.67	2.05	-13.0	-35.67	124.00	Vertical	Vertical	N/A
2139.700	-27.06	3.79	-13.0	-14.06	204.00	Vertical	Vertical	N/A
6712.250	-39.01	15.61	-13.0	-26.01	271.00	Vertical	Vertical	Pass
12500.150	-38.30	15.66	-13.0	-25.30	12.00	Vertical	Vertical	Pass
20440.449	-43.14	11.20	-13.0	-30.14	363.00	Vertical	Vertical	Pass

RSE-V&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.980	-62.16	-18.48	-13.0	-49.16	248.00	Vertical	Horizontal	Pass
1552.100	-51.39	0.42	-13.0	-38.39	360.00	Vertical	Horizontal	Pass
2150.000	-35.66	3.19	-13.0	-22.66	303.00	Vertical	Horizontal	N/A
6005.250	-40.19	13.17	-13.0	-27.19	184.00	Vertical	Horizontal	Pass
9452.313	-39.00	14.15	-13.0	-26.00	0.00	Vertical	Horizontal	Pass
12789.313	-38.03	15.86	-13.0	-25.03	81.00	Vertical	Horizontal	Pass

28 DC_2A_n41A


28.1 DC_2A_n41A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_2A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.688	-70.77	-16.04	-25.0	-45.77	119.00	Horizontal	Horizontal	Pass
1324.700	-52.59	0.11	-25.0	-27.59	28.00	Horizontal	Horizontal	Pass
1967.400	-36.79	3.56	-25.0	-11.79	101.00	Horizontal	Horizontal	N/A
4379.000	-45.00	9.09	-25.0	-20.00	0.00	Horizontal	Horizontal	Pass
6672.000	-39.28	14.60	-25.0	-14.28	163.00	Horizontal	Horizontal	Pass
13443.787	-37.89	16.05	-25.0	-12.89	361.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
218.083	-70.45	-16.48	-25.0	-45.45	273.00	Horizontal	Vertical	Pass
1322.100	-52.09	0.08	-25.0	-27.09	109.00	Horizontal	Vertical	Pass
1967.500	-36.47	3.56	-25.0	-11.47	201.00	Horizontal	Vertical	N/A
6729.000	-38.62	15.39	-25.0	-13.62	1.00	Horizontal	Vertical	Pass
13381.049	-38.47	16.83	-25.0	-13.47	301.00	Horizontal	Vertical	Pass
18312.800	-40.56	12.87	-25.0	-15.56	38.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.058	-60.63	-18.68	-25.0	-35.63	292.00	Vertical	Vertical	Pass
1327.600	-52.02	0.24	-25.0	-27.02	1.00	Vertical	Vertical	Pass
1965.000	-46.15	3.87	-25.0	-21.15	160.00	Vertical	Vertical	N/A
6652.500	-39.03	15.05	-25.0	-14.03	15.00	Vertical	Vertical	Pass
13345.350	-37.78	16.36	-25.0	-12.78	301.00	Vertical	Vertical	Pass
17932.276	-40.36	13.66	-25.0	-15.36	361.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-60.94	-18.58	-25.0	-35.94	-3.00	Vertical	Horizontal	Pass
1965.500	-47.18	3.88	-25.0	-22.18	197.00	Vertical	Horizontal	N/A
4904.500	-43.44	10.53	-25.0	-18.44	145.00	Vertical	Horizontal	Pass
7234.000	-38.64	14.06	-25.0	-13.64	287.00	Vertical	Horizontal	Pass
13380.787	-37.74	16.83	-25.0	-12.74	125.00	Vertical	Horizontal	Pass
20286.925	-40.48	12.97	-25.0	-15.48	174.00	Vertical	Horizontal	Pass


28.2 DC_2A_n41A BW20(LTE)+BW60(NR), QPSK, Middle Chanel

RSE-H&H DC_2A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.938	-70.73	-16.51	-25.0	-45.73	304.00	Horizontal	Horizontal	Pass
1968.500	-38.52	3.44	-25.0	-13.52	196.00	Horizontal	Horizontal	N/A
2558.200	-36.74	8.60	-25.0	-11.74	152.00	Horizontal	Horizontal	N/A
2626.800	-39.68	9.11	-25.0	-14.68	159.00	Horizontal	Horizontal	N/A
13434.338	-37.77	16.25	-25.0	-12.77	30.00	Horizontal	Horizontal	Pass
20255.052	-39.94	12.97	-25.0	-14.94	36.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.938	-69.52	-16.51	-25.0	-44.52	282.00	Horizontal	Vertical	Pass
1968.100	-35.84	3.51	-25.0	-10.84	201.00	Horizontal	Vertical	N/A
2557.800	-39.71	8.60	-25.0	-14.71	146.00	Horizontal	Vertical	N/A
2632.300	-41.46	9.06	-25.0	-16.46	158.00	Horizontal	Vertical	N/A
13388.662	-38.47	16.90	-25.0	-13.47	166.00	Horizontal	Vertical	Pass
19719.975	-40.32	12.94	-25.0	-15.32	315.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.961	-59.96	-18.72	-25.0	-34.96	262.00	Vertical	Vertical	Pass
1960.000	-45.39	3.85	-25.0	-20.39	155.00	Vertical	Vertical	N/A
2559.400	-39.56	8.62	-25.0	-14.56	258.00	Vertical	Vertical	N/A
2627.300	-41.44	9.11	-25.0	-16.44	258.00	Vertical	Vertical	N/A
13384.724	-39.06	16.87	-25.0	-14.06	166.00	Vertical	Vertical	Pass
19635.825	-40.70	12.93	-25.0	-15.70	262.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.058	-60.46	-18.68	-25.0	-35.46	242.00	Vertical	Horizontal	Pass
1330.800	-52.36	0.22	-25.0	-27.36	134.00	Vertical	Horizontal	Pass
1961.600	-48.01	3.98	-25.0	-23.01	217.00	Vertical	Horizontal	Pass
2637.500	-43.47	9.03	-25.0	-18.47	37.00	Vertical	Horizontal	N/A
6662.000	-39.10	14.81	-25.0	-14.10	342.00	Vertical	Horizontal	Pass
13383.412	-37.31	16.85	-25.0	-12.31	139.00	Vertical	Horizontal	Pass


28.3 DC_2A_n41A BW20(LTE)+BW100(NR), QPSK, Middle Chanel

RSE-H&H DC_2A_n7A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.840	-71.62	-16.54	-25.0	-46.62	295.00	Horizontal	Horizontal	Pass
1959.800	-38.00	3.77	-25.0	-13.00	192.00	Horizontal	Horizontal	N/A
2558.000	-34.28	8.60	-25.0	-9.28	179.00	Horizontal	Horizontal	N/A
2629.300	-35.39	9.09	-25.0	-10.39	192.00	Horizontal	Horizontal	N/A
7800.500	-38.46	15.70	-25.0	-13.46	267.00	Horizontal	Horizontal	Pass
13362.413	-38.94	16.66	-25.0	-13.94	211.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n7A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.938	-71.08	-16.51	-25.0	-46.08	288.00	Horizontal	Vertical	Pass
1965.600	-35.92	3.86	-25.0	-10.92	197.00	Horizontal	Vertical	N/A
2558.600	-36.30	8.61	-25.0	-11.30	148.00	Horizontal	Vertical	N/A
2627.400	-39.19	9.11	-25.0	-14.19	148.00	Horizontal	Vertical	N/A
7815.000	-38.68	16.37	-25.0	-13.68	246.00	Horizontal	Vertical	Pass
13385.513	-38.15	16.87	-25.0	-13.15	302.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n7A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-60.09	-19.12	-25.0	-35.09	286.00	Vertical	Vertical	Pass
1960.300	-46.18	3.89	-25.0	-21.18	252.00	Vertical	Vertical	N/A
2556.400	-37.96	8.23	-25.0	-12.96	227.00	Vertical	Vertical	N/A
2627.500	-37.67	9.11	-25.0	-12.67	265.00	Vertical	Vertical	N/A
6649.500	-38.68	15.15	-25.0	-13.68	61.00	Vertical	Vertical	Pass
13364.775	-38.62	16.68	-25.0	-13.62	-3.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n7A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.670	-60.08	-18.94	-25.0	-35.08	301.00	Vertical	Horizontal	Pass
2562.200	-41.88	8.65	-25.0	-16.88	50.00	Vertical	Horizontal	N/A
2626.100	-42.60	9.11	-25.0	-17.60	123.00	Vertical	Horizontal	N/A
6638.250	-39.24	15.01	-25.0	-14.24	245.00	Vertical	Horizontal	Pass
13399.950	-38.43	17.01	-25.0	-13.43	-3.00	Vertical	Horizontal	Pass
20262.699	-40.62	12.97	-25.0	-15.62	363.00	Vertical	Horizontal	Pass

29 DC_5A_n7A


29.1 DC_5A_n7A BW10(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.590	-70.04	-14.03	-25.0	-45.04	134.00	Horizontal	Horizontal	Pass
882.484	-23.09	4.99	-25.0	1.91	117.00	Horizontal	Horizontal	N/A
2535.900	-42.09	10.24	-25.0	-17.09	188.00	Horizontal	Horizontal	N/A
2654.800	-20.61	9.71	-25.0	4.39	133.00	Horizontal	Horizontal	N/A
6726.000	-38.86	15.49	-25.0	-13.86	298.00	Horizontal	Horizontal	Pass
13405.200	-38.71	16.90	-25.0	-13.71	-1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.938	-70.57	-14.36	-25.0	-45.57	310.00	Horizontal	Vertical	Pass
877.198	-25.27	4.67	-25.0	-0.27	216.00	Horizontal	Vertical	N/A
2496.100	-42.91	10.40	-25.0	-17.91	347.00	Horizontal	Vertical	Pass
2654.900	-22.64	9.69	-25.0	2.36	224.00	Horizontal	Vertical	N/A
6665.250	-38.99	14.69	-25.0	-13.99	175.00	Horizontal	Vertical	Pass
13372.912	-38.93	16.76	-25.0	-13.93	310.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	-60.96	4.75	-25.0	-35.96	207.00	Vertical	Vertical	N/A
879.235	-33.22	4.82	-25.0	-8.22	298.00	Vertical	Vertical	N/A
2497.500	-43.27	10.41	-25.0	-18.27	186.00	Vertical	Vertical	Pass
2655.000	-22.20	9.66	-25.0	2.80	62.00	Vertical	Vertical	N/A
6631.500	-39.33	14.85	-25.0	-14.33	72.00	Vertical	Vertical	Pass
13352.438	-38.56	16.56	-25.0	-13.56	90.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.525	-65.23	-15.89	-25.0	-40.23	303.00	Vertical	Horizontal	Pass
880.060	-31.60	4.81	-25.0	-6.60	29.00	Vertical	Horizontal	N/A
2653.900	-36.28	9.76	-25.0	-11.28	188.00	Vertical	Horizontal	N/A
6794.500	-39.15	14.36	-25.0	-14.15	360.00	Vertical	Horizontal	Pass
13366.350	-38.84	16.69	-25.0	-13.84	-2.00	Vertical	Horizontal	Pass
19771.400	-40.60	12.94	-25.0	-15.60	298.00	Vertical	Horizontal	Pass


29.2 DC_5A_n7A BW10(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.639	-69.13	-14.02	-25.0	-44.13	147.00	Horizontal	Horizontal	Pass
882.873	-24.48	4.99	-25.0	0.52	118.00	Horizontal	Horizontal	N/A
2494.700	-42.64	10.39	-25.0	-17.64	310.00	Horizontal	Horizontal	N/A
2650.900	-24.66	9.82	-25.0	0.34	131.00	Horizontal	Horizontal	N/A
11998.312	-38.97	13.83	-25.0	-13.97	113.00	Horizontal	Horizontal	Pass
19439.475	-40.37	12.92	-25.0	-15.37	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.986	-71.75	-14.36	-25.0	-46.75	309.00	Horizontal	Vertical	Pass
878.750	-24.87	4.82	-25.0	0.13	218.00	Horizontal	Vertical	N/A
2017.600	-47.03	5.30	-25.0	-22.03	132.00	Horizontal	Vertical	Pass
2651.300	-26.76	9.83	-25.0	-1.76	297.00	Horizontal	Vertical	N/A
6640.500	-39.50	15.03	-25.0	-14.50	135.00	Horizontal	Vertical	Pass
13350.600	-37.87	16.55	-25.0	-12.87	304.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-59.68	4.75	-25.0	-34.68	347.00	Vertical	Vertical	N/A
878.362	-31.07	4.79	-25.0	-6.07	83.00	Vertical	Vertical	N/A
2652.500	-28.89	9.86	-25.0	-3.89	62.00	Vertical	Vertical	N/A
6715.750	-39.29	15.69	-25.0	-14.29	334.00	Vertical	Vertical	Pass
13367.663	-38.99	16.71	-25.0	-13.99	312.00	Vertical	Vertical	Pass
19498.551	-40.99	12.93	-25.0	-15.99	88.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.107	-66.07	-15.85	-25.0	-41.07	313.00	Vertical	Horizontal	Pass
877.343	-32.47	4.68	-25.0	-7.47	23.00	Vertical	Horizontal	N/A
2092.000	-47.25	5.69	-25.0	-22.25	180.00	Vertical	Horizontal	Pass
2973.200	-41.44	13.53	-25.0	-16.44	198.00	Vertical	Horizontal	Pass
6621.000	-39.73	14.69	-25.0	-14.73	105.00	Vertical	Horizontal	Pass
13377.375	-37.96	16.80	-25.0	-12.96	201.00	Vertical	Horizontal	Pass


29.3 DC_5A_n7A BW10(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
772.535	-63.84	3.44	-25.0	-38.84	60.00	Horizontal	Horizontal	Pass
883.600	-24.33	5.01	-25.0	0.67	110.00	Horizontal	Horizontal	N/A
2497.300	-42.43	10.41	-25.0	-17.43	241.00	Horizontal	Horizontal	Pass
2647.700	-26.10	9.84	-25.0	-1.10	105.00	Horizontal	Horizontal	N/A
6651.250	-39.60	15.06	-25.0	-14.60	360.00	Horizontal	Horizontal	Pass
13356.112	-38.54	16.60	-25.0	-13.54	-1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.688	-71.27	-14.02	-25.0	-46.27	289.00	Horizontal	Vertical	Pass
878.799	-25.97	4.82	-25.0	-0.97	362.00	Horizontal	Vertical	N/A
2498.800	-42.70	10.42	-25.0	-17.70	280.00	Horizontal	Vertical	Pass
2652.800	-30.02	9.79	-25.0	-5.02	189.00	Horizontal	Vertical	N/A
6655.000	-38.83	14.97	-25.0	-13.83	168.00	Horizontal	Vertical	Pass
13343.513	-38.26	16.28	-25.0	-13.26	289.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-58.92	4.75	-25.0	-33.92	310.00	Vertical	Vertical	N/A
884.231	-33.81	5.00	-25.0	-8.81	66.00	Vertical	Vertical	N/A
1538.100	-50.73	1.32	-25.0	-25.73	195.00	Vertical	Vertical	Pass
2649.200	-33.75	9.76	-25.0	-8.75	268.00	Vertical	Vertical	N/A
7810.750	-38.77	16.29	-25.0	-13.77	329.00	Vertical	Vertical	Pass
13384.724	-38.02	16.87	-25.0	-13.02	83.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.331	-66.46	-15.91	-25.0	-41.46	295.00	Vertical	Horizontal	Pass
880.060	-33.06	4.81	-25.0	-8.06	116.00	Vertical	Horizontal	N/A
1962.100	-48.23	4.06	-25.0	-23.23	134.00	Vertical	Horizontal	Pass
2647.300	-42.01	9.85	-25.0	-17.01	172.00	Vertical	Horizontal	N/A
6929.000	-39.17	14.07	-25.0	-14.17	92.00	Vertical	Horizontal	Pass
13412.813	-38.51	16.73	-25.0	-13.51	129.00	Vertical	Horizontal	Pass

30 DC_5A_n66A


30.1 DC_5A_n66A BW10(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.736	-68.94	-14.01	-25.0	-43.94	125.00	Horizontal	Horizontal	Pass
879.429	-25.14	4.81	-25.0	-0.14	119.00	Horizontal	Horizontal	N/A
2146.900	-15.76	4.52	-25.0	9.24	131.00	Horizontal	Horizontal	N/A
6642.750	-39.21	15.15	-25.0	-14.21	355.00	Horizontal	Horizontal	Pass
13381.049	-37.98	16.83	-25.0	-12.98	363.00	Horizontal	Horizontal	Pass
19742.200	-40.09	12.94	-25.0	-15.09	252.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
807.213	-59.43	4.39	-25.0	-34.43	42.00	Horizontal	Vertical	N/A
877.586	-26.34	4.71	-25.0	-1.34	195.00	Horizontal	Vertical	N/A
2144.100	-17.54	4.84	-25.0	7.46	202.00	Horizontal	Vertical	N/A
6672.500	-39.12	14.62	-25.0	-14.12	200.00	Horizontal	Vertical	Pass
13366.350	-38.55	16.69	-25.0	-13.55	351.00	Horizontal	Vertical	Pass
17953.538	-41.00	14.00	-25.0	-16.00	13.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-60.56	4.75	-25.0	-35.56	354.00	Vertical	Vertical	N/A
878.895	-33.67	4.83	-25.0	-8.67	272.00	Vertical	Vertical	N/A
2144.500	-27.38	4.81	-25.0	-2.38	347.00	Vertical	Vertical	N/A
6605.750	-39.98	14.35	-25.0	-14.98	18.00	Vertical	Vertical	Pass
13378.425	-38.97	16.81	-25.0	-13.97	241.00	Vertical	Vertical	Pass
19502.399	-40.96	12.93	-25.0	-15.96	42.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.458	-66.80	-15.95	-25.0	-41.80	314.00	Vertical	Horizontal	Pass
877.877	-34.29	4.74	-25.0	-9.29	153.00	Vertical	Horizontal	N/A
2146.300	-28.82	4.67	-25.0	-3.82	184.00	Vertical	Horizontal	N/A
6645.500	-39.57	15.17	-25.0	-14.57	360.00	Vertical	Horizontal	Pass
13806.562	-38.80	16.86	-25.0	-13.80	84.00	Vertical	Horizontal	Pass
19250.401	-40.68	12.91	-25.0	-15.68	204.00	Vertical	Horizontal	Pass


30.2 DC_5A_n66A BW10(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
880.302	-22.78	4.84	-25.0	2.22	195.00	Horizontal	Horizontal	N/A
1747.300	-49.66	3.23	-25.0	-24.66	236.00	Horizontal	Horizontal	Pass
2141.000	-22.73	4.93	-25.0	2.27	133.00	Horizontal	Horizontal	N/A
3844.000	-46.84	8.37	-25.0	-21.84	-3.00	Horizontal	Horizontal	Pass
6611.500	-39.52	14.47	-25.0	-14.52	118.00	Horizontal	Horizontal	Pass
13379.738	-38.28	16.82	-25.0	-13.28	208.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
882.727	-23.52	4.99	-25.0	1.48	193.00	Horizontal	Vertical	N/A
1762.400	-48.79	3.16	-25.0	-23.79	15.00	Horizontal	Vertical	Pass
2139.600	-22.96	4.93	-25.0	2.04	107.00	Horizontal	Vertical	N/A
4284.500	-46.57	8.72	-25.0	-21.57	234.00	Horizontal	Vertical	Pass
7705.500	-39.69	13.99	-25.0	-14.69	103.00	Horizontal	Vertical	Pass
13389.187	-38.75	16.91	-25.0	-13.75	231.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
879.332	-34.82	4.81	-25.0	-9.82	229.00	Vertical	Vertical	N/A
1351.400	-50.57	0.98	-25.0	-25.57	34.00	Vertical	Vertical	Pass
2140.300	-37.39	5.01	-25.0	-12.39	1.00	Vertical	Vertical	N/A
3717.250	-47.44	7.77	-25.0	-22.44	332.00	Vertical	Vertical	Pass
7786.000	-39.30	15.52	-25.0	-14.30	360.00	Vertical	Vertical	Pass
13390.763	-38.67	16.92	-25.0	-13.67	361.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
882.679	-31.18	4.99	-25.0	-6.18	238.00	Vertical	Vertical	N/A
1377.900	-51.35	0.83	-25.0	-26.35	360.00	Vertical	Vertical	Pass
2139.000	-39.68	4.92	-25.0	-14.68	18.00	Vertical	Vertical	N/A
3757.500	-47.69	8.51	-25.0	-22.69	322.00	Vertical	Vertical	Pass
6669.250	-39.17	14.66	-25.0	-14.17	144.00	Vertical	Vertical	Pass
13432.762	-38.88	16.29	-25.0	-13.88	263.00	Vertical	Vertical	Pass


30.3 DC_5A_n66A BW10(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
191.844	-67.15	-14.30	-25.0	-42.15	85.00	Horizontal	Horizontal	Pass
885.734	-28.94	5.13	-25.0	-3.94	263.00	Horizontal	Horizontal	N/A
1748.800	-49.73	3.24	-25.0	-24.73	108.00	Horizontal	Horizontal	Pass
2131.500	-24.03	5.12	-25.0	0.97	199.00	Horizontal	Horizontal	N/A
6666.750	-39.40	14.66	-25.0	-14.40	9.00	Horizontal	Horizontal	Pass
13404.412	-40.44	16.91	-25.0	-15.44	220.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
880.399	-24.26	4.85	-25.0	0.74	208.00	Horizontal	Vertical	N/A
1733.300	-49.31	3.17	-25.0	-24.31	34.00	Horizontal	Vertical	Pass
2137.400	-24.85	5.01	-25.0	0.15	138.00	Horizontal	Vertical	N/A
3871.250	-47.52	8.82	-25.0	-22.52	348.00	Horizontal	Vertical	Pass
7207.250	-39.58	14.31	-25.0	-14.58	264.00	Horizontal	Vertical	Pass
13393.651	-38.01	16.95	-25.0	-13.01	254.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-60.59	-18.08	-25.0	-35.59	139.00	Vertical	Vertical	Pass
880.545	-32.08	4.87	-25.0	-7.08	14.00	Vertical	Vertical	N/A
2137.200	-33.56	4.99	-25.0	-8.56	80.00	Vertical	Vertical	N/A
4066.750	-46.60	9.13	-25.0	-21.60	360.00	Vertical	Vertical	Pass
6648.500	-38.11	15.17	-25.0	-13.11	301.00	Vertical	Vertical	Pass
13419.112	-38.29	16.59	-25.0	-13.29	302.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
878.653	-31.96	4.81	-25.0	-6.96	0.00	Vertical	Horizontal	N/A
2140.000	-41.42	4.98	-25.0	-16.42	133.00	Vertical	Horizontal	N/A
3804.000	-47.39	7.48	-25.0	-22.39	67.00	Vertical	Horizontal	Pass
6734.750	-39.00	15.25	-25.0	-14.00	350.00	Vertical	Horizontal	Pass
10056.037	-41.08	13.08	-25.0	-16.08	289.00	Vertical	Horizontal	Pass
12703.925	-39.34	14.78	-25.0	-14.34	363.00	Vertical	Horizontal	Pass

31 DC_7A_n5A


31.1 DC_7A_n5A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-49.54	8.80	-25.0	-24.54	57.00	Horizontal	Horizontal	N/A
883.260	-25.22	8.64	-25.0	-0.22	229.00	Horizontal	Horizontal	N/A
2503.500	-40.21	12.13	-25.0	-15.21	142.00	Horizontal	Horizontal	N/A
2655.300	-30.21	9.62	-25.0	-5.21	136.00	Horizontal	Horizontal	N/A
7937.000	-35.94	18.95	-25.0	-10.94	296.00	Horizontal	Horizontal	Pass
13406.513	-40.07	16.87	-25.0	-15.07	322.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-57.86	8.80	-25.0	-32.86	237.00	Horizontal	Vertical	N/A
879.914	-22.72	8.55	-25.0	2.28	261.00	Horizontal	Vertical	N/A
2559.400	-40.82	11.79	-25.0	-15.82	43.00	Horizontal	Vertical	N/A
2655.700	-28.29	9.60	-25.0	-3.29	243.00	Horizontal	Vertical	N/A
7785.000	-36.10	18.25	-25.0	-11.10	29.00	Horizontal	Vertical	Pass
13388.662	-39.41	16.90	-25.0	-14.41	322.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.167	-53.48	8.79	-25.0	-28.48	-1.00	Vertical	Vertical	N/A
881.854	-29.43	8.61	-25.0	-4.43	280.00	Vertical	Vertical	N/A
2543.400	-40.49	11.81	-25.0	-15.49	37.00	Vertical	Vertical	N/A
2655.800	-33.73	9.60	-25.0	-8.73	249.00	Vertical	Vertical	N/A
7956.500	-35.95	18.44	-25.0	-10.95	7.00	Vertical	Vertical	Pass
12893.062	-39.62	15.33	-25.0	-14.62	109.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.828	-53.47	8.78	-25.0	-28.47	329.00	Vertical	Horizontal	N/A
880.787	-30.87	8.62	-25.0	-5.87	14.00	Vertical	Horizontal	N/A
2524.600	-40.59	11.96	-25.0	-15.59	209.00	Vertical	Horizontal	N/A
2651.200	-39.76	9.86	-25.0	-14.76	209.00	Vertical	Horizontal	N/A
7997.750	-36.01	18.89	-25.0	-11.01	179.00	Vertical	Horizontal	Pass
13385.250	-39.58	16.87	-25.0	-14.58	362.00	Vertical	Horizontal	Pass


31.2 DC_7A_n5A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-52.48	8.74	-25.0	-27.48	133.00	Horizontal	Horizontal	N/A
875.064	-28.79	8.11	-25.0	-3.79	221.00	Horizontal	Horizontal	N/A
2540.100	-40.31	11.84	-25.0	-15.31	47.00	Horizontal	Horizontal	N/A
2655.000	-27.97	9.63	-25.0	-2.97	209.00	Horizontal	Horizontal	N/A
7977.750	-36.20	18.13	-25.0	-11.20	188.00	Horizontal	Horizontal	Pass
13383.937	-39.28	16.86	-25.0	-14.28	133.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
90.576	-59.01	-7.95	-25.0	-34.01	156.00	Horizontal	Vertical	Pass
877.198	-28.72	8.34	-25.0	-3.72	94.00	Horizontal	Vertical	N/A
2545.100	-40.86	11.80	-25.0	-15.86	362.00	Horizontal	Vertical	N/A
2656.000	-30.48	9.59	-25.0	-5.48	197.00	Horizontal	Vertical	N/A
7929.500	-36.21	18.60	-25.0	-11.21	144.00	Horizontal	Vertical	Pass
13419.375	-39.23	16.58	-25.0	-14.23	362.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.033	-53.61	8.74	-25.0	-28.61	221.00	Vertical	Vertical	N/A
878.508	-31.20	8.43	-25.0	-6.20	309.00	Vertical	Vertical	N/A
2543.900	-40.95	11.81	-25.0	-15.95	109.00	Vertical	Vertical	N/A
2649.100	-34.53	9.84	-25.0	-9.53	249.00	Vertical	Vertical	N/A
7978.750	-36.16	18.12	-25.0	-11.16	345.00	Vertical	Vertical	Pass
13433.550	-39.52	16.27	-25.0	-14.52	363.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-56.45	8.74	-25.0	-31.45	47.00	Vertical	Horizontal	N/A
875.598	-35.72	8.11	-25.0	-10.72	17.00	Vertical	Horizontal	N/A
2557.900	-40.66	11.78	-25.0	-15.66	50.00	Vertical	Horizontal	N/A
2657.100	-39.89	9.57	-25.0	-14.89	346.00	Vertical	Horizontal	N/A
7923.250	-36.25	18.30	-25.0	-11.25	360.00	Vertical	Horizontal	Pass
13785.562	-39.39	16.05	-25.0	-14.39	320.00	Vertical	Horizontal	Pass


31.3 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.107	-58.93	4.99	-25.0	-33.93	152.00	Horizontal	Horizontal	N/A
876.616	-31.35	4.64	-25.0	-6.35	122.00	Horizontal	Horizontal	N/A
2572.200	-42.64	10.48	-25.0	-17.64	125.00	Horizontal	Horizontal	N/A
2653.900	-19.51	9.76	-25.0	5.49	107.00	Horizontal	Horizontal	N/A
6644.750	-39.54	15.12	-25.0	-14.54	111.00	Horizontal	Horizontal	Pass
13796.588	-38.58	16.78	-25.0	-13.58	258.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.590	-72.51	-14.03	-25.0	-47.51	284.00	Horizontal	Vertical	Pass
874.579	-29.14	4.87	-25.0	-4.14	191.00	Horizontal	Vertical	N/A
2499.800	-42.24	10.43	-25.0	-17.24	71.00	Horizontal	Vertical	N/A
2653.800	-21.78	9.76	-25.0	3.22	187.00	Horizontal	Vertical	N/A
7350.250	-39.15	14.77	-25.0	-14.15	166.00	Horizontal	Vertical	Pass
13844.100	-38.30	15.98	-25.0	-13.30	328.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.458	-57.55	4.93	-25.0	-32.55	301.00	Vertical	Vertical	N/A
873.027	-31.87	4.80	-25.0	-6.87	15.00	Vertical	Vertical	N/A
2581.300	-37.94	9.68	-25.0	-12.94	47.00	Vertical	Vertical	N/A
2657.100	-31.51	9.48	-25.0	-6.51	212.00	Vertical	Vertical	N/A
6668.500	-38.68	14.63	-25.0	-13.68	281.00	Vertical	Vertical	Pass
13425.412	-38.16	16.45	-25.0	-13.16	148.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.831	-65.34	-22.74	-25.0	-40.34	280.00	Vertical	Horizontal	Pass
877.101	-35.71	4.67	-25.0	-10.71	37.00	Vertical	Horizontal	N/A
2497.500	-43.32	10.41	-25.0	-18.32	53.00	Vertical	Horizontal	N/A
2660.300	-34.24	9.13	-25.0	-9.24	194.00	Vertical	Horizontal	N/A
6678.750	-40.02	14.58	-25.0	-15.02	362.00	Vertical	Horizontal	Pass
13368.188	-38.75	16.71	-25.0	-13.75	-1.00	Vertical	Horizontal	Pass

32 DC_7A_n66A


32.1 DC_7A_n66A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.880	-68.41	-1.21	-25.0	-43.41	19.00	Horizontal	Horizontal	Pass
2144.700	-19.66	4.51	-25.0	5.34	119.00	Horizontal	Horizontal	N/A
2661.300	-22.93	8.61	-25.0	2.07	125.00	Horizontal	Horizontal	N/A
4063.750	-46.96	9.16	-25.0	-21.96	144.00	Horizontal	Horizontal	Pass
7800.000	-38.92	15.83	-25.0	-13.92	155.00	Horizontal	Horizontal	Pass
13402.838	-38.06	16.95	-25.0	-13.06	154.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
951.549	-66.64	1.61	-25.0	-41.64	351.00	Horizontal	Vertical	Pass
2145.500	-16.14	4.39	-25.0	8.86	111.00	Horizontal	Vertical	N/A
2651.900	-22.39	9.35	-25.0	2.61	122.00	Horizontal	Vertical	N/A
3757.000	-46.82	8.44	-25.0	-21.82	18.00	Horizontal	Vertical	Pass
6617.000	-39.58	14.53	-25.0	-14.58	7.00	Horizontal	Vertical	Pass
13376.850	-39.16	16.79	-25.0	-14.16	363.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.998	-67.80	-0.10	-25.0	-42.80	306.00	Vertical	Vertical	Pass
2145.200	-30.02	4.44	-25.0	-5.02	362.00	Vertical	Vertical	N/A
2663.600	-34.00	8.76	-25.0	-9.00	0.00	Vertical	Vertical	N/A
3892.750	-46.83	9.11	-25.0	-21.83	339.00	Vertical	Vertical	Pass
7819.750	-38.63	16.27	-25.0	-13.63	210.00	Vertical	Vertical	Pass
13379.738	-38.59	16.82	-25.0	-13.59	262.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-61.53	-18.91	-25.0	-36.53	128.00	Vertical	Horizontal	Pass
2147.200	-34.23	4.13	-25.0	-9.23	152.00	Vertical	Horizontal	N/A
2660.600	-35.28	8.58	-25.0	-10.28	10.00	Vertical	Horizontal	N/A
3909.250	-46.49	9.27	-25.0	-21.49	235.00	Vertical	Horizontal	Pass
7802.000	-38.11	15.82	-25.0	-13.11	360.00	Vertical	Horizontal	Pass
13808.925	-38.58	16.80	-25.0	-13.58	58.00	Vertical	Horizontal	Pass


32.2 DC_7A_n66A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
964.838	-66.26	1.78	-25.0	-41.26	363.00	Horizontal	Horizontal	Pass
2147.100	-25.30	4.15	-25.0	-0.30	133.00	Horizontal	Horizontal	N/A
2652.500	-23.37	9.25	-25.0	1.63	133.00	Horizontal	Horizontal	N/A
3899.500	-46.76	9.23	-25.0	-21.76	192.00	Horizontal	Horizontal	Pass
7824.250	-39.37	16.03	-25.0	-14.37	299.00	Horizontal	Horizontal	Pass
13408.612	-38.60	16.82	-25.0	-13.60	222.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
962.849	-66.96	1.83	-25.0	-41.96	236.00	Horizontal	Vertical	Pass
2142.100	-22.02	4.40	-25.0	2.98	115.00	Horizontal	Vertical	N/A
2654.000	-22.73	9.10	-25.0	2.27	128.00	Horizontal	Vertical	N/A
3689.250	-47.56	7.02	-25.0	-22.56	83.00	Horizontal	Vertical	Pass
6683.500	-38.99	14.62	-25.0	-13.99	72.00	Horizontal	Vertical	Pass
13405.463	-38.38	16.89	-25.0	-13.38	363.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-61.62	-18.65	-25.0	-36.62	151.00	Vertical	Vertical	Pass
2140.000	-37.88	4.41	-25.0	-12.88	65.00	Vertical	Vertical	N/A
2659.400	-35.25	8.69	-25.0	-10.25	0.00	Vertical	Vertical	N/A
3729.000	-47.40	7.45	-25.0	-22.40	167.00	Vertical	Vertical	Pass
7036.500	-39.12	13.83	-25.0	-14.12	295.00	Vertical	Vertical	Pass
13357.162	-38.44	16.61	-25.0	-13.44	174.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.621	-61.45	-18.98	-25.0	-36.45	96.00	Vertical	Horizontal	Pass
2141.900	-41.16	4.42	-25.0	-16.16	12.00	Vertical	Horizontal	N/A
2663.400	-37.08	8.77	-25.0	-12.08	6.00	Vertical	Horizontal	N/A
3902.000	-45.89	9.16	-25.0	-20.89	211.00	Vertical	Horizontal	Pass
6803.750	-39.24	14.40	-25.0	-14.24	232.00	Vertical	Horizontal	Pass
13418.588	-38.69	16.60	-25.0	-13.69	174.00	Vertical	Horizontal	Pass


32.3 DC_7A_n66A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.667	-66.26	0.34	-25.0	-41.26	194.00	Horizontal	Horizontal	Pass
2139.700	-23.38	4.45	-25.0	1.62	122.00	Horizontal	Horizontal	N/A
2659.000	-23.39	8.78	-25.0	1.61	128.00	Horizontal	Horizontal	N/A
4052.250	-46.44	9.38	-25.0	-21.44	254.00	Horizontal	Horizontal	Pass
6685.000	-39.36	14.58	-25.0	-14.36	350.00	Horizontal	Horizontal	Pass
13399.425	-38.60	17.00	-25.0	-13.60	-2.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
828.504	-66.89	-0.67	-25.0	-41.89	180.00	Horizontal	Vertical	Pass
2137.700	-25.68	4.55	-25.0	-0.68	114.00	Horizontal	Vertical	N/A
2657.500	-21.98	8.78	-25.0	3.02	127.00	Horizontal	Vertical	N/A
3743.000	-47.64	7.50	-25.0	-22.64	8.00	Horizontal	Vertical	Pass
6702.250	-38.37	15.53	-25.0	-13.37	128.00	Horizontal	Vertical	Pass
12518.438	-39.04	14.42	-25.0	-14.04	206.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.252	-61.04	-18.64	-25.0	-36.04	120.00	Vertical	Vertical	Pass
2137.500	-37.01	4.54	-25.0	-12.01	361.00	Vertical	Vertical	N/A
2650.500	-33.57	9.44	-25.0	-8.57	71.00	Vertical	Vertical	N/A
4060.500	-45.92	9.22	-25.0	-20.92	335.00	Vertical	Vertical	Pass
6568.000	-39.60	13.89	-25.0	-14.60	95.00	Vertical	Vertical	Pass
13385.775	-39.13	16.88	-25.0	-14.13	109.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-61.32	-18.83	-25.0	-36.32	121.00	Vertical	Horizontal	Pass
2138.500	-44.10	4.44	-25.0	-19.10	25.00	Vertical	Horizontal	N/A
2663.300	-37.18	8.77	-25.0	-12.18	1.00	Vertical	Horizontal	N/A
3963.250	-47.00	8.70	-25.0	-22.00	95.00	Vertical	Horizontal	Pass
7896.500	-38.96	14.94	-25.0	-13.96	218.00	Vertical	Horizontal	Pass
13376.326	-38.79	16.79	-25.0	-13.79	61.00	Vertical	Horizontal	Pass

33 DC_12A_n66A


33.1 DC_12A_n66A BW10(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_12A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
752.795	-61.88	3.56	-25.0	-36.88	17.00	Horizontal	Horizontal	N/A
1746.100	-48.85	3.23	-25.0	-23.85	101.00	Horizontal	Horizontal	Pass
2146.200	-15.46	4.66	-25.0	9.54	133.00	Horizontal	Horizontal	N/A
3438.250	-48.49	6.42	-25.0	-23.49	-2.00	Horizontal	Horizontal	Pass
6610.000	-39.09	14.34	-25.0	-14.09	8.00	Horizontal	Horizontal	Pass
13799.737	-38.62	16.99	-25.0	-13.62	166.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
873.221	-63.43	5.34	-25.0	-38.43	31.00	Horizontal	Vertical	N/A
1715.200	-49.47	3.10	-25.0	-24.47	272.00	Horizontal	Vertical	Pass
2145.600	-22.78	4.62	-25.0	2.22	46.00	Horizontal	Vertical	N/A
3879.250	-47.33	9.04	-25.0	-22.33	118.00	Horizontal	Vertical	Pass
7824.000	-39.53	16.07	-25.0	-14.53	118.00	Horizontal	Vertical	Pass
12484.237	-39.46	14.58	-25.0	-14.46	255.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
915.174	-61.54	6.40	-25.0	-36.54	359.00	Vertical	Vertical	Pass
1744.900	-49.35	3.22	-25.0	-24.35	100.00	Vertical	Vertical	Pass
2146.600	-35.20	4.60	-25.0	-10.20	360.00	Vertical	Vertical	N/A
4426.000	-44.32	9.79	-25.0	-19.32	177.00	Vertical	Vertical	Pass
6684.500	-39.42	14.62	-25.0	-14.42	47.00	Vertical	Vertical	Pass
12897.263	-38.82	15.42	-25.0	-13.82	5.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.010	-60.35	-17.83	-25.0	-35.35	111.00	Vertical	Horizontal	Pass
2144.400	-34.80	4.81	-25.0	-9.80	89.00	Vertical	Horizontal	N/A
3720.500	-47.71	7.89	-25.0	-22.71	279.00	Vertical	Horizontal	Pass
6706.750	-39.12	15.60	-25.0	-14.12	164.00	Vertical	Horizontal	Pass
7805.500	-38.09	15.99	-25.0	-13.09	193.00	Vertical	Horizontal	Pass
13355.850	-38.38	16.59	-25.0	-13.38	31.00	Vertical	Horizontal	Pass


33.2 DC_12A_n66A BW10(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_12A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
694.207	-62.29	1.43	-25.0	-37.29	268.00	Horizontal	Horizontal	N/A
1236.800	-51.94	0.04	-25.0	-26.94	168.00	Horizontal	Horizontal	Pass
2142.100	-22.43	4.89	-25.0	2.57	126.00	Horizontal	Horizontal	N/A
3755.250	-47.89	8.27	-25.0	-22.89	81.00	Horizontal	Horizontal	Pass
6709.000	-39.49	15.63	-25.0	-14.49	182.00	Horizontal	Horizontal	Pass
12008.526	-39.50	13.55	-25.0	-14.50	172.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
694.159	-63.14	1.43	-25.0	-38.14	73.00	Horizontal	Vertical	N/A
1731.900	-49.49	3.17	-25.0	-24.49	77.00	Horizontal	Vertical	Pass
2139.300	-23.34	4.92	-25.0	1.66	132.00	Horizontal	Vertical	N/A
3757.000	-46.98	8.44	-25.0	-21.98	210.00	Horizontal	Vertical	Pass
6651.250	-39.33	15.06	-25.0	-14.33	353.00	Horizontal	Vertical	Pass
11951.287	-39.18	14.01	-25.0	-14.18	17.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
694.062	-62.80	1.43	-25.0	-37.80	217.00	Vertical	Vertical	N/A
1748.100	-49.46	3.23	-25.0	-24.46	115.00	Vertical	Vertical	Pass
2139.900	-37.28	4.97	-25.0	-12.28	0.00	Vertical	Vertical	N/A
3905.500	-46.74	9.23	-25.0	-21.74	267.00	Vertical	Vertical	Pass
6649.000	-39.93	15.18	-25.0	-14.93	339.00	Vertical	Vertical	Pass
11907.588	-39.59	13.95	-25.0	-14.59	105.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
749.497	-63.93	3.49	-25.0	-38.93	14.00	Vertical	Horizontal	N/A
2139.100	-38.98	4.92	-25.0	-13.98	108.00	Vertical	Horizontal	N/A
2963.900	-41.60	12.65	-25.0	-16.60	357.00	Vertical	Horizontal	Pass
4010.750	-46.43	9.17	-25.0	-21.43	238.00	Vertical	Horizontal	Pass
6645.250	-39.30	15.15	-25.0	-14.30	251.00	Vertical	Horizontal	Pass
13399.425	-38.27	17.00	-25.0	-13.27	103.00	Vertical	Horizontal	Pass


33.3 DC_12A_n66A BW10(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_12A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
694.159	-63.36	1.43	-25.0	-38.36	254.00	Horizontal	Horizontal	N/A
1747.200	-49.01	3.23	-25.0	-24.01	15.00	Horizontal	Horizontal	Pass
2139.200	-24.74	4.92	-25.0	0.26	119.00	Horizontal	Horizontal	N/A
4384.250	-45.37	9.09	-25.0	-20.37	267.00	Horizontal	Horizontal	Pass
6659.750	-38.31	14.86	-25.0	-13.31	267.00	Horizontal	Horizontal	Pass
13387.350	-37.98	16.89	-25.0	-12.98	36.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
311.688	-71.56	-11.97	-25.0	-46.56	60.00	Horizontal	Vertical	Pass
1699.500	-46.20	2.75	-25.0	-21.20	0.00	Horizontal	Vertical	N/A
1750.000	-45.86	3.24	-25.0	-20.86	176.00	Horizontal	Vertical	N/A
2134.200	-21.94	5.17	-25.0	3.06	113.00	Horizontal	Vertical	N/A
6658.250	-39.15	14.87	-25.0	-14.15	360.00	Horizontal	Vertical	Pass
13383.675	-40.11	16.86	-25.0	-15.11	185.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.495	-60.28	-17.67	-25.0	-35.28	126.00	Vertical	Vertical	Pass
694.207	-63.68	1.43	-25.0	-38.68	241.00	Vertical	Vertical	N/A
2138.600	-36.88	4.93	-25.0	-11.88	360.00	Vertical	Vertical	N/A
2924.700	-41.41	12.28	-25.0	-16.41	297.00	Vertical	Vertical	Pass
4126.000	-46.42	8.99	-25.0	-21.42	186.00	Vertical	Vertical	Pass
12763.125	-39.26	14.53	-25.0	-14.26	-1.00	Vertical	Vertical	Pass

RSE-V&H DC_12A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
772.341	-63.26	3.34	-25.0	-38.26	67.00	Vertical	Horizontal	N/A
2136.900	-42.51	4.97	-25.0	-17.51	167.00	Vertical	Horizontal	N/A
2974.700	-42.53	12.60	-25.0	-17.53	320.00	Vertical	Horizontal	Pass
4124.250	-46.62	8.91	-25.0	-21.62	362.00	Vertical	Horizontal	Pass
6647.750	-38.94	15.13	-25.0	-13.94	196.00	Vertical	Horizontal	Pass
13804.463	-38.11	16.91	-25.0	-13.11	-2.00	Vertical	Horizontal	Pass

34 DC_26A_n41A


34.1 DC_26A_n41A BW15(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_26A_n41A BW15(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.769	-52.73	4.46	-25.0	-27.73	149.00	Horizontal	Horizontal	N/A
877.780	-49.02	4.73	-25.0	-24.02	199.00	Horizontal	Horizontal	N/A
2620.100	-43.29	10.41	-25.0	-18.29	51.00	Horizontal	Horizontal	Pass
6897.750	-39.57	14.02	-25.0	-14.57	140.00	Horizontal	Horizontal	Pass
13352.175	-38.92	16.56	-25.0	-13.92	280.00	Horizontal	Horizontal	Pass
19597.574	-40.27	12.93	-25.0	-15.27	282.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.818	-54.64	4.46	-25.0	-29.64	239.00	Horizontal	Vertical	N/A
878.119	-50.05	4.77	-25.0	-25.05	177.00	Horizontal	Vertical	N/A
2571.000	-43.52	10.24	-25.0	-18.52	241.00	Horizontal	Vertical	Pass
6650.000	-39.48	15.12	-25.0	-14.48	214.00	Horizontal	Vertical	Pass
12493.025	-39.18	14.66	-25.0	-14.18	62.00	Horizontal	Vertical	Pass
19474.749	-40.44	12.93	-25.0	-15.44	-2.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-52.85	4.46	-25.0	-27.85	202.00	Vertical	Vertical	N/A
875.355	-55.00	4.84	-25.0	-30.00	44.00	Vertical	Vertical	N/A
2020.200	-47.46	5.28	-25.0	-22.46	96.00	Vertical	Vertical	Pass
2600.600	-42.13	10.46	-25.0	-17.13	339.00	Vertical	Vertical	N/A
6670.000	-39.08	14.60	-25.0	-14.08	319.00	Vertical	Vertical	Pass
13380.525	-38.78	16.83	-25.0	-13.78	361.00	Vertical	Vertical	Pass


RSE-V&H DC_26A_n41A BW15(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.818	-56.61	4.46	-25.0	-31.61	320.00	Vertical	Horizontal	N/A
881.030	-58.52	4.87	-25.0	-33.52	84.00	Vertical	Horizontal	N/A
2582.000	-42.66	10.32	-25.0	-17.66	58.00	Vertical	Horizontal	Pass
6702.500	-38.73	15.54	-25.0	-13.73	88.00	Vertical	Horizontal	Pass
13400.738	-38.08	16.99	-25.0	-13.08	322.00	Vertical	Horizontal	Pass
20204.900	-40.86	12.96	-25.0	-15.86	179.00	Vertical	Horizontal	Pass


34.2 DC_26A_n41A BW15(LTE)+BW60(NR), QPSK, Middle Chanel

RSE-H&H DC_26A_n41A BW15(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-52.47	4.46	-25.0	-27.47	307.00	Horizontal	Horizontal	N/A
877.247	-50.45	4.68	-25.0	-25.45	175.00	Horizontal	Horizontal	N/A
2555.900	-39.10	8.61	-25.0	-14.10	153.00	Horizontal	Horizontal	N/A
2627.400	-37.79	10.00	-25.0	-12.79	223.00	Horizontal	Horizontal	N/A
6646.750	-39.08	15.26	-25.0	-14.08	226.00	Horizontal	Horizontal	Pass
13363.463	-38.75	16.67	-25.0	-13.75	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-54.72	4.46	-25.0	-29.72	244.00	Horizontal	Vertical	N/A
870.166	-50.70	5.02	-25.0	-25.70	32.00	Horizontal	Vertical	N/A
2559.200	-39.48	9.78	-25.0	-14.48	183.00	Horizontal	Vertical	N/A
2625.800	-38.75	10.39	-25.0	-13.75	131.00	Horizontal	Vertical	N/A
6855.250	-39.09	14.18	-25.0	-14.09	229.00	Horizontal	Vertical	Pass
13378.425	-37.35	16.81	-25.0	-12.35	222.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.915	-52.41	4.46	-25.0	-27.41	200.00	Vertical	Vertical	N/A
875.161	-55.91	4.85	-25.0	-30.91	44.00	Vertical	Vertical	N/A
2558.300	-41.65	9.40	-25.0	-16.65	191.00	Vertical	Vertical	N/A
2629.600	-41.86	9.61	-25.0	-16.86	351.00	Vertical	Vertical	N/A
6638.250	-39.54	15.01	-25.0	-14.54	179.00	Vertical	Vertical	Pass
13367.663	-38.49	16.71	-25.0	-13.49	93.00	Vertical	Vertical	Pass


RSE-V&H DC_26A_n41A BW15(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.818	-60.31	4.46	-25.0	-35.31	326.00	Vertical	Horizontal	N/A
878.459	-56.42	4.80	-25.0	-31.42	193.00	Vertical	Horizontal	N/A
2557.100	-40.92	8.88	-25.0	-15.92	232.00	Vertical	Horizontal	N/A
2601.600	-42.05	10.46	-25.0	-17.05	-1.00	Vertical	Horizontal	N/A
13419.900	-38.41	16.57	-25.0	-13.41	208.00	Vertical	Horizontal	Pass
18175.099	-40.28	12.86	-25.0	-15.28	152.00	Vertical	Horizontal	Pass


34.3 DC_26A_n41A BW15(LTE)+BW100(NR), QPSK, Middle Chanel

RSE-H&H DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-55.24	4.46	-25.0	-30.24	259.00	Horizontal	Horizontal	N/A
877.441	-50.24	4.69	-25.0	-25.24	188.00	Horizontal	Horizontal	N/A
2558.700	-27.96	9.57	-25.0	-2.96	313.00	Horizontal	Horizontal	N/A
2629.100	3.07	9.59	-25.0	28.07	319.00	Horizontal	Horizontal	N/A
6615.500	-39.37	14.50	-25.0	-14.37	331.00	Horizontal	Horizontal	Pass
13350.075	-38.09	16.54	-25.0	-13.09	361.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-54.47	4.46	-25.0	-29.47	258.00	Horizontal	Vertical	N/A
878.799	-46.53	4.82	-25.0	-21.53	11.00	Horizontal	Vertical	N/A
2550.500	-34.24	7.99	-25.0	-9.24	160.00	Horizontal	Vertical	N/A
2627.600	-4.66	9.95	-25.0	20.34	154.00	Horizontal	Vertical	N/A
6719.500	-39.04	15.63	-25.0	-14.04	62.00	Horizontal	Vertical	Pass
13364.250	-38.01	16.67	-25.0	-13.01	101.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-49.90	4.46	-25.0	-24.90	190.00	Vertical	Vertical	N/A
878.168	-54.53	4.77	-25.0	-29.53	84.00	Vertical	Vertical	N/A
2561.100	-36.72	10.16	-25.0	-11.72	228.00	Vertical	Vertical	N/A
2638.400	-3.61	9.45	-25.0	21.39	272.00	Vertical	Vertical	N/A
13349.026	-38.50	16.50	-25.0	-13.50	278.00	Vertical	Vertical	Pass
19827.499	-40.65	12.94	-25.0	-15.65	332.00	Vertical	Vertical	Pass

RSE-V&H DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-55.52	4.46	-25.0	-30.52	315.00	Vertical	Horizontal	N/A
880.884	-58.07	4.88	-25.0	-33.07	259.00	Vertical	Horizontal	N/A
2047.700	-46.68	4.95	-25.0	-21.68	26.00	Vertical	Horizontal	Pass
2630.800	-12.58	9.54	-25.0	12.42	273.00	Vertical	Horizontal	N/A
6653.250	-38.52	15.01	-25.0	-13.52	342.00	Vertical	Horizontal	Pass
20100.350	-39.60	12.96	-25.0	-14.60	363.00	Vertical	Horizontal	Pass

35 DC_66A_n5A


35.1 DC_66A_n5A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_66A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.022	-53.39	4.91	-25.0	-28.39	229.00	Horizontal	Horizontal	N/A
879.865	-22.71	4.78	-25.0	2.29	122.00	Horizontal	Horizontal	N/A
2137.900	-14.75	5.04	-25.0	10.25	121.00	Horizontal	Horizontal	N/A
7793.750	-39.15	15.63	-25.0	-14.15	182.00	Horizontal	Horizontal	Pass
13359.263	-38.64	16.63	-25.0	-13.64	244.00	Horizontal	Horizontal	Pass
19460.801	-40.58	12.92	-25.0	-15.58	157.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.137	-60.52	4.95	-25.0	-35.52	140.00	Horizontal	Vertical	N/A
882.388	-26.34	4.99	-25.0	-1.34	205.00	Horizontal	Vertical	N/A
2142.400	-17.30	4.85	-25.0	7.70	193.00	Horizontal	Vertical	N/A
6669.500	-39.81	14.64	-25.0	-14.81	68.00	Horizontal	Vertical	Pass
13354.537	-38.90	16.58	-25.0	-13.90	329.00	Horizontal	Vertical	Pass
19775.801	-39.78	12.94	-25.0	-14.78	121.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.846	-51.90	4.94	-25.0	-26.90	315.00	Vertical	Vertical	N/A
879.429	-31.34	4.81	-25.0	-6.34	357.00	Vertical	Vertical	N/A
2153.500	-27.07	4.42	-25.0	-2.07	188.00	Vertical	Vertical	N/A
6704.750	-39.09	15.53	-25.0	-14.09	80.00	Vertical	Vertical	Pass
13367.663	-38.51	16.71	-25.0	-13.51	363.00	Vertical	Vertical	Pass
19319.800	-41.05	12.92	-25.0	-16.05	-3.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.749	-57.91	4.94	-25.0	-32.91	189.00	Vertical	Horizontal	N/A
881.369	-32.81	4.85	-25.0	-7.81	210.00	Vertical	Horizontal	N/A
2140.000	-35.67	4.98	-25.0	-10.67	101.00	Vertical	Horizontal	N/A
6679.500	-39.39	14.58	-25.0	-14.39	24.00	Vertical	Horizontal	Pass
13384.200	-37.72	16.86	-25.0	-12.72	174.00	Vertical	Horizontal	Pass
18211.600	-40.22	12.86	-25.0	-15.22	160.00	Vertical	Horizontal	Pass

35.2 DC_66A_n5A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_66A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-58.81	4.95	-25.0	-33.81	230.00	Horizontal	Horizontal	N/A
877.780	-28.61	4.73	-25.0	-3.61	108.00	Horizontal	Horizontal	N/A
2143.900	-15.83	4.85	-25.0	9.17	125.00	Horizontal	Horizontal	N/A
6705.250	-38.55	15.49	-25.0	-13.55	219.00	Horizontal	Horizontal	Pass
12712.950	-38.88	14.77	-25.0	-13.88	324.00	Horizontal	Horizontal	Pass
19707.599	-40.42	12.94	-25.0	-15.42	187.00	Horizontal	Horizontal	Pass