



**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.38	-25	Pass	2985
30	1000	0.1	RMS	768.49	-52.2	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.86	-25	Pass	1490
2490	2580	1	RMS	2531.4	13.34	60	Pass	401
2580	3000	1	RMS	2879.714	-39.14	-25	Pass	420
3000	6500	1	RMS	6053.873	-60.61	-25	Pass	3500
6500	26000	1	RMS	25530.849	-47.9	-25	Pass	19500




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.54	-25	Pass	2985
30	1000	0.1	RMS	867.624	-52.38	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.06	-25	Pass	1490
2490	2580	1	RMS	2556.825	12.94	60	Pass	401
2580	3000	1	RMS	2580	-38.9	-25	Pass	420
3000	6500	1	RMS	6053.873	-60.61	-25	Pass	3500
6500	26000	1	RMS	25460.827	-47.81	-25	Pass	19500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.83	-25	Pass	401
0.15	30	0.01	RMS	0.3	-60.16	-25	Pass	2985
30	1000	0.1	RMS	933.912	-52.25	-25	Pass	9699
1000	2490	1	RMS	2485.997	-40.93	-25	Pass	1490
2490	2580	1	RMS	2556.375	13.48	60	Pass	401
2580	3000	1	RMS	2580	-38.57	-25	Pass	420
3000	6500	1	RMS	6054.873	-60.55	-25	Pass	3500
6500	26000	1	RMS	25493.838	-47.81	-25	Pass	19500



## 24. NR\_n38\_SCS30\_10M\_L\_Inner\_Full(16QAM)

### 24.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-64.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-76.03	-25	Pass	2985
30	1000	0.1	RMS	613.871	-71.37	-25	Pass	9699
1000	2520	1	RMS	2512.995	-60.46	-25	Pass	1520
2520	2670	1	RMS	2576.25	15.92	60	Pass	401
2670	3000	1	RMS	2872.125	-58.89	-25	Pass	401
3000	6500	1	RMS	5149.614	-59.46	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.3	-25	Pass	20500



## 24. NR\_n38\_SCS30\_10M\_L\_Inner\_Full(QPSK)

### 24.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64.49	-25	Pass	401
0.15	30	0.01	RMS	2.161	-77.9	-25	Pass	2985
30	1000	0.1	RMS	613.571	-70.8	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.42	-25	Pass	1520
2520	2670	1	RMS	2574.75	17.23	60	Pass	401
2670	3000	1	RMS	2870.475	-58.9	-25	Pass	401
3000	6500	1	RMS	5149.614	-59.18	-25	Pass	3500
6500	27000	1	RMS	25511.638	-47.69	-25	Pass	20500



## 24. NR\_n38\_SCS30\_10M\_M\_Inner\_Full(16QAM)

### 24.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-63.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.02	-25	Pass	2985
30	1000	0.1	RMS	962.45	-71.3	-25	Pass	9699
1000	2520	1	RMS	2513.996	-60.51	-25	Pass	1520
2520	2670	1	RMS	2595	15.95	60	Pass	401
2670	3000	1	RMS	2873.775	-58.95	-25	Pass	401
3000	6500	1	RMS	6061.875	-60.47	-25	Pass	3500
6500	27000	1	RMS	25482.631	-47.58	-25	Pass	20500



## 24. NR\_n38\_SCS30\_10M\_M\_Inner\_Full(QPSK)

### 24.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-76.42	-25	Pass	2985
30	1000	0.1	RMS	928.605	-71.59	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.31	-25	Pass	1520
2520	2670	1	RMS	2595	17.15	60	Pass	401
2670	3000	1	RMS	2868.825	-58.96	-25	Pass	401
3000	6500	1	RMS	6069.877	-60.75	-25	Pass	3500
6500	27000	1	RMS	25791.706	-47.32	-25	Pass	20500



## 24. NR\_n38\_SCS30\_10M\_H\_Inner\_Full(16QAM)

### 24.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-63.32	-25	Pass	401
0.15	30	0.01	RMS	0.35	-76.24	-25	Pass	2985
30	1000	0.1	RMS	880.341	-70.44	-25	Pass	9699
1000	2520	1	RMS	2514.997	-60.39	-25	Pass	1520
2520	2670	1	RMS	2614.875	16.12	60	Pass	401
2670	3000	1	RMS	2881.2	-59.04	-25	Pass	401
3000	6500	1	RMS	6047.871	-60.68	-25	Pass	3500
6500	27000	1	RMS	25827.715	-47.66	-25	Pass	20500






## 24. NR\_n38\_SCS30\_10M\_H\_Inner\_Full(QPSK)

### 24.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.94	-25	Pass	401
0.15	30	0.01	RMS	2.101	-76.24	-25	Pass	2985
30	1000	0.1	RMS	997.397	-71.28	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.38	-25	Pass	1520
2520	2670	1	RMS	2614.875	17.3	60	Pass	401
2670	3000	1	RMS	2881.2	-59.01	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.59	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.28	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_L\_Inner\_Full(16QAM)

### 24.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.35	-25	Pass	2985
30	1000	0.1	RMS	932.01	-71.6	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.45	-25	Pass	1520
2520	2670	1	RMS	2578.875	14.28	60	Pass	401
2670	3000	1	RMS	2872.125	-59.02	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.44	-25	Pass	3500
6500	27000	1	RMS	25787.705	-47.43	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_L\_Inner\_Full(QPSK)

### 24.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-61.73	-25	Pass	401
0.15	30	0.01	RMS	0.34	-76.74	-25	Pass	2985
30	1000	0.1	RMS	615.972	-71.46	-25	Pass	9699
1000	2520	1	RMS	2513.996	-60.31	-25	Pass	1520
2520	2670	1	RMS	2576.25	15.34	60	Pass	401
2670	3000	1	RMS	2872.125	-58.96	-25	Pass	401
3000	6500	1	RMS	5153.615	-60.23	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.57	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_M\_Inner\_Full(16QAM)

### 24.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-64.05	-25	Pass	401
0.15	30	0.01	RMS	0.2	-77.42	-25	Pass	2985
30	1000	0.1	RMS	721.184	-70.63	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.27	-25	Pass	1520
2520	2670	1	RMS	2596.5	14.24	60	Pass	401
2670	3000	1	RMS	2872.125	-59	-25	Pass	401
3000	6500	1	RMS	6159.903	-60.61	-25	Pass	3500
6500	27000	1	RMS	25479.631	-47.21	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_M\_Inner\_Full(QPSK)

### 24.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-77.38	-25	Pass	2985
30	1000	0.1	RMS	971.963	-71.71	-25	Pass	9699
1000	2520	1	RMS	2508.993	-60.31	-25	Pass	1520
2520	2670	1	RMS	2593.5	15.33	60	Pass	401
2670	3000	1	RMS	2879.55	-58.96	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.68	-25	Pass	3500
6500	27000	1	RMS	25466.627	-47.27	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_H\_Inner\_Full(16QAM)

### 24.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.76	-25	Pass	401
0.15	30	0.01	RMS	2.161	-77.26	-25	Pass	2985
30	1000	0.1	RMS	926.102	-71.43	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.41	-25	Pass	1520
2520	2670	1	RMS	2614.125	14.43	60	Pass	401
2670	3000	1	RMS	2872.95	-59.02	-25	Pass	401
3000	6500	1	RMS	6184.91	-60.7	-25	Pass	3500
6500	27000	1	RMS	25183.559	-47.3	-25	Pass	20500



## 24. NR\_n38\_SCS30\_15M\_H\_Inner\_Full(QPSK)

### 24.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.07	-25	Pass	401
0.15	30	0.01	RMS	4.261	-78.17	-25	Pass	2985
30	1000	0.1	RMS	879.24	-71.43	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.39	-25	Pass	1520
2520	2670	1	RMS	2611.125	15.46	60	Pass	401
2670	3000	1	RMS	2873.775	-58.91	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.77	-25	Pass	3500
6500	27000	1	RMS	25519.64	-47.09	-25	Pass	20500



## 24. NR\_n38\_SCS30\_20M\_L\_Inner\_Full(16QAM)

### 24.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-63.25	-25	Pass	401
0.15	30	0.01	RMS	0.17	-77.05	-25	Pass	2985
30	1000	0.1	RMS	912.083	-71.93	-25	Pass	9699
1000	2520	1	RMS	2518.999	-60.26	-25	Pass	1520
2520	2670	1	RMS	2581.875	12.73	60	Pass	401
2670	3000	1	RMS	2865.525	-58.95	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.68	-25	Pass	3500
6500	27000	1	RMS	25446.623	-47.4	-25	Pass	20500






## 24. NR\_n38\_SCS30\_20M\_L\_Inner\_Full(QPSK)

### 24.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-79.4	-25	Pass	2985
30	1000	0.1	RMS	891.256	-71.34	-25	Pass	9699
1000	2520	1	RMS	2495.984	-60.33	-25	Pass	1520
2520	2670	1	RMS	2580	13.88	60	Pass	401
2670	3000	1	RMS	2878.725	-58.94	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.64	-25	Pass	3500
6500	27000	1	RMS	25203.564	-47.47	-25	Pass	20500



## 24. NR\_n38\_SCS30\_20M\_M\_Inner\_Full(16QAM)

### 24.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-77.77	-25	Pass	2985
30	1000	0.1	RMS	912.784	-71.53	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.46	-25	Pass	1520
2520	2670	1	RMS	2592	12.8	60	Pass	401
2670	3000	1	RMS	2874.6	-58.97	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.73	-25	Pass	3500
6500	27000	1	RMS	25543.646	-47.66	-25	Pass	20500



## 24. NR\_n38\_SCS30\_20M\_M\_Inner\_Full(QPSK)

### 24.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-78.56	-25	Pass	2985
30	1000	0.1	RMS	893.058	-70.87	-25	Pass	9699
1000	2520	1	RMS	2514.997	-60.21	-25	Pass	1520
2520	2670	1	RMS	2597.625	13.82	60	Pass	401
2670	3000	1	RMS	2873.775	-58.98	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.61	-25	Pass	3500
6500	27000	1	RMS	25199.563	-46.88	-25	Pass	20500



## 24. NR\_n38\_SCS30\_20M\_H\_Inner\_Full(16QAM)

### 24.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-77.27	-25	Pass	2985
30	1000	0.1	RMS	715.384	-71.1	-25	Pass	9699
1000	2520	1	RMS	2505.991	-60.47	-25	Pass	1520
2520	2670	1	RMS	2611.875	12.96	60	Pass	401
2670	3000	1	RMS	2881.2	-59	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.77	-25	Pass	3500
6500	27000	1	RMS	25498.635	-47.68	-25	Pass	20500



## 24. NR\_n38\_SCS30\_20M\_H\_Inner\_Full(QPSK)

### 24.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-25	Pass	2985
30	1000	0.1	RMS	488.556	-71.12	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.43	-25	Pass	1520
2520	2670	1	RMS	2613	14.01	60	Pass	401
2670	3000	1	RMS	2871.3	-59.01	-25	Pass	401
3000	6500	1	RMS	6171.906	-60.65	-25	Pass	3500
6500	27000	1	RMS	25849.721	-47.61	-25	Pass	20500



## 25. n41 30kHz


**25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.54	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.92	-25	Pass	2985
30	1000	0.1	RMS	880.842	-50.86	-25	Pass	9699
1000	2486	1	RMS	2486	-40.14	-25	Pass	1486
2486	2700	1	RMS	2501.515	16.07	60	Pass	401
2700	3000	1	RMS	2867.25	-38.99	-25	Pass	401
3000	6500	1	RMS	5002.572	-59.82	-25	Pass	3500
6500	27000	1	RMS	25415.615	-47.28	-25	Pass	20500




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.4	-25	Pass	401
0.15	30	0.01	RMS	0.29	-60.31	-25	Pass	2985
30	1000	0.1	RMS	904.674	-52.06	-25	Pass	9699
1000	2486	1	RMS	2486	-40.07	-25	Pass	1486
2486	2700	1	RMS	2501.515	16.93	60	Pass	401
2700	3000	1	RMS	2870.25	-39.09	-25	Pass	401
3000	6500	1	RMS	5003.572	-59.81	-25	Pass	3500
6500	27000	1	RMS	25474.629	-47.71	-25	Pass	20500



**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.06	-25	Pass	401
0.15	30	0.01	RMS	0.29	-59.96	-25	Pass	2985
30	1000	0.1	RMS	971.763	-51.31	-25	Pass	9699
1000	2486	1	RMS	2476.994	-40.88	-25	Pass	1486
2486	2700	1	RMS	2593	15.95	60	Pass	401
2700	3000	1	RMS	2871	-39.11	-25	Pass	401
3000	6500	1	RMS	5183.624	-60.44	-25	Pass	3500
6500	27000	1	RMS	25472.629	-47.3	-25	Pass	20500






**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-25	Pass	2985
30	1000	0.1	RMS	893.959	-51.31	-25	Pass	9699
1000	2486	1	RMS	2477.995	-40.96	-25	Pass	1486
2486	2700	1	RMS	2592.465	16.94	60	Pass	401
2700	3000	1	RMS	2874	-39.07	-25	Pass	401
3000	6500	1	RMS	5183.624	-59.86	-25	Pass	3500
6500	27000	1	RMS	25199.563	-47.43	-25	Pass	20500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.74	-25	Pass	2985
30	1000	0.1	RMS	500.557	-51.7	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.99	-25	Pass	1486
2486	2700	1	RMS	2685.02	15.68	60	Pass	401
2700	3000	1	RMS	2877.75	-39.08	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.57	-25	Pass	3500
6500	27000	1	RMS	25175.557	-47.36	-25	Pass	20500




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.38	-25	Pass	401
0.15	30	0.01	RMS	0.19	-58.78	-25	Pass	2985
30	1000	0.1	RMS	734.486	-50.96	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.9	-25	Pass	1486
2486	2700	1	RMS	2683.95	16.48	60	Pass	401
2700	3000	1	RMS	2872.5	-39.04	-25	Pass	401
3000	6500	1	RMS	5369.677	-60.31	-25	Pass	3500
6500	27000	1	RMS	25492.634	-47.47	-25	Pass	20500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.24	-25	Pass	2985
30	1000	0.1	RMS	848.7	-52.08	-25	Pass	9699
1000	2486	1	RMS	2486	-38.17	-25	Pass	1486
2486	2700	1	RMS	2537.895	7.97	60	Pass	401
2700	3000	1	RMS	2866.5	-39.08	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.67	-25	Pass	3500
6500	27000	1	RMS	25201.563	-47.82	-25	Pass	20500




**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-59.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.16	-25	Pass	2985
30	1000	0.1	RMS	935.314	-52.23	-25	Pass	9699
1000	2486	1	RMS	2486	-37.05	-25	Pass	1486
2486	2700	1	RMS	2534.15	8.92	60	Pass	401
2700	3000	1	RMS	2864.25	-39.12	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.62	-25	Pass	3500
6500	27000	1	RMS	25201.563	-47.85	-25	Pass	20500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,  
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.74	-25	Pass	2985
30	1000	0.1	RMS	900.368	-51.82	-25	Pass	9699
1000	2486	1	RMS	2486	-40.87	-25	Pass	1486
2486	2700	1	RMS	2589.79	7.79	60	Pass	401
2700	3000	1	RMS	2874	-39.14	-25	Pass	401
3000	6500	1	RMS	6053.873	-60.54	-25	Pass	3500
6500	27000	1	RMS	25189.56	-47.86	-25	Pass	20500




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-25	Pass	2985
30	1000	0.1	RMS	892.157	-52.11	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41	-25	Pass	1486
2486	2700	1	RMS	2584.975	8.86	60	Pass	401
2700	3000	1	RMS	2868	-39.11	-25	Pass	401
3000	6500	1	RMS	6184.91	-60.63	-25	Pass	3500
6500	27000	1	RMS	25816.713	-48.01	-25	Pass	20500



**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-57.04	-25	Pass	401
0.15	30	0.01	RMS	0.35	-60.56	-25	Pass	2985
30	1000	0.1	RMS	892.558	-51.79	-25	Pass	9699
1000	2486	1	RMS	2475.993	-40.98	-25	Pass	1486
2486	2700	1	RMS	2652.92	7.46	60	Pass	401
2700	3000	1	RMS	2700	-36.95	-25	Pass	401
3000	6500	1	RMS	6186.911	-60.7	-25	Pass	3500
6500	27000	1	RMS	25496.635	-47.72	-25	Pass	20500






**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.84	-25	Pass	2985
30	1000	0.1	RMS	865.822	-52.22	-25	Pass	9699
1000	2486	1	RMS	2473.992	-41.01	-25	Pass	1486
2486	2700	1	RMS	2651.85	8.51	60	Pass	401
2700	3000	1	RMS	2700	-35.84	-25	Pass	401
3000	6500	1	RMS	6079.88	-60.7	-25	Pass	3500
6500	27000	1	RMS	25164.554	-48.01	-25	Pass	20500




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,  
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-58.37	-25	Pass	401
0.15	30	0.01	RMS	0.23	-61.18	-25	Pass	2985
30	1000	0.1	RMS	995.794	-52.24	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.46	-25	Pass	1486
2486	2700	1	RMS	2545.385	5.6	60	Pass	401
2700	3000	1	RMS	2876.25	-39.09	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.55	-25	Pass	3500
6500	27000	1	RMS	25498.635	-47.5	-25	Pass	20500




**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,  
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.83	-25	Pass	2985
30	1000	0.1	RMS	868.526	-52.49	-25	Pass	9699
1000	2486	1	RMS	2486	-35.54	-25	Pass	1486
2486	2700	1	RMS	2553.945	6.69	60	Pass	401
2700	3000	1	RMS	2871.75	-39.12	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.5	-25	Pass	3500
6500	27000	1	RMS	25500.636	-47.78	-25	Pass	20500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,  
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-57.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.43	-25	Pass	2985
30	1000	0.1	RMS	997.897	-52.36	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.56	-25	Pass	1486
2486	2700	1	RMS	2610.655	5.59	60	Pass	401
2700	3000	1	RMS	2868.75	-39.06	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.54	-25	Pass	3500
6500	27000	1	RMS	25207.565	-47.97	-25	Pass	20500




**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-57.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.96	-25	Pass	2985
30	1000	0.1	RMS	877.938	-51.93	-25	Pass	9699
1000	2486	1	RMS	2486	-40.45	-25	Pass	1486
2486	2700	1	RMS	2606.91	6.65	60	Pass	401
2700	3000	1	RMS	2873.25	-39.1	-25	Pass	401
3000	6500	1	RMS	6062.875	-60.55	-25	Pass	3500
6500	27000	1	RMS	25189.56	-47.92	-25	Pass	20500




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,  
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.29	-25	Pass	401
0.15	30	0.01	RMS	0.26	-61.56	-25	Pass	2985
30	1000	0.1	RMS	951.636	-52.16	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.97	-25	Pass	1486
2486	2700	1	RMS	2639.545	5.34	60	Pass	401
2700	3000	1	RMS	2700	-36.22	-25	Pass	401
3000	6500	1	RMS	6146.899	-60.76	-25	Pass	3500
6500	27000	1	RMS	25493.634	-47.64	-25	Pass	20500



**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.4	-25	Pass	2985
30	1000	0.1	RMS	904.573	-52.18	-25	Pass	9699
1000	2486	1	RMS	2486	-40.91	-25	Pass	1486
2486	2700	1	RMS	2647.035	6.35	60	Pass	401
2700	3000	1	RMS	2700	-33.9	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.72	-25	Pass	3500
6500	27000	1	RMS	25192.561	-48.02	-25	Pass	20500



---

---

END