



**21.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580                  | 2620                 | 0.1       | RMS      | 2599.067        | 8.15        | 30          | Pass    | 601         |
| 2620                  | 2621                 | 1         | RMS      | 2620            | -27.91      | -10         | Pass    | 2           |
| 2621                  | 2625                 | 1         | RMS      | 2621.007        | -40.2       | -10         | Pass    | 601         |
| 2625                  | 2660                 | 1         | RMS      | 2638.708        | -27.46      | -13         | Pass    | 601         |
| 2660                  | 2665                 | 1         | RMS      | 2664.85         | -44.78      | -25         | Pass    | 601         |



**21.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580                  | 2620                 | 0.1       | RMS      | 2588.733        | -3.94       | 30          | Pass    | 601         |
| 2620                  | 2621                 | 1         | RMS      | 2620            | -32.98      | -10         | Pass    | 2           |
| 2621                  | 2625                 | 1         | RMS      | 2621.507        | -33.61      | -10         | Pass    | 601         |
| 2625                  | 2660                 | 1         | RMS      | 2625.758        | -33.8       | -13         | Pass    | 601         |
| 2660                  | 2665                 | 1         | RMS      | 2660.058        | -41.56      | -25         | Pass    | 601         |



## 22. CA\_41C\_full


22.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2478.625        | -32.99      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -40.89      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2496            | -34.46      | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2515.542        | 8.82        | 30          | Pass    | 601         |




**22.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2475.025        | -45.3       | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -41.2       | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2495.997        | -35.6       | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2519.875        | 7.96        | 30          | Pass    | 601         |




**22.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.95         | -33.72      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -33.05      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2495.985        | -36.73      | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2517.708        | 1.76        | 30          | Pass    | 601         |




**22.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2478.6          | -39.49      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -40.87      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2495.997        | -35.5       | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2515.583        | 7.59        | 30          | Pass    | 601         |




**22.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.9          | -45.28      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -40.52      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2496            | -34.25      | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2519.875        | 7.56        | 30          | Pass    | 601         |



**22.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.9          | -35.39      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -34.03      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.3       | RMS      | 2495.987        | -37.18      | -13         | Pass    | 601         |
| 2496                  | 2521                 | 0.1       | RMS      | 2517.75         | 0.64        | 30          | Pass    | 601         |






**22.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2688.875        | 8.35        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690.003        | -39.22      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -41.24      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2711.433        | -29.92      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.067        | -45.42      | -25         | Pass    | 601         |




**22.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2688.833        | 8.44        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690.015        | -40.63      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2694            | -26.35      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2695.033        | -27.94      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.467        | -45.41      | -25         | Pass    | 601         |




**22.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2686.417        | 2.41        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690.002        | -30.08      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2695            | -27.88      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2696.2          | -22.44      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.2          | -41.29      | -25         | Pass    | 601         |




**22.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2688.875        | 7.75        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690            | -40.14      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -41.79      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2711.433        | -30.27      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.467        | -45.42      | -25         | Pass    | 601         |




**22.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2683.875        | 8.72        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690.013        | -40.66      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2694            | -27.09      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2695.033        | -28.15      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.267        | -45.39      | -25         | Pass    | 601         |




**22.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2665                  | 2690                 | 0.1       | RMS      | 2687.292        | 1.06        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 0.51      | RMS      | 2690.008        | -30.27      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -28.66      | -10         | Pass    | 5           |
| 2695                  | 2715                 | 3         | RMS      | 2695.3          | -23.73      | -13         | Pass    | 601         |
| 2715                  | 2735                 | 1         | RMS      | 2715.1          | -42.33      | -25         | Pass    | 601         |




**22.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2477.3          | -34.78      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -41.9       | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2495.998        | -32.11      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2516.867        | 7.44        | 30          | Pass    | 601         |



**22.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.975        | -45.57      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -41.31      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2496            | -31.11      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2497.067        | 7.66        | 30          | Pass    | 601         |






**22.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.95         | -34.38      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -33.9       | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2495.992        | -34.63      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2506.333        | -3.79       | 30          | Pass    | 601         |




**22.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2477.275        | -35.29      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -40.73      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2495.998        | -30.75      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2516.867        | 7.72        | 30          | Pass    | 601         |




**22.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2490            | -44.97      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -39.73      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2495.995        | -30.18      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2497.067        | 8.17        | 30          | Pass    | 601         |




**22.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.975        | -35.36      | -25         | Pass    | 601         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -34.81      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.51      | RMS      | 2495.985        | -35.97      | -13         | Pass    | 601         |
| 2496                  | 2536                 | 0.1       | RMS      | 2509.4          | -4.89       | 30          | Pass    | 601         |




**22.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2651.267        | 7.66        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -27.38      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -40.37      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2695.058        | -39.1       | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2730            | -45.77      | -25         | Pass    | 601         |




**22.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2688.933        | 8.79        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -26.57      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -40.32      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2708.592        | -29.01      | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2731.275        | -45.77      | -25         | Pass    | 601         |




**22.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2677            | -3.48       | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690.003        | -15.43      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.57      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2695.175        | -23.94      | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2730.35         | -45.71      | -25         | Pass    | 601         |



**22.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2688.867        | 7.94        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -26.75      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -41.48      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2695            | -39.27      | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2733.7          | -45.77      | -25         | Pass    | 601         |






**22.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2688.867        | 8.08        | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -26.56      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -40.63      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2708.592        | -29.59      | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2730.983        | -45.76      | -25         | Pass    | 601         |



**22.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2690                 | 0.1       | RMS      | 2679.6          | -4.69       | 30          | Pass    | 601         |
| 2690                  | 2691                 | 1         | RMS      | 2690.002        | -16.84      | -10         | Pass    | 601         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -30.73      | -10         | Pass    | 5           |
| 2695                  | 2730                 | 3         | RMS      | 2695.117        | -25.72      | -13         | Pass    | 601         |
| 2730                  | 2735                 | 1         | RMS      | 2730.567        | -45.75      | -25         | Pass    | 601         |




# NR

## 23. n5 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS       | 822.1           | -48.18      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS       | 824             | -20.31      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS       | 824.35          | 18.83       | 30          | Pass    | 401         |




**23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 822.76          | -33.35      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 823.998         | -29.29      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 827.2           | 6.15        | 30          | Pass    | 401         |




**23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS       | 822.16          | -48.4       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS       | 824             | -19.02      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS       | 824.35          | 20.38       | 30          | Pass    | 401         |




**23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 823             | -32.36      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 823.97          | -30         | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 825.35          | 7.36        | 30          | Pass    | 401         |




**23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.65          | 18.98       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -20.68      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -49.17      | -13         | Pass    | 401         |



**23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 847.15          | 6.19        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849.003         | -30.33      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -33.57      | -13         | Pass    | 401         |






**23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.65          | 20.1        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849.005         | -18.41      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -48.78      | -13         | Pass    | 401         |




**23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 845.35          | 7.31        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849.005         | -29.77      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850.06          | -33.82      | -13         | Pass    | 401         |




**23.9. Band Edge for SA(NTNV)(Subtest:9, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 818.5           | -49.34      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 824             | -18.84      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 824.5           | 18.99       | 30          | Pass    | 401         |




**23.10. Band Edge for SA(NTNV)(Subtest:10, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 822.94          | -35.69      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.985         | -31.21      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 825.3           | 2.43        | 30          | Pass    | 401         |




**23.11. Band Edge for SA(NTNV)(Subtest:11, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 818.56          | -48.5       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.99          | -18.33      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 824.5           | 20.24       | 30          | Pass    | 401         |




**23.12. Band Edge for SA(NTNV)(Subtest:12, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 822.76          | -34.36      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.998         | -29.09      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 825.35          | 2.85        | 30          | Pass    | 401         |




**23.13. Band Edge for SA(NTNV)(Subtest:13, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.5           | 18.91       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.008         | -20.22      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850.06          | -49.68      | -13         | Pass    | 401         |



**23.14. Band Edge for SA(NTNV)(Subtest:14, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 847.75          | 1.69        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.03          | -34         | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850.12          | -37.27      | -13         | Pass    | 401         |






**23.15. Band Edge for SA(NTNV)(Subtest:15, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.55          | 20.2        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.005         | -17.96      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -49.25      | -13         | Pass    | 401         |




**23.16. Band Edge for SA(NTNV)(Subtest:16, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 841.1           | 2.9         | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.858         | -35.78      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -38.65      | -13         | Pass    | 401         |




**23.17. Band Edge for SA(NTNV)(Subtest:17, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 823             | -48.04      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.2       | RMS      | 824             | -17.2       | -13         | Pass    | 6           |
| 824                   | 844                  | 0.1       | RMS      | 824.55          | 18.6        | 30          | Pass    | 401         |




**23.18. Band Edge for SA(NTNV)(Subtest:18, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 822.7           | -37.53      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.2       | RMS      | 823.993         | -29.64      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 827.9           | 0.81        | 30          | Pass    | 401         |




**23.19. Band Edge for SA(NTNV)(Subtest:19, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 823             | -47.63      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.05      | RMS      | 824             | -22.43      | -13         | Pass    | 21          |
| 824                   | 844                  | 0.1       | RMS      | 824.55          | 20.01       | 30          | Pass    | 401         |




**23.20. Band Edge for SA(NTNV)(Subtest:20, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799                   | 823                  | 0.1       | RMS      | 822.7           | -36.36      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.2       | RMS      | 823.998         | -29.85      | -13         | Pass    | 401         |
| 824                   | 844                  | 0.1       | RMS      | 825.5           | 1.59        | 30          | Pass    | 401         |




**23.21. Band Edge for SA(NTNV)(Subtest:21, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.45          | 18.92       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.2       | RMS      | 849.008         | -16.19      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850             | -48.69      | -13         | Pass    | 401         |



**23.22. Band Edge for SA(NTNV)(Subtest:22, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 842.05          | 0.75        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.2       | RMS      | 849.03          | -36.98      | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850.12          | -40.4       | -13         | Pass    | 401         |






**23.23. Band Edge for SA(NTNV)(Subtest:23, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 848.45          | 20.14       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.05      | RMS      | 849             | -21.02      | -13         | Pass    | 21          |
| 850                   | 874                  | 0.1       | RMS      | 850             | -46.24      | -13         | Pass    | 401         |



**23.24. Band Edge for SA(NTNV)(Subtest:24, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829                   | 849                  | 0.1       | RMS      | 831.95          | 1.25        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.2       | RMS      | 849.128         | -36.6       | -13         | Pass    | 401         |
| 850                   | 874                  | 0.1       | RMS      | 850.42          | -40.14      | -13         | Pass    | 401         |



## 24. n7 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2494                 | 1         | RMS      | 2494            | -48.07      | -25         | Pass    | 401         |
| 2494                  | 2496                 | 1         | RMS      | 2495.91         | -42.91      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -37.8       | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2499.998        | -20.6       | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.35         | 20.91       | 30          | Pass    | 401         |




**24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2494                 | 1         | RMS      | 2493.953        | -38.4       | -25         | Pass    | 401         |
| 2494                  | 2496                 | 1         | RMS      | 2495.995        | -33.83      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -27.29      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.1       | RMS      | 2500            | -29.72      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2502.55         | 14.84       | 30          | Pass    | 401         |




**24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2494                 | 1         | RMS      | 2493.953        | -47.79      | -25         | Pass    | 401         |
| 2494                  | 2496                 | 1         | RMS      | 2495.98         | -42.65      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -37.58      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2500            | -18.18      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.35         | 21.82       | 30          | Pass    | 401         |




**24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2494                 | 1         | RMS      | 2494            | -37.43      | -25         | Pass    | 401         |
| 2494                  | 2496                 | 1         | RMS      | 2495.99         | -31.47      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -25.19      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.1       | RMS      | 2499.995        | -28.44      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2503.25         | 15.74       | 30          | Pass    | 401         |




**24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.7          | 21.06       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570            | -21.01      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -37.71      | -10         | Pass    | 5           |
| 2575                  | 2576                 | 1         | RMS      | 2575.098        | -44.97      | -13         | Pass    | 401         |
| 2576                  | 2595                 | 1         | RMS      | 2576            | -48.14      | -25         | Pass    | 401         |



**24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2567.5          | 14.98       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.1       | RMS      | 2570.008        | -27.94      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -24.98      | -10         | Pass    | 5           |
| 2575                  | 2576                 | 1         | RMS      | 2575.008        | -35.85      | -13         | Pass    | 401         |
| 2576                  | 2595                 | 1         | RMS      | 2576            | -38.05      | -25         | Pass    | 401         |






**24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.65         | 21.98       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570.005        | -22.04      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -37.27      | -10         | Pass    | 5           |
| 2575                  | 2576                 | 1         | RMS      | 2575.015        | -44.93      | -13         | Pass    | 401         |
| 2576                  | 2595                 | 1         | RMS      | 2576            | -47.99      | -25         | Pass    | 401         |




**24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2566.35         | 15.88       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.1       | RMS      | 2570.005        | -26.66      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -22.05      | -10         | Pass    | 5           |
| 2575                  | 2576                 | 1         | RMS      | 2575.01         | -34.98      | -13         | Pass    | 401         |
| 2576                  | 2595                 | 1         | RMS      | 2576            | -37.25      | -25         | Pass    | 401         |




**24.9. Band Edge for SA(NTNV)(Subtest:9, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2485                 | 1         | RMS      | 2484.925        | -49.89      | -25         | Pass    | 401         |
| 2485                  | 2496                 | 1         | RMS      | 2493.47         | -42.67      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -37.29      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2499.993        | -25.54      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.5          | 20.82       | 30          | Pass    | 401         |




**24.10. Band Edge for SA(NTNV)(Subtest:10, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2485                 | 1         | RMS      | 2484.975        | -45         | -25         | Pass    | 401         |
| 2485                  | 2496                 | 1         | RMS      | 2496            | -31.92      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -30.55      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.3       | RMS      | 2499.998        | -25.7       | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2512.4          | 10.06       | 30          | Pass    | 401         |




**24.11. Band Edge for SA(NTNV)(Subtest:11, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2485                 | 1         | RMS      | 2484.775        | -49.81      | -25         | Pass    | 401         |
| 2485                  | 2496                 | 1         | RMS      | 2486.65         | -48.17      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -34.87      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2499.995        | -23.45      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.5          | 21.8        | 30          | Pass    | 401         |




**24.12. Band Edge for SA(NTNV)(Subtest:12, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2485                 | 1         | RMS      | 2485            | -44.1       | -25         | Pass    | 401         |
| 2485                  | 2496                 | 1         | RMS      | 2495.643        | -30.12      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -28.26      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.3       | RMS      | 2499.995        | -25.09      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2512.35         | 11.07       | 30          | Pass    | 401         |




**24.13. Band Edge for SA(NTNV)(Subtest:13, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.55         | 20.9        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570.003        | -26.49      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -36.83      | -10         | Pass    | 5           |
| 2575                  | 2585                 | 1         | RMS      | 2575.75         | -43.22      | -13         | Pass    | 401         |
| 2585                  | 2595                 | 1         | RMS      | 2585            | -49.45      | -25         | Pass    | 401         |



**24.14. Band Edge for SA(NTNV)(Subtest:14, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2560.55         | 10.2        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.3       | RMS      | 2570.02         | -33.77      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -30.61      | -10         | Pass    | 5           |
| 2575                  | 2585                 | 1         | RMS      | 2575.1          | -32.91      | -13         | Pass    | 401         |
| 2585                  | 2595                 | 1         | RMS      | 2585.2          | -43.37      | -25         | Pass    | 401         |






**24.15. Band Edge for SA(NTNV)(Subtest:15, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.5          | 21.78       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570.01         | -25.67      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -37.17      | -10         | Pass    | 5           |
| 2575                  | 2585                 | 1         | RMS      | 2575.75         | -42.74      | -13         | Pass    | 401         |
| 2585                  | 2595                 | 1         | RMS      | 2585.075        | -49.58      | -25         | Pass    | 401         |




**24.16. Band Edge for SA(NTNV)(Subtest:16, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2557.85         | 11.28       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.3       | RMS      | 2570.168        | -31.56      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -27.74      | -10         | Pass    | 5           |
| 2575                  | 2585                 | 1         | RMS      | 2575            | -30.38      | -13         | Pass    | 401         |
| 2585                  | 2595                 | 1         | RMS      | 2585            | -43.08      | -25         | Pass    | 401         |




**24.17. Band Edge for SA(NTNV)(Subtest:17, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2480                 | 1         | RMS      | 2479.975        | -50.81      | -25         | Pass    | 401         |
| 2480                  | 2496                 | 1         | RMS      | 2491.28         | -44.79      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -33.99      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2499.988        | -23.33      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.5          | 20.82       | 30          | Pass    | 401         |




**24.18. Band Edge for SA(NTNV)(Subtest:18, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2480                 | 1         | RMS      | 2479.988        | -48.97      | -25         | Pass    | 401         |
| 2480                  | 2496                 | 1         | RMS      | 2495.8          | -32.94      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -31.56      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.5       | RMS      | 2500            | -29.07      | -10         | Pass    | 3           |
| 2500                  | 2520                 | 1         | RMS      | 2516.55         | 8.87        | 30          | Pass    | 401         |




**24.19. Band Edge for SA(NTNV)(Subtest:19, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2480                 | 1         | RMS      | 2479.875        | -50.86      | -25         | Pass    | 401         |
| 2480                  | 2496                 | 1         | RMS      | 2491.36         | -44.6       | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -31.33      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.051     | RMS      | 2499.995        | -20.28      | -10         | Pass    | 401         |
| 2500                  | 2520                 | 1         | RMS      | 2500.55         | 21.76       | 30          | Pass    | 401         |




**24.20. Band Edge for SA(NTNV)(Subtest:20, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2480                 | 1         | RMS      | 2479.938        | -48.54      | -25         | Pass    | 401         |
| 2480                  | 2496                 | 1         | RMS      | 2495.92         | -30.51      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -28.59      | -10         | Pass    | 4           |
| 2499                  | 2500                 | 0.5       | RMS      | 2500            | -25.76      | -10         | Pass    | 3           |
| 2500                  | 2520                 | 1         | RMS      | 2515.75         | 9.86        | 30          | Pass    | 401         |




**24.21. Band Edge for SA(NTNV)(Subtest:21, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.45         | 20.92       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570.003        | -23.5       | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -33.42      | -10         | Pass    | 5           |
| 2575                  | 2590                 | 1         | RMS      | 2578.675        | -44.57      | -13         | Pass    | 401         |
| 2590                  | 2595                 | 1         | RMS      | 2594.913        | -50.55      | -25         | Pass    | 401         |



**24.22. Band Edge for SA(NTNV)(Subtest:22, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2555.7          | 8.95        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.51      | RMS      | 2570.008        | -33.34      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -31.4       | -10         | Pass    | 5           |
| 2575                  | 2590                 | 1         | RMS      | 2575.113        | -33.43      | -13         | Pass    | 401         |
| 2590                  | 2595                 | 1         | RMS      | 2590.138        | -47.28      | -25         | Pass    | 401         |






**24.23. Band Edge for SA(NTNV)(Subtest:23, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2569.45         | 21.82       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.051     | RMS      | 2570.018        | -23.61      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -34.83      | -10         | Pass    | 5           |
| 2575                  | 2590                 | 1         | RMS      | 2578.638        | -43.85      | -13         | Pass    | 401         |
| 2590                  | 2595                 | 1         | RMS      | 2590.463        | -50.51      | -25         | Pass    | 401         |



**24.24. Band Edge for SA(NTNV)(Subtest:24, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550                  | 2570                 | 1         | RMS      | 2554.55         | 10.19       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 0.51      | RMS      | 2570.11         | -31.14      | -10         | Pass    | 401         |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -29.13      | -10         | Pass    | 5           |
| 2575                  | 2590                 | 1         | RMS      | 2575.075        | -30.83      | -13         | Pass    | 401         |
| 2590                  | 2595                 | 1         | RMS      | 2590.113        | -47.24      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_10M\_L\_Edge\_1RB\_Left(16QAM)

### 25.1. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2560                 | 1         | RMS      | 2560            | -48.45      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.95         | -44.28      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -35.57      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2569.998        | -27.49      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2570.901        | 15.44       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_10M\_L\_Outer\_Full(16QAM)

### 25.2. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2560                 | 1         | RMS      | 2560            | -38         | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.963        | -31.81      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -29.29      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2569.99         | -35.66      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2576.306        | 2.95        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_10M\_L\_Edge\_1RB\_Left(QPSK)

### 25.3. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2560                 | 1         | RMS      | 2560            | -48.53      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.95         | -44.21      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -33.89      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2569.993        | -25.85      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2570.901        | 17.03       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_10M\_L\_Outer\_Full(QPSK)

### 25.4. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2560                 | 1         | RMS      | 2560            | -38.39      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.938        | -30.21      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.3       | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2569.998        | -35.14      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2576.907        | 3.89        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_10M\_H\_Edge\_1RB\_Right(16QAM)

### 25.5. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2619.199        | 18.29       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.2       | RMS      | 2620            | -53.62      | -10         | Pass    | 6           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -19.48      | -10         | Pass    | 401         |
| 2625                  | 2630                 | 1         | RMS      | 2625.013        | -41.13      | -13         | Pass    | 401         |
| 2630                  | 2725                 | 1         | RMS      | 2630            | -45.39      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_10M\_H\_Outer\_Full(16QAM)

### 25.6. NR Band Edge for Upper(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2618.098        | 5.76        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.2       | RMS      | 2620.4          | -55.07      | -10         | Pass    | 6           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -27.51      | -10         | Pass    | 401         |
| 2625                  | 2630                 | 1         | RMS      | 2625.05         | -30.26      | -13         | Pass    | 401         |
| 2630                  | 2725                 | 1         | RMS      | 2630            | -34.32      | -25         | Pass    | 401         |






## 25. NR\_n38\_SCS30\_10M\_H\_Edge\_1RB\_Right(QPSK)

### 25.7. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2619.199        | 19.66       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.2       | RMS      | 2620            | -53.6       | -10         | Pass    | 6           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -18.2       | -10         | Pass    | 401         |
| 2625                  | 2630                 | 1         | RMS      | 2625.05         | -41.01      | -13         | Pass    | 401         |
| 2630                  | 2725                 | 1         | RMS      | 2630            | -45.24      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_10M\_H\_Outer\_Full(QPSK)

### 25.8. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2615.596        | 6.81        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.2       | RMS      | 2620.2          | -55.02      | -10         | Pass    | 6           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -26.94      | -10         | Pass    | 401         |
| 2625                  | 2630                 | 1         | RMS      | 2625.425        | -29.93      | -13         | Pass    | 401         |
| 2630                  | 2725                 | 1         | RMS      | 2630.238        | -34.75      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_15M\_L\_Edge\_1RB\_Left(16QAM)

### 25.9. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2555                 | 1         | RMS      | 2554.775        | -48.78      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.325        | -41.34      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -34.27      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2570            | -22.43      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2570.901        | 15.88       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_15M\_L\_Outer\_Full(16QAM)

### 25.10. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2555                 | 1         | RMS      | 2555            | -39.74      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.95         | -31.89      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -30.65      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2569.995        | -32.69      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2582.112        | 1.15        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_15M\_L\_Edge\_1RB\_Left(QPSK)

### 25.11. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2555                 | 1         | RMS      | 2554.775        | -48.77      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.35         | -40.78      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -32.42      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2569.995        | -20.89      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2570.901        | 16.8        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_15M\_L\_Outer\_Full(QPSK)

### 25.12. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2555                 | 1         | RMS      | 2555            | -40.2       | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.825        | -30.52      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -29.7       | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2569.993        | -31.35      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS      | 2574.404        | 1.99        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_15M\_H\_Edge\_1RB\_Right(16QAM)

### 25.13. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2619.199        | 18.43       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -14.74      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -18.59      | -10         | Pass    | 401         |
| 2625                  | 2635                 | 1         | RMS      | 2625.375        | -38.82      | -13         | Pass    | 401         |
| 2635                  | 2725                 | 1         | RMS      | 2635            | -45.7       | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_15M\_H\_Outer\_Full(16QAM)

### 25.14. NR Band Edge for Upper(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2610.891        | 4.57        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -33.36      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621.02         | -29.83      | -10         | Pass    | 401         |
| 2625                  | 2635                 | 1         | RMS      | 2625.05         | -30.85      | -13         | Pass    | 401         |
| 2635                  | 2725                 | 1         | RMS      | 2635            | -36.45      | -25         | Pass    | 401         |






## 25. NR\_n38\_SCS30\_15M\_H\_Edge\_1RB\_Right(QPSK)

### 25.15. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2619.199        | 19.65       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -13.65      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -16.83      | -10         | Pass    | 401         |
| 2625                  | 2635                 | 1         | RMS      | 2625.675        | -38.11      | -13         | Pass    | 401         |
| 2635                  | 2725                 | 1         | RMS      | 2635            | -45.68      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_15M\_H\_Outer\_Full(QPSK)

### 25.16. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2614.194        | 5.72        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -33.57      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -29.23      | -10         | Pass    | 401         |
| 2625                  | 2635                 | 1         | RMS      | 2625.2          | -30.67      | -13         | Pass    | 401         |
| 2635                  | 2725                 | 1         | RMS      | 2635            | -36.52      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 25.17. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2550                 | 1         | RMS       | 2550            | -50.3       | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS       | 2562.075        | -43.38      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS       | 2569            | -33.68      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS       | 2570            | -23.48      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS       | 2571.101        | 15.66       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_20M\_L\_Outer\_Full(16QAM)

### 25.18. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2550                 | 1         | RMS       | 2550            | -41.03      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS       | 2564.888        | -32.52      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS       | 2569            | -32.23      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS       | 2570            | -35.82      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS       | 2586.316        | -0.21       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 25.19. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2550                 | 1         | RMS       | 2549.575        | -50.26      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS       | 2562.075        | -42.78      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS       | 2569            | -32.67      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS       | 2569.995        | -22.1       | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS       | 2571.101        | 16.98       | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_20M\_L\_Outer\_Full(QPSK)

### 25.20. NR Band Edge for Lower(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2465                  | 2550                 | 1         | RMS       | 2540.65         | -41.33      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS       | 2565            | -31.41      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS       | 2569            | -30.82      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS       | 2569.995        | -33.04      | -10         | Pass    | 401         |
| 2570                  | 2670                 | 0.1       | RMS       | 2573.504        | 0.93        | 30          | Pass    | 1000        |



## 25. NR\_n38\_SCS30\_20M\_H\_Edge\_1RB\_Right(16QAM)

### 25.21. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2618.999        | 18.43       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -17.28      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -23.5       | -10         | Pass    | 401         |
| 2625                  | 2640                 | 1         | RMS      | 2628.075        | -40.48      | -13         | Pass    | 401         |
| 2640                  | 2725                 | 1         | RMS      | 2640            | -47.24      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_20M\_H\_Outer\_Full(16QAM)

### 25.22. NR Band Edge for Upper(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS      | 2612.593        | 2.68        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS      | 2620            | -33.5       | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS      | 2621.05         | -30.45      | -10         | Pass    | 401         |
| 2625                  | 2640                 | 1         | RMS      | 2625            | -31.34      | -13         | Pass    | 401         |
| 2640                  | 2725                 | 1         | RMS      | 2641.275        | -37.21      | -25         | Pass    | 401         |






## 25. NR\_n38\_SCS30\_20M\_H\_Edge\_1RB\_Right(QPSK)

### 25.23. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS       | 2619.099        | 19.43       | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS       | 2620            | -16.24      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS       | 2621            | -22.52      | -10         | Pass    | 401         |
| 2625                  | 2640                 | 1         | RMS       | 2627.888        | -39.94      | -13         | Pass    | 401         |
| 2640                  | 2725                 | 1         | RMS       | 2640            | -47.16      | -25         | Pass    | 401         |



## 25. NR\_n38\_SCS30\_20M\_H\_Outer\_Full(QPSK)

### 25.24. NR Band Edge for Upper(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2620                 | 0.1       | RMS       | 2615.596        | 4.16        | 30          | Pass    | 1000        |
| 2620                  | 2621                 | 0.4       | RMS       | 2620            | -32.93      | -10         | Pass    | 4           |
| 2621                  | 2625                 | 1         | RMS       | 2621.86         | -29.95      | -10         | Pass    | 401         |
| 2625                  | 2640                 | 1         | RMS       | 2625            | -31.2       | -13         | Pass    | 401         |
| 2640                  | 2725                 | 1         | RMS       | 2640.85         | -37.29      | -25         | Pass    | 401         |



## 26. n41 30kHz\_PC3


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS       | 2490            | -45.28      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS       | 2495            | -25.36      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS       | 2496            | -26.88      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS       | 2496.75         | 20.61       | 30          | Pass    | 401         |




**26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -34.46      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.988        | -28.18      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.2       | RMS      | 2496            | -57.92      | -10         | Pass    | 6           |
| 2496                  | 2596                 | 1         | RMS      | 2504            | 12.11       | 30          | Pass    | 401         |




**26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS       | 2490            | -45.04      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS       | 2495            | -25.38      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS       | 2496            | -26.82      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS       | 2496.75         | 21.74       | 30          | Pass    | 401         |




**26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -32.42      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -26.91      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.2       | RMS      | 2495.4          | -58.14      | -10         | Pass    | 6           |
| 2496                  | 2596                 | 1         | RMS      | 2501.5          | 13.27       | 30          | Pass    | 401         |




**26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 20.26       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.003        | -25.25      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -26.68      | -10         | Pass    | 401         |
| 2695                  | 2700                 | 1         | RMS      | 2695            | -44.69      | -13         | Pass    | 401         |
| 2700                  | 2795                 | 1         | RMS      | 2700            | -48.48      | -25         | Pass    | 401         |



**26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2682.5          | 11.66       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.2       | RMS      | 2691            | -57.88      | -10         | Pass    | 6           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -31.62      | -10         | Pass    | 401         |
| 2695                  | 2700                 | 1         | RMS      | 2695.088        | -33.7       | -13         | Pass    | 401         |
| 2700                  | 2705                 | 1         | RMS      | 2700.038        | -38.25      | -25         | Pass    | 401         |
| 2705                  | 2795                 | 1         | RMS      | 2705            | -43.1       | -25         | Pass    | 401         |






**26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689.25         | 21.27       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -24.1       | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -25.41      | -10         | Pass    | 401         |
| 2695                  | 2700                 | 1         | RMS      | 2695.05         | -44.47      | -13         | Pass    | 401         |
| 2700                  | 2795                 | 1         | RMS      | 2700            | -48.5       | -25         | Pass    | 401         |




**26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2685            | 12.86       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.2       | RMS      | 2690            | -57.57      | -10         | Pass    | 6           |
| 2691                  | 2695                 | 1         | RMS      | 2691.02         | -30.74      | -10         | Pass    | 401         |
| 2695                  | 2700                 | 1         | RMS      | 2695.038        | -33.23      | -13         | Pass    | 401         |
| 2700                  | 2705                 | 1         | RMS      | 2700.138        | -38.51      | -25         | Pass    | 401         |
| 2705                  | 2795                 | 1         | RMS      | 2705            | -41.24      | -25         | Pass    | 401         |




**26.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -46.58      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.82      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.985        | -28.7       | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 20.33       | 30          | Pass    | 401         |




**26.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.505        | -38.83      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -36.88      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -31.56      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2532            | 4.1         | 30          | Pass    | 401         |




**26.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -46.33      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27         | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.998        | -26.44      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.55       | 30          | Pass    | 401         |




**26.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -37.04      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.938        | -35.24      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -29.02      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2541.5          | 5.24        | 30          | Pass    | 401         |



**26.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 19.87       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -26.79      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.97      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -45.79      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2788.138        | -49.9       | -25         | Pass    | 401         |



**26.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2653            | 3.6         | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -31.99      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -38.35      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695.138        | -40.08      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2771.15         | -49.9       | -25         | Pass    | 401         |






**26.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.04       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -23.73      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -27.52      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -45.5       | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2773.288        | -49.96      | -25         | Pass    | 401         |




**26.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2653.5          | 4.57        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -32.95      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691.01         | -38.83      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2696.513        | -39.84      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2778.013        | -49.93      | -25         | Pass    | 401         |




**26.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -45.93      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.93      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.998        | -29.74      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 19.64       | 30          | Pass    | 401         |




**26.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2488.515        | -40.06      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -38.82      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -35.49      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2579            | 1.61        | 30          | Pass    | 401         |




**26.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -45.37      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.988        | -27.7       | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -28.22      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.07       | 30          | Pass    | 401         |




**26.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.01         | -37.41      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.963        | -36.53      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -33.28      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2579.5          | 2.68        | 30          | Pass    | 401         |




**26.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 19.16       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.008        | -27.09      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691.01         | -29.5       | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2710.438        | -44.3       | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2790.675        | -49.92      | -25         | Pass    | 401         |



**26.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2641.5          | 1.32        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -41.01      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2692.19         | -40.45      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2697.85         | -40.54      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2790.125        | -50.02      | -25         | Pass    | 401         |





**26.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 20.46       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -25.15      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -27.71      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2710.675        | -43.65      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.638        | -49.96      | -25         | Pass    | 401         |



**26.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2612.5          | 2.46        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1         | RMS      | 2690            | -39.68      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.93         | -38.69      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695.475        | -38.43      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2793.913        | -49.98      | -25         | Pass    | 401         |



---

END