

---


## **Annex A.5 Spurious Emission at Antenna Terminals**

# GSM

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.44	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.84	-13	Pass	2986
30	500	0.1	Peak	466.3	-41.36	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.4	-13	N/A	5001
1000	10000	1	Peak	7975.852	-20.7	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.29	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.39	-13	Pass	2986
30	500	0.1	Peak	355.7	-42.14	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.45	-13	N/A	5001
1000	10000	1	Peak	8369.9	-20.33	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-57.11	-13	Pass	401
0.15	30	0.01	Peak	15.1	-52.28	-13	Pass	2986
30	500	0.1	Peak	478.8	-40.95	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.42	-13	N/A	5001
1000	10000	1	Peak	6987.731	-20.46	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.79	-13	Pass	2986
30	1000	0.1	Peak	891.428	-46.63	-13	Pass	9700
1000	3000	1	Peak	1851	26.78	-13	N/A	2001
3000	20000	1	Peak	3701.086	-41.88	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.78	-13	Pass	401
0.15	30	0.01	Peak	0.37	-59.46	-13	Pass	2986
30	1000	0.1	Peak	678.079	-46.65	-13	Pass	9700
1000	3000	1	Peak	1880	29.11	-13	N/A	2001
3000	20000	1	Peak	19085.964	-45.1	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.7	-13	Pass	2986
30	1000	0.1	Peak	891.428	-47.26	-13	Pass	9700
1000	3000	1	Peak	1909	25.29	-13	N/A	2001
3000	20000	1	Peak	19740	-44.93	-13	Pass	17001




## EGPRS

### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.02	-13	Pass	401
0.15	30	0.01	Peak	0.39	-53.14	-13	Pass	2986
30	500	0.1	Peak	465.8	-42.14	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.61	-13	N/A	5001
1000	10000	1	Peak	8984.975	-20.82	-13	Pass	9001






### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.73	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.02	-13	Pass	2986
30	500	0.1	Peak	469.4	-40.97	-13	Pass	4701
500	1000	0.1	Peak	836.7	27.65	-13	N/A	5001
1000	10000	1	Peak	8012.856	-20.6	-13	Pass	9001



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.07	-13	Pass	2986
30	500	0.1	Peak	364.9	-41.29	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.42	-13	N/A	5001
1000	10000	1	Peak	7125.748	-20.22	-13	Pass	9001



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.42	-13	Pass	401
0.15	30	0.01	Peak	0.28	-59.38	-13	Pass	2986
30	1000	0.1	Peak	708.883	-46.82	-13	Pass	9700
1000	3000	1	Peak	1850	23.85	-13	N/A	2001
3000	20000	1	Peak	19773	-44.59	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.78	-13	Pass	401
0.15	30	0.01	Peak	0.33	-59.08	-13	Pass	2986
30	1000	0.1	Peak	864.01	-46.45	-13	Pass	9700
1000	3000	1	Peak	1881	22.58	-13	N/A	2001
3000	20000	1	Peak	19104.966	-45.02	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.21	-13	Pass	401
0.15	30	0.01	Peak	2.9	-59.43	-13	Pass	2986
30	1000	0.1	Peak	870.614	-47.1	-13	Pass	9700
1000	3000	1	Peak	1911	21.72	-13	N/A	2001
3000	20000	1	Peak	19792	-44.93	-13	Pass	17001




## WCDMA

### 5. WCDMA\_Band5


#### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.11	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.09	-13	Pass	2985
30	500	0.1	Peak	430.785	-52.73	-13	Pass	4700
500	1000	0.1	Peak	824.865	17.16	-13	N/A	5000
1000	10000	1	Peak	7635.81	-31.07	-13	Pass	9000




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.82	-13	Pass	401
0.15	30	0.01	Peak	0.45	-62.31	-13	Pass	2985
30	500	0.1	Peak	485.397	-51.83	-13	Pass	4700
500	1000	0.1	Peak	835.067	17.18	-13	N/A	5000
1000	10000	1	Peak	9302.136	-30.74	-13	Pass	9000



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.82	-13	Pass	401
0.15	30	0.01	Peak	17.776	-64.45	-13	Pass	2985
30	500	0.1	Peak	328.464	-51.83	-13	Pass	4700
500	1000	0.1	Peak	847.169	17.37	-13	N/A	5000
1000	10000	1	Peak	8993.976	-29.7	-13	Pass	9000






# LTE

## 6. LTE\_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.18	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.6	-13	Pass	7840
814	860	0.1	RMS	824.222	20.12	60	Pass	460
860	1000	0.1	RMS	984.689	-63.49	-13	Pass	1400
1000	3000	1	RMS	2951.976	-49.41	-13	Pass	2000
3000	10000	1	RMS	7032.576	-40.06	-13	Pass	7000




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.02	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.02	-13	Pass	7840
814	860	0.1	RMS	824.222	19.14	60	Pass	460
860	1000	0.1	RMS	875.611	-63.45	-13	Pass	1400
1000	3000	1	RMS	2840.92	-49.36	-13	Pass	2000
3000	10000	1	RMS	7999.714	-43.72	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	Pass	2985
30	814	0.1	RMS	467.456	-63.75	-13	Pass	7840
814	860	0.1	RMS	836.048	20.41	60	Pass	460
860	1000	0.1	RMS	862.302	-63.36	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.1	-13	Pass	2000
3000	10000	1	RMS	7999.714	-43.65	-13	Pass	7000




**6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.2	-13	Pass	401
0.15	30	0.01	RMS	24.428	-69.96	-13	Pass	2985
30	814	0.1	RMS	807.899	-63.8	-13	Pass	7840
814	860	0.1	RMS	836.048	19.44	60	Pass	460
860	1000	0.1	RMS	862.702	-63.49	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.11	-13	Pass	2000
3000	10000	1	RMS	7995.714	-43.7	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	Pass	401
0.15	30	0.01	RMS	24.908	-70.02	-13	Pass	2985
30	814	0.1	RMS	484.058	-63.63	-13	Pass	7840
814	860	0.1	RMS	847.874	20.18	60	Pass	460
860	1000	0.1	RMS	882.416	-63.34	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.53	-13	Pass	2000
3000	10000	1	RMS	8001.715	-43.92	-13	Pass	7000




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	727.189	-63.66	-13	Pass	7840
814	860	0.1	RMS	847.874	19.31	60	Pass	460
860	1000	0.1	RMS	885.919	-63.47	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.44	-13	Pass	2000
3000	10000	1	RMS	7996.714	-43.88	-13	Pass	7000




**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2985
30	814	0.1	RMS	793.797	-61.49	-13	Pass	7840
814	860	0.1	RMS	824.222	20.34	60	Pass	460
860	1000	0.1	RMS	874.31	-63.42	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.3	-13	Pass	2000
3000	10000	1	RMS	7039.577	-40.96	-13	Pass	7000



**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2985
30	814	0.1	RMS	671.982	-62.03	-13	Pass	7840
814	860	0.1	RMS	824.222	19.45	60	Pass	460
860	1000	0.1	RMS	875.211	-63.39	-13	Pass	1400
1000	3000	1	RMS	2947.974	-49.32	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.58	-13	Pass	7000






**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2985
30	814	0.1	RMS	476.457	-61.16	-13	Pass	7840
814	860	0.1	RMS	835.246	20.43	60	Pass	460
860	1000	0.1	RMS	861.301	-60.88	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.02	-13	Pass	2000
3000	10000	1	RMS	7999.714	-43.65	-13	Pass	7000




**6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.84	-13	Pass	2985
30	814	0.1	RMS	638.678	-61.79	-13	Pass	7840
814	860	0.1	RMS	835.246	19.46	60	Pass	460
860	1000	0.1	RMS	877.112	-63.28	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.98	-13	Pass	2000
3000	10000	1	RMS	7995.714	-43.69	-13	Pass	7000




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	24.638	-71.12	-13	Pass	2985
30	814	0.1	RMS	682.183	-61.99	-13	Pass	7840
814	860	0.1	RMS	846.27	20.21	60	Pass	460
860	1000	0.1	RMS	896.826	-61.02	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.98	-13	Pass	2000
3000	10000	1	RMS	7111.587	-43.7	-13	Pass	7000




**6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.89	-13	Pass	2985
30	814	0.1	RMS	483.958	-63.67	-13	Pass	7840
814	860	0.1	RMS	846.27	19.28	60	Pass	460
860	1000	0.1	RMS	870.207	-63.08	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48	-13	Pass	2000
3000	10000	1	RMS	7999.714	-43.85	-13	Pass	7000




**6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.85	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.57	-13	Pass	7840
814	860	0.1	RMS	824.322	20.16	60	Pass	460
860	1000	0.1	RMS	978.385	-63.39	-13	Pass	1400
1000	3000	1	RMS	2946.973	-49.54	-13	Pass	2000
3000	10000	1	RMS	7037.577	-41.29	-13	Pass	7000




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.38	-71.49	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.322	19.27	60	Pass	460
860	1000	0.1	RMS	873.61	-63.29	-13	Pass	1400
1000	3000	1	RMS	2839.92	-49.27	-13	Pass	2000
3000	10000	1	RMS	8005.715	-43.59	-13	Pass	7000




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.06	-13	Pass	2985
30	814	0.1	RMS	811.3	-63.72	-13	Pass	7840
814	860	0.1	RMS	834.344	20.31	60	Pass	460
860	1000	0.1	RMS	976.283	-63.34	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.37	-13	Pass	2000
3000	10000	1	RMS	8003.715	-43.69	-13	Pass	7000



**6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	Pass	2985
30	814	0.1	RMS	722.188	-63.67	-13	Pass	7840
814	860	0.1	RMS	834.344	19.51	60	Pass	460
860	1000	0.1	RMS	866.204	-63.39	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.09	-13	Pass	2000
3000	10000	1	RMS	7998.714	-43.69	-13	Pass	7000






**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	11.274	-70	-13	Pass	2985
30	814	0.1	RMS	480.757	-61.15	-13	Pass	7840
814	860	0.1	RMS	844.366	19.88	60	Pass	460
860	1000	0.1	RMS	892.523	-61.01	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.74	-13	Pass	2000
3000	10000	1	RMS	8000.714	-43.66	-13	Pass	7000




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	Pass	401
0.15	30	0.01	RMS	24.508	-70.25	-13	Pass	2985
30	814	0.1	RMS	716.288	-63.75	-13	Pass	7840
814	860	0.1	RMS	844.366	19.31	60	Pass	460
860	1000	0.1	RMS	870.808	-63.47	-13	Pass	1400
1000	3000	1	RMS	2920.96	-49.42	-13	Pass	2000
3000	10000	1	RMS	7998.714	-43.89	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.77	-13	Pass	2985
30	814	0.1	RMS	494.159	-61.26	-13	Pass	7840
814	860	0.1	RMS	824.623	20.04	60	Pass	460
860	1000	0.1	RMS	865.304	-63.44	-13	Pass	1400
1000	3000	1	RMS	2923.962	-49.4	-13	Pass	2000
3000	10000	1	RMS	7039.577	-40.51	-13	Pass	7000




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.77	-13	Pass	7840
814	860	0.1	RMS	824.623	19.31	60	Pass	460
860	1000	0.1	RMS	890.322	-63.38	-13	Pass	1400
1000	3000	1	RMS	2841.921	-49.39	-13	Pass	2000
3000	10000	1	RMS	8000.714	-43.75	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	3.481	-70.12	-13	Pass	2985
30	814	0.1	RMS	791.597	-61.35	-13	Pass	7840
814	860	0.1	RMS	832.139	19.72	60	Pass	460
860	1000	0.1	RMS	862.402	-60.82	-13	Pass	1400
1000	3000	1	RMS	1663.332	-46.97	-13	Pass	2000
3000	10000	1	RMS	7998.714	-43.59	-13	Pass	7000




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	Pass	401
0.15	30	0.01	RMS	4.672	-70.03	-13	Pass	2985
30	814	0.1	RMS	483.858	-61.16	-13	Pass	7840
814	860	0.1	RMS	832.139	18.71	60	Pass	460
860	1000	0.1	RMS	895.125	-60.82	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48	-13	Pass	2000
3000	10000	1	RMS	7991.713	-43.81	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	814	0.1	RMS	452.854	-61.42	-13	Pass	7840
814	860	0.1	RMS	839.556	20.07	60	Pass	460
860	1000	0.1	RMS	876.212	-60.8	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.27	-13	Pass	2000
3000	10000	1	RMS	7998.714	-43.59	-13	Pass	7000



**6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2985
30	814	0.1	RMS	733.09	-63.43	-13	Pass	7840
814	860	0.1	RMS	839.556	19.09	60	Pass	460
860	1000	0.1	RMS	985.089	-61.09	-13	Pass	1400
1000	3000	1	RMS	2839.92	-49.39	-13	Pass	2000
3000	10000	1	RMS	8006.715	-43.87	-13	Pass	7000






## 7. LTE\_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-25	Pass	2985
30	1000	0.1	RMS	894.961	-63.26	-25	Pass	9699
1000	2490	1	RMS	2490	-50.05	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.73	60	Pass	401
2580	3000	1	RMS	2952.888	-49.33	-25	Pass	420
3000	12000	1	RMS	7160.508	-50.03	-25	Pass	9000
12000	26000	1	RMS	25875.979	-40.01	-25	Pass	14000




**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.62	-25	Pass	2985
30	1000	0.1	RMS	866.223	-63.22	-25	Pass	9699
1000	2490	1	RMS	2490	-50.15	-25	Pass	1490
2490	2580	1	RMS	2500.125	20.81	60	Pass	401
2580	3000	1	RMS	2944.869	-49.51	-25	Pass	420
3000	12000	1	RMS	11523.41	-52.77	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.07	-25	Pass	14000




**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	Pass	2985
30	1000	0.1	RMS	922.798	-63.32	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.45	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.23	60	Pass	401
2580	3000	1	RMS	2948.878	-49.31	-25	Pass	420
3000	12000	1	RMS	11519.405	-52.61	-25	Pass	9000
12000	26000	1	RMS	25906.984	-39.92	-25	Pass	14000




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-25	Pass	2985
30	1000	0.1	RMS	965.755	-63.39	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.56	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.44	60	Pass	401
2580	3000	1	RMS	2840.621	-49.53	-25	Pass	420
3000	12000	1	RMS	11601.507	-52.87	-25	Pass	9000
12000	26000	1	RMS	25878.979	-40.06	-25	Pass	14000




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2985
30	1000	0.1	RMS	866.723	-63.21	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.49	-25	Pass	1490
2490	2580	1	RMS	2565.15	22.01	60	Pass	401
2580	3000	1	RMS	2942.864	-49.35	-25	Pass	420
3000	12000	1	RMS	11517.403	-52.66	-25	Pass	9000
12000	26000	1	RMS	25904.984	-40.04	-25	Pass	14000




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.25	-25	Pass	2985
30	1000	0.1	RMS	449.051	-61.76	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.22	60	Pass	401
2580	3000	1	RMS	2949.881	-49.52	-25	Pass	420
3000	12000	1	RMS	7167.509	-50.68	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.16	-25	Pass	14000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-25	Pass	2985
30	1000	0.1	RMS	866.423	-63.27	-25	Pass	9699
1000	2490	1	RMS	2482.995	-48.84	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.96	60	Pass	401
2580	3000	1	RMS	2940.859	-49.47	-25	Pass	420
3000	12000	1	RMS	11518.404	-52.67	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.07	-25	Pass	14000



**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.37	-25	Pass	2985
30	1000	0.1	RMS	866.122	-63.3	-25	Pass	9699
1000	2490	1	RMS	2490	-49.06	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.12	60	Pass	401
2580	3000	1	RMS	2952.888	-49.38	-25	Pass	420
3000	12000	1	RMS	11523.41	-52.57	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.03	-25	Pass	14000






**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-25	Pass	401
0.15	30	0.01	RMS	14.955	-70.5	-25	Pass	2985
30	1000	0.1	RMS	388.444	-61.74	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.11	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.4	60	Pass	401
2580	3000	1	RMS	2840.621	-49.5	-25	Pass	420
3000	12000	1	RMS	11523.41	-52.83	-25	Pass	9000
12000	26000	1	RMS	25886.981	-40.2	-25	Pass	14000




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	Pass	2985
30	1000	0.1	RMS	879.941	-63.36	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.56	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.4	60	Pass	401
2580	3000	1	RMS	2840.621	-49.49	-25	Pass	420
3000	12000	1	RMS	11520.406	-52.92	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.03	-25	Pass	14000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-25	Pass	2985
30	1000	0.1	RMS	860.215	-63.33	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.58	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.19	60	Pass	401
2580	3000	1	RMS	2580	-49.51	-25	Pass	420
3000	12000	1	RMS	7165.508	-50.15	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.06	-25	Pass	14000




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-25	Pass	401
0.15	30	0.01	RMS	18.276	-70.55	-25	Pass	2985
30	1000	0.1	RMS	993.191	-61.16	-25	Pass	9699
1000	2490	1	RMS	2490	-50.4	-25	Pass	1490
2490	2580	1	RMS	2560.425	21.3	60	Pass	401
2580	3000	1	RMS	2580	-49.34	-25	Pass	420
3000	12000	1	RMS	11602.508	-52.86	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.18	-25	Pass	14000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.8	-25	Pass	2985
30	1000	0.1	RMS	982.577	-62.26	-25	Pass	9699
1000	2490	1	RMS	2490	-47.06	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.92	60	Pass	401
2580	3000	1	RMS	2949.881	-49.34	-25	Pass	420
3000	12000	1	RMS	11519.405	-52.64	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.11	-25	Pass	14000




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.68	-25	Pass	2985
30	1000	0.1	RMS	921.296	-63.31	-25	Pass	9699
1000	2490	1	RMS	2490	-47.17	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.08	60	Pass	401
2580	3000	1	RMS	2837.613	-49.32	-25	Pass	420
3000	12000	1	RMS	11516.401	-52.73	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.08	-25	Pass	14000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.01	-25	Pass	2985
30	1000	0.1	RMS	878.539	-63.17	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.62	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.33	60	Pass	401
2580	3000	1	RMS	2949.881	-49.54	-25	Pass	420
3000	12000	1	RMS	11608.515	-52.83	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.15	-25	Pass	14000



**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.73	-25	Pass	2985
30	1000	0.1	RMS	899.266	-63.34	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.53	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.38	60	Pass	401
2580	3000	1	RMS	2947.876	-49.35	-25	Pass	420
3000	12000	1	RMS	7166.509	-50.22	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.04	-25	Pass	14000






**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.88	-25	Pass	2985
30	1000	0.1	RMS	904.173	-60.78	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.36	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.11	60	Pass	401
2580	3000	1	RMS	2582.005	-27.33	-25	Pass*	420
3000	12000	1	RMS	11601.507	-52.65	-25	Pass	9000
12000	26000	1	RMS	25900.983	-39.98	-25	Pass	14000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	29.9	-70.21	-25	Pass	2985
30	1000	0.1	RMS	865.221	-61.2	-25	Pass	9699
1000	2490	1	RMS	2490	-50.34	-25	Pass	1490
2490	2580	1	RMS	2555.7	21.26	60	Pass	401
2580	3000	1	RMS	2582.005	-28.71	-25	Pass*	420
3000	12000	1	RMS	11607.514	-52.89	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.11	-25	Pass	14000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.47	-25	Pass	2985
30	1000	0.1	RMS	999.8	-60.84	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.49	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.77	60	Pass	401
2580	3000	1	RMS	2841.623	-49.35	-25	Pass	420
3000	12000	1	RMS	11605.512	-52.7	-25	Pass	9000
12000	26000	1	RMS	25867.977	-40.16	-25	Pass	14000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.71	-25	Pass	2985
30	1000	0.1	RMS	906.376	-63.4	-25	Pass	9699
1000	2490	1	RMS	2490	-48.02	-25	Pass	1490
2490	2580	1	RMS	2501.025	20.94	60	Pass	401
2580	3000	1	RMS	2953.89	-49.42	-25	Pass	420
3000	12000	1	RMS	11520.406	-52.74	-25	Pass	9000
12000	26000	1	RMS	25884.98	-40.12	-25	Pass	14000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.67	-25	Pass	2985
30	1000	0.1	RMS	854.407	-63.11	-25	Pass	9699
1000	2490	1	RMS	2490	-49.35	-25	Pass	1490
2490	2580	1	RMS	2526	22.12	60	Pass	401
2580	3000	1	RMS	2845.632	-49.47	-25	Pass	420
3000	12000	1	RMS	7159.508	-49.75	-25	Pass	9000
12000	26000	1	RMS	25896.982	-39.95	-25	Pass	14000




**7.2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-25	Pass	401
0.15	30	0.01	RMS	15.025	-69.85	-25	Pass	2985
30	1000	0.1	RMS	374.142	-61.42	-25	Pass	9699
1000	2490	1	RMS	2490	-50.06	-25	Pass	1490
2490	2580	1	RMS	2526	21.23	60	Pass	401
2580	3000	1	RMS	2944.869	-49.35	-25	Pass	420
3000	12000	1	RMS	11518.404	-52.58	-25	Pass	9000
12000	26000	1	RMS	25878.979	-40.05	-25	Pass	14000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.59	-25	Pass	401
0.15	30	0.01	RMS	15.875	-70.22	-25	Pass	2985
30	1000	0.1	RMS	628.873	-61.48	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.42	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.99	60	Pass	401
2580	3000	1	RMS	2586.014	-28.81	-25	Pass*	420
3000	12000	1	RMS	11608.515	-52.56	-25	Pass	9000
12000	26000	1	RMS	25892.982	-40.03	-25	Pass	14000



**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	Pass	2985
30	1000	0.1	RMS	977.771	-61.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.48	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.05	60	Pass	401
2580	3000	1	RMS	2586.014	-30.5	-25	Pass*	420
3000	12000	1	RMS	11597.502	-52.81	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.19	-25	Pass	14000






## 8. LTE\_Band38


### 8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.81	-25	Pass	2985
30	1000	0.1	RMS	983.478	-61.38	-25	Pass	9699
1000	2560	1	RMS	2560	-46.86	-25	Pass	1560
2560	2630	1	RMS	2570.15	20.72	60	Pass	401
2630	3000	1	RMS	2948.2	-47.3	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.58	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.06	-25	Pass	14500




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.33	-25	Pass	401
0.15	30	0.01	RMS	22.287	-68.66	-25	Pass	2985
30	1000	0.1	RMS	281.631	-61.05	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.19	-25	Pass	1560
2560	2630	1	RMS	2570.15	19.57	60	Pass	401
2630	3000	1	RMS	2947.275	-47.33	-25	Pass	401
3000	12000	1	RMS	7160.508	-47.64	-25	Pass	9000
12000	26500	1	RMS	25894.904	-38.12	-25	Pass	14500




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.58	-25	Pass	2985
30	1000	0.1	RMS	483.155	-60.27	-25	Pass	9699
1000	2560	1	RMS	2521.976	-47.97	-25	Pass	1560
2560	2630	1	RMS	2592.725	21.02	60	Pass	401
2630	3000	1	RMS	2958.375	-47.35	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.56	-25	Pass	9000
12000	26500	1	RMS	25906.906	-38.01	-25	Pass	14500




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.52	-25	Pass	2985
30	1000	0.1	RMS	871.53	-61.42	-25	Pass	9699
1000	2560	1	RMS	2516.972	-48.15	-25	Pass	1560
2560	2630	1	RMS	2592.725	19.97	60	Pass	401
2630	3000	1	RMS	2838.125	-47.51	-25	Pass	401
3000	12000	1	RMS	11522.409	-50.71	-25	Pass	9000
12000	26500	1	RMS	25891.904	-38.1	-25	Pass	14500




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.28	-25	Pass	2985
30	1000	0.1	RMS	895.762	-61.28	-25	Pass	9699
1000	2560	1	RMS	2553.996	-47.94	-25	Pass	1560
2560	2630	1	RMS	2615.3	21.62	60	Pass	401
2630	3000	1	RMS	2631.85	-47.04	-25	Pass	401
3000	12000	1	RMS	11525.413	-50.63	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38	-25	Pass	14500




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.51	-25	Pass	401
0.15	30	0.01	RMS	1.62	-67.79	-25	Pass	2985
30	1000	0.1	RMS	982.076	-58.94	-25	Pass	9699
1000	2560	1	RMS	2560	-47.84	-25	Pass	1560
2560	2630	1	RMS	2615.3	20.1	60	Pass	401
2630	3000	1	RMS	2630	-46.68	-25	Pass	401
3000	12000	1	RMS	11524.411	-50.78	-25	Pass	9000
12000	26500	1	RMS	25883.902	-38.1	-25	Pass	14500




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-25	Pass	2985
30	1000	0.1	RMS	881.643	-61.25	-25	Pass	9699
1000	2560	1	RMS	2560	-45.26	-25	Pass	1560
2560	2630	1	RMS	2570.5	21.24	60	Pass	401
2630	3000	1	RMS	2950.05	-47.42	-25	Pass	401
3000	12000	1	RMS	7163.508	-48.32	-25	Pass	9000
12000	26500	1	RMS	25879.902	-37.96	-25	Pass	14500



**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2985
30	1000	0.1	RMS	978.171	-61.41	-25	Pass	9699
1000	2560	1	RMS	2560	-45.17	-25	Pass	1560
2560	2630	1	RMS	2570.5	20.41	60	Pass	401
2630	3000	1	RMS	2836.275	-47.46	-25	Pass	401
3000	12000	1	RMS	11522.409	-50.77	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.04	-25	Pass	14500






**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-25	Pass	2985
30	1000	0.1	RMS	867.825	-61.39	-25	Pass	9699
1000	2560	1	RMS	2560	-47.83	-25	Pass	1560
2560	2630	1	RMS	2590.625	20.99	60	Pass	401
2630	3000	1	RMS	2842.75	-47.48	-25	Pass	401
3000	12000	1	RMS	11521.408	-50.85	-25	Pass	9000
12000	26500	1	RMS	25903.906	-38.05	-25	Pass	14500




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	879.741	-61.39	-25	Pass	9699
1000	2560	1	RMS	2557.999	-47.87	-25	Pass	1560
2560	2630	1	RMS	2590.45	19.77	60	Pass	401
2630	3000	1	RMS	2950.975	-47.45	-25	Pass	401
3000	12000	1	RMS	11602.508	-50.71	-25	Pass	9000
12000	26500	1	RMS	25897.905	-37.96	-25	Pass	14500




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.88	-25	Pass	2985
30	1000	0.1	RMS	972.664	-61.46	-25	Pass	9699
1000	2560	1	RMS	2558.999	-48	-25	Pass	1560
2560	2630	1	RMS	2610.575	21.64	60	Pass	401
2630	3000	1	RMS	2933.4	-47.34	-25	Pass	401
3000	12000	1	RMS	11597.502	-50.67	-25	Pass	9000
12000	26500	1	RMS	25885.903	-37.97	-25	Pass	14500




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-25	Pass	2985
30	1000	0.1	RMS	378.543	-59.42	-25	Pass	9699
1000	2560	1	RMS	2551.995	-47.97	-25	Pass	1560
2560	2630	1	RMS	2610.575	20.67	60	Pass	401
2630	3000	1	RMS	2942.65	-47.32	-25	Pass	401
3000	12000	1	RMS	7144.506	-48.75	-25	Pass	9000
12000	26500	1	RMS	25902.905	-37.98	-25	Pass	14500




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.12	-25	Pass	2985
30	1000	0.1	RMS	837.199	-59.18	-25	Pass	9699
1000	2560	1	RMS	2557.999	-45.55	-25	Pass	1560
2560	2630	1	RMS	2570.85	20.36	60	Pass	401
2630	3000	1	RMS	2949.125	-47.28	-25	Pass	401
3000	12000	1	RMS	11521.408	-50.6	-25	Pass	9000
12000	26500	1	RMS	25910.907	-38	-25	Pass	14500




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.9	-25	Pass	2985
30	1000	0.1	RMS	962.45	-59.2	-25	Pass	9699
1000	2560	1	RMS	2560	-45.05	-25	Pass	1560
2560	2630	1	RMS	2570.85	19.6	60	Pass	401
2630	3000	1	RMS	2939.875	-47.35	-25	Pass	401
3000	12000	1	RMS	11606.513	-50.69	-25	Pass	9000
12000	26500	1	RMS	25890.903	-38.05	-25	Pass	14500




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-25	Pass	2985
30	1000	0.1	RMS	874.133	-61.13	-25	Pass	9699
1000	2560	1	RMS	2522.976	-48.13	-25	Pass	1560
2560	2630	1	RMS	2588.175	21.27	60	Pass	401
2630	3000	1	RMS	2949.125	-47.44	-25	Pass	401
3000	12000	1	RMS	11592.496	-50.72	-25	Pass	9000
12000	26500	1	RMS	25895.904	-38.12	-25	Pass	14500



**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-25	Pass	2985
30	1000	0.1	RMS	860.715	-61.14	-25	Pass	9699
1000	2560	1	RMS	2511.969	-48.17	-25	Pass	1560
2560	2630	1	RMS	2588.175	19.82	60	Pass	401
2630	3000	1	RMS	2950.05	-47.52	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.86	-25	Pass	9000
12000	26500	1	RMS	25901.905	-38.03	-25	Pass	14500






**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.93	-25	Pass	2985
30	1000	0.1	RMS	880.542	-61.08	-25	Pass	9699
1000	2560	1	RMS	2560	-47.85	-25	Pass	1560
2560	2630	1	RMS	2605.675	21.49	60	Pass	401
2630	3000	1	RMS	2631.85	-28.99	-25	Pass*	401
3000	12000	1	RMS	7167.509	-47.87	-25	Pass	9000
12000	26500	1	RMS	25901.905	-38.04	-25	Pass	14500




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.94	-25	Pass	2985
30	1000	0.1	RMS	913.485	-61.28	-25	Pass	9699
1000	2560	1	RMS	2518.974	-48.14	-25	Pass	1560
2560	2630	1	RMS	2605.85	19.97	60	Pass	401
2630	3000	1	RMS	2631.85	-28.74	-25	Pass*	401
3000	12000	1	RMS	11524.411	-50.72	-25	Pass	9000
12000	26500	1	RMS	25892.904	-38.11	-25	Pass	14500




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-25	Pass	2985
30	1000	0.1	RMS	890.755	-61.35	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.5	-25	Pass	1560
2560	2630	1	RMS	2570.85	20.89	60	Pass	401
2630	3000	1	RMS	2957.45	-47.54	-25	Pass	401
3000	12000	1	RMS	7145.506	-47.89	-25	Pass	9000
12000	26500	1	RMS	25899.905	-37.98	-25	Pass	14500




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.93	-25	Pass	2985
30	1000	0.1	RMS	857.611	-61.33	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.37	-25	Pass	1560
2560	2630	1	RMS	2571.025	20.34	60	Pass	401
2630	3000	1	RMS	2839.975	-47.55	-25	Pass	401
3000	12000	1	RMS	11582.483	-50.88	-25	Pass	9000
12000	26500	1	RMS	25894.904	-38.04	-25	Pass	14500




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.64	-25	Pass	2985
30	1000	0.1	RMS	855.909	-61.24	-25	Pass	9699
1000	2560	1	RMS	2550.994	-47.42	-25	Pass	1560
2560	2630	1	RMS	2586.075	20.84	60	Pass	401
2630	3000	1	RMS	2923.225	-47.56	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.94	-25	Pass	9000
12000	26500	1	RMS	25891.904	-38.09	-25	Pass	14500




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.41	-70.03	-25	Pass	2985
30	1000	0.1	RMS	867.925	-61.32	-25	Pass	9699
1000	2560	1	RMS	2550.994	-47.68	-25	Pass	1560
2560	2630	1	RMS	2585.9	19.52	60	Pass	401
2630	3000	1	RMS	2950.975	-47.56	-25	Pass	401
3000	12000	1	RMS	11603.509	-50.89	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.05	-25	Pass	14500




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.73	-25	Pass	2985
30	1000	0.1	RMS	873.032	-61.35	-25	Pass	9699
1000	2560	1	RMS	2509.968	-48.25	-25	Pass	1560
2560	2630	1	RMS	2600.95	20.6	60	Pass	401
2630	3000	1	RMS	2636.475	-30.27	-25	Pass*	401
3000	12000	1	RMS	11600.506	-50.87	-25	Pass	9000
12000	26500	1	RMS	25892.904	-38.15	-25	Pass	14500



**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.86	-25	Pass	2985
30	1000	0.1	RMS	893.859	-61.26	-25	Pass	9699
1000	2560	1	RMS	2551.995	-48.23	-25	Pass	1560
2560	2630	1	RMS	2600.95	20.42	60	Pass	401
2630	3000	1	RMS	2636.475	-32.13	-25	Pass	401
3000	12000	1	RMS	7188.511	-48.32	-25	Pass	9000
12000	26500	1	RMS	25899.905	-38.12	-25	Pass	14500






## 9. LTE\_Band41 full


### 9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.87	-25	Pass	2985
30	1000	0.1	RMS	864.02	-61.34	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.14	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.55	60	Pass	401
2700	3000	1	RMS	2948.25	-47.53	-25	Pass	401
3000	12000	1	RMS	7165.508	-47.62	-25	Pass	9000
12000	27000	1	RMS	25897.838	-37.95	-25	Pass	15000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	Pass	2985
30	1000	0.1	RMS	892.558	-61.27	-25	Pass	9699
1000	2486	1	RMS	2486	-47.78	-25	Pass	1486
2486	2700	1	RMS	2496.165	19.74	60	Pass	401
2700	3000	1	RMS	2838	-47.56	-25	Pass	401
3000	12000	1	RMS	11610.518	-50.84	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.07	-25	Pass	15000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71	-25	Pass	401
0.15	30	0.01	RMS	0.55	-69.88	-25	Pass	2985
30	1000	0.1	RMS	879.34	-61.39	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.75	-25	Pass	1486
2486	2700	1	RMS	2590.325	19.87	60	Pass	401
2700	3000	1	RMS	2952	-47.58	-25	Pass	401
3000	12000	1	RMS	11518.404	-50.88	-25	Pass	9000
12000	27000	1	RMS	25887.837	-38.1	-25	Pass	15000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.89	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.25	-25	Pass	2985
30	1000	0.1	RMS	831.998	-61.36	-25	Pass	9699
1000	2486	1	RMS	2486	-48.57	-25	Pass	1486
2486	2700	1	RMS	2685.02	20.16	60	Pass	401
2700	3000	1	RMS	2950.5	-47.55	-25	Pass	401
3000	12000	1	RMS	11615.524	-50.86	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.09	-25	Pass	15000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.66	-25	Pass	2985
30	1000	0.1	RMS	885.648	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-48.75	-25	Pass	1486
2486	2700	1	RMS	2590.86	19.15	60	Pass	401
2700	3000	1	RMS	2845.5	-47.59	-25	Pass	401
3000	12000	1	RMS	7185.511	-48.31	-25	Pass	9000
12000	27000	1	RMS	25882.836	-38.07	-25	Pass	15000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-25	Pass	2985
30	1000	0.1	RMS	846.8	-61.35	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.68	-25	Pass	1486
2486	2700	1	RMS	2685.02	19.04	60	Pass	401
2700	3000	1	RMS	2839.5	-47.54	-25	Pass	401
3000	12000	1	RMS	11612.52	-50.85	-25	Pass	9000
12000	27000	1	RMS	25899.838	-37.99	-25	Pass	15000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.77	-25	Pass	2985
30	1000	0.1	RMS	486.756	-61.24	-25	Pass	9699
1000	2486	1	RMS	2486	-46.89	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.61	60	Pass	401
2700	3000	1	RMS	2919	-47.57	-25	Pass	401
3000	12000	1	RMS	11523.41	-50.9	-25	Pass	9000
12000	27000	1	RMS	25891.837	-38.05	-25	Pass	15000



**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.62	-25	Pass	2985
30	1000	0.1	RMS	894.16	-61.42	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.44	-25	Pass	1486
2486	2700	1	RMS	2496.165	19.63	60	Pass	401
2700	3000	1	RMS	2838.75	-47.57	-25	Pass	401
3000	12000	1	RMS	11593.497	-50.88	-25	Pass	9000
12000	27000	1	RMS	25899.838	-38.08	-25	Pass	15000






**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.41	-25	Pass	2985
30	1000	0.1	RMS	995.995	-61.18	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.74	-25	Pass	1486
2486	2700	1	RMS	2588.185	20.22	60	Pass	401
2700	3000	1	RMS	2951.25	-47.53	-25	Pass	401
3000	12000	1	RMS	7204.513	-49.26	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.05	-25	Pass	15000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.61	-25	Pass	2985
30	1000	0.1	RMS	827.097	-61.43	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.72	-25	Pass	1486
2486	2700	1	RMS	2588.185	19.58	60	Pass	401
2700	3000	1	RMS	2948.25	-47.58	-25	Pass	401
3000	12000	1	RMS	11607.514	-50.91	-25	Pass	9000
12000	27000	1	RMS	25892.837	-38.02	-25	Pass	15000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.85	-25	Pass	2985
30	1000	0.1	RMS	876.636	-61.29	-25	Pass	9699
1000	2486	1	RMS	2482.998	-48.64	-25	Pass	1486
2486	2700	1	RMS	2680.205	19.75	60	Pass	401
2700	3000	1	RMS	2700	-46.97	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.78	-25	Pass	9000
12000	27000	1	RMS	25890.837	-38.06	-25	Pass	15000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.07	-25	Pass	2985
30	1000	0.1	RMS	978.371	-61.34	-25	Pass	9699
1000	2486	1	RMS	2482.998	-48.77	-25	Pass	1486
2486	2700	1	RMS	2680.205	18.93	60	Pass	401
2700	3000	1	RMS	2700	-47.39	-25	Pass	401
3000	12000	1	RMS	7215.515	-48.83	-25	Pass	9000
12000	27000	1	RMS	25884.836	-38.09	-25	Pass	15000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.77	-25	Pass	2985
30	1000	0.1	RMS	871.229	-61.16	-25	Pass	9699
1000	2486	1	RMS	2482.998	-41.31	-25	Pass	1486
2486	2700	1	RMS	2496.7	19.57	60	Pass	401
2700	3000	1	RMS	2953.5	-47.47	-25	Pass	401
3000	12000	1	RMS	7240.518	-49.64	-25	Pass	9000
12000	27000	1	RMS	25907.84	-38.11	-25	Pass	15000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.72	-25	Pass	2985
30	1000	0.1	RMS	861.016	-61.21	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.92	-25	Pass	1486
2486	2700	1	RMS	2496.165	18.21	60	Pass	401
2700	3000	1	RMS	2946.75	-47.53	-25	Pass	401
3000	12000	1	RMS	11525.413	-50.85	-25	Pass	9000
12000	27000	1	RMS	25905.839	-37.95	-25	Pass	15000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.53	-25	Pass	2985
30	1000	0.1	RMS	871.83	-61.16	-25	Pass	9699
1000	2486	1	RMS	2478.995	-48.72	-25	Pass	1486
2486	2700	1	RMS	2586.045	20.95	60	Pass	401
2700	3000	1	RMS	2943.75	-47.52	-25	Pass	401
3000	12000	1	RMS	11522.409	-50.76	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.03	-25	Pass	15000



**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.42	-69.14	-25	Pass	2985
30	1000	0.1	RMS	868.826	-61.04	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.56	-25	Pass	1486
2486	2700	1	RMS	2586.045	19.54	60	Pass	401
2700	3000	1	RMS	2950.5	-47.52	-25	Pass	401
3000	12000	1	RMS	11521.408	-50.74	-25	Pass	9000
12000	27000	1	RMS	25886.836	-38.1	-25	Pass	15000






**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.13	-25	Pass	2985
30	1000	0.1	RMS	890.154	-61.15	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.79	-25	Pass	1486
2486	2700	1	RMS	2675.925	20.21	60	Pass	401
2700	3000	1	RMS	2702.25	-36.86	-25	Pass	401
3000	12000	1	RMS	7214.514	-48.77	-25	Pass	9000
12000	27000	1	RMS	25903.839	-38.11	-25	Pass	15000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.37	-70.16	-25	Pass	2985
30	1000	0.1	RMS	876.536	-61.34	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.61	-25	Pass	1486
2486	2700	1	RMS	2675.39	19.42	60	Pass	401
2700	3000	1	RMS	2702.25	-38.99	-25	Pass	401
3000	12000	1	RMS	11606.513	-50.81	-25	Pass	9000
12000	27000	1	RMS	25902.839	-38.07	-25	Pass	15000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.08	-25	Pass	2985
30	1000	0.1	RMS	894.961	-60.98	-25	Pass	9699
1000	2486	1	RMS	2479.996	-44.85	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.47	60	Pass	401
2700	3000	1	RMS	2952.75	-47.52	-25	Pass	401
3000	12000	1	RMS	11519.405	-50.81	-25	Pass	9000
12000	27000	1	RMS	25905.839	-38.05	-25	Pass	15000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.47	-69.78	-25	Pass	2985
30	1000	0.1	RMS	734.586	-61.24	-25	Pass	9699
1000	2486	1	RMS	2479.996	-44.53	-25	Pass	1486
2486	2700	1	RMS	2496.7	19.06	60	Pass	401
2700	3000	1	RMS	2840.25	-47.51	-25	Pass	401
3000	12000	1	RMS	7230.516	-49.33	-25	Pass	9000
12000	27000	1	RMS	25891.837	-37.98	-25	Pass	15000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.78	-25	Pass	2985
30	1000	0.1	RMS	862.918	-61.2	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.68	-25	Pass	1486
2486	2700	1	RMS	2583.905	19.31	60	Pass	401
2700	3000	1	RMS	2950.5	-47.51	-25	Pass	401
3000	12000	1	RMS	11516.401	-50.81	-25	Pass	9000
12000	27000	1	RMS	25882.836	-38.06	-25	Pass	15000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.46	-25	Pass	2985
30	1000	0.1	RMS	814.396	-61.29	-25	Pass	9699
1000	2486	1	RMS	2486	-48.62	-25	Pass	1486
2486	2700	1	RMS	2583.905	19.16	60	Pass	401
2700	3000	1	RMS	2945.25	-47.53	-25	Pass	401
3000	12000	1	RMS	11599.504	-50.81	-25	Pass	9000
12000	27000	1	RMS	25880.836	-38.08	-25	Pass	15000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.65	-69.82	-25	Pass	2985
30	1000	0.1	RMS	999.399	-61.36	-25	Pass	9699
1000	2486	1	RMS	2486	-48.72	-25	Pass	1486
2486	2700	1	RMS	2671.11	20.06	60	Pass	401
2700	3000	1	RMS	2706.75	-38.98	-25	Pass	401
3000	12000	1	RMS	11799.752	-48.15	-25	Pass	9000
12000	27000	1	RMS	25901.839	-37.91	-25	Pass	15000



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.6	-25	Pass	2985
30	1000	0.1	RMS	988.985	-61.28	-25	Pass	9699
1000	2486	1	RMS	2486	-48.7	-25	Pass	1486
2486	2700	1	RMS	2671.11	19.43	60	Pass	401
2700	3000	1	RMS	2706	-40.28	-25	Pass	401
3000	12000	1	RMS	11519.405	-50.78	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.07	-25	Pass	15000





END