



Annex 2. Peak to Average Ratio

1. WCDMA_Band2

1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)



1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)



1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.6	0.1	2.86	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

Power
 Spectrum
 FFT Spectrum
 IQ Recorder
 IQ vs. Slot
 EPS

Frequency: 1907.60000 Ref. Level: 30.00 Connector:RF2COM

x: Off y: --- x: Off y: --- x: Off y: ---



■ AWGN
■ Current

GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display


Statistic Count		Probability	
Sample Count	1000312	10,000%	1.688 dB
Sample Time	40.032 ms	1,0000%	2.484 dB
Avg Power	23.051 dBm	0,1000%	2.859 dB
Max Power	26.580 dBm	0,0100%	3.141 dB
PAR	3.529 dB	0,0001%	3.469 dB

Go To Local


Show Remote Screen

2. WCDMA_Band4

2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)



2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.6	0.1	2.77	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137
Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS
 Frequency: 1752.60000 Ref. Level: 30.00 Connector:RF2COM

GPRF

x: Off y: --- x: Off y: --- x: Off y: ---

Power

RDY

RF Settings


Trigger

List Config.

Power

Statistic

Marker / Display




Statistic Count		Probability	
Sample Count	998712	10,000%	1.594 dB
Sample Time	39.968 ms	1,0000%	2.344 dB
Avg Power	23.873 dBm	0,1000%	2.766 dB
Max Power	27.004 dBm	0,0100%	2.953 dB
PAR	3.131 dB	0,0010%	3.000 dB
		0,0001%	3.047 dB

Go To Local

Show Remote Screen


3. WCDMA_Band5

3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	2.67	13	Pass



3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	2.67	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

Power
 Spectrum
 FFT Spectrum
 IQ Recorder
 IQ vs. Slot
 EPS

Frequency: **846.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: --- x: Off y: --- x: Off y: ---



GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display


Statistic Count		Probability	
Sample Count	999512	10,000%	1.594 dB
Sample Time	40.000 ms	1,0000%	2.297 dB
Avg Power	23.523 dBm	0,1000%	2.672 dB
Max Power	26.538 dBm	0,0100%	2.813 dB
PAR	3.015 dB	0,0010%	2.906 dB
		0,0001%	2.953 dB

Go To Local


Show Remote Screen

4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band12


8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9. LTE_Band13


9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10. LTE_Band17


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




11. LTE_Band26(part22)


11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




11.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




11.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




11.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



11.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




12. LTE_Band26(part90)


12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




13. LTE_Band38


13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14. LTE_Band41 full


14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)


 Power
RDY
 RF Settings
 Trigger
 List Config.
 Power
Statistic
 Marker / Display


14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15. LTE_Band66


15.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



15.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



15.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



GPRF

Power

RDY

RF Settings

Trigger


List Config.

Power


Statistic

Marker / Display


15.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




15.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



15.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




16. CA_7C


16.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




16.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




16.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




16.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003+21174, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




16.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026+21197, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026+21197, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



16.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17. CA_38C


17.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



17.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18. CA_41C


18.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528+40645, Bandwidth:5+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528+40645, Bandwidth:5+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526+40670, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




18.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



18.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




18.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




19. NR_n5_SCS15_20M_L_Edge_1RB_Left(Pi2 BPSK)

19.1. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_L_Outer Full(Pi2 BPSK)

19.2. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_L_Edge_1RB_Left(QPSK)

19.3. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_L_Outer Full(QPSK)

19.4. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_M_Edge_1RB_Left(Pi2 BPSK)

19.5. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_M_Outer Full(Pi2 BPSK)

19.6. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_M_Edge_1RB_Left(QPSK)

19.7. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_M_Outer Full(QPSK)

19.8. NR Peak to Average Ratio(NTNV)




19. NR_n5_SCS15_20M_H_Edge_1RB_Left(Pi2 BPSK)

19.9. NR Peak to Average Ratio(NTNV)



19. NR_n5_SCS15_20M_H_Outer Full(Pi2 BPSK)

19.10. NR Peak to Average Ratio(NTNV)



19. NR_n5_SCS15_20M_H_Edge_1RB_Left(QPSK)

19.11. NR Peak to Average Ratio(NTNV)

