



22.10. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	8.04	30	Pass	401
2620	2621	1	RMS	2620	-22.62	-10	Pass	2
2621	2625	1	RMS	2621	-35.62	-10	Pass	401
2625	2650	1	RMS	2647.438	-35.01	-13	Pass	401
2650	2665	1	RMS	2651.463	-47.57	-25	Pass	401




22.11. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.1	7.99	30	Pass	401
2620	2621	1	RMS	2620	-22.6	-10	Pass	2
2621	2625	1	RMS	2621.03	-36.13	-10	Pass	401
2625	2650	1	RMS	2634.063	-32.99	-13	Pass	401
2650	2665	1	RMS	2664.175	-46.4	-25	Pass	401




22.12. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2606.8	-3.41	30	Pass	401
2620	2621	1	RMS	2620	-27.34	-10	Pass	2
2621	2625	1	RMS	2621.02	-29.79	-10	Pass	401
2625	2650	1	RMS	2625	-30.89	-13	Pass	401
2650	2665	1	RMS	2650.075	-42.35	-25	Pass	401




22.13. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-47.82	-25	Pass	401
2530	2565	1	RMS	2551.175	-29.53	-13	Pass	401
2565	2569	1	RMS	2569	-38.63	-10	Pass	401
2569	2570	1	RMS	2570	-27.06	-10	Pass	2
2570	2610	0.1	RMS	2571.1	8.67	30	Pass	401




22.14. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.663	-47.87	-25	Pass	401
2530	2565	1	RMS	2533.413	-28.81	-13	Pass	401
2565	2569	1	RMS	2568.97	-38.38	-10	Pass	401
2569	2570	1	RMS	2570	-27	-10	Pass	2
2570	2610	0.1	RMS	2571.1	9.32	30	Pass	401




22.15. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.738	-41.21	-25	Pass	401
2530	2565	1	RMS	2564.475	-31.44	-13	Pass	401
2565	2569	1	RMS	2568.81	-31.28	-10	Pass	401
2569	2570	1	RMS	2570	-29.52	-10	Pass	2
2570	2610	0.1	RMS	2603.2	-3.7	30	Pass	401




22.16. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-47.81	-25	Pass	401
2530	2565	1	RMS	2551.175	-30.26	-13	Pass	401
2565	2569	1	RMS	2568.98	-37.51	-10	Pass	401
2569	2570	1	RMS	2570	-26.84	-10	Pass	2
2570	2610	0.1	RMS	2571.1	8.16	30	Pass	401




22.17. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.225	-47.85	-25	Pass	401
2530	2565	1	RMS	2533.413	-29.24	-13	Pass	401
2565	2569	1	RMS	2568.97	-37.36	-10	Pass	401
2569	2570	1	RMS	2570	-26.83	-10	Pass	2
2570	2610	0.1	RMS	2571.1	8.11	30	Pass	401




22.18. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.925	-43.85	-25	Pass	401
2530	2565	1	RMS	2564.213	-34.8	-13	Pass	401
2565	2569	1	RMS	2568.46	-34.27	-10	Pass	401
2569	2570	1	RMS	2570	-32.33	-10	Pass	2
2570	2610	0.1	RMS	2587.1	-4.37	30	Pass	401




22.19. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	7.66	30	Pass	401
2620	2621	1	RMS	2620	-28.02	-10	Pass	2
2621	2625	1	RMS	2621	-39.35	-10	Pass	401
2625	2660	1	RMS	2656.413	-37.09	-13	Pass	401
2660	2665	1	RMS	2660.588	-47.62	-25	Pass	401




22.20. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	8.03	30	Pass	401
2620	2621	1	RMS	2620	-28.04	-10	Pass	2
2621	2625	1	RMS	2621.01	-39.87	-10	Pass	401
2625	2660	1	RMS	2638.738	-34.29	-13	Pass	401
2660	2665	1	RMS	2660	-47.67	-25	Pass	401




22.21. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2607	-3.49	30	Pass	401
2620	2621	1	RMS	2620	-27.56	-10	Pass	2
2621	2625	1	RMS	2621.01	-28.5	-10	Pass	401
2625	2660	1	RMS	2625.263	-29.27	-13	Pass	401
2660	2665	1	RMS	2660	-39.65	-25	Pass	401




22.22. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.61	30	Pass	401
2620	2621	1	RMS	2620	-28.23	-10	Pass	2
2621	2625	1	RMS	2621	-39.86	-10	Pass	401
2625	2660	1	RMS	2656.5	-36.95	-13	Pass	401
2660	2665	1	RMS	2661.563	-47.6	-25	Pass	401




22.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	7.5	30	Pass	401
2620	2621	1	RMS	2620	-28.22	-10	Pass	2
2621	2625	1	RMS	2621.02	-39.95	-10	Pass	401
2625	2660	1	RMS	2638.65	-33.71	-13	Pass	401
2660	2665	1	RMS	2660.125	-47.61	-25	Pass	401



22.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2606.7	-4.64	30	Pass	401
2620	2621	1	RMS	2620	-31.35	-10	Pass	2
2621	2625	1	RMS	2623.25	-29.99	-10	Pass	401
2625	2660	1	RMS	2627.1	-33.87	-13	Pass	401
2660	2665	1	RMS	2660.15	-42.98	-25	Pass	401



23. CA_41C


23.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.675	-28.72	-25	Pass	401
2490	2495	1	RMS	2495	-40.44	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-36.95	-13	Pass	401
2496	2521	0.1	RMS	2515.563	7.8	30	Pass	401




23.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-40.86	-25	Pass	401
2490	2495	1	RMS	2495	-40.71	-13	Pass	6
2495	2496	0.3	RMS	2496	-37.02	-13	Pass	401
2496	2521	0.1	RMS	2497.063	7.6	30	Pass	401




23.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-29.71	-25	Pass	401
2490	2495	1	RMS	2495	-29.42	-13	Pass	6
2495	2496	0.3	RMS	2495.973	-32.64	-13	Pass	401
2496	2521	0.1	RMS	2519	2.13	30	Pass	401




23.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.675	-29.12	-25	Pass	401
2490	2495	1	RMS	2495	-40.01	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-36.52	-13	Pass	401
2496	2521	0.1	RMS	2497.063	7.83	30	Pass	401




23.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-40.78	-25	Pass	401
2490	2495	1	RMS	2495	-39.82	-13	Pass	6
2495	2496	0.3	RMS	2495.993	-36.48	-13	Pass	401
2496	2521	0.1	RMS	2519.875	7.61	30	Pass	401




23.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-31.85	-25	Pass	401
2490	2495	1	RMS	2495	-31.2	-13	Pass	6
2495	2496	0.3	RMS	2495.983	-34.33	-13	Pass	401
2496	2521	0.1	RMS	2518.875	1.03	30	Pass	401




23.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	8.02	30	Pass	401
2690	2691	0.51	RMS	2690.015	-39.99	-10	Pass	401
2691	2695	1	RMS	2691	-43.73	-10	Pass	5
2695	2715	1	RMS	2711.7	-32.2	-13	Pass	401
2715	2735	1	RMS	2734.05	-47.24	-25	Pass	401




23.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	8.03	30	Pass	401
2690	2691	0.51	RMS	2690.025	-40.7	-10	Pass	401
2691	2695	1	RMS	2694	-31.83	-10	Pass	5
2695	2715	1	RMS	2698.85	-42.49	-13	Pass	401
2715	2735	1	RMS	2731.1	-47.26	-25	Pass	401




23.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.563	2.45	30	Pass	401
2690	2691	0.51	RMS	2690	-32.71	-10	Pass	401
2691	2695	1	RMS	2692	-31.05	-10	Pass	5
2695	2715	1	RMS	2695.2	-30.4	-13	Pass	401
2715	2735	1	RMS	2715.1	-41.91	-25	Pass	401




23.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	7.19	30	Pass	401
2690	2691	0.51	RMS	2690	-41.08	-10	Pass	401
2691	2695	1	RMS	2691	-44.14	-10	Pass	5
2695	2715	1	RMS	2711.55	-32.92	-13	Pass	401
2715	2735	1	RMS	2734.75	-47.22	-25	Pass	401




23.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	8.01	30	Pass	401
2690	2691	0.51	RMS	2690.035	-41.77	-10	Pass	401
2691	2695	1	RMS	2694	-32.18	-10	Pass	5
2695	2715	1	RMS	2698.6	-42.23	-13	Pass	401
2715	2735	1	RMS	2722.5	-47.24	-25	Pass	401




23.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2684.563	1.51	30	Pass	401
2690	2691	0.51	RMS	2690.04	-34.4	-10	Pass	401
2691	2695	1	RMS	2691	-32.85	-10	Pass	5
2695	2715	1	RMS	2695.5	-32.73	-13	Pass	401
2715	2735	1	RMS	2715.15	-44.16	-25	Pass	401




23.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477	-28.06	-25	Pass	16
2490	2495	1	RMS	2495	-39.91	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-31.5	-13	Pass	401
2496	2536	0.1	RMS	2497.1	8.47	30	Pass	401




23.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-46.43	-25	Pass	401
2490	2495	1	RMS	2495	-40.01	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-31.38	-13	Pass	401
2496	2536	0.1	RMS	2534.7	9.86	30	Pass	401




23.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-29.88	-25	Pass	401
2490	2495	1	RMS	2494	-29.79	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-30.2	-13	Pass	401
2496	2536	0.1	RMS	2508	-2.53	30	Pass	401




23.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.213	-28.52	-25	Pass	401
2490	2495	1	RMS	2495	-39.6	-13	Pass	6
2495	2496	0.51	RMS	2495.723	-31.86	-13	Pass	401
2496	2536	0.1	RMS	2497.1	9.36	30	Pass	401




23.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-45.95	-25	Pass	401
2490	2495	1	RMS	2495	-39.59	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-31.12	-13	Pass	401
2496	2536	0.1	RMS	2497.1	9	30	Pass	401




23.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.1	-25	Pass	401
2490	2495	1	RMS	2495	-31.82	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-32.91	-13	Pass	401
2496	2536	0.1	RMS	2514.5	-3.32	30	Pass	401




23.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	10.22	30	Pass	401
2690	2691	1	RMS	2690	-27.24	-10	Pass	2
2691	2695	1	RMS	2691	-38.02	-10	Pass	401
2695	2730	1	RMS	2726.413	-35.65	-13	Pass	401
2730	2735	1	RMS	2730.013	-47.22	-25	Pass	401




23.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	9.2	30	Pass	401
2690	2691	1	RMS	2690	-27.29	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.46	-10	Pass	401
2695	2730	1	RMS	2708.563	-29.64	-13	Pass	401
2730	2735	1	RMS	2730.038	-47.22	-25	Pass	401




23.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2668.9	-2.68	30	Pass	401
2690	2691	1	RMS	2690	-15.37	-10	Pass	401
2691	2695	1	RMS	2691	-32.59	-10	Pass	5
2695	2730	1	RMS	2695.438	-32.35	-13	Pass	401
2730	2735	1	RMS	2730.025	-45.88	-25	Pass	401




23.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	9.73	30	Pass	401
2690	2691	1	RMS	2690	-26.77	-10	Pass	2
2691	2695	1	RMS	2691.02	-39.55	-10	Pass	401
2695	2730	1	RMS	2726.413	-36.62	-13	Pass	401
2730	2735	1	RMS	2732.6	-47.23	-25	Pass	401




23.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	9.77	30	Pass	401
2690	2691	1	RMS	2690	-26.76	-10	Pass	2
2691	2695	1	RMS	2691.01	-40.16	-10	Pass	401
2695	2730	1	RMS	2708.65	-30.63	-13	Pass	401
2730	2735	1	RMS	2732.813	-47.22	-25	Pass	401



23.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2663.7	-3.66	30	Pass	401
2690	2691	1	RMS	2690	-16.72	-10	Pass	401
2691	2695	1	RMS	2691	-34.22	-10	Pass	5
2695	2730	1	RMS	2695.088	-34.86	-13	Pass	401
2730	2735	1	RMS	2730.238	-46.69	-25	Pass	401



24. n5 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.6	-13	Pass	401
799	823	0.1	RMS	823	-50.63	-13	Pass	401
823	824	0.03	RMS	824	-18.06	-13	Pass	401
823	824	0.03	RMS	824	-18.07	-13	Pass	401
824	844	0.1	RMS	824.35	20.26	30	Pass	401
824	844	0.1	RMS	824.35	20.24	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.92	-30.07	-13	Pass	401
823	824	0.051	RMS	823.99	-25.22	-13	Pass	401
824	844	0.1	RMS	825.95	7.66	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.55	-13	Pass	401
823	824	0.051	RMS	824	-17.21	-13	Pass	401
824	844	0.1	RMS	824.35	19.54	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-29.67	-13	Pass	401
823	824	0.051	RMS	824	-27.15	-13	Pass	401
824	844	0.1	RMS	825	6.6	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.11	30	Pass	401
849	850	0.051	RMS	849	-16.86	-13	Pass	401
850	874	0.1	RMS	850.72	-47.09	-13	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.95	7.4	30	Pass	401
849	850	0.051	RMS	849	-26.15	-13	Pass	401
850	874	0.1	RMS	850.96	-32.13	-13	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.35	30	Pass	401
849	850	0.051	RMS	849	-16.14	-13	Pass	401
850	874	0.1	RMS	850.84	-48.37	-13	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.37	30	Pass	401
849	850	0.051	RMS	849	-27.21	-13	Pass	401
850	874	0.1	RMS	850	-30.65	-13	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-50.9	-13	Pass	401
823	824	0.03	RMS	824	-23.02	-13	Pass	401
824	844	0.1	RMS	824.5	20.23	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-34.08	-13	Pass	401
823	824	0.15	RMS	824	-27.94	-13	Pass	401
824	844	0.1	RMS	825.05	2.58	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.04	-13	Pass	401
823	824	0.15	RMS	824	-16.46	-13	Pass	401
824	844	0.1	RMS	824.45	19.55	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.46	-34.49	-13	Pass	401
823	824	0.15	RMS	824	-29.12	-13	Pass	401
824	844	0.1	RMS	837.35	2.22	30	Pass	401



24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.96	30	Pass	401
849	850	0.15	RMS	849	-16.98	-13	Pass	401
850	874	0.1	RMS	850.06	-50.32	-13	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.9	2.43	30	Pass	401
849	850	0.15	RMS	849	-34.32	-13	Pass	401
850	874	0.1	RMS	850	-38.5	-13	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.26	30	Pass	401
849	850	0.03	RMS	849	-23.92	-13	Pass	401
850	874	0.1	RMS	850.06	-50.89	-13	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.05	1.89	30	Pass	401
849	850	0.15	RMS	849.083	-33.31	-13	Pass	401
850	874	0.1	RMS	850	-36.19	-13	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.24	-13	Pass	401
823	824	0.2	RMS	824	-17.58	-13	Pass	6
824	844	0.1	RMS	824.55	20.38	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.98	-13	Pass	401
823	824	0.2	RMS	824	-31.29	-13	Pass	401
824	844	0.1	RMS	838.5	1.42	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.19	-13	Pass	401
823	824	0.2	RMS	824	-19.24	-13	Pass	6
824	844	0.1	RMS	824.55	19.63	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.58	-13	Pass	401
823	824	0.2	RMS	824	-30.13	-13	Pass	401
824	844	0.1	RMS	838.9	0.59	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.04	30	Pass	401
849	850	0.2	RMS	849	-19.95	-13	Pass	6
850	874	0.1	RMS	850	-50.44	-13	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.85	1.61	30	Pass	401
849	850	0.2	RMS	849.003	-34.47	-13	Pass	401
850	874	0.1	RMS	850.48	-40.51	-13	Pass	401



24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.34	30	Pass	401
849	850	0.2	RMS	849	-17.24	-13	Pass	401
850	874	0.1	RMS	850	-50.81	-13	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	0.68	30	Pass	401
849	850	0.2	RMS	849.108	-32.22	-13	Pass	401
850	874	0.1	RMS	850	-37.23	-13	Pass	401



25. n7 15kHz


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.763	-48.73	-25	Pass	401
2494	2496	1	RMS	2495.935	-45.62	-13	Pass	401
2496	2499	1	RMS	2499	-33.12	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-15.06	-10	Pass	401
2500	2520	1	RMS	2500.3	23.1	30	Pass	401




25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.63	-25	Pass	401
2494	2496	1	RMS	2496	-32.17	-13	Pass	401
2496	2499	1	RMS	2498	-23.25	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.13	-10	Pass	401
2500	2520	1	RMS	2501.35	16.83	30	Pass	401




25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-48.61	-25	Pass	401
2494	2496	1	RMS	2495.955	-45.21	-13	Pass	401
2496	2499	1	RMS	2499	-33.56	-10	Pass	4
2499	2500	0.051	RMS	2500	-15.19	-10	Pass	401
2500	2520	1	RMS	2500.3	22.67	30	Pass	401




25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.73	-25	Pass	401
2494	2496	1	RMS	2495.995	-29.36	-13	Pass	401
2496	2499	1	RMS	2499	-22.11	-10	Pass	4
2499	2500	0.1	RMS	2500	-24.58	-10	Pass	401
2500	2520	1	RMS	2503.8	16.32	30	Pass	401




25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.56	30	Pass	401
2570	2571	0.051	RMS	2570	-17.66	-10	Pass	401
2571	2575	1	RMS	2571	-33.72	-10	Pass	5
2575	2576	1	RMS	2575.113	-46.6	-13	Pass	401
2576	2595	1	RMS	2576	-48.54	-25	Pass	401




25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.7	16.5	30	Pass	401
2570	2571	0.1	RMS	2570	-23.79	-10	Pass	401
2571	2575	1	RMS	2571	-25.25	-10	Pass	5
2575	2576	1	RMS	2575.005	-34.77	-13	Pass	401
2576	2595	1	RMS	2576	-35.42	-25	Pass	401




25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	22.16	30	Pass	401
2570	2571	0.051	RMS	2570	-18.34	-10	Pass	401
2571	2575	1	RMS	2571	-34.61	-10	Pass	5
2575	2576	1	RMS	2575.088	-47.83	-13	Pass	401
2576	2595	1	RMS	2576.048	-49.02	-25	Pass	401




25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.9	16.16	30	Pass	401
2570	2571	0.1	RMS	2570.003	-23.88	-10	Pass	401
2571	2575	1	RMS	2571	-23.13	-10	Pass	5
2575	2576	1	RMS	2575.003	-31.25	-13	Pass	401
2576	2595	1	RMS	2576	-34.46	-25	Pass	401




25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.5	-50.57	-25	Pass	401
2485	2496	1	RMS	2496	-46.03	-13	Pass	401
2496	2499	1	RMS	2499	-33.91	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-20.57	-10	Pass	401
2500	2520	1	RMS	2500.45	22.92	30	Pass	401




25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-47.61	-25	Pass	401
2485	2496	1	RMS	2493.993	-29.03	-13	Pass	401
2496	2499	1	RMS	2499	-27.46	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.89	-10	Pass	401
2500	2520	1	RMS	2512.75	12.89	30	Pass	401




25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.775	-50.55	-25	Pass	401
2485	2496	1	RMS	2495.918	-45.5	-13	Pass	401
2496	2499	1	RMS	2499	-34.4	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.27	-10	Pass	401
2500	2520	1	RMS	2500.45	22.54	30	Pass	401




25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-44.67	-25	Pass	401
2485	2496	1	RMS	2495.973	-28.07	-13	Pass	401
2496	2499	1	RMS	2499	-26.17	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.97	-10	Pass	401
2500	2520	1	RMS	2513	12.45	30	Pass	401




25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.59	30	Pass	401
2570	2571	0.051	RMS	2570	-22.16	-10	Pass	401
2571	2575	1	RMS	2571	-34.44	-10	Pass	5
2575	2585	1	RMS	2575.125	-47.04	-13	Pass	401
2585	2595	1	RMS	2590.225	-50.45	-25	Pass	401




25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.6	12.26	30	Pass	401
2570	2571	0.3	RMS	2570.003	-33.12	-10	Pass	401
2571	2575	1	RMS	2571	-30.68	-10	Pass	5
2575	2585	1	RMS	2575	-31.78	-13	Pass	401
2585	2595	1	RMS	2585	-49.16	-25	Pass	401




25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.13	30	Pass	401
2570	2571	0.051	RMS	2570.005	-22.43	-10	Pass	401
2571	2575	1	RMS	2571	-35.33	-10	Pass	5
2575	2585	1	RMS	2575.025	-48.03	-13	Pass	401
2585	2595	1	RMS	2592.825	-50.43	-25	Pass	401




25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.55	11.92	30	Pass	401
2570	2571	0.3	RMS	2570.003	-31.98	-10	Pass	401
2571	2575	1	RMS	2571	-27.82	-10	Pass	5
2575	2585	1	RMS	2575	-32.44	-13	Pass	401
2585	2595	1	RMS	2585.025	-46.73	-25	Pass	401




25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.113	-50.75	-25	Pass	401
2480	2496	1	RMS	2495.92	-46.05	-13	Pass	401
2496	2499	1	RMS	2499	-34.8	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.62	-10	Pass	401
2500	2520	1	RMS	2500.5	22.96	30	Pass	401




25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-50.2	-25	Pass	401
2480	2496	1	RMS	2491.68	-32.37	-13	Pass	401
2496	2499	1	RMS	2499	-26.82	-10	Pass	4
2499	2500	0.39	RMS	2500	-19.86	-10	Pass	401
2500	2520	1	RMS	2514.55	11.49	30	Pass	401




25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.875	-50.75	-25	Pass	401
2480	2496	1	RMS	2495.96	-45.61	-13	Pass	401
2496	2499	1	RMS	2499	-35.44	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.41	-10	Pass	401
2500	2520	1	RMS	2500.5	22.5	30	Pass	401




25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-49.32	-25	Pass	401
2480	2496	1	RMS	2495.92	-29.28	-13	Pass	401
2496	2499	1	RMS	2499	-26.31	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.58	-10	Pass	401
2500	2520	1	RMS	2515	11.14	30	Pass	401




25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.62	30	Pass	401
2570	2571	0.051	RMS	2570	-26.1	-10	Pass	401
2571	2575	1	RMS	2571	-35.42	-10	Pass	5
2575	2590	1	RMS	2575.263	-47.16	-13	Pass	401
2590	2595	1	RMS	2590.988	-50.46	-25	Pass	401




25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2551.6	11.53	30	Pass	401
2570	2571	0.39	RMS	2570.043	-31.05	-10	Pass	401
2571	2575	1	RMS	2571	-30.31	-10	Pass	5
2575	2590	1	RMS	2576.613	-31.37	-13	Pass	401
2590	2595	1	RMS	2590.1	-50.42	-25	Pass	401




25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.17	30	Pass	401
2570	2571	0.051	RMS	2570	-25.37	-10	Pass	401
2571	2575	1	RMS	2571	-36.16	-10	Pass	5
2575	2590	1	RMS	2575.113	-47.82	-13	Pass	401
2590	2595	1	RMS	2590.813	-50.42	-25	Pass	401



25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2551.9	11.07	30	Pass	401
2570	2571	0.39	RMS	2570.013	-30.92	-10	Pass	401
2571	2575	1	RMS	2571	-28.77	-10	Pass	5
2575	2590	1	RMS	2575	-31.52	-13	Pass	401
2590	2595	1	RMS	2590.013	-50.3	-25	Pass	401



26. n38 30kHz_PC3


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2525	-50.13	-25	Pass	401
2550	2565	1	RMS	2553	-48.38	-13	Pass	401
2565	2569	1	RMS	2569	-25.67	-10	Pass	401
2569	2570	0.39	RMS	2570	-14.15	-10	Pass	401
2570	2610	1	RMS	2571	22.55	30	Pass	401




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2550	-43.92	-25	Pass	401
2550	2565	1	RMS	2562.338	-29.55	-13	Pass	401
2565	2569	1	RMS	2568.98	-28.98	-10	Pass	401
2569	2570	0.39	RMS	2569.995	-28.58	-10	Pass	401
2570	2610	1	RMS	2585.7	10.94	30	Pass	401




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2543.813	-50.25	-25	Pass	401
2550	2565	1	RMS	2552.963	-48.64	-13	Pass	401
2565	2569	1	RMS	2569	-26.47	-10	Pass	401
2569	2570	0.39	RMS	2569.995	-15.04	-10	Pass	401
2570	2610	1	RMS	2571	22.05	30	Pass	401




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.938	-41.57	-25	Pass	401
2550	2565	1	RMS	2564.738	-29.21	-13	Pass	401
2565	2569	1	RMS	2568.97	-26.91	-10	Pass	401
2569	2570	0.39	RMS	2569.988	-28.31	-10	Pass	401
2570	2610	1	RMS	2586.4	10.48	30	Pass	401




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.55	30	Pass	401
2620	2621	0.4	RMS	2620	-19.02	-10	Pass	4
2621	2625	1	RMS	2621.01	-28.5	-10	Pass	401
2625	2640	1	RMS	2628.075	-48.14	-13	Pass	401
2640	2665	1	RMS	2663.25	-50.09	-25	Pass	401




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2603.3	10.8	30	Pass	401
2620	2621	0.4	RMS	2620	-34.24	-10	Pass	4
2621	2625	1	RMS	2621	-30.49	-10	Pass	401
2625	2640	1	RMS	2627.475	-32.43	-13	Pass	401
2640	2665	1	RMS	2640.25	-44.14	-25	Pass	401




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	22.1	30	Pass	401
2620	2621	0.4	RMS	2620	-19.27	-10	Pass	4
2621	2625	1	RMS	2621	-26.65	-10	Pass	401
2625	2640	1	RMS	2628.038	-48.55	-13	Pass	401
2640	2665	1	RMS	2662.313	-50.11	-25	Pass	401




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2602.7	10.25	30	Pass	401
2620	2621	0.4	RMS	2620	-32.86	-10	Pass	4
2621	2625	1	RMS	2621.03	-27.68	-10	Pass	401
2625	2640	1	RMS	2625.075	-29.58	-13	Pass	401
2640	2665	1	RMS	2640.188	-40.63	-25	Pass	401




26.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.9	-50.17	-25	Pass	401
2540	2565	1	RMS	2565	-48.97	-13	Pass	401
2565	2569	1	RMS	2569	-30.2	-10	Pass	401
2569	2570	0.51	RMS	2569.998	-15.86	-10	Pass	401
2570	2610	1	RMS	2571.1	22.41	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.738	-46.54	-25	Pass	401
2540	2565	1	RMS	2557.813	-32.93	-13	Pass	401
2565	2569	1	RMS	2568.98	-29.09	-10	Pass	401
2569	2570	0.62	RMS	2570	-26.79	-10	Pass	401
2570	2610	1	RMS	2595.4	9.3	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.538	-50.2	-25	Pass	401
2540	2565	1	RMS	2564.938	-48.92	-13	Pass	401
2565	2569	1	RMS	2569	-30.36	-10	Pass	401
2569	2570	0.51	RMS	2569.995	-15.97	-10	Pass	401
2570	2610	1	RMS	2571.1	22.04	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.738	-42.76	-25	Pass	401
2540	2565	1	RMS	2564.563	-31.59	-13	Pass	401
2565	2569	1	RMS	2569	-28.78	-10	Pass	401
2569	2570	0.62	RMS	2569.998	-27.13	-10	Pass	401
2570	2610	1	RMS	2596.6	8.97	30	Pass	401



26.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	22.54	30	Pass	401
2620	2621	0.5	RMS	2620	-21.39	-10	Pass	3
2621	2625	1	RMS	2621.01	-33.19	-10	Pass	401
2625	2650	1	RMS	2625	-48.78	-13	Pass	401
2650	2665	1	RMS	2660.125	-50.11	-25	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2606.7	8.95	30	Pass	401
2620	2621	0.6	RMS	2620	-36.77	-10	Pass	3
2621	2625	1	RMS	2621.02	-33.79	-10	Pass	401
2625	2650	1	RMS	2631.313	-35.21	-13	Pass	401
2650	2665	1	RMS	2658.138	-45.59	-25	Pass	401



26.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	22.15	30	Pass	401
2620	2621	0.6	RMS	2620	-18.5	-10	Pass	3
2621	2625	1	RMS	2621	-30.17	-10	Pass	401
2625	2650	1	RMS	2625	-48.92	-13	Pass	401
2650	2665	1	RMS	2663.988	-50.09	-25	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2616.6	8.45	30	Pass	401
2620	2621	0.6	RMS	2620	-34.11	-10	Pass	3
2621	2625	1	RMS	2621.35	-30.49	-10	Pass	401
2625	2650	1	RMS	2625.125	-31.56	-13	Pass	401
2650	2665	1	RMS	2650.788	-42.24	-25	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.388	-50.02	-25	Pass	401
2530	2565	1	RMS	2564.913	-49.05	-13	Pass	401
2565	2569	1	RMS	2569	-29.69	-10	Pass	401
2569	2570	0.51	RMS	2569.998	-15.01	-10	Pass	401
2570	2610	1	RMS	2571.1	22.53	30	Pass	401




26.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.05	-46.35	-25	Pass	401
2530	2565	1	RMS	2553.538	-35.23	-13	Pass	401
2565	2569	1	RMS	2568.97	-30.39	-10	Pass	401
2569	2570	0.82	RMS	2570	-19.01	-10	Pass	401
2570	2610	1	RMS	2598.9	8.03	30	Pass	401




26.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2527.588	-50.21	-25	Pass	401
2530	2565	1	RMS	2564.913	-48.85	-13	Pass	401
2565	2569	1	RMS	2569	-30.15	-10	Pass	401
2569	2570	0.51	RMS	2569.99	-15.83	-10	Pass	401
2570	2610	1	RMS	2571	22.02	30	Pass	401




26.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.788	-43.48	-25	Pass	401
2530	2565	1	RMS	2564.913	-32.61	-13	Pass	401
2565	2569	1	RMS	2568.87	-30.26	-10	Pass	401
2569	2570	0.82	RMS	2569.998	-19.61	-10	Pass	401
2570	2610	1	RMS	2599.4	7.66	30	Pass	401




26.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.64	30	Pass	401
2620	2621	0.5	RMS	2620	-18.31	-10	Pass	3
2621	2625	1	RMS	2621	-29.64	-10	Pass	401
2625	2660	1	RMS	2637.775	-48.69	-13	Pass	401
2660	2665	1	RMS	2664.375	-50.12	-25	Pass	401




26.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2607.1	7.89	30	Pass	401
2620	2621	0.8	RMS	2620	-36.07	-10	Pass	3
2621	2625	1	RMS	2621.19	-35.18	-10	Pass	401
2625	2660	1	RMS	2634.188	-37.38	-13	Pass	401
2660	2665	1	RMS	2660.013	-45.38	-25	Pass	401




26.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.15	30	Pass	401
2620	2621	0.8	RMS	2620	-13.74	-10	Pass	3
2621	2625	1	RMS	2621.01	-29.76	-10	Pass	401
2625	2660	1	RMS	2637.863	-48.94	-13	Pass	401
2660	2665	1	RMS	2661.038	-50.13	-25	Pass	401



26.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2609.9	7.52	30	Pass	401
2620	2621	0.8	RMS	2620.5	-34.7	-10	Pass	3
2621	2625	1	RMS	2621.25	-32.82	-10	Pass	401
2625	2660	1	RMS	2625	-33.87	-13	Pass	401
2660	2665	1	RMS	2660.163	-42.05	-25	Pass	401



27. n41 30kHz


27.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2478.863	-47.73	-25	Pass	401
2490	2495	1	RMS	2495	-26.09	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-24.99	-13	Pass	401
2496	2596	1	RMS	2497	22.69	30	Pass	401




27.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-28.13	-25	Pass	401
2490	2495	1	RMS	2494.975	-26.76	-13	Pass	401
2495	2496	0.4	RMS	2496	-28.74	-13	Pass	4
2496	2596	1	RMS	2511.5	11.32	30	Pass	401




27.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2479.11	-48.09	-25	Pass	401
2490	2495	1	RMS	2495	-26.43	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.88	-13	Pass	401
2496	2596	1	RMS	2497	22.28	30	Pass	401




27.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-28.77	-25	Pass	401
2490	2495	1	RMS	2494.988	-25.83	-13	Pass	401
2495	2496	0.4	RMS	2496	-29.63	-13	Pass	4
2496	2596	1	RMS	2514	10.89	30	Pass	401




27.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.27	30	Pass	401
2690	2691	0.1	RMS	2690	-23.96	-13	Pass	401
2691	2695	1	RMS	2691.01	-28.74	-13	Pass	401
2695	2710	1	RMS	2698	-47.96	-13	Pass	401
2710	2795	1	RMS	2769.925	-49.44	-25	Pass	401




27.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.25	10.68	30	Pass	401
2690	2691	0.4	RMS	2690	-35.76	-13	Pass	4
2691	2695	1	RMS	2691.03	-32.27	-13	Pass	401
2695	2710	1	RMS	2697.4	-32.69	-13	Pass	401
2710	2715	1	RMS	2710	-45.32	-25	Pass	401
2715	2795	1	RMS	2715.4	-47.03	-25	Pass	401




27.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.75	30	Pass	401
2690	2691	0.1	RMS	2690	-22.92	-13	Pass	401
2691	2695	1	RMS	2691	-27.27	-13	Pass	401
2695	2710	1	RMS	2697.85	-48.17	-13	Pass	401
2710	2795	1	RMS	2769.713	-49.54	-25	Pass	401




27.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.5	10.17	30	Pass	401
2690	2691	0.4	RMS	2690	-35.08	-13	Pass	4
2691	2695	1	RMS	2691.03	-30.34	-13	Pass	401
2695	2710	1	RMS	2695.075	-32.28	-13	Pass	401
2710	2715	1	RMS	2710.088	-41.56	-25	Pass	401
2715	2795	1	RMS	2715	-45.35	-25	Pass	401




27.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-49.41	-25	Pass	401
2490	2495	1	RMS	2495	-26.65	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-25.25	-13	Pass	401
2496	2596	1	RMS	2497	22.69	30	Pass	401




27.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.31	-25	Pass	401
2490	2495	1	RMS	2495	-33.45	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.76	-13	Pass	2
2496	2596	1	RMS	2538.75	6.23	30	Pass	401




27.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.42	-25	Pass	401
2490	2495	1	RMS	2495	-26.81	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.21	-13	Pass	401
2496	2596	1	RMS	2497	22.19	30	Pass	401




27.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.03	-35.59	-25	Pass	401
2490	2495	1	RMS	2494.938	-34.06	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.91	-13	Pass	2
2496	2596	1	RMS	2534.25	5.66	30	Pass	401



27.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.94	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.72	-13	Pass	401
2691	2695	1	RMS	2691.01	-30.48	-13	Pass	401
2695	2750	1	RMS	2695.413	-48.75	-13	Pass	401
2750	2795	1	RMS	2768.563	-49.5	-25	Pass	401




27.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.75	5.93	30	Pass	401
2690	2691	1.2	RMS	2690	-25.24	-13	Pass	2
2691	2695	1	RMS	2691.08	-32.59	-13	Pass	401
2695	2750	1	RMS	2695	-36.55	-13	Pass	401
2750	2755	1	RMS	2751.725	-49.66	-25	Pass	401
2755	2795	1	RMS	2782.9	-49.47	-25	Pass	401




27.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.59	30	Pass	401
2690	2691	0.1	RMS	2690	-24.17	-13	Pass	401
2691	2695	1	RMS	2691	-28.86	-13	Pass	401
2695	2750	1	RMS	2695	-48.79	-13	Pass	401
2750	2795	1	RMS	2770.25	-49.51	-25	Pass	401




27.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.25	5.4	30	Pass	401
2690	2691	1.2	RMS	2690	-27.28	-13	Pass	2
2691	2695	1	RMS	2692.36	-33.03	-13	Pass	401
2695	2750	1	RMS	2695	-34.95	-13	Pass	401
2750	2755	1	RMS	2752.413	-49.62	-25	Pass	401
2755	2795	1	RMS	2772.1	-49.52	-25	Pass	401




27.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.14	-25	Pass	401
2490	2495	1	RMS	2495	-27.77	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.44	-13	Pass	401
2496	2596	1	RMS	2497	22.4	30	Pass	401




27.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34	-25	Pass	401
2490	2495	1	RMS	2494.975	-33.16	-13	Pass	401
2495	2496	1.5	RMS	2496	-27.19	-13	Pass	2
2496	2596	1	RMS	2588.75	3.79	30	Pass	401




27.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.23	-25	Pass	401
2490	2495	1	RMS	2495	-27.36	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.71	-13	Pass	401
2496	2596	1	RMS	2497	21.9	30	Pass	401




27.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-34.58	-25	Pass	401
2490	2495	1	RMS	2490.075	-34.57	-13	Pass	401
2495	2496	1.5	RMS	2496	-27.34	-13	Pass	2
2496	2596	1	RMS	2589.5	3.35	30	Pass	401




27.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.77	-13	Pass	401
2691	2695	1	RMS	2691.01	-30.5	-13	Pass	401
2695	2790	1	RMS	2695	-48.68	-13	Pass	401
2790	2795	1	RMS	2793.35	-49.47	-25	Pass	401




27.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600.75	3.97	30	Pass	401
2690	2691	2	RMS	2690	-31.13	-13	Pass	2
2691	2695	1	RMS	2694.44	-34.57	-13	Pass	401
2695	2790	1	RMS	2695.238	-34.88	-13	Pass	401
2790	2795	1	RMS	2793.713	-49.53	-25	Pass	401




27.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.56	30	Pass	401
2690	2691	0.1	RMS	2690	-24.53	-13	Pass	401
2691	2695	1	RMS	2691	-29.07	-13	Pass	401
2695	2790	1	RMS	2695	-48.48	-13	Pass	401
2790	2795	1	RMS	2791.35	-49.41	-25	Pass	401



27.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600.25	3.8	30	Pass	401
2690	2691	2	RMS	2690	-32.39	-13	Pass	2
2691	2695	1	RMS	2694.97	-35.15	-13	Pass	401
2695	2790	1	RMS	2695.713	-35.09	-13	Pass	401
2790	2795	1	RMS	2791.838	-49.54	-25	Pass	401



28. n66 15kHz


28.1. Band Edge for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-45.65	-13	Pass	401
1708	1709	1	RMS	1709	-36.71	-13	Pass	2
1709	1710	0.03	RMS	1710	-16.76	-13	Pass	401
1710	1730	1	RMS	1710.3	23.25	30	Pass	401




28.2. Band Edge for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-27.72	-13	Pass	401
1708	1709	1	RMS	1708	-27.71	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.9	-13	Pass	401
1710	1730	1	RMS	1713.65	17.1	30	Pass	401




28.3. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-45.87	-13	Pass	401
1708	1709	1	RMS	1709	-37.16	-13	Pass	2
1709	1710	0.03	RMS	1710	-17.6	-13	Pass	401
1710	1730	1	RMS	1710.3	22.68	30	Pass	401




28.4. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-27.71	-13	Pass	401
1708	1709	1	RMS	1709	-26.36	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.82	-13	Pass	401
1710	1730	1	RMS	1713.85	16.61	30	Pass	401



28.5. Band Edge for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	23.2	30	Pass	401
1780	1781	0.051	RMS	1780	-17.99	-13	Pass	401
1781	1782	1	RMS	1781	-37.85	-13	Pass	2
1782	1805	1	RMS	1782	-46.26	-13	Pass	401




28.6. Band Edge for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.3	17.22	30	Pass	401
1780	1781	0.051	RMS	1780	-26.53	-13	Pass	401
1781	1782	1	RMS	1782	-26.87	-13	Pass	2
1782	1805	1	RMS	1782	-26.87	-13	Pass	401




28.7. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	22.76	30	Pass	401
1780	1781	0.051	RMS	1780	-17.02	-13	Pass	401
1781	1782	1	RMS	1781	-37.49	-13	Pass	2
1782	1805	1	RMS	1782	-46.51	-13	Pass	401




28.8. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.3	16.58	30	Pass	401
1780	1781	0.051	RMS	1780	-26.95	-13	Pass	401
1781	1782	1	RMS	1781	-23.38	-13	Pass	2
1782	1805	1	RMS	1782	-25.35	-13	Pass	401




28.9. Band Edge for SA(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-45.79	-13	Pass	401
1708	1709	1	RMS	1709	-37.23	-13	Pass	2
1709	1710	0.1	RMS	1710	-16.75	-13	Pass	401
1710	1730	1	RMS	1710.45	23.15	30	Pass	401




28.10. Band Edge for SA(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1704.09	-29.97	-13	Pass	401
1708	1709	1	RMS	1709	-29.59	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.28	-13	Pass	401
1710	1730	1	RMS	1722.75	12.74	30	Pass	401




28.11. Band Edge for SA(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-46.2	-13	Pass	401
1708	1709	1	RMS	1709	-37.82	-13	Pass	2
1709	1710	0.1	RMS	1710	-17.9	-13	Pass	401
1710	1730	1	RMS	1710.45	22.71	30	Pass	401




28.12. Band Edge for SA(NTNV)(Subtest:4, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-29.43	-13	Pass	401
1708	1709	1	RMS	1709	-29.11	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.15	-13	Pass	401
1710	1730	1	RMS	1723	12.28	30	Pass	401



28.13. Band Edge for SA(NTNV)(Subtest:5, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	23.19	30	Pass	401
1780	1781	0.15	RMS	1780	-17.32	-13	Pass	401
1781	1782	1	RMS	1781	-38.33	-13	Pass	2
1782	1805	1	RMS	1782	-46.52	-13	Pass	401




28.14. Band Edge for SA(NTNV)(Subtest:6, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1768.75	12.69	30	Pass	401
1780	1781	0.15	RMS	1780.023	-37.49	-13	Pass	401
1781	1782	1	RMS	1781	-32.61	-13	Pass	2
1782	1805	1	RMS	1785.163	-35.01	-13	Pass	401



28.15. Band Edge for SA(NTNV)(Subtest:7, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	22.71	30	Pass	401
1780	1781	0.15	RMS	1780	-16.63	-13	Pass	401
1781	1782	1	RMS	1781	-38.3	-13	Pass	2
1782	1805	1	RMS	1782	-46.83	-13	Pass	401




28.16. Band Edge for SA(NTNV)(Subtest:8, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.9	12.25	30	Pass	401
1780	1781	0.15	RMS	1780.103	-36.77	-13	Pass	401
1781	1782	1	RMS	1781	-29.75	-13	Pass	2
1782	1805	1	RMS	1782	-30.69	-13	Pass	401




28.17. Band Edge for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-46.29	-13	Pass	401
1708	1709	1	RMS	1709	-38.7	-13	Pass	2
1709	1710	0.1	RMS	1710	-20.48	-13	Pass	401
1710	1730	1	RMS	1710.5	23.12	30	Pass	401




28.18. Band Edge for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-29.88	-13	Pass	401
1708	1709	1	RMS	1709	-28.11	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.28	-13	Pass	401
1710	1730	1	RMS	1724.3	11.35	30	Pass	401




28.19. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-46.26	-13	Pass	401
1708	1709	1	RMS	1709	-38.96	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.93	-13	Pass	401
1710	1730	1	RMS	1710.5	22.76	30	Pass	401




28.20. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-28.03	-13	Pass	401
1708	1709	1	RMS	1709	-27.55	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.44	-13	Pass	401
1710	1730	1	RMS	1725	10.94	30	Pass	401




28.21. Band Edge for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	23.15	30	Pass	401
1780	1781	0.2	RMS	1780	-18.64	-13	Pass	401
1781	1782	1	RMS	1781	-39.62	-13	Pass	2
1782	1805	1	RMS	1782	-46.86	-13	Pass	401




28.22. Band Edge for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1764.85	11.62	30	Pass	401
1780	1781	0.2	RMS	1780.018	-36.87	-13	Pass	401
1781	1782	1	RMS	1781	-32.27	-13	Pass	2
1782	1805	1	RMS	1782	-33.24	-13	Pass	401



28.23. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.73	30	Pass	401
1780	1781	0.2	RMS	1780	-18.3	-13	Pass	401
1781	1782	1	RMS	1781	-39.53	-13	Pass	2
1782	1805	1	RMS	1782	-47.3	-13	Pass	401



28.24. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1761.95	11.08	30	Pass	401
1780	1781	0.2	RMS	1780.055	-36.26	-13	Pass	401
1781	1782	1	RMS	1781	-31.39	-13	Pass	2
1782	1805	1	RMS	1782	-31.6	-13	Pass	401



29. DC_2A_n7A_SCS15


29.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-49.29	-25	Pass	401
2494	2496	1	RMS	2495.87	-46.26	-13	Pass	401
2496	2499	1	RMS	2499	-34.34	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.3	-10	Pass	401
2500	2520	1	RMS	2500.3	22.08	30	Pass	401




29.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.3	-25	Pass	401
2494	2496	1	RMS	2496	-35.64	-13	Pass	401
2496	2499	1	RMS	2498	-26.68	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27.17	-10	Pass	401
2500	2520	1	RMS	2501.45	15.8	30	Pass	401




29.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-49.05	-25	Pass	401
2494	2496	1	RMS	2495.905	-45.45	-13	Pass	401
2496	2499	1	RMS	2499	-34.87	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.78	-10	Pass	401
2500	2520	1	RMS	2500.3	21.56	30	Pass	401




29.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.69	-25	Pass	401
2494	2496	1	RMS	2496	-32.19	-13	Pass	401
2496	2499	1	RMS	2499	-26.01	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.46	-10	Pass	401
2500	2520	1	RMS	2503.85	15.31	30	Pass	401




29.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.96	30	Pass	401
2570	2571	0.051	RMS	2570	-18.73	-10	Pass	401
2571	2575	1	RMS	2571	-34.03	-10	Pass	5
2575	2576	1	RMS	2575.033	-47.25	-13	Pass	401
2576	2595	1	RMS	2576.095	-48.73	-25	Pass	401




29.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.3	15.85	30	Pass	401
2570	2571	0.1	RMS	2570	-25.67	-10	Pass	401
2571	2575	1	RMS	2572	-30.21	-10	Pass	5
2575	2576	1	RMS	2575.008	-41.3	-13	Pass	401
2576	2595	1	RMS	2576	-42.22	-25	Pass	401




29.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.57	30	Pass	401
2570	2571	0.051	RMS	2570	-19.24	-10	Pass	401
2571	2575	1	RMS	2571	-34.98	-10	Pass	5
2575	2576	1	RMS	2575.02	-48.44	-13	Pass	401
2576	2595	1	RMS	2576.048	-49.54	-25	Pass	401




29.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.2	15.25	30	Pass	401
2570	2571	0.1	RMS	2570	-26.32	-10	Pass	401
2571	2575	1	RMS	2571	-28.81	-10	Pass	5
2575	2576	1	RMS	2575.005	-38.94	-13	Pass	401
2576	2595	1	RMS	2576.048	-39.08	-25	Pass	401




29.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.875	-50.9	-25	Pass	401
2485	2496	1	RMS	2496	-46.08	-13	Pass	401
2496	2499	1	RMS	2499	-34.88	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.91	-10	Pass	401
2500	2520	1	RMS	2500.45	21.91	30	Pass	401




29.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-48.93	-25	Pass	401
2485	2496	1	RMS	2494.158	-33.25	-13	Pass	401
2496	2499	1	RMS	2499	-29.82	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.96	-10	Pass	401
2500	2520	1	RMS	2512.75	11.4	30	Pass	401




29.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.6	-50.91	-25	Pass	401
2485	2496	1	RMS	2496	-45.58	-13	Pass	401
2496	2499	1	RMS	2499	-35.46	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.23	-10	Pass	401
2500	2520	1	RMS	2500.45	21.54	30	Pass	401




29.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-47.64	-25	Pass	401
2485	2496	1	RMS	2496	-31.76	-13	Pass	401
2496	2499	1	RMS	2499	-28.92	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.18	-10	Pass	401
2500	2520	1	RMS	2512.95	10.94	30	Pass	401




29.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.97	30	Pass	401
2570	2571	0.051	RMS	2570	-24.22	-10	Pass	401
2571	2575	1	RMS	2571	-35.21	-10	Pass	5
2575	2585	1	RMS	2575.025	-47.55	-13	Pass	401
2585	2595	1	RMS	2585.2	-50.61	-25	Pass	401




29.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.6	11.13	30	Pass	401
2570	2571	0.3	RMS	2570.005	-37.58	-10	Pass	401
2571	2575	1	RMS	2571	-34.97	-10	Pass	5
2575	2585	1	RMS	2575.075	-35.79	-13	Pass	401
2585	2595	1	RMS	2585.05	-47.56	-25	Pass	401




29.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.41	30	Pass	401
2570	2571	0.051	RMS	2570	-24.6	-10	Pass	401
2571	2575	1	RMS	2571	-35.9	-10	Pass	5
2575	2585	1	RMS	2575	-48.42	-13	Pass	401
2585	2595	1	RMS	2585.225	-50.65	-25	Pass	401




29.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557	10.68	30	Pass	401
2570	2571	0.3	RMS	2570.023	-36.39	-10	Pass	401
2571	2575	1	RMS	2571	-32.5	-10	Pass	5
2575	2585	1	RMS	2575	-35.94	-13	Pass	401
2585	2595	1	RMS	2585.025	-45.04	-25	Pass	401




29.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476.275	-51.07	-25	Pass	401
2480	2496	1	RMS	2496	-45.46	-13	Pass	401
2496	2499	1	RMS	2499	-35.2	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.19	-10	Pass	401
2500	2520	1	RMS	2500.5	22.25	30	Pass	401




29.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.913	-51.01	-25	Pass	401
2480	2496	1	RMS	2491.8	-33.84	-13	Pass	401
2496	2499	1	RMS	2499	-29.43	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.08	-10	Pass	401
2500	2520	1	RMS	2514.45	10.42	30	Pass	401




29.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.35	-51.06	-25	Pass	401
2480	2496	1	RMS	2495.8	-45.84	-13	Pass	401
2496	2499	1	RMS	2499	-35.96	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.58	-10	Pass	401
2500	2520	1	RMS	2500.55	21.77	30	Pass	401




29.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.75	-51	-25	Pass	401
2480	2496	1	RMS	2496	-31.51	-13	Pass	401
2496	2499	1	RMS	2499	-28.11	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.71	-10	Pass	401
2500	2520	1	RMS	2515.05	10.01	30	Pass	401




29.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.89	30	Pass	401
2570	2571	0.051	RMS	2570	-28.17	-10	Pass	401
2571	2575	1	RMS	2571	-36	-10	Pass	5
2575	2590	1	RMS	2575	-47.38	-13	Pass	401
2590	2595	1	RMS	2592.238	-50.75	-25	Pass	401




29.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.9	9.95	30	Pass	401
2570	2571	0.39	RMS	2570.038	-37.35	-10	Pass	401
2571	2575	1	RMS	2571	-35.25	-10	Pass	5
2575	2590	1	RMS	2576.688	-37.23	-13	Pass	401
2590	2595	1	RMS	2590	-49.88	-25	Pass	401




29.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.46	30	Pass	401
2570	2571	0.051	RMS	2570	-28.32	-10	Pass	401
2571	2575	1	RMS	2571	-36.73	-10	Pass	5
2575	2590	1	RMS	2575.075	-48.28	-13	Pass	401
2590	2595	1	RMS	2590.5	-50.76	-25	Pass	401



29.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.3	9.45	30	Pass	401
2570	2571	0.39	RMS	2570.07	-35.25	-10	Pass	401
2571	2575	1	RMS	2571	-32.6	-10	Pass	5
2575	2590	1	RMS	2575	-36.3	-13	Pass	401
2590	2595	1	RMS	2590	-49.12	-25	Pass	401



30. DC_5A_n7A_SCS15


30.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.81	-49.25	-25	Pass	401
2494	2496	1	RMS	2495.995	-46.39	-13	Pass	401
2496	2499	1	RMS	2499	-34.37	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-16.28	-10	Pass	401
2500	2520	1	RMS	2500.3	22.01	30	Pass	401




30.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.32	-25	Pass	401
2494	2496	1	RMS	2496	-35.68	-13	Pass	401
2496	2499	1	RMS	2498	-26.83	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.26	-10	Pass	401
2500	2520	1	RMS	2503.55	15.81	30	Pass	401




30.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-48.86	-25	Pass	401
2494	2496	1	RMS	2495.99	-45.85	-13	Pass	401
2496	2499	1	RMS	2499	-34.83	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.64	-10	Pass	401
2500	2520	1	RMS	2500.3	21.55	30	Pass	401




30.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-37.72	-25	Pass	401
2494	2496	1	RMS	2496	-32.25	-13	Pass	401
2496	2499	1	RMS	2499	-26.19	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.56	-10	Pass	401
2500	2520	1	RMS	2503.9	15.35	30	Pass	401




30.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.09	30	Pass	401
2570	2571	0.051	RMS	2570	-18.63	-10	Pass	401
2571	2575	1	RMS	2571	-34.21	-10	Pass	5
2575	2576	1	RMS	2575.185	-47.04	-13	Pass	401
2576	2595	1	RMS	2576.048	-48.72	-25	Pass	401




30.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.45	15.88	30	Pass	401
2570	2571	0.1	RMS	2570	-25.44	-10	Pass	401
2571	2575	1	RMS	2572	-29.92	-10	Pass	5
2575	2576	1	RMS	2575.003	-41.39	-13	Pass	401
2576	2595	1	RMS	2576	-42.3	-25	Pass	401




30.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.58	30	Pass	401
2570	2571	0.051	RMS	2570	-18.8	-10	Pass	401
2571	2575	1	RMS	2571	-34.88	-10	Pass	5
2575	2576	1	RMS	2575.065	-48.65	-13	Pass	401
2576	2595	1	RMS	2576	-49.58	-25	Pass	401




30.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.2	15.28	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.32	-10	Pass	401
2571	2575	1	RMS	2571	-28.55	-10	Pass	5
2575	2576	1	RMS	2575	-38.99	-13	Pass	401
2576	2595	1	RMS	2576	-39.14	-25	Pass	401




30.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-50.93	-25	Pass	401
2485	2496	1	RMS	2496	-45.74	-13	Pass	401
2496	2499	1	RMS	2499	-34.79	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.86	-10	Pass	401
2500	2520	1	RMS	2500.45	21.9	30	Pass	401




30.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-48.9	-25	Pass	401
2485	2496	1	RMS	2494.185	-33.26	-13	Pass	401
2496	2499	1	RMS	2499	-30.01	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.03	-10	Pass	401
2500	2520	1	RMS	2512.65	11.35	30	Pass	401




30.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.9	-50.9	-25	Pass	401
2485	2496	1	RMS	2495.973	-46.25	-13	Pass	401
2496	2499	1	RMS	2499	-35.46	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.16	-10	Pass	401
2500	2520	1	RMS	2500.45	21.51	30	Pass	401




30.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-47.67	-25	Pass	401
2485	2496	1	RMS	2496	-31.81	-13	Pass	401
2496	2499	1	RMS	2499	-29.03	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.22	-10	Pass	401
2500	2520	1	RMS	2512.95	10.96	30	Pass	401




30.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.86	30	Pass	401
2570	2571	0.051	RMS	2570	-24.26	-10	Pass	401
2571	2575	1	RMS	2571	-35.25	-10	Pass	5
2575	2585	1	RMS	2575.05	-47.17	-13	Pass	401
2585	2595	1	RMS	2585.175	-50.61	-25	Pass	401




30.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.65	11.15	30	Pass	401
2570	2571	0.3	RMS	2570.015	-37.58	-10	Pass	401
2571	2575	1	RMS	2571	-35.31	-10	Pass	5
2575	2585	1	RMS	2575	-35.69	-13	Pass	401
2585	2595	1	RMS	2585.025	-47.56	-25	Pass	401




30.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.41	30	Pass	401
2570	2571	0.051	RMS	2570.005	-23.97	-10	Pass	401
2571	2575	1	RMS	2571	-35.95	-10	Pass	5
2575	2585	1	RMS	2575.1	-48.61	-13	Pass	401
2585	2595	1	RMS	2585.05	-50.62	-25	Pass	401




30.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557	10.68	30	Pass	401
2570	2571	0.3	RMS	2570.008	-36.51	-10	Pass	401
2571	2575	1	RMS	2571	-32.51	-10	Pass	5
2575	2585	1	RMS	2575.075	-35.95	-13	Pass	401
2585	2595	1	RMS	2585	-44.97	-25	Pass	401




30.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2475.6	-51.07	-25	Pass	401
2480	2496	1	RMS	2495.92	-46.16	-13	Pass	401
2496	2499	1	RMS	2499	-35.6	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.64	-10	Pass	401
2500	2520	1	RMS	2500.5	21.86	30	Pass	401




30.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.9	-51.03	-25	Pass	401
2480	2496	1	RMS	2491.84	-34.47	-13	Pass	401
2496	2499	1	RMS	2499	-29.46	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.43	-10	Pass	401
2500	2520	1	RMS	2514.4	10.03	30	Pass	401




30.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.863	-51.06	-25	Pass	401
2480	2496	1	RMS	2495.96	-46.2	-13	Pass	401
2496	2499	1	RMS	2499	-36.3	-10	Pass	4
2499	2500	0.051	RMS	2500	-26.08	-10	Pass	401
2500	2520	1	RMS	2500.5	21.43	30	Pass	401




30.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.988	-50.99	-25	Pass	401
2480	2496	1	RMS	2496	-32.02	-13	Pass	401
2496	2499	1	RMS	2499	-29.1	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.2	-10	Pass	401
2500	2520	1	RMS	2514.95	9.7	30	Pass	401




30.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.87	30	Pass	401
2570	2571	0.051	RMS	2570	-28.14	-10	Pass	401
2571	2575	1	RMS	2571	-35.89	-10	Pass	5
2575	2590	1	RMS	2575	-47.55	-13	Pass	401
2590	2595	1	RMS	2590.463	-50.76	-25	Pass	401




30.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.95	9.96	30	Pass	401
2570	2571	0.39	RMS	2570.01	-36.42	-10	Pass	401
2571	2575	1	RMS	2571	-34.63	-10	Pass	5
2575	2590	1	RMS	2576.8	-37.27	-13	Pass	401
2590	2595	1	RMS	2590.025	-49.94	-25	Pass	401




30.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.43	30	Pass	401
2570	2571	0.051	RMS	2570.005	-28.1	-10	Pass	401
2571	2575	1	RMS	2571	-36.66	-10	Pass	5
2575	2590	1	RMS	2575.038	-48.58	-13	Pass	401
2590	2595	1	RMS	2590.025	-50.74	-25	Pass	401



30.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.25	9.41	30	Pass	401
2570	2571	0.39	RMS	2570.155	-35.43	-10	Pass	401
2571	2575	1	RMS	2571	-33.12	-10	Pass	5
2575	2590	1	RMS	2575	-36.44	-13	Pass	401
2590	2595	1	RMS	2590	-49.08	-25	Pass	401



31. DC_5A_n66A_SCS15


31.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.92	-13	Pass	401
1708	1709	1	RMS	1709	-37.16	-13	Pass	2
1709	1710	0.03	RMS	1710	-17.73	-13	Pass	401
1710	1750	1	RMS	1710.3	22.26	30	Pass	401




31.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.78	-13	Pass	401
1708	1709	1	RMS	1708	-27.83	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-29.35	-13	Pass	401
1710	1750	1	RMS	1713.6	16.2	30	Pass	401




31.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.73	-13	Pass	401
1708	1709	1	RMS	1709	-38.16	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.64	-13	Pass	401
1710	1750	1	RMS	1710.3	21.33	30	Pass	401




31.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.38	-13	Pass	401
1708	1709	1	RMS	1709	-26.44	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.29	-13	Pass	401
1710	1750	1	RMS	1713.9	15.48	30	Pass	401




31.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	22.36	30	Pass	401
1780	1781	0.051	RMS	1780	-18.86	-13	Pass	401
1781	1782	1	RMS	1781	-38.56	-13	Pass	2
1782	1805	1	RMS	1782	-46.11	-13	Pass	401




31.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.65	16.13	30	Pass	401
1780	1781	0.051	RMS	1780	-27.78	-13	Pass	401
1781	1782	1	RMS	1782	-30.78	-13	Pass	2
1782	1805	1	RMS	1782	-30.83	-13	Pass	401




31.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.82	30	Pass	401
1780	1781	0.051	RMS	1780	-17.72	-13	Pass	401
1781	1782	1	RMS	1781	-38.24	-13	Pass	2
1782	1805	1	RMS	1782	-46.49	-13	Pass	401




31.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.85	15.51	30	Pass	401
1780	1781	0.051	RMS	1780	-28.58	-13	Pass	401
1781	1782	1	RMS	1781	-28.24	-13	Pass	2
1782	1805	1	RMS	1782	-29.68	-13	Pass	401




31.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.7	-13	Pass	401
1708	1709	1	RMS	1709	-39.04	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.97	-13	Pass	401
1710	1750	1	RMS	1710.5	22.06	30	Pass	401




31.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.38	-13	Pass	401
1708	1709	1	RMS	1709	-30.23	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.46	-13	Pass	401
1710	1750	1	RMS	1715	10.55	30	Pass	401




31.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-47.16	-13	Pass	401
1708	1709	1	RMS	1709	-39.63	-13	Pass	2
1709	1710	0.2	RMS	1710	-18.09	-13	Pass	401
1710	1750	1	RMS	1710.5	21.49	30	Pass	401




31.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-29.83	-13	Pass	401
1708	1709	1	RMS	1709	-28.98	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-33.11	-13	Pass	401
1710	1750	1	RMS	1716.5	10.07	30	Pass	401




31.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.1	30	Pass	401
1780	1781	0.2	RMS	1780	-19.78	-13	Pass	401
1781	1782	1	RMS	1781	-40.28	-13	Pass	2
1782	1805	1	RMS	1782	-47.51	-13	Pass	401




31.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.85	10.83	30	Pass	401
1780	1781	0.2	RMS	1780.09	-40.36	-13	Pass	401
1781	1782	1	RMS	1781	-34.81	-13	Pass	2
1782	1805	1	RMS	1782	-36.41	-13	Pass	401




31.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.63	30	Pass	401
1780	1781	0.2	RMS	1780	-19.11	-13	Pass	401
1781	1782	1	RMS	1781	-40.16	-13	Pass	2
1782	1805	1	RMS	1782	-47.86	-13	Pass	401




31.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.3	10.51	30	Pass	401
1780	1781	0.2	RMS	1780.133	-38.52	-13	Pass	401
1781	1782	1	RMS	1781	-32.59	-13	Pass	2
1782	1805	1	RMS	1782.058	-33.54	-13	Pass	401




31.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.33	-13	Pass	401
1708	1709	1	RMS	1709	-40.93	-13	Pass	2
1709	1710	0.3	RMS	1710	-20.45	-13	Pass	401
1710	1750	1	RMS	1710.6	22.26	30	Pass	401




31.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.71	-13	Pass	401
1708	1709	1	RMS	1709	-31.78	-13	Pass	2
1709	1710	0.3	RMS	1710	-34.42	-13	Pass	401
1710	1750	1	RMS	1718.4	8.49	30	Pass	401




31.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.1	-13	Pass	401
1708	1709	1	RMS	1709	-41.64	-13	Pass	2
1709	1710	0.3	RMS	1710	-22.25	-13	Pass	401
1710	1750	1	RMS	1710.6	20.91	30	Pass	401




31.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.49	-13	Pass	401
1708	1709	1	RMS	1709	-31.99	-13	Pass	2
1709	1710	0.3	RMS	1710	-35.21	-13	Pass	401
1710	1750	1	RMS	1718.7	7.81	30	Pass	401




31.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@159, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	22.25	30	Pass	401
1780	1781	0.3	RMS	1780	-22.93	-13	Pass	401
1781	1782	1	RMS	1781	-40.75	-13	Pass	2
1782	1805	1	RMS	1782	-45.48	-13	Pass	401




31.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.6	8.57	30	Pass	401
1780	1781	0.3	RMS	1780	-37.27	-13	Pass	401
1781	1782	1	RMS	1781	-33.64	-13	Pass	2
1782	1805	1	RMS	1782	-34.54	-13	Pass	401




31.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@159, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.83	30	Pass	401
1780	1781	0.3	RMS	1780.003	-22.46	-13	Pass	401
1781	1782	1	RMS	1781	-40.27	-13	Pass	2
1782	1805	1	RMS	1782.058	-44.5	-13	Pass	401



31.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.75	8.06	30	Pass	401
1780	1781	0.3	RMS	1780.013	-37.92	-13	Pass	401
1781	1782	1	RMS	1781	-34.19	-13	Pass	2
1782	1805	1	RMS	1782	-34.57	-13	Pass	401



32. DC_7A_n5A_SCS15


32.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.91	-13	Pass	401
823	824	0.03	RMS	824	-18.37	-13	Pass	401
824	844	0.1	RMS	824.35	19.98	30	Pass	401




32.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.98	-30.54	-13	Pass	401
823	824	0.051	RMS	823.995	-25.34	-13	Pass	401
824	844	0.1	RMS	825.95	7.35	30	Pass	401




32.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.6	-13	Pass	401
823	824	0.051	RMS	824	-17.87	-13	Pass	401
824	844	0.1	RMS	824.35	19.29	30	Pass	401




32.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-30.06	-13	Pass	401
823	824	0.051	RMS	824	-27.46	-13	Pass	401
824	844	0.1	RMS	825	6.3	30	Pass	401




32.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.72	30	Pass	401
849	850	0.051	RMS	849	-16.86	-13	Pass	401
850	874	0.1	RMS	850.72	-47.04	-13	Pass	401




32.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.95	7.18	30	Pass	401
849	850	0.051	RMS	849	-26.05	-13	Pass	401
850	874	0.1	RMS	850.96	-32.39	-13	Pass	401




32.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.94	30	Pass	401
849	850	0.03	RMS	849	-18.71	-13	Pass	401
850	874	0.1	RMS	850.78	-48.59	-13	Pass	401




32.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.07	30	Pass	401
849	850	0.051	RMS	849	-27.4	-13	Pass	401
850	874	0.1	RMS	850	-30.96	-13	Pass	401




32.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.65	-13	Pass	401
823	824	0.1	RMS	824	-17.79	-13	Pass	401
824	844	0.1	RMS	824.45	19.95	30	Pass	401




32.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-34.43	-13	Pass	401
823	824	0.15	RMS	824	-28.33	-13	Pass	401
824	844	0.1	RMS	825.05	2.32	30	Pass	401




32.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-51.44	-13	Pass	401
823	824	0.15	RMS	824	-16.77	-13	Pass	401
824	844	0.1	RMS	824.45	19.32	30	Pass	401




32.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.04	-13	Pass	401
823	824	0.15	RMS	824	-29.59	-13	Pass	401
824	844	0.1	RMS	837.35	1.88	30	Pass	401



32.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.8	30	Pass	401
849	850	0.15	RMS	849	-17.31	-13	Pass	401
850	874	0.1	RMS	850	-50.72	-13	Pass	401




32.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.4	2.14	30	Pass	401
849	850	0.15	RMS	849.02	-34.18	-13	Pass	401
850	874	0.1	RMS	850	-38.61	-13	Pass	401




32.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.06	30	Pass	401
849	850	0.15	RMS	849	-16.26	-13	Pass	401
850	874	0.1	RMS	850.06	-50.74	-13	Pass	401




32.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841	1.53	30	Pass	401
849	850	0.15	RMS	849.078	-33.62	-13	Pass	401
850	874	0.1	RMS	850	-36.4	-13	Pass	401




32.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.03	-13	Pass	401
823	824	0.2	RMS	823.998	-16.72	-13	Pass	401
824	844	0.1	RMS	824.55	20.13	30	Pass	401




32.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-37.55	-13	Pass	401
823	824	0.2	RMS	824	-31.62	-13	Pass	401
824	844	0.1	RMS	838.5	1.16	30	Pass	401




32.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.24	-13	Pass	401
823	824	0.2	RMS	823.998	-18.49	-13	Pass	401
824	844	0.1	RMS	824.55	19.38	30	Pass	401




32.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.05	-13	Pass	401
823	824	0.2	RMS	824	-30.51	-13	Pass	401
824	844	0.1	RMS	830.45	0.35	30	Pass	401




32.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.68	30	Pass	401
849	850	0.2	RMS	849	-18.94	-13	Pass	401
850	874	0.1	RMS	850	-50.46	-13	Pass	401




32.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.85	1.11	30	Pass	401
849	850	0.2	RMS	849.008	-34.85	-13	Pass	401
850	874	0.1	RMS	850.48	-41.34	-13	Pass	401




32.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.02	30	Pass	401
849	850	0.2	RMS	849	-17.7	-13	Pass	401
850	874	0.1	RMS	850	-51.06	-13	Pass	401



32.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	0.42	30	Pass	401
849	850	0.2	RMS	849.123	-32.07	-13	Pass	401
850	874	0.1	RMS	850.54	-37.42	-13	Pass	401



33. DC_7A_n66A_SCS15


33.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.1	-13	Pass	401
1708	1709	1	RMS	1709	-36.88	-13	Pass	2
1709	1710	0.05	RMS	1710	-16.1	-13	Pass	21
1710	1750	1	RMS	1710.3	22.37	30	Pass	401




33.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.57	-13	Pass	401
1708	1709	1	RMS	1709	-28.74	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.18	-13	Pass	401
1710	1750	1	RMS	1713.7	16.27	30	Pass	401




33.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.63	-13	Pass	401
1708	1709	1	RMS	1709	-37.96	-13	Pass	2
1709	1710	0.05	RMS	1710	-17.82	-13	Pass	21
1710	1750	1	RMS	1710.3	21.51	30	Pass	401




33.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.21	-13	Pass	401
1708	1709	1	RMS	1709	-26.31	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.15	-13	Pass	401
1710	1750	1	RMS	1713.8	15.69	30	Pass	401




33.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	22.35	30	Pass	401
1780	1781	0.051	RMS	1780	-18.94	-13	Pass	401
1781	1782	1	RMS	1781	-20.71	-13	Pass	2
1782	1805	1	RMS	1782	-46.8	-13	Pass	401




33.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.35	16.27	30	Pass	401
1780	1781	0.051	RMS	1780	-27.65	-13	Pass	401
1781	1782	1	RMS	1781	-26.25	-13	Pass	2
1782	1805	1	RMS	1782	-30.69	-13	Pass	401




33.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	21.85	30	Pass	401
1780	1781	0.051	RMS	1780	-17.76	-13	Pass	401
1781	1782	1	RMS	1781	-19.59	-13	Pass	2
1782	1805	1	RMS	1782	-46.89	-13	Pass	401




33.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.85	15.6	30	Pass	401
1780	1781	0.051	RMS	1780	-28.49	-13	Pass	401
1781	1782	1	RMS	1781	-25.52	-13	Pass	2
1782	1805	1	RMS	1782	-29.42	-13	Pass	401




33.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.67	-13	Pass	401
1708	1709	1	RMS	1709	-38.72	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.24	-13	Pass	401
1710	1750	1	RMS	1710.5	22.33	30	Pass	401




33.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.73	-13	Pass	401
1708	1709	1	RMS	1709	-30.95	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.89	-13	Pass	401
1710	1750	1	RMS	1715	10.6	30	Pass	401




33.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-47.06	-13	Pass	401
1708	1709	1	RMS	1709	-39.62	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.44	-13	Pass	401
1710	1750	1	RMS	1710.5	21.7	30	Pass	401




33.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-30.72	-13	Pass	401
1708	1709	1	RMS	1709	-29.91	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.82	-13	Pass	401
1710	1750	1	RMS	1716.3	10.03	30	Pass	401




33.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.44	30	Pass	401
1780	1781	0.1	RMS	1780	-24.07	-13	Pass	401
1781	1782	1	RMS	1781	-28.42	-13	Pass	2
1782	1805	1	RMS	1782	-47.4	-13	Pass	401




33.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.75	10.81	30	Pass	401
1780	1781	0.2	RMS	1780.028	-36.85	-13	Pass	401
1781	1782	1	RMS	1781	-31.09	-13	Pass	2
1782	1805	1	RMS	1782.288	-32.75	-13	Pass	401




33.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	21.91	30	Pass	401
1780	1781	0.1	RMS	1780	-23.66	-13	Pass	401
1781	1782	1	RMS	1781	-27.44	-13	Pass	2
1782	1805	1	RMS	1782	-47.81	-13	Pass	401




33.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.25	10.49	30	Pass	401
1780	1781	0.2	RMS	1780.14	-37.48	-13	Pass	401
1781	1782	1	RMS	1781	-31.5	-13	Pass	2
1782	1805	1	RMS	1782	-32.78	-13	Pass	401




33.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.92	-13	Pass	401
1708	1709	1	RMS	1709	-40.93	-13	Pass	2
1709	1710	0.3	RMS	1710	-23.49	-13	Pass	5
1710	1750	1	RMS	1710.6	22.38	30	Pass	401




33.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.785	-32.43	-13	Pass	401
1708	1709	1	RMS	1709	-31.48	-13	Pass	2
1709	1710	0.3	RMS	1710	-34.08	-13	Pass	401
1710	1750	1	RMS	1718.5	8.76	30	Pass	401




33.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.01	-13	Pass	401
1708	1709	1	RMS	1709	-41.73	-13	Pass	2
1709	1710	0.3	RMS	1710	-25.42	-13	Pass	5
1710	1750	1	RMS	1710.6	21.06	30	Pass	401




33.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.24	-13	Pass	401
1708	1709	1	RMS	1709	-31.81	-13	Pass	2
1709	1710	0.3	RMS	1710	-35	-13	Pass	401
1710	1750	1	RMS	1718.7	8.05	30	Pass	401




33.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@159, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	22.33	30	Pass	401
1780	1781	0.3	RMS	1780	-30.79	-13	Pass	5
1781	1782	1	RMS	1781	-40.82	-13	Pass	2
1782	1805	1	RMS	1782	-45.42	-13	Pass	401




33.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.5	8.83	30	Pass	401
1780	1781	0.3	RMS	1780.023	-37.1	-13	Pass	401
1781	1782	1	RMS	1781	-33.06	-13	Pass	2
1782	1805	1	RMS	1782	-34.51	-13	Pass	401




33.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@159, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.86	30	Pass	401
1780	1781	0.3	RMS	1780	-30.76	-13	Pass	5
1781	1782	1	RMS	1781	-40.5	-13	Pass	2
1782	1805	1	RMS	1782.115	-45.02	-13	Pass	401



33.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.5	8.27	30	Pass	401
1780	1781	0.3	RMS	1780	-37.38	-13	Pass	401
1781	1782	1	RMS	1781	-33.84	-13	Pass	2
1782	1805	1	RMS	1782	-34.06	-13	Pass	401



34. DC_12A_n66A_SCS15


34.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.98	-13	Pass	401
1708	1709	1	RMS	1709	-37.19	-13	Pass	2
1709	1710	0.03	RMS	1710	-17.86	-13	Pass	401
1710	1750	1	RMS	1710.3	22.17	30	Pass	401




34.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.65	-13	Pass	401
1708	1709	1	RMS	1708	-27.73	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.03	-13	Pass	401
1710	1750	1	RMS	1713.5	16.27	30	Pass	401




34.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.6	-13	Pass	401
1708	1709	1	RMS	1709	-38.02	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.46	-13	Pass	401
1710	1750	1	RMS	1710.3	21.46	30	Pass	401




34.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.27	-13	Pass	401
1708	1709	1	RMS	1709	-26.33	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.18	-13	Pass	401
1710	1750	1	RMS	1713.9	15.56	30	Pass	401




34.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	22.38	30	Pass	401
1780	1781	0.051	RMS	1780	-18.95	-13	Pass	401
1781	1782	1	RMS	1781	-38.44	-13	Pass	2
1782	1805	1	RMS	1782	-46.58	-13	Pass	401




34.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.3	16.1	30	Pass	401
1780	1781	0.051	RMS	1780	-27.76	-13	Pass	401
1781	1782	1	RMS	1782	-30.81	-13	Pass	2
1782	1805	1	RMS	1782	-30.83	-13	Pass	401




34.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.76	30	Pass	401
1780	1781	0.051	RMS	1780	-17.6	-13	Pass	401
1781	1782	1	RMS	1781	-38.23	-13	Pass	2
1782	1805	1	RMS	1782	-46.9	-13	Pass	401




34.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.75	15.51	30	Pass	401
1780	1781	0.051	RMS	1780	-28.61	-13	Pass	401
1781	1782	1	RMS	1781	-28.19	-13	Pass	2
1782	1805	1	RMS	1782	-29.3	-13	Pass	401




34.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.52	-13	Pass	401
1708	1709	1	RMS	1709	-38.81	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.76	-13	Pass	401
1710	1750	1	RMS	1710.5	22.27	30	Pass	401




34.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.73	-13	Pass	401
1708	1709	1	RMS	1709	-30.93	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.9	-13	Pass	401
1710	1750	1	RMS	1715.1	10.38	30	Pass	401




34.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-47.14	-13	Pass	401
1708	1709	1	RMS	1709	-39.56	-13	Pass	2
1709	1710	0.2	RMS	1710	-18.01	-13	Pass	401
1710	1750	1	RMS	1710.5	21.55	30	Pass	401




34.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-30.63	-13	Pass	401
1708	1709	1	RMS	1709	-29.77	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.72	-13	Pass	401
1710	1750	1	RMS	1716.3	9.92	30	Pass	401




34.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.37	30	Pass	401
1780	1781	0.2	RMS	1780	-19.6	-13	Pass	401
1781	1782	1	RMS	1781	-40.06	-13	Pass	2
1782	1805	1	RMS	1782	-47.34	-13	Pass	401




34.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.75	10.68	30	Pass	401
1780	1781	0.2	RMS	1780	-36.29	-13	Pass	401
1781	1782	1	RMS	1781	-35.29	-13	Pass	2
1782	1805	1	RMS	1782	-37.24	-13	Pass	401




34.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.87	30	Pass	401
1780	1781	0.2	RMS	1780	-18.88	-13	Pass	401
1781	1782	1	RMS	1781	-39.9	-13	Pass	2
1782	1805	1	RMS	1782	-47.7	-13	Pass	401




34.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.15	10.37	30	Pass	401
1780	1781	0.2	RMS	1780.08	-37.17	-13	Pass	401
1781	1782	1	RMS	1781	-31.42	-13	Pass	2
1782	1805	1	RMS	1782	-32.59	-13	Pass	401




34.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-45.74	-13	Pass	401
1708	1709	1	RMS	1709	-40.92	-13	Pass	2
1709	1710	0.3	RMS	1710	-20.38	-13	Pass	401
1710	1750	1	RMS	1710.6	22.25	30	Pass	401




34.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.77	-13	Pass	401
1708	1709	1	RMS	1709	-31.59	-13	Pass	2
1709	1710	0.3	RMS	1710	-34.25	-13	Pass	401
1710	1750	1	RMS	1718.4	8.55	30	Pass	401




34.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-46.05	-13	Pass	401
1708	1709	1	RMS	1709	-41.74	-13	Pass	2
1709	1710	0.3	RMS	1710	-22.31	-13	Pass	401
1710	1750	1	RMS	1710.6	20.84	30	Pass	401




34.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.58	-13	Pass	401
1708	1709	1	RMS	1709	-32.11	-13	Pass	2
1709	1710	0.3	RMS	1709.998	-35.34	-13	Pass	401
1710	1750	1	RMS	1718.8	7.76	30	Pass	401




34.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@159, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	22.22	30	Pass	401
1780	1781	0.3	RMS	1780	-22.85	-13	Pass	401
1781	1782	1	RMS	1781	-40.69	-13	Pass	2
1782	1805	1	RMS	1782	-45.37	-13	Pass	401




34.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.7	8.59	30	Pass	401
1780	1781	0.3	RMS	1780.003	-37.14	-13	Pass	401
1781	1782	1	RMS	1781	-33.54	-13	Pass	2
1782	1805	1	RMS	1782	-34.83	-13	Pass	401




34.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@159, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.83	30	Pass	401
1780	1781	0.3	RMS	1780	-22.38	-13	Pass	401
1781	1782	1	RMS	1781	-40.23	-13	Pass	2
1782	1805	1	RMS	1782	-44.86	-13	Pass	401



34.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778	8.06	30	Pass	401
1780	1781	0.3	RMS	1780	-37.67	-13	Pass	401
1781	1782	1	RMS	1781	-34.06	-13	Pass	2
1782	1805	1	RMS	1782	-34.53	-13	Pass	401



35. DC_26A_n41A_SCS30


35.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:0@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-49.39	-25	Pass	401
2490	2495	1	RMS	2495	-27.48	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26	-13	Pass	401
2496	2596	1	RMS	2497	21.78	30	Pass	401




35.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-33.08	-25	Pass	401
2490	2495	1	RMS	2494.988	-29.83	-13	Pass	401
2495	2496	0.4	RMS	2495	-30.29	-13	Pass	4
2496	2596	1	RMS	2511.5	10.14	30	Pass	401




35.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-49.87	-25	Pass	401
2490	2495	1	RMS	2495	-27.68	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.39	-13	Pass	401
2496	2596	1	RMS	2497	21.22	30	Pass	401




35.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34	-25	Pass	401
2490	2495	1	RMS	2494.925	-29.97	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.15	-13	Pass	4
2496	2596	1	RMS	2510.5	9.51	30	Pass	401




35.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.31	30	Pass	401
2690	2691	0.1	RMS	2690	-24.93	-13	Pass	401
2691	2695	1	RMS	2691	-29.84	-13	Pass	401
2695	2710	1	RMS	2697.888	-49.16	-13	Pass	401
2710	2795	1	RMS	2773.538	-49.82	-25	Pass	401




35.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2675.25	9.53	30	Pass	401
2690	2691	0.4	RMS	2690	-41.89	-13	Pass	4
2691	2695	1	RMS	2691.05	-37.37	-13	Pass	401
2695	2710	1	RMS	2697.25	-37	-13	Pass	401
2710	2715	1	RMS	2711.15	-44.77	-25	Pass	401
2715	2795	1	RMS	2715.2	-46.1	-25	Pass	401




35.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.77	30	Pass	401
2690	2691	0.1	RMS	2690	-23.03	-13	Pass	401
2691	2695	1	RMS	2691	-27.86	-13	Pass	401
2695	2710	1	RMS	2698.038	-49.19	-13	Pass	401
2710	2795	1	RMS	2778.85	-49.92	-25	Pass	401




35.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.5	9.04	30	Pass	401
2690	2691	0.4	RMS	2690	-37.89	-13	Pass	4
2691	2695	1	RMS	2691.02	-32.93	-13	Pass	401
2695	2710	1	RMS	2695	-36.21	-13	Pass	401
2710	2715	1	RMS	2710.85	-43.32	-25	Pass	401
2715	2795	1	RMS	2715	-43.62	-25	Pass	401




35.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.81	-25	Pass	401
2490	2495	1	RMS	2495	-27.82	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.52	-13	Pass	401
2496	2596	1	RMS	2497	21.51	30	Pass	401




35.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.08	-25	Pass	401
2490	2495	1	RMS	2494.975	-35.69	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.93	-13	Pass	2
2496	2596	1	RMS	2542.25	5.2	30	Pass	401




35.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.7	-25	Pass	401
2490	2495	1	RMS	2495	-28.08	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.37	-13	Pass	401
2496	2596	1	RMS	2497	21.04	30	Pass	401




35.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.14	-25	Pass	401
2490	2495	1	RMS	2494.975	-36.41	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.74	-13	Pass	2
2496	2596	1	RMS	2546.25	4.95	30	Pass	401




35.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.16	30	Pass	401
2690	2691	0.1	RMS	2690.01	-26.52	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.57	-13	Pass	401
2695	2750	1	RMS	2695.138	-49.33	-13	Pass	401
2750	2795	1	RMS	2761.025	-49.89	-25	Pass	401




35.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2633.75	4.94	30	Pass	401
2690	2691	1.2	RMS	2690	-27.18	-13	Pass	2
2691	2695	1	RMS	2691.76	-38.73	-13	Pass	401
2695	2750	1	RMS	2695	-42.18	-13	Pass	401
2750	2755	1	RMS	2752.988	-50.06	-25	Pass	401
2755	2795	1	RMS	2780.5	-49.92	-25	Pass	401




35.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.74	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.3	-13	Pass	401
2691	2695	1	RMS	2691.01	-30.37	-13	Pass	401
2695	2750	1	RMS	2695.138	-49.2	-13	Pass	401
2750	2795	1	RMS	2770.925	-49.86	-25	Pass	401




35.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.75	4.48	30	Pass	401
2690	2691	1.2	RMS	2690	-29.34	-13	Pass	2
2691	2695	1	RMS	2692.38	-39.14	-13	Pass	401
2695	2750	1	RMS	2695	-41.64	-13	Pass	401
2750	2755	1	RMS	2754.125	-50.05	-25	Pass	401
2755	2795	1	RMS	2764.4	-49.92	-25	Pass	401




35.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-49.79	-25	Pass	401
2490	2495	1	RMS	2495	-28.73	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.41	-13	Pass	401
2496	2596	1	RMS	2497	21.59	30	Pass	401




35.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-38.03	-25	Pass	401
2490	2495	1	RMS	2495	-35.89	-13	Pass	401
2495	2496	1	RMS	2496	-32.96	-13	Pass	2
2496	2596	1	RMS	2571.25	2.6	30	Pass	401




35.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-49.68	-25	Pass	401
2490	2495	1	RMS	2495	-28.81	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.89	-13	Pass	401
2496	2596	1	RMS	2497	21.07	30	Pass	401




35.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.16	-25	Pass	401
2490	2495	1	RMS	2494.5	-37.15	-13	Pass	401
2495	2496	1	RMS	2496	-33.92	-13	Pass	2
2496	2596	1	RMS	2581	2.22	30	Pass	401




35.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.09	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.81	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.81	-13	Pass	401
2695	2790	1	RMS	2695	-49.17	-13	Pass	401
2790	2795	1	RMS	2791.8	-49.94	-25	Pass	401




35.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2612.75	2.95	30	Pass	401
2690	2691	2	RMS	2690	-35.34	-13	Pass	2
2691	2695	1	RMS	2694.69	-38.94	-13	Pass	401
2695	2790	1	RMS	2695.238	-39.01	-13	Pass	401
2790	2795	1	RMS	2793.013	-49.93	-25	Pass	401




35.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.64	30	Pass	401
2690	2691	0.1	RMS	2690	-24.95	-13	Pass	401
2691	2695	1	RMS	2691	-29.88	-13	Pass	401
2695	2790	1	RMS	2695	-49.15	-13	Pass	401
2790	2795	1	RMS	2792.338	-49.87	-25	Pass	401



35.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600.25	2.52	30	Pass	401
2690	2691	2	RMS	2690	-36.25	-13	Pass	2
2691	2695	1	RMS	2691.81	-39.77	-13	Pass	401
2695	2790	1	RMS	2696.425	-39.63	-13	Pass	401
2790	2795	1	RMS	2792.875	-49.91	-25	Pass	401



36. DC_66A_n5A_SCS15


36.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.88	-13	Pass	401
823	824	0.051	RMS	824	-16.09	-13	Pass	401
824	844	0.1	RMS	824.35	19.98	30	Pass	401




36.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.92	-30.88	-13	Pass	401
823	824	0.051	RMS	823.995	-25.56	-13	Pass	401
824	844	0.1	RMS	825.95	7.31	30	Pass	401




36.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.7	-13	Pass	401
823	824	0.051	RMS	824	-17.95	-13	Pass	401
824	844	0.1	RMS	824.35	19.29	30	Pass	401




36.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-30.34	-13	Pass	401
823	824	0.051	RMS	824	-27.62	-13	Pass	401
824	844	0.1	RMS	825	6.22	30	Pass	401




36.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.63	30	Pass	401
849	850	0.051	RMS	849	-16.86	-13	Pass	401
850	874	0.1	RMS	850.72	-47.11	-13	Pass	401




36.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.95	7.04	30	Pass	401
849	850	0.051	RMS	849	-25.98	-13	Pass	401
850	874	0.1	RMS	850.96	-32.04	-13	Pass	401




36.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.9	30	Pass	401
849	850	0.03	RMS	849	-18.84	-13	Pass	401
850	874	0.1	RMS	850.84	-48.71	-13	Pass	401




36.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.07	30	Pass	401
849	850	0.051	RMS	849	-27.22	-13	Pass	401
850	874	0.1	RMS	850	-30.64	-13	Pass	401




36.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-50.84	-13	Pass	401
823	824	0.1	RMS	824	-17.69	-13	Pass	401
824	844	0.1	RMS	824.45	19.93	30	Pass	401




36.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-34.29	-13	Pass	401
823	824	0.15	RMS	824	-28.52	-13	Pass	401
824	844	0.1	RMS	825.05	2.21	30	Pass	401




36.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-51.72	-13	Pass	401
823	824	0.15	RMS	824	-16.85	-13	Pass	401
824	844	0.1	RMS	824.45	19.22	30	Pass	401




36.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.26	-13	Pass	401
823	824	0.15	RMS	823.978	-29.56	-13	Pass	401
824	844	0.1	RMS	837.35	1.79	30	Pass	401




36.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.99	30	Pass	401
849	850	0.15	RMS	849	-17.19	-13	Pass	401
850	874	0.1	RMS	850	-50.3	-13	Pass	401




36.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.25	2.33	30	Pass	401
849	850	0.15	RMS	849	-35.43	-13	Pass	401
850	874	0.1	RMS	850	-39.31	-13	Pass	401




36.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.14	30	Pass	401
849	850	0.1	RMS	849	-18.48	-13	Pass	401
850	874	0.1	RMS	850.06	-50.95	-13	Pass	401




36.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841	1.75	30	Pass	401
849	850	0.15	RMS	849.063	-32.37	-13	Pass	401
850	874	0.1	RMS	850	-35.32	-13	Pass	401




36.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.45	-13	Pass	401
823	824	0.2	RMS	824	-16.6	-13	Pass	401
824	844	0.1	RMS	824.55	20.21	30	Pass	401




36.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-36.29	-13	Pass	401
823	824	0.2	RMS	824	-30.51	-13	Pass	401
824	844	0.1	RMS	838.5	1.28	30	Pass	401




36.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.2	-13	Pass	401
823	824	0.2	RMS	824	-18.26	-13	Pass	401
824	844	0.1	RMS	824.55	19.55	30	Pass	401




36.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.63	-13	Pass	401
823	824	0.2	RMS	824	-31.01	-13	Pass	401
824	844	0.1	RMS	830.45	0.59	30	Pass	401




36.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.87	30	Pass	401
849	850	0.2	RMS	849	-18.63	-13	Pass	401
850	874	0.1	RMS	850	-50.6	-13	Pass	401




36.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.85	1.42	30	Pass	401
849	850	0.2	RMS	849.043	-33.36	-13	Pass	401
850	874	0.1	RMS	850.54	-39.78	-13	Pass	401



36.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.18	30	Pass	401
849	850	0.2	RMS	849	-17.6	-13	Pass	401
850	874	0.1	RMS	850	-50.81	-13	Pass	401



36.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	0.67	30	Pass	401
849	850	0.2	RMS	849.12	-32.71	-13	Pass	401
850	874	0.1	RMS	850	-37.93	-13	Pass	401



37. DC_66A_n7A_SCS15


37.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.14	-25	Pass	401
2494	2496	1	RMS	2495.905	-46.46	-13	Pass	401
2496	2499	1	RMS	2499	-34.28	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.29	-10	Pass	401
2500	2520	1	RMS	2500.3	22.03	30	Pass	401




37.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.31	-25	Pass	401
2494	2496	1	RMS	2496	-35.73	-13	Pass	401
2496	2499	1	RMS	2498	-26.79	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.15	-10	Pass	401
2500	2520	1	RMS	2501.55	15.77	30	Pass	401




37.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-49.08	-25	Pass	401
2494	2496	1	RMS	2495.97	-45.6	-13	Pass	401
2496	2499	1	RMS	2499	-34.9	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.66	-10	Pass	401
2500	2520	1	RMS	2500.25	21.5	30	Pass	401




37.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-37.79	-25	Pass	401
2494	2496	1	RMS	2496	-32.29	-13	Pass	401
2496	2499	1	RMS	2499	-26.11	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.47	-10	Pass	401
2500	2520	1	RMS	2503.85	15.3	30	Pass	401




37.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.02	30	Pass	401
2570	2571	0.051	RMS	2570	-18.62	-10	Pass	401
2571	2575	1	RMS	2571	-34.01	-10	Pass	5
2575	2576	1	RMS	2575.1	-47.22	-13	Pass	401
2576	2595	1	RMS	2576	-49.02	-25	Pass	401




37.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.35	15.82	30	Pass	401
2570	2571	0.1	RMS	2570	-25.65	-10	Pass	401
2571	2575	1	RMS	2572	-30.58	-10	Pass	5
2575	2576	1	RMS	2575.013	-41.41	-13	Pass	401
2576	2595	1	RMS	2576	-42.32	-25	Pass	401




37.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.51	30	Pass	401
2570	2571	0.051	RMS	2570.003	-19.33	-10	Pass	401
2571	2575	1	RMS	2571	-34.83	-10	Pass	5
2575	2576	1	RMS	2575.085	-48.61	-13	Pass	401
2576	2595	1	RMS	2576.048	-49.66	-25	Pass	401




37.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.4	15.26	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.4	-10	Pass	401
2571	2575	1	RMS	2571	-28.92	-10	Pass	5
2575	2576	1	RMS	2575	-39	-13	Pass	401
2576	2595	1	RMS	2576.19	-39.24	-25	Pass	401




37.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-50.91	-25	Pass	401
2485	2496	1	RMS	2495.945	-46.13	-13	Pass	401
2496	2499	1	RMS	2499	-34.71	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.86	-10	Pass	401
2500	2520	1	RMS	2500.45	21.97	30	Pass	401




37.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.04	-25	Pass	401
2485	2496	1	RMS	2494.24	-33.8	-13	Pass	401
2496	2499	1	RMS	2499	-30.81	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.18	-10	Pass	401
2500	2520	1	RMS	2512.65	11.34	30	Pass	401




37.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-50.91	-25	Pass	401
2485	2496	1	RMS	2495.945	-46.14	-13	Pass	401
2496	2499	1	RMS	2499	-34.99	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.17	-10	Pass	401
2500	2520	1	RMS	2500.45	21.41	30	Pass	401




37.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-47.89	-25	Pass	401
2485	2496	1	RMS	2495.863	-32.93	-13	Pass	401
2496	2499	1	RMS	2499	-30.57	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.54	-10	Pass	401
2500	2520	1	RMS	2512.95	10.94	30	Pass	401




37.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.81	30	Pass	401
2570	2571	0.051	RMS	2570	-24.15	-10	Pass	401
2571	2575	1	RMS	2571	-34.84	-10	Pass	5
2575	2585	1	RMS	2575.125	-47.41	-13	Pass	401
2585	2595	1	RMS	2585.75	-50.61	-25	Pass	401




37.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.45	11.01	30	Pass	401
2570	2571	0.3	RMS	2570.015	-40.22	-10	Pass	401
2571	2575	1	RMS	2571	-38.79	-10	Pass	5
2575	2585	1	RMS	2575.025	-41.44	-13	Pass	401
2585	2595	1	RMS	2585	-47.98	-25	Pass	401




37.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.38	30	Pass	401
2570	2571	0.051	RMS	2570	-24.2	-10	Pass	401
2571	2575	1	RMS	2571	-35.47	-10	Pass	5
2575	2585	1	RMS	2575.15	-48.39	-13	Pass	401
2585	2595	1	RMS	2585.025	-50.65	-25	Pass	401




37.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557	10.71	30	Pass	401
2570	2571	0.3	RMS	2570.023	-39.66	-10	Pass	401
2571	2575	1	RMS	2571	-36.96	-10	Pass	5
2575	2585	1	RMS	2575.65	-40.75	-13	Pass	401
2585	2595	1	RMS	2585.225	-45.25	-25	Pass	401




37.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.9	-51.05	-25	Pass	401
2480	2496	1	RMS	2495.96	-45.75	-13	Pass	401
2496	2499	1	RMS	2499	-35.21	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.84	-10	Pass	401
2500	2520	1	RMS	2500.5	21.92	30	Pass	401




37.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.575	-51.01	-25	Pass	401
2480	2496	1	RMS	2491.72	-35.27	-13	Pass	401
2496	2499	1	RMS	2499	-29.43	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.49	-10	Pass	401
2500	2520	1	RMS	2514.25	9.9	30	Pass	401




37.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-51.06	-25	Pass	401
2480	2496	1	RMS	2495.76	-46.45	-13	Pass	401
2496	2499	1	RMS	2499	-36.53	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-26.28	-10	Pass	401
2500	2520	1	RMS	2500.5	21.29	30	Pass	401




37.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.15	-50.99	-25	Pass	401
2480	2496	1	RMS	2496	-31.82	-13	Pass	401
2496	2499	1	RMS	2499	-29.55	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.28	-10	Pass	401
2500	2520	1	RMS	2515.05	9.62	30	Pass	401




37.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.76	30	Pass	401
2570	2571	0.051	RMS	2570	-28.02	-10	Pass	401
2571	2575	1	RMS	2571	-35.89	-10	Pass	5
2575	2590	1	RMS	2575	-47.53	-13	Pass	401
2590	2595	1	RMS	2590.25	-50.74	-25	Pass	401




37.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555	9.86	30	Pass	401
2570	2571	0.39	RMS	2570.01	-38.19	-10	Pass	401
2571	2575	1	RMS	2571	-37.1	-10	Pass	5
2575	2590	1	RMS	2576.838	-37.37	-13	Pass	401
2590	2595	1	RMS	2590.075	-49.72	-25	Pass	401




37.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.29	30	Pass	401
2570	2571	0.051	RMS	2570	-28.01	-10	Pass	401
2571	2575	1	RMS	2571	-36.72	-10	Pass	5
2575	2590	1	RMS	2575.075	-48.42	-13	Pass	401
2590	2595	1	RMS	2590.613	-50.74	-25	Pass	401



37.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.3	9.27	30	Pass	401
2570	2571	0.39	RMS	2570.048	-37.17	-10	Pass	401
2571	2575	1	RMS	2572	-34.28	-10	Pass	5
2575	2590	1	RMS	2575	-36.86	-13	Pass	401
2590	2595	1	RMS	2590.013	-48.76	-25	Pass	401



END