



**22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.59	-25	Pass	2985
30	1000	0.1	RMS	848.7	-60.92	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.95	-25	Pass	1475
2475	2735	1	RMS	2588.75	5.68	60	Pass	401
2735	3000	1	RMS	2948.325	-45.98	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.87	-25	Pass	9000
12000	27000	1	RMS	26990.999	-39.38	-25	Pass	15000




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.4	-25	Pass	2985
30	1000	0.1	RMS	834.698	-60.9	-25	Pass	9699
1000	2475	1	RMS	2467.995	-47.91	-25	Pass	1475
2475	2735	1	RMS	2651.15	11.91	60	Pass	401
2735	3000	1	RMS	2948.988	-45.95	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.9	-25	Pass	9000
12000	27000	1	RMS	25992.852	-39.25	-25	Pass	15000




**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.97	-25	Pass	2985
30	1000	0.1	RMS	841.099	-60.92	-25	Pass	9699
1000	2475	1	RMS	2458.989	-47.94	-25	Pass	1475
2475	2735	1	RMS	2667.4	7	60	Pass	401
2735	3000	1	RMS	2950.975	-45.97	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.86	-25	Pass	9000
12000	27000	1	RMS	26009.855	-39.28	-25	Pass	15000




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.82	-25	Pass	2985
30	1000	0.1	RMS	824.197	-60.79	-25	Pass	9699
1000	2475	1	RMS	2466.995	-47.9	-25	Pass	1475
2475	2735	1	RMS	2651.15	10.88	60	Pass	401
2735	3000	1	RMS	2951.638	-45.99	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.9	-25	Pass	9000
12000	27000	1	RMS	25998.853	-39.29	-25	Pass	15000



**22.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.15	-25	Pass	2985
30	1000	0.1	RMS	846.9	-60.82	-25	Pass	9699
1000	2475	1	RMS	2456.988	-47.75	-25	Pass	1475
2475	2735	1	RMS	2676.5	5.31	60	Pass	401
2735	3000	1	RMS	2947.663	-45.98	-25	Pass	401
3000	12000	1	RMS	11828.788	-53.92	-25	Pass	9000
12000	27000	1	RMS	25984.851	-39.31	-25	Pass	15000



23. n5 15kHz

23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.62	-13	Pass	2985
30	814	0.1	RMS	527.964	-62.46	-13	Pass	7840
814	859	0.1	RMS	826.327	11.15	60	Pass	450
859	1000	0.1	RMS	998.299	-63.02	-13	Pass	1410
1000	3000	1	RMS	2987.994	-50.35	-13	Pass	2000
3000	10000	1	RMS	5937.42	-59.18	-13	Pass	7000




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-13	Pass	2985
30	814	0.1	RMS	527.964	-62.47	-13	Pass	7840
814	859	0.1	RMS	825.526	10.86	60	Pass	450
859	1000	0.1	RMS	978.685	-63.25	-13	Pass	1410
1000	3000	1	RMS	2997.999	-50.35	-13	Pass	2000
3000	10000	1	RMS	5926.418	-59.14	-13	Pass	7000




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.54	-13	Pass	7840
814	859	0.1	RMS	836.249	10.78	60	Pass	450
859	1000	0.1	RMS	972.48	-63.12	-13	Pass	1410
1000	3000	1	RMS	2389.695	-50.36	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.09	-13	Pass	7000




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.95	-13	Pass	7840
814	859	0.1	RMS	835.448	10.55	60	Pass	450
859	1000	0.1	RMS	999.8	-63.13	-13	Pass	1410
1000	3000	1	RMS	2990.995	-50.32	-13	Pass	2000
3000	10000	1	RMS	5920.417	-59.17	-13	Pass	7000




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.48	-13	Pass	7840
814	859	0.1	RMS	846.372	10.89	60	Pass	450
859	1000	0.1	RMS	996.898	-63.03	-13	Pass	1410
1000	3000	1	RMS	2995.998	-50.33	-13	Pass	2000
3000	10000	1	RMS	5934.419	-59.13	-13	Pass	7000




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.71	-13	Pass	7840
814	859	0.1	RMS	845.47	10.63	60	Pass	450
859	1000	0.1	RMS	976.083	-63.2	-13	Pass	1410
1000	3000	1	RMS	2982.991	-50.35	-13	Pass	2000
3000	10000	1	RMS	5921.417	-59.11	-13	Pass	7000




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.94	-13	Pass	2985
30	814	0.1	RMS	812.3	-59.89	-13	Pass	7840
814	859	0.1	RMS	829.334	6.19	60	Pass	450
859	1000	0.1	RMS	985.89	-63	-13	Pass	1410
1000	3000	1	RMS	2987.994	-50.34	-13	Pass	2000
3000	10000	1	RMS	5930.419	-59.13	-13	Pass	7000




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	Pass	2985
30	814	0.1	RMS	814	-56.15	-13	Pass	7840
814	859	0.1	RMS	831.94	6.37	60	Pass	450
859	1000	0.1	RMS	975.983	-63.31	-13	Pass	1410
1000	3000	1	RMS	2983.992	-50.33	-13	Pass	2000
3000	10000	1	RMS	5932.419	-59.05	-13	Pass	7000




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-13	Pass	2985
30	814	0.1	RMS	527.964	-62.33	-13	Pass	7840
814	859	0.1	RMS	837.853	6.03	60	Pass	450
859	1000	0.1	RMS	996.898	-63.05	-13	Pass	1410
1000	3000	1	RMS	2960.98	-50.35	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.15	-13	Pass	7000




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2985
30	814	0.1	RMS	527.964	-62.05	-13	Pass	7840
814	859	0.1	RMS	836.951	6.3	60	Pass	450
859	1000	0.1	RMS	974.482	-63.04	-13	Pass	1410
1000	3000	1	RMS	2992.996	-50.33	-13	Pass	2000
3000	10000	1	RMS	5924.418	-59.19	-13	Pass	7000




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.93	-13	Pass	7840
814	859	0.1	RMS	842.062	6.03	60	Pass	450
859	1000	0.1	RMS	989.192	-63.16	-13	Pass	1410
1000	3000	1	RMS	2966.983	-50.34	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.17	-13	Pass	7000




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.34	-13	Pass	2985
30	814	0.1	RMS	527.964	-61.83	-13	Pass	7840
814	859	0.1	RMS	841.962	6.39	60	Pass	450
859	1000	0.1	RMS	996.798	-63.05	-13	Pass	1410
1000	3000	1	RMS	2994.997	-50.34	-13	Pass	2000
3000	10000	1	RMS	5931.419	-59.11	-13	Pass	7000




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2985
30	814	0.1	RMS	813.7	-54.74	-13	Pass	7840
814	859	0.1	RMS	835.047	4.76	60	Pass	450
859	1000	0.1	RMS	992.795	-63.09	-13	Pass	1410
1000	3000	1	RMS	2971.986	-50.36	-13	Pass	2000
3000	10000	1	RMS	5923.418	-59.21	-13	Pass	7000




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2985
30	814	0.1	RMS	813.7	-52.72	-13	Pass	7840
814	859	0.1	RMS	836.65	4.83	60	Pass	450
859	1000	0.1	RMS	996.798	-63.22	-13	Pass	1410
1000	3000	1	RMS	2996.998	-50.34	-13	Pass	2000
3000	10000	1	RMS	5928.418	-59.21	-13	Pass	7000




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.67	-13	Pass	2985
30	814	0.1	RMS	812.9	-59.58	-13	Pass	7840
814	859	0.1	RMS	837.552	4.86	60	Pass	450
859	1000	0.1	RMS	996.798	-63.15	-13	Pass	1410
1000	3000	1	RMS	2993.997	-50.32	-13	Pass	2000
3000	10000	1	RMS	5931.419	-59.12	-13	Pass	7000




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	Pass	2985
30	814	0.1	RMS	814	-56.25	-13	Pass	7840
814	859	0.1	RMS	839.156	5.05	60	Pass	450
859	1000	0.1	RMS	996.798	-62.92	-13	Pass	1410
1000	3000	1	RMS	2986.993	-50.37	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.16	-13	Pass	7000




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.58	-13	Pass	7840
814	859	0.1	RMS	840.058	4.85	60	Pass	450
859	1000	0.1	RMS	996.798	-63.09	-13	Pass	1410
1000	3000	1	RMS	2991.996	-50.34	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.18	-13	Pass	7000



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-13	Pass	2985
30	814	0.1	RMS	813.5	-58.29	-13	Pass	7840
814	859	0.1	RMS	841.661	4.98	60	Pass	450
859	1000	0.1	RMS	996.798	-63.14	-13	Pass	1410
1000	3000	1	RMS	2990.995	-50.35	-13	Pass	2000
3000	10000	1	RMS	5933.419	-59.17	-13	Pass	7000



24. n7 15kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-25	Pass	2985
30	1000	0.1	RMS	527.951	-62.72	-25	Pass	9700
1000	2490	1	RMS	2386.931	-50.36	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.4	60	Pass	401
2580	3000	1	RMS	3000	-50.33	-25	Pass	420
3000	6500	1	RMS	5928.837	-59.13	-25	Pass	3500
6500	26000	1	RMS	25610.98	-48.83	-25	Pass	19500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-25	Pass	2985
30	1000	0.1	RMS	527.951	-62.95	-25	Pass	9700
1000	2490	1	RMS	2388.932	-50.21	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.43	60	Pass	401
2580	3000	1	RMS	2990.979	-50.34	-25	Pass	420
3000	6500	1	RMS	5936.839	-59.15	-25	Pass	3500
6500	26000	1	RMS	25611.98	-48.86	-25	Pass	19500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-25	Pass	2985
30	1000	0.1	RMS	969.797	-62.98	-25	Pass	9700
1000	2490	1	RMS	2389.933	-50.37	-25	Pass	1490
2490	2580	1	RMS	2534.55	20.47	60	Pass	401
2580	3000	1	RMS	2980.955	-50.34	-25	Pass	420
3000	6500	1	RMS	5933.838	-59.2	-25	Pass	3500
6500	26000	1	RMS	25616.98	-48.73	-25	Pass	19500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-25	Pass	2985
30	1000	0.1	RMS	527.951	-62	-25	Pass	9700
1000	2490	1	RMS	2389.933	-50.36	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.45	60	Pass	401
2580	3000	1	RMS	2997.995	-50.35	-25	Pass	420
3000	6500	1	RMS	5937.839	-59.22	-25	Pass	3500
6500	26000	1	RMS	25603.98	-48.84	-25	Pass	19500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.67	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.71	-25	Pass	9700
1000	2490	1	RMS	2400.94	-50.34	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.47	60	Pass	401
2580	3000	1	RMS	2580	-50.14	-25	Pass	420
3000	6500	1	RMS	5931.838	-59.19	-25	Pass	3500
6500	26000	1	RMS	25621.981	-48.8	-25	Pass	19500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.73	-25	Pass	9700
1000	2490	1	RMS	2390.934	-50.36	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.48	60	Pass	401
2580	3000	1	RMS	2580	-50.02	-25	Pass	420
3000	6500	1	RMS	5932.838	-59.21	-25	Pass	3500
6500	26000	1	RMS	25600.98	-48.81	-25	Pass	19500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.46	-25	Pass	9700
1000	2490	1	RMS	2490	-48.69	-25	Pass	1490
2490	2580	1	RMS	2508.9	16.01	60	Pass	401
2580	3000	1	RMS	2962.912	-50.37	-25	Pass	420
3000	6500	1	RMS	5923.835	-59.16	-25	Pass	3500
6500	26000	1	RMS	25614.98	-48.84	-25	Pass	19500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.9	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.35	-25	Pass	9700
1000	2490	1	RMS	2490	-45.04	-25	Pass	1490
2490	2580	1	RMS	2508.9	16.08	60	Pass	401
2580	3000	1	RMS	2992.983	-50.35	-25	Pass	420
3000	6500	1	RMS	5932.838	-59.15	-25	Pass	3500
6500	26000	1	RMS	25602.98	-48.81	-25	Pass	19500




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.27	-25	Pass	9700
1000	2490	1	RMS	2389.933	-50.38	-25	Pass	1490
2490	2580	1	RMS	2536.125	15.78	60	Pass	401
2580	3000	1	RMS	2961.909	-50.35	-25	Pass	420
3000	6500	1	RMS	5936.839	-59.18	-25	Pass	3500
6500	26000	1	RMS	25615.98	-48.82	-25	Pass	19500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.36	-25	Pass	9700
1000	2490	1	RMS	2386.931	-50.34	-25	Pass	1490
2490	2580	1	RMS	2535.45	15.99	60	Pass	401
2580	3000	1	RMS	2989.976	-50.35	-25	Pass	420
3000	6500	1	RMS	5931.838	-59.19	-25	Pass	3500
6500	26000	1	RMS	25614.98	-48.84	-25	Pass	19500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.31	-25	Pass	9700
1000	2490	1	RMS	2385.93	-50.38	-25	Pass	1490
2490	2580	1	RMS	2559.525	16.07	60	Pass	401
2580	3000	1	RMS	2580	-48.83	-25	Pass	420
3000	6500	1	RMS	5925.836	-59.22	-25	Pass	3500
6500	26000	1	RMS	25613.98	-48.89	-25	Pass	19500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.41	-25	Pass	9700
1000	2490	1	RMS	2387.931	-50.36	-25	Pass	1490
2490	2580	1	RMS	2559.525	16.09	60	Pass	401
2580	3000	1	RMS	2580	-45.92	-25	Pass	420
3000	6500	1	RMS	5930.837	-59.2	-25	Pass	3500
6500	26000	1	RMS	25609.98	-48.71	-25	Pass	19500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.22	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.44	-25	Pass	9700
1000	2490	1	RMS	2490	-45.75	-25	Pass	1490
2490	2580	1	RMS	2512.275	14.8	60	Pass	401
2580	3000	1	RMS	3000	-50.34	-25	Pass	420
3000	6500	1	RMS	5931.838	-59.15	-25	Pass	3500
6500	26000	1	RMS	25596.979	-48.86	-25	Pass	19500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.61	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.6	-25	Pass	9700
1000	2490	1	RMS	2490	-42.26	-25	Pass	1490
2490	2580	1	RMS	2512.725	14.82	60	Pass	401
2580	3000	1	RMS	3000	-50.33	-25	Pass	420
3000	6500	1	RMS	5933.838	-59.16	-25	Pass	3500
6500	26000	1	RMS	25611.98	-48.76	-25	Pass	19500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.94	-25	Pass	9700
1000	2490	1	RMS	2395.937	-50.35	-25	Pass	1490
2490	2580	1	RMS	2537.025	14.68	60	Pass	401
2580	3000	1	RMS	2961.909	-50.35	-25	Pass	420
3000	6500	1	RMS	5927.837	-59.15	-25	Pass	3500
6500	26000	1	RMS	25604.98	-48.84	-25	Pass	19500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-25	Pass	2985
30	1000	0.1	RMS	527.951	-61.76	-25	Pass	9700
1000	2490	1	RMS	2394.936	-50.3	-25	Pass	1490
2490	2580	1	RMS	2537.7	14.65	60	Pass	401
2580	3000	1	RMS	2967.924	-50.36	-25	Pass	420
3000	6500	1	RMS	5932.838	-59.16	-25	Pass	3500
6500	26000	1	RMS	25606.98	-48.78	-25	Pass	19500




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-25	Pass	2985
30	1000	0.1	RMS	527.951	-62.05	-25	Pass	9700
1000	2490	1	RMS	2389.933	-50.37	-25	Pass	1490
2490	2580	1	RMS	2555.925	14.96	60	Pass	401
2580	3000	1	RMS	2580	-47.15	-25	Pass	420
3000	6500	1	RMS	5926.836	-59.17	-25	Pass	3500
6500	26000	1	RMS	25610.98	-48.85	-25	Pass	19500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.79	-25	Pass	2985
30	1000	0.1	RMS	527.951	-62.16	-25	Pass	9700
1000	2490	1	RMS	2385.93	-50.33	-25	Pass	1490
2490	2580	1	RMS	2555.7	14.97	60	Pass	401
2580	3000	1	RMS	2580	-42.94	-25	Pass	420
3000	6500	1	RMS	5925.836	-59.18	-25	Pass	3500
6500	26000	1	RMS	25607.98	-48.77	-25	Pass	19500



25. n38 30kHz_PC3


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.2	-25	Pass	2985
30	1000	0.1	RMS	887.651	-61.04	-25	Pass	9699
1000	2560	1	RMS	2560	-45.18	-25	Pass	1560
2560	2630	1	RMS	2582.575	13.86	60	Pass	401
2630	3000	1	RMS	2881.6	-48.6	-25	Pass	401
3000	6500	1	RMS	6223.921	-63.56	-25	Pass	3500
6500	27000	1	RMS	25478.63	-43.46	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.52	-25	Pass	2985
30	1000	0.1	RMS	940.221	-61.66	-25	Pass	9699
1000	2560	1	RMS	2560	-40.99	-25	Pass	1560
2560	2630	1	RMS	2583.1	14.01	60	Pass	401
2630	3000	1	RMS	2868.65	-48.61	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.69	-25	Pass	3500
6500	27000	1	RMS	25493.634	-43.08	-25	Pass	20500




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.94	-25	Pass	2985
30	1000	0.1	RMS	901.569	-61.46	-25	Pass	9699
1000	2560	1	RMS	2495.959	-50.14	-25	Pass	1560
2560	2630	1	RMS	2593.6	13.8	60	Pass	401
2630	3000	1	RMS	2867.725	-48.6	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.56	-25	Pass	3500
6500	27000	1	RMS	26870.969	-43.2	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.39	-25	Pass	401
0.15	30	0.01	RMS	0.72	-70.99	-25	Pass	2985
30	1000	0.1	RMS	895.261	-61.31	-25	Pass	9699
1000	2560	1	RMS	2560	-49.77	-25	Pass	1560
2560	2630	1	RMS	2597.975	14.12	60	Pass	401
2630	3000	1	RMS	2878.825	-48.58	-25	Pass	401
3000	6500	1	RMS	6040.869	-63.38	-25	Pass	3500
6500	27000	1	RMS	25470.628	-43.12	-25	Pass	20500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.88	-70.83	-25	Pass	2985
30	1000	0.1	RMS	985.08	-61.7	-25	Pass	9699
1000	2560	1	RMS	2502.963	-50.26	-25	Pass	1560
2560	2630	1	RMS	2606.375	13.88	60	Pass	401
2630	3000	1	RMS	2630	-45.57	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	26806.953	-43.13	-25	Pass	20500




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.03	-25	Pass	2985
30	1000	0.1	RMS	842.699	-61.42	-25	Pass	9699
1000	2560	1	RMS	2501.963	-50.15	-25	Pass	1560
2560	2630	1	RMS	2613.025	13.98	60	Pass	401
2630	3000	1	RMS	2630	-42.07	-25	Pass	401
3000	6500	1	RMS	6037.868	-63.72	-25	Pass	3500
6500	27000	1	RMS	25871.726	-43.19	-25	Pass	20500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.29	-25	Pass	2985
30	1000	0.1	RMS	937.617	-61.53	-25	Pass	9699
1000	2560	1	RMS	2558.999	-42.82	-25	Pass	1560
2560	2630	1	RMS	2580.825	12.24	60	Pass	401
2630	3000	1	RMS	2867.725	-48.55	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.64	-25	Pass	3500
6500	27000	1	RMS	25906.734	-43.14	-25	Pass	20500




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.36	-70.06	-25	Pass	2985
30	1000	0.1	RMS	816.296	-61.54	-25	Pass	9699
1000	2560	1	RMS	2560	-39.5	-25	Pass	1560
2560	2630	1	RMS	2587.825	12.27	60	Pass	401
2630	3000	1	RMS	2862.175	-48.64	-25	Pass	401
3000	6500	1	RMS	6075.879	-63.72	-25	Pass	3500
6500	27000	1	RMS	25863.724	-43.05	-25	Pass	20500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.64	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.42	-25	Pass	2985
30	1000	0.1	RMS	875.935	-61.38	-25	Pass	9699
1000	2560	1	RMS	2560	-49.31	-25	Pass	1560
2560	2630	1	RMS	2599.2	12.33	60	Pass	401
2630	3000	1	RMS	2863.1	-48.66	-25	Pass	401
3000	6500	1	RMS	6076.879	-63.7	-25	Pass	3500
6500	27000	1	RMS	25209.565	-43.51	-25	Pass	20500




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.82	-25	Pass	2985
30	1000	0.1	RMS	870.328	-61.4	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.55	-25	Pass	1560
2560	2630	1	RMS	2595.875	12.32	60	Pass	401
2630	3000	1	RMS	2630	-47.36	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.76	-25	Pass	3500
6500	27000	1	RMS	25829.716	-43.19	-25	Pass	20500




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-25	Pass	2985
30	1000	0.1	RMS	860.215	-61.39	-25	Pass	9699
1000	2560	1	RMS	2508.967	-50.18	-25	Pass	1560
2560	2630	1	RMS	2600.775	12.47	60	Pass	401
2630	3000	1	RMS	2630	-41.62	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.37	-25	Pass	3500
6500	27000	1	RMS	25840.718	-43.2	-25	Pass	20500




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-67.8	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.14	-25	Pass	2985
30	1000	0.1	RMS	876.937	-61.32	-25	Pass	9699
1000	2560	1	RMS	2554.997	-49.88	-25	Pass	1560
2560	2630	1	RMS	2605.85	12.42	60	Pass	401
2630	3000	1	RMS	2630	-42.14	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	25475.63	-43.54	-25	Pass	20500




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.99	-25	Pass	2985
30	1000	0.1	RMS	895.862	-61.35	-25	Pass	9699
1000	2560	1	RMS	2560	-42.8	-25	Pass	1560
2560	2630	1	RMS	2594.475	11.09	60	Pass	401
2630	3000	1	RMS	2630	-47.93	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.64	-25	Pass	3500
6500	27000	1	RMS	25918.737	-43.37	-25	Pass	20500




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.58	-25	Pass	2985
30	1000	0.1	RMS	857.311	-61.59	-25	Pass	9699
1000	2560	1	RMS	2560	-38.24	-25	Pass	1560
2560	2630	1	RMS	2593.775	11.03	60	Pass	401
2630	3000	1	RMS	2630	-45.22	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.75	-25	Pass	3500
6500	27000	1	RMS	26014.761	-43.19	-25	Pass	20500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.09	-25	Pass	2985
30	1000	0.1	RMS	783.892	-61.37	-25	Pass	9699
1000	2560	1	RMS	2558.999	-44.59	-25	Pass	1560
2560	2630	1	RMS	2599.55	11.04	60	Pass	401
2630	3000	1	RMS	2630	-44.2	-25	Pass	401
3000	6500	1	RMS	6036.868	-63.68	-25	Pass	3500
6500	27000	1	RMS	25878.728	-43.09	-25	Pass	20500




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.5	-69.19	-25	Pass	2985
30	1000	0.1	RMS	806.395	-61.67	-25	Pass	9699
1000	2560	1	RMS	2560	-41.46	-25	Pass	1560
2560	2630	1	RMS	2594.3	11.05	60	Pass	401
2630	3000	1	RMS	2630	-42.34	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.48	-25	Pass	3500
6500	27000	1	RMS	26937.985	-43.26	-25	Pass	20500




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.44	-25	Pass	2985
30	1000	0.1	RMS	959.246	-61.7	-25	Pass	9699
1000	2560	1	RMS	2560	-46.15	-25	Pass	1560
2560	2630	1	RMS	2602.35	11.02	60	Pass	401
2630	3000	1	RMS	2630	-42.69	-25	Pass	401
3000	6500	1	RMS	6204.916	-63.63	-25	Pass	3500
6500	27000	1	RMS	25511.638	-43.47	-25	Pass	20500



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.62	-25	Pass	2985
30	1000	0.1	RMS	951.536	-61.3	-25	Pass	9699
1000	2560	1	RMS	2560	-43.48	-25	Pass	1560
2560	2630	1	RMS	2599.2	11.08	60	Pass	401
2630	3000	1	RMS	2630	-38.33	-25	Pass	401
3000	6500	1	RMS	6200.915	-63.59	-25	Pass	3500
6500	27000	1	RMS	25893.731	-43.42	-25	Pass	20500



26. n41 30kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.06	-25	Pass	2985
30	1000	0.1	RMS	749.688	-61.63	-25	Pass	9699
1000	2486	1	RMS	2486	-45.03	-25	Pass	1486
2486	2700	1	RMS	2508.47	14.17	60	Pass	401
2700	3000	1	RMS	2878.5	-48.64	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.67	-25	Pass	3500
6500	27000	1	RMS	25485.632	-43.2	-25	Pass	20500




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	Pass	2985
30	1000	0.1	RMS	873.632	-61.43	-25	Pass	9699
1000	2486	1	RMS	2486	-40.69	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.53	60	Pass	401
2700	3000	1	RMS	2875.5	-48.59	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.76	-25	Pass	3500
6500	27000	1	RMS	25200.563	-42.96	-25	Pass	20500




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.07	-25	Pass	2985
30	1000	0.1	RMS	827.397	-61.26	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.6	-25	Pass	1486
2486	2700	1	RMS	2595.675	13.99	60	Pass	401
2700	3000	1	RMS	2877.75	-48.6	-25	Pass	401
3000	6500	1	RMS	6203.915	-63.64	-25	Pass	3500
6500	27000	1	RMS	25500.636	-43.53	-25	Pass	20500




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.47	-25	Pass	2985
30	1000	0.1	RMS	884.246	-61.49	-25	Pass	9699
1000	2486	1	RMS	2486	-50.5	-25	Pass	1486
2486	2700	1	RMS	2596.21	14.14	60	Pass	401
2700	3000	1	RMS	2878.5	-48.57	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.66	-25	Pass	3500
6500	27000	1	RMS	25197.562	-43.41	-25	Pass	20500




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	Pass	2985
30	1000	0.1	RMS	903.873	-61.24	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.44	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.69	60	Pass	401
2700	3000	1	RMS	2700	-46.11	-25	Pass	401
3000	6500	1	RMS	6203.915	-63.65	-25	Pass	3500
6500	27000	1	RMS	25202.563	-43.45	-25	Pass	20500




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.72	-25	Pass	2985
30	1000	0.1	RMS	763.69	-61.58	-25	Pass	9699
1000	2486	1	RMS	2464.986	-50.5	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.7	60	Pass	401
2700	3000	1	RMS	2700	-43.18	-25	Pass	401
3000	6500	1	RMS	5852.815	-63.42	-25	Pass	3500
6500	27000	1	RMS	25509.638	-43.37	-25	Pass	20500




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.43	-25	Pass	2985
30	1000	0.1	RMS	779.592	-61.27	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.27	-25	Pass	1486
2486	2700	1	RMS	2523.45	9.21	60	Pass	401
2700	3000	1	RMS	2884.5	-48.63	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.6	-25	Pass	3500
6500	27000	1	RMS	25810.711	-43.31	-25	Pass	20500




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.35	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.34	-25	Pass	2985
30	1000	0.1	RMS	637.474	-61.61	-25	Pass	9699
1000	2486	1	RMS	2486	-34.96	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.21	60	Pass	401
2700	3000	1	RMS	2874.75	-48.59	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.55	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.19	-25	Pass	20500




**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.25	-25	Pass	2985
30	1000	0.1	RMS	930.508	-60.99	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.55	-25	Pass	1486
2486	2700	1	RMS	2604.77	9.35	60	Pass	401
2700	3000	1	RMS	2879.25	-48.62	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.57	-25	Pass	3500
6500	27000	1	RMS	25954.746	-43.45	-25	Pass	20500




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-25	Pass	2985
30	1000	0.1	RMS	966.355	-61.26	-25	Pass	9699
1000	2486	1	RMS	2486	-50.39	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.39	60	Pass	401
2700	3000	1	RMS	2868	-48.57	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.57	-25	Pass	3500
6500	27000	1	RMS	25506.637	-43.24	-25	Pass	20500




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.27	-25	Pass	2985
30	1000	0.1	RMS	878.038	-61.27	-25	Pass	9699
1000	2486	1	RMS	2466.987	-50.56	-25	Pass	1486
2486	2700	1	RMS	2671.645	9.28	60	Pass	401
2700	3000	1	RMS	2700.75	-41.89	-25	Pass	401
3000	6500	1	RMS	6203.915	-63.7	-25	Pass	3500
6500	27000	1	RMS	25883.729	-43.3	-25	Pass	20500




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.13	-25	Pass	2985
30	1000	0.1	RMS	986.782	-61.71	-25	Pass	9699
1000	2486	1	RMS	2456.98	-50.55	-25	Pass	1486
2486	2700	1	RMS	2666.295	9.27	60	Pass	401
2700	3000	1	RMS	2703	-36.51	-25	Pass	401
3000	6500	1	RMS	6039.869	-63.71	-25	Pass	3500
6500	27000	1	RMS	25871.726	-43.2	-25	Pass	20500




**26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.31	-25	Pass	2985
30	1000	0.1	RMS	892.558	-60.8	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.61	-25	Pass	1486
2486	2700	1	RMS	2529.87	7.13	60	Pass	401
2700	3000	1	RMS	2876.25	-48.64	-25	Pass	401
3000	6500	1	RMS	5846.813	-63.46	-25	Pass	3500
6500	27000	1	RMS	26999	-43.39	-25	Pass	20500




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.34	-68.97	-25	Pass	2985
30	1000	0.1	RMS	902.371	-61.69	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.33	-25	Pass	1486
2486	2700	1	RMS	2532.01	6.97	60	Pass	401
2700	3000	1	RMS	2877	-48.63	-25	Pass	401
3000	6500	1	RMS	6035.867	-63.71	-25	Pass	3500
6500	27000	1	RMS	25853.722	-43.58	-25	Pass	20500




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.59	-25	Pass	2985
30	1000	0.1	RMS	924.9	-60.84	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.89	-25	Pass	1486
2486	2700	1	RMS	2608.515	6.88	60	Pass	401
2700	3000	1	RMS	2871	-48.64	-25	Pass	401
3000	6500	1	RMS	6205.916	-63.78	-25	Pass	3500
6500	27000	1	RMS	25827.715	-43.16	-25	Pass	20500




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	Pass	2985
30	1000	0.1	RMS	755.789	-61.29	-25	Pass	9699
1000	2486	1	RMS	2486	-48.12	-25	Pass	1486
2486	2700	1	RMS	2604.77	7.09	60	Pass	401
2700	3000	1	RMS	2700.75	-48.09	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.68	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.36	-25	Pass	20500




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.66	-25	Pass	2985
30	1000	0.1	RMS	906.075	-61.19	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.42	-25	Pass	1486
2486	2700	1	RMS	2616.54	7.42	60	Pass	401
2700	3000	1	RMS	2700	-39.88	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.53	-25	Pass	3500
6500	27000	1	RMS	26740.937	-43.29	-25	Pass	20500



**26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.48	-69.27	-25	Pass	2985
30	1000	0.1	RMS	957.744	-61.18	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.3	-25	Pass	1486
2486	2700	1	RMS	2619.215	7.29	60	Pass	401
2700	3000	1	RMS	2700	-36.63	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.65	-25	Pass	3500
6500	27000	1	RMS	25493.634	-43.11	-25	Pass	20500



27. n66 15kHz


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	Pass	2985
30	1000	0.1	RMS	527.951	-61.87	-13	Pass	9700
1000	1700	1	RMS	1695.309	-51.87	-13	Pass	9700
1700	1790	1	RMS	1712.15	20.8	60	Pass	401
1790	3000	1	RMS	2987.99	-50.32	-13	Pass	1210
3000	6500	1	RMS	5934.839	-59.19	-13	Pass	3500
6500	20000	1	RMS	19652.974	-54.2	-13	Pass	13500




27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	Pass	2985
30	1000	0.1	RMS	527.951	-61.69	-13	Pass	9700
1000	1700	1	RMS	1699.928	-51.73	-13	Pass	9700
1700	1790	1	RMS	1712.375	20.36	60	Pass	401
1790	3000	1	RMS	2990.993	-50.31	-13	Pass	1210
3000	6500	1	RMS	5931.838	-59.16	-13	Pass	3500
6500	20000	1	RMS	18931.921	-54.18	-13	Pass	13500




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2985
30	1000	0.1	RMS	527.951	-61.52	-13	Pass	9700
1000	1700	1	RMS	1669.038	-51.95	-13	Pass	9700
1700	1790	1	RMS	1744.55	21.15	60	Pass	401
1790	3000	1	RMS	2966.973	-50.26	-13	Pass	1210
3000	6500	1	RMS	5927.837	-59.16	-13	Pass	3500
6500	20000	1	RMS	19648.974	-54.22	-13	Pass	13500




27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	Pass	2985
30	1000	0.1	RMS	527.951	-61.45	-13	Pass	9700
1000	1700	1	RMS	1694.01	-52.05	-13	Pass	9700
1700	1790	1	RMS	1744.55	21.05	60	Pass	401
1790	3000	1	RMS	2997.998	-50.31	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.18	-13	Pass	3500
6500	20000	1	RMS	18933.921	-54.22	-13	Pass	13500




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.43	-13	Pass	2985
30	1000	0.1	RMS	983.498	-63.15	-13	Pass	9700
1000	1700	1	RMS	1693.649	-52.19	-13	Pass	9700
1700	1790	1	RMS	1777.175	20.87	60	Pass	401
1790	3000	1	RMS	2997.998	-50.28	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.19	-13	Pass	3500
6500	20000	1	RMS	18935.921	-54.23	-13	Pass	13500




27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	Pass	2985
30	1000	0.1	RMS	997.9	-62.93	-13	Pass	9700
1000	1700	1	RMS	1699.783	-52.15	-13	Pass	9700
1700	1790	1	RMS	1777.175	20.59	60	Pass	401
1790	3000	1	RMS	2959.967	-50.32	-13	Pass	1210
3000	6500	1	RMS	5932.838	-59.19	-13	Pass	3500
6500	20000	1	RMS	19650.974	-54.24	-13	Pass	13500




**27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.28	-13	Pass	2985
30	1000	0.1	RMS	997.9	-62.51	-13	Pass	9700
1000	1700	1	RMS	1699.711	-47.38	-13	Pass	9700
1700	1790	1	RMS	1718.675	16.13	60	Pass	401
1790	3000	1	RMS	2975.98	-50.28	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.18	-13	Pass	3500
6500	20000	1	RMS	18932.921	-54.2	-13	Pass	13500




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.8	-13	Pass	2985
30	1000	0.1	RMS	952.095	-63.14	-13	Pass	9700
1000	1700	1	RMS	1698.34	-42.78	-13	Pass	9700
1700	1790	1	RMS	1718	16.2	60	Pass	401
1790	3000	1	RMS	2959.967	-50.3	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.17	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.21	-13	Pass	13500




**27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	1000	0.1	RMS	978.198	-63.12	-13	Pass	9700
1000	1700	1	RMS	1686.504	-51.96	-13	Pass	9700
1700	1790	1	RMS	1742.525	16.32	60	Pass	401
1790	3000	1	RMS	3000	-50.32	-13	Pass	1210
3000	6500	1	RMS	5932.838	-59.16	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.23	-13	Pass	13500




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	Pass	2985
30	1000	0.1	RMS	997.8	-63.14	-13	Pass	9700
1000	1700	1	RMS	1697.402	-52.06	-13	Pass	9700
1700	1790	1	RMS	1742.3	16.37	60	Pass	401
1790	3000	1	RMS	2978.983	-50.3	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.14	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.24	-13	Pass	13500




**27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2985
30	1000	0.1	RMS	985.198	-63.11	-13	Pass	9700
1000	1700	1	RMS	1682.39	-51.94	-13	Pass	9700
1700	1790	1	RMS	1769.75	16.51	60	Pass	401
1790	3000	1	RMS	1790	-48.48	-13	Pass	1210
3000	6500	1	RMS	5933.838	-59.22	-13	Pass	3500
6500	20000	1	RMS	18926.921	-54.26	-13	Pass	13500




27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-70.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2985
30	1000	0.1	RMS	982.998	-63.17	-13	Pass	9700
1000	1700	1	RMS	1693.144	-52.2	-13	Pass	9700
1700	1790	1	RMS	1769.75	16.57	60	Pass	401
1790	3000	1	RMS	1790	-43.75	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.16	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.12	-13	Pass	13500




**27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	Pass	2985
30	1000	0.1	RMS	997.9	-63.16	-13	Pass	9700
1000	1700	1	RMS	1699.856	-41.48	-13	Pass	9700
1700	1790	1	RMS	1722.05	14.8	60	Pass	401
1790	3000	1	RMS	2411.514	-49.84	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.17	-13	Pass	3500
6500	20000	1	RMS	18927.921	-54.24	-13	Pass	13500




27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	Pass	2985
30	1000	0.1	RMS	988.199	-63.21	-13	Pass	9700
1000	1700	1	RMS	1699.928	-37.37	-13	Pass	9700
1700	1790	1	RMS	1719.35	14.76	60	Pass	401
1790	3000	1	RMS	2961.969	-50.25	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.14	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.21	-13	Pass	13500




**27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.25	-13	Pass	2985
30	1000	0.1	RMS	941.794	-63.03	-13	Pass	9700
1000	1700	1	RMS	1697.041	-52.12	-13	Pass	9700
1700	1790	1	RMS	1747.025	14.68	60	Pass	401
1790	3000	1	RMS	2998.999	-50.33	-13	Pass	1210
3000	6500	1	RMS	5937.839	-59.21	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.23	-13	Pass	13500




27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.18	-13	Pass	2985
30	1000	0.1	RMS	996.8	-63.06	-13	Pass	9700
1000	1700	1	RMS	1699.495	-51.83	-13	Pass	9700
1700	1790	1	RMS	1744.325	14.82	60	Pass	401
1790	3000	1	RMS	2956.964	-50.27	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.19	-13	Pass	3500
6500	20000	1	RMS	19652.974	-54.25	-13	Pass	13500




**27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-13	Pass	2985
30	1000	0.1	RMS	996.9	-63.18	-13	Pass	9700
1000	1700	1	RMS	1649.335	-52.09	-13	Pass	9700
1700	1790	1	RMS	1765.925	14.66	60	Pass	401
1790	3000	1	RMS	1790	-45.34	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.15	-13	Pass	3500
6500	20000	1	RMS	19660.975	-54.22	-13	Pass	13500



27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-13	Pass	2985
30	1000	0.1	RMS	960.596	-62.99	-13	Pass	9700
1000	1700	1	RMS	1667.667	-52.08	-13	Pass	9700
1700	1790	1	RMS	1769.3	14.78	60	Pass	401
1790	3000	1	RMS	1790	-40.8	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.16	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.24	-13	Pass	13500



28. DC_2A_n7A_SCS15


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.74	-25	Pass	2985
30	1000	0.1	RMS	999.399	-64.06	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.73	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.44	60	Pass	401
2580	3000	1	RMS	2868.687	-49.05	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.48	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.85	-25	Pass	19500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-25	Pass	2985
30	1000	0.1	RMS	897.264	-64.11	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.35	60	Pass	401
2580	3000	1	RMS	2870.692	-49.05	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.51	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.89	-25	Pass	19500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-25	Pass	2985
30	1000	0.1	RMS	886.75	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.92	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.34	60	Pass	401
2580	3000	1	RMS	2874.702	-49.01	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.48	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.89	-25	Pass	19500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-25	Pass	2985
30	1000	0.1	RMS	870.929	-64.05	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.87	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.12	60	Pass	401
2580	3000	1	RMS	2872.697	-49.03	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.42	-25	Pass	3500
6500	26000	1	RMS	25507.842	-44.91	-25	Pass	19500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.69	-25	Pass	2985
30	1000	0.1	RMS	879.741	-64.12	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.92	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.41	60	Pass	401
2580	3000	1	RMS	2878.711	-49.05	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25510.843	-44.86	-25	Pass	19500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.59	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.97	-25	Pass	2985
30	1000	0.1	RMS	903.873	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.8	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.3	60	Pass	401
2580	3000	1	RMS	2873.699	-49.01	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.92	-25	Pass	19500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.34	-25	Pass	2985
30	1000	0.1	RMS	912.384	-64.05	-25	Pass	9699
1000	2490	1	RMS	2490	-48.3	-25	Pass	1490
2490	2580	1	RMS	2508.675	14.7	60	Pass	401
2580	3000	1	RMS	2870.692	-49.04	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.43	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.81	-25	Pass	19500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-25	Pass	2985
30	1000	0.1	RMS	884.146	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-45.52	-25	Pass	1490
2490	2580	1	RMS	2508	14.82	60	Pass	401
2580	3000	1	RMS	2868.687	-49.04	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.92	-25	Pass	19500




28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.1	-25	Pass	2985
30	1000	0.1	RMS	879.64	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-50.9	-25	Pass	1490
2490	2580	1	RMS	2532.525	14.55	60	Pass	401
2580	3000	1	RMS	2870.692	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.39	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.81	-25	Pass	19500




28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-25	Pass	2985
30	1000	0.1	RMS	897.664	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.97	-25	Pass	1490
2490	2580	1	RMS	2535.225	14.6	60	Pass	401
2580	3000	1	RMS	2867.685	-49.02	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25511.843	-44.86	-25	Pass	19500




28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-25	Pass	2985
30	1000	0.1	RMS	883.546	-64.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.96	-25	Pass	1490
2490	2580	1	RMS	2559.975	14.62	60	Pass	401
2580	3000	1	RMS	2580	-48.85	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.36	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.81	-25	Pass	19500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.2	-25	Pass	2985
30	1000	0.1	RMS	900.869	-64.05	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.92	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.74	60	Pass	401
2580	3000	1	RMS	2580	-45.92	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.44	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.91	-25	Pass	19500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	897.164	-64	-25	Pass	9699
1000	2490	1	RMS	2490	-45.49	-25	Pass	1490
2490	2580	1	RMS	2512.05	13.87	60	Pass	401
2580	3000	1	RMS	2870.692	-49.05	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.87	-25	Pass	19500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-25	Pass	2985
30	1000	0.1	RMS	887.15	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-41.22	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.74	60	Pass	401
2580	3000	1	RMS	2879.714	-49.06	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.41	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.74	-25	Pass	19500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:50@25, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.48	-25	Pass	2985
30	1000	0.1	RMS	901.97	-64.01	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.94	-25	Pass	1490
2490	2580	1	RMS	2537.025	13.34	60	Pass	401
2580	3000	1	RMS	2869.69	-49.05	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.92	-25	Pass	19500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.31	-25	Pass	2985
30	1000	0.1	RMS	899.166	-63.85	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.93	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.22	60	Pass	401
2580	3000	1	RMS	2870.692	-49.04	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.5	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.85	-25	Pass	19500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-25	Pass	2985
30	1000	0.1	RMS	899.166	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-50.89	-25	Pass	1490
2490	2580	1	RMS	2561.775	13.35	60	Pass	401
2580	3000	1	RMS	2580	-46.96	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.47	-25	Pass	3500
6500	26000	1	RMS	25509.843	-44.87	-25	Pass	19500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.93	-25	Pass	2985
30	1000	0.1	RMS	887.651	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-50.91	-25	Pass	1490
2490	2580	1	RMS	2555.925	13.28	60	Pass	401
2580	3000	1	RMS	2580	-43.09	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.44	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.88	-25	Pass	19500



29. DC_5A_n7A_SCS15


29.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-25	Pass	2985
30	1000	0.1	RMS	982.677	-64.05	-25	Pass	9699
1000	2490	1	RMS	2490	-50.5	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.59	60	Pass	401
2580	3000	1	RMS	2875.704	-49.04	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.4	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.83	-25	Pass	19500




29.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.5	-25	Pass	2985
30	1000	0.1	RMS	828.097	-62.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.66	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.23	60	Pass	401
2580	3000	1	RMS	2868.687	-49.05	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.88	-25	Pass	19500




29.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-25	Pass	2985
30	1000	0.1	RMS	897.865	-63.96	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.88	-25	Pass	1490
2490	2580	1	RMS	2534.55	19.39	60	Pass	401
2580	3000	1	RMS	2867.685	-49.06	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.43	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.76	-25	Pass	19500




29.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-25	Pass	2985
30	1000	0.1	RMS	840.699	-62.44	-25	Pass	9699
1000	2490	1	RMS	2490	-50.88	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.17	60	Pass	401
2580	3000	1	RMS	2869.69	-49.01	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.4	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.87	-25	Pass	19500




29.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.78	-25	Pass	2985
30	1000	0.1	RMS	905.074	-64.12	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.9	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.42	60	Pass	401
2580	3000	1	RMS	2871.695	-49.02	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.48	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.88	-25	Pass	19500




29.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2985
30	1000	0.1	RMS	846.5	-62.16	-25	Pass	9699
1000	2490	1	RMS	2490	-50.91	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.25	60	Pass	401
2580	3000	1	RMS	2873.699	-49.04	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.9	-25	Pass	19500




29.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	Pass	2985
30	1000	0.1	RMS	892.357	-63.93	-25	Pass	9699
1000	2490	1	RMS	2490	-48.34	-25	Pass	1490
2490	2580	1	RMS	2508.675	14.7	60	Pass	401
2580	3000	1	RMS	2867.685	-49.04	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.95	-25	Pass	19500




29.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-25	Pass	2985
30	1000	0.1	RMS	909.48	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-45.51	-25	Pass	1490
2490	2580	1	RMS	2507.775	14.82	60	Pass	401
2580	3000	1	RMS	2877.709	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.43	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.83	-25	Pass	19500




29.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.48	-25	Pass	2985
30	1000	0.1	RMS	882.744	-64.14	-25	Pass	9699
1000	2490	1	RMS	2490	-50.86	-25	Pass	1490
2490	2580	1	RMS	2532.525	14.64	60	Pass	401
2580	3000	1	RMS	2879.714	-49	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.89	-25	Pass	19500




29.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-25	Pass	2985
30	1000	0.1	RMS	839.099	-62.36	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.95	-25	Pass	1490
2490	2580	1	RMS	2535.45	14.63	60	Pass	401
2580	3000	1	RMS	2879.714	-49.02	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25491.837	-44.86	-25	Pass	19500




29.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-25	Pass	2985
30	1000	0.1	RMS	890.054	-64.09	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.93	-25	Pass	1490
2490	2580	1	RMS	2561.1	14.62	60	Pass	401
2580	3000	1	RMS	2580	-48.87	-25	Pass	420
3000	6500	1	RMS	6221.921	-64.42	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.89	-25	Pass	19500




29.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2985
30	1000	0.1	RMS	843.399	-62.1	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.96	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.74	60	Pass	401
2580	3000	1	RMS	2580	-46.01	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.44	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.85	-25	Pass	19500




29.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.74	-25	Pass	2985
30	1000	0.1	RMS	992.891	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-45.6	-25	Pass	1490
2490	2580	1	RMS	2512.05	13.59	60	Pass	401
2580	3000	1	RMS	2871.695	-49.04	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.46	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.89	-25	Pass	19500




29.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.58	-25	Pass	2985
30	1000	0.1	RMS	826.297	-62.85	-25	Pass	9699
1000	2490	1	RMS	2490	-41.29	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.46	60	Pass	401
2580	3000	1	RMS	2867.685	-49.02	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.48	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.89	-25	Pass	19500




29.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.78	-25	Pass	2985
30	1000	0.1	RMS	892.558	-63.98	-25	Pass	9699
1000	2490	1	RMS	2458.979	-50.87	-25	Pass	1490
2490	2580	1	RMS	2536.8	13.34	60	Pass	401
2580	3000	1	RMS	2871.695	-49.04	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25812.94	-44.92	-25	Pass	19500




29.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-25	Pass	2985
30	1000	0.1	RMS	838.699	-62.26	-25	Pass	9699
1000	2490	1	RMS	2490	-50.84	-25	Pass	1490
2490	2580	1	RMS	2537.475	13.24	60	Pass	401
2580	3000	1	RMS	2876.706	-49.01	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25489.836	-44.88	-25	Pass	19500




29.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-25	Pass	2985
30	1000	0.1	RMS	897.965	-64.06	-25	Pass	9699
1000	2490	1	RMS	2490	-50.87	-25	Pass	1490
2490	2580	1	RMS	2561.55	13.33	60	Pass	401
2580	3000	1	RMS	2580	-46.97	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.48	-25	Pass	3500
6500	26000	1	RMS	25200.743	-44.93	-25	Pass	19500



29.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.93	-25	Pass	2985
30	1000	0.1	RMS	846.8	-62.09	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.99	-25	Pass	1490
2490	2580	1	RMS	2555.925	13.3	60	Pass	401
2580	3000	1	RMS	2580	-43.14	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.41	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.88	-25	Pass	19500



30. DC_5A_n66A_SCS15


30.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.51	-13	Pass	2985
30	1000	0.1	RMS	894.66	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1790	1	RMS	1712.15	19.86	60	Pass	401
1790	3000	1	RMS	2869.892	-48.94	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.42	-13	Pass	3500
6500	20000	1	RMS	19926.986	-50.5	-13	Pass	13500




30.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	1000	0.1	RMS	830.198	-62.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1790	1	RMS	1712.375	19.48	60	Pass	401
1790	3000	1	RMS	2871.894	-49.02	-13	Pass	1210
3000	6500	1	RMS	6080.88	-64.5	-13	Pass	3500
6500	20000	1	RMS	19898.981	-50.46	-13	Pass	13500




30.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	1000	0.1	RMS	909.58	-63.97	-13	Pass	9699
1000	1700	1	RMS	1666.953	-53.02	-13	Pass	700
1700	1790	1	RMS	1744.55	19.9	60	Pass	401
1790	3000	1	RMS	2878.9	-48.9	-13	Pass	1210
3000	6500	1	RMS	3491.14	-64.06	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.51	-13	Pass	13500




30.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.02	-13	Pass	2985
30	1000	0.1	RMS	839.999	-62.35	-13	Pass	9699
1000	1700	1	RMS	1670.959	-53	-13	Pass	700
1700	1790	1	RMS	1744.775	19.75	60	Pass	401
1790	3000	1	RMS	2873.896	-48.97	-13	Pass	1210
3000	6500	1	RMS	3490.14	-63.63	-13	Pass	3500
6500	20000	1	RMS	19903.982	-50.42	-13	Pass	13500




30.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.74	-13	Pass	2985
30	1000	0.1	RMS	884.046	-64.09	-13	Pass	9699
1000	1700	1	RMS	1661.946	-53.03	-13	Pass	700
1700	1790	1	RMS	1777.175	19.9	60	Pass	401
1790	3000	1	RMS	2877.899	-48.99	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.37	-13	Pass	3500
6500	20000	1	RMS	19929.987	-50.51	-13	Pass	13500




30.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	1000	0.1	RMS	844.799	-62.08	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.97	-13	Pass	700
1700	1790	1	RMS	1777.175	19.7	60	Pass	401
1790	3000	1	RMS	2876.898	-49.04	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.47	-13	Pass	3500
6500	20000	1	RMS	19908.983	-50.48	-13	Pass	13500




30.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-13	Pass	2985
30	1000	0.1	RMS	903.873	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-47.45	-13	Pass	700
1700	1790	1	RMS	1721.375	14.05	60	Pass	401
1790	3000	1	RMS	2881.902	-48.97	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.48	-13	Pass	3500
6500	20000	1	RMS	19887.979	-50.46	-13	Pass	13500




30.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2985
30	1000	0.1	RMS	828.798	-62.9	-13	Pass	9699
1000	1700	1	RMS	1700	-44.22	-13	Pass	700
1700	1790	1	RMS	1719.575	14.1	60	Pass	401
1790	3000	1	RMS	2868.892	-48.99	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.41	-13	Pass	3500
6500	20000	1	RMS	19964.993	-50.49	-13	Pass	13500




30.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-13	Pass	2985
30	1000	0.1	RMS	891.756	-63.91	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.03	-13	Pass	700
1700	1790	1	RMS	1747.025	14.35	60	Pass	401
1790	3000	1	RMS	2868.892	-49	-13	Pass	1210
3000	6500	1	RMS	3493.141	-63.73	-13	Pass	3500
6500	20000	1	RMS	19940.989	-50.49	-13	Pass	13500




30.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	Pass	2985
30	1000	0.1	RMS	839.299	-62.47	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1747.7	14.26	60	Pass	401
1790	3000	1	RMS	2881.902	-48.97	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.43	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.5	-13	Pass	13500




30.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	894.059	-64.08	-13	Pass	9699
1000	1700	1	RMS	1674.964	-53.02	-13	Pass	700
1700	1790	1	RMS	1772.225	14.37	60	Pass	401
1790	3000	1	RMS	1790	-48.09	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.44	-13	Pass	3500
6500	20000	1	RMS	19901.982	-50.5	-13	Pass	13500




30.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2985
30	1000	0.1	RMS	846.4	-61.9	-13	Pass	9699
1000	1700	1	RMS	1667.954	-53.03	-13	Pass	700
1700	1790	1	RMS	1772.675	14.27	60	Pass	401
1790	3000	1	RMS	1790	-43.58	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.41	-13	Pass	3500
6500	20000	1	RMS	19924.986	-50.38	-13	Pass	13500




30.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:80@40, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.36	-13	Pass	2985
30	1000	0.1	RMS	876.436	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-48.87	-13	Pass	700
1700	1790	1	RMS	1720.925	12.11	60	Pass	401
1790	3000	1	RMS	2878.9	-48.99	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.44	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.51	-13	Pass	13500




30.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.42	-13	Pass	2985
30	1000	0.1	RMS	826.897	-62.87	-13	Pass	9699
1000	1700	1	RMS	1700	-43.82	-13	Pass	700
1700	1790	1	RMS	1719.125	12.08	60	Pass	401
1790	3000	1	RMS	2872.895	-48.99	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19908.983	-50.43	-13	Pass	13500




30.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	Pass	2985
30	1000	0.1	RMS	877.938	-63.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1790	1	RMS	1750.175	12.03	60	Pass	401
1790	3000	1	RMS	2867.891	-48.89	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.36	-13	Pass	3500
6500	20000	1	RMS	19922.985	-50.5	-13	Pass	13500




30.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.94	-13	Pass	2985
30	1000	0.1	RMS	838.999	-62.44	-13	Pass	9699
1000	1700	1	RMS	1700	-50.52	-13	Pass	700
1700	1790	1	RMS	1749.05	12.1	60	Pass	401
1790	3000	1	RMS	2874.897	-49	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.47	-13	Pass	3500
6500	20000	1	RMS	19920.985	-50.49	-13	Pass	13500




30.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:80@40, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.26	-13	Pass	2985
30	1000	0.1	RMS	876.536	-64.12	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.04	-13	Pass	700
1700	1790	1	RMS	1758.725	12.11	60	Pass	401
1790	3000	1	RMS	1790	-47.92	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.4	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.45	-13	Pass	13500



30.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.44	-13	Pass	2985
30	1000	0.1	RMS	842.599	-61.99	-13	Pass	9699
1000	1700	1	RMS	1700	-52.87	-13	Pass	700
1700	1790	1	RMS	1759.175	12.17	60	Pass	401
1790	3000	1	RMS	1790	-43.2	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.35	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.48	-13	Pass	13500



31. DC_7A_n5A_SCS15


31.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.03	-13	Pass	7840
814	859	0.1	RMS	826.327	10.87	60	Pass	450
859	1000	0.1	RMS	895.226	-63.76	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.62	-13	Pass	2000
3000	10000	1	RMS	8407.773	-59.99	-13	Pass	7000




31.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.08	-13	Pass	7840
814	859	0.1	RMS	825.526	10.5	60	Pass	450
859	1000	0.1	RMS	901.53	-63.86	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.64	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60	-13	Pass	7000




31.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	732.59	-64.23	-13	Pass	7840
814	859	0.1	RMS	836.35	10.53	60	Pass	450
859	1000	0.1	RMS	999.5	-63.87	-13	Pass	1410
1000	3000	1	RMS	2882.941	-48.67	-13	Pass	2000
3000	10000	1	RMS	8392.77	-60.01	-13	Pass	7000




31.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.13	-13	Pass	7840
814	859	0.1	RMS	835.448	10.16	60	Pass	450
859	1000	0.1	RMS	887.22	-63.93	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.63	-13	Pass	2000
3000	10000	1	RMS	8425.775	-59.97	-13	Pass	7000




31.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	814	0.1	RMS	735.09	-64.19	-13	Pass	7840
814	859	0.1	RMS	846.372	10.64	60	Pass	450
859	1000	0.1	RMS	872.71	-63.99	-13	Pass	1410
1000	3000	1	RMS	2875.938	-48.6	-13	Pass	2000
3000	10000	1	RMS	8404.772	-60.02	-13	Pass	7000




31.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-13	Pass	2985
30	814	0.1	RMS	752.692	-64.26	-13	Pass	7840
814	859	0.1	RMS	845.47	10.31	60	Pass	450
859	1000	0.1	RMS	888.421	-63.9	-13	Pass	1410
1000	3000	1	RMS	2875.938	-48.64	-13	Pass	2000
3000	10000	1	RMS	8401.772	-59.93	-13	Pass	7000




31.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.88	-13	Pass	2985
30	814	0.1	RMS	812.3	-60.04	-13	Pass	7840
814	859	0.1	RMS	829.334	5.96	60	Pass	450
859	1000	0.1	RMS	873.31	-63.98	-13	Pass	1410
1000	3000	1	RMS	2878.939	-48.62	-13	Pass	2000
3000	10000	1	RMS	8403.772	-59.99	-13	Pass	7000




31.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.59	-13	Pass	2985
30	814	0.1	RMS	814	-57.21	-13	Pass	7840
814	859	0.1	RMS	831.94	5.88	60	Pass	450
859	1000	0.1	RMS	908.535	-63.87	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.62	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.04	-13	Pass	7000




31.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.93	-13	Pass	7840
814	859	0.1	RMS	833.042	5.86	60	Pass	450
859	1000	0.1	RMS	881.616	-63.91	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.64	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.04	-13	Pass	7000




31.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	814	0.1	RMS	813	-63.05	-13	Pass	7840
814	859	0.1	RMS	836.951	5.94	60	Pass	450
859	1000	0.1	RMS	908.835	-63.9	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.6	-13	Pass	2000
3000	10000	1	RMS	8399.771	-59.99	-13	Pass	7000




31.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.25	-13	Pass	7840
814	859	0.1	RMS	842.062	5.92	60	Pass	450
859	1000	0.1	RMS	899.429	-63.97	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.59	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.01	-13	Pass	7000




31.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2985
30	814	0.1	RMS	740.991	-64.14	-13	Pass	7840
814	859	0.1	RMS	841.962	5.93	60	Pass	450
859	1000	0.1	RMS	881.516	-63.88	-13	Pass	1410
1000	3000	1	RMS	2875.938	-48.63	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.03	-13	Pass	7000




31.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	Pass	2985
30	814	0.1	RMS	813.7	-54.8	-13	Pass	7840
814	859	0.1	RMS	835.047	4.48	60	Pass	450
859	1000	0.1	RMS	902.431	-63.95	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.62	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.02	-13	Pass	7000




31.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.49	-13	Pass	2985
30	814	0.1	RMS	813.7	-52.6	-13	Pass	7840
814	859	0.1	RMS	836.65	4.38	60	Pass	450
859	1000	0.1	RMS	879.615	-63.82	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.62	-13	Pass	2000
3000	10000	1	RMS	8396.771	-60.05	-13	Pass	7000




31.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.57	-13	Pass	2985
30	814	0.1	RMS	813	-59.56	-13	Pass	7840
814	859	0.1	RMS	837.552	4.62	60	Pass	450
859	1000	0.1	RMS	903.432	-63.9	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.6	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60	-13	Pass	7000




31.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	814	0.1	RMS	813	-57.1	-13	Pass	7840
814	859	0.1	RMS	839.156	4.66	60	Pass	450
859	1000	0.1	RMS	990.293	-63.74	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.64	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60	-13	Pass	7000




31.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.85	-13	Pass	7840
814	859	0.1	RMS	841.361	4.67	60	Pass	450
859	1000	0.1	RMS	902.131	-63.8	-13	Pass	1410
1000	3000	1	RMS	2878.939	-48.61	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.03	-13	Pass	7000



31.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2985
30	814	0.1	RMS	813.5	-58.86	-13	Pass	7840
814	859	0.1	RMS	841.661	4.64	60	Pass	450
859	1000	0.1	RMS	900.429	-63.87	-13	Pass	1410
1000	3000	1	RMS	2876.938	-48.65	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.04	-13	Pass	7000



32. DC_7A_n66A_SCS15


32.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	Pass	2985
30	1000	0.1	RMS	897.364	-63.98	-13	Pass	9699
1000	1700	1	RMS	1700	-52.79	-13	Pass	700
1700	1790	1	RMS	1712.15	19.83	60	Pass	401
1790	3000	1	RMS	2865.889	-48.97	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.42	-13	Pass	3500
6500	20000	1	RMS	19902.982	-50.48	-13	Pass	13500




32.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.39	-13	Pass	2985
30	1000	0.1	RMS	996.395	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1712.375	19.59	60	Pass	401
1790	3000	1	RMS	2876.898	-48.88	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.49	-13	Pass	3500
6500	20000	1	RMS	19938.989	-50.53	-13	Pass	13500




32.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	Pass	2985
30	1000	0.1	RMS	893.759	-63.96	-13	Pass	9699
1000	1700	1	RMS	1666.953	-53.03	-13	Pass	700
1700	1790	1	RMS	1744.55	19.94	60	Pass	401
1790	3000	1	RMS	2868.892	-49.01	-13	Pass	1210
3000	6500	1	RMS	3491.14	-64.03	-13	Pass	3500
6500	20000	1	RMS	19916.984	-50.51	-13	Pass	13500




32.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.95	-13	Pass	2985
30	1000	0.1	RMS	919.493	-64.08	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.01	-13	Pass	700
1700	1790	1	RMS	1744.775	19.82	60	Pass	401
1790	3000	1	RMS	2877.899	-48.97	-13	Pass	1210
3000	6500	1	RMS	3490.14	-63.63	-13	Pass	3500
6500	20000	1	RMS	19887.979	-50.54	-13	Pass	13500




32.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.35	-71	-13	Pass	2985
30	1000	0.1	RMS	998.899	-64	-13	Pass	9699
1000	1700	1	RMS	1666.953	-53.02	-13	Pass	700
1700	1790	1	RMS	1777.175	19.76	60	Pass	401
1790	3000	1	RMS	2882.903	-49.01	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.44	-13	Pass	3500
6500	20000	1	RMS	19946.99	-50.52	-13	Pass	13500




32.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	891.456	-63.97	-13	Pass	9699
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1790	1	RMS	1777.175	19.75	60	Pass	401
1790	3000	1	RMS	2873.896	-49.02	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19916.984	-50.55	-13	Pass	13500




32.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	895.061	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-47.99	-13	Pass	700
1700	1790	1	RMS	1721.375	13.77	60	Pass	401
1790	3000	1	RMS	2869.892	-49.01	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.42	-13	Pass	3500
6500	20000	1	RMS	19914.984	-50.45	-13	Pass	13500




32.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.61	-13	Pass	2985
30	1000	0.1	RMS	893.258	-63.99	-13	Pass	9699
1000	1700	1	RMS	1700	-44.76	-13	Pass	700
1700	1790	1	RMS	1719.35	13.85	60	Pass	401
1790	3000	1	RMS	2877.899	-49.01	-13	Pass	1210
3000	6500	1	RMS	6081.881	-64.45	-13	Pass	3500
6500	20000	1	RMS	19915.984	-50.54	-13	Pass	13500




32.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	1000	0.1	RMS	888.252	-63.98	-13	Pass	9699
1000	1700	1	RMS	1668.956	-53.02	-13	Pass	700
1700	1790	1	RMS	1747.25	14.12	60	Pass	401
1790	3000	1	RMS	2870.893	-48.98	-13	Pass	1210
3000	6500	1	RMS	3493.141	-64.28	-13	Pass	3500
6500	20000	1	RMS	19897.981	-50.5	-13	Pass	13500




32.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.65	-13	Pass	2985
30	1000	0.1	RMS	901.369	-63.95	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.97	-13	Pass	700
1700	1790	1	RMS	1747.025	14	60	Pass	401
1790	3000	1	RMS	2873.896	-48.98	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.4	-13	Pass	3500
6500	20000	1	RMS	19940.989	-50.48	-13	Pass	13500




32.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.52	-13	Pass	2985
30	1000	0.1	RMS	870.228	-63.99	-13	Pass	9699
1000	1700	1	RMS	1663.948	-53.04	-13	Pass	700
1700	1790	1	RMS	1772.225	14.14	60	Pass	401
1790	3000	1	RMS	1790	-48.27	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19935.988	-50.53	-13	Pass	13500




32.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.86	-13	Pass	2985
30	1000	0.1	RMS	909.88	-64.03	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53	-13	Pass	700
1700	1790	1	RMS	1772.9	13.97	60	Pass	401
1790	3000	1	RMS	1790	-43.85	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.41	-13	Pass	3500
6500	20000	1	RMS	19918.985	-50.55	-13	Pass	13500




32.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2985
30	1000	0.1	RMS	906.977	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-48.8	-13	Pass	700
1700	1790	1	RMS	1721.15	12.08	60	Pass	401
1790	3000	1	RMS	2869.892	-49	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.38	-13	Pass	3500
6500	20000	1	RMS	19905.982	-50.53	-13	Pass	13500




32.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:345000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.4	-13	Pass	2985
30	1000	0.1	RMS	883.946	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-43.89	-13	Pass	700
1700	1790	1	RMS	1719.35	12.05	60	Pass	401
1790	3000	1	RMS	2874.897	-48.97	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.43	-13	Pass	3500
6500	20000	1	RMS	19924.986	-50.48	-13	Pass	13500




32.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	897.965	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-52.29	-13	Pass	700
1700	1790	1	RMS	1750.4	12.04	60	Pass	401
1790	3000	1	RMS	2872.895	-48.99	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.44	-13	Pass	3500
6500	20000	1	RMS	19891.98	-50.5	-13	Pass	13500




32.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2985
30	1000	0.1	RMS	907.878	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-50.55	-13	Pass	700
1700	1790	1	RMS	1749.05	12.02	60	Pass	401
1790	3000	1	RMS	2877.899	-49	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.39	-13	Pass	3500
6500	20000	1	RMS	19906.982	-50.53	-13	Pass	13500




32.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.36	-13	Pass	2985
30	1000	0.1	RMS	914.487	-64.13	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.97	-13	Pass	700
1700	1790	1	RMS	1758.725	12.11	60	Pass	401
1790	3000	1	RMS	1790	-47.74	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.42	-13	Pass	3500
6500	20000	1	RMS	19935.988	-50.5	-13	Pass	13500



32.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:353000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.24	-13	Pass	2985
30	1000	0.1	RMS	990.087	-64.07	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.79	-13	Pass	700
1700	1790	1	RMS	1759.175	12.15	60	Pass	401
1790	3000	1	RMS	1790	-43.22	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.39	-13	Pass	3500
6500	20000	1	RMS	19910.983	-50.48	-13	Pass	13500



33. DC_12A_n66A_SCS15


33.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2985
30	1000	0.1	RMS	997.8	-62.73	-13	Pass	9700
1000	1700	1	RMS	1669.615	-52.28	-13	Pass	9700
1700	1790	1	RMS	1712.15	19.76	60	Pass	401
1790	3000	1	RMS	2997.998	-50.68	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.72	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.73	-13	Pass	13500




33.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-13	Pass	2985
30	1000	0.1	RMS	997.7	-63.01	-13	Pass	9700
1000	1700	1	RMS	1700	-52.42	-13	Pass	9700
1700	1790	1	RMS	1712.375	19.58	60	Pass	401
1790	3000	1	RMS	2396.501	-50.64	-13	Pass	1210
3000	6500	1	RMS	5932.838	-59.69	-13	Pass	3500
6500	20000	1	RMS	18931.921	-54.67	-13	Pass	13500




33.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	1000	0.1	RMS	997.6	-63.01	-13	Pass	9700
1000	1700	1	RMS	1652.727	-52.22	-13	Pass	9700
1700	1790	1	RMS	1744.55	19.99	60	Pass	401
1790	3000	1	RMS	2394.5	-50.64	-13	Pass	1210
3000	6500	1	RMS	5925.836	-59.74	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.71	-13	Pass	13500




33.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2985
30	1000	0.1	RMS	997.5	-62.73	-13	Pass	9700
1000	1700	1	RMS	1658.429	-52.43	-13	Pass	9700
1700	1790	1	RMS	1745	19.89	60	Pass	401
1790	3000	1	RMS	2394.5	-50.69	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.73	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.82	-13	Pass	13500




33.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-13	Pass	2985
30	1000	0.1	RMS	997.3	-62.58	-13	Pass	9700
1000	1700	1	RMS	1664.491	-52.36	-13	Pass	9700
1700	1790	1	RMS	1777.175	20.05	60	Pass	401
1790	3000	1	RMS	2387.494	-50.66	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.7	-13	Pass	3500
6500	20000	1	RMS	18932.921	-54.76	-13	Pass	13500




33.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	Pass	2985
30	1000	0.1	RMS	964.996	-63.38	-13	Pass	9700
1000	1700	1	RMS	1663.625	-52.39	-13	Pass	9700
1700	1790	1	RMS	1777.175	19.9	60	Pass	401
1790	3000	1	RMS	2962.969	-50.66	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.74	-13	Pass	3500
6500	20000	1	RMS	18926.921	-54.76	-13	Pass	13500




33.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.66	-13	Pass	2985
30	1000	0.1	RMS	997.2	-62.89	-13	Pass	9700
1000	1700	1	RMS	1699.783	-50.7	-13	Pass	9700
1700	1790	1	RMS	1716.2	15.07	60	Pass	401
1790	3000	1	RMS	2391.497	-50.68	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.73	-13	Pass	3500
6500	20000	1	RMS	18931.921	-54.73	-13	Pass	13500




33.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2985
30	1000	0.1	RMS	997.2	-63.06	-13	Pass	9700
1000	1700	1	RMS	1698.557	-48.31	-13	Pass	9700
1700	1790	1	RMS	1718	15.21	60	Pass	401
1790	3000	1	RMS	2387.494	-50.67	-13	Pass	1210
3000	6500	1	RMS	5925.836	-59.73	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.74	-13	Pass	13500




33.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-13	Pass	2985
30	1000	0.1	RMS	997.2	-62.91	-13	Pass	9700
1000	1700	1	RMS	1681.813	-52.4	-13	Pass	9700
1700	1790	1	RMS	1746.125	15.28	60	Pass	401
1790	3000	1	RMS	2393.499	-50.68	-13	Pass	1210
3000	6500	1	RMS	5931.838	-59.7	-13	Pass	3500
6500	20000	1	RMS	19651.974	-54.72	-13	Pass	13500




33.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2985
30	1000	0.1	RMS	997.2	-62.94	-13	Pass	9700
1000	1700	1	RMS	1696.824	-52.32	-13	Pass	9700
1700	1790	1	RMS	1745.45	15.39	60	Pass	401
1790	3000	1	RMS	2960.968	-50.61	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.74	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.74	-13	Pass	13500




33.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	1000	0.1	RMS	996.9	-63.07	-13	Pass	9700
1000	1700	1	RMS	1628.261	-52.34	-13	Pass	9700
1700	1790	1	RMS	1774.025	15.5	60	Pass	401
1790	3000	1	RMS	1790	-50	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.72	-13	Pass	3500
6500	20000	1	RMS	19653.974	-54.79	-13	Pass	13500




33.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	Pass	2985
30	1000	0.1	RMS	996.8	-63.33	-13	Pass	9700
1000	1700	1	RMS	1669.327	-52.44	-13	Pass	9700
1700	1790	1	RMS	1774.025	15.61	60	Pass	401
1790	3000	1	RMS	1790	-46.79	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.77	-13	Pass	3500
6500	20000	1	RMS	18928.921	-54.8	-13	Pass	13500




33.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	Pass	2985
30	1000	0.1	RMS	996.8	-62.78	-13	Pass	9700
1000	1700	1	RMS	1700	-46.99	-13	Pass	9700
1700	1790	1	RMS	1722.05	13.81	60	Pass	401
1790	3000	1	RMS	2389.495	-50.7	-13	Pass	1210
3000	6500	1	RMS	5925.836	-59.75	-13	Pass	3500
6500	20000	1	RMS	19648.974	-54.67	-13	Pass	13500




33.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23060, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	1000	0.1	RMS	996.9	-62.95	-13	Pass	9700
1000	1700	1	RMS	1699.928	-44.5	-13	Pass	9700
1700	1790	1	RMS	1719.575	13.91	60	Pass	401
1790	3000	1	RMS	2956.964	-50.66	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.7	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.71	-13	Pass	13500




33.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.94	-13	Pass	2985
30	1000	0.1	RMS	995.9	-63.37	-13	Pass	9700
1000	1700	1	RMS	1618.084	-52.35	-13	Pass	9700
1700	1790	1	RMS	1747.025	14.17	60	Pass	401
1790	3000	1	RMS	2391.497	-50.64	-13	Pass	1210
3000	6500	1	RMS	5925.836	-59.7	-13	Pass	3500
6500	20000	1	RMS	19653.974	-54.78	-13	Pass	13500




33.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23095, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	996.9	-62.92	-13	Pass	9700
1000	1700	1	RMS	1675.389	-52.4	-13	Pass	9700
1700	1790	1	RMS	1747.7	14.17	60	Pass	401
1790	3000	1	RMS	2401.505	-50.68	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.71	-13	Pass	3500
6500	20000	1	RMS	19647.974	-54.7	-13	Pass	13500




33.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.8	-13	Pass	2985
30	1000	0.1	RMS	996.9	-63.13	-13	Pass	9700
1000	1700	1	RMS	1638.437	-52.33	-13	Pass	9700
1700	1790	1	RMS	1772.45	14.31	60	Pass	401
1790	3000	1	RMS	1790	-48.19	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.73	-13	Pass	3500
6500	20000	1	RMS	17699.83	-54.77	-13	Pass	13500



33.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:23130, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	Pass	2985
30	1000	0.1	RMS	996.9	-63.07	-13	Pass	9700
1000	1700	1	RMS	1634.756	-52.36	-13	Pass	9700
1700	1790	1	RMS	1772.675	14.44	60	Pass	401
1790	3000	1	RMS	1790	-43.55	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.79	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.77	-13	Pass	13500



34. DC_26A_n41A_SCS30


34.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.88	-25	Pass	2985
30	1000	0.1	RMS	732.186	-61.59	-25	Pass	9699
1000	2486	1	RMS	2486	-46.79	-25	Pass	1486
2486	2700	1	RMS	2508.47	13.29	60	Pass	401
2700	3000	1	RMS	2875.5	-48.94	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.19	-25	Pass	3500
6500	27000	1	RMS	25479.631	-43.91	-25	Pass	20500




34.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.38	-69.35	-25	Pass	2985
30	1000	0.1	RMS	822.297	-61.05	-25	Pass	9699
1000	2486	1	RMS	2486	-41.66	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.39	60	Pass	401
2700	3000	1	RMS	2871.75	-48.98	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.18	-25	Pass	3500
6500	27000	1	RMS	25161.553	-43.84	-25	Pass	20500




34.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.85	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.42	-25	Pass	2985
30	1000	0.1	RMS	993.191	-61.37	-25	Pass	9699
1000	2486	1	RMS	2456.98	-50.89	-25	Pass	1486
2486	2700	1	RMS	2591.395	13.37	60	Pass	401
2700	3000	1	RMS	2868.75	-49.01	-25	Pass	401
3000	6500	1	RMS	5180.623	-59.73	-25	Pass	3500
6500	27000	1	RMS	25507.637	-43.82	-25	Pass	20500




34.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	Pass	2985
30	1000	0.1	RMS	905.274	-61.67	-25	Pass	9699
1000	2486	1	RMS	2460.983	-50.99	-25	Pass	1486
2486	2700	1	RMS	2596.21	13.44	60	Pass	401
2700	3000	1	RMS	2879.25	-48.98	-25	Pass	401
3000	6500	1	RMS	5183.624	-62.3	-25	Pass	3500
6500	27000	1	RMS	26224.812	-44.02	-25	Pass	20500




34.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.24	-25	Pass	2985
30	1000	0.1	RMS	843.999	-60.57	-25	Pass	9699
1000	2486	1	RMS	2454.979	-50.6	-25	Pass	1486
2486	2700	1	RMS	2676.46	12.96	60	Pass	401
2700	3000	1	RMS	2700	-44.56	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.97	-25	Pass	3500
6500	27000	1	RMS	25501.636	-43.5	-25	Pass	20500




34.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.09	-25	Pass	2985
30	1000	0.1	RMS	846.1	-60.82	-25	Pass	9699
1000	2486	1	RMS	2486	-51	-25	Pass	1486
2486	2700	1	RMS	2682.88	12.96	60	Pass	401
2700	3000	1	RMS	2700	-40.06	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.13	-25	Pass	3500
6500	27000	1	RMS	25499.635	-43.79	-25	Pass	20500




34.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:81 @40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.59	-25	Pass	2985
30	1000	0.1	RMS	994.192	-61.78	-25	Pass	9699
1000	2486	1	RMS	2486	-43.54	-25	Pass	1486
2486	2700	1	RMS	2537.895	8.3	60	Pass	401
2700	3000	1	RMS	2881.5	-48.95	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.06	-25	Pass	3500
6500	27000	1	RMS	25911.736	-43.84	-25	Pass	20500




34.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.52	-25	Pass	2985
30	1000	0.1	RMS	824.997	-61.17	-25	Pass	9699
1000	2486	1	RMS	2486	-40.61	-25	Pass	1486
2486	2700	1	RMS	2532.545	8.44	60	Pass	401
2700	3000	1	RMS	2883.75	-48.93	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.19	-25	Pass	3500
6500	27000	1	RMS	25834.717	-43.65	-25	Pass	20500




34.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:81 @40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.23	-25	Pass	2985
30	1000	0.1	RMS	896.863	-61.53	-25	Pass	9699
1000	2486	1	RMS	2470.99	-50.95	-25	Pass	1486
2486	2700	1	RMS	2604.77	8.33	60	Pass	401
2700	3000	1	RMS	2867.25	-48.91	-25	Pass	401
3000	6500	1	RMS	5171.62	-64.11	-25	Pass	3500
6500	27000	1	RMS	25859.723	-43.87	-25	Pass	20500




34.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.09	-25	Pass	2985
30	1000	0.1	RMS	825.397	-61	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.7	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.32	60	Pass	401
2700	3000	1	RMS	2877	-48.97	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.97	-25	Pass	3500
6500	27000	1	RMS	25470.628	-43.67	-25	Pass	20500




34.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:81 @40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.96	-25	Pass	2985
30	1000	0.1	RMS	839.799	-60.78	-25	Pass	9699
1000	2486	1	RMS	2465.987	-50.94	-25	Pass	1486
2486	2700	1	RMS	2647.57	8.22	60	Pass	401
2700	3000	1	RMS	2700	-43.34	-25	Pass	401
3000	6500	1	RMS	5859.817	-64.19	-25	Pass	3500
6500	27000	1	RMS	25463.627	-43.98	-25	Pass	20500




34.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.17	-25	Pass	2985
30	1000	0.1	RMS	838.599	-60.54	-25	Pass	9699
1000	2486	1	RMS	2486	-50.78	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.15	60	Pass	401
2700	3000	1	RMS	2700	-40	-25	Pass	401
3000	6500	1	RMS	6080.88	-64.28	-25	Pass	3500
6500	27000	1	RMS	25941.743	-43.86	-25	Pass	20500




34.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.18	-25	Pass	2985
30	1000	0.1	RMS	835.998	-61.02	-25	Pass	9699
1000	2486	1	RMS	2486	-44.9	-25	Pass	1486
2486	2700	1	RMS	2561.435	5.84	60	Pass	401
2700	3000	1	RMS	2877	-48.97	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	25876.727	-43.94	-25	Pass	20500




34.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.53	-69.83	-25	Pass	2985
30	1000	0.1	RMS	890.455	-60.28	-25	Pass	9699
1000	2486	1	RMS	2486	-41.22	-25	Pass	1486
2486	2700	1	RMS	2558.225	5.87	60	Pass	401
2700	3000	1	RMS	2869.5	-48.96	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	26956.99	-43.75	-25	Pass	20500




34.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.92	-25	Pass	2985
30	1000	0.1	RMS	625.573	-61.85	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.22	-25	Pass	1486
2486	2700	1	RMS	2576.95	6.07	60	Pass	401
2700	3000	1	RMS	2874	-48.88	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.02	-25	Pass	3500
6500	27000	1	RMS	25466.627	-43.85	-25	Pass	20500




34.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.85	-25	Pass	2985
30	1000	0.1	RMS	763.39	-60.78	-25	Pass	9699
1000	2486	1	RMS	2486	-47.97	-25	Pass	1486
2486	2700	1	RMS	2579.09	6.04	60	Pass	401
2700	3000	1	RMS	2700	-46.6	-25	Pass	401
3000	6500	1	RMS	6224.921	-64.19	-25	Pass	3500
6500	27000	1	RMS	25503.636	-43.67	-25	Pass	20500




34.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.29	-70.56	-25	Pass	2985
30	1000	0.1	RMS	847	-60.66	-25	Pass	9699
1000	2486	1	RMS	2486	-50.97	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.37	60	Pass	401
2700	3000	1	RMS	2700	-41.42	-25	Pass	401
3000	6500	1	RMS	6073.878	-64.14	-25	Pass	3500
6500	27000	1	RMS	26944.987	-43.94	-25	Pass	20500



34.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.36	-25	Pass	2985
30	1000	0.1	RMS	846	-61.12	-25	Pass	9699
1000	2486	1	RMS	2486	-50.37	-25	Pass	1486
2486	2700	1	RMS	2619.215	6.41	60	Pass	401
2700	3000	1	RMS	2700	-40.56	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.96	-25	Pass	3500
6500	27000	1	RMS	26918.98	-43.87	-25	Pass	20500



35. DC_66A_n5A_SCS15


35.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	Pass	2985
30	814	0.1	RMS	813.2	-63.95	-13	Pass	7840
814	859	0.1	RMS	826.327	10.97	60	Pass	450
859	1000	0.1	RMS	979.786	-63.16	-13	Pass	1410
1000	3000	1	RMS	2410.705	-49.13	-13	Pass	2000
3000	10000	1	RMS	5928.418	-59.17	-13	Pass	7000




35.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	Pass	2985
30	814	0.1	RMS	812	-63.86	-13	Pass	7840
814	859	0.1	RMS	825.526	10.65	60	Pass	450
859	1000	0.1	RMS	996.798	-63	-13	Pass	1410
1000	3000	1	RMS	2992.996	-50.36	-13	Pass	2000
3000	10000	1	RMS	5936.419	-59.19	-13	Pass	7000




35.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.44	-13	Pass	2985
30	814	0.1	RMS	527.964	-63.97	-13	Pass	7840
814	859	0.1	RMS	836.35	10.74	60	Pass	450
859	1000	0.1	RMS	996.798	-62.99	-13	Pass	1410
1000	3000	1	RMS	2991.996	-50.33	-13	Pass	2000
3000	10000	1	RMS	5932.419	-59.19	-13	Pass	7000




35.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.44	-13	Pass	2985
30	814	0.1	RMS	527.964	-63.92	-13	Pass	7840
814	859	0.1	RMS	835.448	10.27	60	Pass	450
859	1000	0.1	RMS	989.593	-63.02	-13	Pass	1410
1000	3000	1	RMS	2995.998	-50.35	-13	Pass	2000
3000	10000	1	RMS	5925.418	-59.19	-13	Pass	7000




35.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-13	Pass	2985
30	814	0.1	RMS	527.964	-64.01	-13	Pass	7840
814	859	0.1	RMS	846.372	10.78	60	Pass	450
859	1000	0.1	RMS	996.898	-63.07	-13	Pass	1410
1000	3000	1	RMS	2392.696	-50.35	-13	Pass	2000
3000	10000	1	RMS	5932.419	-59.11	-13	Pass	7000




35.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.12	-13	Pass	2985
30	814	0.1	RMS	527.964	-63.79	-13	Pass	7840
814	859	0.1	RMS	845.47	10.54	60	Pass	450
859	1000	0.1	RMS	996.798	-63	-13	Pass	1410
1000	3000	1	RMS	2981.991	-50.34	-13	Pass	2000
3000	10000	1	RMS	5925.418	-59.14	-13	Pass	7000




35.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.31	-13	Pass	2985
30	814	0.1	RMS	811.4	-60.1	-13	Pass	7840
814	859	0.1	RMS	828.031	6.07	60	Pass	450
859	1000	0.1	RMS	973.181	-63.17	-13	Pass	1410
1000	3000	1	RMS	2975.988	-50.34	-13	Pass	2000
3000	10000	1	RMS	5921.417	-59.14	-13	Pass	7000




35.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.25	-13	Pass	2985
30	814	0.1	RMS	814	-56.5	-13	Pass	7840
814	859	0.1	RMS	831.94	6.15	60	Pass	450
859	1000	0.1	RMS	968.778	-63.04	-13	Pass	1410
1000	3000	1	RMS	2982.991	-50.36	-13	Pass	2000
3000	10000	1	RMS	5930.419	-59.18	-13	Pass	7000




35.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2985
30	814	0.1	RMS	527.964	-63.65	-13	Pass	7840
814	859	0.1	RMS	837.853	6.27	60	Pass	450
859	1000	0.1	RMS	996.898	-62.82	-13	Pass	1410
1000	3000	1	RMS	2990.995	-50.35	-13	Pass	2000
3000	10000	1	RMS	5926.418	-59.14	-13	Pass	7000




35.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.15	-13	Pass	2985
30	814	0.1	RMS	813	-62.44	-13	Pass	7840
814	859	0.1	RMS	836.951	6.48	60	Pass	450
859	1000	0.1	RMS	996.898	-63.02	-13	Pass	1410
1000	3000	1	RMS	2986.993	-50.33	-13	Pass	2000
3000	10000	1	RMS	5930.419	-59.12	-13	Pass	7000




35.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2985
30	814	0.1	RMS	527.964	-64.01	-13	Pass	7840
814	859	0.1	RMS	842.062	6.19	60	Pass	450
859	1000	0.1	RMS	996.898	-62.7	-13	Pass	1410
1000	3000	1	RMS	2961.981	-50.35	-13	Pass	2000
3000	10000	1	RMS	5922.417	-59.16	-13	Pass	7000




35.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	Pass	2985
30	814	0.1	RMS	527.964	-63.9	-13	Pass	7840
814	859	0.1	RMS	841.962	6.46	60	Pass	450
859	1000	0.1	RMS	996.898	-63	-13	Pass	1410
1000	3000	1	RMS	2987.994	-50.36	-13	Pass	2000
3000	10000	1	RMS	5933.419	-59.17	-13	Pass	7000




35.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2985
30	814	0.1	RMS	813.7	-54.68	-13	Pass	7840
814	859	0.1	RMS	835.047	4.97	60	Pass	450
859	1000	0.1	RMS	996.898	-62.92	-13	Pass	1410
1000	3000	1	RMS	2990.995	-50.35	-13	Pass	2000
3000	10000	1	RMS	5929.418	-59.11	-13	Pass	7000




35.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-13	Pass	2985
30	814	0.1	RMS	813.7	-51.92	-13	Pass	7840
814	859	0.1	RMS	836.65	5.11	60	Pass	450
859	1000	0.1	RMS	972.38	-63.21	-13	Pass	1410
1000	3000	1	RMS	2989.995	-50.3	-13	Pass	2000
3000	10000	1	RMS	5932.419	-59.19	-13	Pass	7000




35.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	Pass	2985
30	814	0.1	RMS	813	-58.74	-13	Pass	7840
814	859	0.1	RMS	837.552	5.07	60	Pass	450
859	1000	0.1	RMS	983.088	-63.15	-13	Pass	1410
1000	3000	1	RMS	2964.982	-50.32	-13	Pass	2000
3000	10000	1	RMS	5921.417	-59.18	-13	Pass	7000




35.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	814	0.1	RMS	814	-55.52	-13	Pass	7840
814	859	0.1	RMS	839.156	5.17	60	Pass	450
859	1000	0.1	RMS	996.798	-62.78	-13	Pass	1410
1000	3000	1	RMS	2965.983	-50.34	-13	Pass	2000
3000	10000	1	RMS	5928.418	-59.15	-13	Pass	7000




35.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.41	-13	Pass	7840
814	859	0.1	RMS	840.058	5.09	60	Pass	450
859	1000	0.1	RMS	996.798	-63	-13	Pass	1410
1000	3000	1	RMS	2980.99	-50.37	-13	Pass	2000
3000	10000	1	RMS	5930.419	-59.14	-13	Pass	7000



35.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-13	Pass	2985
30	814	0.1	RMS	813.5	-58.19	-13	Pass	7840
814	859	0.1	RMS	841.661	5.14	60	Pass	450
859	1000	0.1	RMS	996.798	-62.83	-13	Pass	1410
1000	3000	1	RMS	3000	-50.35	-13	Pass	2000
3000	10000	1	RMS	5931.419	-59.17	-13	Pass	7000



36. DC_66A_n7A_SCS15


36.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.3	-25	Pass	2985
30	1000	0.1	RMS	912.584	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.3	60	Pass	401
2580	3000	1	RMS	2879.714	-49.04	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.44	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.9	-25	Pass	19500




36.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-25	Pass	2985
30	1000	0.1	RMS	899.867	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-50.55	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.39	60	Pass	401
2580	3000	1	RMS	2871.695	-49.01	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.41	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.86	-25	Pass	19500




36.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.22	-25	Pass	2985
30	1000	0.1	RMS	872.631	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.89	-25	Pass	1490
2490	2580	1	RMS	2534.55	19.37	60	Pass	401
2580	3000	1	RMS	2872.697	-49.04	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.44	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.94	-25	Pass	19500




36.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2985
30	1000	0.1	RMS	886.65	-64.02	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.85	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.18	60	Pass	401
2580	3000	1	RMS	2876.706	-49.03	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.48	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.89	-25	Pass	19500




36.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-25	Pass	2985
30	1000	0.1	RMS	995.995	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.86	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.47	60	Pass	401
2580	3000	1	RMS	2879.714	-49.02	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.81	-25	Pass	19500




36.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.3	-25	Pass	2985
30	1000	0.1	RMS	888.752	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.93	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.24	60	Pass	401
2580	3000	1	RMS	2868.687	-49.04	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.89	-25	Pass	19500




36.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, P12-BPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-25	Pass	2985
30	1000	0.1	RMS	901.97	-64.12	-25	Pass	9699
1000	2490	1	RMS	2490	-48.44	-25	Pass	1490
2490	2580	1	RMS	2508.45	14.65	60	Pass	401
2580	3000	1	RMS	2880.716	-49.03	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.36	-25	Pass	3500
6500	26000	1	RMS	25867.958	-44.91	-25	Pass	19500




36.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.46	-25	Pass	2985
30	1000	0.1	RMS	886.349	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-45.54	-25	Pass	1490
2490	2580	1	RMS	2508	14.79	60	Pass	401
2580	3000	1	RMS	2878.711	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.39	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.88	-25	Pass	19500




36.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.34	-25	Pass	2985
30	1000	0.1	RMS	881.242	-63.93	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.94	-25	Pass	1490
2490	2580	1	RMS	2532.525	14.58	60	Pass	401
2580	3000	1	RMS	2872.697	-49.03	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.88	-25	Pass	19500




36.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.37	-25	Pass	2985
30	1000	0.1	RMS	902.771	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.89	-25	Pass	1490
2490	2580	1	RMS	2535.45	14.63	60	Pass	401
2580	3000	1	RMS	2875.704	-49.05	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.34	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.92	-25	Pass	19500




36.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.18	-25	Pass	2985
30	1000	0.1	RMS	891.156	-64.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.97	-25	Pass	1490
2490	2580	1	RMS	2560.65	14.73	60	Pass	401
2580	3000	1	RMS	2580	-48.79	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25485.835	-44.93	-25	Pass	19500




36.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.37	-25	Pass	2985
30	1000	0.1	RMS	900.067	-64.14	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.8	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.68	60	Pass	401
2580	3000	1	RMS	2580	-45.98	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.9	-25	Pass	19500




36.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-25	Pass	2985
30	1000	0.1	RMS	901.369	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-45.79	-25	Pass	1490
2490	2580	1	RMS	2511.825	13.57	60	Pass	401
2580	3000	1	RMS	2868.687	-49.03	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.9	-25	Pass	19500




36.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-25	Pass	2985
30	1000	0.1	RMS	903.472	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-41.3	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.46	60	Pass	401
2580	3000	1	RMS	2866.683	-49.02	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.48	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.86	-25	Pass	19500




36.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2985
30	1000	0.1	RMS	992.891	-63.97	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.95	-25	Pass	1490
2490	2580	1	RMS	2537.025	13.36	60	Pass	401
2580	3000	1	RMS	2867.685	-49.03	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.88	-25	Pass	19500




36.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-25	Pass	2985
30	1000	0.1	RMS	920.294	-64.05	-25	Pass	9699
1000	2490	1	RMS	2490	-50.93	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.29	60	Pass	401
2580	3000	1	RMS	2877.709	-49.03	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.47	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.82	-25	Pass	19500




36.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2985
30	1000	0.1	RMS	880.341	-64.12	-25	Pass	9699
1000	2490	1	RMS	2484.997	-50.95	-25	Pass	1490
2490	2580	1	RMS	2561.55	13.35	60	Pass	401
2580	3000	1	RMS	2580	-46.97	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.44	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.89	-25	Pass	19500



36.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-25	Pass	2985
30	1000	0.1	RMS	891.957	-64.02	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.81	-25	Pass	1490
2490	2580	1	RMS	2555.925	13.29	60	Pass	401
2580	3000	1	RMS	2580	-43.13	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.39	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.86	-25	Pass	19500



END