## **UNII Declaration Letter**

We have declared below	v featured for FCC ed	quipment authorizatio	n, device FCC ID:2A	UYFRMX3513
(1) DFS Device		ent with Radar detect dar detection capabili		
(2) Active / Passive Sca	nning , adhoc mode a	access point capabilit	ty	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz 2422 – 2452 MHz 5745 – 5825 MHz 5755 – 5795 MHz 5180 – 5240 MHz 5190 – 5230 MHz 5260 – 5320 MHz 5270 – 5310 MHz	X Yes,       No         Yes,       No         Yes,       No         Yes,       No	X Yes,       No         X Yes,       No	☐ Yes,         ☒ No           ☐ Yes,         ☒ No	X Yes,       No         Yes,       No         Yes,       No         Yes,       No         Yes,       No         Yes,       No         Yes,       No
5500 – 5700 MHz 5510 – 5670 MHz	Yes, No	Yes, No	☐ Yes, ☐ No ☐ Yes, ☐ No ☐ Yes, ☐ No	Yes, N
<ul> <li>(3) Country code selecting fino, pls explain how we change the country code</li> <li>(4) Meet 15.202 require pls check below: <ul> <li>A master device is contransmit without receiving network by sending ena</li> <li>★ A client device is deare under control of the</li> </ul> </li> </ul>	as implemented : Cou e. ment - ☑ Yes , ☐ lefined as a device of ng an enabling signal. bling signals to other fined as a device ope	No , perating in a mode in . In this mode it is able devices erating in a mode in w	which it has the capa e to select a channel hich the transmission	ability to and initiate a ns of the device
(5) For client devices the scanning in some and p classes or those that op of operations through so how the software and / obe modified by end user ⊠ Apply, □ No Appl (If apply, pls help to provide of the device configuration can allow USB connection for use	assive scanning in ot erate on non-DFS fre oftware, the application or hardware is implent or an installer. y, explanation on how it was it not be modified by user as	thers) in different ban equencies) or modula on must provide softw nented to ensure that implement (By hardware o s program is not exposed to	ds (devices with mult r devices which confi- vare and operations of proper operations many r software, and how softw	tiple equipment igure the modes description on nodes can not
If you have any question	ns, please feel free to	contact me at the ac	ldress shown below.	
Yours sincerely,				
Signatory	Yan	y Ungfiry		

Printed Name : Liangping Yang Position : Certification Manager