

RF TEST REPORT

ISSUED BY
Shenzhen BALUN Technology Co., Ltd.



FOR
Mobile Phone

ISSUED TO
Realme Chongqing Mobile Telecommunications Corp., Ltd.
No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China



Tested by: Yu Ying Yuan

Yu YingYuan

Date Feb. 21, 2022

Approved by: Liao Jianming

Liao Jianming

(Technical Director)

Date Feb. 21, 2022

Report No.: BL-SZ21C0655-604

EUT Name: Mobile Phone

Model Name: RMX3516

Brand Name: realme

Test Standard: 47 CFR Part 15 Subpart E
(refer section 3.1)

FCC ID: 2AUYFRMX3516

Test Conclusion: Pass

Test Date: Dec. 25, 2021 ~ Jan. 27, 2022

Date of Issue: Feb. 21, 2022

NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.

Revision History

<u>Version</u>	<u>Issue Date</u>	<u>Revisions Content</u>
<u>Rev. 01</u>	<u>Feb. 21, 2022</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	ADMINISTRATIVE DATA (GENERAL INFORMATION)	4
1.1	Identification of the Testing Laboratory	4
1.2	Identification of the Responsible Testing Location	4
1.3	Laboratory Condition	4
1.4	Announce	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	Factory Information	5
2.4	General Description for Equipment under Test (EUT)	5
2.5	Technical Information	6
2.6	Additional Instructions	7
2.7	Channel List	10
3	SUMMARY OF TEST RESULTS	13
3.1	Test Standards	13
3.2	Verdict	13
4	GENERAL TEST CONFIGURATIONS	14
4.1	Test Environments	14
4.2	Test Equipment List	14
4.3	Test Software List	15
4.4	Measurement Uncertainty	15
4.5	Description of Test Setup	16
5	TEST ITEMS	19
5.1	RF Output Power	19
5.2	Emission Bandwidth and 6 dB Bandwidth	20
5.3	Power Spectral density (PSD)	21
5.4	Conducted Emission	22

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band).....23

ANNEX A TEST RESULT28

A.1 RF Output Power28

A.2 Emission Bandwidth & 99% Bandwidth32

A.3 6 dB Bandwidth36

A.4 Power Spectral Density37

A.5 Conducted Emissions41

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band).....43

ANNEX B TEST SETUP PHOTOS153

ANNEX C EUT EXTERNAL PHOTOS153

ANNEX D EUT INTERNAL PHOTOS153

1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.
Description	All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055

1.3 Laboratory Condition

Ambient Temperature	20°C to 25°C
Ambient Relative Humidity	45% to 55%
Ambient Pressure	100 kPa to 102 kPa

1.4 Announce

- (1) The test report reference to the report template version v4.6.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (7) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address	No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China

2.2 Manufacturer Information

Manufacturer	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address	No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China

2.3 Factory Information

Factory	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address	No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China

2.4 General Description for Equipment under Test (EUT)

EUT Name	Mobile Phone
Model Name Under Test	RMX3516
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	11
Software Version	Android 11
Dimensions (Approx.)	164.30*75.60*8.15(mm)
Weight (Approx.)	193.00g (with battery)

2.5 Technical Information

Network and Wireless connectivity	2G Network GSM/GPRS/EGPRS 850/1900 MHz 3G Network WCDMA/HSDPA/HSUPA Band 2/4/5 4G Network FDD LTE Band 2/4/5/7/12/17/26/66 TDD LTE Band 38/41 2.4G WIFI 802.11b, 802.11g, 802.11n(HT20/40) 5G WIFI 802.11a, 802.11n(HT20/40), 802.11ac(VHT20/40/80) U-NII-1/2A/2C/3, GPS, GLONASS, BDS, SBAS, FM Receiver
-----------------------------------	---

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz					
Product Type	<input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Fix Location					
Modulation technology	OFDM					
Modulation Type	256QAM, 64QAM, 16QAM, BPSK, QPSK					
Product Type	Portable for FCC standard					
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9					
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz					
Maximum Output Power	U-NII-1: 16.77 dBm U-NII-2A: 16.64 dBm U-NII-2C: 16.51 dBm U-NII-3: 16.58 dBm					
Antenna System (eg., MIMO, Smart Antenna)	N/A					
Categorization as Correlated or Completely Uncorrelated	N/A					
Antenna Type	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Main Antenna</td> <td rowspan="2" style="text-align: center;">PIFA Antenna</td> </tr> <tr> <td></td> <td>Aux. Antenna</td> </tr> </table>		Main Antenna	PIFA Antenna		Aux. Antenna
	Main Antenna	PIFA Antenna				
	Aux. Antenna					
Antenna Gain	U-NII-1: 5150 MHz to 5250 MHz: 1.77 dBi U-NII-2A: 5250 MHz to 5350 MHz: 1.77 dBi U-NII-2C: 5470 MHz to 5725 MHz: 1.40 dBi U-NII-3: 5725 MHz to 5850 MHz: 1.10 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)					
About the Product	The equipment is Mobile Phone, intended for used with information technology equipment.					

2.6 Additional Instructions

EUT Software Settings:

Mode	<input checked="" type="checkbox"/> Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.
------	--

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	*##83781##*		
Support Units (Software installation media)	Description	Manufacturer	Model
	N/A	N/A	N/A

U-NII-1 (5150 - 5250 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH36	5180	13
11a	CH44	5220	17
11a	CH48	5240	17
11n (HT20)	CH36	5180	12
11n (HT20)	CH44	5220	17
11n (HT20)	CH48	5240	17
11n (HT40)	CH38	5190	7
11n (HT40)	CH46	5230	17
11ac (VHT20)	CH36	5180	12
11ac (VHT20)	CH44	5220	17
11ac (VHT20)	CH48	5240	17
11ac (VHT40)	CH38	5190	7
11ac (VHT40)	CH46	5230	17
11ac (VHT80)	CH42	5210	11

U-NII-2A (5250 - 5350 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH52	5260	17
11a	CH60	5300	17
11a	CH64	5320	11
11n (HT20)	CH52	5260	17
11n (HT20)	CH60	5300	17
11n (HT20)	CH64	5320	9
11n (HT40)	CH54	5270	17
11n (HT40)	CH62	5310	9
11ac (VHT20)	CH52	5260	17
11ac (VHT20)	CH60	5300	17
11ac (VHT20)	CH64	5320	9
11ac (VHT40)	CH54	5270	17
11ac (VHT40)	CH62	5310	9
11ac (VHT80)	CH58	5290	12

U-NII-2C (5470 - 5725 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH100	5500	16
11a	CH116	5580	17
11a	CH140	5700	8
11n (HT20)	CH100	5500	10
11n (HT20)	CH116	5580	17
11n (HT20)	CH140	5700	7
11n (HT40)	CH102	5510	7
11n (HT40)	CH118	5590	17
11n (HT40)	CH134	5670	15
11ac (VHT20)	CH100	5500	9
11ac (VHT20)	CH116	5580	17
11ac (VHT20)	CH140	5700	7
11ac (VHT40)	CH102	5510	8
11ac (VHT40)	CH118	5590	17
11ac (VHT40)	CH134	5670	15
11ac (VHT80)	CH106	5530	9
11ac (VHT80)	CH122	5610	17

U-NII-3 (5725 - 5850 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH149	5745	17
11a	CH157	5785	17
11a	CH165	5825	17
11n (HT20)	CH149	5745	17
11n (HT20)	CH157	5785	17
11n (HT20)	CH165	5825	17
11n (HT40)	CH151	5755	17
11n (HT40)	CH159	5795	17
11ac (VHT20)	CH149	5745	17
11ac (VHT20)	CH157	5785	17
11ac (VHT20)	CH165	5825	17
11ac (VHT40)	CH151	5755	17
11ac (VHT40)	CH159	5795	17
11ac (VHT80)	CH155	5775	17

Run Software:

Pkt length 1024

Pkt cnt 0

Power level 17

RF Standard 802.11a ▼

CBW 20MHz ▼

SBW 20MHz ▼

Offset 0MHz ▼

Channel CH48[5240M] ▼

Rate 6M ▼

Preamble Normal ▼

Mode 802.11 pkt ▼

Guard interval 800ns ▼

START
STOP

2.7 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	138	5690
56	5280	110	5550	155	5775
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	142	5710		
108	5540	151	5755		
112	5560	159	5795		
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
144	5720				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5150 - 5250 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Band Edge (Restricted -band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	45% to 55%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22°C to +25°C
	LT (Low Temperature)	0°C
	HT (High Temperature)	+30°C
Working Voltage of the EUT	NV (Normal Voltage)	3.87 V
	LV (Low Voltage)	3.40 V
	HV (High Voltage)	4.45 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2022.01.04	2023.01.03
Bluetooth Signaling Unit	ROHDE&SCHWARZ	CMW500	142028	2021.06.01	2022.05.31
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2021.08.09	2022.08.08
Vector Signal Generator	ROHDE&SCHWARZ	SMBV100A	260592	2021.01.27	2022.01.26
Vector Signal Generator	ROHDE&SCHWARZ	SMBV100A	260592	2022.02.09	2023.02.08
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2021.08.24	2022.08.23
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2021.06.01	2022.05.31
Power Sensor	KEYSIGHT	U2063XA	MY58000247	2021.05.08	2022.05.07
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2021.09.13	2022.09.12
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2021.10.10	2022.10.09
LISN	SCHWARZBECK	NSLK 8127	8127-687	2021.06.08	2022.06.07
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2021.04.16	2024.04.15
Test Antenna-Bi-Log(30 MHz-3 GHz)	SCHWARZBECK	VULB 9163	9163-624	2021.08.20	2024.08.19
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	9120D-1917	2019.07.02	2022.07.01
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2021.07.02	2024.07.01
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2021.09.04	2024.09.09
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2021.08.15	2024.08.14
Shielded Enclosure	ChangNing	CN-130701	130703	--	--

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V19.8.28.435	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.82°C
Humidity	4.1%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W

Note: Where "B" is the 26 dB emissions bandwidth in MHz.

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength ($\mu\text{V}/\text{m}$)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	<p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p>

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test

setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x, of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if span/(# of points in sweep) \leq (RBW/2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where

x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360° , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW \geq RBW

Sweep = auto



Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Test Data

Conducted Power

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	12.07	16.11	250	Pass
11a	CH44	16.34	43.05	250	Pass
11a	CH48	16.28	42.46	250	Pass
11n (HT20)	CH36	11.17	13.09	250	Pass
11n (HT20)	CH44	16.42	43.85	250	Pass
11n (HT20)	CH48	16.73	47.10	250	Pass
11n (HT40)	CH38	6.39	4.36	250	Pass
11n (HT40)	CH46	16.42	43.85	250	Pass
11ac (VHT20)	CH36	11.34	13.61	250	Pass
11ac (VHT20)	CH44	16.52	44.87	250	Pass
11ac (VHT20)	CH48	16.77	47.53	250	Pass
11ac (VHT40)	CH38	6.33	4.30	250	Pass
11ac (VHT40)	CH46	16.45	44.16	250	Pass
11ac (VHT80)	CH42	10.22	10.52	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	16.19	41.59	250	Pass
11a	CH60	16.64	46.13	250	Pass
11a	CH64	10.37	10.89	250	Pass
11n (HT20)	CH52	16.49	44.57	250	Pass
11n (HT20)	CH60	16.57	45.39	250	Pass
11n (HT20)	CH64	8.56	7.18	250	Pass
11n (HT40)	CH54	16.56	45.29	250	Pass
11n (HT40)	CH62	8.40	6.92	250	Pass
11ac (VHT20)	CH52	16.55	45.19	250	Pass
11ac (VHT20)	CH60	16.51	44.77	250	Pass
11ac (VHT20)	CH64	8.48	7.05	250	Pass
11ac (VHT40)	CH54	16.39	43.55	250	Pass
11ac (VHT40)	CH62	8.29	6.75	250	Pass
11ac (VHT80)	CH58	11.32	13.55	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	15.37	34.43	250	Pass
11a	CH116	16.25	42.17	250	Pass
11a	CH140	7.21	5.26	250	Pass
11n (HT20)	CH100	9.26	8.43	250	Pass
11n (HT20)	CH116	16.24	42.07	250	Pass
11n (HT20)	CH140	6.58	4.55	250	Pass
11n (HT40)	CH102	6.36	4.33	250	Pass
11n (HT40)	CH118	16.51	44.77	250	Pass
11n (HT40)	CH134	14.35	27.23	250	Pass
11ac (VHT20)	CH100	8.34	6.82	250	Pass
11ac (VHT20)	CH116	16.38	43.45	250	Pass
11ac (VHT20)	CH140	6.50	4.47	250	Pass
11ac (VHT40)	CH102	7.24	5.30	250	Pass
11ac (VHT40)	CH118	16.21	41.78	250	Pass
11ac (VHT40)	CH134	14.39	27.48	250	Pass
11ac (VHT80)	CH106	8.20	6.61	250	Pass
11ac (VHT80)	CH122	16.32	42.85	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	16.23	41.98	1000	Pass
11a	CH157	16.31	42.76	1000	Pass
11a	CH165	16.26	42.27	1000	Pass
11n (HT20)	CH149	16.27	42.36	1000	Pass
11n (HT20)	CH157	16.23	41.98	1000	Pass
11n (HT20)	CH165	16.51	44.77	1000	Pass
11n (HT40)	CH151	16.88	48.75	1000	Pass
11n (HT40)	CH159	16.81	47.97	1000	Pass
11ac (VHT20)	CH149	16.23	41.98	1000	Pass
11ac (VHT20)	CH157	16.51	44.77	1000	Pass
11ac (VHT20)	CH165	16.58	45.50	1000	Pass
11ac (VHT40)	CH151	16.23	41.98	1000	Pass
11ac (VHT40)	CH159	16.33	42.95	1000	Pass
11ac (VHT80)	CH155	16.25	42.17	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ21C0655-604 Data Part 1.pdf".

Test Data

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	28.57	16.76
11a	CH44	25.94	16.74
11a	CH48	28.20	16.72
11n (HT20)	CH36	28.76	17.76
11n (HT20)	CH44	29.69	17.75
11n (HT20)	CH48	29.72	17.76
11n (HT40)	CH38	49.04	36.16
11n (HT40)	CH46	50.54	36.23
11ac (VHT20)	CH36	33.36	17.79
11ac (VHT20)	CH44	32.30	17.75
11ac (VHT20)	CH48	30.79	17.76
11ac (VHT40)	CH38	44.41	36.17
11ac (VHT40)	CH46	46.90	36.15
11ac (VHT80)	CH42	87.97	75.78

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	26.88	16.74
11a	CH60	27.51	16.73
11a	CH64	27.41	16.75
11n (HT20)	CH52	29.73	17.78
11n (HT20)	CH60	29.64	17.76
11n (HT20)	CH64	29.19	17.74
11n (HT40)	CH54	52.61	36.25
11n (HT40)	CH62	49.28	36.16
11ac (VHT20)	CH52	32.17	17.77
11ac (VHT20)	CH60	30.79	17.77
11ac (VHT20)	CH64	32.22	17.75
11ac (VHT40)	CH54	48.01	36.18
11ac (VHT40)	CH62	44.74	36.17
11ac (VHT80)	CH58	89.24	75.78

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	28.54	16.77
11a	CH116	26.77	16.75
11a	CH140	25.13	16.72
11n (HT20)	CH100	29.47	17.74
11n (HT20)	CH116	31.57	17.81
11n (HT20)	CH140	30.63	17.74
11n (HT40)	CH102	44.27	36.13
11n (HT40)	CH118	52.18	36.27
11n (HT40)	CH134	52.66	36.37
11ac (VHT20)	CH100	32.06	17.75
11ac (VHT20)	CH116	31.67	17.79
11ac (VHT20)	CH140	31.86	17.76
11ac (VHT40)	CH102	44.10	36.14
11ac (VHT40)	CH118	47.16	36.19
11ac (VHT40)	CH134	50.21	36.35
11ac (VHT80)	CH106	86.33	75.60
11ac (VHT80)	CH122	100.90	75.70

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	27.59	16.76
11a	CH157	27.73	16.76
11a	CH165	28.37	16.78
11n (HT20)	CH149	33.16	17.80
11n (HT20)	CH157	30.94	17.81
11n (HT20)	CH165	32.29	17.82
11n (HT40)	CH151	56.82	36.30
11n (HT40)	CH159	53.49	36.27
11ac (VHT20)	CH149	32.73	17.80
11ac (VHT20)	CH157	32.83	17.81
11ac (VHT20)	CH165	32.15	17.82
11ac (VHT40)	CH151	49.48	36.22
11ac (VHT40)	CH159	48.78	36.19
11ac (VHT80)	CH155	104.80	75.82

A.3 6 dB Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ21C0655-604 Data Part 2.pdf".

Test Data

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	16.45	500.00	Pass
11a	CH157	16.40	500.00	Pass
11a	CH165	16.45	500.00	Pass
11n (HT20)	CH149	17.45	500.00	Pass
11n (HT20)	CH157	17.45	500.00	Pass
11n (HT20)	CH165	17.45	500.00	Pass
11n (HT40)	CH151	35.80	500.00	Pass
11n (HT40)	CH159	35.90	500.00	Pass
11ac (VHT20)	CH149	17.65	500.00	Pass
11ac (VHT20)	CH157	17.20	500.00	Pass
11ac (VHT20)	CH165	17.40	500.00	Pass
11ac (VHT40)	CH151	35.75	500.00	Pass
11ac (VHT40)	CH159	35.75	500.00	Pass
11ac (VHT80)	CH155	75.75	500.00	Pass

A.4 Power Spectral Density

Note 1: Test plots please refer to the document "Annex No.: BL-SZ21C0655-604 Data Part 3.pdf".

Test Data

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	-0.25	11.00	Pass
11a	CH44	4.25	11.00	Pass
11a	CH48	4.39	11.00	Pass
11n (HT20)	CH36	-1.67	11.00	Pass
11n (HT20)	CH44	4.29	11.00	Pass
11n (HT20)	CH48	4.37	11.00	Pass
11n (HT40)	CH38	-8.30	11.00	Pass
11n (HT40)	CH46	2.16	11.00	Pass
11ac (VHT20)	CH36	-1.58	11.00	Pass
11ac (VHT20)	CH44	4.23	11.00	Pass
11ac (VHT20)	CH48	4.33	11.00	Pass
11ac (VHT40)	CH38	-9.32	11.00	Pass
11ac (VHT40)	CH46	1.29	11.00	Pass
11ac (VHT80)	CH42	-8.10	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	4.39	11.00	Pass
11a	CH60	4.44	11.00	Pass
11a	CH64	-1.98	11.00	Pass
11n (HT20)	CH52	4.27	11.00	Pass
11n (HT20)	CH60	4.46	11.00	Pass
11n (HT20)	CH64	-3.91	11.00	Pass
11n (HT40)	CH54	2.39	11.00	Pass
11n (HT40)	CH62	-6.01	11.00	Pass
11ac (VHT20)	CH52	4.30	11.00	Pass
11ac (VHT20)	CH60	4.34	11.00	Pass
11ac (VHT20)	CH64	-3.98	11.00	Pass
11ac (VHT40)	CH54	1.39	11.00	Pass
11ac (VHT40)	CH62	-7.20	11.00	Pass
11ac (VHT80)	CH58	-6.95	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	3.77	11.00	Pass
11a	CH116	4.55	11.00	Pass
11a	CH140	-3.80	11.00	Pass
11n (HT20)	CH100	-1.98	11.00	Pass
11n (HT20)	CH116	5.02	11.00	Pass
11n (HT20)	CH140	-4.68	11.00	Pass
11n (HT40)	CH102	-7.11	11.00	Pass
11n (HT40)	CH118	2.19	11.00	Pass
11n (HT40)	CH134	1.09	11.00	Pass
11ac (VHT20)	CH100	-3.21	11.00	Pass
11ac (VHT20)	CH116	4.74	11.00	Pass
11ac (VHT20)	CH140	-5.03	11.00	Pass
11ac (VHT40)	CH102	-7.53	11.00	Pass
11ac (VHT40)	CH118	0.96	11.00	Pass
11ac (VHT40)	CH134	-0.23	11.00	Pass
11ac (VHT80)	CH106	-10.00	11.00	Pass
11ac (VHT80)	CH122	-2.45	11.00	Pass


U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	1.96	30.00	Pass
11a	CH157	1.93	30.00	Pass
11a	CH165	1.74	30.00	Pass
11n (HT20)	CH149	1.93	30.00	Pass
11n (HT20)	CH157	1.93	30.00	Pass
11n (HT20)	CH165	1.79	30.00	Pass
11n (HT40)	CH151	-0.21	30.00	Pass
11n (HT40)	CH159	-0.49	30.00	Pass
11ac (VHT20)	CH149	1.95	30.00	Pass
11ac (VHT20)	CH157	1.95	30.00	Pass
11ac (VHT20)	CH165	1.89	30.00	Pass
11ac (VHT40)	CH151	-0.88	30.00	Pass
11ac (VHT40)	CH159	-1.26	30.00	Pass
11ac (VHT80)	CH155	-4.33	30.00	Pass

A.5 Conducted Emissions

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.
 Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.152	45.33	10.19	65.89	-20.56	Peak	L	Pass
1**	0.152	27.44	10.19	55.89	-28.45	AV	L	Pass
2	0.334	44.32	10.07	59.35	-15.03	Peak	L	Pass
2**	0.334	31.80	10.07	49.35	-17.55	AV	L	Pass
3	0.524	41.07	10.11	56.00	-14.93	Peak	L	Pass
3**	0.524	26.51	10.11	46.00	-19.49	AV	L	Pass
4	1.988	35.53	9.86	56.00	-20.47	Peak	L	Pass
4**	1.988	23.70	9.86	46.00	-22.30	AV	L	Pass
5	5.104	40.00	9.95	60.00	-20.00	Peak	L	Pass
5**	5.104	27.43	9.95	50.00	-22.57	AV	L	Pass
6	10.290	41.82	10.09	60.00	-18.18	Peak	L	Pass
6**	10.290	30.35	10.09	50.00	-19.65	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.168	42.27	10.16	65.06	-22.79	Peak	N	Pass
1**	0.168	28.08	10.16	55.06	-26.98	AV	N	Pass
2	0.332	39.67	10.07	59.40	-19.73	Peak	N	Pass
2**	0.332	35.69	10.07	49.40	-13.71	AV	N	Pass
3	0.450	36.01	10.10	56.88	-20.87	Peak	N	Pass
3**	0.450	27.90	10.10	46.88	-18.98	AV	N	Pass
4	1.246	35.10	9.99	56.00	-20.90	Peak	N	Pass
4**	1.246	24.59	9.99	46.00	-21.41	AV	N	Pass
5	4.976	38.10	9.93	56.00	-17.90	Peak	N	Pass
5**	4.976	25.40	9.93	46.00	-20.60	AV	N	Pass
6	9.554	40.76	10.09	60.00	-19.24	Peak	N	Pass
6**	9.554	31.99	10.09	50.00	-18.01	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note 1: The symbol of "--" in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	64.629	13.14	-27.41	40.0	-26.86	Peak	279.00	100	Horizontal	Pass
2	126.272	21.52	-29.44	43.5	-21.98	Peak	235.00	200	Horizontal	Pass
3	136.264	24.57	-30.10	43.5	-18.93	Peak	273.00	200	Horizontal	Pass
4	147.273	23.23	-30.22	43.5	-20.27	Peak	255.00	200	Horizontal	Pass
5	301.406	28.21	-23.75	46.0	-17.79	Peak	261.00	100	Horizontal	Pass
6	943.352	30.09	-9.50	46.0	-15.91	Peak	235.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.638	28.14	-28.84	40.0	-11.86	Peak	303.00	100	Vertical	Pass
2	88.927	27.82	-28.86	43.5	-15.68	Peak	305.00	100	Vertical	Pass
3	137.670	28.89	-30.20	43.5	-14.61	Peak	0.00	100	Vertical	Pass
4	150.135	29.11	-30.07	43.5	-14.39	Peak	0.00	100	Vertical	Pass
5	294.713	23.57	-23.79	46.0	-22.43	Peak	130.00	200	Vertical	Pass
6	985.596	30.87	-8.65	54.0	-23.13	Peak	360.00	200	Vertical	Pass

Note: The spurious above 18G is noise only, do not show on the report.

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.300	37.83	-17.27	74.0	-36.17	Peak	337.00	150	Horizontal	Pass
1**	1495.300	29.34	-17.27	54.0	-24.66	AV	337.00	150	Horizontal	Pass
2	3959.250	48.91	-3.89	74.0	-25.09	Peak	4.00	150	Horizontal	Pass
2**	3959.250	39.88	-3.89	54.0	-14.12	AV	4.00	150	Horizontal	Pass
3	5180.750	105.57	-1.40	--	13.57	Peak	92.00	150	Horizontal	N/A
3**	5180.750	96.72	-1.40	--	96.72	AV	92.00	150	Horizontal	N/A
4	8085.737	49.72	-2.89	74.0	-24.28	Peak	50.00	150	Horizontal	Pass
4**	8085.737	40.65	-2.89	54.0	-13.35	AV	50.00	150	Horizontal	Pass
5	11926.350	52.83	-0.92	74.0	-21.17	Peak	15.00	150	Horizontal	Pass
5**	11926.350	43.79	-0.92	54.0	-10.21	AV	15.00	150	Horizontal	Pass
6	17804.438	50.19	-2.73	74.0	-23.81	Peak	360.00	150	Horizontal	Pass
6**	17804.438	40.99	-2.73	54.0	-13.01	AV	360.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	38.13	-17.23	74.0	-35.87	Peak	288.00	150	Vertical	Pass
1**	1595.600	28.78	-17.23	54.0	-25.22	AV	288.00	150	Vertical	Pass
2	4189.500	49.51	-2.99	74.0	-24.49	Peak	103.00	150	Vertical	Pass
2**	4189.500	40.87	-2.99	54.0	-13.13	AV	103.00	150	Vertical	Pass
3	5184.000	95.39	-1.45	--	-69.61	Peak	165.00	150	Vertical	N/A
3**	5184.000	89.36	-1.45	--	89.36	AV	165.00	150	Vertical	N/A
4	8292.125	49.53	-3.54	74.0	-24.47	Peak	14.00	150	Vertical	Pass
4**	8292.125	39.51	-3.54	54.0	-14.49	AV	14.00	150	Vertical	Pass
5	11953.424	52.93	-0.82	74.0	-21.07	Peak	127.00	150	Vertical	Pass
5**	11953.424	43.77	-0.82	54.0	-10.23	AV	127.00	150	Vertical	Pass
6	17802.863	50.41	-2.68	74.0	-23.59	Peak	72.00	150	Vertical	Pass
6**	17802.863	40.91	-2.68	54.0	-13.09	AV	72.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.600	38.05	-17.31	74.0	-35.95	Peak	207.00	150	Horizontal	Pass
1**	1501.600	28.23	-17.31	54.0	-25.77	AV	207.00	150	Horizontal	Pass
2	4127.000	49.74	-3.13	74.0	-24.26	Peak	352.00	150	Horizontal	Pass
2**	4127.000	40.47	-3.13	54.0	-13.53	AV	352.00	150	Horizontal	Pass
3	5216.000	105.39	-1.61	--	-21.61	Peak	127.00	150	Horizontal	N/A
3**	5216.000	97.46	-1.61	--	97.46	AV	127.00	150	Horizontal	N/A
4	8204.725	49.45	-2.96	74.0	-24.55	Peak	278.00	150	Horizontal	Pass
4**	8204.725	39.42	-2.96	54.0	-14.58	AV	278.00	150	Horizontal	Pass
5	11952.950	52.66	-0.82	74.0	-21.34	Peak	241.00	150	Horizontal	Pass
5**	11952.950	43.61	-0.82	54.0	-10.39	AV	241.00	150	Horizontal	Pass
6	17807.063	50.36	-2.82	74.0	-23.64	Peak	42.00	150	Horizontal	Pass
6**	17807.063	41.45	-2.82	54.0	-12.55	AV	42.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.700	37.88	-17.06	74.0	-36.12	Peak	20.00	150	Vertical	Pass
1**	1550.700	28.65	-17.06	54.0	-25.35	AV	20.00	150	Vertical	Pass
2	3805.500	49.76	-4.63	74.0	-24.24	Peak	352.00	150	Vertical	Pass
2**	3805.500	40.84	-4.63	54.0	-13.16	AV	352.00	150	Vertical	Pass
3	5216.250	97.61	-1.66	--	-64.39	Peak	162.00	150	Vertical	N/A
3**	5216.250	90.10	-1.66	--	90.10	AV	162.00	150	Vertical	N/A
4	8249.850	49.13	-3.42	74.0	-24.87	Peak	106.00	150	Vertical	Pass
4**	8249.850	40.00	-3.42	54.0	-14.00	AV	106.00	150	Vertical	Pass
5	11956.750	52.79	-0.82	74.0	-21.21	Peak	287.00	150	Vertical	Pass
5**	11956.750	44.33	-0.82	54.0	-9.67	AV	287.00	150	Vertical	Pass
6	17804.964	50.47	-2.75	74.0	-23.53	Peak	0.00	150	Vertical	Pass
6**	17804.964	41.76	-2.75	54.0	-12.24	AV	0.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.900	37.72	-17.08	74.0	-36.28	Peak	83.00	150	Horizontal	Pass
1**	1603.900	28.80	-17.08	54.0	-25.20	AV	83.00	150	Horizontal	Pass
2	3838.000	49.33	-4.15	74.0	-24.67	Peak	157.00	150	Horizontal	Pass
2**	3838.000	40.38	-4.15	54.0	-13.62	AV	157.00	150	Horizontal	Pass
3	5244.000	106.05	-1.85	--	-24.95	Peak	131.00	150	Horizontal	N/A
3**	5244.000	99.09	-1.85	--	99.09	AV	131.00	150	Horizontal	N/A
4	8289.750	48.58	-3.63	74.0	-25.42	Peak	360.00	150	Horizontal	Pass
4**	8289.750	38.82	-3.63	54.0	-15.18	AV	360.00	150	Horizontal	Pass
5	11981.688	52.91	-0.81	74.0	-21.09	Peak	337.00	150	Horizontal	Pass
5**	11981.688	43.49	-0.81	54.0	-10.51	AV	337.00	150	Horizontal	Pass
6	17788.948	50.85	-3.07	74.0	-23.15	Peak	0.00	150	Horizontal	Pass
6**	17788.948	41.44	-3.07	54.0	-12.56	AV	0.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.500	38.37	-17.24	74.0	-35.63	Peak	0.00	150	Vertical	Pass
1**	1491.500	29.29	-17.24	54.0	-24.71	AV	0.00	150	Vertical	Pass
2	4056.750	50.21	-3.79	74.0	-23.79	Peak	187.00	150	Vertical	Pass
2**	4056.750	40.29	-3.79	54.0	-13.71	AV	187.00	150	Vertical	Pass
3	5234.250	98.01	-1.32	--	-76.99	Peak	175.00	150	Vertical	N/A
3**	5234.250	90.61	-1.32	--	90.61	AV	175.00	150	Vertical	N/A
4	8071.963	49.72	-2.21	74.0	-24.28	Peak	15.00	150	Vertical	Pass
4**	8071.963	40.70	-2.21	54.0	-13.30	AV	15.00	150	Vertical	Pass
5	12003.063	52.54	-0.89	74.0	-21.46	Peak	91.00	150	Vertical	Pass
5**	12003.063	44.55	-0.89	54.0	-9.45	AV	91.00	150	Vertical	Pass
6	17790.788	50.06	-3.00	74.0	-23.94	Peak	23.00	150	Vertical	Pass
6**	17790.788	41.08	-3.00	54.0	-12.92	AV	23.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.200	37.87	-17.02	74.0	-36.13	Peak	27.00	150	Horizontal	Pass
1**	1472.200	28.66	-17.02	54.0	-25.34	AV	27.00	150	Horizontal	Pass
2	3843.000	49.09	-3.86	74.0	-24.91	Peak	339.00	150	Horizontal	Pass
2**	3843.000	39.88	-3.86	54.0	-14.12	AV	339.00	150	Horizontal	Pass
3	5173.750	105.73	-1.57	--	-32.27	Peak	138.00	150	Horizontal	N/A
3**	5173.750	97.48	-1.57	--	97.48	AV	138.00	150	Horizontal	N/A
4	8138.462	49.94	-2.94	74.0	-24.06	Peak	166.00	150	Horizontal	Pass
4**	8138.462	39.91	-2.94	54.0	-14.09	AV	166.00	150	Horizontal	Pass
5	11962.687	53.05	-0.82	74.0	-20.95	Peak	32.00	150	Horizontal	Pass
5**	11962.687	43.92	-0.82	54.0	-10.08	AV	32.00	150	Horizontal	Pass
6	15974.813	49.68	-3.17	74.0	-24.32	Peak	130.00	150	Horizontal	Pass
6**	15974.813	40.22	-3.17	54.0	-13.78	AV	130.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.900	38.75	-17.22	74.0	-35.25	Peak	89.00	150	Vertical	Pass
1**	1561.900	29.83	-17.22	54.0	-24.17	AV	89.00	150	Vertical	Pass
2	4211.750	50.11	-3.80	74.0	-23.89	Peak	72.00	150	Vertical	Pass
2**	4211.750	39.84	-3.80	54.0	-14.16	AV	72.00	150	Vertical	Pass
3	5172.500	96.82	-1.59	--	-86.18	Peak	183.00	150	Vertical	N/A
3**	5172.500	88.91	-1.59	--	88.91	AV	183.00	150	Vertical	N/A
4	8101.650	50.18	-2.87	74.0	-23.82	Peak	86.00	150	Vertical	Pass
4**	8101.650	40.04	-2.87	54.0	-13.96	AV	86.00	150	Vertical	Pass
5	12007.338	53.00	-1.00	74.0	-21.00	Peak	246.00	150	Vertical	Pass
5**	12007.338	43.49	-1.00	54.0	-10.51	AV	246.00	150	Vertical	Pass
6	17796.037	50.13	-2.77	74.0	-23.87	Peak	145.00	150	Vertical	Pass
6**	17796.037	40.94	-2.77	54.0	-13.06	AV	145.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	37.74	-17.13	74.0	-36.26	Peak	46.00	150	Horizontal	Pass
1**	1531.700	29.60	-17.13	54.0	-24.40	AV	46.00	150	Horizontal	Pass
2	3980.500	49.67	-3.64	74.0	-24.33	Peak	285.00	150	Horizontal	Pass
2**	3980.500	40.42	-3.64	54.0	-13.58	AV	285.00	150	Horizontal	Pass
3	5223.750	106.30	-1.39	--	-34.70	Peak	141.00	150	Horizontal	N/A
3**	5223.750	97.81	-1.39	--	97.81	AV	141.00	150	Horizontal	N/A
4	8137.512	48.91	-2.98	74.0	-25.09	Peak	50.00	150	Horizontal	Pass
4**	8137.512	39.68	-2.98	54.0	-14.32	AV	50.00	150	Horizontal	Pass
5	12004.250	52.83	-0.92	74.0	-21.17	Peak	202.00	150	Horizontal	Pass
5**	12004.250	43.88	-0.92	54.0	-10.12	AV	202.00	150	Horizontal	Pass
6	17800.499	49.93	-2.61	74.0	-24.07	Peak	41.00	150	Horizontal	Pass
6**	17800.499	41.12	-2.61	54.0	-12.88	AV	41.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.800	37.59	-17.04	74.0	-36.41	Peak	215.00	150	Vertical	Pass
1**	1480.800	28.95	-17.04	54.0	-25.05	AV	215.00	150	Vertical	Pass
2	3760.750	49.67	-3.61	74.0	-24.33	Peak	18.00	150	Vertical	Pass
2**	3760.750	40.59	-3.61	54.0	-13.41	AV	18.00	150	Vertical	Pass
3	5227.500	97.65	-1.50	--	-74.35	Peak	172.00	150	Vertical	N/A
3**	5227.500	89.06	-1.50	--	89.06	AV	172.00	150	Vertical	N/A
4	8064.600	49.74	-2.36	74.0	-24.26	Peak	0.00	150	Vertical	Pass
4**	8064.600	40.86	-2.36	54.0	-13.14	AV	0.00	150	Vertical	Pass
5	11992.612	52.98	-0.80	74.0	-21.02	Peak	71.00	150	Vertical	Pass
5**	11992.612	44.66	-0.80	54.0	-9.34	AV	71.00	150	Vertical	Pass
6	17803.125	49.49	-2.69	74.0	-24.51	Peak	113.00	150	Vertical	Pass
6**	17803.125	41.42	-2.69	54.0	-12.58	AV	113.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.200	37.81	-17.01	74.0	-36.19	Peak	72.00	150	Horizontal	Pass
1**	1386.200	28.83	-17.01	54.0	-25.17	AV	72.00	150	Horizontal	Pass
2	3949.000	48.89	-3.87	74.0	-25.11	Peak	360.00	150	Horizontal	Pass
2**	3949.000	39.64	-3.87	54.0	-14.36	AV	360.00	150	Horizontal	Pass
3	5241.750	107.14	-1.72	--	-5.86	Peak	113.00	150	Horizontal	N/A
3**	5241.750	98.32	-1.72	--	98.32	AV	113.00	150	Horizontal	N/A
4	8197.600	48.93	-3.09	74.0	-25.07	Peak	221.00	150	Horizontal	Pass
4**	8197.600	39.37	-3.09	54.0	-14.63	AV	221.00	150	Horizontal	Pass
5	11919.700	53.08	-0.94	74.0	-20.92	Peak	333.00	150	Horizontal	Pass
5**	11919.700	44.25	-0.94	54.0	-9.75	AV	333.00	150	Horizontal	Pass
6	17775.036	49.64	-3.68	74.0	-24.36	Peak	136.00	150	Horizontal	Pass
6**	17775.036	40.25	-3.68	54.0	-13.75	AV	136.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.000	38.08	-17.13	74.0	-35.92	Peak	0.00	150	Vertical	Pass
1**	1579.000	28.88	-17.13	54.0	-25.12	AV	0.00	150	Vertical	Pass
2	3870.000	49.22	-3.79	74.0	-24.78	Peak	240.00	150	Vertical	Pass
2**	3870.000	39.67	-3.79	54.0	-14.33	AV	240.00	150	Vertical	Pass
3	5246.750	97.66	-1.81	--	-69.34	Peak	167.00	150	Vertical	N/A
3**	5246.750	89.23	-1.81	--	89.23	AV	167.00	150	Vertical	N/A
4	8188.100	49.14	-2.78	74.0	-24.86	Peak	0.00	150	Vertical	Pass
4**	8188.100	39.72	-2.78	54.0	-14.28	AV	0.00	150	Vertical	Pass
5	11940.125	52.71	-0.86	74.0	-21.29	Peak	179.00	150	Vertical	Pass
5**	11940.125	44.13	-0.86	54.0	-9.87	AV	179.00	150	Vertical	Pass
6	17803.387	50.50	-2.70	74.0	-23.50	Peak	289.00	150	Vertical	Pass
6**	17803.387	41.36	-2.70	54.0	-12.64	AV	289.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.800	38.17	-17.37	74.0	-35.83	Peak	106.00	150	Horizontal	Pass
1**	1515.800	29.12	-17.37	54.0	-24.88	AV	106.00	150	Horizontal	Pass
2	3962.250	49.41	-4.05	74.0	-24.59	Peak	0.00	150	Horizontal	Pass
2**	3962.250	39.02	-4.05	54.0	-14.98	AV	0.00	150	Horizontal	Pass
3	5186.750	103.75	-1.61	--	-2.25	Peak	106.00	150	Horizontal	N/A
3**	5186.750	95.98	-1.61	--	95.98	AV	106.00	150	Horizontal	N/A
4	8259.350	49.33	-3.49	74.0	-24.67	Peak	126.00	150	Horizontal	Pass
4**	8259.350	39.63	-3.49	54.0	-14.37	AV	126.00	150	Horizontal	Pass
5	12000.687	52.93	-0.82	74.0	-21.07	Peak	164.00	150	Horizontal	Pass
5**	12000.687	44.50	-0.82	54.0	-9.50	AV	164.00	150	Horizontal	Pass
6	15964.838	49.37	-3.09	74.0	-24.63	Peak	247.00	150	Horizontal	Pass
6**	15964.838	40.11	-3.09	54.0	-13.89	AV	247.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.400	38.15	-17.20	74.0	-35.85	Peak	147.00	150	Vertical	Pass
1**	1566.400	28.58	-17.20	54.0	-25.42	AV	147.00	150	Vertical	Pass
2	3857.250	49.79	-3.49	74.0	-24.21	Peak	337.00	150	Vertical	Pass
2**	3857.250	39.69	-3.49	54.0	-14.31	AV	337.00	150	Vertical	Pass
3	5182.500	95.41	-1.26	--	-84.59	Peak	180.00	150	Vertical	N/A
3**	5182.500	87.05	-1.26	--	87.05	AV	180.00	150	Vertical	N/A
4	8128.013	49.34	-3.25	74.0	-24.66	Peak	54.00	150	Vertical	Pass
4**	8128.013	39.74	-3.25	54.0	-14.26	AV	54.00	150	Vertical	Pass
5	11982.638	53.55	-0.81	74.0	-20.45	Peak	0.00	150	Vertical	Pass
5**	11982.638	44.13	-0.81	54.0	-9.87	AV	0.00	150	Vertical	Pass
6	15918.375	50.13	-3.59	74.0	-23.87	Peak	53.00	150	Vertical	Pass
6**	15918.375	39.15	-3.59	54.0	-14.85	AV	53.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.300	38.67	-17.01	74.0	-35.33	Peak	343.00	150	Horizontal	Pass
1**	1576.300	28.59	-17.01	54.0	-25.41	AV	343.00	150	Horizontal	Pass
2	3981.000	49.16	-3.62	74.0	-24.84	Peak	184.00	150	Horizontal	Pass
2**	3981.000	40.01	-3.62	54.0	-13.99	AV	184.00	150	Horizontal	Pass
3	5238.000	104.27	-1.55	--	-16.73	Peak	121.00	150	Horizontal	N/A
3**	5238.000	96.15	-1.55	--	96.15	AV	121.00	150	Horizontal	N/A
4	8061.513	49.91	-2.67	74.0	-24.09	Peak	216.00	150	Horizontal	Pass
4**	8061.513	40.54	-2.67	54.0	-13.46	AV	216.00	150	Horizontal	Pass
5	11049.737	52.01	-0.97	74.0	-21.99	Peak	180.00	150	Horizontal	Pass
5**	11049.737	43.17	-0.97	54.0	-10.83	AV	180.00	150	Horizontal	Pass
6	15663.750	49.99	-4.51	74.0	-24.01	Peak	157.00	150	Horizontal	Pass
6**	15663.750	39.81	-4.51	54.0	-14.19	AV	157.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.500	38.36	-17.13	74.0	-35.64	Peak	270.00	150	Vertical	Pass
1**	1549.500	28.89	-17.13	54.0	-25.11	AV	270.00	150	Vertical	Pass
2	3900.250	49.03	-3.59	74.0	-24.97	Peak	116.00	150	Vertical	Pass
2**	3900.250	40.48	-3.59	54.0	-13.52	AV	116.00	150	Vertical	Pass
3	5228.250	96.10	-1.57	--	-85.90	Peak	182.00	150	Vertical	N/A
3**	5228.250	87.73	-1.57	--	87.73	AV	182.00	150	Vertical	N/A
4	8286.188	49.06	-3.69	74.0	-24.94	Peak	33.00	150	Vertical	Pass
4**	8286.188	39.09	-3.69	54.0	-14.91	AV	33.00	150	Vertical	Pass
5	11956.275	53.31	-0.82	74.0	-20.69	Peak	70.00	150	Vertical	Pass
5**	11956.275	44.51	-0.82	54.0	-9.49	AV	70.00	150	Vertical	Pass
6	15992.925	49.56	-3.32	74.0	-24.44	Peak	226.00	150	Vertical	Pass
6**	15992.925	40.58	-3.32	54.0	-13.42	AV	226.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.400	37.90	-17.11	74.0	-36.10	Peak	236.00	150	Horizontal	Pass
1**	1482.400	28.94	-17.11	54.0	-25.06	AV	236.00	150	Horizontal	Pass
2	4067.250	49.59	-3.78	74.0	-24.41	Peak	47.00	150	Horizontal	Pass
2**	4067.250	40.08	-3.78	54.0	-13.92	AV	47.00	150	Horizontal	Pass
3	5183.250	105.75	-1.35	--	-30.25	Peak	136.00	150	Horizontal	N/A
3**	5183.250	98.06	-1.35	--	98.06	AV	136.00	150	Horizontal	N/A
4	8254.362	48.84	-3.55	74.0	-25.16	Peak	272.00	150	Horizontal	Pass
4**	8254.362	39.58	-3.55	54.0	-14.42	AV	272.00	150	Horizontal	Pass
5	11995.700	52.93	-0.80	74.0	-21.07	Peak	272.00	150	Horizontal	Pass
5**	11995.700	44.24	-0.80	54.0	-9.76	AV	272.00	150	Horizontal	Pass
6	15758.775	48.93	-3.15	74.0	-25.07	Peak	99.00	150	Horizontal	Pass
6**	15758.775	39.45	-3.15	54.0	-14.55	AV	99.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.800	38.17	-17.15	74.0	-35.83	Peak	204.00	150	Vertical	Pass
1**	1490.800	29.33	-17.15	54.0	-24.67	AV	204.00	150	Vertical	Pass
2	2800.900	44.12	-10.33	74.0	-29.88	Peak	308.00	150	Vertical	Pass
2**	2800.900	35.42	-10.33	54.0	-18.58	AV	308.00	150	Vertical	Pass
3	4088.000	49.87	-3.86	74.0	-24.13	Peak	250.00	150	Vertical	Pass
3**	4088.000	39.12	-3.86	54.0	-14.88	AV	250.00	150	Vertical	Pass
4	5182.250	96.69	-1.26	--	-91.31	Peak	188.00	150	Vertical	N/A
4**	5182.250	88.52	-1.26	--	88.52	AV	188.00	150	Vertical	N/A
5	8180.263	48.74	-2.62	74.0	-25.26	Peak	15.00	150	Vertical	Pass
5**	8180.263	39.82	-2.62	54.0	-14.18	AV	15.00	150	Vertical	Pass
6	11981.450	52.69	-0.81	74.0	-21.31	Peak	33.00	150	Vertical	Pass
6**	11981.450	43.76	-0.81	54.0	-10.24	AV	33.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.300	37.87	-17.32	74.0	-36.13	Peak	127.00	150	Horizontal	Pass
1**	1526.300	28.38	-17.32	54.0	-25.62	AV	127.00	150	Horizontal	Pass
2	3988.250	49.78	-3.50	74.0	-24.22	Peak	247.00	150	Horizontal	Pass
2**	3988.250	40.69	-3.50	54.0	-13.31	AV	247.00	150	Horizontal	Pass
3	5215.500	105.25	-1.55	--	8.25	Peak	97.00	150	Horizontal	N/A
3**	5215.500	97.68	-1.55	--	97.68	AV	97.00	150	Horizontal	N/A
4	8193.563	48.53	-2.76	74.0	-25.47	Peak	0.00	150	Horizontal	Pass
4**	8193.563	39.81	-2.76	54.0	-14.19	AV	0.00	150	Horizontal	Pass
5	11034.063	52.23	-1.31	74.0	-21.77	Peak	93.00	150	Horizontal	Pass
5**	11034.063	43.31	-1.31	54.0	-10.69	AV	93.00	150	Horizontal	Pass
6	15969.825	49.64	-3.13	74.0	-24.36	Peak	272.00	150	Horizontal	Pass
6**	15969.825	40.28	-3.13	54.0	-13.72	AV	272.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	37.79	-17.38	74.0	-36.21	Peak	242.00	150	Vertical	Pass
1**	1496.100	28.62	-17.38	54.0	-25.38	AV	242.00	150	Vertical	Pass
2	3827.500	49.62	-4.26	74.0	-24.38	Peak	200.00	150	Vertical	Pass
2**	3827.500	40.70	-4.26	54.0	-13.30	AV	200.00	150	Vertical	Pass
3	5223.250	98.66	-1.42	--	-77.34	Peak	176.00	150	Vertical	N/A
3**	5223.250	90.93	-1.42	--	90.93	AV	176.00	150	Vertical	N/A
4	8254.125	48.32	-3.58	74.0	-25.68	Peak	215.00	150	Vertical	Pass
4**	8254.125	39.60	-3.58	54.0	-14.40	AV	215.00	150	Vertical	Pass
5	11992.375	52.38	-0.80	74.0	-21.62	Peak	69.00	150	Vertical	Pass
5**	11992.375	44.22	-0.80	54.0	-9.78	AV	69.00	150	Vertical	Pass
6	15722.812	50.06	-3.70	74.0	-23.94	Peak	360.00	150	Vertical	Pass
6**	15722.812	40.27	-3.70	54.0	-13.73	AV	360.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.200	37.66	-17.36	74.0	-36.34	Peak	134.00	150	Horizontal	Pass
1**	1502.200	28.02	-17.36	54.0	-25.98	AV	134.00	150	Horizontal	Pass
2	3899.000	49.33	-3.60	74.0	-24.67	Peak	0.00	150	Horizontal	Pass
2**	3899.000	39.50	-3.60	54.0	-14.50	AV	0.00	150	Horizontal	Pass
3	5243.750	106.37	-1.83	--	-1.63	Peak	108.00	150	Horizontal	N/A
3**	5243.750	99.10	-1.83	--	99.10	AV	108.00	150	Horizontal	N/A
4	8251.513	48.74	-3.44	74.0	-25.26	Peak	274.00	150	Horizontal	Pass
4**	8251.513	39.91	-3.44	54.0	-14.09	AV	274.00	150	Horizontal	Pass
5	10823.875	51.14	-1.72	74.0	-22.86	Peak	131.00	150	Horizontal	Pass
5**	10823.875	41.96	-1.72	54.0	-12.04	AV	131.00	150	Horizontal	Pass
6	15672.412	48.92	-4.43	74.0	-25.08	Peak	0.00	150	Horizontal	Pass
6**	15672.412	39.99	-4.43	54.0	-14.01	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.300	38.15	-17.21	74.0	-35.85	Peak	46.00	150	Vertical	Pass
1**	1559.300	28.91	-17.21	54.0	-25.09	AV	46.00	150	Vertical	Pass
2	4044.750	49.27	-3.84	74.0	-24.73	Peak	110.00	150	Vertical	Pass
2**	4044.750	39.07	-3.84	54.0	-14.93	AV	110.00	150	Vertical	Pass
3	5246.750	97.69	-1.81	--	-74.31	Peak	172.00	150	Vertical	N/A
3**	5246.750	89.61	-1.81	--	89.61	AV	172.00	150	Vertical	N/A
4	8196.888	48.65	-2.82	74.0	-25.35	Peak	310.00	150	Vertical	Pass
4**	8196.888	40.08	-2.82	54.0	-13.92	AV	310.00	150	Vertical	Pass
5	11942.263	53.56	-0.85	74.0	-20.44	Peak	239.00	150	Vertical	Pass
5**	11942.263	43.26	-0.85	54.0	-10.74	AV	239.00	150	Vertical	Pass
6	15969.563	49.17	-3.13	74.0	-24.83	Peak	255.00	150	Vertical	Pass
6**	15969.563	40.73	-3.13	54.0	-13.27	AV	255.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.300	38.08	-17.03	74.0	-35.92	Peak	1.00	150	Horizontal	Pass
1**	1569.300	28.99	-17.03	54.0	-25.01	AV	1.00	150	Horizontal	Pass
2	3845.000	49.33	-3.71	74.0	-24.67	Peak	201.00	150	Horizontal	Pass
2**	3845.000	39.62	-3.71	54.0	-14.38	AV	201.00	150	Horizontal	Pass
3	5180.500	102.68	-1.39	--	3.68	Peak	99.00	150	Horizontal	N/A
3**	5180.500	94.52	-1.39	--	94.52	AV	99.00	150	Horizontal	N/A
4	8190.475	48.24	-2.85	74.0	-25.76	Peak	113.00	150	Horizontal	Pass
4**	8190.475	39.80	-2.85	54.0	-14.20	AV	113.00	150	Horizontal	Pass
5	12442.200	53.43	-0.67	74.0	-20.57	Peak	291.00	150	Horizontal	Pass
5**	12442.200	42.71	-0.67	54.0	-11.29	AV	291.00	150	Horizontal	Pass
6	15675.563	49.64	-4.40	74.0	-24.36	Peak	14.00	150	Horizontal	Pass
6**	15675.563	39.17	-4.40	54.0	-14.83	AV	14.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	37.98	-17.08	74.0	-36.02	Peak	22.00	150	Vertical	Pass
1**	1497.900	28.86	-17.08	54.0	-25.14	AV	22.00	150	Vertical	Pass
2	3847.250	49.96	-3.57	74.0	-24.04	Peak	299.00	150	Vertical	Pass
2**	3847.250	39.72	-3.57	54.0	-14.28	AV	299.00	150	Vertical	Pass
3	5181.500	92.92	-1.28	--	-94.08	Peak	187.00	150	Vertical	N/A
3**	5181.500	86.45	-1.28	--	86.45	AV	187.00	150	Vertical	N/A
4	8191.900	49.16	-2.80	74.0	-24.84	Peak	128.00	150	Vertical	Pass
4**	8191.900	40.58	-2.80	54.0	-13.42	AV	128.00	150	Vertical	Pass
5	10997.963	52.47	-2.06	74.0	-21.53	Peak	146.00	150	Vertical	Pass
5**	10997.963	43.27	-2.06	54.0	-10.73	AV	146.00	150	Vertical	Pass
6	15955.387	49.28	-3.01	74.0	-24.72	Peak	0.00	150	Vertical	Pass
6**	15955.387	40.29	-3.01	54.0	-13.71	AV	0.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.300	38.11	-17.21	74.0	-35.89	Peak	161.00	150	Horizontal	Pass
1**	1559.300	29.92	-17.21	54.0	-24.08	AV	161.00	150	Horizontal	Pass
2	2811.000	44.35	-9.92	74.0	-29.65	Peak	192.00	150	Horizontal	Pass
2**	2811.000	35.13	-9.92	54.0	-18.87	AV	192.00	150	Horizontal	Pass
3	3744.000	49.29	-4.96	74.0	-24.71	Peak	120.00	150	Horizontal	Pass
3**	3744.000	39.24	-4.96	54.0	-14.76	AV	120.00	150	Horizontal	Pass
4	5233.000	105.08	-1.20	--	--	Peak	157.00	150	Horizontal	N/A
4**	5233.000	97.76	-1.20	--	--	AV	157.00	150	Horizontal	N/A
5	7411.000	56.25	0.91	74.0	-17.75	Peak	96.00	150	Horizontal	Pass
5**	7411.000	46.67	0.91	54.0	-7.33	AV	96.00	150	Horizontal	Pass
6	11995.463	53.84	-0.80	74.0	-20.16	Peak	187.00	150	Horizontal	Pass
6**	11995.463	44.31	-0.80	54.0	-9.69	AV	187.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.900	38.50	-17.09	74.0	-35.50	Peak	117.00	150	Vertical	Pass
1**	1473.900	28.77	-17.09	54.0	-25.23	AV	117.00	150	Vertical	Pass
2	2813.200	44.12	-9.94	74.0	-29.88	Peak	200.00	150	Vertical	Pass
2**	2813.200	35.93	-9.94	54.0	-18.07	AV	200.00	150	Vertical	Pass
3	4699.000	52.80	-2.52	74.0	-21.20	Peak	360.00	150	Vertical	Pass
3**	4699.000	43.34	-2.52	54.0	-10.66	AV	360.00	150	Vertical	Pass
4	5222.250	95.42	-1.48	--	--	Peak	181.00	150	Vertical	N/A
4**	5222.250	87.46	-1.48	--	--	AV	181.00	150	Vertical	N/A
5	7403.250	55.63	0.82	74.0	-18.37	Peak	181.00	150	Vertical	Pass
5**	7403.250	46.02	0.82	54.0	-7.98	AV	181.00	150	Vertical	Pass
6	11947.250	53.08	-0.83	74.0	-20.92	Peak	80.00	150	Vertical	Pass
6**	11947.250	44.02	-0.83	54.0	-9.98	AV	80.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1367.100	38.51	-17.00	74.0	-35.49	Peak	92.00	150	Horizontal	Pass
1**	1367.100	28.79	-17.00	54.0	-25.21	AV	92.00	150	Horizontal	Pass
2	2809.600	44.21	-10.05	74.0	-29.79	Peak	200.00	150	Horizontal	Pass
2**	2809.600	34.51	-10.05	54.0	-19.49	AV	200.00	150	Horizontal	Pass
3	4132.500	50.17	-3.62	74.0	-23.83	Peak	325.00	150	Horizontal	Pass
3**	4132.500	40.02	-3.62	54.0	-13.98	AV	325.00	150	Horizontal	Pass
4	5184.750	101.31	-1.62	--	--	Peak	154.00	150	Horizontal	N/A
4**	5184.750	93.75	-1.62	--	--	AV	154.00	150	Horizontal	N/A
5	11926.350	52.95	-0.92	74.0	-21.05	Peak	13.00	150	Horizontal	Pass
5**	11926.350	43.96	-0.92	54.0	-10.04	AV	13.00	150	Horizontal	Pass
6	15997.388	49.24	-3.36	74.0	-24.76	Peak	354.00	150	Horizontal	Pass
6**	15997.388	41.16	-3.36	54.0	-12.84	AV	354.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.100	38.63	-17.26	74.0	-35.37	Peak	143.00	150	Vertical	Pass
1**	1462.100	28.96	-17.26	54.0	-25.04	AV	143.00	150	Vertical	Pass
2	2765.600	44.59	-11.18	74.0	-29.41	Peak	124.00	150	Vertical	Pass
2**	2765.600	33.71	-11.18	54.0	-20.29	AV	124.00	150	Vertical	Pass
3	4044.250	50.56	-3.82	74.0	-23.44	Peak	229.00	150	Vertical	Pass
3**	4044.250	39.68	-3.82	54.0	-14.32	AV	229.00	150	Vertical	Pass
4	5181.250	91.30	-1.32	--	--	Peak	168.00	150	Vertical	N/A
4**	5181.250	83.46	-1.32	--	--	AV	168.00	150	Vertical	N/A
5	7568.500	56.86	1.37	74.0	-17.14	Peak	229.00	150	Vertical	Pass
5**	7568.500	46.94	1.37	54.0	-7.06	AV	229.00	150	Vertical	Pass
6	11924.924	52.52	-0.92	74.0	-21.48	Peak	135.00	150	Vertical	Pass
6**	11924.924	43.25	-0.92	54.0	-10.75	AV	135.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.000	38.17	-17.36	74.0	-35.83	Peak	360.00	150	Horizontal	Pass
1**	1528.000	29.30	-17.36	54.0	-24.70	AV	360.00	150	Horizontal	Pass
2	2773.300	44.21	-10.42	74.0	-29.79	Peak	360.00	150	Horizontal	Pass
2**	2773.300	34.60	-10.42	54.0	-19.40	AV	360.00	150	Horizontal	Pass
3	4128.250	49.66	-3.23	74.0	-24.34	Peak	209.00	150	Horizontal	Pass
3**	4128.250	39.88	-3.23	54.0	-14.12	AV	209.00	150	Horizontal	Pass
4	5262.500	107.54	-1.99	--	--	Peak	160.00	150	Horizontal	N/A
4**	5262.500	99.90	-1.99	--	--	AV	160.00	150	Horizontal	N/A
5	12473.075	53.54	-0.35	74.0	-20.46	Peak	360.00	150	Horizontal	Pass
5**	12473.075	44.23	-0.35	54.0	-9.77	AV	360.00	150	Horizontal	Pass
6	15992.925	50.29	-3.32	74.0	-23.71	Peak	0.00	150	Horizontal	Pass
6**	15992.925	40.27	-3.32	54.0	-13.73	AV	0.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	38.34	-17.00	74.0	-35.66	Peak	326.00	150	Vertical	Pass
1**	1572.800	29.20	-17.00	54.0	-24.80	AV	326.00	150	Vertical	Pass
2	2832.400	44.48	-10.29	74.0	-29.52	Peak	92.00	150	Vertical	Pass
2**	2832.400	34.37	-10.29	54.0	-19.63	AV	92.00	150	Vertical	Pass
3	3868.000	49.99	-3.78	74.0	-24.01	Peak	33.00	150	Vertical	Pass
3**	3868.000	40.40	-3.78	54.0	-13.60	AV	33.00	150	Vertical	Pass
4	5257.250	97.92	-2.28	--	--	Peak	181.00	150	Vertical	N/A
4**	5257.250	90.02	-2.28	--	--	AV	181.00	150	Vertical	N/A
5	11994.037	52.66	-0.80	74.0	-21.34	Peak	293.00	150	Vertical	Pass
5**	11994.037	43.39	-0.80	54.0	-10.61	AV	293.00	150	Vertical	Pass
6	15967.200	49.41	-3.11	74.0	-24.59	Peak	180.00	150	Vertical	Pass
6**	15967.200	40.71	-3.11	54.0	-13.29	AV	180.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.800	38.44	-17.04	74.0	-35.56	Peak	286.00	150	Horizontal	Pass
1**	1480.800	28.33	-17.04	54.0	-25.67	AV	286.00	150	Horizontal	Pass
2	2835.200	44.24	-10.38	74.0	-29.76	Peak	51.00	150	Horizontal	Pass
2**	2835.200	34.01	-10.38	54.0	-19.99	AV	51.00	150	Horizontal	Pass
3	4128.250	49.30	-3.23	74.0	-24.70	Peak	339.00	150	Horizontal	Pass
3**	4128.250	40.33	-3.23	54.0	-13.67	AV	339.00	150	Horizontal	Pass
4	5292.750	108.20	-1.84	--	--	Peak	142.00	150	Horizontal	N/A
4**	5292.750	101.05	-1.84	--	--	AV	142.00	150	Horizontal	N/A
5	11955.562	52.92	-0.82	74.0	-21.08	Peak	66.00	150	Horizontal	Pass
5**	11955.562	44.47	-0.82	54.0	-9.53	AV	66.00	150	Horizontal	Pass
6	15958.013	49.74	-3.03	74.0	-24.26	Peak	319.00	150	Horizontal	Pass
6**	15958.013	40.45	-3.03	54.0	-13.55	AV	319.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	38.11	-16.94	74.0	-35.89	Peak	227.00	150	Vertical	Pass
1**	1544.200	28.26	-16.94	54.0	-25.74	AV	227.00	150	Vertical	Pass
2	2793.600	44.34	-10.44	74.0	-29.66	Peak	232.00	150	Vertical	Pass
2**	2793.600	34.93	-10.44	54.0	-19.07	AV	232.00	150	Vertical	Pass
3	3879.500	49.55	-3.48	74.0	-24.45	Peak	0.00	150	Vertical	Pass
3**	3879.500	39.89	-3.48	54.0	-14.11	AV	0.00	150	Vertical	Pass
4	5301.750	97.61	-2.09	--	--	Peak	265.00	150	Vertical	N/A
4**	5301.750	90.59	-2.09	--	--	AV	265.00	150	Vertical	N/A
5	7583.750	56.21	1.43	74.0	-17.79	Peak	180.00	150	Vertical	Pass
5**	7583.750	47.41	1.43	54.0	-6.59	AV	180.00	150	Vertical	Pass
6	11918.987	52.90	-0.95	74.0	-21.10	Peak	0.00	150	Vertical	Pass
6**	11918.987	43.15	-0.95	54.0	-10.85	AV	0.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.600	38.04	-17.13	74.0	-35.96	Peak	327.00	150	Horizontal	Pass
1**	1474.600	28.64	-17.13	54.0	-25.36	AV	327.00	150	Horizontal	Pass
2	2759.300	43.71	-11.07	74.0	-30.29	Peak	327.00	150	Horizontal	Pass
2**	2759.300	33.67	-11.07	54.0	-20.33	AV	327.00	150	Horizontal	Pass
3	3854.000	49.59	-3.38	74.0	-24.41	Peak	246.00	150	Horizontal	Pass
3**	3854.000	40.67	-3.38	54.0	-13.33	AV	246.00	150	Horizontal	Pass
4	5317.250	108.66	-1.67	--	--	Peak	147.00	150	Horizontal	N/A
4**	5317.250	100.82	-1.67	--	--	AV	147.00	150	Horizontal	N/A
5	7467.500	56.59	0.76	74.0	-17.41	Peak	246.00	150	Horizontal	Pass
5**	7467.500	45.83	0.76	54.0	-8.17	AV	246.00	150	Horizontal	Pass
6	11956.750	52.55	-0.82	74.0	-21.45	Peak	0.00	150	Horizontal	Pass
6**	11956.750	43.50	-0.82	54.0	-10.50	AV	0.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.600	38.07	-17.15	74.0	-35.93	Peak	218.00	150	Vertical	Pass
1**	1551.600	28.47	-17.15	54.0	-25.53	AV	218.00	150	Vertical	Pass
2	2817.700	44.50	-9.85	74.0	-29.50	Peak	209.00	150	Vertical	Pass
2**	2817.700	35.54	-9.85	54.0	-18.46	AV	209.00	150	Vertical	Pass
3	3782.250	49.69	-4.32	74.0	-24.31	Peak	10.00	150	Vertical	Pass
3**	3782.250	39.87	-4.32	54.0	-14.13	AV	10.00	150	Vertical	Pass
4	5324.250	98.59	-1.56	--	--	Peak	197.00	150	Vertical	N/A
4**	5324.250	91.14	-1.56	--	--	AV	197.00	150	Vertical	N/A
5	11985.487	52.94	-0.81	74.0	-21.06	Peak	238.00	150	Vertical	Pass
5**	11985.487	43.44	-0.81	54.0	-10.56	AV	238.00	150	Vertical	Pass
6	15953.287	49.44	-2.99	74.0	-24.56	Peak	215.00	150	Vertical	Pass
6**	15953.287	40.73	-2.99	54.0	-13.27	AV	215.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.100	38.39	-17.12	74.0	-35.61	Peak	30.00	150	Horizontal	Pass
1**	1560.100	29.16	-17.12	54.0	-24.84	AV	30.00	150	Horizontal	Pass
2	2806.600	44.27	-10.04	74.0	-29.73	Peak	351.00	150	Horizontal	Pass
2**	2806.600	35.06	-10.04	54.0	-18.94	AV	351.00	150	Horizontal	Pass
3	4199.000	50.02	-3.60	74.0	-23.98	Peak	343.00	150	Horizontal	Pass
3**	4199.000	40.51	-3.60	54.0	-13.49	AV	343.00	150	Horizontal	Pass
4	5264.250	108.04	-1.95	--	--	Peak	158.00	150	Horizontal	N/A
4**	5264.250	100.07	-1.95	--	--	AV	158.00	150	Horizontal	N/A
5	7416.500	55.42	0.86	74.0	-18.58	Peak	281.00	150	Horizontal	Pass
5**	7416.500	46.57	0.86	54.0	-7.43	AV	281.00	150	Horizontal	Pass
6	11994.037	53.10	-0.80	74.0	-20.90	Peak	2.00	150	Horizontal	Pass
6**	11994.037	44.13	-0.80	54.0	-9.87	AV	2.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.000	37.92	-17.14	74.0	-36.08	Peak	67.00	150	Vertical	Pass
1**	1534.000	29.08	-17.14	54.0	-24.92	AV	67.00	150	Vertical	Pass
2	2745.800	44.01	-10.66	74.0	-29.99	Peak	357.00	150	Vertical	Pass
2**	2745.800	34.03	-10.66	54.0	-19.97	AV	357.00	150	Vertical	Pass
3	4092.750	49.07	-3.53	74.0	-24.93	Peak	343.00	150	Vertical	Pass
3**	4092.750	39.43	-3.53	54.0	-14.57	AV	343.00	150	Vertical	Pass
4	5252.500	98.07	-1.81	--	--	Peak	182.00	150	Vertical	N/A
4**	5252.500	90.08	-1.81	--	--	AV	182.00	150	Vertical	N/A
5	11987.625	53.16	-0.81	74.0	-20.84	Peak	113.00	150	Vertical	Pass
5**	11987.625	43.83	-0.81	54.0	-10.17	AV	113.00	150	Vertical	Pass
6	15970.350	50.39	-3.13	74.0	-23.61	Peak	305.00	150	Vertical	Pass
6**	15970.350	40.22	-3.13	54.0	-13.78	AV	305.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.500	38.39	-17.12	74.0	-35.61	Peak	83.00	150	Horizontal	Pass
1**	1469.500	28.88	-17.12	54.0	-25.12	AV	83.00	150	Horizontal	Pass
2	2813.100	44.55	-9.92	74.0	-29.45	Peak	206.00	150	Horizontal	Pass
2**	2813.100	34.66	-9.92	54.0	-19.34	AV	206.00	150	Horizontal	Pass
3	3993.250	49.31	-3.54	74.0	-24.69	Peak	72.00	150	Horizontal	Pass
3**	3993.250	40.07	-3.54	54.0	-13.93	AV	72.00	150	Horizontal	Pass
4	5293.000	108.72	-1.82	--	--	Peak	148.00	150	Horizontal	N/A
4**	5293.000	100.94	-1.82	--	--	AV	148.00	150	Horizontal	N/A
5	7415.000	55.87	0.67	74.0	-18.13	Peak	162.00	150	Horizontal	Pass
5**	7415.000	46.18	0.67	54.0	-7.82	AV	162.00	150	Horizontal	Pass
6	11952.474	52.92	-0.82	74.0	-21.08	Peak	77.00	150	Horizontal	Pass
6**	11952.474	44.32	-0.82	54.0	-9.68	AV	77.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.500	38.00	-17.07	74.0	-36.00	Peak	197.00	150	Vertical	Pass
1**	1483.500	28.71	-17.07	54.0	-25.29	AV	197.00	150	Vertical	Pass
2	2782.100	43.64	-10.44	74.0	-30.36	Peak	283.00	150	Vertical	Pass
2**	2782.100	35.08	-10.44	54.0	-18.92	AV	283.00	150	Vertical	Pass
3	3960.500	49.21	-3.93	74.0	-24.79	Peak	85.00	150	Vertical	Pass
3**	3960.500	39.47	-3.93	54.0	-14.53	AV	85.00	150	Vertical	Pass
4	5302.000	98.56	-2.07	--	--	Peak	187.00	150	Vertical	N/A
4**	5302.000	90.28	-2.07	--	--	AV	187.00	150	Vertical	N/A
5	12469.276	52.98	-0.39	74.0	-21.02	Peak	121.00	150	Vertical	Pass
5**	12469.276	43.63	-0.39	54.0	-10.37	AV	121.00	150	Vertical	Pass
6	16000.275	49.53	-3.39	74.0	-24.47	Peak	109.00	150	Vertical	Pass
6**	16000.275	40.05	-3.39	54.0	-13.95	AV	109.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.100	37.93	-17.21	74.0	-36.07	Peak	142.00	150	Horizontal	Pass
1**	1574.100	29.66	-17.21	54.0	-24.34	AV	142.00	150	Horizontal	Pass
2	2792.200	43.83	-10.41	74.0	-30.17	Peak	100.00	150	Horizontal	Pass
2**	2792.200	34.68	-10.41	54.0	-19.32	AV	100.00	150	Horizontal	Pass
3	4003.500	49.63	-3.63	74.0	-24.37	Peak	9.00	150	Horizontal	Pass
3**	4003.500	39.22	-3.63	54.0	-14.78	AV	9.00	150	Horizontal	Pass
4	5318.250	108.63	-1.74	--	--	Peak	133.00	150	Horizontal	N/A
4**	5318.250	101.05	-1.74	--	--	AV	133.00	150	Horizontal	N/A
5	11947.250	53.01	-0.83	74.0	-20.99	Peak	96.00	150	Horizontal	Pass
5**	11947.250	43.67	-0.83	54.0	-10.33	AV	96.00	150	Horizontal	Pass
6	15713.625	49.27	-3.89	74.0	-24.73	Peak	215.00	150	Horizontal	Pass
6**	15713.625	39.63	-3.89	54.0	-14.37	AV	215.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.900	38.57	-17.20	74.0	-35.43	Peak	360.00	150	Vertical	Pass
1**	1522.900	28.32	-17.20	54.0	-25.68	AV	360.00	150	Vertical	Pass
2	2802.400	44.80	-10.58	74.0	-29.20	Peak	360.00	150	Vertical	Pass
2**	2802.400	35.23	-10.58	54.0	-18.77	AV	360.00	150	Vertical	Pass
3	3988.500	49.33	-3.48	74.0	-24.67	Peak	205.00	150	Vertical	Pass
3**	3988.500	40.27	-3.48	54.0	-13.73	AV	205.00	150	Vertical	Pass
4	5326.000	99.29	-1.69	--	--	Peak	193.00	150	Vertical	N/A
4**	5326.000	90.47	-1.69	--	--	AV	193.00	150	Vertical	N/A
5	11954.138	52.92	-0.82	74.0	-21.08	Peak	114.00	150	Vertical	Pass
5**	11954.138	43.85	-0.82	54.0	-10.15	AV	114.00	150	Vertical	Pass
6	15533.550	49.79	-3.23	74.0	-24.21	Peak	57.00	150	Vertical	Pass
6**	15533.550	38.79	-3.23	54.0	-15.21	AV	57.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.800	38.40	-17.28	74.0	-35.60	Peak	360.00	150	Horizontal	Pass
1**	1562.800	28.80	-17.28	54.0	-25.20	AV	360.00	150	Horizontal	Pass
2	2799.000	44.40	-10.39	74.0	-29.60	Peak	360.00	150	Horizontal	Pass
2**	2799.000	35.66	-10.39	54.0	-18.34	AV	360.00	150	Horizontal	Pass
3	3868.500	48.92	-3.80	74.0	-25.08	Peak	34.00	150	Horizontal	Pass
3**	3868.500	39.67	-3.80	54.0	-14.33	AV	34.00	150	Horizontal	Pass
4	5274.500	107.27	-1.65	--	--	Peak	136.00	150	Horizontal	N/A
4**	5274.500	99.59	-1.65	--	--	AV	136.00	150	Horizontal	N/A
5	12009.950	53.65	-1.08	74.0	-20.35	Peak	68.00	150	Horizontal	Pass
5**	12009.950	42.89	-1.08	54.0	-11.11	AV	68.00	150	Horizontal	Pass
6	15982.162	49.58	-3.23	74.0	-24.42	Peak	354.00	150	Horizontal	Pass
6**	15982.162	41.18	-3.23	54.0	-12.82	AV	354.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.500	38.38	-17.08	74.0	-35.62	Peak	175.00	150	Vertical	Pass
1**	1478.500	29.15	-17.08	54.0	-24.85	AV	175.00	150	Vertical	Pass
2	2806.500	44.43	-10.03	74.0	-29.57	Peak	307.00	150	Vertical	Pass
2**	2806.500	34.67	-10.03	54.0	-19.33	AV	307.00	150	Vertical	Pass
3	4185.250	49.45	-2.86	74.0	-24.55	Peak	97.00	150	Vertical	Pass
3**	4185.250	41.28	-2.86	54.0	-12.72	AV	97.00	150	Vertical	Pass
4	5254.000	96.12	-2.02	--	--	Peak	189.00	150	Vertical	N/A
4**	5254.000	88.24	-2.02	--	--	AV	189.00	150	Vertical	N/A
5	7572.250	56.31	1.13	74.0	-17.69	Peak	289.00	150	Vertical	Pass
5**	7572.250	46.37	1.13	54.0	-7.63	AV	289.00	150	Vertical	Pass
6	11986.912	53.63	-0.81	74.0	-20.37	Peak	34.00	150	Vertical	Pass
6**	11986.912	44.15	-0.81	54.0	-9.85	AV	34.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1384.500	38.61	-17.05	74.0	-35.39	Peak	252.00	150	Horizontal	Pass
1**	1384.500	29.64	-17.05	54.0	-24.36	AV	252.00	150	Horizontal	Pass
2	2792.500	44.03	-10.41	74.0	-29.97	Peak	296.00	150	Horizontal	Pass
2**	2792.500	35.38	-10.41	54.0	-18.62	AV	296.00	150	Horizontal	Pass
3	4846.000	54.97	-2.37	74.0	-19.03	Peak	128.00	150	Horizontal	Pass
3**	4846.000	46.28	-2.37	54.0	-7.72	AV	128.00	150	Horizontal	Pass
4	5313.750	106.57	-2.09	--	--	Peak	153.00	150	Horizontal	N/A
4**	5313.750	98.35	-2.09	--	--	AV	153.00	150	Horizontal	N/A
5	12004.963	52.72	-0.94	74.0	-21.28	Peak	183.00	150	Horizontal	Pass
5**	12004.963	43.41	-0.94	54.0	-10.59	AV	183.00	150	Horizontal	Pass
6	15973.500	49.40	-3.16	74.0	-24.60	Peak	221.00	150	Horizontal	Pass
6**	15973.500	41.96	-3.16	54.0	-12.04	AV	221.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.700	37.78	-17.11	74.0	-36.22	Peak	38.00	150	Vertical	Pass
1**	1512.700	28.68	-17.11	54.0	-25.32	AV	38.00	150	Vertical	Pass
2	2779.200	44.26	-10.42	74.0	-29.74	Peak	340.00	150	Vertical	Pass
2**	2779.200	34.53	-10.42	54.0	-19.47	AV	340.00	150	Vertical	Pass
3	4185.500	49.71	-2.87	74.0	-24.29	Peak	360.00	150	Vertical	Pass
3**	4185.500	40.75	-2.87	54.0	-13.25	AV	360.00	150	Vertical	Pass
4	5315.500	96.68	-1.79	--	--	Peak	184.00	150	Vertical	N/A
4**	5315.500	88.64	-1.79	--	--	AV	184.00	150	Vertical	N/A
5	7586.250	55.97	1.10	74.0	-18.03	Peak	335.00	150	Vertical	Pass
5**	7586.250	46.69	1.10	54.0	-7.31	AV	335.00	150	Vertical	Pass
6	11957.937	52.77	-0.82	74.0	-21.23	Peak	0.00	150	Vertical	Pass
6**	11957.937	44.34	-0.82	54.0	-9.66	AV	0.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.900	37.98	-17.21	74.0	-36.02	Peak	360.00	150	Horizontal	Pass
1**	1518.900	28.42	-17.21	54.0	-25.58	AV	360.00	150	Horizontal	Pass
2	2815.200	44.27	-9.86	74.0	-29.73	Peak	327.00	150	Horizontal	Pass
2**	2815.200	34.98	-9.86	54.0	-19.02	AV	327.00	150	Horizontal	Pass
3	4878.750	52.15	-2.12	74.0	-21.85	Peak	237.00	150	Horizontal	Pass
3**	4878.750	42.09	-2.12	54.0	-11.91	AV	237.00	150	Horizontal	Pass
4	5258.750	107.71	-2.08	--	--	Peak	162.00	150	Horizontal	N/A
4**	5258.750	99.77	-2.08	--	--	AV	162.00	150	Horizontal	N/A
5	7486.250	56.73	0.98	74.0	-17.27	Peak	300.00	150	Horizontal	Pass
5**	7486.250	46.88	0.98	54.0	-7.12	AV	300.00	150	Horizontal	Pass
6	11989.526	53.45	-0.81	74.0	-20.55	Peak	179.00	150	Horizontal	Pass
6**	11989.526	44.21	-0.81	54.0	-9.79	AV	179.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.900	37.62	-17.17	74.0	-36.38	Peak	183.00	150	Vertical	Pass
1**	1586.900	29.14	-17.17	54.0	-24.86	AV	183.00	150	Vertical	Pass
2	2797.000	44.32	-10.50	74.0	-29.68	Peak	352.00	150	Vertical	Pass
2**	2797.000	34.86	-10.50	54.0	-19.14	AV	352.00	150	Vertical	Pass
3	4139.250	49.40	-3.69	74.0	-24.60	Peak	34.00	150	Vertical	Pass
3**	4139.250	40.34	-3.69	54.0	-13.66	AV	34.00	150	Vertical	Pass
4	5256.500	98.16	-2.30	--	--	Peak	186.00	150	Vertical	N/A
4**	5256.500	90.57	-2.30	--	--	AV	186.00	150	Vertical	N/A
5	7482.750	56.46	0.98	74.0	-17.54	Peak	360.00	150	Vertical	Pass
5**	7482.750	46.14	0.98	54.0	-7.86	AV	360.00	150	Vertical	Pass
6	12003.537	53.00	-0.90	74.0	-21.00	Peak	125.00	150	Vertical	Pass
6**	12003.537	43.33	-0.90	54.0	-10.67	AV	125.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.600	38.42	-16.96	74.0	-35.58	Peak	169.00	150	Horizontal	Pass
1**	1542.600	28.89	-16.96	54.0	-25.11	AV	169.00	150	Horizontal	Pass
2	2814.000	44.02	-9.92	74.0	-29.98	Peak	283.00	150	Horizontal	Pass
2**	2814.000	35.96	-9.92	54.0	-18.04	AV	283.00	150	Horizontal	Pass
3	3784.500	49.79	-4.04	74.0	-24.21	Peak	48.00	150	Horizontal	Pass
3**	3784.500	39.30	-4.04	54.0	-14.70	AV	48.00	150	Horizontal	Pass
4	5297.000	108.42	-2.01	--	--	Peak	163.00	150	Horizontal	N/A
4**	5297.000	100.29	-2.01	--	--	AV	163.00	150	Horizontal	N/A
5	7607.250	55.55	0.64	74.0	-18.45	Peak	176.00	150	Horizontal	Pass
5**	7607.250	46.33	0.64	54.0	-7.67	AV	176.00	150	Horizontal	Pass
6	11999.737	53.36	-0.80	74.0	-20.64	Peak	223.00	150	Horizontal	Pass
6**	11999.737	44.12	-0.80	54.0	-9.88	AV	223.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	38.60	-17.23	74.0	-35.40	Peak	360.00	150	Vertical	Pass
1**	1497.100	29.11	-17.23	54.0	-24.89	AV	360.00	150	Vertical	Pass
2	2797.200	44.68	-10.50	74.0	-29.32	Peak	360.00	150	Vertical	Pass
2**	2797.200	35.54	-10.50	54.0	-18.46	AV	360.00	150	Vertical	Pass
3	4055.500	49.82	-3.66	74.0	-24.18	Peak	138.00	150	Vertical	Pass
3**	4055.500	39.58	-3.66	54.0	-14.42	AV	138.00	150	Vertical	Pass
4	5304.250	97.80	-2.06	--	--	Peak	189.00	150	Vertical	N/A
4**	5304.250	90.36	-2.06	--	--	AV	189.00	150	Vertical	N/A
5	7566.250	55.81	1.17	74.0	-18.19	Peak	360.00	150	Vertical	Pass
5**	7566.250	47.07	1.17	54.0	-6.93	AV	360.00	150	Vertical	Pass
6	11979.550	52.87	-0.81	74.0	-21.13	Peak	174.00	150	Vertical	Pass
6**	11979.550	44.28	-0.81	54.0	-9.72	AV	174.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.100	37.79	-17.45	74.0	-36.21	Peak	86.00	150	Horizontal	Pass
1**	1516.100	28.17	-17.45	54.0	-25.83	AV	86.00	150	Horizontal	Pass
2	2812.100	44.81	-9.82	74.0	-29.19	Peak	86.00	150	Horizontal	Pass
2**	2812.100	35.42	-9.82	54.0	-18.58	AV	86.00	150	Horizontal	Pass
3	3874.500	50.04	-3.50	74.0	-23.96	Peak	87.00	150	Horizontal	Pass
3**	3874.500	41.60	-3.50	54.0	-12.40	AV	87.00	150	Horizontal	Pass
4	5324.000	108.89	-1.57	--	--	Peak	141.00	150	Horizontal	N/A
4**	5324.000	100.97	-1.57	--	--	AV	141.00	150	Horizontal	N/A
5	7569.000	56.03	1.26	74.0	-17.97	Peak	194.00	150	Horizontal	Pass
5**	7569.000	47.71	1.26	54.0	-6.29	AV	194.00	150	Horizontal	Pass
6	12004.013	52.58	-0.91	74.0	-21.42	Peak	344.00	150	Horizontal	Pass
6**	12004.013	43.04	-0.91	54.0	-10.96	AV	344.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.500	37.84	-17.15	74.0	-36.16	Peak	83.00	150	Vertical	Pass
1**	1532.500	28.92	-17.15	54.0	-25.08	AV	83.00	150	Vertical	Pass
2	2798.900	43.81	-10.42	74.0	-30.19	Peak	38.00	150	Vertical	Pass
2**	2798.900	35.17	-10.42	54.0	-18.83	AV	38.00	150	Vertical	Pass
3	3917.750	49.55	-3.74	74.0	-24.45	Peak	218.00	150	Vertical	Pass
3**	3917.750	40.43	-3.74	54.0	-13.57	AV	218.00	150	Vertical	Pass
4	5323.750	98.79	-1.59	--	--	Peak	192.00	150	Vertical	N/A
4**	5323.750	90.95	-1.59	--	--	AV	192.00	150	Vertical	N/A
5	7574.750	55.75	1.14	74.0	-18.25	Peak	205.00	150	Vertical	Pass
5**	7574.750	46.75	1.14	54.0	-7.25	AV	205.00	150	Vertical	Pass
6	11990.950	53.07	-0.80	74.0	-20.93	Peak	53.00	150	Vertical	Pass
6**	11990.950	43.94	-0.80	54.0	-10.06	AV	53.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.800	38.20	-17.23	74.0	-35.80	Peak	12.00	150	Horizontal	Pass
1**	1517.800	28.89	-17.23	54.0	-25.11	AV	12.00	150	Horizontal	Pass
2	2722.000	43.99	-11.06	74.0	-30.01	Peak	163.00	150	Horizontal	Pass
2**	2722.000	34.88	-11.06	54.0	-19.12	AV	163.00	150	Horizontal	Pass
3	4806.750	52.61	-2.41	74.0	-21.39	Peak	166.00	150	Horizontal	Pass
3**	4806.750	45.24	-2.41	54.0	-8.76	AV	166.00	150	Horizontal	Pass
4	5265.000	105.18	-1.98	--	--	Peak	154.00	150	Horizontal	N/A
4**	5265.000	97.20	-1.98	--	--	AV	154.00	150	Horizontal	N/A
5	7566.750	55.68	1.28	74.0	-18.32	Peak	271.00	150	Horizontal	Pass
5**	7566.750	46.49	1.28	54.0	-7.51	AV	271.00	150	Horizontal	Pass
6	12502.050	53.62	-0.13	74.0	-20.38	Peak	234.00	150	Horizontal	Pass
6**	12502.050	43.86	-0.13	54.0	-10.14	AV	234.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.100	38.87	-17.11	74.0	-35.13	Peak	0.00	150	Vertical	Pass
1**	1551.100	29.53	-17.11	54.0	-24.47	AV	0.00	150	Vertical	Pass
2	2815.300	44.16	-9.87	74.0	-29.84	Peak	325.00	150	Vertical	Pass
2**	2815.300	34.92	-9.87	54.0	-19.08	AV	325.00	150	Vertical	Pass
3	4694.250	51.09	-2.39	74.0	-22.91	Peak	176.00	150	Vertical	Pass
3**	4694.250	42.13	-2.39	54.0	-11.87	AV	176.00	150	Vertical	Pass
4	5276.250	94.97	-2.21	--	--	Peak	190.00	150	Vertical	N/A
4**	5276.250	87.23	-2.21	--	--	AV	190.00	150	Vertical	N/A
5	7413.500	55.51	0.72	74.0	-18.49	Peak	319.00	150	Vertical	Pass
5**	7413.500	46.42	0.72	54.0	-7.58	AV	319.00	150	Vertical	Pass
6	11957.701	52.92	-0.82	74.0	-21.08	Peak	156.00	150	Vertical	Pass
6**	11957.701	43.51	-0.82	54.0	-10.49	AV	156.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	38.84	-16.97	74.0	-35.16	Peak	329.00	150	Horizontal	Pass
1**	1544.100	29.37	-16.97	54.0	-24.63	AV	329.00	150	Horizontal	Pass
2	2773.100	44.40	-10.44	74.0	-29.60	Peak	360.00	150	Horizontal	Pass
2**	2773.100	34.96	-10.44	54.0	-19.04	AV	360.00	150	Horizontal	Pass
3	4127.500	49.80	-3.22	74.0	-24.20	Peak	273.00	150	Horizontal	Pass
3**	4127.500	40.83	-3.22	54.0	-13.17	AV	273.00	150	Horizontal	Pass
4	5317.250	106.28	-1.67	--	--	Peak	143.00	150	Horizontal	N/A
4**	5317.250	97.60	-1.67	--	--	AV	143.00	150	Horizontal	N/A
5	7572.000	55.88	1.12	74.0	-18.12	Peak	169.00	150	Horizontal	Pass
5**	7572.000	46.46	1.12	54.0	-7.54	AV	169.00	150	Horizontal	Pass
6	11946.537	52.72	-0.84	74.0	-21.28	Peak	84.00	150	Horizontal	Pass
6**	11946.537	43.83	-0.84	54.0	-10.17	AV	84.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.200	38.62	-17.13	74.0	-35.38	Peak	239.00	150	Vertical	Pass
1**	1560.200	29.50	-17.13	54.0	-24.50	AV	239.00	150	Vertical	Pass
2	2793.200	44.64	-10.48	74.0	-29.36	Peak	351.00	150	Vertical	Pass
2**	2793.200	34.73	-10.48	54.0	-19.27	AV	351.00	150	Vertical	Pass
3	3880.750	49.49	-3.57	74.0	-24.51	Peak	36.00	150	Vertical	Pass
3**	3880.750	39.65	-3.57	54.0	-14.35	AV	36.00	150	Vertical	Pass
4	5314.750	95.55	-1.98	--	--	Peak	190.00	150	Vertical	N/A
4**	5314.750	87.71	-1.98	--	--	AV	190.00	150	Vertical	N/A
5	7504.000	55.80	0.48	74.0	-18.20	Peak	281.00	150	Vertical	Pass
5**	7504.000	46.34	0.48	54.0	-7.66	AV	281.00	150	Vertical	Pass
6	11993.088	52.93	-0.80	74.0	-21.07	Peak	214.00	150	Vertical	Pass
6**	11993.088	44.60	-0.80	54.0	-9.40	AV	214.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.000	38.18	-17.13	74.0	-35.82	Peak	325.00	150	Horizontal	Pass
1**	1594.000	29.30	-17.13	54.0	-24.70	AV	325.00	150	Horizontal	Pass
2	2808.300	44.02	-9.90	74.0	-29.98	Peak	220.00	150	Horizontal	Pass
2**	2808.300	34.71	-9.90	54.0	-19.29	AV	220.00	150	Horizontal	Pass
3	4285.500	50.05	-3.90	74.0	-23.95	Peak	360.00	150	Horizontal	Pass
3**	4285.500	39.63	-3.90	54.0	-14.37	AV	360.00	150	Horizontal	Pass
4	5303.500	102.45	-2.08	--	--	Peak	150.00	150	Horizontal	N/A
4**	5303.500	93.41	-2.08	--	--	AV	150.00	150	Horizontal	N/A
5	7509.750	56.11	0.94	74.0	-17.89	Peak	73.00	150	Horizontal	Pass
5**	7509.750	46.13	0.94	54.0	-7.87	AV	73.00	150	Horizontal	Pass
6	11952.950	52.36	-0.82	74.0	-21.64	Peak	246.00	150	Horizontal	Pass
6**	11952.950	43.64	-0.82	54.0	-10.36	AV	246.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.400	37.63	-17.12	74.0	-36.37	Peak	136.00	150	Vertical	Pass
1**	1533.400	28.66	-17.12	54.0	-25.34	AV	136.00	150	Vertical	Pass
2	2824.300	44.51	-9.87	74.0	-29.49	Peak	245.00	150	Vertical	Pass
2**	2824.300	34.69	-9.87	54.0	-19.31	AV	245.00	150	Vertical	Pass
3	3894.000	49.11	-3.63	74.0	-24.89	Peak	9.00	150	Vertical	Pass
3**	3894.000	39.72	-3.63	54.0	-14.28	AV	9.00	150	Vertical	Pass
4	5320.500	92.15	-1.75	--	--	Peak	188.00	150	Vertical	N/A
4**	5320.500	83.55	-1.75	--	--	AV	188.00	150	Vertical	N/A
5	7569.000	56.19	1.26	74.0	-17.81	Peak	176.00	150	Vertical	Pass
5**	7569.000	47.64	1.26	54.0	-6.36	AV	176.00	150	Vertical	Pass
6	11992.375	53.64	-0.80	74.0	-20.36	Peak	34.00	150	Vertical	Pass
6**	11992.375	44.60	-0.80	54.0	-9.40	AV	34.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.100	39.23	-16.96	74.0	-34.77	Peak	272.00	150	Horizontal	Pass
1**	1489.100	29.23	-16.96	54.0	-24.77	AV	272.00	150	Horizontal	Pass
2	2809.600	44.26	-10.05	74.0	-29.74	Peak	247.00	150	Horizontal	Pass
2**	2809.600	36.38	-10.05	54.0	-17.62	AV	247.00	150	Horizontal	Pass
3	3986.000	49.67	-3.52	74.0	-24.33	Peak	336.00	150	Horizontal	Pass
3**	3986.000	40.02	-3.52	54.0	-13.98	AV	336.00	150	Horizontal	Pass
4	5501.500	108.04	-0.89	--	--	Peak	137.00	150	Horizontal	N/A
4**	5501.500	100.64	-0.89	--	--	AV	137.00	150	Horizontal	N/A
5	7484.250	55.34	1.07	74.0	-18.66	Peak	294.00	150	Horizontal	Pass
5**	7484.250	46.18	1.07	54.0	-7.82	AV	294.00	150	Horizontal	Pass
6	11932.049	52.70	-0.89	74.0	-21.30	Peak	345.00	150	Horizontal	Pass
6**	11932.049	42.89	-0.89	54.0	-11.11	AV	345.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.900	38.53	-17.20	74.0	-35.47	Peak	95.00	150	Vertical	Pass
1**	1510.900	28.90	-17.20	54.0	-25.10	AV	95.00	150	Vertical	Pass
2	2783.600	44.44	-10.18	74.0	-29.56	Peak	360.00	150	Vertical	Pass
2**	2783.600	34.93	-10.18	54.0	-19.07	AV	360.00	150	Vertical	Pass
3	4828.500	52.22	-2.23	74.0	-21.78	Peak	293.00	150	Vertical	Pass
3**	4828.500	42.60	-2.23	54.0	-11.40	AV	293.00	150	Vertical	Pass
4	5496.000	97.45	-0.92	--	--	Peak	242.00	150	Vertical	N/A
4**	5496.000	89.98	-0.92	--	--	AV	242.00	150	Vertical	N/A
5	7508.250	55.43	0.74	74.0	-18.57	Peak	180.00	150	Vertical	Pass
5**	7508.250	46.55	0.74	54.0	-7.45	AV	180.00	150	Vertical	Pass
6	11994.037	52.87	-0.80	74.0	-21.13	Peak	345.00	150	Vertical	Pass
6**	11994.037	43.52	-0.80	54.0	-10.48	AV	345.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.000	38.53	-17.14	74.0	-35.47	Peak	238.00	150	Horizontal	Pass
1**	1580.000	28.26	-17.14	54.0	-25.74	AV	238.00	150	Horizontal	Pass
2	2816.900	44.40	-9.93	74.0	-29.60	Peak	77.00	150	Horizontal	Pass
2**	2816.900	35.39	-9.93	54.0	-18.61	AV	77.00	150	Horizontal	Pass
3	4309.000	49.58	-3.75	74.0	-24.42	Peak	313.00	150	Horizontal	Pass
3**	4309.000	40.51	-3.75	54.0	-13.49	AV	313.00	150	Horizontal	Pass
4	5581.500	108.30	-1.03	--	--	Peak	122.00	150	Horizontal	N/A
4**	5581.500	100.04	-1.03	--	--	AV	122.00	150	Horizontal	N/A
5	11971.951	53.11	-0.81	74.0	-20.89	Peak	360.00	150	Horizontal	Pass
5**	11971.951	43.37	-0.81	54.0	-10.63	AV	360.00	150	Horizontal	Pass
6	15995.025	49.29	-3.34	74.0	-24.71	Peak	0.00	150	Horizontal	Pass
6**	15995.025	41.26	-3.34	54.0	-12.74	AV	0.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.500	38.23	-17.00	74.0	-35.77	Peak	165.00	150	Vertical	Pass
1**	1569.500	28.69	-17.00	54.0	-25.31	AV	165.00	150	Vertical	Pass
2	2822.900	43.70	-9.88	74.0	-30.30	Peak	277.00	150	Vertical	Pass
2**	2822.900	35.32	-9.88	54.0	-18.68	AV	277.00	150	Vertical	Pass
3	4156.500	50.01	-3.71	74.0	-23.99	Peak	233.00	150	Vertical	Pass
3**	4156.500	40.25	-3.71	54.0	-13.75	AV	233.00	150	Vertical	Pass
4	5576.250	97.02	-0.70	--	--	Peak	221.00	150	Vertical	N/A
4**	5576.250	89.69	-0.70	--	--	AV	221.00	150	Vertical	N/A
5	12004.013	52.84	-0.91	74.0	-21.16	Peak	360.00	150	Vertical	Pass
5**	12004.013	43.95	-0.91	54.0	-10.05	AV	360.00	150	Vertical	Pass
6	15952.763	49.38	-2.99	74.0	-24.62	Peak	155.00	150	Vertical	Pass
6**	15952.763	40.23	-2.99	54.0	-13.77	AV	155.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	38.17	-16.87	74.0	-35.83	Peak	43.00	150	Horizontal	Pass
1**	1544.700	28.66	-16.87	54.0	-25.34	AV	43.00	150	Horizontal	Pass
2	2805.800	44.19	-10.00	74.0	-29.81	Peak	360.00	150	Horizontal	Pass
2**	2805.800	35.13	-10.00	54.0	-18.87	AV	360.00	150	Horizontal	Pass
3	3854.500	49.31	-3.43	74.0	-24.69	Peak	73.00	150	Horizontal	Pass
3**	3854.500	39.73	-3.43	54.0	-14.27	AV	73.00	150	Horizontal	Pass
4	5697.500	107.52	-0.88	--	--	Peak	139.00	150	Horizontal	N/A
4**	5697.500	100.03	-0.88	--	--	AV	139.00	150	Horizontal	N/A
5	7476.000	56.57	1.27	74.0	-17.43	Peak	99.00	150	Horizontal	Pass
5**	7476.000	46.46	1.27	54.0	-7.54	AV	99.00	150	Horizontal	Pass
6	11931.338	53.01	-0.90	74.0	-20.99	Peak	360.00	150	Horizontal	Pass
6**	11931.338	43.72	-0.90	54.0	-10.28	AV	360.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.800	39.18	-17.00	74.0	-34.82	Peak	242.00	150	Vertical	Pass
1**	1387.800	28.13	-17.00	54.0	-25.87	AV	242.00	150	Vertical	Pass
2	2779.100	44.44	-10.42	74.0	-29.56	Peak	197.00	150	Vertical	Pass
2**	2779.100	34.12	-10.42	54.0	-19.88	AV	197.00	150	Vertical	Pass
3	4893.750	52.35	-2.33	74.0	-21.65	Peak	18.00	150	Vertical	Pass
3**	4893.750	43.25	-2.33	54.0	-10.75	AV	18.00	150	Vertical	Pass
4	5702.250	99.10	-0.92	--	--	Peak	235.00	150	Vertical	N/A
4**	5702.250	91.00	-0.92	--	--	AV	235.00	150	Vertical	N/A
5	11998.550	52.87	-0.80	74.0	-21.13	Peak	323.00	150	Vertical	Pass
5**	11998.550	44.22	-0.80	54.0	-9.78	AV	323.00	150	Vertical	Pass
6	15727.013	49.84	-3.62	74.0	-24.16	Peak	360.00	150	Vertical	Pass
6**	15727.013	40.81	-3.62	54.0	-13.19	AV	360.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	38.38	-17.19	74.0	-35.62	Peak	252.00	150	Horizontal	Pass
1**	1497.300	28.45	-17.19	54.0	-25.55	AV	252.00	150	Horizontal	Pass
2	3864.250	49.44	-3.77	74.0	-24.56	Peak	10.00	150	Horizontal	Pass
2**	3864.250	40.36	-3.77	54.0	-13.64	AV	10.00	150	Horizontal	Pass
3	5013.000	52.79	-1.60	74.0	-21.21	Peak	152.00	150	Horizontal	Pass
3**	5013.000	46.40	-1.60	54.0	-7.60	AV	152.00	150	Horizontal	Pass
4	5492.750	108.58	-0.83	--	--	Peak	139.00	150	Horizontal	N/A
4**	5492.750	101.58	-0.83	--	--	AV	139.00	150	Horizontal	N/A
5	7568.000	56.82	1.42	74.0	-17.18	Peak	216.00	150	Horizontal	Pass
5**	7568.000	47.11	1.42	54.0	-6.89	AV	216.00	150	Horizontal	Pass
6	11959.125	53.54	-0.82	74.0	-20.46	Peak	272.00	150	Horizontal	Pass
6**	11959.125	43.58	-0.82	54.0	-10.42	AV	272.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.400	38.77	-17.07	74.0	-35.23	Peak	128.00	150	Vertical	Pass
1**	1575.400	29.54	-17.07	54.0	-24.46	AV	128.00	150	Vertical	Pass
2	2825.600	44.29	-9.93	74.0	-29.71	Peak	154.00	150	Vertical	Pass
2**	2825.600	35.96	-9.93	54.0	-18.04	AV	154.00	150	Vertical	Pass
3	4976.500	52.38	-1.22	74.0	-21.62	Peak	358.00	150	Vertical	Pass
3**	4976.500	43.26	-1.22	54.0	-10.74	AV	358.00	150	Vertical	Pass
4	5493.000	97.50	-0.83	--	--	Peak	281.00	150	Vertical	N/A
4**	5493.000	90.42	-0.83	--	--	AV	281.00	150	Vertical	N/A
5	12490.412	53.25	-0.18	74.0	-20.75	Peak	139.00	150	Vertical	Pass
5**	12490.412	43.77	-0.18	54.0	-10.23	AV	139.00	150	Vertical	Pass
6	15951.713	49.19	-2.98	74.0	-24.81	Peak	73.00	150	Vertical	Pass
6**	15951.713	40.18	-2.98	54.0	-13.82	AV	73.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.300	38.18	-17.05	74.0	-35.82	Peak	360.00	150	Horizontal	Pass
1**	1550.300	29.01	-17.05	54.0	-24.99	AV	360.00	150	Horizontal	Pass
2	2819.200	44.35	-9.89	74.0	-29.65	Peak	360.00	150	Horizontal	Pass
2**	2819.200	34.95	-9.89	54.0	-19.05	AV	360.00	150	Horizontal	Pass
3	3716.500	49.40	-4.26	74.0	-24.60	Peak	360.00	150	Horizontal	Pass
3**	3716.500	39.71	-4.26	54.0	-14.29	AV	360.00	150	Horizontal	Pass
4	5575.250	108.16	-0.82	--	--	Peak	139.00	150	Horizontal	N/A
4**	5575.250	100.45	-0.82	--	--	AV	139.00	150	Horizontal	N/A
5	11951.287	53.40	-0.82	74.0	-20.60	Peak	78.00	150	Horizontal	Pass
5**	11951.287	44.30	-0.82	54.0	-9.70	AV	78.00	150	Horizontal	Pass
6	16005.000	49.52	-3.49	74.0	-24.48	Peak	94.00	150	Horizontal	Pass
6**	16005.000	40.71	-3.49	54.0	-13.29	AV	94.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.300	38.17	-17.00	74.0	-35.83	Peak	40.00	150	Vertical	Pass
1**	1472.300	28.39	-17.00	54.0	-25.61	AV	40.00	150	Vertical	Pass
2	2812.000	44.27	-9.81	74.0	-29.73	Peak	339.00	150	Vertical	Pass
2**	2812.000	35.23	-9.81	54.0	-18.77	AV	339.00	150	Vertical	Pass
3	4151.750	49.99	-3.53	74.0	-24.01	Peak	115.00	150	Vertical	Pass
3**	4151.750	40.67	-3.53	54.0	-13.33	AV	115.00	150	Vertical	Pass
4	5573.750	97.17	-0.96	--	--	Peak	231.00	150	Vertical	N/A
4**	5573.750	89.12	-0.96	--	--	AV	231.00	150	Vertical	N/A
5	7575.500	57.13	1.04	74.0	-16.87	Peak	76.00	150	Vertical	Pass
5**	7575.500	47.06	1.04	54.0	-6.94	AV	76.00	150	Vertical	Pass
6	15505.724	50.04	-3.07	74.0	-23.96	Peak	357.00	150	Vertical	Pass
6**	15505.724	40.12	-3.07	54.0	-13.88	AV	357.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	38.45	-17.30	74.0	-35.55	Peak	241.00	150	Horizontal	Pass
1**	1495.500	28.37	-17.30	54.0	-25.63	AV	241.00	150	Horizontal	Pass
2	3847.750	49.30	-3.42	74.0	-24.70	Peak	257.00	150	Horizontal	Pass
2**	3847.750	39.88	-3.42	54.0	-14.12	AV	257.00	150	Horizontal	Pass
3	4963.000	52.31	-1.68	74.0	-21.69	Peak	309.00	150	Horizontal	Pass
3**	4963.000	42.80	-1.68	54.0	-11.20	AV	309.00	150	Horizontal	Pass
4	5696.750	107.94	-0.77	--	--	Peak	152.00	150	Horizontal	N/A
4**	5696.750	100.67	-0.77	--	--	AV	152.00	150	Horizontal	N/A
5	12492.550	52.84	-0.16	74.0	-21.16	Peak	248.00	150	Horizontal	Pass
5**	12492.550	45.01	-0.16	54.0	-8.99	AV	248.00	150	Horizontal	Pass
6	15979.275	50.49	-3.21	74.0	-23.51	Peak	53.00	150	Horizontal	Pass
6**	15979.275	39.97	-3.21	54.0	-14.03	AV	53.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.000	38.82	-17.08	74.0	-35.18	Peak	360.00	150	Vertical	Pass
1**	1368.000	29.01	-17.08	54.0	-24.99	AV	360.00	150	Vertical	Pass
2	3764.250	49.20	-3.37	74.0	-24.80	Peak	292.00	150	Vertical	Pass
2**	3764.250	40.54	-3.37	54.0	-13.46	AV	292.00	150	Vertical	Pass
3	4955.750	52.12	-1.79	74.0	-21.88	Peak	87.00	150	Vertical	Pass
3**	4955.750	43.18	-1.79	54.0	-10.82	AV	87.00	150	Vertical	Pass
4	5702.750	99.02	-0.94	--	--	Peak	254.00	150	Vertical	N/A
4**	5702.750	91.48	-0.94	--	--	AV	254.00	150	Vertical	N/A
5	7583.000	56.25	1.38	74.0	-17.75	Peak	113.00	150	Vertical	Pass
5**	7583.000	46.87	1.38	54.0	-7.13	AV	113.00	150	Vertical	Pass
6	11954.138	52.90	-0.82	74.0	-21.10	Peak	269.00	150	Vertical	Pass
6**	11954.138	43.66	-0.82	54.0	-10.34	AV	269.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.300	38.32	-17.20	74.0	-35.68	Peak	262.00	150	Horizontal	Pass
1**	1465.300	28.64	-17.20	54.0	-25.36	AV	262.00	150	Horizontal	Pass
2	2809.400	44.44	-10.06	74.0	-29.56	Peak	43.00	150	Horizontal	Pass
2**	2809.400	34.83	-10.06	54.0	-19.17	AV	43.00	150	Horizontal	Pass
3	5046.750	55.18	-1.32	74.0	-18.82	Peak	125.00	150	Horizontal	Pass
3**	5046.750	47.46	-1.32	54.0	-6.54	AV	125.00	150	Horizontal	Pass
4	5521.750	105.97	-0.55	--	--	Peak	138.00	150	Horizontal	N/A
4**	5521.750	97.86	-0.55	--	--	AV	138.00	150	Horizontal	N/A
5	12502.762	53.78	-0.14	74.0	-20.22	Peak	180.00	150	Horizontal	Pass
5**	12502.762	44.24	-0.14	54.0	-9.76	AV	180.00	150	Horizontal	Pass
6	15971.925	49.70	-3.15	74.0	-24.30	Peak	39.00	150	Horizontal	Pass
6**	15971.925	40.36	-3.15	54.0	-13.64	AV	39.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.100	38.12	-17.12	74.0	-35.88	Peak	221.00	150	Vertical	Pass
1**	1605.100	29.16	-17.12	54.0	-24.84	AV	221.00	150	Vertical	Pass
2	2750.700	44.44	-10.81	74.0	-29.56	Peak	233.00	150	Vertical	Pass
2**	2750.700	34.26	-10.81	54.0	-19.74	AV	233.00	150	Vertical	Pass
3	5014.000	52.95	-1.54	74.0	-21.05	Peak	271.00	150	Vertical	Pass
3**	5014.000	44.48	-1.54	54.0	-9.52	AV	271.00	150	Vertical	Pass
4	5522.000	95.28	-0.57	--	--	Peak	232.00	150	Vertical	N/A
4**	5522.000	87.46	-0.57	--	--	AV	232.00	150	Vertical	N/A
5	7410.000	56.48	0.92	74.0	-17.52	Peak	51.00	150	Vertical	Pass
5**	7410.000	46.65	0.92	54.0	-7.35	AV	51.00	150	Vertical	Pass
6	11316.450	53.47	-1.34	74.0	-20.53	Peak	308.00	150	Vertical	Pass
6**	11316.450	41.78	-1.34	54.0	-12.22	AV	308.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.500	38.32	-17.09	74.0	-35.68	Peak	339.00	150	Horizontal	Pass
1**	1480.500	28.71	-17.09	54.0	-25.29	AV	339.00	150	Horizontal	Pass
2	3987.750	49.07	-3.49	74.0	-24.93	Peak	341.00	150	Horizontal	Pass
2**	3987.750	39.71	-3.49	54.0	-14.29	AV	341.00	150	Horizontal	Pass
3	5126.750	54.74	-1.22	74.0	-19.26	Peak	148.00	150	Horizontal	Pass
3**	5126.750	47.95	-1.22	54.0	-6.05	AV	148.00	150	Horizontal	Pass
4	5596.250	105.71	-0.87	--	--	Peak	136.00	150	Horizontal	N/A
4**	5596.250	97.98	-0.87	--	--	AV	136.00	150	Horizontal	N/A
5	7480.250	56.49	1.19	74.0	-17.51	Peak	277.00	150	Horizontal	Pass
5**	7480.250	46.61	1.19	54.0	-7.39	AV	277.00	150	Horizontal	Pass
6	11989.049	53.27	-0.81	74.0	-20.73	Peak	360.00	150	Horizontal	Pass
6**	11989.049	45.42	-0.81	54.0	-8.58	AV	360.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.600	38.72	-17.21	74.0	-35.28	Peak	77.00	150	Vertical	Pass
1**	1597.600	28.47	-17.21	54.0	-25.53	AV	77.00	150	Vertical	Pass
2	3837.500	49.59	-4.19	74.0	-24.41	Peak	203.00	150	Vertical	Pass
2**	3837.500	39.61	-4.19	54.0	-14.39	AV	203.00	150	Vertical	Pass
3	5013.500	52.50		74.0	-21.50	Peak	40.00	150	Vertical	Pass
3**	5013.500	43.86	-1.58	54.0	-10.14	AV	40.00	150	Vertical	Pass
4	5594.750	94.55	-1.05	--	--	Peak	241.00	150	Vertical	N/A
4**	5594.750	87.03	-1.05	--	--	AV	241.00	150	Vertical	N/A
5	12008.287	52.83	-1.03	74.0	-21.17	Peak	25.00	150	Vertical	Pass
5**	12008.287	43.45	-1.03	54.0	-10.55	AV	25.00	150	Vertical	Pass
6	15980.588	49.31	-3.22	74.0	-24.69	Peak	53.00	150	Vertical	Pass
6**	15980.588	40.41	-3.22	54.0	-13.59	AV	53.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.700	38.52	-17.15	74.0	-35.48	Peak	360.00	150	Horizontal	Pass
1**	1551.700	29.31	-17.15	54.0	-24.69	AV	360.00	150	Horizontal	Pass
2	2798.500	44.77	-10.52	74.0	-29.23	Peak	124.00	150	Horizontal	Pass
2**	2798.500	35.34	-10.52	54.0	-18.66	AV	124.00	150	Horizontal	Pass
3	4289.500	49.67	-4.03	74.0	-24.33	Peak	87.00	150	Horizontal	Pass
3**	4289.500	40.15	-4.03	54.0	-13.85	AV	87.00	150	Horizontal	Pass
4	5664.500	106.19	-0.98	--	--	Peak	140.00	150	Horizontal	N/A
4**	5664.500	97.88	-0.98	--	--	AV	140.00	150	Horizontal	N/A
5	7348.250	55.85	0.87	74.0	-18.15	Peak	205.00	150	Horizontal	Pass
5**	7348.250	45.81	0.87	54.0	-8.19	AV	205.00	150	Horizontal	Pass
6	11994.988	53.00	-0.80	74.0	-21.00	Peak	23.00	150	Horizontal	Pass
6**	11994.988	44.06	-0.80	54.0	-9.94	AV	23.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.500	38.19	-17.23	74.0	-35.81	Peak	360.00	150	Vertical	Pass
1**	1517.500	28.95	-17.23	54.0	-25.05	AV	360.00	150	Vertical	Pass
2	3827.750	49.52	-4.27	74.0	-24.48	Peak	352.00	150	Vertical	Pass
2**	3827.750	39.75	-4.27	54.0	-14.25	AV	352.00	150	Vertical	Pass
3	5028.000	52.87	-1.57	74.0	-21.13	Peak	151.00	150	Vertical	Pass
3**	5028.000	43.08	-1.57	54.0	-10.92	AV	151.00	150	Vertical	Pass
4	5662.750	97.63	-1.04	--	--	Peak	244.00	150	Vertical	N/A
4**	5662.750	89.38	-1.04	--	--	AV	244.00	150	Vertical	N/A
5	7570.000	55.72	1.29	74.0	-18.28	Peak	125.00	150	Vertical	Pass
5**	7570.000	46.71	1.29	54.0	-7.29	AV	125.00	150	Vertical	Pass
6	11928.250	52.71	-0.91	74.0	-21.29	Peak	0.00	150	Vertical	Pass
6**	11928.250	44.33	-0.91	54.0	-9.67	AV	0.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.000	39.51	-17.18	74.0	-34.49	Peak	23.00	150	Horizontal	Pass
1**	1574.000	28.57	-17.18	54.0	-25.43	AV	23.00	150	Horizontal	Pass
2	2771.300	44.03	-10.92	74.0	-29.97	Peak	274.00	150	Horizontal	Pass
2**	2771.300	35.45	-10.92	54.0	-18.55	AV	274.00	150	Horizontal	Pass
3	5028.500	53.68	-1.55	74.0	-20.32	Peak	123.00	150	Horizontal	Pass
3**	5028.500	45.37	-1.55	54.0	-8.63	AV	123.00	150	Horizontal	Pass
4	5493.250	108.64	-0.83	--	--	Peak	137.00	150	Horizontal	N/A
4**	5493.250	100.78	-0.83	--	--	AV	137.00	150	Horizontal	N/A
5	11957.937	53.14	-0.82	74.0	-20.86	Peak	7.00	150	Horizontal	Pass
5**	11957.937	43.20	-0.82	54.0	-10.80	AV	7.00	150	Horizontal	Pass
6	15953.549	50.00	-2.99	74.0	-24.00	Peak	71.00	150	Horizontal	Pass
6**	15953.549	40.37	-2.99	54.0	-13.63	AV	71.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.300	38.07	-17.18	74.0	-35.93	Peak	265.00	150	Vertical	Pass
1**	1523.300	28.31	-17.18	54.0	-25.69	AV	265.00	150	Vertical	Pass
2	2816.400	43.90	-9.95	74.0	-30.10	Peak	148.00	150	Vertical	Pass
2**	2816.400	35.05	-9.95	54.0	-18.95	AV	148.00	150	Vertical	Pass
3	4188.250	49.70	-3.02	74.0	-24.30	Peak	111.00	150	Vertical	Pass
3**	4188.250	40.41	-3.02	54.0	-13.59	AV	111.00	150	Vertical	Pass
4	5494.750	98.13	-0.82	--	--	Peak	241.00	150	Vertical	N/A
4**	5494.750	89.85	-0.82	--	--	AV	241.00	150	Vertical	N/A
5	12009.950	53.45	-1.08	74.0	-20.55	Peak	179.00	150	Vertical	Pass
5**	12009.950	43.37	-1.08	54.0	-10.63	AV	179.00	150	Vertical	Pass
6	16003.425	49.87	-3.45	74.0	-24.13	Peak	186.00	150	Vertical	Pass
6**	16003.425	40.89	-3.45	54.0	-13.11	AV	186.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.900	38.18	-17.00	74.0	-35.82	Peak	296.00	150	Horizontal	Pass
1**	1572.900	28.87	-17.00	54.0	-25.13	AV	296.00	150	Horizontal	Pass
2	2801.700	44.34	-10.32	74.0	-29.66	Peak	179.00	150	Horizontal	Pass
2**	2801.700	35.59	-10.32	54.0	-18.41	AV	179.00	150	Horizontal	Pass
3	5092.250	52.41	-0.86	74.0	-21.59	Peak	151.00	150	Horizontal	Pass
3**	5092.250	46.52	-0.86	54.0	-7.48	AV	151.00	150	Horizontal	Pass
4	5577.250	107.89	-0.70	--	--	Peak	151.00	150	Horizontal	N/A
4**	5577.250	100.06	-0.70	--	--	AV	151.00	150	Horizontal	N/A
5	11947.487	52.69	-0.83	74.0	-21.31	Peak	345.00	150	Horizontal	Pass
5**	11947.487	44.34	-0.83	54.0	-9.66	AV	345.00	150	Horizontal	Pass
6	15946.724	49.12	-3.03	74.0	-24.88	Peak	108.00	150	Horizontal	Pass
6**	15946.724	39.81	-3.03	54.0	-14.19	AV	108.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.900	38.10	-17.22	74.0	-35.90	Peak	333.00	150	Vertical	Pass
1**	1607.900	29.16	-17.22	54.0	-24.84	AV	333.00	150	Vertical	Pass
2	2789.700	44.06	-10.39	74.0	-29.94	Peak	253.00	150	Vertical	Pass
2**	2789.700	34.80	-10.39	54.0	-19.20	AV	253.00	150	Vertical	Pass
3	5070.250	52.93	-0.67	74.0	-21.07	Peak	160.00	150	Vertical	Pass
3**	5070.250	44.00	-0.67	54.0	-10.00	AV	160.00	150	Vertical	Pass
4	5572.500	97.63	-0.78	--	--	Peak	260.00	150	Vertical	N/A
4**	5572.500	89.02	-0.78	--	--	AV	260.00	150	Vertical	N/A
5	7572.500	56.14	1.14	74.0	-17.86	Peak	71.00	150	Vertical	Pass
5**	7572.500	47.02	1.14	54.0	-6.98	AV	71.00	150	Vertical	Pass
6	11991.663	53.08	-0.80	74.0	-20.92	Peak	54.00	150	Vertical	Pass
6**	11991.663	44.63	-0.80	54.0	-9.37	AV	54.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.000	38.44	-17.27	74.0	-35.56	Peak	343.00	150	Horizontal	Pass
1**	1590.000	28.12	-17.27	54.0	-25.88	AV	343.00	150	Horizontal	Pass
2	2784.600	44.76	-10.29	74.0	-29.24	Peak	226.00	150	Horizontal	Pass
2**	2784.600	35.20	-10.29	54.0	-18.80	AV	226.00	150	Horizontal	Pass
3	4953.500	52.41	-1.67	74.0	-21.59	Peak	83.00	150	Horizontal	Pass
3**	4953.500	42.41	-1.67	54.0	-11.59	AV	83.00	150	Horizontal	Pass
4	5693.250	108.53	-0.77	--	--	Peak	146.00	150	Horizontal	N/A
4**	5693.250	100.54	-0.77	--	--	AV	146.00	150	Horizontal	N/A
5	11919.462	52.48	-0.94	74.0	-21.52	Peak	11.00	150	Horizontal	Pass
5**	11919.462	43.60	-0.94	54.0	-10.40	AV	11.00	150	Horizontal	Pass
6	15990.300	50.10	-3.30	74.0	-23.90	Peak	34.00	150	Horizontal	Pass
6**	15990.300	40.51	-3.30	54.0	-13.49	AV	34.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.700	37.80	-17.11	74.0	-36.20	Peak	360.00	150	Vertical	Pass
1**	1482.700	29.18	-17.11	54.0	-24.82	AV	360.00	150	Vertical	Pass
2	2797.000	44.38	-10.50	74.0	-29.62	Peak	360.00	150	Vertical	Pass
2**	2797.000	35.89	-10.50	54.0	-18.11	AV	360.00	150	Vertical	Pass
3	3762.500	49.60	-3.49	74.0	-24.40	Peak	275.00	150	Vertical	Pass
3**	3762.500	39.77	-3.49	54.0	-14.23	AV	275.00	150	Vertical	Pass
4	5707.000	99.68	-0.77	--	--	Peak	249.00	150	Vertical	N/A
4**	5707.000	91.22	-0.77	--	--	AV	249.00	150	Vertical	N/A
5	11961.975	52.58	-0.82	74.0	-21.42	Peak	216.00	150	Vertical	Pass
5**	11961.975	43.03	-0.82	54.0	-10.97	AV	216.00	150	Vertical	Pass
6	15947.513	49.39	-3.01	74.0	-24.61	Peak	0.00	150	Vertical	Pass
6**	15947.513	39.97	-3.01	54.0	-14.03	AV	0.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.400	38.74	-17.11	74.0	-35.26	Peak	360.00	150	Horizontal	Pass
1**	1546.400	29.29	-17.11	54.0	-24.71	AV	360.00	150	Horizontal	Pass
2	2805.300	44.80	-10.09	74.0	-29.20	Peak	360.00	150	Horizontal	Pass
2**	2805.300	35.55	-10.09	54.0	-18.45	AV	360.00	150	Horizontal	Pass
3	5046.250	54.88	-1.30	74.0	-19.12	Peak	120.00	150	Horizontal	Pass
3**	5046.250	47.88	-1.30	54.0	-6.18	AV	120.00	150	Horizontal	Pass
4	5512.000	105.90	-0.75	--	--	Peak	132.00	150	Horizontal	N/A
4**	5512.000	98.53	-0.75	--	--	AV	132.00	150	Horizontal	N/A
5	12488.750	53.64	-0.19	74.0	-20.36	Peak	311.00	150	Horizontal	Pass
5**	12488.750	43.56	-0.19	54.0	-10.44	AV	311.00	150	Horizontal	Pass
6	15992.138	49.59	-3.32	74.0	-24.41	Peak	89.00	150	Horizontal	Pass
6**	15992.138	40.71	-3.32	54.0	-13.29	AV	89.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.800	38.70	-17.04	74.0	-35.30	Peak	150.00	150	Vertical	Pass
1**	1487.800	28.42	-17.04	54.0	-25.58	AV	150.00	150	Vertical	Pass
2	2741.700	44.30	-10.94	74.0	-29.70	Peak	43.00	150	Vertical	Pass
2**	2741.700	33.77	-10.94	54.0	-20.23	AV	43.00	150	Vertical	Pass
3	5019.250	52.66	-1.60	74.0	-21.34	Peak	259.00	150	Vertical	Pass
3**	5019.250	43.59	-1.60	54.0	-10.41	AV	259.00	150	Vertical	Pass
4	5515.500	94.87	-0.83	--	--	Peak	259.00	150	Vertical	N/A
4**	5515.500	86.56	-0.83	--	--	AV	259.00	150	Vertical	N/A
5	7612.250	57.12	0.46	74.0	-16.88	Peak	221.00	150	Vertical	Pass
5**	7612.250	46.24	0.46	54.0	-7.76	AV	221.00	150	Vertical	Pass
6	12004.250	53.46	-0.92	74.0	-20.54	Peak	0.00	150	Vertical	Pass
6**	12004.250	44.53	-0.92	54.0	-9.47	AV	0.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	37.72	-17.24	74.0	-36.28	Peak	315.00	150	Horizontal	Pass
1**	1554.000	28.38	-17.24	54.0	-25.62	AV	315.00	150	Horizontal	Pass
2	2805.900	44.26	-9.98	74.0	-29.74	Peak	163.00	150	Horizontal	Pass
2**	2805.900	35.80	-9.98	54.0	-18.20	AV	163.00	150	Horizontal	Pass
3	5126.250	54.67	-1.20	74.0	-19.33	Peak	107.00	150	Horizontal	Pass
3**	5126.250	47.62	-1.20	54.0	-6.38	AV	107.00	150	Horizontal	Pass
4	5580.250	105.36	-0.88	--	--	Peak	145.00	150	Horizontal	N/A
4**	5580.250	97.59	-0.88	--	--	AV	145.00	150	Horizontal	N/A
5	11996.888	52.74	-0.80	74.0	-21.26	Peak	0.00	150	Horizontal	Pass
5**	11996.888	43.82	-0.80	54.0	-10.18	AV	0.00	150	Horizontal	Pass
6	15993.975	49.41	-3.33	74.0	-24.59	Peak	142.00	150	Horizontal	Pass
6**	15993.975	41.54	-3.33	54.0	-12.46	AV	142.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.500	38.28	-16.98	74.0	-35.72	Peak	62.00	150	Vertical	Pass
1**	1545.500	29.07	-16.98	54.0	-24.93	AV	62.00	150	Vertical	Pass
2	2802.000	44.74	-10.43	74.0	-29.26	Peak	110.00	150	Vertical	Pass
2**	2802.000	35.67	-10.43	54.0	-18.33	AV	110.00	150	Vertical	Pass
3	5107.750	53.36	-1.15	74.0	-20.64	Peak	259.00	150	Vertical	Pass
3**	5107.750	43.02	-1.15	54.0	-10.98	AV	259.00	150	Vertical	Pass
4	5597.750	94.32	-0.80	--	--	Peak	271.00	150	Vertical	N/A
4**	5597.750	86.67	-0.80	--	--	AV	271.00	150	Vertical	N/A
5	12000.687	53.63	-0.82	74.0	-20.37	Peak	274.00	150	Vertical	Pass
5**	12000.687	43.55	-0.82	54.0	-10.45	AV	274.00	150	Vertical	Pass
6	15997.388	49.62	-3.36	74.0	-24.38	Peak	288.00	150	Vertical	Pass
6**	15997.388	40.37	-3.36	54.0	-13.63	AV	288.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.500	38.64	-17.22	74.0	-35.36	Peak	222.00	150	Horizontal	Pass
1**	1524.500	28.59	-17.22	54.0	-25.41	AV	222.00	150	Horizontal	Pass
2	3891.750	49.67	-3.73	74.0	-24.33	Peak	58.00	150	Horizontal	Pass
2**	3891.750	40.50	-3.73	54.0	-13.50	AV	58.00	150	Horizontal	Pass
3	4836.750	51.70	-2.18	74.0	-22.30	Peak	360.00	150	Horizontal	Pass
3**	4836.750	42.72	-2.18	54.0	-11.28	AV	360.00	150	Horizontal	Pass
4	5674.250	105.74	-0.89	--	--	Peak	173.00	150	Horizontal	N/A
4**	5674.250	97.01	-0.89	--	--	AV	173.00	150	Horizontal	N/A
5	7573.250	55.70	1.15	74.0	-18.30	Peak	173.00	150	Horizontal	Pass
5**	7573.250	46.14	1.15	54.0	-7.86	AV	173.00	150	Horizontal	Pass
6	11956.513	52.80	-0.82	74.0	-21.20	Peak	89.00	150	Horizontal	Pass
6**	11956.513	43.20	-0.82	54.0	-10.80	AV	89.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	38.51	-17.33	74.0	-35.49	Peak	360.00	150	Vertical	Pass
1**	1495.700	29.35	-17.33	54.0	-24.65	AV	360.00	150	Vertical	Pass
2	2801.700	44.83	-10.32	74.0	-29.17	Peak	360.00	150	Vertical	Pass
2**	2801.700	35.54	-10.32	54.0	-18.46	AV	360.00	150	Vertical	Pass
3	3720.250	49.19	-4.43	74.0	-24.81	Peak	138.00	150	Vertical	Pass
3**	3720.250	39.33	-4.43	54.0	-14.67	AV	138.00	150	Vertical	Pass
4	5672.500	96.33	-1.02	--	--	Peak	254.00	150	Vertical	N/A
4**	5672.500	89.23	-1.02	--	--	AV	254.00	150	Vertical	N/A
5	7496.500	55.47	0.69	74.0	-18.53	Peak	279.00	150	Vertical	Pass
5**	7496.500	46.47	0.69	54.0	-7.53	AV	279.00	150	Vertical	Pass
6	12004.487	53.00	-0.93	74.0	-21.00	Peak	42.00	150	Vertical	Pass
6**	12004.487	43.57	-0.93	54.0	-10.43	AV	42.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.000	37.85	-17.26	74.0	-36.15	Peak	266.00	150	Horizontal	Pass
1**	1559.000	28.91	-17.26	54.0	-25.09	AV	266.00	150	Horizontal	Pass
2	2782.200	44.31	-10.42	74.0	-29.69	Peak	48.00	150	Horizontal	Pass
2**	2782.200	35.12	-10.42	54.0	-18.88	AV	48.00	150	Horizontal	Pass
3	4185.500	50.00	-2.87	74.0	-24.00	Peak	315.00	150	Horizontal	Pass
3**	4185.500	40.69	-2.87	54.0	-13.31	AV	315.00	150	Horizontal	Pass
4	5546.750	103.63	-0.44	--	--	Peak	149.00	150	Horizontal	N/A
4**	5546.750	96.44	-0.44	--	--	AV	149.00	150	Horizontal	N/A
5	11908.300	52.55	-0.99	74.0	-21.45	Peak	307.00	150	Horizontal	Pass
5**	11908.300	43.33	-0.99	54.0	-10.67	AV	307.00	150	Horizontal	Pass
6	15960.901	49.48	-3.05	74.0	-24.52	Peak	52.00	150	Horizontal	Pass
6**	15960.901	41.68	-3.05	54.0	-12.32	AV	52.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.400	38.41	-17.06	74.0	-35.59	Peak	153.00	150	Vertical	Pass
1**	1582.400	29.07	-17.06	54.0	-24.93	AV	153.00	150	Vertical	Pass
2	3880.250	49.53	-3.48	74.0	-24.47	Peak	99.00	150	Vertical	Pass
2**	3880.250	40.14	-3.48	54.0	-13.86	AV	99.00	150	Vertical	Pass
3	5042.000	52.54	-1.47	74.0	-21.46	Peak	265.00	150	Vertical	Pass
3**	5042.000	42.70	-1.47	54.0	-11.30	AV	265.00	150	Vertical	Pass
4	5526.500	93.25	-0.69	--	--	Peak	227.00	150	Vertical	N/A
4**	5526.500	84.34	-0.69	--	--	AV	227.00	150	Vertical	N/A
5	12515.588	53.41	-0.44	74.0	-20.59	Peak	251.00	150	Vertical	Pass
5**	12515.588	43.49	-0.44	54.0	-10.51	AV	251.00	150	Vertical	Pass
6	15963.263	49.67	-3.07	74.0	-24.33	Peak	184.00	150	Vertical	Pass
6**	15963.263	40.70	-3.07	54.0	-13.30	AV	184.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.000	38.86	-17.26	74.0	-35.14	Peak	360.00	150	Horizontal	Pass
1**	1597.000	29.23	-17.26	54.0	-24.77	AV	360.00	150	Horizontal	Pass
2	4149.750	50.55	-3.68	74.0	-23.45	Peak	351.00	150	Horizontal	Pass
2**	4149.750	41.55	-3.68	54.0	-12.45	AV	351.00	150	Horizontal	Pass
3	4985.750	52.14	-1.45	74.0	-21.86	Peak	336.00	150	Horizontal	Pass
3**	4985.750	44.51	-1.45	54.0	-9.49	AV	336.00	150	Horizontal	Pass
4	5581.250	102.21	-0.99	--	--	Peak	137.00	150	Horizontal	N/A
4**	5581.250	93.66	-0.99	--	--	AV	137.00	150	Horizontal	N/A
5	11996.888	52.71	-0.80	74.0	-21.29	Peak	87.00	150	Horizontal	Pass
5**	11996.888	44.00	-0.80	54.0	-10.00	AV	87.00	150	Horizontal	Pass
6	15981.375	49.58	-3.22	74.0	-24.42	Peak	14.00	150	Horizontal	Pass
6**	15981.375	40.38	-3.22	54.0	-13.62	AV	14.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.100	38.51	-17.37	74.0	-35.49	Peak	0.00	150	Vertical	Pass
1**	1508.100	28.29	-17.37	54.0	-25.71	AV	0.00	150	Vertical	Pass
2	2793.700	43.86	-10.43	74.0	-30.14	Peak	49.00	150	Vertical	Pass
2**	2793.700	34.99	-10.43	54.0	-19.01	AV	49.00	150	Vertical	Pass
3	3798.000	49.56	-4.14	74.0	-24.44	Peak	60.00	150	Vertical	Pass
3**	3798.000	39.95	-4.14	54.0	-14.05	AV	60.00	150	Vertical	Pass
4	5625.750	91.70	-0.44	--	--	Peak	236.00	150	Vertical	N/A
4**	5625.750	84.07	-0.44	--	--	AV	236.00	150	Vertical	N/A
5	7587.500	55.83	0.99	74.0	-18.17	Peak	236.00	150	Vertical	Pass
5**	7587.500	46.52	0.99	54.0	-7.48	AV	236.00	150	Vertical	Pass
6	12007.576	53.29	-1.01	74.0	-20.71	Peak	240.00	150	Vertical	Pass
6**	12007.576	44.77	-1.01	54.0	-9.23	AV	240.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2793.300	44.13	-10.47	74.0	-29.87	Peak	333.00	150	Horizontal	Pass
1**	2793.300	34.87	-10.47	54.0	-19.13	AV	333.00	150	Horizontal	Pass
2	3780.750	49.76	-4.35	74.0	-24.24	Peak	360.00	150	Horizontal	Pass
2**	3780.750	39.67	-4.35	54.0	-14.33	AV	360.00	150	Horizontal	Pass
3	5272.250	54.96	-1.79	68.2	-13.24	Peak	121.00	150	Horizontal	Pass
3**	5272.250	46.54	-1.79	--	46.54	AV	121.00	150	Horizontal	N/A
4	5746.250	107.43	-1.20	--	-26.57	Peak	134.00	150	Horizontal	N/A
4**	5746.250	99.97	-1.20	--	99.97	AV	134.00	150	Horizontal	N/A
5	11941.313	53.14	-0.86	74.0	-20.86	Peak	223.00	150	Horizontal	Pass
5**	11941.313	43.60	-0.86	54.0	-10.40	AV	223.00	150	Horizontal	Pass
6	15965.887	50.25	-3.10	74.0	-23.75	Peak	268.00	150	Horizontal	Pass
6**	15965.887	40.73	-3.10	54.0	-13.27	AV	268.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.400	38.32	-16.97	74.0	-35.68	Peak	81.00	150	Vertical	Pass
1**	1351.400	28.89	-16.97	54.0	-25.11	AV	81.00	150	Vertical	Pass
2	2817.600	44.20	-9.86	74.0	-29.80	Peak	39.00	150	Vertical	Pass
2**	2817.600	34.89	-9.86	54.0	-19.11	AV	39.00	150	Vertical	Pass
3	4208.750	49.66	-3.65	74.0	-24.34	Peak	83.00	150	Vertical	Pass
3**	4208.750	40.53	-3.65	54.0	-13.47	AV	83.00	150	Vertical	Pass
4	5747.250	98.46	-1.35	--	-144.54	Peak	243.00	150	Vertical	N/A
4**	5747.250	90.21	-1.35	--	90.21	AV	243.00	150	Vertical	N/A
5	12533.638	53.04	-0.85	74.0	-20.96	Peak	43.00	150	Vertical	Pass
5**	12533.638	43.73	-0.85	54.0	-10.27	AV	43.00	150	Vertical	Pass
6	15573.450	50.10	-3.70	74.0	-23.90	Peak	33.00	150	Vertical	Pass
6**	15573.450	39.96	-3.70	54.0	-14.04	AV	33.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.400	39.11	-17.11	74.0	-34.89	Peak	360.00	150	Horizontal	Pass
1**	1546.400	28.90	-17.11	54.0	-25.10	AV	360.00	150	Horizontal	Pass
2	4029.250	50.18	-3.78	74.0	-23.82	Peak	182.00	150	Horizontal	Pass
2**	4029.250	39.70	-3.78	54.0	-14.30	AV	182.00	150	Horizontal	Pass
3	5313.000	55.73	-2.05	68.2	-12.47	Peak	144.00	150	Horizontal	Pass
3**	5313.000	48.22	-2.05	--	48.22	AV	144.00	150	Horizontal	N/A
4	5781.500	107.25	-1.15	--	-49.75	Peak	157.00	150	Horizontal	N/A
4**	5781.500	99.80	-1.15	--	99.80	AV	157.00	150	Horizontal	N/A
5	11989.763	52.53	-0.81	74.0	-21.47	Peak	152.00	150	Horizontal	Pass
5**	11989.763	43.85	-0.81	54.0	-10.15	AV	152.00	150	Horizontal	Pass
6	17804.175	50.30	-2.73	74.0	-23.70	Peak	159.00	150	Horizontal	Pass
6**	17804.175	41.59	-2.73	54.0	-12.41	AV	159.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.900	39.04	-17.04	74.0	-34.96	Peak	255.00	150	Vertical	Pass
1**	1484.900	29.05	-17.04	54.0	-24.95	AV	255.00	150	Vertical	Pass
2	2772.900	44.47	-10.48	74.0	-29.53	Peak	279.00	150	Vertical	Pass
2**	2772.900	34.95	-10.48	54.0	-19.05	AV	279.00	150	Vertical	Pass
3	4273.750	49.44	-4.16	74.0	-24.56	Peak	108.00	150	Vertical	Pass
3**	4273.750	39.78	-4.16	54.0	-14.22	AV	108.00	150	Vertical	Pass
4	5788.750	99.29	-1.21	--	-158.71	Peak	258.00	150	Vertical	N/A
4**	5788.750	91.20	-1.21	--	91.20	AV	258.00	150	Vertical	N/A
5	11993.800	53.30	-0.80	74.0	-20.70	Peak	110.00	150	Vertical	Pass
5**	11993.800	43.45	-0.80	54.0	-10.55	AV	110.00	150	Vertical	Pass
6	15985.838	49.94	-3.26	74.0	-24.06	Peak	198.00	150	Vertical	Pass
6**	15985.838	40.10	-3.26	54.0	-13.90	AV	198.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.800	38.21	-17.13	74.0	-35.79	Peak	59.00	150	Horizontal	Pass
1**	1546.800	28.80	-17.13	54.0	-25.20	AV	59.00	150	Horizontal	Pass
2	4660.250	51.23	-2.32	74.0	-22.77	Peak	156.00	150	Horizontal	Pass
2**	4660.250	46.48	-2.32	54.0	-7.52	AV	156.00	150	Horizontal	Pass
3	5352.750	55.88	-1.70	74.0	-18.12	Peak	132.00	150	Horizontal	Pass
3**	5352.750	47.64	-1.70	54.0	-6.36	AV	132.00	150	Horizontal	Pass
4	5826.250	107.16	-1.28	--	-36.84	Peak	144.00	150	Horizontal	N/A
4**	5826.250	100.21	-1.28	--	100.21	AV	144.00	150	Horizontal	N/A
5	11941.550	53.89	-0.86	74.0	-20.11	Peak	95.00	150	Horizontal	Pass
5**	11941.550	43.68	-0.86	54.0	-10.32	AV	95.00	150	Horizontal	Pass
6	17791.838	50.70	-2.95	74.0	-23.30	Peak	0.00	150	Horizontal	Pass
6**	17791.838	40.36	-2.95	54.0	-13.64	AV	0.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.400	38.08	-16.96	74.0	-35.92	Peak	20.00	150	Vertical	Pass
1**	1542.400	28.98	-16.96	54.0	-25.02	AV	20.00	150	Vertical	Pass
2	2797.500	44.40	-10.51	74.0	-29.60	Peak	235.00	150	Vertical	Pass
2**	2797.500	34.71	-10.51	54.0	-19.29	AV	235.00	150	Vertical	Pass
3	4197.750	50.08	-3.51	74.0	-23.92	Peak	171.00	150	Vertical	Pass
3**	4197.750	40.38	-3.51	54.0	-13.62	AV	171.00	150	Vertical	Pass
4	5827.000	98.79	-1.23	--	-158.21	Peak	257.00	150	Vertical	N/A
4**	5827.000	91.64	-1.23	--	91.64	AV	257.00	150	Vertical	N/A
5	11952.474	53.07	-0.82	74.0	-20.93	Peak	0.00	150	Vertical	Pass
5**	11952.474	43.99	-0.82	54.0	-10.01	AV	0.00	150	Vertical	Pass
6	15997.912	49.68	-3.36	74.0	-24.32	Peak	325.00	150	Vertical	Pass
6**	15997.912	40.94	-3.36	54.0	-13.06	AV	325.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.200	38.51	-17.11	74.0	-35.49	Peak	70.00	150	Horizontal	Pass
1**	1578.200	28.43	-17.11	54.0	-25.57	AV	70.00	150	Horizontal	Pass
2	2814.300	44.16	-9.86	74.0	-29.84	Peak	33.00	150	Horizontal	Pass
2**	2814.300	35.07	-9.86	54.0	-18.93	AV	33.00	150	Horizontal	Pass
3	5272.750	54.09	-1.76	68.2	-14.11	Peak	158.00	150	Horizontal	Pass
3**	5272.750	47.39	-1.76	--	47.39	AV	158.00	150	Horizontal	N/A
4	5742.750	108.07	-1.23	--	-37.93	Peak	146.00	150	Horizontal	N/A
4**	5742.750	99.77	-1.23	--	99.77	AV	146.00	150	Horizontal	N/A
5	11904.263	53.38	-1.01	74.0	-20.62	Peak	360.00	150	Horizontal	Pass
5**	11904.263	43.94	-1.01	54.0	-10.06	AV	360.00	150	Horizontal	Pass
6	15564.000	49.66	-3.55	74.0	-24.34	Peak	143.00	150	Horizontal	Pass
6**	15564.000	41.06	-3.55	54.0	-12.94	AV	143.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.400	38.63	-17.19	74.0	-35.37	Peak	316.00	150	Vertical	Pass
1**	1523.400	29.71	-17.19	54.0	-24.29	AV	316.00	150	Vertical	Pass
2	2785.700	44.78	-10.22	74.0	-29.22	Peak	137.00	150	Vertical	Pass
2**	2785.700	34.73	-10.22	54.0	-19.27	AV	137.00	150	Vertical	Pass
3	4197.750	49.91	-3.51	74.0	-24.09	Peak	245.00	150	Vertical	Pass
3**	4197.750	39.96	-3.51	54.0	-14.04	AV	245.00	150	Vertical	Pass
4	5749.250	99.35	-1.28	--	-145.65	Peak	245.00	150	Vertical	N/A
4**	5749.250	91.13	-1.28	--	91.13	AV	245.00	150	Vertical	N/A
5	11974.799	53.01	-0.81	74.0	-20.99	Peak	143.00	150	Vertical	Pass
5**	11974.799	43.01	-0.81	54.0	-10.99	AV	143.00	150	Vertical	Pass
6	17804.700	50.34	-2.74	74.0	-23.66	Peak	51.00	150	Vertical	Pass
6**	17804.700	40.86	-2.74	54.0	-13.14	AV	51.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2826.400	44.22	-10.07	74.0	-29.78	Peak	357.00	150	Horizontal	Pass
1**	2826.400	35.22	-10.07	54.0	-18.78	AV	357.00	150	Horizontal	Pass
2	3895.750	49.44	-3.70	74.0	-24.56	Peak	33.00	150	Horizontal	Pass
2**	3895.750	39.62	-3.70	54.0	-14.38	AV	33.00	150	Horizontal	Pass
3	5298.250	55.82	-2.00	68.2	-12.38	Peak	146.00	150	Horizontal	Pass
3**	5298.250	48.01	-2.00	--	48.01	AV	146.00	150	Horizontal	N/A
4	5778.250	107.84	-0.83	--	-51.16	Peak	159.00	150	Horizontal	N/A
4**	5778.250	100.12	-0.83	--	100.12	AV	159.00	150	Horizontal	N/A
5	11970.288	53.24	-0.81	74.0	-20.76	Peak	201.00	150	Horizontal	Pass
5**	11970.288	43.35	-0.81	54.0	-10.65	AV	201.00	150	Horizontal	Pass
6	15937.800	49.50	-3.20	74.0	-24.50	Peak	360.00	150	Horizontal	Pass
6**	15937.800	39.76	-3.20	54.0	-14.24	AV	360.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.200	38.16	-17.28	74.0	-35.84	Peak	118.00	150	Vertical	Pass
1**	1524.200	28.69	-17.28	54.0	-25.31	AV	118.00	150	Vertical	Pass
2	2818.100	44.54	-9.84	74.0	-29.46	Peak	241.00	150	Vertical	Pass
2**	2818.100	35.13	-9.84	54.0	-18.87	AV	241.00	150	Vertical	Pass
3	4129.750	50.06	-3.33	74.0	-23.94	Peak	240.00	150	Vertical	Pass
3**	4129.750	40.02	-3.33	54.0	-13.98	AV	240.00	150	Vertical	Pass
4	5787.750	99.31	-1.25	--	-152.69	Peak	252.00	150	Vertical	N/A
4**	5787.750	91.50	-1.25	--	91.50	AV	252.00	150	Vertical	N/A
5	11976.463	53.07	-0.81	74.0	-20.93	Peak	250.00	150	Vertical	Pass
5**	11976.463	43.30	-0.81	54.0	-10.70	AV	250.00	150	Vertical	Pass
6	17806.012	51.13	-2.78	74.0	-22.87	Peak	277.00	150	Vertical	Pass
6**	17806.012	40.97	-2.78	54.0	-13.03	AV	277.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2818.800	44.52	-9.86	74.0	-29.48	Peak	86.00	150	Horizontal	Pass
1**	2818.800	34.61	-9.86	54.0	-19.39	AV	86.00	150	Horizontal	Pass
2	4660.250	52.27	-2.32	74.0	-21.73	Peak	123.00	150	Horizontal	Pass
2**	4660.250	47.20	-2.32	54.0	-6.80	AV	123.00	150	Horizontal	Pass
3	5352.750	56.83	-1.70	74.0	-17.17	Peak	136.00	150	Horizontal	Pass
3**	5352.750	47.87	-1.70	54.0	-6.13	AV	136.00	150	Horizontal	Pass
4	5829.500	108.19	-1.36	--	-27.81	Peak	136.00	150	Horizontal	N/A
4**	5829.500	100.71	-1.36	--	100.71	AV	136.00	150	Horizontal	N/A
5	12478.063	53.23	-0.30	74.0	-20.77	Peak	218.00	150	Horizontal	Pass
5**	12478.063	43.52	-0.30	54.0	-10.48	AV	218.00	150	Horizontal	Pass
6	17804.700	50.39	-2.74	74.0	-23.61	Peak	203.00	150	Horizontal	Pass
6**	17804.700	42.08	-2.74	54.0	-11.92	AV	203.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.700	38.12	-17.05	74.0	-35.88	Peak	60.00	150	Vertical	Pass
1**	1570.700	28.59	-17.05	54.0	-25.41	AV	60.00	150	Vertical	Pass
2	2802.700	44.25	-10.61	74.0	-29.75	Peak	147.00	150	Vertical	Pass
2**	2802.700	34.95	-10.61	54.0	-19.05	AV	147.00	150	Vertical	Pass
3	4221.500	49.91	-3.69	74.0	-24.09	Peak	173.00	150	Vertical	Pass
3**	4221.500	39.97	-3.69	54.0	-14.03	AV	173.00	150	Vertical	Pass
4	5828.500	99.29	-1.38	--	-162.71	Peak	262.00	150	Vertical	N/A
4**	5828.500	91.59	-1.38	--	91.59	AV	262.00	150	Vertical	N/A
5	11962.213	53.98	-0.82	74.0	-20.02	Peak	360.00	150	Vertical	Pass
5**	11962.213	44.18	-0.82	54.0	-9.82	AV	360.00	150	Vertical	Pass
6	15921.263	50.08	-3.53	74.0	-23.92	Peak	183.00	150	Vertical	Pass
6**	15921.263	40.22	-3.53	54.0	-13.78	AV	183.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.500	38.22	-17.28	74.0	-35.78	Peak	241.00	150	Horizontal	Pass
1**	1459.500	28.58	-17.28	54.0	-25.42	AV	241.00	150	Horizontal	Pass
2	3855.750	49.57	-3.64	74.0	-24.43	Peak	123.00	150	Horizontal	Pass
2**	3855.750	39.63	-3.64	54.0	-14.37	AV	123.00	150	Horizontal	Pass
3	5291.000	60.56	-2.00	68.2	-7.64	Peak	137.00	150	Horizontal	Pass
3**	5291.000	53.32	-2.00	--	53.32	AV	137.00	150	Horizontal	N/A
4	5757.250	106.47	-1.17	--	-56.53	Peak	163.00	150	Horizontal	N/A
4**	5757.250	97.87	-1.17	--	97.87	AV	163.00	150	Horizontal	N/A
5	12004.963	52.77	-0.94	74.0	-21.23	Peak	121.00	150	Horizontal	Pass
5**	12004.963	43.20	-0.94	54.0	-10.80	AV	121.00	150	Horizontal	Pass
6	17799.975	50.03	-2.60	74.0	-23.97	Peak	360.00	150	Horizontal	Pass
6**	17799.975	41.67	-2.60	54.0	-12.33	AV	360.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.600	38.54	-16.98	74.0	-35.46	Peak	113.00	150	Vertical	Pass
1**	1489.600	29.55	-16.98	54.0	-24.45	AV	113.00	150	Vertical	Pass
2	2812.000	44.43	-9.81	74.0	-29.57	Peak	82.00	150	Vertical	Pass
2**	2812.000	35.51	-9.81	54.0	-18.49	AV	82.00	150	Vertical	Pass
3	4297.750	49.91	-3.77	74.0	-24.09	Peak	348.00	150	Vertical	Pass
3**	4297.750	40.22	-3.77	54.0	-13.78	AV	348.00	150	Vertical	Pass
4	5744.000	97.41	-1.29	--	-148.59	Peak	246.00	150	Vertical	N/A
4**	5744.000	89.69	-1.29	--	89.69	AV	246.00	150	Vertical	N/A
5	11931.575	53.31	-0.90	74.0	-20.69	Peak	0.00	150	Vertical	Pass
5**	11931.575	43.49	-0.90	54.0	-10.51	AV	0.00	150	Vertical	Pass
6	15943.576	49.66	-3.09	74.0	-24.34	Peak	275.00	150	Vertical	Pass
6**	15943.576	40.08	-3.09	54.0	-13.92	AV	275.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1362.500	37.94	-17.20	74.0	-36.06	Peak	176.00	150	Horizontal	Pass
1**	1362.500	28.72	-17.20	54.0	-25.28	AV	176.00	150	Horizontal	Pass
2	2796.900	44.32	-10.50	74.0	-29.68	Peak	360.00	150	Horizontal	Pass
2**	2796.900	35.71	-10.50	54.0	-18.29	AV	360.00	150	Horizontal	Pass
3	5331.000	61.20	-1.88	68.2	-7.00	Peak	133.00	150	Horizontal	Pass
3**	5331.000	53.51	-1.88	--	53.51	AV	133.00	150	Horizontal	N/A
4	5800.000	105.88	-1.20	--	-27.12	Peak	133.00	150	Horizontal	N/A
4**	5800.000	98.36	-1.20	--	98.36	AV	133.00	150	Horizontal	N/A
5	11987.151	53.03	-0.81	74.0	-20.97	Peak	268.00	150	Horizontal	Pass
5**	11987.151	43.60	-0.81	54.0	-10.40	AV	268.00	150	Horizontal	Pass
6	17802.863	51.55	-2.68	74.0	-22.45	Peak	12.00	150	Horizontal	Pass
6**	17802.863	41.16	-2.68	54.0	-12.84	AV	12.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.100	38.71	-17.20	74.0	-35.29	Peak	360.00	150	Vertical	Pass
1**	1455.100	28.59	-17.20	54.0	-25.41	AV	360.00	150	Vertical	Pass
2	2778.200	44.31	-10.42	74.0	-29.69	Peak	358.00	150	Vertical	Pass
2**	2778.200	35.08	-10.42	54.0	-18.92	AV	358.00	150	Vertical	Pass
3	4717.750	52.38	-2.75	74.0	-21.62	Peak	110.00	150	Vertical	Pass
3**	4717.750	42.04	-2.75	54.0	-11.96	AV	110.00	150	Vertical	Pass
4	5793.500	97.41	-1.23	--	-155.59	Peak	253.00	150	Vertical	N/A
4**	5793.500	89.48	-1.23	--	89.48	AV	253.00	150	Vertical	N/A
5	12515.826	53.45	-0.44	74.0	-20.55	Peak	180.00	150	Vertical	Pass
5**	12515.826	44.26	-0.44	54.0	-9.74	AV	180.00	150	Vertical	Pass
6	16002.375	49.22	-3.43	74.0	-24.78	Peak	0.00	150	Vertical	Pass
6**	16002.375	39.99	-3.43	54.0	-14.01	AV	0.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.200	38.82	-17.03	74.0	-35.18	Peak	0.00	150	Horizontal	Pass
1**	1390.200	29.13	-17.03	54.0	-24.87	AV	0.00	150	Horizontal	Pass
2	2809.700	44.50	-10.04	74.0	-29.50	Peak	3.00	150	Horizontal	Pass
2**	2809.700	35.28	-10.04	54.0	-18.72	AV	3.00	150	Horizontal	Pass
3	5272.750	54.66	-1.76	68.2	-13.54	Peak	136.00	150	Horizontal	Pass
3**	5272.750	47.87	-1.76	--	47.87	AV	136.00	150	Horizontal	N/A
4	5742.250	108.15	-1.21	--	-14.85	Peak	123.00	150	Horizontal	N/A
4**	5742.250	100.52	-1.21	--	100.52	AV	123.00	150	Horizontal	N/A
5	12013.275	53.19	-1.17	74.0	-20.81	Peak	50.00	150	Horizontal	Pass
5**	12013.275	43.03	-1.17	54.0	-10.97	AV	50.00	150	Horizontal	Pass
6	15976.912	49.97	-3.19	74.0	-24.03	Peak	124.00	150	Horizontal	Pass
6**	15976.912	41.02	-3.19	54.0	-12.98	AV	124.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.100	38.25	-17.05	74.0	-35.75	Peak	34.00	150	Vertical	Pass
1**	1484.100	29.46	-17.05	54.0	-24.54	AV	34.00	150	Vertical	Pass
2	2812.900	44.08	-9.88	74.0	-29.92	Peak	222.00	150	Vertical	Pass
2**	2812.900	36.20	-9.88	54.0	-17.80	AV	222.00	150	Vertical	Pass
3	4709.250	51.96	-2.58	74.0	-22.04	Peak	301.00	150	Vertical	Pass
3**	4709.250	42.17	-2.58	54.0	-11.83	AV	301.00	150	Vertical	Pass
4	5743.750	98.71	-1.25	--	-137.29	Peak	236.00	150	Vertical	N/A
4**	5743.750	90.60	-1.25	--	90.60	AV	236.00	150	Vertical	N/A
5	11957.224	52.44	-0.82	74.0	-21.56	Peak	0.00	150	Vertical	Pass
5**	11957.224	43.83	-0.82	54.0	-10.17	AV	0.00	150	Vertical	Pass
6	15988.463	49.38	-3.28	74.0	-24.62	Peak	85.00	150	Vertical	Pass
6**	15988.463	40.38	-3.28	54.0	-13.62	AV	85.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.000	38.17	-17.24	74.0	-35.83	Peak	264.00	150	Horizontal	Pass
1**	1514.000	28.91	-17.24	54.0	-25.09	AV	264.00	150	Horizontal	Pass
2	4135.500	50.03	-3.63	74.0	-23.97	Peak	271.00	150	Horizontal	Pass
2**	4135.500	40.37	-3.63	54.0	-13.63	AV	271.00	150	Horizontal	Pass
3	5312.250	56.40	-2.00	68.2	-11.80	Peak	107.00	150	Horizontal	Pass
3**	5312.250	48.43	-2.00	--	48.43	AV	107.00	150	Horizontal	N/A
4	5778.500	107.92	-0.85	--	-12.08	Peak	120.00	150	Horizontal	N/A
4**	5778.500	100.26	-0.85	--	100.26	AV	120.00	150	Horizontal	N/A
5	11957.937	53.09	-0.82	74.0	-20.91	Peak	205.00	150	Horizontal	Pass
5**	11957.937	44.38	-0.82	54.0	-9.62	AV	205.00	150	Horizontal	Pass
6	15985.838	49.61	-3.26	74.0	-24.39	Peak	270.00	150	Horizontal	Pass
6**	15985.838	40.26	-3.26	54.0	-13.74	AV	270.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.000	38.22	-17.03	74.0	-35.78	Peak	3.00	150	Vertical	Pass
1**	1481.000	29.30	-17.03	54.0	-24.70	AV	3.00	150	Vertical	Pass
2	2814.500	44.16	-9.84	74.0	-29.84	Peak	21.00	150	Vertical	Pass
2**	2814.500	34.85	-9.84	54.0	-19.15	AV	21.00	150	Vertical	Pass
3	4684.750	51.44	-2.51	74.0	-22.56	Peak	312.00	150	Vertical	Pass
3**	4684.750	42.07	-2.51	54.0	-11.93	AV	312.00	150	Vertical	Pass
4	5789.000	99.15	-1.20	--	-137.85	Peak	237.00	150	Vertical	Pass
4**	5789.000	91.39	-1.20	--	91.39	AV	237.00	150	Vertical	N/A
5	12510.125	53.46	-0.31	74.0	-20.54	Peak	108.00	150	Vertical	Pass
5**	12510.125	44.77	-0.31	54.0	-9.23	AV	108.00	150	Vertical	Pass
6	17798.926	50.95	-2.64	74.0	-23.05	Peak	0.00	150	Vertical	Pass
6**	17798.926	41.70	-2.64	54.0	-12.30	AV	0.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.800	38.15	-17.07	74.0	-35.85	Peak	357.00	150	Horizontal	Pass
1**	1570.800	28.77	-17.07	54.0	-25.23	AV	357.00	150	Horizontal	Pass
2	2801.800	44.73	-10.36	74.0	-29.27	Peak	196.00	150	Horizontal	Pass
2**	2801.800	34.92	-10.36	54.0	-19.08	AV	196.00	150	Horizontal	Pass
3	5353.000	57.27	-1.70	74.0	-16.73	Peak	135.00	150	Horizontal	Pass
3**	5353.000	47.89	-1.70	54.0	-6.11	AV	135.00	150	Horizontal	Pass
4	5827.500	108.34	-1.28	--	-38.66	Peak	147.00	150	Horizontal	N/A
4**	5827.500	100.41	-1.28	--	100.41	AV	147.00	150	Horizontal	N/A
5	11988.575	52.59	-0.81	74.0	-21.41	Peak	198.00	150	Horizontal	Pass
5**	11988.575	44.17	-0.81	54.0	-9.83	AV	198.00	150	Horizontal	Pass
6	17798.926	50.57	-2.64	74.0	-23.43	Peak	121.00	150	Horizontal	Pass
6**	17798.926	41.25	-2.64	54.0	-12.75	AV	121.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.100	38.49	-17.07	74.0	-35.51	Peak	22.00	150	Vertical	Pass
1**	1550.100	29.80	-17.07	54.0	-24.20	AV	22.00	150	Vertical	Pass
2	2805.600	44.26	-10.04	74.0	-29.74	Peak	304.00	150	Vertical	Pass
2**	2805.600	35.27	-10.04	54.0	-18.73	AV	304.00	150	Vertical	Pass
3	3959.750	50.16	-3.89	74.0	-23.84	Peak	17.00	150	Vertical	Pass
3**	3959.750	39.75	-3.89	54.0	-14.25	AV	17.00	150	Vertical	Pass
4	5832.250	99.16	-1.07	--	-147.84	Peak	247.00	150	Vertical	N/A
4**	5832.250	91.35	-1.07	--	91.35	AV	247.00	150	Vertical	N/A
5	11985.487	52.78	-0.81	74.0	-21.22	Peak	216.00	150	Vertical	Pass
5**	11985.487	43.90	-0.81	54.0	-10.10	AV	216.00	150	Vertical	Pass
6	17944.349	50.22	-3.01	74.0	-23.78	Peak	177.00	150	Vertical	Pass
6**	17944.349	40.57	-3.01	54.0	-13.43	AV	177.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1384.500	38.80	-17.05	74.0	-35.20	Peak	354.00	150	Horizontal	Pass
1**	1384.500	28.81	-17.05	54.0	-25.19	AV	354.00	150	Horizontal	Pass
2	4138.500	49.83	-3.71	74.0	-24.17	Peak	200.00	150	Horizontal	Pass
2**	4138.500	40.56	-3.71	54.0	-13.44	AV	200.00	150	Horizontal	Pass
3	5291.500	60.57	-1.94	68.2	-7.63	Peak	111.00	150	Horizontal	Pass
3**	5291.500	52.26	-1.94	--	52.26	AV	111.00	150	Horizontal	N/A
4	5747.500	105.58	-1.35	--	-30.42	Peak	136.00	150	Horizontal	N/A
4**	5747.500	97.48	-1.35	--	97.48	AV	136.00	150	Horizontal	N/A
5	11947.487	53.77	-0.83	74.0	-20.23	Peak	197.00	150	Horizontal	Pass
5**	11947.487	43.83	-0.83	54.0	-10.17	AV	197.00	150	Horizontal	Pass
6	17803.387	50.29	-2.70	74.0	-23.71	Peak	234.00	150	Horizontal	Pass
6**	17803.387	42.00	-2.70	54.0	-12.00	AV	234.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.500	38.90	-17.23	74.0	-35.10	Peak	121.00	150	Vertical	Pass
1**	1379.500	28.79	-17.23	54.0	-25.21	AV	121.00	150	Vertical	Pass
2	2812.000	44.16	-9.81	74.0	-29.84	Peak	52.00	150	Vertical	Pass
2**	2812.000	35.93	-9.81	54.0	-18.07	AV	52.00	150	Vertical	Pass
3	4300.250	50.25	-3.86	74.0	-23.75	Peak	288.00	150	Vertical	Pass
3**	4300.250	40.66	-3.86	54.0	-13.34	AV	288.00	150	Vertical	Pass
4	5752.000	96.59	-1.21	--	-152.41	Peak	249.00	150	Vertical	N/A
4**	5752.000	88.27	-1.21	--	88.27	AV	249.00	150	Vertical	N/A
5	11947.013	52.52	-0.83	74.0	-21.48	Peak	360.00	150	Vertical	Pass
5**	11947.013	44.12	-0.83	54.0	-9.88	AV	360.00	150	Vertical	Pass
6	15958.537	49.80	-3.03	74.0	-24.20	Peak	217.00	150	Vertical	Pass
6**	15958.537	40.12	-3.03	54.0	-13.88	AV	217.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.100	38.99	-17.12	74.0	-35.01	Peak	265.00	150	Horizontal	Pass
1**	1394.100	28.61	-17.12	54.0	-25.39	AV	265.00	150	Horizontal	Pass
2	2774.200	44.32	-10.60	74.0	-29.68	Peak	65.00	150	Horizontal	Pass
2**	2774.200	34.63	-10.60	54.0	-19.37	AV	65.00	150	Horizontal	Pass
3	5331.500	60.10	-1.93	68.2	-8.10	Peak	137.00	150	Horizontal	Pass
3**	5331.500	52.65	-1.93	--	52.65	AV	137.00	150	Horizontal	N/A
4	5805.000	105.17	-1.23	--	-43.83	Peak	149.00	150	Horizontal	N/A
4**	5805.000	97.11	-1.23	--	97.11	AV	149.00	150	Horizontal	N/A
5	11994.988	53.48	-0.80	74.0	-20.52	Peak	176.00	150	Horizontal	Pass
5**	11994.988	43.69	-0.80	54.0	-10.31	AV	176.00	150	Horizontal	Pass
6	17797.087	49.82	-2.72	74.0	-24.18	Peak	104.00	150	Horizontal	Pass
6**	17797.087	41.62	-2.72	54.0	-12.38	AV	104.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	38.26	-17.18	74.0	-35.74	Peak	114.00	150	Vertical	Pass
1**	1513.500	28.50	-17.18	54.0	-25.50	AV	114.00	150	Vertical	Pass
2	2819.600	44.39	-9.91	74.0	-29.61	Peak	246.00	150	Vertical	Pass
2**	2819.600	34.89	-9.91	54.0	-19.11	AV	246.00	150	Vertical	Pass
3	4672.250	51.37	-2.52	74.0	-22.63	Peak	262.00	150	Vertical	Pass
3**	4672.250	41.61	-2.52	54.0	-12.39	AV	262.00	150	Vertical	Pass
4	5793.250	96.40	-1.19	--	-139.60	Peak	236.00	150	Vertical	N/A
4**	5793.250	88.52	-1.19	--	88.52	AV	236.00	150	Vertical	N/A
5	11949.625	53.28	-0.82	74.0	-20.72	Peak	308.00	150	Vertical	Pass
5**	11949.625	43.57	-0.82	54.0	-10.43	AV	308.00	150	Vertical	Pass
6	17797.087	50.57	-2.72	74.0	-23.43	Peak	307.00	150	Vertical	Pass
6**	17797.087	42.01	-2.72	54.0	-11.99	AV	307.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1366.400	39.09	-16.94	74.0	-34.91	Peak	58.00	150	Horizontal	Pass
1**	1366.400	28.72	-16.94	54.0	-25.28	AV	58.00	150	Horizontal	Pass
2	2799.300	44.00	-10.38	74.0	-30.00	Peak	225.00	150	Horizontal	Pass
2**	2799.300	35.61	-10.38	54.0	-18.39	AV	225.00	150	Horizontal	Pass
3	4620.250	50.57	-2.72	74.0	-23.43	Peak	123.00	150	Horizontal	Pass
3**	4620.250	47.11	-2.72	54.0	-6.89	AV	123.00	150	Horizontal	Pass
4	5758.500	102.25	-1.09	--	-33.75	Peak	136.00	150	Horizontal	N/A
4**	5758.500	93.73	-1.09	--	93.73	AV	136.00	150	Horizontal	N/A
5	11971.713	53.24	-0.81	74.0	-20.76	Peak	52.00	150	Horizontal	Pass
5**	11971.713	43.52	-0.81	54.0	-10.48	AV	52.00	150	Horizontal	Pass
6	16003.162	49.96	-3.45	74.0	-24.04	Peak	140.00	150	Horizontal	Pass
6**	16003.162	40.80	-3.45	54.0	-13.20	AV	140.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.600	38.16	-17.07	74.0	-35.84	Peak	28.00	150	Vertical	Pass
1**	1480.600	28.76	-17.07	54.0	-25.24	AV	28.00	150	Vertical	Pass
2	2800.800	44.14	-10.33	74.0	-29.86	Peak	15.00	150	Vertical	Pass
2**	2800.800	35.20	-10.33	54.0	-18.80	AV	15.00	150	Vertical	Pass
3	4710.500	51.87	-2.56	74.0	-22.13	Peak	11.00	150	Vertical	Pass
3**	4710.500	42.24	-2.56	54.0	-11.76	AV	11.00	150	Vertical	Pass
4	5793.500	93.36	-1.23	--	-156.64	Peak	250.00	150	Vertical	N/A
4**	5793.500	84.39	-1.23	--	84.39	AV	250.00	150	Vertical	N/A
5	11957.937	52.72	-0.82	74.0	-21.28	Peak	143.00	150	Vertical	Pass
5**	11957.937	45.22	-0.82	54.0	-8.78	AV	143.00	150	Vertical	Pass
6	17800.761	50.35	-2.62	74.0	-23.65	Peak	83.00	150	Vertical	Pass
6**	17800.761	41.52	-2.62	54.0	-12.48	AV	83.00	150	Vertical	Pass


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Low	Pass	
	High	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	

	802.11ac(VHT80)	Middle	Pass
--	-----------------	--------	------


Test Data and Plots

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.78	4.71	68.2	-6.42	Peak	10.00	150	Horizontal	Pass
1**	5150.000	48.61	4.71	54.0	-5.39	AV	10.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.52	4.25	68.2	-11.68	Peak	13.00	150	Horizontal	Pass
1**	5350.000	46.16	4.25	54.0	-7.84	AV	13.00	150	Horizontal	Pass
2	5384.834	57.89	5.00	68.2	-10.31	Peak	12.00	150	Horizontal	Pass
2**	5384.834	46.21	5.00	54.0	-7.79	AV	12.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.06	4.71	68.2	-8.14	Peak	22.00	150	Horizontal	Pass
1**	5150.000	47.74	4.71	54.0	-6.26	AV	22.00	150	Horizontal	Pass
2	5149.675	61.45	4.69	68.2	-6.75	Peak	12.00	150	Horizontal	Pass
2**	5149.675	48.37	4.69	54.0	-5.63	AV	12.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.79	4.25	68.2	-10.41	Peak	7.00	150	Horizontal	Pass
1**	5350.000	46.09	4.25	54.0	-7.91	AV	7.00	150	Horizontal	Pass
2	5370.717	58.07	4.32	68.2	-10.13	Peak	13.00	150	Horizontal	Pass
2**	5370.717	45.92	4.32	54.0	-8.08	AV	13.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.85	4.71	68.2	-9.35	Peak	7.00	150	Horizontal	Pass
1**	5150.000	47.55	4.71	54.0	-6.45	AV	7.00	150	Horizontal	Pass
2	5148.050	60.47	4.81	68.2	-7.73	Peak	22.00	150	Horizontal	Pass
2**	5148.050	47.26	4.81	54.0	-6.74	AV	22.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.47	4.25	68.2	-11.73	Peak	4.00	150	Horizontal	Pass
1**	5350.000	46.29	4.25	54.0	-7.71	AV	4.00	150	Horizontal	Pass
2	5353.667	57.98	4.20	68.2	-10.22	Peak	22.00	150	Horizontal	Pass
2**	5353.667	46.38	4.20	54.0	-7.62	AV	22.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.32	4.71	68.2	-4.88	Peak	13.00	150	Horizontal	Pass
1**	5150.000	48.31	4.71	54.0	-5.69	AV	13.00	150	Horizontal	Pass
2	5149.350	63.91	4.67	68.2	-4.29	Peak	15.00	150	Horizontal	Pass
2**	5149.350	47.73	4.67	54.0	-6.27	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.63	4.25	68.2	-11.57	Peak	11.00	150	Horizontal	Pass
1**	5350.000	46.24	4.25	54.0	-7.76	AV	11.00	150	Horizontal	Pass
2	5379.334	58.58	4.96	68.2	-9.62	Peak	22.00	150	Horizontal	Pass
2**	5379.334	46.29	4.96	54.0	-7.71	AV	22.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.30	4.71	68.2	-9.90	Peak	3.00	150	Horizontal	Pass
1**	5150.000	47.11	4.71	54.0	-6.89	AV	3.00	150	Horizontal	Pass
2	5149.350	62.74	4.67	68.2	-5.46	Peak	5.00	150	Horizontal	Pass
2**	5149.350	46.93	4.67	54.0	-7.07	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.25	4.25	68.2	-11.95	Peak	15.00	150	Horizontal	Pass
1**	5350.000	46.11	4.25	54.0	-7.89	AV	15.00	150	Horizontal	Pass
2	5359.533	58.39	4.26	68.2	-9.81	Peak	3.00	150	Horizontal	Pass
2**	5359.533	46.27	4.26	54.0	-7.73	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.40	4.71	68.2	-9.80	Peak	152.00	150	Horizontal	Pass
1**	5150.000	48.86	4.71	54.0	-5.14	AV	152.00	150	Horizontal	Pass
2	5131.475	59.26	4.71	68.2	-8.94	Peak	107.00	150	Horizontal	Pass
2**	5131.475	48.99	4.71	54.0	-5.01	AV	107.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.34	4.25	68.2	-10.86	Peak	58.00	150	Horizontal	Pass
1**	5350.000	46.06	4.25	54.0	-7.94	AV	58.00	150	Horizontal	Pass
2	5378.233	58.04	5.03	68.2	-10.16	Peak	27.00	150	Horizontal	Pass
2**	5378.233	46.57	5.03	54.0	-7.43	AV	27.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.93	4.71	68.2	-12.27	Peak	164.00	150	Horizontal	Pass
1**	5150.000	46.57	4.71	54.0	-7.43	AV	164.00	150	Horizontal	Pass
2	5129.850	56.20	4.97	68.2	-12.00	Peak	155.00	150	Horizontal	Pass
2**	5129.850	46.95	4.97	54.0	-7.05	AV	155.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.81	4.25	68.2	-8.39	Peak	113.00	150	Horizontal	Pass
1**	5350.000	47.24	4.25	54.0	-6.76	AV	113.00	150	Horizontal	Pass
2	5351.467	61.53	4.18	68.2	-6.67	Peak	137.00	150	Horizontal	Pass
2**	5351.467	47.46	4.18	54.0	-6.54	AV	137.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.05	4.71	68.2	-12.15	Peak	137.00	150	Horizontal	Pass
1**	5150.000	46.64	4.71	54.0	-7.36	AV	137.00	150	Horizontal	Pass
2	5017.725	56.65	4.61	68.2	-11.55	Peak	70.00	150	Horizontal	Pass
2**	5017.725	47.05	4.61	54.0	-6.95	AV	70.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.59	4.25	68.2	-7.61	Peak	139.00	150	Horizontal	Pass
1**	5350.000	47.48	4.25	54.0	-6.52	AV	139.00	150	Horizontal	Pass
2	5351.834	63.15	4.19	68.2	-5.05	Peak	128.00	150	Horizontal	Pass
2**	5351.834	47.02	4.19	54.0	-6.98	AV	128.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.70	4.71	68.2	-11.50	Peak	302.00	150	Horizontal	Pass
1**	5150.000	46.52	4.71	54.0	-7.48	AV	302.00	150	Horizontal	Pass
2	5072.975	56.67	5.28	68.2	-11.53	Peak	360.00	150	Horizontal	Pass
2**	5072.975	46.86	5.28	54.0	-7.14	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.02	4.25	68.2	-7.18	Peak	165.00	150	Horizontal	Pass
1**	5350.000	47.62	4.25	54.0	-6.38	AV	165.00	150	Horizontal	Pass
2	5352.933	58.92	4.30	68.2	-9.28	Peak	102.00	150	Horizontal	Pass
2**	5352.933	47.65	4.30	54.0	-6.35	AV	102.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.93	4.71	68.2	-12.27	Peak	16.00	150	Horizontal	Pass
1**	5150.000	46.43	4.71	54.0	-7.57	AV	16.00	150	Horizontal	Pass
2	5129.850	56.82	4.97	68.2	-11.38	Peak	44.00	150	Horizontal	Pass
2**	5129.850	47.08	4.97	54.0	-6.92	AV	44.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.51	4.25	68.2	-6.69	Peak	115.00	150	Horizontal	Pass
1**	5350.000	47.06	4.25	54.0	-6.94	AV	115.00	150	Horizontal	Pass
2	5352.383	62.90	4.28	68.2	-5.30	Peak	116.00	150	Horizontal	Pass
2**	5352.383	46.81	4.28	54.0	-7.19	AV	116.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.87	4.71	68.2	-12.33	Peak	77.00	150	Horizontal	Pass
1**	5150.000	46.39	4.71	54.0	-7.61	AV	77.00	150	Horizontal	Pass
2	5015.125	56.40	4.46	68.2	-11.80	Peak	146.00	150	Horizontal	Pass
2**	5015.125	47.17	4.46	54.0	-6.83	AV	146.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.32	4.25	68.2	-6.88	Peak	144.00	150	Horizontal	Pass
1**	5350.000	47.15	4.25	54.0	-6.85	AV	144.00	150	Horizontal	Pass
2	5351.100	61.49	4.22	68.2	-6.71	Peak	126.00	150	Horizontal	Pass
2**	5351.100	46.88	4.22	54.0	-7.12	AV	126.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.15	4.71	68.2	-11.05	Peak	1.00	150	Horizontal	Pass
1**	5150.000	46.53	4.71	54.0	-7.47	AV	1.00	150	Horizontal	Pass
2	5066.800	56.14	5.39	68.2	-12.06	Peak	0.00	150	Horizontal	Pass
2**	5066.800	47.09	5.39	54.0	-6.91	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.46	4.25	68.2	-7.74	Peak	145.00	150	Horizontal	Pass
1**	5350.000	48.45	4.25	54.0	-5.55	AV	145.00	150	Horizontal	Pass
2	5359.533	59.57	4.26	68.2	-8.63	Peak	119.00	150	Horizontal	Pass
2**	5359.533	48.97	4.26	54.0	-5.03	AV	119.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.33	4.75	68.2	-6.87	Peak	134.00	150	Horizontal	Pass
1**	5470.000	49.76	4.75	--	--	AV	134.00	150	Horizontal	N/A
2	5469.000	63.04	4.72	68.2	-5.16	Peak	139.00	150	Horizontal	Pass
2**	5469.000	49.67	4.72	--	--	AV	139.00	150	Horizontal	N/A
3	5460.000	58.74	4.67	68.2	-9.46	Peak	139.00	150	Horizontal	Pass
3**	5460.000	47.25	4.67	54.0	-6.75	AV	139.00	150	Horizontal	Pass
4	5458.400	57.30	4.74	68.2	-10.90	Peak	93.00	150	Horizontal	Pass
4**	5458.400	47.51	4.74	54.0	-6.49	AV	93.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.05	5.03	68.2	-6.15	Peak	128.00	150	Horizontal	Pass
2	5725.209	62.24	5.05	68.2	-5.96	Peak	133.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.14	4.75	68.2	-6.06	Peak	129.00	150	Horizontal	Pass
1**	5470.000	47.60	4.75	--	--	AV	129.00	150	Horizontal	N/A
2	5468.000	62.35	4.81	68.2	-5.85	Peak	134.00	150	Horizontal	Pass
2**	5468.000	47.35	4.81	--	--	AV	134.00	150	Horizontal	N/A
3	5460.000	57.17	4.67	68.2	-11.03	Peak	214.00	150	Horizontal	Pass
3**	5460.000	46.25	4.67	54.0	-7.75	AV	214.00	150	Horizontal	Pass
4	5457.600	56.91	4.83	68.2	-11.29	Peak	233.00	150	Horizontal	Pass
4**	5457.600	46.61	4.83	54.0	-7.39	AV	233.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.16	5.03	68.2	-8.04	Peak	128.00	150	Horizontal	Pass
2	5727.291	61.77	5.01	68.2	-6.43	Peak	156.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.59	4.75	68.2	-6.61	Peak	153.00	150	Horizontal	Pass
1**	5470.000	47.20	4.75	--	--	AV	153.00	150	Horizontal	N/A
2	5468.200	62.95	4.81	68.2	-5.25	Peak	133.00	150	Horizontal	Pass
2**	5468.200	47.06	4.81	--	--	AV	133.00	150	Horizontal	N/A
3	5460.000	56.47	4.67	68.2	-11.73	Peak	146.00	150	Horizontal	Pass
3**	5460.000	46.17	4.67	54.0	-7.83	AV	146.00	150	Horizontal	Pass
4	5454.400	56.67	4.81	68.2	-11.53	Peak	207.00	150	Horizontal	Pass
4**	5454.400	46.50	4.81	54.0	-7.50	AV	207.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.08	5.03	68.2	-7.12	Peak	130.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.26	4.75	68.2	-7.94	Peak	139.00	150	Horizontal	Pass
1**	5470.000	47.29	4.75	--	--	AV	139.00	150	Horizontal	N/A
2	5469.600	61.60	4.71	68.2	-6.60	Peak	129.00	150	Horizontal	Pass
2**	5469.600	47.06	4.71	--	--	AV	129.00	150	Horizontal	N/A
3	5460.000	56.78	4.67	68.2	-11.42	Peak	142.00	150	Horizontal	Pass
3**	5460.000	46.16	4.67	54.0	-7.84	AV	142.00	150	Horizontal	Pass
4	5454.200	56.79	4.78	68.2	-11.41	Peak	209.00	150	Horizontal	Pass
4**	5454.200	46.58	4.78	54.0	-7.42	AV	209.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.63	5.03	68.2	-6.57	Peak	155.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.13	4.75	68.2	-6.07	Peak	147.00	150	Horizontal	Pass
1**	5470.000	47.45	4.75	--	--	AV	147.00	150	Horizontal	N/A
2	5469.800	63.12	4.70	68.2	-5.08	Peak	142.00	150	Horizontal	Pass
2**	5469.800	47.20	4.70	--	--	AV	142.00	150	Horizontal	N/A
3	5460.000	56.71	4.67	68.2	-11.49	Peak	57.00	150	Horizontal	Pass
3**	5460.000	46.32	4.67	54.0	-7.68	AV	57.00	150	Horizontal	Pass
4	5456.800	56.41	4.90	68.2	-11.79	Peak	251.00	150	Horizontal	Pass
4**	5456.800	46.39	4.90	54.0	-7.61	AV	251.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.14	5.03	68.2	-7.06	Peak	128.00	150	Horizontal	Pass
2	5725.209	62.04	5.05	68.2	-6.16	Peak	155.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.06	4.75	68.2	-7.14	Peak	120.00	150	Horizontal	Pass
1**	5470.000	48.25	4.75	--	--	AV	120.00	150	Horizontal	N/A
2	5467.000	61.07	4.76	68.2	-7.13	Peak	151.00	150	Horizontal	Pass
2**	5467.000	48.00	4.76	--	--	AV	151.00	150	Horizontal	N/A
3	5460.000	58.96	4.67	68.2	-9.24	Peak	131.00	150	Horizontal	Pass
3**	5460.000	47.14	4.67	54.0	-6.86	AV	131.00	150	Horizontal	Pass
4	5457.400	57.28	4.88	68.2	-10.92	Peak	158.00	150	Horizontal	Pass
4**	5457.400	47.37	4.88	54.0	-6.63	AV	158.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.41	5.03	68.2	-9.79	Peak	161.00	150	Horizontal	Pass
2	5732.292	59.94	4.88	68.2	-8.26	Peak	131.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.40	6.08	68.2	-9.80	Peak	14.00	150	Horizontal	Pass
2	5621.458	60.18	6.43	68.2	-8.02	Peak	7.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.58	7.54	68.2	-10.62	Peak	10.00	150	Horizontal	Pass
2	5972.750	60.28	6.97	68.2	-7.92	Peak	14.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.84	6.08	68.2	-9.36	Peak	10.00	150	Horizontal	Pass
2	5607.291	59.66	6.78	68.2	-8.54	Peak	15.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.29	7.54	68.2	-8.91	Peak	11.00	150	Horizontal	Pass
2	5960.500	59.98	7.07	68.2	-8.22	Peak	8.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.62	6.08	68.2	-9.58	Peak	10.00	150	Horizontal	Pass
2	5641.667	59.81	6.23	68.2	-8.39	Peak	11.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.02	7.54	68.2	-10.18	Peak	4.00	150	Horizontal	Pass
2	5982.000	60.01	7.31	68.2	-8.19	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.93	6.08	68.2	-10.27	Peak	3.00	150	Horizontal	Pass
2	5624.375	59.32	6.35	68.2	-8.88	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.62	7.54	68.2	-8.58	Peak	1.00	150	Horizontal	Pass
2	5960.750	59.74	7.03	68.2	-8.46	Peak	15.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.71	6.08	68.2	-10.49	Peak	4.00	150	Horizontal	Pass
2	5611.250	59.97	6.75	68.2	-8.23	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.39	7.54	68.2	-9.81	Peak	2.00	150	Horizontal	Pass
2	5991.000	59.76	7.81	68.2	-8.44	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.13	6.08	68.2	-7.07	Peak	15.00	150	Horizontal	Pass
2	5648.542	62.57	6.12	68.2	-5.63	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.75	7.54	68.2	-8.45	Peak	5.00	150	Horizontal	Pass
2	5926.500	60.16	7.50	68.2	-8.04	Peak	14.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ21C0655-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ21C0655-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ21C0655-AI.PDF".

--END OF REPORT--