


A.3 Occupied Bandwidth


1. GSM_GSM850

1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.243	0.309	0.3	Pass



1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)




1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)




2. GSM_PCS


2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)



2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)




2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)




3. EGPRS_GSM850

3.4. EGPRS Occupied Bandwidth(NTNV)(Channel:128)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.24	0.302	0.3	Pass



3.1. EGPRS Occupied Bandwidth(NTNV)(Channel:190)




3.2. EGPRS Occupied Bandwidth(NTNV)(Channel:251)




4. EGPRS_PCS

4.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.247	0.313	0.3	Pass




4.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)




4.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.247	0.306	0.3	Pass




5. WCDMA_Band2


5.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)



5.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)




5.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)



6. WCDMA_Band4

6.1. WCDMA Occupied Bandwidth(NTNV)(Channel:1312)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.149	4.703	5	Pass



6.2. WCDMA Occupied Bandwidth(NTNV)(Channel:1412)




6.3. WCDMA Occupied Bandwidth(NTNV)(Channel:1513)




7. WCDMA_Band5

7.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.4	99	26	0.1	Peak	4.167	4.72	5	Pass



7.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)




7.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)




8. LTE_Band2

8.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




8.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.096	1.262	1.4	Pass




8.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.091	1.242	1.4	Pass




8.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.087	1.235	1.4	Pass




8.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.093	1.244	1.4	Pass




8.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.093	1.25	1.4	Pass



8.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.709	3.027	3	Pass



8.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.712	3.031	3	Pass


Agilent 23:37:10 Dec 23, 2021

Ch Freq 1.8515 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.82 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.82 dB



Center 1.851 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
1.85150000 GHz

Start Freq
1.84850000 GHz

Stop Freq
1.85450000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7124 MHz **x dB** -26.00 dB


Transmit Freq Error 1.468 kHz

x dB Bandwidth 3.031 MHz

Copyright 2000–2012 Agilent Technologies


8.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.708	3.019	3	Pass




8.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.706	3.048	3	Pass




8.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.708	3.042	3	Pass



8.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.71	3.054	3	Pass



8.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.507	4.967	5	Pass


Agilent 23:38:13 Dec 23, 2021

Ch Freq 1.8525 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.81 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.81 dB



Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5066 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.994 kHz	
x dB Bandwidth	4.967 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.85250000 GHz

Start Freq
1.84750000 GHz

Stop Freq
1.85750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

8.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.502	4.974	5	Pass


Agilent 23:38:24 Dec 23, 2021

Ch Freq 1.8525 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.81 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.81 dB



Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5016 MHz	x dB	-26.00 dB
Transmit Freq Error	-989.554 Hz	
x dB Bandwidth	4.974 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.85250000 GHz

Start Freq
1.84750000 GHz

Stop Freq
1.85750000 GHz


CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


8.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.493	4.973	5	Pass



8.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.505	5.016	5	Pass



8.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.495	4.98	5	Pass


Agilent 23:39:02 Dec 23, 2021

Ch Freq 1.9075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.83 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.83 dB



Center 1.907 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.90750000 GHz

Start Freq
1.90250000 GHz

Stop Freq
1.91250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4946 MHz **x dB** -26.00 dB

Transmit Freq Error -2.606 kHz

x dB Bandwidth 4.980 MHz

Copyright 2000–2012 Agilent Technologies

8.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.514	4.981	5	Pass

Agilent 23:39:12 Dec 23, 2021

Ch Freq 1.9075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.83 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.83 dB

Center 1.907 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.90750000 GHz

Start Freq
1.90250000 GHz

Stop Freq
1.91250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5140 MHz **x dB** -26.00 dB

Transmit Freq Error -10.344 kHz

x dB Bandwidth 4.981 MHz

Copyright 2000–2012 Agilent Technologies

8.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.972	9.848	10	Pass


Agilent 23:39:29 Dec 23, 2021

Ch Freq 1.855 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.78 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.78 dB



Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9724 MHz	x dB	-26.00 dB
Transmit Freq Error	18.076 kHz	
x dB Bandwidth	9.848 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.85500000 GHz

Start Freq
1.84500000 GHz

Stop Freq
1.86500000 GHz


CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

8.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.961	9.908	10	Pass



8.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.967	9.891	10	Pass


Agilent 23:39:53 Dec 23, 2021

Ch Freq 1.88 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.74 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.74 dB



Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9668 MHz	x dB	-26.00 dB
Transmit Freq Error	4.703 kHz	
x dB Bandwidth	9.891 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.88000000 GHz

Start Freq
1.87000000 GHz

Stop Freq
1.89000000 GHz


CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

8.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.988	9.947	10	Pass




8.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.997	9.911	10	Pass

Agilent 23:40:18 Dec 23, 2021

Ch Freq 1.905 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.83 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.82 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.90500000 GHz

Start Freq
1.89500000 GHz

Stop Freq
1.91500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9966 MHz **x dB** -26.00 dB

Transmit Freq Error -6.926 kHz

x dB Bandwidth 9.911 MHz

Copyright 2000–2012 Agilent Technologies

8.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.998	9.941	10	Pass


Agilent 23:40:29 Dec 23, 2021

Ch Freq 1.905 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.83 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.82 dB



Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.90500000 GHz

Start Freq
1.89500000 GHz

Stop Freq
1.91500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9978 MHz **x dB** -26.00 dB


Transmit Freq Error -13.411 kHz

x dB Bandwidth 9.941 MHz

Copyright 2000–2012 Agilent Technologies


8.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.478	14.973	15	Pass




8.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.48	14.871	15	Pass




8.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.486	14.99	15	Pass



8.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.526	15.051	15	Pass



8.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.506	15.019	15	Pass

Agilent 23:41:33 Dec 23, 2021

Ch Freq 1.9025 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.82 dBm #Atten 30 dB



Center 1.902 50 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.90250000 GHz

Start Freq
1.88750000 GHz

Stop Freq
1.91750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5064 MHz **x dB** -26.00 dB


Transmit Freq Error -30.207 kHz

x dB Bandwidth 15.019 MHz

Copyright 2000–2012 Agilent Technologies


8.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.507	14.927	15	Pass




8.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.935	19.573	20	Pass




8.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.993	19.689	20	Pass




8.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.013	19.748	20	Pass




8.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.038	19.874	20	Pass



8.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.98	19.822	20	Pass




8.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.925	19.648	20	Pass

Agilent 23:43:00 Dec 23, 2021

Ch Freq 1.9 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.82 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.82 dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Freq/Channel

Center Freq
1.90000000 GHz

Start Freq
1.88000000 GHz

Stop Freq
1.92000000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.9254 MHz **x dB** -26.00 dB


Transmit Freq Error -23.470 kHz

x dB Bandwidth 19.648 MHz

Copyright 2000–2012 Agilent Technologies


9. LTE_Band4

9.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




9.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.095	1.263	1.4	Pass



9.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.088	1.251	1.4	Pass



9.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.086	1.237	1.4	Pass


Agilent 23:45:46 Dec 23, 2021

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.58 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.58 dB



Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.73110000 GHz

Stop Freq
1.73390000 GHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

1.0863 MHz **x dB** -26.00 dB


Transmit Freq Error -1.860 kHz

x dB Bandwidth 1.237 MHz

Copyright 2000–2012 Agilent Technologies

9.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.093	1.251	1.4	Pass



9.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.093	1.243	1.4	Pass

Agilent 23:46:10 Dec 23, 2021

Ch Freq 1.7543 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.62 dBm #Atten 30 dB



Center 1.754 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
1.75430000 GHz

Start Freq
1.75290000 GHz

Stop Freq
1.75570000 GHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

1.0931 MHz **x dB** -26.00 dB

Transmit Freq Error 330.834 Hz

x dB Bandwidth 1.243 MHz

Copyright 2000–2012 Agilent Technologies

9.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.716	3.034	3	Pass


Agilent 23:46:26 Dec 23, 2021

Ch Freq 1.7115 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.55 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.55 dB



Center 1.711 500 GHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7157 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.056 kHz	
x dB Bandwidth	3.034 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.71150000 GHz

Start Freq
1.70850000 GHz

Stop Freq
1.71450000 GHz


CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

9.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.717	3.031	3	Pass



9.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.705	3.041	3	Pass


Agilent 23:46:50 Dec 23, 2021

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.58 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.58 dB



Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.72950000 GHz

Stop Freq
1.73550000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7054 MHz **x dB** -26.00 dB


Transmit Freq Error 211.032 Hz

x dB Bandwidth 3.041 MHz

Copyright 2000–2012 Agilent Technologies


9.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.707	3.048	3	Pass




9.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.713	3.049	3	Pass



9.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.707	3.054	3	Pass



9.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.513	5.007	5	Pass


Agilent 23:47:41 Dec 23, 2021

Ch Freq 1.7125 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.54 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.54 dB



Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.71250000 GHz

Start Freq
1.70750000 GHz

Stop Freq
1.71750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5133 MHz **x dB** -26.00 dB


Transmit Freq Error -4.991 kHz

x dB Bandwidth 5.007 MHz

Copyright 2000–2012 Agilent Technologies


9.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.497	4.972	5	Pass




9.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.498	4.984	5	Pass



9.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.518	4.986	5	Pass



9.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.502	4.968	5	Pass


Agilent 23:48:30 Dec 23, 2021

Ch Freq 1.7525 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.63 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.63 dB



Center 1.752 500 GHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5023 MHz	x dB	-26.00 dB
Transmit Freq Error	459.118 Hz	
x dB Bandwidth	4.968 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.75250000 GHz

Start Freq
1.74750000 GHz

Stop Freq
1.75750000 GHz


CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


9.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.512	4.989	5	Pass




9.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.991	9.887	10	Pass




9.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.963	9.93	10	Pass




9.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.964	9.934	10	Pass




9.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.991	9.906	10	Pass




9.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.993	9.925	10	Pass



9.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.99	10.03	10	Pass



9.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.496	15.021	15	Pass


Agilent 23:50:14 Dec 23, 2021

Ch Freq 1.7175 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.53 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.53 dB



Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4962 MHz	x dB	-26.00 dB
Transmit Freq Error	10.872 kHz	
x dB Bandwidth	15.021 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.71750000 GHz

Start Freq
1.70250000 GHz

Stop Freq
1.73250000 GHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

9.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.495	14.93	15	Pass



9.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.472	15.047	15	Pass


Agilent 23:50:38 Dec 23, 2021

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.58 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.58 dB



Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4715 MHz	x dB	-26.00 dB
Transmit Freq Error	12.123 kHz	
x dB Bandwidth	15.047 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.71750000 GHz

Stop Freq
1.74750000 GHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


9.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.519	15.112	15	Pass




9.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.494	15.051	15	Pass




9.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.518	14.876	15	Pass




9.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.963	19.636	20	Pass




9.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.979	19.752	20	Pass




9.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.955	19.727	20	Pass




9.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.958	19.832	20	Pass




9.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.998	19.936	20	Pass




9.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.996	19.734	20	Pass




10. LTE_Band5

10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.1	1.261	1.4	Pass



10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.091	1.239	1.4	Pass


Agilent 18:34:56 Jan 6, 2022

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB



Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0905 MHz	x dB	-26.00 dB
Transmit Freq Error	-636.122 Hz	
x dB Bandwidth	1.239 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
835.100000 MHz


Stop Freq
837.900000 MHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.247	1.4	Pass


Agilent 18:35:20 Jan 6, 2022

Ch Freq 848.3 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.25 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.25 dB



Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0903 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.231 kHz	
x dB Bandwidth	1.247 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
848.300000 MHz

Start Freq
846.900000 MHz

Stop Freq
849.700000 MHz


CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.092	1.239	1.4	Pass



10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.72	3.076	3	Pass

Agilent 19:33:57 Dec 24, 2021

Ch Freq 825.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 825.50 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
825.500000 MHz

Start Freq
822.500000 MHz

Stop Freq
828.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7198 MHz **x dB** -26.00 dB

Transmit Freq Error -4.911 kHz

x dB Bandwidth 3.076 MHz

Copyright 2000–2012 Agilent Technologies

10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.721	3.05	3	Pass

Agilent 19:34:08 Dec 24, 2021

Ch Freq 825.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 825.50 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
825.500000 MHz

Start Freq
822.500000 MHz

Stop Freq
828.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7212 MHz **x dB** -26.00 dB

Transmit Freq Error -5.640 kHz

x dB Bandwidth 3.050 MHz

Copyright 2000–2012 Agilent Technologies

10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.709	3.015	3	Pass

Agilent 19:34:22 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
833.500000 MHz

Stop Freq
839.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7085 MHz **x dB** -26.00 dB

Transmit Freq Error -2.823 kHz

x dB Bandwidth 3.015 MHz

Copyright 2000–2012 Agilent Technologies

10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.706	3.032	3	Pass


Agilent 19:34:33 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB



Center 836.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
833.500000 MHz

Stop Freq
839.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7057 MHz **x dB** -26.00 dB

Transmit Freq Error -3.301 kHz

x dB Bandwidth 3.032 MHz

Copyright 2000–2012 Agilent Technologies


10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.712	3.043	3	Pass

Agilent 19:34:46 Dec 24, 2021

Ch Freq 847.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.25 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.25 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
847.500000 MHz

Start Freq
844.500000 MHz

Stop Freq
850.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7116 MHz **x dB** -26.00 dB

Transmit Freq Error -3.412 kHz

x dB Bandwidth 3.043 MHz

Copyright 2000–2012 Agilent Technologies

10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.711	3.049	3	Pass

Agilent 19:34:57 Dec 24, 2021

Ch Freq 847.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.25 dBm #Atten 30 dB



Center 847.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
847.500000 MHz

Start Freq
844.500000 MHz

Stop Freq
850.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7113 MHz **x dB** -26.00 dB

Transmit Freq Error -5.724 kHz

x dB Bandwidth 3.049 MHz

Copyright 2000–2012 Agilent Technologies


10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.523	4.997	5	Pass

Agilent 19:35:13 Dec 24, 2021

Ch Freq 826.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
826.500000 MHz

Start Freq
821.500000 MHz

Stop Freq
831.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5229 MHz **x dB** -26.00 dB

Transmit Freq Error -3.450 kHz

x dB Bandwidth 4.997 MHz

Copyright 2000–2012 Agilent Technologies


10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.517	4.976	5	Pass

Agilent 19:35:24 Dec 24, 2021

Ch Freq 826.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.21 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
826.500000 MHz

Start Freq
821.500000 MHz

Stop Freq
831.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5173 MHz **x dB** -26.00 dB

Transmit Freq Error -8.421 kHz

x dB Bandwidth 4.976 MHz

Copyright 2000–2012 Agilent Technologies

10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.499	4.975	5	Pass

Agilent 19:35:37 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
831.500000 MHz

Stop Freq
841.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4993 MHz **x dB** -26.00 dB

Transmit Freq Error -6.033 kHz

x dB Bandwidth 4.975 MHz

Copyright 2000–2012 Agilent Technologies

10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.505	4.97	5	Pass

Agilent 19:35:49 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
831.500000 MHz

Stop Freq
841.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5047 MHz **x dB** -26.00 dB

Transmit Freq Error -3.041 kHz

x dB Bandwidth 4.970 MHz

Copyright 2000–2012 Agilent Technologies


10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.492	4.941	5	Pass

Agilent 19:36:02 Dec 24, 2021

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.25 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.24 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
846.500000 MHz

Start Freq
841.500000 MHz

Stop Freq
851.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4922 MHz **x dB** -26.00 dB

Transmit Freq Error -6.748 kHz

x dB Bandwidth 4.941 MHz

Copyright 2000–2012 Agilent Technologies

10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.51	4.991	5	Pass

Agilent 19:36:13 Dec 24, 2021

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.25 dBm #Atten 30 dB



Center 846.500 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
846.500000 MHz

Start Freq
841.500000 MHz

Stop Freq
851.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5102 MHz **x dB** -26.00 dB

Transmit Freq Error -3.393 kHz

x dB Bandwidth 4.991 MHz

Copyright 2000–2012 Agilent Technologies

10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	9	9.965	10	Pass

Agilent 19:36:28 Dec 24, 2021

Ch Freq 829 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.22 dBm #Atten 30 dB



Center 829.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
829.000000 MHz

Start Freq
819.000000 MHz

Stop Freq
839.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

9.0001 MHz **x dB** -26.00 dB

Transmit Freq Error -6.714 kHz

x dB Bandwidth 9.965 MHz

Copyright 2000–2012 Agilent Technologies

10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	9.007	9.922	10	Pass


Agilent 19:36:39 Dec 24, 2021

Ch Freq 829 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.22 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.22 dB



Center 829.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
829.000000 MHz

Start Freq
819.000000 MHz

Stop Freq
839.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

9.0071 MHz **x dB** -26.00 dB

Transmit Freq Error -8.182 kHz

x dB Bandwidth 9.922 MHz

Copyright 2000–2012 Agilent Technologies

10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.969	9.946	10	Pass

Agilent 19:36:52 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.50 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
826.500000 MHz

Stop Freq
846.500000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9689 MHz **x dB** -26.00 dB

Transmit Freq Error -617.735 Hz

x dB Bandwidth 9.946 MHz

Copyright 2000–2012 Agilent Technologies

10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.977	9.889	10	Pass

Agilent 19:37:03 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.50 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
826.500000 MHz

Stop Freq
846.500000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9768 MHz **x dB** -26.00 dB

Transmit Freq Error 6.200 kHz

x dB Bandwidth 9.889 MHz

Copyright 2000–2012 Agilent Technologies

10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.971	9.891	10	Pass

Agilent 19:37:17 Dec 24, 2021

Ch Freq 844 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.23 dBm #Atten 30 dB



Center 844.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
844.000000 MHz

Start Freq
834.000000 MHz

Stop Freq
854.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9706 MHz **x dB** -26.00 dB

Transmit Freq Error -15.935 kHz

x dB Bandwidth 9.891 MHz

Copyright 2000–2012 Agilent Technologies

10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.971	9.963	10	Pass

Agilent 19:37:28 Dec 24, 2021

Ch Freq 844 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.23 dBm #Atten 30 dB



Center 844.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
844.000000 MHz

Start Freq
834.000000 MHz

Stop Freq
854.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9714 MHz **x dB** -26.00 dB


Transmit Freq Error -14.711 kHz

x dB Bandwidth 9.963 MHz

Copyright 2000–2012 Agilent Technologies


11. LTE_Band7

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.504	4.976	5	Pass




11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.502	4.982	5	Pass



11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.512	4.987	5	Pass




11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.496	4.993	5	Pass

Agilent 20:26:01 Dec 24, 2021

Ch Freq 2.5675 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4963 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.246 kHz	
x dB Bandwidth	4.993 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.56750000 GHz

Start Freq
2.56250000 GHz

Stop Freq
2.57250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.516	4.998	5	Pass

Agilent 20:26:12 Dec 24, 2021

Ch Freq 2.5675 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
2.56750000 GHz

Start Freq
2.56250000 GHz

Stop Freq
2.57250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5157 MHz **x dB** -26.00 dB


Transmit Freq Error -7.538 kHz

x dB Bandwidth 4.998 MHz

Copyright 2000–2012 Agilent Technologies


11.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.988	9.886	10	Pass



11.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.971	9.927	10	Pass




11.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.957	9.908	10	Pass

Agilent 20:26:53 Dec 24, 2021

Ch Freq 2.535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9566 MHz	x dB	-26.00 dB
Transmit Freq Error	5.770 kHz	
x dB Bandwidth	9.908 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.53500000 GHz

Start Freq
2.52500000 GHz

Stop Freq
2.54500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


11.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.997	9.915	10	Pass

Agilent 20:27:03 Dec 24, 2021

Ch Freq 2.535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
2.53500000 GHz

Start Freq
2.52500000 GHz

Stop Freq
2.54500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9974 MHz **x dB** -26.00 dB


Transmit Freq Error 5.516 kHz

x dB Bandwidth 9.915 MHz

Copyright 2000–2012 Agilent Technologies

11.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.999	9.979	10	Pass




11.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.993	9.975	10	Pass

Agilent 20:27:28 Dec 24, 2021

Ch Freq 2.565 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9926 MHz	x dB	-26.00 dB
Transmit Freq Error	-10.867 kHz	
x dB Bandwidth	9.975 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
2.56500000 GHz

Start Freq
2.55500000 GHz

Stop Freq
2.57500000 GHz


CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


11.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.514	15.081	15	Pass



11.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.506	15.021	15	Pass




11.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.473	14.994	15	Pass

Agilent 20:28:10 Dec 24, 2021

Ch Freq 2.535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
2.53500000 GHz

Start Freq
2.52000000 GHz

Stop Freq
2.55000000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.4733 MHz **x dB** -26.00 dB

Transmit Freq Error -302.259 Hz

x dB Bandwidth 14.994 MHz

Copyright 2000–2012 Agilent Technologies


11.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.516	15.022	15	Pass

Agilent 20:28:21 Dec 24, 2021

Ch Freq 2.535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 2.535 00 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
2.53500000 GHz

Start Freq
2.52000000 GHz

Stop Freq
2.55000000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5156 MHz **x dB** -26.00 dB

Transmit Freq Error -2.842 kHz

x dB Bandwidth 15.022 MHz

Copyright 2000–2012 Agilent Technologies


11.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.508	15.047	15	Pass

Agilent 20:28:34 Dec 24, 2021

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2



Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 2.56250000 GHz

Start Freq 2.54750000 GHz

Stop Freq 2.57750000 GHz

CF Step 3.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.5082 MHz x dB -26.00 dB

Transmit Freq Error -20.775 kHz

x dB Bandwidth 15.047 MHz

Copyright 2000-2012 Agilent Technologies


11.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.509	15.022	15	Pass

Agilent 20:28:45 Dec 24, 2021

Ch Freq 2.5625 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.5087 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.594 kHz	
x dB Bandwidth	15.022 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.56250000 GHz

Start Freq
2.54750000 GHz

Stop Freq
2.57750000 GHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

11.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.991	19.736	20	Pass




11.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.99	19.856	20	Pass

Agilent 20:29:12 Dec 24, 2021

Ch Freq 2.51 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.510 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9899 MHz	x dB	-26.00 dB
Transmit Freq Error	18.243 kHz	
x dB Bandwidth	19.856 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.51000000 GHz

Start Freq
2.49000000 GHz

Stop Freq
2.53000000 GHz


CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


11.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.943	19.673	20	Pass




11.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.985	19.834	20	Pass




11.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	18.009	19.865	20	Pass




11.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.969	19.706	20	Pass




12. LTE_Band12

12.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



12.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




12.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.088	1.239	1.4	Pass

Agilent 21:22:48 Dec 24, 2021

Ch Freq 707.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB

Center 707.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
707.500000 MHz

Start Freq
706.100000 MHz

Stop Freq
708.900000 MHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %


1.0885 MHz **x dB** -26.00 dB

Transmit Freq Error 1.187 kHz

x dB Bandwidth 1.239 MHz

Copyright 2000–2012 Agilent Technologies

12.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



12.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.091	1.241	1.4	Pass


Agilent 21:23:12 Dec 24, 2021

Ch Freq 715.3 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB



Center 715.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0915 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.105 kHz	
x dB Bandwidth	1.241 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
715.300000 MHz

Start Freq
713.900000 MHz


Stop Freq
716.700000 MHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz


Signal Track
On Off

12.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



12.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.712	3.044	3	Pass



12.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.707	3.041	3	Pass

Agilent 21:23:50 Dec 24, 2021

Ch Freq 700.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.07 dBm #Atten 30 dB



Center 700.500 MHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
700.500000 MHz

Start Freq
697.500000 MHz

Stop Freq
703.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7070 MHz **x dB** -26.00 dB

Transmit Freq Error -1.624 kHz

x dB Bandwidth 3.041 MHz

Copyright 2000–2012 Agilent Technologies


12.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.712	3.019	3	Pass

Agilent 21:24:03 Dec 24, 2021

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.06 dBm #Atten 30 dB

Center 707.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 707.500000 MHz

Start Freq 704.500000 MHz

Stop Freq 710.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7121 MHz

x dB -26.00 dB

Transmit Freq Error 1.069 kHz

x dB Bandwidth 3.019 MHz

Copyright 2000–2012 Agilent Technologies


12.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.71	3.034	3	Pass

Agilent 21:24:14 Dec 24, 2021

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB

Center 707.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 707.500000 MHz

Start Freq 704.500000 MHz

Stop Freq 710.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7100 MHz x dB -26.00 dB

Transmit Freq Error -547.421 Hz

x dB Bandwidth 3.034 MHz

Copyright 2000-2012 Agilent Technologies

12.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.712	3.041	3	Pass


Agilent 21:24:27 Dec 24, 2021

Ch Freq 714.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.06 dB



Center 714.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7123 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.955 kHz	
x dB Bandwidth	3.041 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 714.500000 MHz

Start Freq 711.500000 MHz

Stop Freq 717.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

12.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.714	3.058	3	Pass

Agilent 21:24:38 Dec 24, 2021

Ch Freq 714.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.06 dBm #Atten 30 dB



Center 714.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 714.500000 MHz

Start Freq 711.500000 MHz

Stop Freq 717.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7138 MHz

x dB -26.00 dB

Transmit Freq Error -2.318 kHz

x dB Bandwidth 3.058 MHz

Copyright 2000–2012 Agilent Technologies

12.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.511	4.969	5	Pass

Agilent 21:24:55 Dec 24, 2021

Ch Freq 701.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.07 dBm #Atten 30 dB



Center 701.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
701.500000 MHz

Start Freq
696.500000 MHz

Stop Freq
706.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %


4.5109 MHz **x dB** -26.00 dB

Transmit Freq Error -4.424 kHz

x dB Bandwidth 4.969 MHz


Copyright 2000–2012 Agilent Technologies

12.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



12.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.495	4.974	5	Pass



12.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.51	4.987	5	Pass


Agilent 21:25:29 Dec 24, 2021

Ch Freq 707.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.06 dB



Center 707.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
707.500000 MHz

Start Freq
702.500000 MHz

Stop Freq
712.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5104 MHz **x dB** -26.00 dB

Transmit Freq Error 1.757 kHz

x dB Bandwidth 4.987 MHz

Copyright 2000–2012 Agilent Technologies


12.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	4.951	5	Pass

Agilent 21:25:43 Dec 24, 2021

Ch Freq 713.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB

Center 713.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 713.500000 MHz

Start Freq 708.500000 MHz

Stop Freq 718.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4904 MHz

x dB -26.00 dB

Transmit Freq Error -5.198 kHz

x dB Bandwidth 4.951 MHz

Copyright 2000-2012 Agilent Technologies

12.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.508	4.994	5	Pass

Agilent 21:25:53 Dec 24, 2021

Ch Freq 713.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB



Center 713.500 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
713.500000 MHz

Start Freq
708.500000 MHz

Stop Freq
718.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5084 MHz **x dB** -26.00 dB

Transmit Freq Error -5.219 kHz

x dB Bandwidth 4.994 MHz

Copyright 2000–2012 Agilent Technologies

12.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.997	9.887	10	Pass

Agilent 21:26:10 Dec 24, 2021

Ch Freq 704 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB



Center 704.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
704.000000 MHz

Start Freq
694.000000 MHz

Stop Freq
714.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9970 MHz **x dB** -26.00 dB

Transmit Freq Error 11.205 kHz

x dB Bandwidth 9.887 MHz

Copyright 2000–2012 Agilent Technologies

12.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.979	9.913	10	Pass


Agilent 21:26:20 Dec 24, 2021

Ch Freq 704 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB



Center 704.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
704.000000 MHz

Start Freq
694.000000 MHz

Stop Freq
714.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9793 MHz **x dB** -26.00 dB

Transmit Freq Error 9.594 kHz

x dB Bandwidth 9.913 MHz

Copyright 2000–2012 Agilent Technologies

12.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.952	9.937	10	Pass


Agilent 21:26:34 Dec 24, 2021

Ch Freq 707.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.06 dB



Center 707.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
707.500000 MHz

Start Freq
697.500000 MHz

Stop Freq
717.500000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9524 MHz **x dB** -26.00 dB

Transmit Freq Error 18.009 kHz

x dB Bandwidth 9.937 MHz

Copyright 2000–2012 Agilent Technologies

12.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.963	9.876	10	Pass

Agilent 21:26:45 Dec 24, 2021

Ch Freq 707.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.06 dBm #Atten 30 dB



Center 707.50 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
707.500000 MHz

Start Freq
697.500000 MHz

Stop Freq
717.500000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9633 MHz **x dB** -26.00 dB

Transmit Freq Error 11.812 kHz

x dB Bandwidth 9.876 MHz

Copyright 2000–2012 Agilent Technologies


12.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.967	9.895	10	Pass

Agilent 21:26:58 Dec 24, 2021

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.05 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.05 dB

Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9672 MHz x dB -26.00 dB

Transmit Freq Error -3.485 kHz

x dB Bandwidth 9.895 MHz

Copyright 2000–2012 Agilent Technologies

12.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.963	9.94	10	Pass


Agilent 21:27:09 Dec 24, 2021

Ch Freq 711 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.05 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.05 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
711.000000 MHz

Start Freq
701.000000 MHz

Stop Freq
721.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9626 MHz **x dB** -26.00 dB


Transmit Freq Error -1.091 kHz

x dB Bandwidth 9.940 MHz

Copyright 2000–2012 Agilent Technologies

13. LTE_Band17

13.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




13.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.1	Peak	4.496	4.981	5	Pass

Agilent 22:14:54 Dec 24, 2021

Ch Freq 706.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.06 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.06 dB

Center 706.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 706.500000 MHz

Start Freq 701.500000 MHz

Stop Freq 711.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4961 MHz x dB -26.00 dB


Transmit Freq Error 6.215 kHz

x dB Bandwidth 4.981 MHz

Copyright 2000–2012 Agilent Technologies


13.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.492	4.976	5	Pass




13.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.503	4.956	5	Pass




13.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.493	4.965	5	Pass




13.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.508	4.998	5	Pass



13.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.969	9.885	10	Pass



13.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.95	9.9	10	Pass

Agilent 22:16:10 Dec 24, 2021

Ch Freq 709 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.05 dBm #Atten 30 dB



Center 709.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
709.000000 MHz

Start Freq
699.000000 MHz

Stop Freq
719.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9503 MHz **x dB** -26.00 dB


Transmit Freq Error 19.287 kHz

x dB Bandwidth 9.900 MHz

Copyright 2000–2012 Agilent Technologies


13.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.936	9.882	10	Pass



13.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.967	9.928	10	Pass



13.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.972	9.852	10	Pass


Agilent 22:16:47 Dec 24, 2021

Ch Freq 711 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.05 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.05 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9718 MHz	x dB	-26.00 dB
Transmit Freq Error		-3.790 kHz
x dB Bandwidth		9.852 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

13.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.98	9.956	10	Pass

Agilent 22:16:58 Dec 24, 2021

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.05 dBm #Atten 30 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9804 MHz x dB -26.00 dB


Transmit Freq Error -2.106 kHz

x dB Bandwidth 9.956 MHz

Copyright 2000-2012 Agilent Technologies


14. LTE_Band26(part22)

14.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



14.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.102	1.254	1.4	Pass




14.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.089	1.235	1.4	Pass

Agilent 22:42:24 Dec 24, 2021

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq 836.500000 MHz

Start Freq 835.100000 MHz

Stop Freq 837.900000 MHz

CF Step 280.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0886 MHz x dB -26.00 dB

Transmit Freq Error 689.192 Hz

x dB Bandwidth 1.235 MHz

Copyright 2000–2012 Agilent Technologies


14.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.089	1.235	1.4	Pass

Agilent 22:42:35 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
835.100000 MHz

Stop Freq
837.900000 MHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

1.0886 MHz **x dB** -26.00 dB


Transmit Freq Error 36.336 Hz

x dB Bandwidth 1.235 MHz

Copyright 2000–2012 Agilent Technologies


14.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.093	1.24	1.4	Pass



14.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.096	1.242	1.4	Pass



14.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.717	3.052	3	Pass


Agilent 22:43:15 Dec 24, 2021

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.21 dB



Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7173 MHz	x dB	-26.00 dB
Transmit Freq Error		-4.382 kHz
x dB Bandwidth		3.052 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 825.500000 MHz

Start Freq 822.500000 MHz

Stop Freq 828.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

14.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.724	3.049	3	Pass

Agilent 22:43:26 Dec 24, 2021

Ch Freq 825.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 825.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
825.500000 MHz

Start Freq
822.500000 MHz

Stop Freq
828.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7244 MHz **x dB** -26.00 dB

Transmit Freq Error -2.136 kHz

x dB Bandwidth 3.049 MHz

Copyright 2000–2012 Agilent Technologies


14.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.709	3.031	3	Pass

Agilent 22:43:39 Dec 24, 2021

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.21 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 836.500000 MHz

Start Freq 833.500000 MHz

Stop Freq 839.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7094 MHz x dB -26.00 dB

Transmit Freq Error -1.862 kHz

x dB Bandwidth 3.031 MHz

Copyright 2000–2012 Agilent Technologies

14.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.707	3.037	3	Pass

Agilent 22:43:50 Dec 24, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
833.500000 MHz

Stop Freq
839.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7074 MHz **x dB** -26.00 dB

Transmit Freq Error -3.724 kHz

x dB Bandwidth 3.037 MHz

Copyright 2000–2012 Agilent Technologies


14.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.713	3.04	3	Pass

Agilent 22:44:04 Dec 24, 2021

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.25 dBm #Atten 30 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 847.500000 MHz

Start Freq 844.500000 MHz

Stop Freq 850.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7129 MHz x dB -26.00 dB

Transmit Freq Error -4.104 kHz

x dB Bandwidth 3.040 MHz

Copyright 2000-2012 Agilent Technologies

14.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.713	3.055	3	Pass


Agilent 22:44:14 Dec 24, 2021

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.25 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.25 dB



Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7126 MHz	x dB	-26.00 dB
Transmit Freq Error		-6.809 kHz
x dB Bandwidth		3.055 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 847.500000 MHz

Start Freq 844.500000 MHz

Stop Freq 850.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


14.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.515	4.993	5	Pass

Agilent 23:12:45 Dec 30, 2021

Ch Freq 826.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.71 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.71 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 826.500000 MHz

Start Freq 821.500000 MHz

Stop Freq 831.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5151 MHz x dB -26.00 dB


Transmit Freq Error -8.729 kHz

x dB Bandwidth 4.993 MHz

Copyright 2000–2012 Agilent Technologies


14.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.505	5.002	5	Pass



14.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.498	4.996	5	Pass



14.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.509	4.98	5	Pass


Agilent 23:13:19 Dec 30, 2021

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.71 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.71 dB



Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5092 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.420 kHz	
x dB Bandwidth	4.980 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 836.500000 MHz

Start Freq 831.500000 MHz

Stop Freq 841.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

14.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.488	4.967	5	Pass


Agilent 23:13:33 Dec 30, 2021

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.75 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.74 dB



Center 846.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
846.500000 MHz

Start Freq
841.500000 MHz

Stop Freq
851.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %


4.4882 MHz **x dB** -26.00 dB

Transmit Freq Error -5.343 kHz

x dB Bandwidth 4.967 MHz

Copyright 2000-2012 Agilent Technologies

14.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



14.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	9.011	9.904	10	Pass


Agilent 23:14:00 Dec 30, 2021

Ch Freq 829 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.72 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.72 dB



Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
829.000000 MHz

Start Freq
819.000000 MHz

Stop Freq
839.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

9.0110 MHz **x dB** -26.00 dB

Transmit Freq Error -1.168 kHz

x dB Bandwidth 9.904 MHz

Copyright 2000–2012 Agilent Technologies

14.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.995	9.966	10	Pass


Agilent 23:14:10 Dec 30, 2021

Ch Freq 829 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.72 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.72 dB



Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
829.000000 MHz

Start Freq
819.000000 MHz

Stop Freq
839.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9954 MHz **x dB** -26.00 dB

Transmit Freq Error -1.244 kHz

x dB Bandwidth 9.966 MHz

Copyright 2000-2012 Agilent Technologies


14.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.978	9.882	10	Pass

Agilent 23:14:24 Dec 30, 2021

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.71 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.71 dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 836.500000 MHz

Start Freq 826.500000 MHz

Stop Freq 846.500000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9782 MHz

x dB -26.00 dB

Transmit Freq Error -628.847 Hz

x dB Bandwidth 9.882 MHz

Copyright 2000-2012 Agilent Technologies

14.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.979	9.892	10	Pass


Agilent 23:14:35 Dec 30, 2021

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.71 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.71 dB



Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9788 MHz	x dB	-26.00 dB
Transmit Freq Error	4.052 kHz	
x dB Bandwidth	9.892 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
826.500000 MHz

Stop Freq
846.500000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

14.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.985	9.883	10	Pass


Agilent 23:14:48 Dec 30, 2021

Ch Freq 844 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.73 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.73 dB



Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
844.000000 MHz

Start Freq
834.000000 MHz

Stop Freq
854.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9848 MHz **x dB** -26.00 dB

Transmit Freq Error -18.105 kHz

x dB Bandwidth 9.883 MHz

Copyright 2000–2012 Agilent Technologies

14.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.981	9.948	10	Pass


Agilent 23:14:59 Dec 30, 2021

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.73 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.73 dB



Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9808 MHz	x dB	-26.00 dB
Transmit Freq Error		-17.937 kHz
x dB Bandwidth		9.948 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 844.000000 MHz

Start Freq 834.000000 MHz

Stop Freq 854.000000 MHz


CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


14.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.516	14.999	15	Pass



14.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.509	14.936	15	Pass



14.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.445	14.953	15	Pass

Agilent 18:36:21 Jan 6, 2022

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.21 dBm #Atten 30 dB



Center 836.50 MHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4448 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.102 kHz	
x dB Bandwidth	14.953 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
821.500000 MHz

Stop Freq
851.500000 MHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

14.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.516	15.024	15	Pass



14.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.451	14.966	15	Pass


Agilent 18:36:45 Jan 6, 2022

Ch Freq 841.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.22 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.22 dB



Center 841.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4515 MHz	x dB	-26.00 dB
Transmit Freq Error	-17.466 kHz	
x dB Bandwidth	14.966 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
841.500000 MHz

Start Freq
826.500000 MHz

Stop Freq
856.500000 MHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


14.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.487	14.963	15	Pass




15. LTE_Band26(part90)

15.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



15.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.101	1.247	1.4	Pass




15.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.088	1.244	1.4	Pass

Agilent 00:13:09 Dec 31, 2021

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.69 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.69 dB

Center 819.000 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq 819.000000 MHz

Start Freq 817.600000 MHz

Stop Freq 820.400000 MHz

CF Step 280.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0876 MHz

x dB -26.00 dB


Transmit Freq Error -693.310 Hz

x dB Bandwidth 1.244 MHz

Copyright 2000-2012 Agilent Technologies


15.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.089	1.244	1.4	Pass




15.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.094	1.249	1.4	Pass




15.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.096	1.242	1.4	Pass




15.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.721	3.051	3	Pass




15.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.714	3.039	3	Pass



15.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.714	3.034	3	Pass



15.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.709	3.034	3	Pass

Agilent 00:14:34 Dec 31, 2021

Ch Freq 819 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 28.69 dBm #Atten 30 dB



Center 819.000 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
819.000000 MHz

Start Freq
816.000000 MHz

Stop Freq
822.000000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7093 MHz **x dB** -26.00 dB

Transmit Freq Error -3.852 kHz

x dB Bandwidth 3.034 MHz

Copyright 2000–2012 Agilent Technologies


15.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.711	3.055	3	Pass

Agilent 00:14:47 Dec 31, 2021

Ch Freq 822.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.7 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.7 dB

Center 822.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7111 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.217 kHz	
x dB Bandwidth	3.055 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 822.500000 MHz

Start Freq 819.500000 MHz

Stop Freq 825.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


15.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.712	3.048	3	Pass

Agilent 00:14:57 Dec 31, 2021

Ch Freq 822.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.7 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.7 dB

Center 822.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
822.500000 MHz

Start Freq
819.500000 MHz

Stop Freq
825.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7121 MHz **x dB** -26.00 dB

Transmit Freq Error -6.028 kHz

x dB Bandwidth 3.048 MHz

Copyright 2000–2012 Agilent Technologies


15.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.509	4.968	5	Pass

Agilent 00:15:13 Dec 31, 2021

Ch Freq 816.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.7 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.7 dB

Center 816.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
816.500000 MHz

Start Freq
811.500000 MHz

Stop Freq
821.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %


4.5086 MHz **x dB** -26.00 dB

Transmit Freq Error -5.314 kHz

x dB Bandwidth 4.968 MHz

Copyright 2000–2012 Agilent Technologies

15.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



15.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.505	4.968	5	Pass

Agilent 00:15:37 Dec 31, 2021

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.69 dBm #Atten 30 dB



Center 819.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
819.000000 MHz

Start Freq
814.000000 MHz

Stop Freq
824.000000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5047 MHz

x dB -26.00 dB


Transmit Freq Error -3.371 kHz

x dB Bandwidth 4.968 MHz

Copyright 2000–2012 Agilent Technologies

15.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.506	4.981	5	Pass




15.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.497	4.981	5	Pass

Agilent 00:16:02 Dec 31, 2021

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Center 821.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 821.500000 MHz

Start Freq 816.500000 MHz

Stop Freq 826.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4969 MHz x dB -26.00 dB

Transmit Freq Error -1.599 kHz

x dB Bandwidth 4.981 MHz

Copyright 2000–2012 Agilent Technologies


15.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.519	5.006	5	Pass

Agilent 00:16:12 Dec 31, 2021

Ch Freq 821.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 821.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
821.500000 MHz

Start Freq
816.500000 MHz

Stop Freq
826.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5194 MHz **x dB** -26.00 dB

Transmit Freq Error -4.577 kHz

x dB Bandwidth 5.006 MHz

Copyright 2000–2012 Agilent Technologies

15.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.981	9.93	10	Pass


Agilent 00:16:27 Dec 31, 2021

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.69 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.69 dB



Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 819.000000 MHz

Start Freq 809.000000 MHz

Stop Freq 829.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9810 MHz

x dB -26.00 dB

Transmit Freq Error 16.436 kHz

x dB Bandwidth 9.930 MHz

Copyright 2000–2012 Agilent Technologies


15.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.982	9.909	10	Pass

Agilent 00:16:38 Dec 31, 2021

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28.69 dBm #Atten 30 dB

#Peak

Log

10 dB/Offst

8.69 dB

Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 819.000000 MHz

Start Freq 809.000000 MHz

Stop Freq 829.000000 MHz

CF Step 2.00000000 MHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9822 MHz x dB -26.00 dB


Transmit Freq Error 16.717 kHz

x dB Bandwidth 9.909 MHz

Copyright 2000–2012 Agilent Technologies

16. LTE_Band38

16.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




16.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.521	5.279	5	Pass

Agilent 02:15:04 Dec 31, 2021

Ch Freq 2.5725 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.572 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.57250000 GHz

Start Freq 2.56750000 GHz

Stop Freq 2.57750000 GHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5214 MHz

x dB -26.00 dB

Transmit Freq Error -7.834 kHz

x dB Bandwidth 5.279 MHz

Copyright 2000–2012 Agilent Technologies


16.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.505	5.04	5	Pass

Agilent 02:15:53 Dec 31, 2021

Ch Freq 2.595 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.595 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5052 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.473 kHz	
x dB Bandwidth	5.040 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.59500000 GHz

Start Freq
2.59000000 GHz

Stop Freq
2.60000000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


16.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.494	5.032	5	Pass

Agilent 02:16:40 Dec 31, 2021

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.595 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.59500000 GHz

Start Freq 2.59000000 GHz

Stop Freq 2.60000000 GHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4936 MHz

x dB -26.00 dB

Transmit Freq Error -1.707 kHz

x dB Bandwidth 5.032 MHz

Copyright 2000-2012 Agilent Technologies


16.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.497	5.176	5	Pass

Agilent 02:17:29 Dec 31, 2021

Ch Freq 2.6175 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.617 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.61750000 GHz

Start Freq
2.61250000 GHz

Stop Freq
2.62250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4975 MHz **x dB** -26.00 dB

Transmit Freq Error -1.734 kHz

x dB Bandwidth 5.176 MHz

Copyright 2000–2012 Agilent Technologies


16.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.502	5.17	5	Pass

Agilent 02:18:17 Dec 31, 2021

Ch Freq 2.6175 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.617 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5016 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.612 kHz	
x dB Bandwidth	5.170 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.61750000 GHz

Start Freq
2.61250000 GHz

Stop Freq
2.62250000 GHz


CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

16.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.99	9.955	10	Pass




16.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.999	10.053	10	Pass

Agilent 02:19:55 Dec 31, 2021

Ch Freq 2.575 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.4 dB

Center 2.575 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.57500000 GHz

Start Freq
2.56500000 GHz

Stop Freq
2.58500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9991 MHz **x dB** -26.00 dB


Transmit Freq Error 6.557 kHz

x dB Bandwidth 10.053 MHz

Copyright 2000–2012 Agilent Technologies

16.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9.004	10.434	10	Pass




16.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.966	9.932	10	Pass

Agilent 02:21:32 Dec 31, 2021

Ch Freq 2.595 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.59500000 GHz

Start Freq
2.58500000 GHz

Stop Freq
2.60500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9658 MHz **x dB** -26.00 dB


Transmit Freq Error -8.732 kHz

x dB Bandwidth 9.932 MHz

Copyright 2000–2012 Agilent Technologies

16.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.023	10.128	10	Pass




16.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.009	10.291	10	Pass

Agilent 02:23:08 Dec 31, 2021

Ch Freq 2.615 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.61500000 GHz

Start Freq 2.60500000 GHz

Stop Freq 2.62500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

9.0089 MHz x dB -26.00 dB

Transmit Freq Error -11.930 kHz

x dB Bandwidth 10.291 MHz

Copyright 2000-2012 Agilent Technologies


16.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.543	15.17	15	Pass

Agilent 10:42:18 Jan 7, 2022

Ch Freq 2.5775 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.57750000 GHz

Start Freq
2.56250000 GHz

Stop Freq
2.59250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5433 MHz **x dB** -26.00 dB

Transmit Freq Error 1.964 kHz

x dB Bandwidth 15.170 MHz

Copyright 2000–2012 Agilent Technologies


16.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.556	15.678	15	Pass

Agilent 02:24:57 Dec 31, 2021

Ch Freq 2.5775 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.57750000 GHz

Start Freq
2.56250000 GHz

Stop Freq
2.59250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.556 MHz **x dB** -26.00 dB

Transmit Freq Error -16.480 kHz

x dB Bandwidth 15.678 MHz

Copyright 2000–2012 Agilent Technologies


16.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.583	15.944	15	Pass

Agilent 02:25:46 Dec 31, 2021

Ch Freq 2.595 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.4 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.59500000 GHz

Start Freq
2.58000000 GHz

Stop Freq
2.61000000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5826 MHz **x dB** -26.00 dB


Transmit Freq Error -19.685 kHz

x dB Bandwidth 15.944 MHz

Copyright 2000–2012 Agilent Technologies

16.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.523	15.185	15	Pass




16.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.494	15.948	15	Pass

Agilent 02:27:23 Dec 31, 2021

Ch Freq 2.6125 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.612 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.61250000 GHz

Start Freq 2.59750000 GHz

Stop Freq 2.62750000 GHz

CF Step 3.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4944 MHz x dB -26.00 dB

Transmit Freq Error 913.138 Hz

x dB Bandwidth 15.948 MHz

Copyright 2000–2012 Agilent Technologies


16.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.555	15.399	15	Pass

Agilent 02:28:09 Dec 31, 2021

Ch Freq 2.6125 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 2.612 50 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.61250000 GHz

Start Freq
2.59750000 GHz

Stop Freq
2.62750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5552 MHz **x dB** -26.00 dB


Transmit Freq Error 3.054 kHz

x dB Bandwidth 15.399 MHz

Copyright 2000–2012 Agilent Technologies

16.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	18.003	19.909	20	Pass




16.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.97	20.297	20	Pass

Agilent 02:29:58 Dec 31, 2021

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2



Center 2.580 00 GHz Span 40 MHz
#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq 2.58000000 GHz

Start Freq 2.56000000 GHz

Stop Freq 2.60000000 GHz

CF Step 4.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9695 MHz

x dB -26.00 dB

Transmit Freq Error -11.926 kHz

x dB Bandwidth 20.297 MHz

Copyright 2000–2012 Agilent Technologies


16.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	18.006	20.06	20	Pass

Agilent 02:30:48 Dec 31, 2021

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq 2.59500000 GHz

Start Freq 2.57500000 GHz

Stop Freq 2.61500000 GHz

CF Step 4.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

18.0062 MHz x dB -26.00 dB

Transmit Freq Error -33.637 kHz

x dB Bandwidth 20.060 MHz

Copyright 2000-2012 Agilent Technologies


16.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.947	20.367	20	Pass

Agilent 02:31:35 Dec 31, 2021

Ch Freq 2.595 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.4 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq
2.59500000 GHz

Start Freq
2.57500000 GHz

Stop Freq
2.61500000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.9469 MHz **x dB** -26.00 dB

Transmit Freq Error -42.369 kHz

x dB Bandwidth 20.367 MHz

Copyright 2000–2012 Agilent Technologies


16.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.971	19.733	20	Pass

Agilent 02:32:24 Dec 31, 2021

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.610 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq 2.61000000 GHz

Start Freq 2.59000000 GHz

Stop Freq 2.63000000 GHz

CF Step 4.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9707 MHz

x dB -26.00 dB


Transmit Freq Error -1.340 kHz

x dB Bandwidth 19.733 MHz

Copyright 2000–2012 Agilent Technologies


16.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	18.004	20.371	20	Pass




17. LTE_Band41

17.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




17.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2537.5	99	26	0.1	Peak	4.529	5.163	5	Pass



17.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.1	Peak	4.502	5.064	5	Pass




17.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.1	Peak	4.497	5.158	5	Pass

Agilent 04:20:56 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/Offst

11.4

dB

Center 2.607 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.60250000 GHz

Stop Freq
2.61250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4970 MHz **x dB** -26.00 dB


Transmit Freq Error -5.832 kHz

x dB Bandwidth 5.158 MHz

Copyright 2000–2012 Agilent Technologies

17.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.496	5.164	5	Pass




17.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.507	5.115	5	Pass

Agilent 04:22:32 Dec 31, 2021

Ch Freq 2.6525 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.652 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.65250000 GHz

Start Freq
2.64750000 GHz

Stop Freq
2.65750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5066 MHz **x dB** -26.00 dB

Transmit Freq Error -2.307 kHz

x dB Bandwidth 5.115 MHz

Copyright 2000–2012 Agilent Technologies


17.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	9.003	9.951	10	Pass

Agilent 04:23:23 Dec 31, 2021

Ch Freq 2.54 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.3 dB

Center 2.540 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
9.0026 MHz	x dB	-26.00 dB
Transmit Freq Error	33.748 kHz	
x dB Bandwidth	9.951 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.54000000 GHz

Start Freq
2.53000000 GHz

Stop Freq
2.55000000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


17.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.995	9.98	10	Pass

Agilent 04:24:11 Dec 31, 2021

Ch Freq 2.54 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.3 dB

Center 2.540 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.54000000 GHz

Start Freq
2.53000000 GHz

Stop Freq
2.55000000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9946 MHz **x dB** -26.00 dB

Transmit Freq Error 15.641 kHz

x dB Bandwidth 9.980 MHz

Copyright 2000–2012 Agilent Technologies


17.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.2	Peak	9.001	10.258	10	Pass

Agilent 04:25:00 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.607 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
9.0012 MHz	x dB	-26.00 dB
Transmit Freq Error	1.241 kHz	
x dB Bandwidth	10.258 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.59750000 GHz

Stop Freq
2.61750000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


17.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.2	Peak	8.961	9.934	10	Pass

Agilent 04:25:46 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 2.607 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.59750000 GHz

Stop Freq
2.61750000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9609 MHz **x dB** -26.00 dB

Transmit Freq Error -4.022 kHz

x dB Bandwidth 9.934 MHz

Copyright 2000–2012 Agilent Technologies


17.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	9.026	10.036	10	Pass

Agilent 04:26:35 Dec 31, 2021

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.65000000 GHz

Start Freq 2.64000000 GHz

Stop Freq 2.66000000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

9.0263 MHz x dB -26.00 dB


Transmit Freq Error 8.114 kHz

x dB Bandwidth 10.036 MHz

Copyright 2000–2012 Agilent Technologies

17.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	9.001	10.249	10	Pass




17.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.543	14.418	15	Pass

Agilent 04:28:14 Dec 31, 2021

Ch Freq 2.5425 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Freq/Channel

Center Freq
2.54250000 GHz

Start Freq
2.52750000 GHz

Stop Freq
2.55750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5430 MHz **x dB** -26.00 dB

Transmit Freq Error 20.294 kHz

x dB Bandwidth 14.418 MHz

Copyright 2000–2012 Agilent Technologies


17.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.517	15.561	15	Pass

Agilent 04:29:01 Dec 31, 2021

Ch Freq 2.5425 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.3 dB

Center 2.542 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq 2.54250000 GHz

Start Freq 2.52750000 GHz

Stop Freq 2.55750000 GHz

CF Step 3.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.5169 MHz x dB -26.00 dB

Transmit Freq Error 16.339 kHz

x dB Bandwidth 15.561 MHz

Copyright 2000-2012 Agilent Technologies

17.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.3	Peak	13.494	16.053	15	Pass

Agilent 04:29:50 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 30 dBm #Atten 30 dB



Center 2.607 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.59250000 GHz

Stop Freq
2.62250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.4936 MHz **x dB** -26.00 dB

Transmit Freq Error -1.479 kHz

x dB Bandwidth 16.053 MHz

Copyright 2000–2012 Agilent Technologies


17.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.3	Peak	13.557	15.377	15	Pass

Agilent 04:30:37 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.607 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.59250000 GHz

Stop Freq
2.62250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5575 MHz **x dB** -26.00 dB

Transmit Freq Error -9.227 kHz

x dB Bandwidth 15.377 MHz

Copyright 2000–2012 Agilent Technologies


17.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.494	15.441	15	Pass

Agilent 04:31:26 Dec 31, 2021

Ch Freq 2.6475 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.647 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.64750000 GHz

Start Freq
2.63250000 GHz

Stop Freq
2.66250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.4942 MHz **x dB** -26.00 dB

Transmit Freq Error 10.736 kHz

x dB Bandwidth 15.441 MHz

Copyright 2000–2012 Agilent Technologies


17.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.555	15.456	15	Pass

Agilent 04:32:13 Dec 31, 2021

Ch Freq 2.6475 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.4 dB

Center 2.647 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Freq/Channel

Center Freq
2.64750000 GHz

Start Freq
2.63250000 GHz

Stop Freq
2.66250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5548 MHz **x dB** -26.00 dB


Transmit Freq Error -3.376 kHz

x dB Bandwidth 15.456 MHz

Copyright 2000–2012 Agilent Technologies


17.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	18.001	19.962	20	Pass



17.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.958	20.029	20	Pass




17.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.39	Peak	17.982	20.27	20	Pass

Agilent 04:34:41 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.4 dB

Center 2.607 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.58750000 GHz

Stop Freq
2.62750000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.9818 MHz **x dB** -26.00 dB

Transmit Freq Error -21.682 kHz

x dB Bandwidth 20.270 MHz

Copyright 2000–2012 Agilent Technologies


17.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2607.5	99	26	0.39	Peak	17.984	20.427	20	Pass

Agilent 04:35:28 Dec 31, 2021

Ch Freq 2.6075 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.4 dB

Center 2.607 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Freq/Channel

Center Freq
2.60750000 GHz

Start Freq
2.58750000 GHz

Stop Freq
2.62750000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.9838 MHz **x dB** -26.00 dB


Transmit Freq Error -29.364 kHz

x dB Bandwidth 20.427 MHz

Copyright 2000–2012 Agilent Technologies


17.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.977	20.28	20	Pass




17.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.969	20.699	20	Pass




18. LTE_Band66

18.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




18.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.099	1.252	1.4	Pass




18.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.088	1.251	1.4	Pass



18.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.088	1.243	1.4	Pass




18.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.24	1.4	Pass

Agilent 00:51:23 Dec 31, 2021

Ch Freq 1.7793 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 1.779 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
1.77930000 GHz

Start Freq
1.77790000 GHz

Stop Freq
1.78070000 GHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

1.0900 MHz **x dB** -26.00 dB

Transmit Freq Error -1.071 kHz

x dB Bandwidth 1.240 MHz

Copyright 2000–2012 Agilent Technologies


18.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.093	1.247	1.4	Pass

Agilent 00:51:34 Dec 31, 2021

Ch Freq 1.7793 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 1.779 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq
1.77930000 GHz

Start Freq
1.77790000 GHz

Stop Freq
1.78070000 GHz

CF Step
280.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

1.0929 MHz **x dB** -26.00 dB

Transmit Freq Error -1.503 kHz

x dB Bandwidth 1.247 MHz

Copyright 2000–2012 Agilent Technologies


18.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.715	3.042	3	Pass

Agilent 21:11:24 Jan 6, 2022

Ch Freq 1.7115 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.55 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.55 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7154 MHz	x dB	-26.00 dB
Transmit Freq Error	363.214 Hz	
x dB Bandwidth	3.042 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.71150000 GHz

Start Freq
1.70850000 GHz


Stop Freq
1.71450000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz


Signal Track
On Off

18.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



18.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.703	3.046	3	Pass




18.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.707	3.04	3	Pass

Agilent 00:52:25 Dec 31, 2021

Ch Freq 1.745 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.745 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
1.74500000 GHz

Start Freq
1.74200000 GHz

Stop Freq
1.74800000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7070 MHz **x dB** -26.00 dB

Transmit Freq Error -3.617 kHz

x dB Bandwidth 3.040 MHz

Copyright 2000–2012 Agilent Technologies


18.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.71	3.045	3	Pass

Agilent 00:52:38 Dec 31, 2021

Ch Freq 1.7785 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
1.77850000 GHz

Start Freq
1.77550000 GHz

Stop Freq
1.78150000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7103 MHz **x dB** -26.00 dB

Transmit Freq Error -3.899 kHz

x dB Bandwidth 3.045 MHz

Copyright 2000–2012 Agilent Technologies


18.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.711	3.042	3	Pass

Agilent 00:52:49 Dec 31, 2021

Ch Freq 1.7785 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.3 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq
1.77850000 GHz

Start Freq
1.77550000 GHz

Stop Freq
1.78150000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7113 MHz **x dB** -26.00 dB

Transmit Freq Error -1.953 kHz

x dB Bandwidth 3.042 MHz

Copyright 2000–2012 Agilent Technologies


18.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.509	4.973	5	Pass

Agilent 00:53:05 Dec 31, 2021

Ch Freq 1.7125 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.1 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.71250000 GHz

Start Freq
1.70750000 GHz

Stop Freq
1.71750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5090 MHz **x dB** -26.00 dB

Transmit Freq Error -3.648 kHz

x dB Bandwidth 4.973 MHz

Copyright 2000–2012 Agilent Technologies


18.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.504	4.975	5	Pass

Agilent 00:53:16 Dec 31, 2021

Ch Freq 1.7125 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.71250000 GHz

Start Freq
1.70750000 GHz

Stop Freq
1.71750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5045 MHz **x dB** -26.00 dB

Transmit Freq Error -1.369 kHz

x dB Bandwidth 4.975 MHz

Copyright 2000–2012 Agilent Technologies


18.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.502	4.979	5	Pass

Agilent 00:53:29 Dec 31, 2021

Ch Freq 1.745 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.74500000 GHz

Start Freq
1.74000000 GHz

Stop Freq
1.75000000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5022 MHz **x dB** -26.00 dB

Transmit Freq Error -3.930 kHz

x dB Bandwidth 4.979 MHz

Copyright 2000–2012 Agilent Technologies


18.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.51	4.996	5	Pass

Agilent 00:53:40 Dec 31, 2021

Ch Freq 1.745 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.74500000 GHz

Start Freq
1.74000000 GHz

Stop Freq
1.75000000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5095 MHz **x dB** -26.00 dB

Transmit Freq Error -6.571 kHz

x dB Bandwidth 4.996 MHz

Copyright 2000–2012 Agilent Technologies


18.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.494	4.961	5	Pass

Agilent 00:53:53 Dec 31, 2021

Ch Freq 1.7775 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 1.777 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.77750000 GHz

Start Freq
1.77250000 GHz

Stop Freq
1.78250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4940 MHz **x dB** -26.00 dB

Transmit Freq Error -3.219 kHz

x dB Bandwidth 4.961 MHz

Copyright 2000–2012 Agilent Technologies


18.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.507	4.971	5	Pass

Agilent 00:54:04 Dec 31, 2021

Ch Freq 1.7775 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

Center 1.777 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.77750000 GHz

Start Freq
1.77250000 GHz

Stop Freq
1.78250000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.5070 MHz **x dB** -26.00 dB

Transmit Freq Error -9.951 kHz

x dB Bandwidth 4.971 MHz

Copyright 2000–2012 Agilent Technologies


18.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.975	9.867	10	Pass

Agilent 10:36:37 Jan 7, 2022

Ch Freq 1.715 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.54 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.54 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.71500000 GHz

Start Freq
1.70500000 GHz

Stop Freq
1.72500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9753 MHz **x dB** -26.00 dB

Transmit Freq Error 27.337 kHz

x dB Bandwidth 9.867 MHz

Copyright 2000–2012 Agilent Technologies


18.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.983	9.918	10	Pass

Agilent 00:54:31 Dec 31, 2021

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2



Center 1.715 00 GHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 1.71500000 GHz

Start Freq 1.70500000 GHz

Stop Freq 1.72500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9827 MHz x dB -26.00 dB

Transmit Freq Error 14.469 kHz

x dB Bandwidth 9.918 MHz

Copyright 2000-2012 Agilent Technologies


18.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.978	9.92	10	Pass

Agilent 00:54:44 Dec 31, 2021

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.745 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9777 MHz x dB -26.00 dB

Transmit Freq Error 10.909 kHz

x dB Bandwidth 9.920 MHz

Freq/Channel

Center Freq 1.74500000 GHz

Start Freq 1.73500000 GHz

Stop Freq 1.75500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000-2012 Agilent Technologies


18.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.995	9.923	10	Pass

Agilent 00:54:55 Dec 31, 2021

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.745 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 1.74500000 GHz

Start Freq 1.73500000 GHz

Stop Freq 1.75500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9945 MHz x dB -26.00 dB


Transmit Freq Error 6.241 kHz

x dB Bandwidth 9.923 MHz

Copyright 2000-2012 Agilent Technologies

18.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.995	9.909	10	Pass




18.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.977	9.977	10	Pass

Agilent 00:55:19 Dec 31, 2021

Ch Freq 1.775 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Freq/Channel

Center Freq
1.77500000 GHz

Start Freq
1.76500000 GHz

Stop Freq
1.78500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9770 MHz **x dB** -26.00 dB

Transmit Freq Error -9.181 kHz

x dB Bandwidth 9.977 MHz

Copyright 2000–2012 Agilent Technologies


18.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.508	14.978	15	Pass

Agilent 00:55:35 Dec 31, 2021

Ch Freq 1.7175 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 1.717 50 GHz **Span** 30 MHz

#Res BW 300 kHz **#VBW** 1 MHz **#Sweep** 1 s (500 pts)

Freq/Channel

Center Freq
1.71750000 GHz

Start Freq
1.70250000 GHz

Stop Freq
1.73250000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.5080 MHz **x dB** -26.00 dB


Transmit Freq Error 10.311 kHz

x dB Bandwidth 14.978 MHz

Copyright 2000–2012 Agilent Technologies

18.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.469	14.969	15	Pass




18.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.478	15.042	15	Pass

Agilent 00:56:00 Dec 31, 2021

Ch Freq 1.745 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.745 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4776 MHz	x dB	-26.00 dB
Transmit Freq Error	7.328 kHz	
x dB Bandwidth	15.042 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.74500000 GHz

Start Freq
1.73000000 GHz

Stop Freq
1.76000000 GHz


CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

18.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.521	15.166	15	Pass




18.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.475	15.014	15	Pass

Agilent 00:56:24 Dec 31, 2021

Ch Freq 1.7725 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 1.772 50 GHz **Span** 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.4746 MHz **x dB** -26.00 dB

Transmit Freq Error -16.765 kHz

x dB Bandwidth 15.014 MHz

Freq/Channel

Center Freq
1.77250000 GHz

Start Freq
1.75750000 GHz

Stop Freq
1.78750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Copyright 2000–2012 Agilent Technologies


18.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.5	15.001	15	Pass

Agilent 00:56:35 Dec 31, 2021

Ch Freq 1.7725 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq
1.77250000 GHz

Start Freq
1.75750000 GHz

Stop Freq
1.78750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.4995 MHz **x dB** -26.00 dB


Transmit Freq Error -4.627 kHz

x dB Bandwidth 15.001 MHz

Copyright 2000–2012 Agilent Technologies


18.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.951	19.65	20	Pass




18.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.943	19.793	20	Pass




18.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.984	19.736	20	Pass




18.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.99	19.82	20	Pass




18.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.969	19.84	20	Pass



18.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.925	19.737	20	Pass



END