


**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.14	-25	Pass	2985
30	1000	0.1	RMS	838.799	-64.79	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.02	-25	Pass	1475
2475	2735	1	RMS	2543.25	3.86	60	Pass	401
2735	3000	1	RMS	2950.313	-50.18	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.33	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.07	-25	Pass	14000



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-25	Pass	2985
30	1000	0.1	RMS	859.414	-60.71	-25	Pass	9699
1000	2525	1	RMS	2513.993	-42.72	-25	Pass	1525
2525	2665	1	RMS	2570.5	10.77	60	Pass	401
2665	3000	1	RMS	2683.425	-45.16	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.34	-25	Pass	9000
12000	26500	1	RMS	26004.922	-38.98	-25	Pass	14500




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.56	-25	Pass	2985
30	1000	0.1	RMS	832.598	-60.83	-25	Pass	9699
1000	2525	1	RMS	2525	-45.89	-25	Pass	1525
2525	2665	1	RMS	2588.7	7.37	60	Pass	401
2665	3000	1	RMS	2948.075	-46.31	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.24	-25	Pass	9000
12000	26500	1	RMS	25962.915	-39.06	-25	Pass	14500




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.63	-25	Pass	2985
30	1000	0.1	RMS	835.198	-60.79	-25	Pass	9699
1000	2525	1	RMS	2514.993	-45.25	-25	Pass	1525
2525	2665	1	RMS	2570.5	10.92	60	Pass	401
2665	3000	1	RMS	2683.425	-45.11	-25	Pass	401
3000	12000	1	RMS	11990.989	-53.33	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.02	-25	Pass	14500




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.93	-25	Pass	2985
30	1000	0.1	RMS	833.198	-59.43	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.89	-25	Pass	1525
2525	2665	1	RMS	2578.9	6.03	60	Pass	401
2665	3000	1	RMS	2943.888	-46.28	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.32	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.04	-25	Pass	14500




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.98	-25	Pass	2985
30	1000	0.1	RMS	862.718	-60.86	-25	Pass	9699
1000	2525	1	RMS	2523.999	-42.01	-25	Pass	1525
2525	2665	1	RMS	2609	11.14	60	Pass	401
2665	3000	1	RMS	2665	-41.87	-25	Pass	401
3000	12000	1	RMS	12000	-53.3	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.09	-25	Pass	14500




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.61	-25	Pass	2985
30	1000	0.1	RMS	845.4	-60.81	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.17	-25	Pass	1525
2525	2665	1	RMS	2586.95	7.42	60	Pass	401
2665	3000	1	RMS	2950.588	-46.29	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.3	-25	Pass	9000
12000	26500	1	RMS	25999.921	-38.99	-25	Pass	14500




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.84	-25	Pass	2985
30	1000	0.1	RMS	833.998	-57.67	-25	Pass	9699
1000	2525	1	RMS	2523.999	-43.62	-25	Pass	1525
2525	2665	1	RMS	2580.65	10.96	60	Pass	401
2665	3000	1	RMS	2665	-43.11	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.32	-25	Pass	9000
12000	26500	1	RMS	25991.919	-39.03	-25	Pass	14500




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.04	-25	Pass	2985
30	1000	0.1	RMS	840.999	-60.75	-25	Pass	9699
1000	2525	1	RMS	2521.998	-47.47	-25	Pass	1525
2525	2665	1	RMS	2584.85	6.55	60	Pass	401
2665	3000	1	RMS	2948.913	-46.32	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.37	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.04	-25	Pass	14500




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.36	-25	Pass	2985
30	1000	0.1	RMS	859.714	-60.72	-25	Pass	9699
1000	2525	1	RMS	2505.988	-45.19	-25	Pass	1525
2525	2665	1	RMS	2590.45	10.61	60	Pass	401
2665	3000	1	RMS	2675.888	-41.83	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.31	-25	Pass	9000
12000	26500	1	RMS	26005.922	-38.96	-25	Pass	14500




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.81	-25	Pass	2985
30	1000	0.1	RMS	847.4	-60.82	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.43	-25	Pass	1525
2525	2665	1	RMS	2597.45	7.69	60	Pass	401
2665	3000	1	RMS	2665.838	-46.02	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.33	-25	Pass	9000
12000	26500	1	RMS	26001.921	-38.87	-25	Pass	14500




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	Pass	2985
30	1000	0.1	RMS	827.997	-60.74	-25	Pass	9699
1000	2525	1	RMS	2505.988	-45.49	-25	Pass	1525
2525	2665	1	RMS	2590.8	11.64	60	Pass	401
2665	3000	1	RMS	2675.05	-42.57	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.35	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.05	-25	Pass	14500




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.63	-25	Pass	2985
30	1000	0.1	RMS	843.999	-60.83	-25	Pass	9699
1000	2525	1	RMS	2521.998	-47.72	-25	Pass	1525
2525	2665	1	RMS	2596.05	6.31	60	Pass	401
2665	3000	1	RMS	2948.913	-46.33	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.33	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.12	-25	Pass	14500




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.03	-25	Pass	2985
30	1000	0.1	RMS	844.899	-60.82	-25	Pass	9699
1000	2525	1	RMS	2495.981	-45.4	-25	Pass	1525
2525	2665	1	RMS	2570.85	10.51	60	Pass	401
2665	3000	1	RMS	2683.425	-41.18	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.31	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.1	-25	Pass	14500




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	Pass	2985
30	1000	0.1	RMS	836.298	-60.67	-25	Pass	9699
1000	2525	1	RMS	2522.999	-43.91	-25	Pass	1525
2525	2665	1	RMS	2579.25	6.33	60	Pass	401
2665	3000	1	RMS	2944.725	-46.33	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.33	-25	Pass	9000
12000	26500	1	RMS	26009.922	-39.08	-25	Pass	14500




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.84	-25	Pass	2985
30	1000	0.1	RMS	856.51	-60.78	-25	Pass	9699
1000	2525	1	RMS	2495.981	-44.15	-25	Pass	1525
2525	2665	1	RMS	2570.85	10.16	60	Pass	401
2665	3000	1	RMS	2683.425	-41.98	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.34	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.02	-25	Pass	14500




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.75	-25	Pass	2985
30	1000	0.1	RMS	848.8	-60.76	-25	Pass	9699
1000	2525	1	RMS	2522.999	-45.37	-25	Pass	1525
2525	2665	1	RMS	2578.55	5.02	60	Pass	401
2665	3000	1	RMS	2945.563	-46.33	-25	Pass	401
3000	12000	1	RMS	11994.994	-53.35	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.03	-25	Pass	14500




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.98	-25	Pass	2985
30	1000	0.1	RMS	833.498	-59.4	-25	Pass	9699
1000	2525	1	RMS	2500.984	-43.04	-25	Pass	1525
2525	2665	1	RMS	2576.1	11.07	60	Pass	401
2665	3000	1	RMS	2688.45	-41.7	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.34	-25	Pass	9000
12000	26500	1	RMS	26029.925	-39	-25	Pass	14500




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.62	-25	Pass	2985
30	1000	0.1	RMS	848.6	-60.77	-25	Pass	9699
1000	2525	1	RMS	2525	-44.91	-25	Pass	1525
2525	2665	1	RMS	2588	5.87	60	Pass	401
2665	3000	1	RMS	2665	-45.66	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.31	-25	Pass	9000
12000	26500	1	RMS	26007.922	-38.97	-25	Pass	14500




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.05	-25	Pass	2985
30	1000	0.1	RMS	838.999	-60.68	-25	Pass	9699
1000	2525	1	RMS	2500.984	-44.06	-25	Pass	1525
2525	2665	1	RMS	2576.1	11.06	60	Pass	401
2665	3000	1	RMS	2688.45	-42.53	-25	Pass	401
3000	12000	1	RMS	11948.937	-53.36	-25	Pass	9000
12000	26500	1	RMS	25993.92	-39.03	-25	Pass	14500




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.5	-25	Pass	2985
30	1000	0.1	RMS	838.399	-60.85	-25	Pass	9699
1000	2525	1	RMS	2523.999	-46.04	-25	Pass	1525
2525	2665	1	RMS	2584.5	4.81	60	Pass	401
2665	3000	1	RMS	2948.075	-46.3	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.38	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.04	-25	Pass	14500




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.23	-25	Pass	2985
30	1000	0.1	RMS	833.498	-59.79	-25	Pass	9699
1000	2525	1	RMS	2506.988	-46.18	-25	Pass	1525
2525	2665	1	RMS	2581	10.78	60	Pass	401
2665	3000	1	RMS	2693.475	-41.03	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.37	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.03	-25	Pass	14500




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2985
30	1000	0.1	RMS	822.297	-60.8	-25	Pass	9699
1000	2525	1	RMS	2523.999	-45.98	-25	Pass	1525
2525	2665	1	RMS	2591.85	5.85	60	Pass	401
2665	3000	1	RMS	2665	-44.51	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.34	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.09	-25	Pass	14500




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	Pass	2985
30	1000	0.1	RMS	832.998	-59.54	-25	Pass	9699
1000	2525	1	RMS	2505.988	-44.6	-25	Pass	1525
2525	2665	1	RMS	2581	10.42	60	Pass	401
2665	3000	1	RMS	2693.475	-41.96	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.34	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39	-25	Pass	14500



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.85	-25	Pass	2985
30	1000	0.1	RMS	826.897	-60.82	-25	Pass	9699
1000	2525	1	RMS	2525	-46.8	-25	Pass	1525
2525	2665	1	RMS	2588.35	4.82	60	Pass	401
2665	3000	1	RMS	2665.838	-45.74	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.29	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.01	-25	Pass	14500



22. CA_41C_full


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69	-25	Pass	2985
30	1000	0.1	RMS	833.498	-57.27	-25	Pass	9699
1000	2475	1	RMS	2473.999	-45.53	-25	Pass	1475
2475	2735	1	RMS	2519.2	9.86	60	Pass	401
2735	3000	1	RMS	2949.65	-46.17	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.2	-25	Pass	9000
12000	27000	1	RMS	26006.854	-38.92	-25	Pass	15000




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.39	-25	Pass	2985
30	1000	0.1	RMS	847.5	-60.75	-25	Pass	9699
1000	2475	1	RMS	2475	-46.26	-25	Pass	1475
2475	2735	1	RMS	2517.9	12.08	60	Pass	401
2735	3000	1	RMS	2944.35	-46.19	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.22	-25	Pass	9000
12000	27000	1	RMS	26017.856	-38.98	-25	Pass	15000




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.59	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.23	-25	Pass	2985
30	1000	0.1	RMS	848.8	-60.85	-25	Pass	9699
1000	2475	1	RMS	2475	-44.25	-25	Pass	1475
2475	2735	1	RMS	2519.2	9.83	60	Pass	401
2735	3000	1	RMS	2944.35	-46.21	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.26	-25	Pass	9000
12000	27000	1	RMS	26029.858	-38.92	-25	Pass	15000




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.89	-25	Pass	2985
30	1000	0.1	RMS	827.697	-60.78	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.41	-25	Pass	1475
2475	2735	1	RMS	2517.25	10.71	60	Pass	401
2735	3000	1	RMS	2947.663	-46.2	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.31	-25	Pass	9000
12000	27000	1	RMS	26001.853	-38.89	-25	Pass	15000




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.61	-25	Pass	2985
30	1000	0.1	RMS	843.799	-60.82	-25	Pass	9699
1000	2475	1	RMS	2465.994	-48.03	-25	Pass	1475
2475	2735	1	RMS	2581.6	10.01	60	Pass	401
2735	3000	1	RMS	2945.675	-46.19	-25	Pass	401
3000	12000	1	RMS	12000	-53.18	-25	Pass	9000
12000	27000	1	RMS	26007.854	-38.97	-25	Pass	15000




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2985
30	1000	0.1	RMS	854.607	-60.6	-25	Pass	9699
1000	2475	1	RMS	2475	-48.07	-25	Pass	1475
2475	2735	1	RMS	2601.75	11.8	60	Pass	401
2735	3000	1	RMS	2947.663	-46.18	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.24	-25	Pass	9000
12000	27000	1	RMS	26007.854	-38.94	-25	Pass	15000




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.66	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.94	-25	Pass	2985
30	1000	0.1	RMS	833.598	-60.75	-25	Pass	9699
1000	2475	1	RMS	2465.994	-47.59	-25	Pass	1475
2475	2735	1	RMS	2580.95	9.58	60	Pass	401
2735	3000	1	RMS	2948.325	-46.15	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.19	-25	Pass	9000
12000	27000	1	RMS	26004.854	-38.96	-25	Pass	15000




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.57	-25	Pass	2985
30	1000	0.1	RMS	824.797	-60.56	-25	Pass	9699
1000	2475	1	RMS	2470.997	-48.08	-25	Pass	1475
2475	2735	1	RMS	2601.75	10.48	60	Pass	401
2735	3000	1	RMS	2945.675	-46.22	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.25	-25	Pass	9000
12000	27000	1	RMS	26002.854	-38.97	-25	Pass	15000




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.21	-25	Pass	2985
30	1000	0.1	RMS	859.213	-60.73	-25	Pass	9699
1000	2475	1	RMS	2475	-48.07	-25	Pass	1475
2475	2735	1	RMS	2666.1	10.44	60	Pass	401
2735	3000	1	RMS	2950.313	-46.18	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.27	-25	Pass	9000
12000	27000	1	RMS	25999.853	-38.96	-25	Pass	15000




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-25	Pass	2985
30	1000	0.1	RMS	830.898	-60.78	-25	Pass	9699
1000	2475	1	RMS	2465.994	-47.91	-25	Pass	1475
2475	2735	1	RMS	2685.6	12.5	60	Pass	401
2735	3000	1	RMS	2950.975	-46.18	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.23	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.95	-25	Pass	15000




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.07	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.47	-25	Pass	2985
30	1000	0.1	RMS	832.998	-60.47	-25	Pass	9699
1000	2475	1	RMS	2466.995	-48.04	-25	Pass	1475
2475	2735	1	RMS	2688.2	10.6	60	Pass	401
2735	3000	1	RMS	2948.988	-46.18	-25	Pass	401
3000	12000	1	RMS	11991.99	-53.23	-25	Pass	9000
12000	27000	1	RMS	25986.851	-38.78	-25	Pass	15000




**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.11	-25	Pass	2985
30	1000	0.1	RMS	837.599	-60.41	-25	Pass	9699
1000	2475	1	RMS	2475	-48	-25	Pass	1475
2475	2735	1	RMS	2686.9	10.98	60	Pass	401
2735	3000	1	RMS	2950.975	-46.2	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.26	-25	Pass	9000
12000	27000	1	RMS	25999.853	-38.95	-25	Pass	15000




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2985
30	1000	0.1	RMS	845.9	-60.67	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.01	-25	Pass	1475
2475	2735	1	RMS	2534.15	9.89	60	Pass	401
2735	3000	1	RMS	2942.363	-46.17	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.19	-25	Pass	9000
12000	27000	1	RMS	26003.854	-38.98	-25	Pass	15000




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.45	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.13	-25	Pass	2985
30	1000	0.1	RMS	840.999	-60.82	-25	Pass	9699
1000	2475	1	RMS	2473.999	-45.92	-25	Pass	1475
2475	2735	1	RMS	2529.6	5.87	60	Pass	401
2735	3000	1	RMS	2942.363	-46.18	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.22	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.91	-25	Pass	15000




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-25	Pass	2985
30	1000	0.1	RMS	838.099	-60.89	-25	Pass	9699
1000	2475	1	RMS	2475	-48.04	-25	Pass	1475
2475	2735	1	RMS	2534.15	9.35	60	Pass	401
2735	3000	1	RMS	2945.675	-46.18	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.27	-25	Pass	9000
12000	27000	1	RMS	26002.854	-38.95	-25	Pass	15000




**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.8	-25	Pass	2985
30	1000	0.1	RMS	833.198	-60.81	-25	Pass	9699
1000	2475	1	RMS	2473.999	-46.63	-25	Pass	1475
2475	2735	1	RMS	2523.75	5.18	60	Pass	401
2735	3000	1	RMS	2948.325	-46.16	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.18	-25	Pass	9000
12000	27000	1	RMS	26025.857	-38.97	-25	Pass	15000




**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-25	Pass	2985
30	1000	0.1	RMS	846.3	-60.81	-25	Pass	9699
1000	2475	1	RMS	2469.997	-48.16	-25	Pass	1475
2475	2735	1	RMS	2573.8	9.37	60	Pass	401
2735	3000	1	RMS	2946.338	-46.36	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.28	-25	Pass	9000
12000	27000	1	RMS	26010.855	-39.06	-25	Pass	15000




**22.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-25	Pass	2985
30	1000	0.1	RMS	834.198	-60.72	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.11	-25	Pass	1475
2475	2735	1	RMS	2584.2	6.26	60	Pass	401
2735	3000	1	RMS	2947.663	-46.34	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.37	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.1	-25	Pass	15000




**22.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.26	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.18	-25	Pass	2985
30	1000	0.1	RMS	837.299	-60.78	-25	Pass	9699
1000	2475	1	RMS	2475	-48.09	-25	Pass	1475
2475	2735	1	RMS	2573.8	10.5	60	Pass	401
2735	3000	1	RMS	2948.325	-46.33	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.33	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.96	-25	Pass	15000




**22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.37	-25	Pass	2985
30	1000	0.1	RMS	960.448	-60.88	-25	Pass	9699
1000	2475	1	RMS	2471.998	-48.09	-25	Pass	1475
2475	2735	1	RMS	2580.95	4.66	60	Pass	401
2735	3000	1	RMS	2946.338	-46.35	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.34	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.08	-25	Pass	15000




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	Pass	2985
30	1000	0.1	RMS	832.998	-60.15	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.04	-25	Pass	1475
2475	2735	1	RMS	2688.85	9.77	60	Pass	401
2735	3000	1	RMS	2949.65	-46.36	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.3	-25	Pass	9000
12000	27000	1	RMS	25975.85	-39.06	-25	Pass	15000




**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.1	-25	Pass	2985
30	1000	0.1	RMS	833.698	-60.65	-25	Pass	9699
1000	2475	1	RMS	2475	-47.97	-25	Pass	1475
2475	2735	1	RMS	2677.15	6.76	60	Pass	401
2735	3000	1	RMS	2948.325	-46.31	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.34	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.06	-25	Pass	15000




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-25	Pass	2985
30	1000	0.1	RMS	896.763	-60.87	-25	Pass	9699
1000	2475	1	RMS	2464.993	-48	-25	Pass	1475
2475	2735	1	RMS	2651.15	9.64	60	Pass	401
2735	3000	1	RMS	2942.363	-46.32	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.35	-25	Pass	9000
12000	27000	1	RMS	26010.855	-39.04	-25	Pass	15000



**22.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.26	-25	Pass	2985
30	1000	0.1	RMS	847.3	-60.65	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.06	-25	Pass	1475
2475	2735	1	RMS	2673.25	5.45	60	Pass	401
2735	3000	1	RMS	2950.313	-46.34	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.39	-25	Pass	9000
12000	27000	1	RMS	25996.853	-39.05	-25	Pass	15000



23. n5 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	814	0.1	RMS	813.8	-61.62	-13	Pass	7840
814	859	0.1	RMS	826.327	10.7	60	Pass	450
859	1000	0.1	RMS	895.326	-63.43	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.48	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60	-13	Pass	7000




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.22	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.52	-13	Pass	2985
30	814	0.1	RMS	813.8	-62.7	-13	Pass	7840
814	859	0.1	RMS	826.929	9.52	60	Pass	450
859	1000	0.1	RMS	872.009	-63.64	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.48	-13	Pass	2000
3000	10000	1	RMS	8403.772	-59.99	-13	Pass	7000




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2985
30	814	0.1	RMS	756.193	-64	-13	Pass	7840
814	859	0.1	RMS	835.448	10.34	60	Pass	450
859	1000	0.1	RMS	885.319	-63.67	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.44	-13	Pass	2000
3000	10000	1	RMS	8411.773	-59.97	-13	Pass	7000




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2985
30	814	0.1	RMS	734.49	-63.97	-13	Pass	7840
814	859	0.1	RMS	836.951	9.48	60	Pass	450
859	1000	0.1	RMS	881.016	-63.61	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.44	-13	Pass	2000
3000	10000	1	RMS	8419.774	-59.98	-13	Pass	7000




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	Pass	2985
30	814	0.1	RMS	745.691	-63.87	-13	Pass	7840
814	859	0.1	RMS	846.372	10.51	60	Pass	450
859	1000	0.1	RMS	878.214	-63.65	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.43	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.02	-13	Pass	7000




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2985
30	814	0.1	RMS	752.192	-63.98	-13	Pass	7840
814	859	0.1	RMS	846.973	9.56	60	Pass	450
859	1000	0.1	RMS	893.124	-63.55	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.48	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.05	-13	Pass	7000




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.66	-13	Pass	2985
30	814	0.1	RMS	812.5	-54.13	-13	Pass	7840
814	859	0.1	RMS	830.637	6.07	60	Pass	450
859	1000	0.1	RMS	894.325	-63.6	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.49	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.01	-13	Pass	7000




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	814	0.1	RMS	813.8	-53.54	-13	Pass	7840
814	859	0.1	RMS	831.339	5	60	Pass	450
859	1000	0.1	RMS	904.032	-63.68	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.48	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.01	-13	Pass	7000




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2985
30	814	0.1	RMS	813.9	-57.34	-13	Pass	7840
814	859	0.1	RMS	835.648	6.06	60	Pass	450
859	1000	0.1	RMS	891.323	-63.65	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.47	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.05	-13	Pass	7000




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	814	0.1	RMS	814	-57.18	-13	Pass	7840
814	859	0.1	RMS	835.147	4.96	60	Pass	450
859	1000	0.1	RMS	893.925	-63.69	-13	Pass	1410
1000	3000	1	RMS	2864.932	-48.51	-13	Pass	2000
3000	10000	1	RMS	8435.777	-59.98	-13	Pass	7000




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.77	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.63	-13	Pass	2985
30	814	0.1	RMS	814	-60.45	-13	Pass	7840
814	859	0.1	RMS	840.659	6.04	60	Pass	450
859	1000	0.1	RMS	893.224	-63.63	-13	Pass	1410
1000	3000	1	RMS	2865.933	-48.46	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.01	-13	Pass	7000




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.5	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.91	-13	Pass	7840
814	859	0.1	RMS	840.158	4.98	60	Pass	450
859	1000	0.1	RMS	987.991	-63.54	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.45	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60	-13	Pass	7000




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.9	-13	Pass	2985
30	814	0.1	RMS	814	-53.66	-13	Pass	7840
814	859	0.1	RMS	835.748	4.7	60	Pass	450
859	1000	0.1	RMS	888.021	-63.63	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.48	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.02	-13	Pass	7000




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.01	-13	Pass	2985
30	814	0.1	RMS	814	-52.94	-13	Pass	7840
814	859	0.1	RMS	830.837	3.47	60	Pass	450
859	1000	0.1	RMS	896.627	-63.67	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.48	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60.05	-13	Pass	7000




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.54	-13	Pass	7840
814	859	0.1	RMS	838.254	4.68	60	Pass	450
859	1000	0.1	RMS	899.829	-63.64	-13	Pass	1410
1000	3000	1	RMS	2865.933	-48.48	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.03	-13	Pass	7000




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.07	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.14	-13	Pass	7840
814	859	0.1	RMS	835.047	3.55	60	Pass	450
859	1000	0.1	RMS	893.825	-63.57	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.49	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.96	-13	Pass	7000




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	Pass	2985
30	814	0.1	RMS	814	-55.89	-13	Pass	7840
814	859	0.1	RMS	834.145	4.57	60	Pass	450
859	1000	0.1	RMS	887.12	-63.56	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.46	-13	Pass	2000
3000	10000	1	RMS	8424.775	-60	-13	Pass	7000



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	Pass	2985
30	814	0.1	RMS	813.9	-55.61	-13	Pass	7840
814	859	0.1	RMS	835.849	3.7	60	Pass	450
859	1000	0.1	RMS	883.517	-63.64	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.5	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.93	-13	Pass	7000



24. n7 15kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-25	Pass	2985
30	1000	0.1	RMS	888.152	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-50.03	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.3	60	Pass	401
2580	3000	1	RMS	2867.685	-48.48	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.84	-25	Pass	3500
6500	26000	1	RMS	25195.74 2	-50.16	-25	Pass	19500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.81	-25	Pass	2985
30	1000	0.1	RMS	993.892	-63.63	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.14	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.55	60	Pass	401
2580	3000	1	RMS	2869.69	-48.47	-25	Pass	420
3000	6500	1	RMS	5004.573	-63.27	-25	Pass	3500
6500	26000	1	RMS	25502.84	-50.05	-25	Pass	19500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.1	-25	Pass	2985
30	1000	0.1	RMS	910.181	-63.51	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.33	-25	Pass	1490
2490	2580	1	RMS	2534.55	19.91	60	Pass	401
2580	3000	1	RMS	2868.687	-48.49	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.19	-25	Pass	3500
6500	26000	1	RMS	25506.842	-50.14	-25	Pass	19500




**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.39	-25	Pass	2985
30	1000	0.1	RMS	893.459	-63.54	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.3	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.19	60	Pass	401
2580	3000	1	RMS	2866.683	-48.47	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.17	-25	Pass	3500
6500	26000	1	RMS	25202.74 4	-50.15	-25	Pass	19500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-25	Pass	2985
30	1000	0.1	RMS	894.26	-63.57	-25	Pass	9699
1000	2490	1	RMS	2490	-50.29	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.87	60	Pass	401
2580	3000	1	RMS	2869.69	-48.47	-25	Pass	420
3000	6500	1	RMS	5134.61	-63.59	-25	Pass	3500
6500	26000	1	RMS	25198.743	-50.07	-25	Pass	19500




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-25	Pass	2985
30	1000	0.1	RMS	900.268	-63.57	-25	Pass	9699
1000	2490	1	RMS	2490	-50.31	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.11	60	Pass	401
2580	3000	1	RMS	2868.687	-48.49	-25	Pass	420
3000	6500	1	RMS	5135.61	-64.16	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.15	-25	Pass	19500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.09	-25	Pass	2985
30	1000	0.1	RMS	913.085	-63.49	-25	Pass	9699
1000	2490	1	RMS	2490	-41.06	-25	Pass	1490
2490	2580	1	RMS	2515.2	13.51	60	Pass	401
2580	3000	1	RMS	2868.687	-48.46	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.17	-25	Pass	3500
6500	26000	1	RMS	25205.745	-50.1	-25	Pass	19500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.32	-25	Pass	2985
30	1000	0.1	RMS	879.14	-63.54	-25	Pass	9699
1000	2490	1	RMS	2490	-40.19	-25	Pass	1490
2490	2580	1	RMS	2515.65	12.47	60	Pass	401
2580	3000	1	RMS	2868.687	-48.46	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.2	-25	Pass	3500
6500	26000	1	RMS	25195.74 2	-50.16	-25	Pass	19500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.64	-25	Pass	9699
1000	2490	1	RMS	2490	-48.33	-25	Pass	1490
2490	2580	1	RMS	2537.475	13.11	60	Pass	401
2580	3000	1	RMS	2868.687	-48.49	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.16	-25	Pass	3500
6500	26000	1	RMS	25196.742	-50.08	-25	Pass	19500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-25	Pass	2985
30	1000	0.1	RMS	890.855	-63.54	-25	Pass	9699
1000	2490	1	RMS	2490	-48.57	-25	Pass	1490
2490	2580	1	RMS	2533.425	12.07	60	Pass	401
2580	3000	1	RMS	2867.685	-48.47	-25	Pass	420
3000	6500	1	RMS	6211.918	-64.19	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.16	-25	Pass	19500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2985
30	1000	0.1	RMS	884.847	-63.57	-25	Pass	9699
1000	2490	1	RMS	2490	-50.37	-25	Pass	1490
2490	2580	1	RMS	2559.975	13.16	60	Pass	401
2580	3000	1	RMS	2580	-43.38	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.12	-25	Pass	3500
6500	26000	1	RMS	25504.841	-50.17	-25	Pass	19500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.33	-25	Pass	2985
30	1000	0.1	RMS	894.26	-63.4	-25	Pass	9699
1000	2490	1	RMS	2484.997	-50.33	-25	Pass	1490
2490	2580	1	RMS	2555.925	12.13	60	Pass	401
2580	3000	1	RMS	2580	-42.87	-25	Pass	420
3000	6500	1	RMS	6211.918	-64.13	-25	Pass	3500
6500	26000	1	RMS	25199.743	-50.04	-25	Pass	19500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	Pass	2985
30	1000	0.1	RMS	996.696	-63.53	-25	Pass	9699
1000	2490	1	RMS	2490	-33.06	-25	Pass	1490
2490	2580	1	RMS	2520.6	9.93	60	Pass	401
2580	3000	1	RMS	2580	-45.62	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.2	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.11	-25	Pass	19500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.63	-25	Pass	2985
30	1000	0.1	RMS	904.273	-63.44	-25	Pass	9699
1000	2490	1	RMS	2490	-35.86	-25	Pass	1490
2490	2580	1	RMS	2530.05	8.88	60	Pass	401
2580	3000	1	RMS	2580	-46.66	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.19	-25	Pass	3500
6500	26000	1	RMS	25199.743	-50.12	-25	Pass	19500




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-25	Pass	2985
30	1000	0.1	RMS	895.762	-63.5	-25	Pass	9699
1000	2490	1	RMS	2490	-43.84	-25	Pass	1490
2490	2580	1	RMS	2535.9	9.81	60	Pass	401
2580	3000	1	RMS	2580	-44.9	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.05	-25	Pass	3500
6500	26000	1	RMS	25205.745	-50.08	-25	Pass	19500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.19	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.26	-25	Pass	2985
30	1000	0.1	RMS	892.157	-63.57	-25	Pass	9699
1000	2490	1	RMS	2490	-43.18	-25	Pass	1490
2490	2580	1	RMS	2539.95	8.79	60	Pass	401
2580	3000	1	RMS	2580	-44.15	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.16	-25	Pass	3500
6500	26000	1	RMS	25198.743	-50.13	-25	Pass	19500




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.49	-25	Pass	2985
30	1000	0.1	RMS	999.499	-63.59	-25	Pass	9699
1000	2490	1	RMS	2490	-45.17	-25	Pass	1490
2490	2580	1	RMS	2545.8	9.88	60	Pass	401
2580	3000	1	RMS	2580	-34.56	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.18	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.09	-25	Pass	19500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.71	-25	Pass	2985
30	1000	0.1	RMS	899.867	-63.61	-25	Pass	9699
1000	2490	1	RMS	2490	-46.4	-25	Pass	1490
2490	2580	1	RMS	2547.15	8.79	60	Pass	401
2580	3000	1	RMS	2580	-37.38	-25	Pass	420
3000	6500	1	RMS	6213.918	-64.15	-25	Pass	3500
6500	26000	1	RMS	25199.743	-50.13	-25	Pass	19500



25. n38 30kHz_PC3


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.31	-71.56	-25	Pass	2985
30	1000	0.1	RMS	991.288	-61.16	-25	Pass	9699
1000	2560	1	RMS	2560	-41.08	-25	Pass	1560
2560	2630	1	RMS	2576.275	14.74	60	Pass	401
2630	3000	1	RMS	2865.875	-48.52	-25	Pass	401
3000	6500	1	RMS	5154.616	-63.77	-25	Pass	3500
6500	27000	1	RMS	25857.72 2	-49.2	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.14	-25	Pass	2985
30	1000	0.1	RMS	937.317	-60.85	-25	Pass	9699
1000	2560	1	RMS	2560	-41.07	-25	Pass	1560
2560	2630	1	RMS	2582.225	13.7	60	Pass	401
2630	3000	1	RMS	2868.65	-48.46	-25	Pass	401
3000	6500	1	RMS	6227.922	-63.72	-25	Pass	3500
6500	27000	1	RMS	25221.568	-48.99	-25	Pass	20500




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.42	-69.04	-25	Pass	2985
30	1000	0.1	RMS	999.099	-61.16	-25	Pass	9699
1000	2560	1	RMS	2560	-48.3	-25	Pass	1560
2560	2630	1	RMS	2591.325	15	60	Pass	401
2630	3000	1	RMS	2868.65	-48.37	-25	Pass	401
3000	6500	1	RMS	5189.626	-63.2	-25	Pass	3500
6500	27000	1	RMS	25484.632	-49.21	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.21	-25	Pass	2985
30	1000	0.1	RMS	876.937	-61.02	-25	Pass	9699
1000	2560	1	RMS	2556.998	-48.63	-25	Pass	1560
2560	2630	1	RMS	2591.325	13.98	60	Pass	401
2630	3000	1	RMS	2871.425	-48.36	-25	Pass	401
3000	6500	1	RMS	5188.625	-63.13	-25	Pass	3500
6500	27000	1	RMS	25198.562	-49.13	-25	Pass	20500




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68	-25	Pass	2985
30	1000	0.1	RMS	990.988	-61.26	-25	Pass	9699
1000	2560	1	RMS	2498.961	-49.95	-25	Pass	1560
2560	2630	1	RMS	2606.2	15.28	60	Pass	401
2630	3000	1	RMS	2630	-39.9	-25	Pass	401
3000	6500	1	RMS	5222.635	-62.5	-25	Pass	3500
6500	27000	1	RMS	25514.639	-49.28	-25	Pass	20500




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-25	Pass	2985
30	1000	0.1	RMS	968.859	-61.08	-25	Pass	9699
1000	2560	1	RMS	2558.999	-49.92	-25	Pass	1560
2560	2630	1	RMS	2609.875	14.32	60	Pass	401
2630	3000	1	RMS	2630	-40.59	-25	Pass	401
3000	6500	1	RMS	5222.635	-62.84	-25	Pass	3500
6500	27000	1	RMS	25191.561	-49.22	-25	Pass	20500




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.52	-69.31	-25	Pass	2985
30	1000	0.1	RMS	891.056	-60.63	-25	Pass	9699
1000	2560	1	RMS	2560	-39.42	-25	Pass	1560
2560	2630	1	RMS	2586.6	13.16	60	Pass	401
2630	3000	1	RMS	2630	-46.83	-25	Pass	401
3000	6500	1	RMS	6139.897	-63.82	-25	Pass	3500
6500	27000	1	RMS	25471.629	-49.28	-25	Pass	20500




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-25	Pass	2985
30	1000	0.1	RMS	861.917	-61.11	-25	Pass	9699
1000	2560	1	RMS	2560	-39.82	-25	Pass	1560
2560	2630	1	RMS	2587.825	12.18	60	Pass	401
2630	3000	1	RMS	2630	-47.31	-25	Pass	401
3000	6500	1	RMS	6209.917	-63.83	-25	Pass	3500
6500	27000	1	RMS	25511.638	-49.38	-25	Pass	20500




25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.94	-25	Pass	2985
30	1000	0.1	RMS	897.264	-60.76	-25	Pass	9699
1000	2560	1	RMS	2558.999	-43.64	-25	Pass	1560
2560	2630	1	RMS	2592.725	13.56	60	Pass	401
2630	3000	1	RMS	2630	-43.97	-25	Pass	401
3000	6500	1	RMS	5184.624	-63.71	-25	Pass	3500
6500	27000	1	RMS	25186.559	-48.99	-25	Pass	20500




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.6	-25	Pass	2985
30	1000	0.1	RMS	890.355	-60.98	-25	Pass	9699
1000	2560	1	RMS	2560	-44.33	-25	Pass	1560
2560	2630	1	RMS	2597.8	12.42	60	Pass	401
2630	3000	1	RMS	2630	-44.52	-25	Pass	401
3000	6500	1	RMS	5185.624	-63.72	-25	Pass	3500
6500	27000	1	RMS	25174.557	-49.25	-25	Pass	20500




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.97	-70.47	-25	Pass	2985
30	1000	0.1	RMS	714.184	-60.39	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.47	-25	Pass	1560
2560	2630	1	RMS	2602.875	13.69	60	Pass	401
2630	3000	1	RMS	2630	-40.07	-25	Pass	401
3000	6500	1	RMS	5207.631	-63.6	-25	Pass	3500
6500	27000	1	RMS	25439.621	-48.88	-25	Pass	20500




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.96	-25	Pass	2985
30	1000	0.1	RMS	999.199	-61.15	-25	Pass	9699
1000	2560	1	RMS	2560	-46.83	-25	Pass	1560
2560	2630	1	RMS	2607.6	12.65	60	Pass	401
2630	3000	1	RMS	2630	-40.15	-25	Pass	401
3000	6500	1	RMS	5210.632	-63.62	-25	Pass	3500
6500	27000	1	RMS	25216.567	-49.15	-25	Pass	20500




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.66	-71.07	-25	Pass	2985
30	1000	0.1	RMS	904.073	-61.35	-25	Pass	9699
1000	2560	1	RMS	2560	-36.91	-25	Pass	1560
2560	2630	1	RMS	2591.85	11.86	60	Pass	401
2630	3000	1	RMS	2630.925	-43.72	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.66	-25	Pass	3500
6500	27000	1	RMS	25195.562	-49.1	-25	Pass	20500




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.31	-25	Pass	2985
30	1000	0.1	RMS	715.984	-60.88	-25	Pass	9699
1000	2560	1	RMS	2560	-37.68	-25	Pass	1560
2560	2630	1	RMS	2589.925	10.98	60	Pass	401
2630	3000	1	RMS	2630	-44.36	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.94	-25	Pass	3500
6500	27000	1	RMS	25194.561	-49.13	-25	Pass	20500




25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.08	-25	Pass	2985
30	1000	0.1	RMS	838.299	-61.12	-25	Pass	9699
1000	2560	1	RMS	2560	-40.62	-25	Pass	1560
2560	2630	1	RMS	2597.1	11.98	60	Pass	401
2630	3000	1	RMS	2632.775	-42.27	-25	Pass	401
3000	6500	1	RMS	5188.625	-63.75	-25	Pass	3500
6500	27000	1	RMS	25500.636	-49.06	-25	Pass	20500




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.45	-25	Pass	2985
30	1000	0.1	RMS	901.569	-60.99	-25	Pass	9699
1000	2560	1	RMS	2560	-40.83	-25	Pass	1560
2560	2630	1	RMS	2594.825	10.98	60	Pass	401
2630	3000	1	RMS	2630	-42.68	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.89	-25	Pass	3500
6500	27000	1	RMS	25179.558	-49.43	-25	Pass	20500




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.11	-25	Pass	2985
30	1000	0.1	RMS	918.993	-61.28	-25	Pass	9699
1000	2560	1	RMS	2560	-42.44	-25	Pass	1560
2560	2630	1	RMS	2602.175	12.14	60	Pass	401
2630	3000	1	RMS	2630	-38.78	-25	Pass	401
3000	6500	1	RMS	6223.921	-63.81	-25	Pass	3500
6500	27000	1	RMS	25175.557	-49.21	-25	Pass	20500



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-25	Pass	2985
30	1000	0.1	RMS	751.388	-61.29	-25	Pass	9699
1000	2560	1	RMS	2560	-42.61	-25	Pass	1560
2560	2630	1	RMS	2599.55	11.09	60	Pass	401
2630	3000	1	RMS	2630	-39.32	-25	Pass	401
3000	6500	1	RMS	6143.898	-63.95	-25	Pass	3500
6500	27000	1	RMS	25171.556	-49.32	-25	Pass	20500



26. n41 30kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.06	-25	Pass	2985
30	1000	0.1	RMS	913.485	-61.32	-25	Pass	9699
1000	2486	1	RMS	2486	-41.04	-25	Pass	1486
2486	2700	1	RMS	2508.47	15.37	60	Pass	401
2700	3000	1	RMS	2868	-48.45	-25	Pass	401
3000	6500	1	RMS	5008.574	-57.54	-25	Pass	3500
6500	27000	1	RMS	25485.63 2	-48.7	-25	Pass	20500




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.46	-68.11	-25	Pass	2985
30	1000	0.1	RMS	749.388	-60.9	-25	Pass	9699
1000	2486	1	RMS	2486	-41.53	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.2	60	Pass	401
2700	3000	1	RMS	2871	-48.44	-25	Pass	401
3000	6500	1	RMS	5010.574	-58.43	-25	Pass	3500
6500	27000	1	RMS	25533.644	-49.36	-25	Pass	20500




26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.53	-69.87	-25	Pass	2985
30	1000	0.1	RMS	938.118	-61.08	-25	Pass	9699
1000	2486	1	RMS	2449.976	-50.29	-25	Pass	1486
2486	2700	1	RMS	2589.255	14.94	60	Pass	401
2700	3000	1	RMS	2870.25	-48.4	-25	Pass	401
3000	6500	1	RMS	5186.625	-63.18	-25	Pass	3500
6500	27000	1	RMS	25502.636	-49.42	-25	Pass	20500




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.99	-25	Pass	2985
30	1000	0.1	RMS	532.161	-60.93	-25	Pass	9699
1000	2486	1	RMS	2479.996	-50.1	-25	Pass	1486
2486	2700	1	RMS	2589.255	13.92	60	Pass	401
2700	3000	1	RMS	2868	-48.41	-25	Pass	401
3000	6500	1	RMS	5188.625	-63.37	-25	Pass	3500
6500	27000	1	RMS	25174.557	-49.06	-25	Pass	20500




26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.68	-25	Pass	2985
30	1000	0.1	RMS	900.368	-61.37	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.24	-25	Pass	1486
2486	2700	1	RMS	2676.46	14.64	60	Pass	401
2700	3000	1	RMS	2700	-40.5	-25	Pass	401
3000	6500	1	RMS	5358.674	-56.45	-25	Pass	3500
6500	27000	1	RMS	25191.561	-49.11	-25	Pass	20500




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.34	-25	Pass	2985
30	1000	0.1	RMS	886.249	-60.87	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.3	-25	Pass	1486
2486	2700	1	RMS	2676.46	13.79	60	Pass	401
2700	3000	1	RMS	2700	-40.99	-25	Pass	401
3000	6500	1	RMS	5357.674	-57.16	-25	Pass	3500
6500	27000	1	RMS	25528.643	-49.09	-25	Pass	20500




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.68	-25	Pass	2985
30	1000	0.1	RMS	886.349	-60.97	-25	Pass	9699
1000	2486	1	RMS	2486	-34.38	-25	Pass	1486
2486	2700	1	RMS	2530.405	9.9	60	Pass	401
2700	3000	1	RMS	2865	-48.45	-25	Pass	401
3000	6500	1	RMS	5058.588	-63.11	-25	Pass	3500
6500	27000	1	RMS	25833.717	-49.34	-25	Pass	20500




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.8	-25	Pass	2985
30	1000	0.1	RMS	725.285	-61.21	-25	Pass	9699
1000	2486	1	RMS	2486	-37.43	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.9	60	Pass	401
2700	3000	1	RMS	2863.5	-48.42	-25	Pass	401
3000	6500	1	RMS	5052.586	-63.28	-25	Pass	3500
6500	27000	1	RMS	25501.636	-48.79	-25	Pass	20500




26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-25	Pass	2985
30	1000	0.1	RMS	876.737	-60.56	-25	Pass	9699
1000	2486	1	RMS	2486	-50.12	-25	Pass	1486
2486	2700	1	RMS	2583.905	9.78	60	Pass	401
2700	3000	1	RMS	2883	-48.45	-25	Pass	401
3000	6500	1	RMS	6229.923	-64.03	-25	Pass	3500
6500	27000	1	RMS	25195.562	-49.38	-25	Pass	20500




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.05	-25	Pass	2985
30	1000	0.1	RMS	994.092	-61.2	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.12	-25	Pass	1486
2486	2700	1	RMS	2588.72	8.82	60	Pass	401
2700	3000	1	RMS	2868	-48.42	-25	Pass	401
3000	6500	1	RMS	6210.917	-63.98	-25	Pass	3500
6500	27000	1	RMS	25497.635	-49.18	-25	Pass	20500




26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.44	-69.95	-25	Pass	2985
30	1000	0.1	RMS	896.563	-60.6	-25	Pass	9699
1000	2486	1	RMS	2486	-50.25	-25	Pass	1486
2486	2700	1	RMS	2664.69	9.73	60	Pass	401
2700	3000	1	RMS	2700	-33	-25	Pass	401
3000	6500	1	RMS	5318.662	-61.3	-25	Pass	3500
6500	27000	1	RMS	25195.562	-49.27	-25	Pass	20500




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.04	-25	Pass	2985
30	1000	0.1	RMS	873.532	-60.88	-25	Pass	9699
1000	2486	1	RMS	2472.991	-50.29	-25	Pass	1486
2486	2700	1	RMS	2654.525	9.05	60	Pass	401
2700	3000	1	RMS	2700	-35.19	-25	Pass	401
3000	6500	1	RMS	5322.664	-61.51	-25	Pass	3500
6500	27000	1	RMS	25448.623	-49.09	-25	Pass	20500




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.56	-25	Pass	2985
30	1000	0.1	RMS	865.522	-60.95	-25	Pass	9699
1000	2486	1	RMS	2484.999	-34.36	-25	Pass	1486
2486	2700	1	RMS	2567.32	7.77	60	Pass	401
2700	3000	1	RMS	2864.25	-48.42	-25	Pass	401
3000	6500	1	RMS	5072.592	-63.97	-25	Pass	3500
6500	27000	1	RMS	25783.704	-49.25	-25	Pass	20500




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.73	-25	Pass	2985
30	1000	0.1	RMS	886.149	-61.32	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.06	-25	Pass	1486
2486	2700	1	RMS	2565.18	6.67	60	Pass	401
2700	3000	1	RMS	2871.75	-48.46	-25	Pass	401
3000	6500	1	RMS	6195.913	-63.72	-25	Pass	3500
6500	27000	1	RMS	25191.561	-49.24	-25	Pass	20500




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.37	-25	Pass	2985
30	1000	0.1	RMS	886.049	-61.1	-25	Pass	9699
1000	2486	1	RMS	2486	-47.82	-25	Pass	1486
2486	2700	1	RMS	2594.07	7.82	60	Pass	401
2700	3000	1	RMS	2701.5	-46.44	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.9	-25	Pass	3500
6500	27000	1	RMS	25455.625	-49.35	-25	Pass	20500




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.96	-25	Pass	2985
30	1000	0.1	RMS	757.689	-61.01	-25	Pass	9699
1000	2486	1	RMS	2486	-48.43	-25	Pass	1486
2486	2700	1	RMS	2591.93	6.78	60	Pass	401
2700	3000	1	RMS	2700	-47.41	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.94	-25	Pass	3500
6500	27000	1	RMS	25522.641	-49.2	-25	Pass	20500




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.24	-25	Pass	2985
30	1000	0.1	RMS	577.367	-60.98	-25	Pass	9699
1000	2486	1	RMS	2483.999	-49.92	-25	Pass	1486
2486	2700	1	RMS	2641.15	7.75	60	Pass	401
2700	3000	1	RMS	2700	-32.09	-25	Pass	401
3000	6500	1	RMS	5298.657	-63.4	-25	Pass	3500
6500	27000	1	RMS	25516.64	-49.31	-25	Pass	20500



26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.62	-25	Pass	2985
30	1000	0.1	RMS	747.488	-61.51	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.14	-25	Pass	1486
2486	2700	1	RMS	2643.825	6.92	60	Pass	401
2700	3000	1	RMS	2700	-33.41	-25	Pass	401
3000	6500	1	RMS	5304.658	-63.68	-25	Pass	3500
6500	27000	1	RMS	25200.563	-49.47	-25	Pass	20500



27. n66 15kHz


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	1000	0.1	RMS	897.063	-63.68	-13	Pass	9699
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1790	1	RMS	1712.15	20	60	Pass	401
1790	3000	1	RMS	2867.891	-48.42	-13	Pass	1210
3000	6500	1	RMS	6211.918	-64.22	-13	Pass	3500
6500	20000	1	RMS	17800.586	-51.78	-13	Pass	13500




**27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2985
30	1000	0.1	RMS	892.257	-63.59	-13	Pass	9699
1000	1700	1	RMS	1700	-52.04	-13	Pass	700
1700	1790	1	RMS	1712.15	18.91	60	Pass	401
1790	3000	1	RMS	2870.893	-48.37	-13	Pass	1210
3000	6500	1	RMS	6213.918	-64.16	-13	Pass	3500
6500	20000	1	RMS	17798.585	-51.85	-13	Pass	13500




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	1000	0.1	RMS	886.85	-63.69	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.54	-13	Pass	700
1700	1790	1	RMS	1744.55	19.92	60	Pass	401
1790	3000	1	RMS	2865.889	-48.44	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.2	-13	Pass	3500
6500	20000	1	RMS	17800.586	-51.71	-13	Pass	13500




**27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.9	-13	Pass	2985
30	1000	0.1	RMS	895.862	-63.7	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.55	-13	Pass	700
1700	1790	1	RMS	1744.775	18.83	60	Pass	401
1790	3000	1	RMS	2865.889	-48.43	-13	Pass	1210
3000	6500	1	RMS	6211.918	-64.23	-13	Pass	3500
6500	20000	1	RMS	18272.675	-51.87	-13	Pass	13500




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	Pass	2985
30	1000	0.1	RMS	901.469	-63.78	-13	Pass	9699
1000	1700	1	RMS	1669.957	-52.57	-13	Pass	700
1700	1790	1	RMS	1776.95	19.84	60	Pass	401
1790	3000	1	RMS	2867.891	-48.45	-13	Pass	1210
3000	6500	1	RMS	6211.918	-64.22	-13	Pass	3500
6500	20000	1	RMS	19934.988	-51.84	-13	Pass	13500




**27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-13	Pass	2985
30	1000	0.1	RMS	908.579	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-52.56	-13	Pass	700
1700	1790	1	RMS	1777.4	18.79	60	Pass	401
1790	3000	1	RMS	2873.896	-48.47	-13	Pass	1210
3000	6500	1	RMS	6211.918	-64.26	-13	Pass	3500
6500	20000	1	RMS	19899.981	-51.79	-13	Pass	13500




27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	Pass	2985
30	1000	0.1	RMS	998.999	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-40.09	-13	Pass	700
1700	1790	1	RMS	1720.025	14	60	Pass	401
1790	3000	1	RMS	2868.892	-48.42	-13	Pass	1210
3000	6500	1	RMS	6213.918	-64.24	-13	Pass	3500
6500	20000	1	RMS	17802.586	-51.87	-13	Pass	13500




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.47	-13	Pass	2985
30	1000	0.1	RMS	917.791	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-41.64	-13	Pass	700
1700	1790	1	RMS	1718.9	13.02	60	Pass	401
1790	3000	1	RMS	2870.893	-48.45	-13	Pass	1210
3000	6500	1	RMS	6206.916	-64.22	-13	Pass	3500
6500	20000	1	RMS	17800.586	-51.72	-13	Pass	13500




27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-13	Pass	2985
30	1000	0.1	RMS	994.292	-63.67	-13	Pass	9699
1000	1700	1	RMS	1700	-52.05	-13	Pass	700
1700	1790	1	RMS	1745	14.04	60	Pass	401
1790	3000	1	RMS	2868.892	-48.48	-13	Pass	1210
3000	6500	1	RMS	6207.917	-64.25	-13	Pass	3500
6500	20000	1	RMS	17799.585	-51.82	-13	Pass	13500




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	1000	0.1	RMS	893.959	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1790	1	RMS	1743.875	13.12	60	Pass	401
1790	3000	1	RMS	2868.892	-48.49	-13	Pass	1210
3000	6500	1	RMS	6212.918	-64.27	-13	Pass	3500
6500	20000	1	RMS	18299.68	-51.84	-13	Pass	13500




27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.17	-13	Pass	2985
30	1000	0.1	RMS	900.969	-63.66	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1765.925	14.16	60	Pass	401
1790	3000	1	RMS	1790	-44.52	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.25	-13	Pass	3500
6500	20000	1	RMS	18298.679	-51.85	-13	Pass	13500




**27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-13	Pass	2985
30	1000	0.1	RMS	898.866	-63.62	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.61	-13	Pass	700
1700	1790	1	RMS	1768.85	13.11	60	Pass	401
1790	3000	1	RMS	1790	-45.33	-13	Pass	1210
3000	6500	1	RMS	6209.917	-64.25	-13	Pass	3500
6500	20000	1	RMS	17799.585	-51.79	-13	Pass	13500




27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2985
30	1000	0.1	RMS	1000	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-35.87	-13	Pass	700
1700	1790	1	RMS	1730.375	10.62	60	Pass	401
1790	3000	1	RMS	2868.892	-48.43	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.24	-13	Pass	3500
6500	20000	1	RMS	18302.68	-51.73	-13	Pass	13500




**27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.36	-13	Pass	2985
30	1000	0.1	RMS	905.875	-63.64	-13	Pass	9699
1000	1700	1	RMS	1700	-37.51	-13	Pass	700
1700	1790	1	RMS	1725.875	9.7	60	Pass	401
1790	3000	1	RMS	2868.892	-48.47	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.26	-13	Pass	3500
6500	20000	1	RMS	19889.979	-51.78	-13	Pass	13500




**27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2985
30	1000	0.1	RMS	892.558	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-46.23	-13	Pass	700
1700	1790	1	RMS	1738.025	10.68	60	Pass	401
1790	3000	1	RMS	1790	-46.75	-13	Pass	1210
3000	6500	1	RMS	6213.918	-64.25	-13	Pass	3500
6500	20000	1	RMS	17800.586	-51.77	-13	Pass	13500




**27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.64	-13	Pass	2985
30	1000	0.1	RMS	891.556	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-46.89	-13	Pass	700
1700	1790	1	RMS	1736.45	9.76	60	Pass	401
1790	3000	1	RMS	1790	-48.38	-13	Pass	1210
3000	6500	1	RMS	6213.918	-64.23	-13	Pass	3500
6500	20000	1	RMS	18300.68	-51.76	-13	Pass	13500




27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.86	-13	Pass	2985
30	1000	0.1	RMS	892.558	-63.64	-13	Pass	9699
1000	1700	1	RMS	1700	-49.87	-13	Pass	700
1700	1790	1	RMS	1764.575	10.55	60	Pass	401
1790	3000	1	RMS	1790	-37.37	-13	Pass	1210
3000	6500	1	RMS	6212.918	-64.26	-13	Pass	3500
6500	20000	1	RMS	17804.586	-51.81	-13	Pass	13500



**27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:108, RB Position:54)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	897.664	-63.65	-13	Pass	9699
1000	1700	1	RMS	1700	-50.77	-13	Pass	700
1700	1790	1	RMS	1756.025	9.55	60	Pass	401
1790	3000	1	RMS	1790	-39.35	-13	Pass	1210
3000	6500	1	RMS	6212.918	-64.27	-13	Pass	3500
6500	20000	1	RMS	19901.982	-51.8	-13	Pass	13500



28. DC_5A_n7A_SCS15


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.21	-25	Pass	2985
30	1000	0.1	RMS	901.569	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-50.2	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.85	60	Pass	401
2580	3000	1	RMS	2867.685	-48.51	-25	Pass	420
3000	6500	1	RMS	6211.918	-64.19	-25	Pass	3500
6500	26000	1	RMS	25496.839	-50.08	-25	Pass	19500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.08	-25	Pass	2985
30	1000	0.1	RMS	998.798	-63.74	-25	Pass	9699
1000	2490	1	RMS	2490	-50.25	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.8	60	Pass	401
2580	3000	1	RMS	2866.683	-48.52	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.18	-25	Pass	3500
6500	26000	1	RMS	25499.839	-50.11	-25	Pass	19500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	Pass	2985
30	1000	0.1	RMS	993.692	-63.82	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.49	-25	Pass	1490
2490	2580	1	RMS	2534.55	19.69	60	Pass	401
2580	3000	1	RMS	2868.687	-48.48	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.27	-25	Pass	3500
6500	26000	1	RMS	25198.743	-50.04	-25	Pass	19500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.43	-25	Pass	2985
30	1000	0.1	RMS	887.551	-63.73	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.37	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.62	60	Pass	401
2580	3000	1	RMS	2867.685	-48.54	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.25	-25	Pass	3500
6500	26000	1	RMS	25196.742	-50.08	-25	Pass	19500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-25	Pass	2985
30	1000	0.1	RMS	892.658	-63.66	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.44	-25	Pass	1490
2490	2580	1	RMS	2566.95	19.74	60	Pass	401
2580	3000	1	RMS	2872.697	-48.53	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.19	-25	Pass	3500
6500	26000	1	RMS	25189.74	-50.11	-25	Pass	19500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2985
30	1000	0.1	RMS	913.385	-63.7	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.42	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.67	60	Pass	401
2580	3000	1	RMS	2867.685	-48.51	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.25	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.11	-25	Pass	19500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.39	-25	Pass	2985
30	1000	0.1	RMS	890.655	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-42.49	-25	Pass	1490
2490	2580	1	RMS	2507.55	12.81	60	Pass	401
2580	3000	1	RMS	2868.687	-48.51	-25	Pass	420
3000	6500	1	RMS	6207.917	-64.24	-25	Pass	3500
6500	26000	1	RMS	25192.741	-50.09	-25	Pass	19500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-25	Pass	2985
30	1000	0.1	RMS	898.966	-63.69	-25	Pass	9699
1000	2490	1	RMS	2490	-41.79	-25	Pass	1490
2490	2580	1	RMS	2509.125	11.85	60	Pass	401
2580	3000	1	RMS	2867.685	-48.54	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.27	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.06	-25	Pass	19500



28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71	-25	Pass	2985
30	1000	0.1	RMS	884.547	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-48.7	-25	Pass	1490
2490	2580	1	RMS	2537.925	12.79	60	Pass	401
2580	3000	1	RMS	2868.687	-48.48	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.27	-25	Pass	3500
6500	26000	1	RMS	25193.741	-50.15	-25	Pass	19500



28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-25	Pass	2985
30	1000	0.1	RMS	881.242	-63.77	-25	Pass	9699
1000	2490	1	RMS	2490	-48.98	-25	Pass	1490
2490	2580	1	RMS	2537.7	11.71	60	Pass	401
2580	3000	1	RMS	2869.69	-48.54	-25	Pass	420
3000	6500	1	RMS	6213.918	-64.25	-25	Pass	3500
6500	26000	1	RMS	25199.743	-50.08	-25	Pass	19500

