



28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	Pass	2985
30	1000	0.1	RMS	887.351	-63.72	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.29	-25	Pass	1490
2490	2580	1	RMS	2554.8	12.86	60	Pass	401
2580	3000	1	RMS	2580	-44.78	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.23	-25	Pass	3500
6500	26000	1	RMS	25198.743	-50.1	-25	Pass	19500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-25	Pass	2985
30	1000	0.1	RMS	890.855	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-50.34	-25	Pass	1490
2490	2580	1	RMS	2554.35	11.89	60	Pass	401
2580	3000	1	RMS	2580	-44.5	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.23	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.11	-25	Pass	19500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-25	Pass	2985
30	1000	0.1	RMS	889.954	-63.68	-25	Pass	9699
1000	2490	1	RMS	2490	-33.59	-25	Pass	1490
2490	2580	1	RMS	2532.975	9.79	60	Pass	401
2580	3000	1	RMS	2580	-46.77	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.29	-25	Pass	3500
6500	26000	1	RMS	25496.839	-50.15	-25	Pass	19500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.58	-25	Pass	2985
30	1000	0.1	RMS	896.963	-63.52	-25	Pass	9699
1000	2490	1	RMS	2490	-36.03	-25	Pass	1490
2490	2580	1	RMS	2535	8.73	60	Pass	401
2580	3000	1	RMS	2580	-47.66	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.24	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.13	-25	Pass	19500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-25	Pass	2985
30	1000	0.1	RMS	897.264	-63.69	-25	Pass	9699
1000	2490	1	RMS	2490	-43.04	-25	Pass	1490
2490	2580	1	RMS	2536.125	9.7	60	Pass	401
2580	3000	1	RMS	2580	-46.33	-25	Pass	420
3000	6500	1	RMS	6211.918	-64.23	-25	Pass	3500
6500	26000	1	RMS	25203.744	-50.09	-25	Pass	19500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-25	Pass	2985
30	1000	0.1	RMS	913.886	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-42.28	-25	Pass	1490
2490	2580	1	RMS	2536.8	8.7	60	Pass	401
2580	3000	1	RMS	2580	-45.57	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.27	-25	Pass	3500
6500	26000	1	RMS	25202.744	-50.13	-25	Pass	19500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-25	Pass	2985
30	1000	0.1	RMS	999.7	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-45.19	-25	Pass	1490
2490	2580	1	RMS	2539.725	9.73	60	Pass	401
2580	3000	1	RMS	2580	-37.08	-25	Pass	420
3000	6500	1	RMS	6226.922	-64.27	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.13	-25	Pass	19500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-25	Pass	2985
30	1000	0.1	RMS	899.667	-63.75	-25	Pass	9699
1000	2490	1	RMS	2490	-46.5	-25	Pass	1490
2490	2580	1	RMS	2538.6	8.72	60	Pass	401
2580	3000	1	RMS	2580	-39.43	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.28	-25	Pass	3500
6500	26000	1	RMS	25202.744	-50.15	-25	Pass	19500



29. DC_7A_n5A_SCS15


29.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.61	-13	Pass	7840
814	859	0.1	RMS	825.927	10.42	60	Pass	450
859	1000	0.1	RMS	891.223	-63.81	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.57	-13	Pass	2000
3000	10000	1	RMS	8433.776	-60.11	-13	Pass	7000




29.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.2	-13	Pass	2985
30	814	0.1	RMS	814	-62.79	-13	Pass	7840
814	859	0.1	RMS	826.327	9.47	60	Pass	450
859	1000	0.1	RMS	903.432	-63.8	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.1	-13	Pass	7000




29.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.44	-13	Pass	2985
30	814	0.1	RMS	810.7	-63.19	-13	Pass	7840
814	859	0.1	RMS	835.949	10.35	60	Pass	450
859	1000	0.1	RMS	901.73	-63.8	-13	Pass	1410
1000	3000	1	RMS	1672.336	-48.17	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.04	-13	Pass	7000




29.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	Pass	2985
30	814	0.1	RMS	731.489	-64.07	-13	Pass	7840
814	859	0.1	RMS	836.35	9.5	60	Pass	450
859	1000	0.1	RMS	898.828	-63.54	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.59	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.07	-13	Pass	7000




29.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.62	-13	Pass	2985
30	814	0.1	RMS	735.59	-63.97	-13	Pass	7840
814	859	0.1	RMS	845.871	10.45	60	Pass	450
859	1000	0.1	RMS	888.421	-63.49	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.56	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.09	-13	Pass	7000




29.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	Pass	2985
30	814	0.1	RMS	745.191	-64.16	-13	Pass	7840
814	859	0.1	RMS	846.372	9.47	60	Pass	450
859	1000	0.1	RMS	875.612	-63.76	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.55	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.04	-13	Pass	7000




29.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.91	-13	Pass	2985
30	814	0.1	RMS	813.3	-53.77	-13	Pass	7840
814	859	0.1	RMS	830.637	5.77	60	Pass	450
859	1000	0.1	RMS	900.529	-63.55	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.56	-13	Pass	2000
3000	10000	1	RMS	8390.77	-60.09	-13	Pass	7000




29.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-13	Pass	2985
30	814	0.1	RMS	813.9	-53.53	-13	Pass	7840
814	859	0.1	RMS	832.14	4.67	60	Pass	450
859	1000	0.1	RMS	902.731	-63.74	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.59	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.05	-13	Pass	7000




29.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.62	-13	Pass	7840
814	859	0.1	RMS	835.047	5.74	60	Pass	450
859	1000	0.1	RMS	916.941	-63.59	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.53	-13	Pass	2000
3000	10000	1	RMS	8419.774	-60.1	-13	Pass	7000




29.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.25	-13	Pass	2985
30	814	0.1	RMS	814	-57.23	-13	Pass	7840
814	859	0.1	RMS	833.844	4.7	60	Pass	450
859	1000	0.1	RMS	890.222	-63.72	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8408.773	-60.11	-13	Pass	7000




29.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.52	-13	Pass	7840
814	859	0.1	RMS	840.058	5.95	60	Pass	450
859	1000	0.1	RMS	878.214	-63.8	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.09	-13	Pass	7000




29.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.29	-13	Pass	7840
814	859	0.1	RMS	838.855	4.99	60	Pass	450
859	1000	0.1	RMS	889.522	-63.76	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.53	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.03	-13	Pass	7000




29.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.29	-13	Pass	2985
30	814	0.1	RMS	813.8	-54.26	-13	Pass	7840
814	859	0.1	RMS	837.653	4.44	60	Pass	450
859	1000	0.1	RMS	886.52	-63.71	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8404.772	-60.12	-13	Pass	7000




29.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	814	0.1	RMS	813.8	-53.44	-13	Pass	7840
814	859	0.1	RMS	837.051	3.36	60	Pass	450
859	1000	0.1	RMS	901.73	-63.77	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.56	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.11	-13	Pass	7000




29.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	Pass	2985
30	814	0.1	RMS	813.6	-55.09	-13	Pass	7840
814	859	0.1	RMS	835.548	4.31	60	Pass	450
859	1000	0.1	RMS	993.095	-63.75	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.56	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.08	-13	Pass	7000




29.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.15	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.71	-13	Pass	7840
814	859	0.1	RMS	834.445	3.55	60	Pass	450
859	1000	0.1	RMS	901.43	-63.64	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.1	-13	Pass	7000




29.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	Pass	2985
30	814	0.1	RMS	813.9	-56.25	-13	Pass	7840
814	859	0.1	RMS	835.548	4.29	60	Pass	450
859	1000	0.1	RMS	872.81	-63.64	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.58	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.07	-13	Pass	7000



29.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2985
30	814	0.1	RMS	814	-55.89	-13	Pass	7840
814	859	0.1	RMS	836.951	3.56	60	Pass	450
859	1000	0.1	RMS	894.425	-63.74	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.08	-13	Pass	7000



30. DC_26A_n41A_SCS30


30.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.1	-25	Pass	2985
30	1000	0.1	RMS	791.593	-61.44	-25	Pass	9699
1000	2486	1	RMS	2486	-37.66	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.45	60	Pass	401
2700	3000	1	RMS	2867.25	-48.51	-25	Pass	401
3000	6500	1	RMS	6046.871	-64.06	-25	Pass	3500
6500	27000	1	RMS	25863.724	-49.27	-25	Pass	20500




30.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.35	-25	Pass	2985
30	1000	0.1	RMS	934.313	-61.48	-25	Pass	9699
1000	2486	1	RMS	2486	-39.61	-25	Pass	1486
2486	2700	1	RMS	2507.935	13.45	60	Pass	401
2700	3000	1	RMS	2867.25	-48.36	-25	Pass	401
3000	6500	1	RMS	6222.921	-64	-25	Pass	3500
6500	27000	1	RMS	25474.629	-49.38	-25	Pass	20500




30.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	Pass	2985
30	1000	0.1	RMS	887.951	-61.23	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.4	-25	Pass	1486
2486	2700	1	RMS	2593.535	14.32	60	Pass	401
2700	3000	1	RMS	2864.25	-48.52	-25	Pass	401
3000	6500	1	RMS	6224.921	-63.94	-25	Pass	3500
6500	27000	1	RMS	25512.639	-49.09	-25	Pass	20500




30.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.16	-25	Pass	2985
30	1000	0.1	RMS	916.99	-61.35	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.36	-25	Pass	1486
2486	2700	1	RMS	2594.07	13.39	60	Pass	401
2700	3000	1	RMS	2868	-48.4	-25	Pass	401
3000	6500	1	RMS	6198.914	-64.01	-25	Pass	3500
6500	27000	1	RMS	25197.562	-49.34	-25	Pass	20500




30.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.47	-69.06	-25	Pass	2985
30	1000	0.1	RMS	897.764	-61.44	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.4	-25	Pass	1486
2486	2700	1	RMS	2680.74	13.91	60	Pass	401
2700	3000	1	RMS	2700	-36.21	-25	Pass	401
3000	6500	1	RMS	6235.925	-63.97	-25	Pass	3500
6500	27000	1	RMS	25187.56	-48.9	-25	Pass	20500




30.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.47	-25	Pass	2985
30	1000	0.1	RMS	923.499	-61.38	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.27	-25	Pass	1486
2486	2700	1	RMS	2681.81	13.02	60	Pass	401
2700	3000	1	RMS	2700	-38.75	-25	Pass	401
3000	6500	1	RMS	6210.917	-64.02	-25	Pass	3500
6500	27000	1	RMS	25470.628	-49.08	-25	Pass	20500




30.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.66	-70.42	-25	Pass	2985
30	1000	0.1	RMS	950.835	-60.9	-25	Pass	9699
1000	2486	1	RMS	2486	-32.5	-25	Pass	1486
2486	2700	1	RMS	2522.915	9.5	60	Pass	401
2700	3000	1	RMS	2868	-48.46	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.95	-25	Pass	3500
6500	27000	1	RMS	25504.637	-49.27	-25	Pass	20500




30.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81@40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.64	-25	Pass	2985
30	1000	0.1	RMS	739.287	-61.23	-25	Pass	9699
1000	2486	1	RMS	2486	-35.08	-25	Pass	1486
2486	2700	1	RMS	2523.45	8.51	60	Pass	401
2700	3000	1	RMS	2870.25	-48.39	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.83	-25	Pass	3500
6500	27000	1	RMS	25471.629	-49.44	-25	Pass	20500




30.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.27	-25	Pass	2985
30	1000	0.1	RMS	980.775	-60.81	-25	Pass	9699
1000	2486	1	RMS	2477.995	-50.22	-25	Pass	1486
2486	2700	1	RMS	2589.79	9.48	60	Pass	401
2700	3000	1	RMS	2865	-48.5	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.79	-25	Pass	3500
6500	27000	1	RMS	25199.563	-48.85	-25	Pass	20500




30.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81@40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.39	-25	Pass	2985
30	1000	0.1	RMS	873.632	-61.5	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.3	-25	Pass	1486
2486	2700	1	RMS	2590.325	8.67	60	Pass	401
2700	3000	1	RMS	2874.75	-48.43	-25	Pass	401
3000	6500	1	RMS	6112.889	-63.96	-25	Pass	3500
6500	27000	1	RMS	25190.56	-49.28	-25	Pass	20500




30.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.28	-25	Pass	2985
30	1000	0.1	RMS	958.545	-61.13	-25	Pass	9699
1000	2486	1	RMS	2469.989	-50.16	-25	Pass	1486
2486	2705	1	RMS	2647.513	9.03	60	Pass	401
2705	3000	1	RMS	2705	-38.91	-25	Pass	401
3000	6500	1	RMS	5865.819	-64.04	-25	Pass	3500
6500	27000	1	RMS	25215.566	-49.15	-25	Pass	20500




30.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81@40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.14	-25	Pass	2985
30	1000	0.1	RMS	989.686	-61.34	-25	Pass	9699
1000	2486	1	RMS	2476.994	-50.4	-25	Pass	1486
2486	2700	1	RMS	2657.2	8.28	60	Pass	401
2700	3000	1	RMS	2700	-32.11	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.02	-25	Pass	3500
6500	27000	1	RMS	25479.631	-49.12	-25	Pass	20500




30.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.61	-69.75	-25	Pass	2985
30	1000	0.1	RMS	861.416	-61.2	-25	Pass	9699
1000	2486	1	RMS	2486	-33	-25	Pass	1486
2486	2700	1	RMS	2552.875	7.34	60	Pass	401
2700	3000	1	RMS	2872.5	-48.54	-25	Pass	401
3000	6500	1	RMS	6227.922	-64.05	-25	Pass	3500
6500	27000	1	RMS	25198.562	-49.21	-25	Pass	20500




30.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-25	Pass	2985
30	1000	0.1	RMS	843.699	-61.29	-25	Pass	9699
1000	2486	1	RMS	2484.999	-35.48	-25	Pass	1486
2486	2700	1	RMS	2556.085	6.28	60	Pass	401
2700	3000	1	RMS	2868.75	-48.49	-25	Pass	401
3000	6500	1	RMS	6031.866	-63.98	-25	Pass	3500
6500	27000	1	RMS	25467.628	-49.3	-25	Pass	20500




30.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.73	-25	Pass	2985
30	1000	0.1	RMS	737.286	-61.53	-25	Pass	9699
1000	2486	1	RMS	2486	-45.51	-25	Pass	1486
2486	2700	1	RMS	2587.65	7.27	60	Pass	401
2700	3000	1	RMS	2700.75	-45.2	-25	Pass	401
3000	6500	1	RMS	6209.917	-63.98	-25	Pass	3500
6500	27000	1	RMS	25507.637	-49.14	-25	Pass	20500




30.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.47	-25	Pass	2985
30	1000	0.1	RMS	958.445	-61.43	-25	Pass	9699
1000	2486	1	RMS	2486	-47.29	-25	Pass	1486
2486	2700	1	RMS	2590.86	6.16	60	Pass	401
2700	3000	1	RMS	2700.75	-46.5	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.96	-25	Pass	3500
6500	27000	1	RMS	25822.714	-49.22	-25	Pass	20500




30.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.02	-25	Pass	2985
30	1000	0.1	RMS	849.801	-60.57	-25	Pass	9699
1000	2486	1	RMS	2486	-49.94	-25	Pass	1486
2486	2705	1	RMS	2635.468	6.94	60	Pass	401
2705	3000	1	RMS	2705	-32.49	-25	Pass	401
3000	6500	1	RMS	6230.923	-63.92	-25	Pass	3500
6500	27000	1	RMS	25191.561	-49.28	-25	Pass	20500



30.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.64	-25	Pass	2985
30	1000	0.1	RMS	716.584	-61.1	-25	Pass	9699
1000	2486	1	RMS	2486	-50.01	-25	Pass	1486
2486	2700	1	RMS	2637.405	5.99	60	Pass	401
2700	3000	1	RMS	2700	-32.36	-25	Pass	401
3000	6500	1	RMS	6211.918	-63.98	-25	Pass	3500
6500	27000	1	RMS	25498.635	-49.03	-25	Pass	20500



31. DC_66A_n5A_SCS15


31.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.74	-13	Pass	7840
814	859	0.1	RMS	825.927	10.61	60	Pass	450
859	1000	0.1	RMS	883.217	-63.72	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.55	-13	Pass	2000
3000	10000	1	RMS	8396.771	-60.08	-13	Pass	7000




31.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.7	-13	Pass	7840
814	859	0.1	RMS	826.327	9.59	60	Pass	450
859	1000	0.1	RMS	886.62	-63.74	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.55	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.03	-13	Pass	7000




31.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.24	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.71	-13	Pass	7840
814	859	0.1	RMS	835.949	10.44	60	Pass	450
859	1000	0.1	RMS	987.891	-63.69	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.53	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.09	-13	Pass	7000




31.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2985
30	814	0.1	RMS	740.991	-64.06	-13	Pass	7840
814	859	0.1	RMS	836.35	9.58	60	Pass	450
859	1000	0.1	RMS	905.433	-63.68	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.58	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60.07	-13	Pass	7000




31.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2985
30	814	0.1	RMS	738.09	-64.02	-13	Pass	7840
814	859	0.1	RMS	845.871	10.53	60	Pass	450
859	1000	0.1	RMS	900.83	-63.64	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.57	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.07	-13	Pass	7000




31.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	Pass	2985
30	814	0.1	RMS	741.691	-64.03	-13	Pass	7840
814	859	0.1	RMS	846.372	9.58	60	Pass	450
859	1000	0.1	RMS	895.126	-63.77	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.55	-13	Pass	2000
3000	10000	1	RMS	8389.77	-60.11	-13	Pass	7000




31.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	814	0.1	RMS	813.3	-53.75	-13	Pass	7840
814	859	0.1	RMS	830.637	5.84	60	Pass	450
859	1000	0.1	RMS	884.018	-63.72	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.54	-13	Pass	2000
3000	10000	1	RMS	8419.774	-60.09	-13	Pass	7000




31.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2985
30	814	0.1	RMS	813.9	-53.64	-13	Pass	7840
814	859	0.1	RMS	828.833	4.8	60	Pass	450
859	1000	0.1	RMS	887.62	-63.68	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.52	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.06	-13	Pass	7000




31.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.81	-13	Pass	7840
814	859	0.1	RMS	835.047	5.85	60	Pass	450
859	1000	0.1	RMS	898.328	-63.57	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.1	-13	Pass	7000




31.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	Pass	2985
30	814	0.1	RMS	813.9	-57.6	-13	Pass	7840
814	859	0.1	RMS	833.844	4.78	60	Pass	450
859	1000	0.1	RMS	889.922	-63.59	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.13	-13	Pass	7000




31.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.65	-13	Pass	7840
814	859	0.1	RMS	840.058	5.98	60	Pass	450
859	1000	0.1	RMS	901.13	-63.76	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.48	-13	Pass	2000
3000	10000	1	RMS	8394.771	-60.08	-13	Pass	7000




31.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.52	-13	Pass	7840
814	859	0.1	RMS	838.855	4.96	60	Pass	450
859	1000	0.1	RMS	998.199	-63.72	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.51	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.05	-13	Pass	7000




31.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2985
30	814	0.1	RMS	813.7	-53.56	-13	Pass	7840
814	859	0.1	RMS	837.653	4.5	60	Pass	450
859	1000	0.1	RMS	894.525	-63.66	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.45	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.03	-13	Pass	7000




31.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2985
30	814	0.1	RMS	813.8	-52.53	-13	Pass	7840
814	859	0.1	RMS	837.051	3.46	60	Pass	450
859	1000	0.1	RMS	894.425	-63.61	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.5	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.07	-13	Pass	7000




31.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.81	-13	Pass	7840
814	859	0.1	RMS	835.548	4.43	60	Pass	450
859	1000	0.1	RMS	895.226	-63.72	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.53	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.02	-13	Pass	7000




31.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.56	-13	Pass	2985
30	814	0.1	RMS	813.7	-54.45	-13	Pass	7840
814	859	0.1	RMS	834.445	3.64	60	Pass	450
859	1000	0.1	RMS	911.237	-63.61	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.59	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.06	-13	Pass	7000




31.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.16	-13	Pass	2985
30	814	0.1	RMS	813.9	-55.52	-13	Pass	7840
814	859	0.1	RMS	835.648	4.38	60	Pass	450
859	1000	0.1	RMS	910.537	-63.77	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.04	-13	Pass	7000



31.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2985
30	814	0.1	RMS	813.9	-55.09	-13	Pass	7840
814	859	0.1	RMS	836.951	3.61	60	Pass	450
859	1000	0.1	RMS	896.326	-63.73	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.52	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.06	-13	Pass	7000



32. DC_66A_n7A_SCS15


32.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.52	-25	Pass	2985
30	1000	0.1	RMS	907.377	-63.68	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.21	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.97	60	Pass	401
2580	3000	1	RMS	2866.683	-48.56	-25	Pass	420
3000	6500	1	RMS	6212.918	-64.22	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.03	-25	Pass	19500




32.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-25	Pass	2985
30	1000	0.1	RMS	997.597	-63.35	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.15	-25	Pass	1490
2490	2580	1	RMS	2502.15	18.77	60	Pass	401
2580	3000	1	RMS	2870.692	-48.51	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.21	-25	Pass	3500
6500	26000	1	RMS	25192.741	-50.15	-25	Pass	19500




32.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-25	Pass	2985
30	1000	0.1	RMS	894.46	-63.59	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.4	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.76	60	Pass	401
2580	3000	1	RMS	2868.687	-48.54	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.21	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.18	-25	Pass	19500




32.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-25	Pass	2985
30	1000	0.1	RMS	909.48	-63.69	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.32	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.52	60	Pass	401
2580	3000	1	RMS	2868.687	-48.47	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.21	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.17	-25	Pass	19500




32.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.9	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.62	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.4	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.78	60	Pass	401
2580	3000	1	RMS	2868.687	-48.52	-25	Pass	420
3000	6500	1	RMS	5134.61	-64	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.2	-25	Pass	19500




32.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.21	-25	Pass	2985
30	1000	0.1	RMS	911.282	-63.66	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.36	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.56	60	Pass	401
2580	3000	1	RMS	2868.687	-48.52	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.13	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.11	-25	Pass	19500




32.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.16	-71.39	-25	Pass	2985
30	1000	0.1	RMS	917.891	-63.75	-25	Pass	9699
1000	2490	1	RMS	2490	-42.63	-25	Pass	1490
2490	2580	1	RMS	2508.45	12.98	60	Pass	401
2580	3000	1	RMS	2866.683	-48.52	-25	Pass	420
3000	6500	1	RMS	6206.916	-64.22	-25	Pass	3500
6500	26000	1	RMS	25498.839	-50.17	-25	Pass	19500




32.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-25	Pass	2985
30	1000	0.1	RMS	895.762	-63.74	-25	Pass	9699
1000	2490	1	RMS	2490	-42.08	-25	Pass	1490
2490	2580	1	RMS	2508.45	11.96	60	Pass	401
2580	3000	1	RMS	2868.687	-48.6	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.24	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.19	-25	Pass	19500




32.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.76	-25	Pass	2985
30	1000	0.1	RMS	899.667	-63.7	-25	Pass	9699
1000	2490	1	RMS	2490	-48.82	-25	Pass	1490
2490	2580	1	RMS	2538.375	12.67	60	Pass	401
2580	3000	1	RMS	2867.685	-48.58	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.27	-25	Pass	3500
6500	26000	1	RMS	25195.742	-50.2	-25	Pass	19500




32.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-25	Pass	2985
30	1000	0.1	RMS	885.648	-63.64	-25	Pass	9699
1000	2490	1	RMS	2490	-48.97	-25	Pass	1490
2490	2580	1	RMS	2538.6	11.75	60	Pass	401
2580	3000	1	RMS	2868.687	-48.53	-25	Pass	420
3000	6500	1	RMS	6208.917	-64.24	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.16	-25	Pass	19500




32.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-25	Pass	2985
30	1000	0.1	RMS	873.132	-63.65	-25	Pass	9699
1000	2490	1	RMS	2490	-50.36	-25	Pass	1490
2490	2580	1	RMS	2553.45	12.89	60	Pass	401
2580	3000	1	RMS	2580	-44.62	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.26	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.15	-25	Pass	19500




32.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:64@32, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.03	-25	Pass	2985
30	1000	0.1	RMS	884.847	-63.56	-25	Pass	9699
1000	2490	1	RMS	2490	-50.27	-25	Pass	1490
2490	2580	1	RMS	2553.675	11.9	60	Pass	401
2580	3000	1	RMS	2580	-44.74	-25	Pass	420
3000	6500	1	RMS	6211.918	-64.27	-25	Pass	3500
6500	26000	1	RMS	25199.743	-50.1	-25	Pass	19500




32.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.16	-70.59	-25	Pass	2985
30	1000	0.1	RMS	893.058	-63.6	-25	Pass	9699
1000	2490	1	RMS	2490	-34.02	-25	Pass	1490
2490	2580	1	RMS	2535.225	9.69	60	Pass	401
2580	3000	1	RMS	2580	-46.87	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.2	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.16	-25	Pass	19500




32.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.71	-25	Pass	2985
30	1000	0.1	RMS	896.162	-63.7	-25	Pass	9699
1000	2490	1	RMS	2490	-36.63	-25	Pass	1490
2490	2580	1	RMS	2530.5	8.59	60	Pass	401
2580	3000	1	RMS	2580	-47.71	-25	Pass	420
3000	6500	1	RMS	6207.917	-64.26	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.08	-25	Pass	19500




32.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	880.942	-63.72	-25	Pass	9699
1000	2490	1	RMS	2490	-42.8	-25	Pass	1490
2490	2580	1	RMS	2535	9.5	60	Pass	401
2580	3000	1	RMS	2580	-46.14	-25	Pass	420
3000	6500	1	RMS	6209.917	-64.22	-25	Pass	3500
6500	26000	1	RMS	25499.839	-50.16	-25	Pass	19500




32.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.68	-25	Pass	9699
1000	2490	1	RMS	2490	-42.53	-25	Pass	1490
2490	2580	1	RMS	2537.025	8.69	60	Pass	401
2580	3000	1	RMS	2580	-45.58	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.24	-25	Pass	3500
6500	26000	1	RMS	25203.744	-50.14	-25	Pass	19500




32.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-25	Pass	2985
30	1000	0.1	RMS	882.544	-63.77	-25	Pass	9699
1000	2490	1	RMS	2490	-45.44	-25	Pass	1490
2490	2580	1	RMS	2537.025	9.78	60	Pass	401
2580	3000	1	RMS	2580	-36.8	-25	Pass	420
3000	6500	1	RMS	6210.917	-64.23	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.14	-25	Pass	19500



32.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.88	-25	Pass	2985
30	1000	0.1	RMS	895.161	-63.61	-25	Pass	9699
1000	2490	1	RMS	2490	-46.82	-25	Pass	1490
2490	2580	1	RMS	2541.525	8.67	60	Pass	401
2580	3000	1	RMS	2580	-39.36	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.18	-25	Pass	3500
6500	26000	1	RMS	25198.743	-50.14	-25	Pass	19500



END