



32.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 839.8 | 1.18 | 30 | Pass | 401 |
| 849 | 850 | 0.15 | RMS | 849.018 | -38.8 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -43.51 | -13 | Pass | 401 |




32.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 848.5 | 17.68 | 30 | Pass | 401 |
| 849 | 850 | 0.1 | RMS | 849 | -23.54 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -51.64 | -13 | Pass | 401 |




32.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 838.35 | 0.28 | 30 | Pass | 401 |
| 849 | 850 | 0.15 | RMS | 849.01 | -40.03 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -44.6 | -13 | Pass | 401 |




32.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799 | 823 | 0.1 | RMS | 823 | -49.48 | -13 | Pass | 401 |
| 823 | 824 | 0.2 | RMS | 824 | -16.55 | -13 | Pass | 401 |
| 824 | 844 | 0.1 | RMS | 824.55 | 18.3 | 30 | Pass | 401 |




32.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799 | 823 | 0.1 | RMS | 822.88 | -41.62 | -13 | Pass | 401 |
| 823 | 824 | 0.2 | RMS | 823.998 | -31.31 | -13 | Pass | 401 |
| 824 | 844 | 0.1 | RMS | 836.6 | -0.08 | 30 | Pass | 401 |




32.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799 | 823 | 0.1 | RMS | 823 | -51.51 | -13 | Pass | 401 |
| 823 | 824 | 0.2 | RMS | 824 | -19.64 | -13 | Pass | 401 |
| 824 | 844 | 0.1 | RMS | 824.55 | 17.58 | 30 | Pass | 401 |




32.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 799 | 823 | 0.1 | RMS | 823 | -44.12 | -13 | Pass | 401 |
| 823 | 824 | 0.2 | RMS | 824 | -34.53 | -13 | Pass | 401 |
| 824 | 844 | 0.1 | RMS | 839.15 | -0.72 | 30 | Pass | 401 |




32.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 848.45 | 18.38 | 30 | Pass | 401 |
| 849 | 850 | 0.2 | RMS | 849.003 | -16.25 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -50.35 | -13 | Pass | 401 |




32.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 841.6 | 0.06 | 30 | Pass | 401 |
| 849 | 850 | 0.2 | RMS | 849.01 | -41.43 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -44.74 | -13 | Pass | 401 |



32.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 848.45 | 17.66 | 30 | Pass | 401 |
| 849 | 850 | 0.2 | RMS | 849.003 | -17.76 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850 | -51.15 | -13 | Pass | 401 |



32.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 829 | 849 | 0.1 | RMS | 840.7 | -1.17 | 30 | Pass | 401 |
| 849 | 850 | 0.2 | RMS | 849 | -41.61 | -13 | Pass | 401 |
| 850 | 874 | 0.1 | RMS | 850.24 | -45.31 | -13 | Pass | 401 |



33. DC_66A_n7A_SCS15


33.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2494 | 1 | RMS | 2494 | -47.49 | -25 | Pass | 401 |
| 2494 | 2496 | 1 | RMS | 2495.975 | -42.98 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -37.29 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2500 | -21.69 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.35 | 21.84 | 30 | Pass | 401 |




33.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2494 | 1 | RMS | 2494 | -36.77 | -25 | Pass | 401 |
| 2494 | 2496 | 1 | RMS | 2495.985 | -26.56 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -23 | -10 | Pass | 4 |
| 2499 | 2500 | 0.1 | RMS | 2499.998 | -27.62 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2502.3 | 15.89 | 30 | Pass | 401 |




33.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2494 | 1 | RMS | 2494 | -47.35 | -25 | Pass | 401 |
| 2494 | 2496 | 1 | RMS | 2495.855 | -42.35 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -37.54 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2500 | -21.11 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.35 | 21.36 | 30 | Pass | 401 |




33.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2494 | 1 | RMS | 2494 | -36.6 | -25 | Pass | 401 |
| 2494 | 2496 | 1 | RMS | 2495.995 | -29.65 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -24.39 | -10 | Pass | 4 |
| 2499 | 2500 | 0.1 | RMS | 2500 | -28.99 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2502.9 | 15.11 | 30 | Pass | 401 |




33.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.65 | 21.77 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570 | -21.25 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -37.45 | -10 | Pass | 5 |
| 2575 | 2576 | 1 | RMS | 2575.03 | -45.19 | -13 | Pass | 401 |
| 2576 | 2595 | 1 | RMS | 2576 | -48.2 | -25 | Pass | 401 |




33.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2567.45 | 15.78 | 30 | Pass | 401 |
| 2570 | 2571 | 0.1 | RMS | 2570 | -27.63 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -23.87 | -10 | Pass | 5 |
| 2575 | 2576 | 1 | RMS | 2575.003 | -34.46 | -13 | Pass | 401 |
| 2576 | 2595 | 1 | RMS | 2576 | -39.11 | -25 | Pass | 401 |




33.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.6 | 20.63 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570.005 | -24.31 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -37.82 | -10 | Pass | 5 |
| 2575 | 2576 | 1 | RMS | 2575.005 | -45.58 | -13 | Pass | 401 |
| 2576 | 2595 | 1 | RMS | 2576 | -48.22 | -25 | Pass | 401 |




33.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2568 | 14.92 | 30 | Pass | 401 |
| 2570 | 2571 | 0.1 | RMS | 2570 | -28.48 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -25.81 | -10 | Pass | 5 |
| 2575 | 2576 | 1 | RMS | 2575.003 | -35.53 | -13 | Pass | 401 |
| 2576 | 2595 | 1 | RMS | 2576 | -39.03 | -25 | Pass | 401 |




33.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2496 | 1 | RMS | 2496 | -45.54 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -35.11 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2500 | -25.86 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.6 | 21.72 | 30 | Pass | 401 |




33.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2496 | 1 | RMS | 2496 | -31.02 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2497 | -31.43 | -10 | Pass | 4 |
| 2499 | 2500 | 0.51 | RMS | 2500 | -16.27 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2505.35 | 9 | 30 | Pass | 401 |




33.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2496 | 1 | RMS | 2496 | -45.53 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -34.74 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2500 | -25.81 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.6 | 21.17 | 30 | Pass | 401 |




33.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:128@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475 | 2496 | 1 | RMS | 2496 | -33.21 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -32.64 | -10 | Pass | 4 |
| 2499 | 2500 | 0.51 | RMS | 2500 | -15.94 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2505.25 | 8.16 | 30 | Pass | 401 |




33.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@132, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.35 | 21.62 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570.003 | -25.54 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -34.59 | -10 | Pass | 5 |
| 2575 | 2595 | 1 | RMS | 2575.55 | -46.04 | -13 | Pass | 401 |




33.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2550.25 | 9.01 | 30 | Pass | 401 |
| 2570 | 2571 | 0.51 | RMS | 2570.015 | -31.83 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2572 | -30.38 | -10 | Pass | 5 |
| 2575 | 2595 | 1 | RMS | 2575.35 | -31.33 | -13 | Pass | 401 |




33.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@132, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.35 | 20.44 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570 | -28.2 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -37.1 | -10 | Pass | 5 |
| 2575 | 2595 | 1 | RMS | 2575 | -46.77 | -13 | Pass | 401 |




33.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, 16QAM, NR RB:128@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2550.05 | 8.14 | 30 | Pass | 401 |
| 2570 | 2571 | 0.51 | RMS | 2570 | -33.59 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -31.78 | -10 | Pass | 5 |
| 2575 | 2595 | 1 | RMS | 2575 | -32.71 | -13 | Pass | 401 |




33.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2450 | 2496 | 1 | RMS | 2489.905 | -44.14 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -33.18 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2500 | -29.42 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.75 | 21.29 | 30 | Pass | 401 |




33.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2450 | 2496 | 1 | RMS | 2496 | -31.75 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2497 | -31.8 | -10 | Pass | 4 |
| 2499 | 2500 | 1 | RMS | 2500 | -30.83 | -10 | Pass | 2 |
| 2500 | 2520 | 1 | RMS | 2510 | 5.49 | 30 | Pass | 401 |




33.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2450 | 2496 | 1 | RMS | 2496 | -44.74 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -34.83 | -10 | Pass | 4 |
| 2499 | 2500 | 0.051 | RMS | 2499.998 | -31.51 | -10 | Pass | 401 |
| 2500 | 2520 | 1 | RMS | 2500.75 | 20.6 | 30 | Pass | 401 |




33.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2450 | 2496 | 1 | RMS | 2496 | -34.81 | -13 | Pass | 401 |
| 2496 | 2499 | 1 | RMS | 2499 | -34.68 | -10 | Pass | 4 |
| 2499 | 2500 | 1 | RMS | 2500 | -30.86 | -10 | Pass | 2 |
| 2500 | 2520 | 1 | RMS | 2508.55 | 4.56 | 30 | Pass | 401 |




33.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @269, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.2 | 21.49 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570 | -31.24 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -34.3 | -10 | Pass | 5 |
| 2575 | 2620 | 1 | RMS | 2579.95 | -45.6 | -13 | Pass | 401 |




33.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2550.3 | 5.67 | 30 | Pass | 401 |
| 2570 | 2571 | 1 | RMS | 2570 | -29.98 | -10 | Pass | 2 |
| 2571 | 2575 | 1 | RMS | 2572 | -33.88 | -10 | Pass | 5 |
| 2575 | 2620 | 1 | RMS | 2575 | -33.9 | -13 | Pass | 401 |




33.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@269, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2569.15 | 20.44 | 30 | Pass | 401 |
| 2570 | 2571 | 0.051 | RMS | 2570.003 | -31.47 | -10 | Pass | 401 |
| 2571 | 2575 | 1 | RMS | 2571 | -34.14 | -10 | Pass | 5 |
| 2575 | 2620 | 1 | RMS | 2575 | -45.54 | -13 | Pass | 401 |



33.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2550 | 2570 | 1 | RMS | 2550.5 | 4.6 | 30 | Pass | 401 |
| 2570 | 2571 | 1 | RMS | 2570 | -30.26 | -10 | Pass | 2 |
| 2571 | 2575 | 1 | RMS | 2571 | -34.79 | -10 | Pass | 5 |
| 2575 | 2620 | 1 | RMS | 2575 | -35.27 | -13 | Pass | 401 |



END