









Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.91	0.15	4.06	11.00	Pass
5300	3.81	0.15	3.96	11.00	Pass
5320	3.40	0.15	3.55	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.32	0.15	4.47	11.00	Pass
5580	4.08	0.15	4.23	11.00	Pass
5700	3.52	0.15	3.67	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.22	11.21	0.15	11.36	30.00	Pass
5785	4.36	11.35	0.15	11.50	30.00	Pass
5825	3.82	10.81	0.15	10.96	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.53	11.00	Pass
5200	5.83	11.00	Pass
5240	5.84	11.00	Pass





Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.48	11.00	Pass
5300	6.61	11.00	Pass
5320	6.46	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	7.28	11.00	Pass
5580	7.39	11.00	Pass
5700	6.65	11.00	Pass





Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	14.16	30.00	Pass
5785	14.10	30.00	Pass
5825	13.63	30.00	Pass

Test Mode | IEEE 802.11ac (VHT20)_Antenna 1





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.19	0.24	2.43	11.00	Pass
5200	2.39	0.24	2.63	11.00	Pass
5240	2.47	0.24	2.71	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.90	0.24	3.14	11.00	Pass
5300	3.08	0.24	3.32	11.00	Pass
5320	2.99	0.24	3.23	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.59	0.24	3.83	11.00	Pass
5580	3.65	0.24	3.89	11.00	Pass
5700	3.05	0.24	3.29	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.29	10.28	0.24	10.52	30.00	Pass
5785	2.95	9.94	0.24	10.18	30.00	Pass
5825	3.00	9.99	0.24	10.23	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$







Test Mode | IEEE 802.11ac (VHT20)_Antenna 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.13	0.24	2.37	11.00	Pass
5200	1.92	0.24	2.16	11.00	Pass
5240	1.81	0.24	2.05	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.33	0.24	3.57	11.00	Pass
5300	3.17	0.24	3.41	11.00	Pass
5320	2.51	0.24	2.75	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.21	0.24	4.45	11.00	Pass
5580	3.69	0.24	3.93	11.00	Pass
5700	2.77	0.24	3.01	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.32	10.31	0.24	10.55	30.00	Pass
5785	2.73	9.72	0.24	9.96	30.00	Pass
5825	3.15	10.14	0.24	10.38	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.41	11.00	Pass
5200	5.41	11.00	Pass
5240	5.40	11.00	Pass



Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.37	11.00	Pass
5300	6.38	11.00	Pass
5320	6.01	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	7.16	11.00	Pass
5580	6.92	11.00	Pass
5700	6.16	11.00	Pass



Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	13.55	30.00	Pass
5785	13.08	30.00	Pass
5825	13.32	30.00	Pass

Test Mode | IEEE 802.11ac (VHT40)_Antenna 1





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.92	1.60	0.68	11.00	Pass
5230	1.67	1.60	3.27	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.91	1.60	4.51	11.00	Pass
5310	-2.75	1.60	-1.15	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.21	1.60	1.81	11.00	Pass
5550	3.69	1.60	5.29	11.00	Pass
5670	2.32	1.60	3.92	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-0.84	6.15	1.60	7.75	30.00	Pass
5795	-0.83	6.16	1.60	7.76	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode | IEEE 802.11ac (VHT40)_Antenna 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.03	1.60	0.57	11.00	Pass
5230	1.66	1.60	3.26	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.89	1.60	4.49	11.00	Pass
5310	-2.73	1.60	-1.13	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.28	1.60	1.88	11.00	Pass
5550	3.66	1.60	5.26	11.00	Pass
5670	2.22	1.60	3.82	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-0.58	6.41	1.60	8.01	30.00	Pass
5795	-0.82	6.17	1.60	7.77	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	3.64	11.00	Pass
5230	6.28	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	7.51	11.00	Pass
5310	1.87	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	4.86	11.00	Pass
5550	8.29	11.00	Pass
5670	6.88	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	10.89	30.00	Pass
5795	10.78	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 1
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-8.88	2.59	-6.29	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-9.36	2.59	-6.77	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-9.18	2.59	-6.59	11.00	Pass
5610	-1.38	2.59	1.21	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-4.67	2.32	2.59	4.91	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Antenna 2
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.64	2.59	-5.05	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.05	2.59	-5.46	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.65	2.59	-5.06	11.00	Pass
5610	-2.35	2.59	0.24	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.74	1.25	2.59	3.84	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.62	11.00	Pass





Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.06	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.75	11.00	Pass
5610	3.76	11.00	Pass





Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	7.42	30.00	Pass

Test Mode | IEEE 802.11ax (HE20)_Antenna 1





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.79	0.30	2.09	11.00	Pass
5200	2.20	0.30	2.50	11.00	Pass
5240	2.07	0.30	2.37	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.78	0.30	3.08	11.00	Pass
5300	2.43	0.30	2.73	11.00	Pass
5320	2.58	0.30	2.88	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.43	0.30	3.73	11.00	Pass
5580	3.80	0.30	4.10	11.00	Pass
5700	3.00	0.30	3.30	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.04	9.03	0.30	9.33	30.00	Pass
5785	1.76	8.75	0.30	9.05	30.00	Pass
5825	1.75	8.74	0.30	9.04	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$







Test Mode | IEEE 802.11ax (HE20)_Antenna 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.57	0.30	1.87	11.00	Pass
5200	1.57	0.30	1.87	11.00	Pass
5240	1.20	0.30	1.50	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.87	0.30	3.17	11.00	Pass
5300	2.31	0.30	2.61	11.00	Pass
5320	2.29	0.30	2.59	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.57	0.30	3.87	11.00	Pass
5580	3.27	0.30	3.57	11.00	Pass
5700	2.09	0.30	2.39	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	1.56	8.55	0.30	8.85	30.00	Pass
5785	1.81	8.80	0.30	9.10	30.00	Pass
5825	1.65	8.64	0.30	8.94	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.99	11.00	Pass
5200	5.21	11.00	Pass
5240	4.97	11.00	Pass



Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.14	11.00	Pass
5300	5.68	11.00	Pass
5320	5.75	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.81	11.00	Pass
5580	6.85	11.00	Pass
5700	5.88	11.00	Pass



Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	12.11	30.00	Pass
5785	12.09	30.00	Pass
5825	12.00	30.00	Pass

Test Mode | IEEE 802.11ax (HE40)_Antenna 1





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.07	1.84	2.91	11.00	Pass
5230	0.96	1.84	2.80	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	1.58	1.84	3.42	11.00	Pass
5310	-1.11	1.84	0.73	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	1.11	1.84	2.95	11.00	Pass
5550	2.92	1.84	4.76	11.00	Pass
5670	-3.59	1.84	-1.75	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.54	5.45	1.84	7.29	30.00	Pass
5795	-1.63	5.36	1.84	7.20	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode | IEEE 802.11ax (HE40)_Antenna 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.99	1.84	2.83	11.00	Pass
5230	0.87	1.84	2.71	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.93	1.84	2.77	11.00	Pass
5310	-1.36	1.84	0.48	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.60	1.84	2.44	11.00	Pass
5550	2.32	1.84	4.16	11.00	Pass
5670	-4.01	1.84	-2.17	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.93	5.06	1.84	6.90	30.00	Pass
5795	-2.01	4.98	1.84	6.82	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	5.88	11.00	Pass
5230	5.77	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.12	11.00	Pass
5310	3.62	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	5.71	11.00	Pass
5550	7.48	11.00	Pass
5670	1.06	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	10.11	30.00	Pass
5795	10.02	30.00	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 1
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.64	2.73	-4.91	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.16	2.73	-5.43	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-8.52	2.73	-5.79	11.00	Pass
5610	-2.39	2.73	0.34	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.90	1.09	2.73	3.82	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.55	2.73	-4.82	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.50	2.73	-5.77	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.98	2.73	-5.25	11.00	Pass
5610	-2.94	2.73	-0.21	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.78	1.21	2.73	3.94	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-1.85	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.59	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.50	11.00	Pass
5610	3.80	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	6.89	30.00	Pass

End of Test Report