






## NR n7\_20MHz Spectrum Plot





























## APPENDIX D RADIATED SPURIOUS EMISSIONS

Test Mode	5G NR n5	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Over (dB)	Detector	Comment
1	*	36.6930	-54.89	22.61	-32.28	-13.00	-19.28	peak	
2		107.6000	-69.60	15.19	-54.41	-13.00	-41.41	peak	
3		172.5253	-76.39	16.16	-60.23	-13.00	-47.23	peak	
4		260.0517	-70.25	11.57	-58.68	-13.00	-45.68	peak	
5		492.9163	-75.33	8.49	-66.84	-13.00	-53.84	peak	
6		754.6223	-75.90	9.82	-66.08	-13.00	-53.08	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n5	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.9193	-68.24	24.00	-44.24	-13.00	-31.24	peak	
2		127.0970	-74.24	13.84	-60.40	-13.00	-47.40	peak	
3		192.9923	-67.42	7.26	-60.16	-13.00	-47.16	peak	
4		325.4297	-74.15	7.66	-66.49	-13.00	-53.49	peak	
5		466.9527	-76.17	7.58	-68.59	-13.00	-55.59	peak	
6		704.4410	-75.85	8.95	-66.90	-13.00	-53.90	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n7	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Over (dB)	Detector	Comment
1	*	36.8223	-55.78	22.63	-33.15	-25.00	-8.15	peak	
2		84.2553	-72.31	17.26	-55.05	-25.00	-30.05	peak	
3		167.2550	-76.93	16.50	-60.43	-25.00	-35.43	peak	
4		230.4667	-76.56	13.00	-63.56	-25.00	-38.56	peak	
5		374.9320	-76.08	8.73	-67.35	-25.00	-42.35	peak	
6		665.4470	-75.98	10.10	-65.88	-25.00	-40.88	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n7	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.5313	-67.91	23.79	-44.12	-25.00	-19.12	peak	
2		193.0570	-68.77	7.25	-61.52	-25.00	-36.52	peak	
3		300.3713	-71.07	6.38	-64.69	-25.00	-39.69	peak	
4		325.2033	-72.89	7.65	-65.24	-25.00	-40.24	peak	
5		663.8950	-75.16	7.77	-67.39	-25.00	-42.39	peak	
6		800.3093	-76.54	10.55	-65.99	-25.00	-40.99	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n38	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.0162	-55.69	22.67	-33.02	-25.00	-8.02	peak	
2		93.7937	-71.62	17.23	-54.39	-25.00	-29.39	peak	
3		174.2713	-76.94	15.78	-61.16	-25.00	-36.16	peak	
4		239.3260	-76.21	13.09	-63.12	-25.00	-38.12	peak	
5		555.1257	-76.07	10.51	-65.56	-25.00	-40.56	peak	
6		811.3673	-76.35	9.72	-66.63	-25.00	-41.63	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	5G NR n38	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	36.9840	-69.41	24.04	-45.37	-25.00	-20.37	peak	
2		131.2680	-75.69	14.32	-61.37	-25.00	-36.37	peak	
3		186.9137	-71.62	8.55	-63.07	-25.00	-38.07	peak	
4		325.2680	-73.52	7.65	-65.87	-25.00	-40.87	peak	
5		601.3623	-76.17	7.50	-68.67	-25.00	-43.67	peak	
6		806.1617	-76.53	10.41	-66.12	-25.00	-41.12	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n41	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.5637	-57.98	22.58	-35.40	-25.00	-10.40	peak	
2		88.2647	-72.47	17.37	-55.10	-25.00	-30.10	peak	
3		170.5207	-77.26	16.61	-60.65	-25.00	-35.65	peak	
4		405.7780	-75.39	8.54	-66.85	-25.00	-41.85	peak	
5		695.4200	-75.44	10.49	-64.95	-25.00	-39.95	peak	
6		951.2737	-77.47	11.58	-65.89	-25.00	-40.89	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n41	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.6607	-69.04	23.86	-45.18	-25.00	-20.18	peak	
2		91.1747	-74.85	15.11	-59.74	-25.00	-34.74	peak	
3		161.8553	-74.82	12.59	-62.23	-25.00	-37.23	peak	
4		300.3713	-71.11	6.38	-64.73	-25.00	-39.73	peak	
5		668.7127	-76.63	7.92	-68.71	-25.00	-43.71	peak	
6		820.3237	-76.51	10.06	-66.45	-25.00	-41.45	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n66	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1 *	36.6607	-56.97	22.60	-34.37	-13.00	-21.37	peak	
2	68.3150	-67.68	16.80	-50.88	-13.00	-37.88	peak	
3	184.1007	-70.78	13.68	-57.10	-13.00	-44.10	peak	
4	591.5977	-74.88	10.65	-64.23	-13.00	-51.23	peak	
5	698.9767	-75.29	10.54	-64.75	-13.00	-51.75	peak	
6	900.0577	-76.64	10.94	-65.70	-13.00	-52.70	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n66	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Over (dB)	Detector	Comment
1	*	36.8223	-68.16	23.95	-44.21	-13.00	-31.21	peak	
2		85.0637	-73.72	15.87	-57.85	-13.00	-44.85	peak	
3		186.7520	-70.05	8.60	-61.45	-13.00	-48.45	peak	
4		301.1472	-73.12	6.42	-66.70	-13.00	-53.70	peak	
5		522.5337	-76.48	7.37	-69.11	-13.00	-56.11	peak	
6		812.1433	-76.08	10.26	-65.82	-13.00	-52.82	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_7A_n5A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.5637	-59.62	22.58	-37.04	-13.00	-24.04	peak	
2		84.3523	-70.79	17.27	-53.52	-13.00	-40.52	peak	
3		190.3410	-72.09	12.47	-59.62	-13.00	-46.62	peak	
4		591.2743	-75.87	10.65	-65.22	-13.00	-52.22	peak	
5		684.9117	-75.24	10.35	-64.89	-13.00	-51.89	peak	
6		823.3630	-76.13	9.79	-66.34	-13.00	-53.34	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_7A_n5A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	35.9170	-71.12	23.45	-47.67	-13.00	-34.67	peak	
2		57.6127	-75.77	22.95	-52.82	-13.00	-39.82	peak	
3		186.8813	-66.15	8.56	-57.59	-13.00	-44.59	peak	
4		419.1963	-75.06	8.13	-66.93	-13.00	-53.93	peak	
5		693.0920	-73.77	8.71	-65.06	-13.00	-52.06	peak	
6		821.8757	-75.30	10.03	-65.27	-13.00	-52.27	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_66A_n5A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Over (dB)	Detector	Comment
1	*	36.4342	-59.22	22.56	-36.66	-13.00	-23.66	peak	
2		83.1560	-70.20	17.24	-52.96	-13.00	-39.96	peak	
3		192.1517	-71.67	12.45	-59.22	-13.00	-46.22	peak	
4		375.0290	-75.38	8.72	-66.66	-13.00	-53.66	peak	
5		463.4283	-75.32	8.37	-66.95	-13.00	-53.95	peak	
6		701.3693	-75.79	10.53	-65.26	-13.00	-52.26	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	DC_66A_n5A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	35.9493	-70.45	23.47	-46.98	-13.00	-33.98	peak	
2		185.8466	-65.25	8.88	-56.37	-13.00	-43.37	peak	
3		377.8743	-75.30	8.61	-66.69	-13.00	-53.69	peak	
4		576.5950	-75.72	7.51	-68.21	-13.00	-55.21	peak	
5		692.5423	-73.38	8.69	-64.69	-13.00	-51.69	peak	
6		821.6493	-75.81	10.03	-65.78	-13.00	-52.78	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_5A_n7A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.0810	-58.90	22.68	-36.22	-25.00	-11.22	peak	
2		84.3200	-70.78	17.27	-53.51	-25.00	-28.51	peak	
3		192.5397	-69.68	12.44	-57.24	-25.00	-32.24	peak	
4		307.8403	-74.76	9.23	-65.53	-25.00	-40.53	peak	
5		559.1673	-76.16	10.52	-65.64	-25.00	-40.64	peak	
6		744.1140	-75.94	9.92	-66.02	-25.00	-41.02	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_5A_n7A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.8223	-69.57	23.95	-45.62	-25.00	-20.62	peak	
2		65.9547	-75.50	19.34	-56.16	-25.00	-31.16	peak	
3		192.5720	-68.61	7.30	-61.31	-25.00	-36.31	peak	
4		300.8887	-72.09	6.41	-65.68	-25.00	-40.68	peak	
5		398.0503	-75.85	8.39	-67.46	-25.00	-42.46	peak	
6		771.1770	-76.54	9.78	-66.76	-25.00	-41.76	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_66A_n7A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.0810	-58.62	22.68	-35.94	-25.00	-10.94	peak	
2		52.2453	-67.21	21.23	-45.98	-25.00	-20.98	peak	
3		88.7820	-71.75	17.39	-54.36	-25.00	-29.36	peak	
4		185.0707	-71.80	13.48	-58.32	-25.00	-33.32	peak	
5		558.0033	-76.48	10.52	-65.96	-25.00	-40.96	peak	
6		707.7067	-76.77	10.44	-66.33	-25.00	-41.33	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_66A_n7A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.2727	-72.27	23.65	-48.62	-25.00	-23.62	peak	
2		127.9053	-75.09	13.98	-61.11	-25.00	-36.11	peak	
3		170.9086	-75.57	12.92	-62.65	-25.00	-37.65	peak	
4		300.6947	-72.89	6.40	-66.49	-25.00	-41.49	peak	
5		579.5373	-75.76	7.51	-68.25	-25.00	-43.25	peak	
6		705.2170	-75.49	8.96	-66.53	-25.00	-41.53	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_26A_n41A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.9191	-61.07	22.65	-38.42	-25.00	-13.42	peak	
2		90.5601	-71.91	17.39	-54.52	-25.00	-29.52	peak	
3		190.0175	-70.74	12.47	-58.27	-25.00	-33.27	peak	
4		239.7461	-76.32	13.10	-63.22	-25.00	-38.22	peak	
5		370.7931	-74.60	8.75	-65.85	-25.00	-40.85	peak	
6		772.0176	-75.64	9.75	-65.89	-25.00	-40.89	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_26A_n41A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	35.8200	-69.59	23.39	-46.20	-25.00	-21.20	peak	
2		141.2590	-74.95	13.73	-61.22	-25.00	-36.22	peak	
3		170.9410	-74.25	12.91	-61.34	-25.00	-36.34	peak	
4		324.6213	-74.22	7.62	-66.60	-25.00	-41.60	peak	
5		542.2893	-74.37	7.48	-66.89	-25.00	-41.89	peak	
6		700.0434	-74.20	8.93	-65.27	-25.00	-40.27	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_5A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.4043	-57.18	22.74	-34.44	-13.00	-21.44	peak	
2		85.9043	-71.84	17.31	-54.53	-13.00	-41.53	peak	
3		192.6043	-71.29	12.44	-58.85	-13.00	-45.85	peak	
4		334.5477	-75.61	9.01	-66.60	-13.00	-53.60	peak	
5		603.6903	-75.85	10.62	-65.23	-13.00	-52.23	peak	
6		703.2446	-75.74	10.50	-65.24	-13.00	-52.24	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	DC_5A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.1780	-69.65	24.15	-45.50	-13.00	-32.50	peak	
2		192.5720	-67.92	7.30	-60.62	-13.00	-47.62	peak	
3		402.3507	-75.25	8.34	-66.91	-13.00	-53.91	peak	
4		549.7582	-75.57	7.52	-68.05	-13.00	-55.05	peak	
5		695.0320	-75.96	8.77	-67.19	-13.00	-54.19	peak	
6		834.4857	-75.83	9.72	-66.11	-13.00	-53.11	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_7A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	37.1133	-58.73	22.69	-36.04	-13.00	-23.04	peak	
2		87.5857	-72.97	17.35	-55.62	-13.00	-42.62	peak	
3		186.3640	-71.99	13.22	-58.77	-13.00	-45.77	peak	
4		430.4807	-75.23	8.42	-66.81	-13.00	-53.81	peak	
5		692.7363	-75.88	10.46	-65.42	-13.00	-52.42	peak	
6		842.7953	-76.10	9.92	-66.18	-13.00	-53.18	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_7A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	36.7900	-71.20	23.93	-47.27	-13.00	-34.27	peak	
2		131.0093	-74.67	14.33	-60.34	-13.00	-47.34	peak	
3		301.8263	-72.99	6.45	-66.54	-13.00	-53.54	peak	
4		490.2650	-75.26	7.34	-67.92	-13.00	-54.92	peak	
5		687.0133	-74.61	8.51	-66.10	-13.00	-53.10	peak	
6		803.4780	-74.65	10.48	-64.17	-13.00	-51.17	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_12A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Over (dB)	Detector	Comment
1	*	36.8223	-58.84	22.63	-36.21	-13.00	-23.21	peak	
2		88.0383	-71.68	17.37	-54.31	-13.00	-41.31	peak	
3		192.5397	-70.77	12.44	-58.33	-13.00	-45.33	peak	
4		230.9840	-75.24	13.00	-62.24	-13.00	-49.24	peak	
5		552.7653	-76.39	10.50	-65.89	-13.00	-52.89	peak	
6		928.7697	-76.64	11.31	-65.33	-13.00	-52.33	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	DC_12A_n66A	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	36.0140	-70.95	23.50	-47.45	-13.00	-34.45	peak	
2		187.3017	-71.29	8.43	-62.86	-13.00	-49.86	peak	
3		299.4337	-73.61	6.37	-67.24	-13.00	-54.24	peak	
4		337.4253	-74.15	8.28	-65.87	-13.00	-52.87	peak	
5		551.7307	-76.39	7.52	-68.87	-13.00	-55.87	peak	
6		927.0560	-76.08	9.73	-66.35	-13.00	-53.35	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n5	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1673.000	-67.14	4.53	-62.61	-13.00	-49.61	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n5	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1673.000	-65.83	4.52	-61.31	-13.00	-48.31	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n7	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5070.000	-66.55	12.58	-53.97	-25.00	-28.97	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	5G NR n7	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5070.000	-66.46	12.42	-54.04	-25.00	-29.04	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n38	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	5190.000	-67.41	12.57	-54.84	-25.00	-29.84	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n38	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5190.000	-67.32	12.15	-55.17	-25.00	-30.17	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n41	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5185.980	-67.42	12.56	-54.86	-25.00	-29.86	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n41	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5185.980	-67.40	12.16	-55.24	-25.00	-30.24	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n66	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Vertical
Temp	23°C	Hum.	59%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3490.000	-65.84	9.06	-56.78	-13.00	-43.78	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n66	Test Date	2022/10/21
Test Channel	Mid CH	Polarization	Horizontal
Temp	23°C	Hum.	59%



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3490.000	-66.64	8.95	-57.69	-13.00	-44.69	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.