



Annex A.2 Peak to Average Ratio

1. WCDMA_Band2

1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)



1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)



1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.6	0.1	2.77	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: **1907.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	998712	10,000%	1.594 dB
Sample Time	39.968 ms	1,0000%	2.344 dB
Avg Power	23.251 dBm	0,1000%	2.766 dB
Max Power	26.491 dBm	0,0100%	3.000 dB
PAR	3.240 dB	0,0010%	3.094 dB
		0,0001%	3.141 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic


Marker / Display

2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)




2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)



3. WCDMA_Band5


3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.4	0.1	2.91	13	Pass




3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	2.86	13	Pass




3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	2.95	13	Pass




4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band12

8.1. LTE Peak to Average Ratio(NTLV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	3.8	13	Pass




8.2. LTE Peak to Average Ratio(NTLV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.3. LTE Peak to Average Ratio(NTLV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio(NTLV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.5. LTE Peak to Average Ratio(NTLV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)



8.6. LTE Peak to Average Ratio(NTLV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.7. LTE Peak to Average Ratio(NTLV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)



8.8. LTE Peak to Average Ratio(NTLV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

