



**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.54	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.66	-25	Pass	2986
30	1000	0.1	RMS	999.3	-59.05	-25	Pass	9701
1000	2486	1	RMS	2486	-45.71	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.67	60	Pass	401
2700	3000	1	RMS	2972.25	-44.3	-25	Pass	401
3000	12000	1	RMS	10403	-44.42	-25	Pass	9002
12000	27000	1	RMS	25804	-32.49	-25	Pass	15002




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.71	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.11	-25	Pass	9701
1000	2486	1	RMS	2486	-45.69	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.91	60	Pass	401
2700	3000	1	RMS	2964.75	-44.26	-25	Pass	401
3000	12000	1	RMS	10402	-44.43	-25	Pass	9002
12000	27000	1	RMS	25781	-32.56	-25	Pass	15002




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.12	-25	Pass	2986
30	1000	0.1	RMS	912.542	-59.24	-25	Pass	9701
1000	2486	1	RMS	2486	-45.73	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.98	60	Pass	401
2700	3000	1	RMS	2702.25	-41.96	-25	Pass	401
3000	12000	1	RMS	10403	-44.54	-25	Pass	9002
12000	27000	1	RMS	26223	-32.47	-25	Pass	15002




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.88	-25	Pass	2986
30	1000	0.1	RMS	988.993	-59.03	-25	Pass	9701
1000	2486	1	RMS	2484	-45.76	-25	Pass	1487
2486	2700	1	RMS	2675.39	21.63	60	Pass	401
2700	3000	1	RMS	2702.25	-42.21	-25	Pass	401
3000	12000	1	RMS	10389	-44.58	-25	Pass	9002
12000	27000	1	RMS	26184	-32.4	-25	Pass	15002




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.91	-25	Pass	2986
30	1000	0.1	RMS	913.042	-58.74	-25	Pass	9701
1000	2486	1	RMS	2485	-41.5	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.95	60	Pass	401
2700	3000	1	RMS	2969.25	-44.24	-25	Pass	401
3000	12000	1	RMS	4994	-42.92	-25	Pass	9002
12000	27000	1	RMS	26198	-32.41	-25	Pass	15002




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.07	-25	Pass	2986
30	1000	0.1	RMS	989.193	-59.01	-25	Pass	9701
1000	2486	1	RMS	2485	-40.07	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.68	60	Pass	401
2700	3000	1	RMS	2970	-44.25	-25	Pass	401
3000	12000	1	RMS	10399	-44.37	-25	Pass	9002
12000	27000	1	RMS	25097	-32.44	-25	Pass	15002




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.26	-67.58	-25	Pass	2986
30	1000	0.1	RMS	998.799	-59.01	-25	Pass	9701
1000	2486	1	RMS	2484	-45.69	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.11	60	Pass	401
2700	3000	1	RMS	2970.75	-44.29	-25	Pass	401
3000	12000	1	RMS	10401	-44.4	-25	Pass	9002
12000	27000	1	RMS	25822	-32.43	-25	Pass	15002



**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.41	-25	Pass	2986
30	1000	0.1	RMS	998.199	-58.95	-25	Pass	9701
1000	2486	1	RMS	2483	-45.68	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.78	60	Pass	401
2700	3000	1	RMS	2973	-44.28	-25	Pass	401
3000	12000	1	RMS	10400	-44.44	-25	Pass	9002
12000	27000	1	RMS	26200	-32.46	-25	Pass	15002






**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	Pass	2986
30	1000	0.1	RMS	860.407	-59.09	-25	Pass	9701
1000	2486	1	RMS	2485	-45.7	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.66	60	Pass	401
2700	3000	1	RMS	2703	-42.73	-25	Pass	401
3000	12000	1	RMS	10400	-44.37	-25	Pass	9002
12000	27000	1	RMS	25098	-32.38	-25	Pass	15002



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.6	-25	Pass	2986
30	1000	0.1	RMS	886.525	-59	-25	Pass	9701
1000	2486	1	RMS	2485	-45.72	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.85	60	Pass	401
2700	3000	1	RMS	2703	-43.17	-25	Pass	401
3000	12000	1	RMS	10399	-44.34	-25	Pass	9002
12000	27000	1	RMS	25846	-32.51	-25	Pass	15002



## 19. LTE\_Band66


**19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	827.297	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.09	-13	Pass	700
1700	1790	1	RMS	1710.125	22.93	60	Pass	401
1790	3000	1	RMS	2953.962	-49.31	-13	Pass	1210
3000	12000	1	RMS	11698.627	-41.87	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.23	-13	Pass	8000




**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-52.32	-13	Pass	700
1700	1790	1	RMS	1710.125	22.04	60	Pass	401
1790	3000	1	RMS	2944.955	-49.34	-13	Pass	1210
3000	12000	1	RMS	6962.484	-41.86	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.2	-13	Pass	8000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	848	-63.99	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.96	-13	Pass	700
1700	1790	1	RMS	1744.55	22.8	60	Pass	401
1790	3000	1	RMS	2953.962	-49.36	-13	Pass	1210
3000	12000	1	RMS	6963.484	-41.89	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.23	-13	Pass	8000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.95	-13	Pass	700
1700	1790	1	RMS	1744.55	21.88	60	Pass	401
1790	3000	1	RMS	2957.965	-49.34	-13	Pass	1210
3000	12000	1	RMS	6963.484	-41.84	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.28	-13	Pass	8000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	870.128	-64.12	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.96	-13	Pass	700
1700	1790	1	RMS	1778.75	22.66	60	Pass	401
1790	3000	1	RMS	2954.963	-49.34	-13	Pass	1210
3000	12000	1	RMS	6960.483	-41.9	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.18	-13	Pass	8000



**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	1000	0.1	RMS	850.201	-64.14	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.98	-13	Pass	700
1700	1790	1	RMS	1778.75	21.84	60	Pass	401
1790	3000	1	RMS	2949.959	-49.38	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.81	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.24	-13	Pass	8000






**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2985
30	1000	0.1	RMS	838.699	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.16	-13	Pass	700
1700	1790	1	RMS	1710.125	22.99	60	Pass	401
1790	3000	1	RMS	2957.965	-49.34	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.83	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.27	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	1000	0.1	RMS	839.699	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.31	-13	Pass	700
1700	1790	1	RMS	1710.125	22.15	60	Pass	401
1790	3000	1	RMS	2949.959	-49.34	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.79	-13	Pass	9000
12000	20000	1	RMS	19412.927	-35.25	-13	Pass	8000




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	852.404	-64.04	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.95	-13	Pass	700
1700	1790	1	RMS	1743.65	22.98	60	Pass	401
1790	3000	1	RMS	2946.956	-49.37	-13	Pass	1210
3000	12000	1	RMS	11703.633	-41.89	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.19	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.09	-13	Pass	9699
1000	1700	1	RMS	1700	-52.94	-13	Pass	700
1700	1790	1	RMS	1743.65	22.01	60	Pass	401
1790	3000	1	RMS	2953.962	-49.39	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.91	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.2	-13	Pass	8000




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	1000	0.1	RMS	854.207	-64.18	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.96	-13	Pass	700
1700	1790	1	RMS	1777.175	22.73	60	Pass	401
1790	3000	1	RMS	2949.959	-49.38	-13	Pass	1210
3000	12000	1	RMS	6963.484	-41.93	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.29	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	Pass	2985
30	1000	0.1	RMS	819.796	-64.09	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1777.175	21.85	60	Pass	401
1790	3000	1	RMS	2949.959	-49.36	-13	Pass	1210
3000	12000	1	RMS	6962.484	-41.86	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.22	-13	Pass	8000




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2985
30	1000	0.1	RMS	852.605	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-51.89	-13	Pass	700
1700	1790	1	RMS	1710.125	22.97	60	Pass	401
1790	3000	1	RMS	2958.966	-49.33	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.82	-13	Pass	9000
12000	20000	1	RMS	19395.924	-35.24	-13	Pass	8000



**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	1000	0.1	RMS	848.1	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.11	-13	Pass	700
1700	1790	1	RMS	1710.125	21.97	60	Pass	401
1790	3000	1	RMS	2954.963	-49.35	-13	Pass	1210
3000	12000	1	RMS	6960.483	-41.83	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.25	-13	Pass	8000






**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	857.311	-63.94	-13	Pass	9699
1000	1700	1	RMS	1700	-52.96	-13	Pass	700
1700	1790	1	RMS	1742.75	23.04	60	Pass	401
1790	3000	1	RMS	2950.959	-49.37	-13	Pass	1210
3000	12000	1	RMS	11700.629	-41.9	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.18	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	Pass	2985
30	1000	0.1	RMS	859.013	-64.08	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.96	-13	Pass	700
1700	1790	1	RMS	1742.75	22.18	60	Pass	401
1790	3000	1	RMS	2958.966	-49.36	-13	Pass	1210
3000	12000	1	RMS	6962.484	-41.88	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.2	-13	Pass	8000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	831.598	-63.88	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.95	-13	Pass	700
1700	1790	1	RMS	1775.15	22.79	60	Pass	401
1790	3000	1	RMS	2950.959	-49.35	-13	Pass	1210
3000	12000	1	RMS	6963.484	-41.89	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.18	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	839.799	-64.04	-13	Pass	9699
1000	1700	1	RMS	1700	-52.98	-13	Pass	700
1700	1790	1	RMS	1775.15	22.02	60	Pass	401
1790	3000	1	RMS	2954.963	-49.37	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.73	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.17	-13	Pass	8000




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	835.998	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-51	-13	Pass	700
1700	1790	1	RMS	1710.575	22.91	60	Pass	401
1790	3000	1	RMS	2958.966	-49.34	-13	Pass	1210
3000	12000	1	RMS	6962.484	-41.89	-13	Pass	9000
12000	20000	1	RMS	19396.925	-35.25	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	1000	0.1	RMS	846.2	-64.01	-13	Pass	9699
1000	1700	1	RMS	1700	-51.14	-13	Pass	700
1700	1790	1	RMS	1710.575	22.07	60	Pass	401
1790	3000	1	RMS	2955.964	-49.33	-13	Pass	1210
3000	12000	1	RMS	6960.483	-41.85	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.23	-13	Pass	8000




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	1000	0.1	RMS	855.008	-64.09	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.97	-13	Pass	700
1700	1790	1	RMS	1740.5	23.03	60	Pass	401
1790	3000	1	RMS	2954.963	-49.36	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.88	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.27	-13	Pass	8000



**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.1	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.95	-13	Pass	700
1700	1790	1	RMS	1740.5	22.03	60	Pass	401
1790	3000	1	RMS	2948.958	-49.35	-13	Pass	1210
3000	12000	1	RMS	6960.483	-41.91	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.27	-13	Pass	8000






**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.1	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.94	-13	Pass	700
1700	1790	1	RMS	1770.425	22.85	60	Pass	401
1790	3000	1	RMS	2950.959	-49.38	-13	Pass	1210
3000	12000	1	RMS	6961.484	-41.92	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.21	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.14	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.96	-13	Pass	700
1700	1790	1	RMS	1770.425	21.97	60	Pass	401
1790	3000	1	RMS	2946.956	-49.37	-13	Pass	1210
3000	12000	1	RMS	6964.484	-41.87	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.17	-13	Pass	8000




**19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	Pass	2985
30	1000	0.1	RMS	860.114	-64.18	-13	Pass	9699
1000	1700	1	RMS	1697.997	-49.99	-13	Pass	700
1700	1790	1	RMS	1710.8	22.89	60	Pass	401
1790	3000	1	RMS	2956.964	-49.41	-13	Pass	1210
3000	12000	1	RMS	6965.484	-41.88	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.17	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2985
30	1000	0.1	RMS	858.713	-63.99	-13	Pass	9699
1000	1700	1	RMS	1700	-50.2	-13	Pass	700
1700	1790	1	RMS	1710.8	22.06	60	Pass	401
1790	3000	1	RMS	2947.957	-49.35	-13	Pass	1210
3000	12000	1	RMS	11697.626	-41.88	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.23	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.09	-13	Pass	2985
30	1000	0.1	RMS	846.2	-64.17	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.93	-13	Pass	700
1700	1790	1	RMS	1738.25	22.95	60	Pass	401
1790	3000	1	RMS	2953.962	-49.36	-13	Pass	1210
3000	12000	1	RMS	11699.628	-41.84	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.19	-13	Pass	8000




**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2985
30	1000	0.1	RMS	860.715	-64.15	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.94	-13	Pass	700
1700	1790	1	RMS	1738.25	21.98	60	Pass	401
1790	3000	1	RMS	2949.959	-49.28	-13	Pass	1210
3000	12000	1	RMS	11715.648	-41.9	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.18	-13	Pass	8000




**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.95	-13	Pass	700
1700	1790	1	RMS	1765.7	22.83	60	Pass	401
1790	3000	1	RMS	1792.002	-41.15	-13	Pass	1210
3000	12000	1	RMS	6964.484	-41.83	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.22	-13	Pass	8000



**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	1000	0.1	RMS	848.9	-64	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.91	-13	Pass	700
1700	1790	1	RMS	1765.7	22.01	60	Pass	401
1790	3000	1	RMS	1792.002	-42.02	-13	Pass	1210
3000	12000	1	RMS	6963.484	-41.85	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.2	-13	Pass	8000






**19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	855.008	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-50.49	-13	Pass	700
1700	1790	1	RMS	1711.025	22.88	60	Pass	401
1790	3000	1	RMS	2956.964	-49.35	-13	Pass	1210
3000	12000	1	RMS	11696.625	-41.82	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.23	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2985
30	1000	0.1	RMS	838.999	-64.22	-13	Pass	9699
1000	1700	1	RMS	1700	-50.68	-13	Pass	700
1700	1790	1	RMS	1711.025	22.04	60	Pass	401
1790	3000	1	RMS	2952.961	-49.34	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.78	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.13	-13	Pass	8000




**19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	973.064	-64.14	-13	Pass	9699
1000	1700	1	RMS	1700	-52.3	-13	Pass	700
1700	1790	1	RMS	1736	22.93	60	Pass	401
1790	3000	1	RMS	2951.96	-49.35	-13	Pass	1210
3000	12000	1	RMS	11694.622	-41.81	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.24	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	843.299	-64.15	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1790	1	RMS	1736	21.97	60	Pass	401
1790	3000	1	RMS	2952.961	-49.34	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.85	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.17	-13	Pass	8000




**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2985
30	1000	0.1	RMS	844.699	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-52.95	-13	Pass	700
1700	1790	1	RMS	1760.975	22.8	60	Pass	401
1790	3000	1	RMS	2951.96	-49.34	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.8	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.24	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.01	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.95	-13	Pass	700
1700	1790	1	RMS	1760.975	21.84	60	Pass	401
1790	3000	1	RMS	2952.961	-49.4	-13	Pass	1210
3000	12000	1	RMS	6959.483	-41.86	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.24	-13	Pass	8000



## 20. CA\_7C


**20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.23	-25	Pass	2986
30	1000	0.1	RMS	999.8	-62.44	-25	Pass	9701
1000	2475	1	RMS	2473	-49.88	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.51	60	Pass	401
2735	3000	1	RMS	2973.5	-48.17	-25	Pass	401
3000	12000	1	RMS	10402	-48.31	-25	Pass	9002
12000	26000	1	RMS	25826	-36.46	-25	Pass	14002



**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	Pass	2986
30	1000	0.1	RMS	910.14	-62.45	-25	Pass	9701
1000	2475	1	RMS	2475	-49.86	-25	Pass	1476
2475	2735	1	RMS	2525.05	8.65	60	Pass	401
2735	3000	1	RMS	2969.525	-48.18	-25	Pass	401
3000	12000	1	RMS	10402	-48.31	-25	Pass	9002
12000	26000	1	RMS	25088	-36.49	-25	Pass	14002






**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-25	Pass	2986
30	1000	0.1	RMS	989.993	-62.45	-25	Pass	9701
1000	2475	1	RMS	2473	-49.92	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.34	60	Pass	401
2735	3000	1	RMS	2960.25	-48.2	-25	Pass	401
3000	12000	1	RMS	10399	-48.29	-25	Pass	9002
12000	26000	1	RMS	25795	-36.44	-25	Pass	14002




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	Pass	2986
30	1000	0.1	RMS	991.294	-62.29	-25	Pass	9701
1000	2475	1	RMS	2475	-49.9	-25	Pass	1476
2475	2735	1	RMS	2523.75	7.62	60	Pass	401
2735	3000	1	RMS	2966.213	-48.19	-25	Pass	401
3000	12000	1	RMS	10400	-48.38	-25	Pass	9002
12000	26000	1	RMS	25806	-36.48	-25	Pass	14002




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.79	-25	Pass	2986
30	1000	0.1	RMS	992.695	-62.5	-25	Pass	9701
1000	2475	1	RMS	2473	-49.82	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.03	60	Pass	401
2735	3000	1	RMS	2967.538	-48.21	-25	Pass	401
3000	12000	1	RMS	10403	-48.35	-25	Pass	9002
12000	26000	1	RMS	25857	-36.41	-25	Pass	14002




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-25	Pass	2986
30	1000	0.1	RMS	900.934	-62.5	-25	Pass	9701
1000	2475	1	RMS	2475	-49.89	-25	Pass	1476
2475	2735	1	RMS	2542.6	8.51	60	Pass	401
2735	3000	1	RMS	2963.563	-48.18	-25	Pass	401
3000	12000	1	RMS	10401	-48.39	-25	Pass	9002
12000	26000	1	RMS	25798	-36.47	-25	Pass	14002




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2986
30	1000	0.1	RMS	988.192	-62.39	-25	Pass	9701
1000	2475	1	RMS	2474	-49.88	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.04	60	Pass	401
2735	3000	1	RMS	2968.2	-48.2	-25	Pass	401
3000	12000	1	RMS	10401	-48.28	-25	Pass	9002
12000	26000	1	RMS	25099	-36.42	-25	Pass	14002




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.98	-25	Pass	2986
30	1000	0.1	RMS	897.732	-62.35	-25	Pass	9701
1000	2475	1	RMS	2475	-49.92	-25	Pass	1476
2475	2735	1	RMS	2543.25	7.54	60	Pass	401
2735	3000	1	RMS	2968.863	-48.17	-25	Pass	401
3000	12000	1	RMS	10393	-48.4	-25	Pass	9002
12000	26000	1	RMS	25926	-36.47	-25	Pass	14002




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-25	Pass	2986
30	1000	0.1	RMS	984.089	-62.4	-25	Pass	9701
1000	2475	1	RMS	2475	-49.85	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.21	60	Pass	401
2735	3000	1	RMS	2969.525	-48.19	-25	Pass	401
3000	12000	1	RMS	10402	-48.31	-25	Pass	9002
12000	26000	1	RMS	25099	-36.45	-25	Pass	14002



**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.29	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-25	Pass	2986
30	1000	0.1	RMS	996.898	-62.45	-25	Pass	9701
1000	2475	1	RMS	2475	-49.82	-25	Pass	1476
2475	2735	1	RMS	2564.05	8.12	60	Pass	401
2735	3000	1	RMS	2967.538	-48.21	-25	Pass	401
3000	12000	1	RMS	10401	-48.35	-25	Pass	9002
12000	26000	1	RMS	25814	-36.46	-25	Pass	14002






**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.15	-25	Pass	2986
30	1000	0.1	RMS	913.243	-62.52	-25	Pass	9701
1000	2475	1	RMS	2475	-49.91	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.15	60	Pass	401
2735	3000	1	RMS	2971.513	-48.22	-25	Pass	401
3000	12000	1	RMS	10400	-48.31	-25	Pass	9002
12000	26000	1	RMS	25804	-36.51	-25	Pass	14002




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-25	Pass	2986
30	1000	0.1	RMS	988.292	-62.26	-25	Pass	9701
1000	2475	1	RMS	2471	-49.91	-25	Pass	1476
2475	2735	1	RMS	2562.1	7.23	60	Pass	401
2735	3000	1	RMS	2966.213	-48.21	-25	Pass	401
3000	12000	1	RMS	10395	-48.43	-25	Pass	9002
12000	26000	1	RMS	25102	-36.49	-25	Pass	14002




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-25	Pass	2986
30	1000	0.1	RMS	998.699	-62.26	-25	Pass	9701
1000	2475	1	RMS	2472	-49.87	-25	Pass	1476
2475	2735	1	RMS	2538.7	9.65	60	Pass	401
2735	3000	1	RMS	2966.213	-48.18	-25	Pass	401
3000	12000	1	RMS	10400	-48.33	-25	Pass	9002
12000	26000	1	RMS	25810	-36.43	-25	Pass	14002




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.84	-25	Pass	2986
30	1000	0.1	RMS	995.097	-62.33	-25	Pass	9701
1000	2475	1	RMS	2475	-49.79	-25	Pass	1476
2475	2735	1	RMS	2532.85	5.72	60	Pass	401
2735	3000	1	RMS	2962.9	-48.19	-25	Pass	401
3000	12000	1	RMS	10401	-48.26	-25	Pass	9002
12000	26000	1	RMS	25098	-36.47	-25	Pass	14002




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-25	Pass	2986
30	1000	0.1	RMS	899.133	-62.52	-25	Pass	9701
1000	2475	1	RMS	2474	-49.9	-25	Pass	1476
2475	2735	1	RMS	2538.7	9.53	60	Pass	401
2735	3000	1	RMS	2968.863	-48.17	-25	Pass	401
3000	12000	1	RMS	10401	-48.38	-25	Pass	9002
12000	26000	1	RMS	25803	-36.49	-25	Pass	14002




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-25	Pass	2986
30	1000	0.1	RMS	990.194	-62.53	-25	Pass	9701
1000	2475	1	RMS	2471	-49.88	-25	Pass	1476
2475	2735	1	RMS	2530.9	4.68	60	Pass	401
2735	3000	1	RMS	2971.513	-48.23	-25	Pass	401
3000	12000	1	RMS	10396	-48.33	-25	Pass	9002
12000	26000	1	RMS	25780	-36.45	-25	Pass	14002




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-25	Pass	2986
30	1000	0.1	RMS	885.424	-62.49	-25	Pass	9701
1000	2475	1	RMS	2475	-49.88	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.06	60	Pass	401
2735	3000	1	RMS	2970.85	-48.08	-25	Pass	401
3000	12000	1	RMS	10395	-48.2	-25	Pass	9002
12000	26000	1	RMS	25109	-36.37	-25	Pass	14002



**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.5	-25	Pass	2986
30	1000	0.1	RMS	988.292	-60.93	-25	Pass	9701
1000	2475	1	RMS	2475	-49.79	-25	Pass	1476
2475	2735	1	RMS	2542.6	5.58	60	Pass	401
2735	3000	1	RMS	2968.2	-48.06	-25	Pass	401
3000	12000	1	RMS	10400	-48.3	-25	Pass	9002
12000	26000	1	RMS	25750	-36.45	-25	Pass	14002






**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2986
30	1000	0.1	RMS	888.526	-62.64	-25	Pass	9701
1000	2475	1	RMS	2472	-49.87	-25	Pass	1476
2475	2735	1	RMS	2515.95	9.97	60	Pass	401
2735	3000	1	RMS	2969.525	-48.18	-25	Pass	401
3000	12000	1	RMS	10394	-48.38	-25	Pass	9002
12000	26000	1	RMS	25798	-36.52	-25	Pass	14002




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2986
30	1000	0.1	RMS	898.633	-62.47	-25	Pass	9701
1000	2475	1	RMS	2471	-49.94	-25	Pass	1476
2475	2735	1	RMS	2527.65	4.48	60	Pass	401
2735	3000	1	RMS	2965.55	-48.22	-25	Pass	401
3000	12000	1	RMS	10399	-48.36	-25	Pass	9002
12000	26000	1	RMS	25790	-36.47	-25	Pass	14002




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-25	Pass	2986
30	1000	0.1	RMS	915.944	-62.53	-25	Pass	9701
1000	2475	1	RMS	2475	-49.88	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.45	60	Pass	401
2735	3000	1	RMS	2969.525	-48.2	-25	Pass	401
3000	12000	1	RMS	10386	-48.39	-25	Pass	9002
12000	26000	1	RMS	25817	-36.46	-25	Pass	14002




**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-25	Pass	2986
30	1000	0.1	RMS	1000	-62.64	-25	Pass	9701
1000	2475	1	RMS	2474	-49.86	-25	Pass	1476
2475	2735	1	RMS	2540.65	5.59	60	Pass	401
2735	3000	1	RMS	2970.188	-48.18	-25	Pass	401
3000	12000	1	RMS	10400	-48.29	-25	Pass	9002
12000	26000	1	RMS	25810	-36.46	-25	Pass	14002



**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-25	Pass	2986
30	1000	0.1	RMS	914.944	-62.62	-25	Pass	9701
1000	2475	1	RMS	2470	-49.96	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.43	60	Pass	401
2735	3000	1	RMS	2968.863	-48.16	-25	Pass	401
3000	12000	1	RMS	10396	-48.34	-25	Pass	9002
12000	26000	1	RMS	25101	-36.42	-25	Pass	14002



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.5	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.01	-25	Pass	2986
30	1000	0.1	RMS	921.348	-62.45	-25	Pass	9701
1000	2475	1	RMS	2474	-49.93	-25	Pass	1476
2475	2735	1	RMS	2538.7	4.56	60	Pass	401
2735	3000	1	RMS	2966.875	-48.21	-25	Pass	401
3000	12000	1	RMS	10402	-48.36	-25	Pass	9002
12000	26000	1	RMS	25849	-36.5	-25	Pass	14002

