



**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.54	-25	Pass	401
0.15	30	0.01	RMS	0.31	-71.08	-25	Pass	2985
30	1000	0.1	RMS	980.474	-61.39	-25	Pass	9699
1000	2560	1	RMS	2560	-49.78	-25	Pass	1560
2560	2630	1	RMS	2597.45	14.07	60	Pass	401
2630	3000	1	RMS	2869.575	-48.82	-25	Pass	401
3000	6500	1	RMS	5193.627	-62.25	-25	Pass	3500
6500	26500	1	RMS	25500.724	-49.37	-25	Pass	20000



**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.78	-25	Pass	401
0.15	30	0.01	RMS	0.41	-68.95	-25	Pass	2985
30	1000	0.1	RMS	934.313	-61.37	-25	Pass	9699
1000	2560	1	RMS	2519.974	-50.33	-25	Pass	1560
2560	2630	1	RMS	2612.5	14.14	60	Pass	401
2630	3000	1	RMS	2630	-38.41	-25	Pass	401
3000	6500	1	RMS	5220.634	-63.03	-25	Pass	3500
6500	26500	1	RMS	25198.64	-49.29	-25	Pass	20000



## 26. n41 30kHz


**26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-25	Pass	2985
30	1000	0.1	RMS	879.941	-61.63	-25	Pass	9699
1000	2486	1	RMS	2486	-38.65	-25	Pass	1486
2486	2700	1	RMS	2508.47	14.52	60	Pass	401
2700	3000	1	RMS	2863.5	-48.85	-25	Pass	401
3000	6500	1	RMS	5013.575	-59.68	-25	Pass	3500
6500	26500	1	RMS	25193.639	-48.87	-25	Pass	20000




**26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.63	-25	Pass	2985
30	1000	0.1	RMS	889.353	-61.4	-25	Pass	9699
1000	2486	1	RMS	2486	-50.61	-25	Pass	1486
2486	2700	1	RMS	2595.14	13.94	60	Pass	401
2700	3000	1	RMS	2867.25	-48.77	-25	Pass	401
3000	6500	1	RMS	5188.625	-61.93	-25	Pass	3500
6500	26500	1	RMS	18294.44	-49.42	-25	Pass	20000




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.75	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.09	-25	Pass	2985
30	1000	0.1	RMS	893.459	-61.67	-25	Pass	9699
1000	2486	1	RMS	2450.976	-50.58	-25	Pass	1486
2486	2700	1	RMS	2676.995	14.03	60	Pass	401
2700	3000	1	RMS	2700	-38.91	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.19	-25	Pass	3500
6500	26500	1	RMS	18220.431	-49.36	-25	Pass	20000




**26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.7	-25	Pass	2985
30	1000	0.1	RMS	908.078	-60.9	-25	Pass	9699
1000	2486	1	RMS	2486	-39.57	-25	Pass	1486
2486	2700	1	RMS	2526.125	9.41	60	Pass	401
2700	3000	1	RMS	2869.5	-48.79	-25	Pass	401
3000	6500	1	RMS	5040.583	-62.54	-25	Pass	3500
6500	26500	1	RMS	25198.64	-49.25	-25	Pass	20000




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.55	-69.2	-25	Pass	2985
30	1000	0.1	RMS	978.672	-61.24	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.66	-25	Pass	1486
2486	2700	1	RMS	2595.14	8.94	60	Pass	401
2700	3000	1	RMS	2871	-48.73	-25	Pass	401
3000	6500	1	RMS	5185.624	-63.02	-25	Pass	3500
6500	26500	1	RMS	25197.64	-48.88	-25	Pass	20000



**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:81, RB Position:40)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.06	-25	Pass	2985
30	1000	0.1	RMS	771.591	-61.68	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.76	-25	Pass	1486
2486	2700	1	RMS	2662.015	9.09	60	Pass	401
2700	3000	1	RMS	2700	-37.76	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.2	-25	Pass	3500
6500	26500	1	RMS	18234.432	-49.43	-25	Pass	20000






**26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.34	-68.89	-25	Pass	2985
30	1000	0.1	RMS	902.771	-60.77	-25	Pass	9699
1000	2486	1	RMS	2486	-41.63	-25	Pass	1486
2486	2700	1	RMS	2549.665	6.91	60	Pass	401
2700	3000	1	RMS	2868	-48.85	-25	Pass	401
3000	6500	1	RMS	5087.596	-63	-25	Pass	3500
6500	26500	1	RMS	25521.729	-49.11	-25	Pass	20000




**26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.03	-25	Pass	2985
30	1000	0.1	RMS	922.197	-61.63	-25	Pass	9699
1000	2486	1	RMS	2486	-48.04	-25	Pass	1486
2486	2700	1	RMS	2596.21	6.63	60	Pass	401
2700	3000	1	RMS	2700	-46.48	-25	Pass	401
3000	6500	1	RMS	6197.914	-63.01	-25	Pass	3500
6500	26500	1	RMS	25201.641	-48.99	-25	Pass	20000



**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-25	Pass	2985
30	1000	0.1	RMS	807.295	-59.43	-25	Pass	9699
1000	2486	1	RMS	2486	-50.26	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.81	60	Pass	401
2700	3000	1	RMS	2700.75	-37.84	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.2	-25	Pass	3500
6500	26500	1	RMS	25200.641	-49.01	-25	Pass	20000



## 27. n66 15kHz


**27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	1000	0.1	RMS	903.071	-63.87	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1712.375	20.06	60	Pass	401
1790	3000	1	RMS	2869.892	-48.89	-13	Pass	1210
3000	6500	1	RMS	6203.915	-63.4	-13	Pass	3500
6500	20000	1	RMS	18289.678	-50.56	-13	Pass	13500




**27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.75	-13	Pass	2985
30	1000	0.1	RMS	883.245	-63.86	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.81	-13	Pass	700
1700	1790	1	RMS	1744.775	19.99	60	Pass	401
1790	3000	1	RMS	2869.892	-48.87	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.42	-13	Pass	3500
6500	20000	1	RMS	18273.675	-50.52	-13	Pass	13500




**27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	998.899	-63.82	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.83	-13	Pass	700
1700	1790	1	RMS	1777.4	19.81	60	Pass	401
1790	3000	1	RMS	2869.892	-48.83	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.47	-13	Pass	3500
6500	20000	1	RMS	18261.673	-50.55	-13	Pass	13500




**27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	898.265	-63.92	-13	Pass	9699
1000	1700	1	RMS	1700	-45.3	-13	Pass	700
1700	1790	1	RMS	1718.9	15.53	60	Pass	401
1790	3000	1	RMS	2867.891	-48.9	-13	Pass	1210
3000	6500	1	RMS	6203.915	-63.46	-13	Pass	3500
6500	20000	1	RMS	18295.679	-50.47	-13	Pass	13500



**27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	Pass	2985
30	1000	0.1	RMS	892.457	-63.9	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.88	-13	Pass	700
1700	1790	1	RMS	1742.75	15.34	60	Pass	401
1790	3000	1	RMS	2869.892	-48.84	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.43	-13	Pass	3500
6500	20000	1	RMS	18230.667	-50.53	-13	Pass	13500






**27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	895.962	-63.99	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.84	-13	Pass	700
1700	1790	1	RMS	1770.2	15.29	60	Pass	401
1790	3000	1	RMS	1790	-45.22	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.44	-13	Pass	3500
6500	20000	1	RMS	18227.666	-50.5	-13	Pass	13500




**27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2985
30	1000	0.1	RMS	907.077	-63.99	-13	Pass	9699
1000	1700	1	RMS	1700	-42.79	-13	Pass	700
1700	1790	1	RMS	1722.725	14.33	60	Pass	401
1790	3000	1	RMS	2870.893	-48.94	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.42	-13	Pass	3500
6500	20000	1	RMS	18251.671	-50.5	-13	Pass	13500




**27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	Pass	2985
30	1000	0.1	RMS	900.869	-63.87	-13	Pass	9699
1000	1700	1	RMS	1700	-52.81	-13	Pass	700
1700	1790	1	RMS	1747.7	14.08	60	Pass	401
1790	3000	1	RMS	2869.892	-48.85	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.4	-13	Pass	3500
6500	20000	1	RMS	18293.679	-50.47	-13	Pass	13500



**27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.96	-13	Pass	2985
30	1000	0.1	RMS	879.941	-63.77	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.84	-13	Pass	700
1700	1790	1	RMS	1766.375	14.26	60	Pass	401
1790	3000	1	RMS	1790	-44.03	-13	Pass	1210
3000	6500	1	RMS	6213.918	-63.41	-13	Pass	3500
6500	20000	1	RMS	18259.672	-50.46	-13	Pass	13500



--BLANK BELOW--