


RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
873.852	-53.93	6.42	-13.0	40.93	209.00	Vertical	Horizontal	N/A
2111.900	-52.35	0.27	-13.0	39.35	0.00	Vertical	Horizontal	Pass
3227.500	-48.05	6.43	-13.0	35.05	108.00	Vertical	Horizontal	Pass
4931.500	-42.66	12.93	-13.0	29.66	196.00	Vertical	Horizontal	Pass
7938.500	-35.33	18.94	-13.0	22.33	130.00	Vertical	Horizontal	Pass
8851.599	-35.91	20.34	-13.0	22.91	47.00	Vertical	Horizontal	Pass

24 n7


24.1 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
752.893	-67.24	-0.70	-25.0	42.24	360.00	Horizontal	Horizontal	Pass
1368.400	-51.52	0.41	-25.0	26.52	326.00	Horizontal	Horizontal	Pass
2559.200	-43.04	8.86	-25.0	18.04	178.00	Horizontal	Horizontal	Pass
4047.250	-44.62	10.65	-25.0	19.62	30.00	Horizontal	Horizontal	Pass
7995.500	-36.46	18.76	-25.0	11.46	186.00	Horizontal	Horizontal	Pass
12562.850	-40.28	13.99	-25.0	15.28	182.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
148.340	-68.24	-20.37	-25.0	43.24	197.00	Horizontal	Vertical	Pass
1537.900	-51.32	0.75	-25.0	26.32	0.00	Horizontal	Vertical	Pass
2461.600	-42.27	6.17	-25.0	17.27	0.00	Horizontal	Vertical	Pass
4211.000	-44.33	10.89	-25.0	19.33	110.00	Horizontal	Vertical	Pass
8000.000	-35.56	19.04	-25.0	10.56	356.00	Horizontal	Vertical	Pass
13428.825	-39.21	16.38	-25.0	14.21	183.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
198.004	-70.47	-15.70	-25.0	45.47	3.00	Vertical	Vertical	Pass
2020.700	-46.96	4.11	-25.0	21.96	337.00	Vertical	Vertical	Pass
2990.700	-42.07	10.99	-25.0	17.07	2.00	Vertical	Vertical	Pass
3880.250	-46.31	9.38	-25.0	21.31	131.00	Vertical	Vertical	Pass
7986.500	-36.17	18.26	-25.0	11.17	153.00	Vertical	Vertical	Pass
13367.925	-39.50	16.71	-25.0	14.50	206.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
198.101	-72.47	-15.70	-25.0	47.47	326.00	Vertical	Horizontal	Pass
1452.600	-51.69	0.76	-25.0	26.69	138.00	Vertical	Horizontal	Pass
2464.100	-42.94	6.28	-25.0	17.94	296.00	Vertical	Horizontal	Pass
4124.500	-45.27	9.56	-25.0	20.27	31.00	Vertical	Horizontal	Pass
7928.500	-35.83	18.57	-25.0	10.83	8.00	Vertical	Horizontal	Pass
13368.713	-39.82	16.72	-25.0	14.82	0.00	Vertical	Horizontal	Pass


## 24.2 n7 BW15, QPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1285.900	-51.99	0.29	-25.0	26.99	0.00	Horizontal	Horizontal	Pass
1673.700	-51.05	1.04	-25.0	26.05	3.00	Horizontal	Horizontal	Pass
2650.900	-42.17	8.69	-25.0	17.17	267.00	Horizontal	Horizontal	N/A
4184.000	-44.93	10.10	-25.0	19.93	153.00	Horizontal	Horizontal	Pass
7933.250	-35.96	18.75	-25.0	10.96	52.00	Horizontal	Horizontal	Pass
13361.625	-39.95	16.65	-25.0	14.95	183.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
883.988	-65.38	2.14	-25.0	40.38	203.00	Horizontal	Vertical	Pass
1581.200	-50.73	0.79	-25.0	25.73	298.00	Horizontal	Vertical	Pass
2651.200	-41.08	8.71	-25.0	16.08	190.00	Horizontal	Vertical	N/A
4135.250	-45.67	9.49	-25.0	20.67	210.00	Horizontal	Vertical	Pass
7940.000	-36.34	18.97	-25.0	11.34	210.00	Horizontal	Vertical	Pass
13357.162	-39.60	16.61	-25.0	14.60	160.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
245.534	-68.92	-13.50	-25.0	43.92	148.00	Vertical	Vertical	Pass
2006.000	-47.01	4.38	-25.0	22.01	97.00	Vertical	Vertical	Pass
4040.250	-45.03	10.01	-25.0	20.03	360.00	Vertical	Vertical	Pass
6684.250	-37.23	16.99	-25.0	12.23	120.00	Vertical	Vertical	Pass
7930.250	-35.22	18.71	-25.0	10.22	143.00	Vertical	Vertical	Pass
13542.225	-39.75	15.75	-25.0	14.75	40.00	Vertical	Vertical	Pass




RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
939.569	-64.23	2.47	-25.0	39.23	246.00	Vertical	Horizontal	Pass
1988.700	-48.19	3.97	-25.0	23.19	0.00	Vertical	Horizontal	Pass
2979.300	-42.93	12.14	-25.0	17.93	89.00	Vertical	Horizontal	Pass
4320.000	-44.81	10.02	-25.0	19.81	0.00	Vertical	Horizontal	Pass
7925.500	-35.13	18.42	-25.0	10.13	41.00	Vertical	Horizontal	Pass
13406.775	-39.31	16.86	-25.0	14.31	230.00	Vertical	Horizontal	Pass


### 24.3 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
870.554	-64.73	2.16	-25.0	39.73	73.00	Horizontal	Horizontal	Pass
1459.200	-50.64	0.59	-25.0	25.64	80.00	Horizontal	Horizontal	Pass
2647.700	-40.82	8.67	-25.0	15.82	275.00	Horizontal	Horizontal	N/A
4311.500	-45.41	10.31	-25.0	20.41	342.00	Horizontal	Horizontal	Pass
7982.000	-36.13	18.16	-25.0	11.13	352.00	Horizontal	Horizontal	Pass
13458.750	-40.19	15.82	-25.0	15.19	325.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
870.166	-66.42	2.11	-25.0	41.42	80.00	Horizontal	Vertical	Pass
1874.800	-49.87	1.68	-25.0	24.87	109.00	Horizontal	Vertical	Pass
2648.800	-41.26	8.75	-25.0	16.26	187.00	Horizontal	Vertical	N/A
4224.000	-44.99	10.21	-25.0	19.99	298.00	Horizontal	Vertical	Pass
8000.000	-36.00	19.04	-25.0	11.00	9.00	Horizontal	Vertical	Pass
13586.326	-39.85	15.22	-25.0	14.85	360.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
240.926	-68.67	-13.52	-25.0	43.67	155.00	Vertical	Vertical	Pass
1297.200	-51.46	0.73	-25.0	26.46	1.00	Vertical	Vertical	Pass
2952.300	-42.57	10.91	-25.0	17.57	316.00	Vertical	Vertical	Pass
3880.000	-45.67	9.38	-25.0	20.67	220.00	Vertical	Vertical	Pass
7950.750	-35.69	18.62	-25.0	10.69	75.00	Vertical	Vertical	Pass
13387.350	-39.98	16.89	-25.0	14.98	183.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
245.389	-71.08	-13.49	-25.0	46.08	156.00	Vertical	Horizontal	Pass
1436.700	-51.38	0.64	-25.0	26.38	198.00	Vertical	Horizontal	Pass
2991.300	-42.79	11.06	-25.0	17.79	265.00	Vertical	Horizontal	Pass
4590.500	-44.51	10.14	-25.0	19.51	31.00	Vertical	Horizontal	Pass
7935.750	-36.25	18.86	-25.0	11.25	352.00	Vertical	Horizontal	Pass
13360.838	-40.07	16.64	-25.0	15.07	88.00	Vertical	Horizontal	Pass

25 n38


25.1 n38 BW10, QPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
884.667	-65.45	2.18	-25.0	40.45	210.00	Horizontal	Horizontal	Pass
2134.700	-46.35	4.86	-25.0	21.35	11.00	Horizontal	Horizontal	Pass
2986.500	-41.92	11.93	-25.0	16.92	36.00	Horizontal	Horizontal	Pass
3775.500	-46.41	9.30	-25.0	21.41	231.00	Horizontal	Horizontal	Pass
6792.750	-36.95	16.46	-25.0	11.95	287.00	Horizontal	Horizontal	Pass
13402.313	-39.24	16.96	-25.0	14.24	150.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
905.377	-65.20	2.26	-25.0	40.20	216.00	Horizontal	Vertical	Pass
1350.100	-50.32	0.60	-25.0	25.32	13.00	Horizontal	Vertical	Pass
2087.800	-46.47	5.05	-25.0	21.47	111.00	Horizontal	Vertical	Pass
4313.250	-44.54	10.19	-25.0	19.54	186.00	Horizontal	Vertical	Pass
7921.000	-35.48	18.28	-25.0	10.48	30.00	Horizontal	Vertical	Pass
13392.338	-39.98	16.94	-25.0	14.98	205.00	Horizontal	Vertical	Pass


RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
818.513	-66.04	0.73	-25.0	41.04	248.00	Vertical	Vertical	Pass
1817.600	-50.54	1.26	-25.0	25.54	360.00	Vertical	Vertical	Pass
2986.300	-42.76	11.92	-25.0	17.76	360.00	Vertical	Vertical	Pass
4349.250	-45.23	10.71	-25.0	20.23	242.00	Vertical	Vertical	Pass
7338.250	-36.79	17.12	-25.0	11.79	360.00	Vertical	Vertical	Pass
13367.925	-39.88	16.71	-25.0	14.88	360.00	Vertical	Vertical	Pass




RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
861.920	-65.22	1.96	-25.0	40.22	57.00	Vertical	Horizontal	Pass
2081.500	-46.52	5.56	-25.0	21.52	360.00	Vertical	Horizontal	Pass
2986.500	-42.23	11.93	-25.0	17.23	157.00	Vertical	Horizontal	Pass
4190.750	-45.09	10.42	-25.0	20.09	310.00	Vertical	Horizontal	Pass
6689.500	-36.31	17.07	-25.0	11.31	19.00	Vertical	Horizontal	Pass
13389.975	-39.44	16.92	-25.0	14.44	12.00	Vertical	Horizontal	Pass


## 25.2 n38 BW15, QPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
949.026	-64.97	2.69	-25.0	39.97	0.00	Horizontal	Horizontal	Pass
2074.800	-46.60	5.21	-25.0	21.60	240.00	Horizontal	Horizontal	Pass
2985.600	-42.15	11.93	-25.0	17.15	43.00	Horizontal	Horizontal	Pass
4057.750	-45.44	10.82	-25.0	20.44	0.00	Horizontal	Horizontal	Pass
7997.500	-35.74	18.88	-25.0	10.74	342.00	Horizontal	Horizontal	Pass
13377.637	-39.15	16.80	-25.0	14.15	135.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
148.340	-72.87	-20.37	-25.0	47.87	105.00	Horizontal	Vertical	Pass
2354.200	-46.32	6.49	-25.0	21.32	256.00	Horizontal	Vertical	Pass
2996.300	-41.98	11.14	-25.0	16.98	306.00	Horizontal	Vertical	Pass
4901.250	-42.77	12.44	-25.0	17.77	265.00	Horizontal	Vertical	Pass
7858.750	-36.39	17.90	-25.0	11.39	357.00	Horizontal	Vertical	Pass
13354.276	-40.02	16.58	-25.0	15.02	137.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.985	-65.71	1.00	-25.0	40.71	11.00	Vertical	Vertical	Pass
2109.100	-46.43	5.71	-25.0	21.43	109.00	Vertical	Vertical	Pass
2951.100	-41.68	11.03	-25.0	16.68	2.00	Vertical	Vertical	Pass
3904.000	-45.69	10.01	-25.0	20.69	360.00	Vertical	Vertical	Pass
7927.250	-36.20	18.45	-25.0	11.20	164.00	Vertical	Vertical	Pass
13422.788	-39.21	16.51	-25.0	14.21	253.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
937.629	-64.44	2.55	-25.0	39.44	297.00	Vertical	Horizontal	Pass
1555.400	-50.72	0.91	-25.0	25.72	326.00	Vertical	Horizontal	Pass
2981.600	-42.42	11.67	-25.0	17.42	287.00	Vertical	Horizontal	Pass
3885.000	-46.86	9.46	-25.0	21.86	0.00	Vertical	Horizontal	Pass
7946.750	-35.85	18.80	-25.0	10.85	299.00	Vertical	Horizontal	Pass
13410.450	-38.10	16.78	-25.0	13.10	304.00	Vertical	Horizontal	Pass


### 25.3 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
300.678	-70.50	-14.51	-25.0	45.50	110.00	Horizontal	Horizontal	Pass
1285.200	-53.72	-1.25	-25.0	28.72	353.00	Horizontal	Horizontal	Pass
2591.400	-41.55	8.12	-25.0	16.55	48.00	Horizontal	Horizontal	N/A
7187.500	-40.01	14.18	-25.0	15.01	54.00	Horizontal	Horizontal	Pass
11994.037	-39.62	13.84	-25.0	14.62	7.00	Horizontal	Horizontal	Pass
20075.700	-42.29	12.96	-25.0	17.29	59.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
302.134	-75.58	-14.65	-25.0	50.58	96.00	Horizontal	Vertical	Pass
1743.100	-52.36	-1.16	-25.0	27.36	361.00	Horizontal	Vertical	Pass
2591.900	-44.44	8.13	-25.0	19.44	21.00	Horizontal	Vertical	N/A
7050.500	-40.46	13.34	-25.0	15.46	292.00	Horizontal	Vertical	Pass
13360.838	-39.33	16.64	-25.0	14.33	267.00	Horizontal	Vertical	Pass
17938.051	-43.00	13.80	-25.0	18.00	13.00	Horizontal	Vertical	Pass


RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-69.59	-0.14	-25.0	44.59	213.00	Vertical	Vertical	Pass
2591.400	-42.00	8.12	-25.0	17.00	61.00	Vertical	Vertical	N/A
7352.250	-40.88	14.64	-25.0	15.88	261.00	Vertical	Vertical	Pass
12005.675	-39.85	13.64	-25.0	14.85	74.00	Vertical	Vertical	Pass
17814.411	-42.86	12.81	-25.0	17.86	14.00	Vertical	Vertical	Pass
20086.749	-43.17	12.96	-25.0	18.17	180.00	Vertical	Vertical	Pass



RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
299.854	-70.68	-14.50	-25.0	45.68	126.00	Vertical	Horizontal	Pass
1688.900	-52.47	-0.45	-25.0	27.47	68.00	Vertical	Horizontal	Pass
2591.600	-42.36	8.12	-25.0	17.36	152.00	Vertical	Horizontal	N/A
2626.100	-38.84	8.07	-25.0	13.84	36.00	Vertical	Horizontal	Pass
13384.200	-39.02	16.86	-25.0	14.02	352.00	Vertical	Horizontal	Pass
18206.124	-43.36	12.86	-25.0	18.36	360.00	Vertical	Horizontal	Pass

26 n41


26.1 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
302.230	-73.64	-14.65	-25.0	48.64	136.00	Horizontal	Horizontal	Pass
1271.000	-54.04	-1.53	-25.0	29.04	43.00	Horizontal	Horizontal	Pass
2596.200	-39.06	8.15	-25.0	14.06	136.00	Horizontal	Horizontal	N/A
7130.500	-40.30	13.82	-25.0	15.30	9.00	Horizontal	Horizontal	Pass
13362.675	-37.77	16.66	-25.0	12.77	79.00	Horizontal	Horizontal	Pass
19741.225	-43.13	12.94	-25.0	18.13	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
283.606	-75.86	-12.84	-25.0	50.86	131.00	Horizontal	Vertical	Pass
1320.700	-53.24	-1.21	-25.0	28.24	361.00	Horizontal	Vertical	Pass
2591.300	-40.64	8.12	-25.0	15.64	183.00	Horizontal	Vertical	N/A
7049.500	-40.39	13.33	-25.0	15.39	170.00	Horizontal	Vertical	Pass
13366.875	-39.20	16.70	-25.0	14.20	195.00	Horizontal	Vertical	Pass
17878.462	-42.82	12.44	-25.0	17.82	0.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
242.721	-75.80	-14.73	-25.0	50.80	195.00	Vertical	Vertical	Pass
839.998	-69.24	-0.14	-25.0	44.24	42.00	Vertical	Vertical	Pass
2591.400	-40.66	8.12	-25.0	15.66	22.00	Vertical	Vertical	N/A
7489.500	-39.98	14.00	-25.0	14.98	265.00	Vertical	Vertical	Pass
13366.875	-39.14	16.70	-25.0	14.14	244.00	Vertical	Vertical	Pass
19790.524	-42.90	12.94	-25.0	17.90	88.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
384.050	-77.48	-10.32	-25.0	52.48	67.00	Vertical	Horizontal	Pass
1221.800	-54.26	-1.96	-25.0	29.26	152.00	Vertical	Horizontal	Pass
2591.100	-43.66	8.12	-25.0	18.66	44.00	Vertical	Horizontal	N/A
7217.750	-40.55	13.93	-25.0	15.55	204.00	Vertical	Horizontal	Pass
13343.776	-39.18	16.29	-25.0	14.18	360.00	Vertical	Horizontal	Pass
17946.974	-41.98	14.02	-25.0	16.98	262.00	Vertical	Horizontal	Pass


## 26.2 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
301.115	-74.83	-14.52	-25.0	49.83	106.00	Horizontal	Horizontal	Pass
2565.400	-43.84	7.96	-25.0	18.84	145.00	Horizontal	Horizontal	N/A
7608.750	-39.65	13.61	-25.0	14.65	84.00	Horizontal	Horizontal	Pass
11999.737	-39.00	13.82	-25.0	14.00	102.00	Horizontal	Horizontal	Pass
13393.912	-39.55	16.95	-25.0	14.55	316.00	Horizontal	Horizontal	Pass
17952.225	-42.63	14.03	-25.0	17.63	360.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
301.600	-76.96	-14.60	-25.0	51.96	106.00	Horizontal	Vertical	Pass
2565.200	-41.90	7.96	-25.0	16.90	122.00	Horizontal	Vertical	N/A
7485.500	-40.43	14.10	-25.0	15.43	253.00	Horizontal	Vertical	Pass
11943.451	-39.84	14.00	-25.0	14.84	225.00	Horizontal	Vertical	Pass
17969.025	-43.17	13.62	-25.0	18.17	360.00	Horizontal	Vertical	Pass
20077.824	-43.24	12.96	-25.0	18.24	46.00	Horizontal	Vertical	Pass


RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-68.36	-0.14	-25.0	43.36	199.00	Vertical	Vertical	Pass
2615.200	-44.79	8.37	-25.0	19.79	40.00	Vertical	Vertical	N/A
7157.250	-40.55	13.82	-25.0	15.55	35.00	Vertical	Vertical	Pass
11998.788	-39.87	13.82	-25.0	14.87	192.00	Vertical	Vertical	Pass
13335.900	-39.95	15.98	-25.0	14.95	190.00	Vertical	Vertical	Pass
19750.574	-42.47	12.94	-25.0	17.47	203.00	Vertical	Vertical	Pass




RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-68.88	-0.14	-25.0	43.88	14.00	Vertical	Horizontal	Pass
2568.700	-45.10	7.98	-25.0	20.10	41.00	Vertical	Horizontal	N/A
6644.250	-41.06	13.07	-25.0	16.06	146.00	Vertical	Horizontal	Pass
10049.150	-42.01	13.24	-25.0	17.01	167.00	Vertical	Horizontal	Pass
13332.487	-39.84	15.85	-25.0	14.84	208.00	Vertical	Horizontal	Pass
19320.052	-43.09	12.92	-25.0	18.09	14.00	Vertical	Horizontal	Pass


### 26.3 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
300.339	-72.77	-14.53	-25.0	47.77	121.00	Horizontal	Horizontal	Pass
2174.900	-48.85	3.05	-25.0	23.85	361.00	Horizontal	Horizontal	Pass
2551.300	-29.47	6.21	-25.0	4.47	61.00	Horizontal	Horizontal	N/A
2660.800	-32.36	6.57	-25.0	7.36	61.00	Horizontal	Horizontal	Pass
7486.000	-39.98	14.10	-25.0	14.98	98.00	Horizontal	Horizontal	Pass
13396.799	-39.64	16.98	-25.0	14.64	33.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.700	-53.33	-0.91	-25.0	28.33	236.00	Horizontal	Vertical	Pass
2561.400	-24.80	7.94	-25.0	-0.20	314.00	Horizontal	Vertical	N/A
2631.000	-30.19	6.58	-25.0	5.19	197.00	Horizontal	Vertical	N/A
7784.500	-39.31	14.63	-25.0	14.31	235.00	Horizontal	Vertical	Pass
11995.225	-39.29	13.84	-25.0	14.29	68.00	Horizontal	Vertical	Pass
17787.636	-42.51	12.43	-25.0	17.51	227.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
248.638	-75.08	-14.78	-25.0	50.08	183.00	Vertical	Vertical	Pass
2565.300	-27.90	7.96	-25.0	2.90	147.00	Vertical	Vertical	N/A
2630.700	-31.76	6.60	-25.0	6.76	134.00	Vertical	Vertical	N/A
7959.500	-39.39	15.16	-25.0	14.39	240.00	Vertical	Vertical	Pass
13385.250	-38.62	16.87	-25.0	13.62	33.00	Vertical	Vertical	Pass
17961.150	-42.88	13.81	-25.0	17.88	85.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
860.708	-69.65	-1.01	-25.0	44.65	262.00	Vertical	Horizontal	Pass
2564.600	-30.74	7.96	-25.0	5.74	361.00	Vertical	Horizontal	N/A
2637.800	-32.31	6.68	-25.0	7.31	33.00	Vertical	Horizontal	N/A
7578.750	-40.58	14.46	-25.0	15.58	204.00	Vertical	Horizontal	Pass
13376.326	-39.20	16.79	-25.0	14.20	293.00	Vertical	Horizontal	Pass
19633.699	-42.51	12.93	-25.0	17.51	72.00	Vertical	Horizontal	Pass

27 n66


27.1 n66 BW5, QPSK, Middle Channel

RSE-H&H n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.955	-66.75	0.95	-13.0	53.75	101.00	Horizontal	Horizontal	Pass
2145.700	-42.42	5.09	-13.0	29.42	360.00	Horizontal	Horizontal	N/A
2939.900	-42.92	11.16	-13.0	29.92	170.00	Horizontal	Horizontal	Pass
4049.250	-44.84	10.83	-13.0	31.84	231.00	Horizontal	Horizontal	Pass
7944.500	-35.02	18.88	-13.0	22.02	187.00	Horizontal	Horizontal	Pass
13567.237	-31.20	25.10	-13.0	18.20	296.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
873.463	-65.56	2.15	-13.0	52.56	293.00	Horizontal	Vertical	Pass
2143.700	-40.96	5.18	-13.0	27.96	143.00	Horizontal	Vertical	N/A
2887.500	-42.60	11.19	-13.0	29.60	281.00	Horizontal	Vertical	Pass
4105.000	-45.38	10.01	-13.0	32.38	86.00	Horizontal	Vertical	Pass
7994.250	-35.23	18.70	-13.0	22.23	243.00	Horizontal	Vertical	Pass
13576.487	-31.81	25.03	-13.0	18.81	65.00	Horizontal	Vertical	Pass


RSE-V&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
246.747	-64.63	-13.55	-13.0	51.63	141.00	Vertical	Vertical	Pass
1702.200	-49.00	2.76	-13.0	36.00	1.00	Vertical	Vertical	Pass
2998.200	-42.62	10.81	-13.0	29.62	1.00	Vertical	Vertical	Pass
4312.750	-43.90	10.23	-13.0	30.90	241.00	Vertical	Vertical	Pass
7260.000	-35.64	17.58	-13.0	22.64	219.00	Vertical	Vertical	Pass
13633.375	-31.88	24.84	-13.0	18.88	225.00	Vertical	Vertical	Pass




RSE-V&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
198.004	-69.88	-15.70	-13.0	56.88	256.00	Vertical	Horizontal	Pass
2146.500	-45.84	5.16	-13.0	32.84	124.00	Vertical	Horizontal	Pass
3869.500	-46.15	9.71	-13.0	33.15	298.00	Vertical	Horizontal	Pass
7979.250	-35.68	18.10	-13.0	22.68	242.00	Vertical	Horizontal	Pass
10788.487	-35.95	19.44	-13.0	22.95	135.00	Vertical	Horizontal	Pass
13383.162	-31.57	24.75	-13.0	18.57	360.00	Vertical	Horizontal	Pass


## 27.2 n66 BW15, QPSK, Middle Channel

RSE-H&H n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
305.965	-70.69	-11.67	-13.0	57.69	360.00	Horizontal	Horizontal	Pass
2141.200	-43.25	4.95	-13.0	30.25	84.00	Horizontal	Horizontal	N/A
2964.400	-42.32	11.25	-13.0	29.32	2.00	Horizontal	Horizontal	Pass
3899.500	-45.31	10.26	-13.0	32.31	19.00	Horizontal	Horizontal	Pass
7791.250	-35.85	18.31	-13.0	22.85	208.00	Horizontal	Horizontal	Pass
13372.987	-31.71	24.68	-13.0	18.71	300.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
371.876	-71.10	-9.81	-13.0	58.10	7.00	Horizontal	Vertical	Pass
2139.500	-42.80	5.01	-13.0	29.80	160.00	Horizontal	Vertical	N/A
2974.300	-42.17	11.75	-13.0	29.17	278.00	Horizontal	Vertical	Pass
4518.750	-45.04	11.12	-13.0	32.04	187.00	Horizontal	Vertical	Pass
8845.975	-35.52	20.29	-13.0	22.52	109.00	Horizontal	Vertical	Pass
13399.812	-31.04	24.85	-13.0	18.04	225.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
243.691	-64.80	-13.52	-13.0	51.80	154.00	Vertical	Vertical	Pass
2380.900	-46.33	6.75	-13.0	33.33	2.00	Vertical	Vertical	Pass
2933.800	-42.84	10.47	-13.0	29.84	184.00	Vertical	Vertical	Pass
4054.500	-46.03	10.94	-13.0	33.03	220.00	Vertical	Vertical	Pass
7984.000	-36.09	18.26	-13.0	23.09	41.00	Vertical	Vertical	Pass
13363.738	-31.85	24.63	-13.0	18.85	41.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
855.227	-65.83	1.51	-13.0	52.83	281.00	Vertical	Horizontal	Pass
2139.900	-45.84	4.99	-13.0	32.84	89.00	Vertical	Horizontal	Pass
2928.300	-43.02	10.61	-13.0	30.02	50.00	Vertical	Horizontal	Pass
4053.000	-45.27	10.89	-13.0	32.27	175.00	Vertical	Horizontal	Pass
7995.750	-35.40	18.76	-13.0	22.40	20.00	Vertical	Horizontal	Pass
13434.500	-31.75	24.62	-13.0	18.75	179.00	Vertical	Horizontal	Pass


### 27.3 n66 BW20, QPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
890.681	-65.62	2.05	-13.0	52.62	91.00	Horizontal	Horizontal	Pass
2137.100	-44.34	5.08	-13.0	31.34	344.00	Horizontal	Horizontal	N/A
2944.700	-42.57	11.16	-13.0	29.57	1.00	Horizontal	Horizontal	Pass
4307.000	-44.91	10.70	-13.0	31.91	0.00	Horizontal	Horizontal	Pass
7997.500	-35.92	18.88	-13.0	22.92	32.00	Horizontal	Horizontal	Pass
13584.812	-30.98	24.98	-13.0	17.98	131.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
899.896	-63.55	2.27	-13.0	50.55	115.00	Horizontal	Vertical	Pass
2137.000	-43.32	5.09	-13.0	30.32	231.00	Horizontal	Vertical	N/A
2938.700	-42.72	11.01	-13.0	29.72	1.00	Horizontal	Vertical	Pass
4315.000	-44.69	10.14	-13.0	31.69	0.00	Horizontal	Vertical	Pass
7913.000	-36.09	18.11	-13.0	23.09	30.00	Horizontal	Vertical	Pass
13390.562	-31.53	24.79	-13.0	18.53	41.00	Horizontal	Vertical	Pass


RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
311.251	-71.77	-11.64	-13.0	58.77	161.00	Vertical	Vertical	Pass
1709.900	-49.43	2.68	-13.0	36.43	360.00	Vertical	Vertical	Pass
2973.900	-42.66	11.72	-13.0	29.66	1.00	Vertical	Vertical	Pass
4108.750	-45.04	9.85	-13.0	32.04	330.00	Vertical	Vertical	Pass
8696.825	-35.51	19.32	-13.0	22.51	61.00	Vertical	Vertical	Pass
13606.550	-31.55	24.86	-13.0	18.55	130.00	Vertical	Vertical	Pass



RSE-V&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.596	-73.34	-17.47	-13.0	60.34	238.00	Vertical	Horizontal	Pass
2087.700	-46.70	5.30	-13.0	33.70	67.00	Vertical	Horizontal	Pass
2938.400	-42.60	10.97	-13.0	29.60	2.00	Vertical	Horizontal	Pass
4306.250	-44.22	10.64	-13.0	31.22	129.00	Vertical	Horizontal	Pass
7995.250	-35.59	18.76	-13.0	22.59	186.00	Vertical	Horizontal	Pass
13578.338	-31.08	25.02	-13.0	18.08	360.00	Vertical	Horizontal	Pass

28 DC\_2A\_n66A


28.1 DC\_2A\_n66A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1703.000	-34.51	3.77	-25.0	9.51	273.00	Horizontal	Horizontal	N/A
1934.200	-18.53	3.73	-25.0	-6.47	107.00	Horizontal	Horizontal	N/A
2114.000	-24.46	5.93	-25.0	-0.54	107.00	Horizontal	Horizontal	N/A
2972.100	-42.19	12.68	-25.0	17.19	320.00	Horizontal	Horizontal	Pass
7421.000	-36.58	18.05	-25.0	11.58	40.00	Horizontal	Horizontal	Pass
13375.275	-39.16	16.78	-25.0	14.16	157.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1730.400	-35.43	3.82	-25.0	10.43	26.00	Horizontal	Vertical	N/A
1938.200	-19.47	4.08	-25.0	-5.53	275.00	Horizontal	Vertical	N/A
2114.400	-23.01	5.89	-25.0	-1.99	257.00	Horizontal	Vertical	N/A
4077.250	-45.86	10.17	-25.0	20.86	290.00	Horizontal	Vertical	Pass
7935.750	-36.61	18.86	-25.0	11.61	0.00	Horizontal	Vertical	Pass
13409.662	-39.35	16.80	-25.0	14.35	14.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1730.200	-36.04	3.82	-25.0	11.04	24.00	Vertical	Vertical	N/A
1938.600	-29.11	4.14	-25.0	4.11	70.00	Vertical	Vertical	N/A
2114.300	-31.50	5.90	-25.0	6.50	135.00	Vertical	Vertical	N/A
4207.500	-44.88	11.13	-25.0	19.88	215.00	Vertical	Vertical	Pass
7976.000	-35.95	18.14	-25.0	10.95	116.00	Vertical	Vertical	Pass
13811.550	-39.53	16.74	-25.0	14.53	155.00	Vertical	Vertical	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
929.335	-60.10	8.00	-25.0	35.10	320.00	Vertical	Horizontal	N/A
1702.900	-33.80	3.77	-25.0	8.80	349.00	Vertical	Horizontal	N/A
1945.700	-30.46	3.96	-25.0	5.46	193.00	Vertical	Horizontal	N/A
2113.900	-32.83	5.93	-25.0	7.83	248.00	Vertical	Horizontal	Pass
7935.750	-36.36	18.86	-25.0	11.36	19.00	Vertical	Horizontal	Pass
12916.425	-40.58	15.21	-25.0	15.58	134.00	Vertical	Horizontal	Pass


## 28.2 DC\_2A\_n66A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1792.200	-30.32	4.13	-25.0	5.32	2.00	Horizontal	Horizontal	N/A
1909.800	-28.61	8.39	-25.0	3.61	182.00	Horizontal	Horizontal	N/A
1989.200	-20.94	4.59	-25.0	-4.06	89.00	Horizontal	Horizontal	N/A
2164.100	-28.38	5.34	-25.0	3.38	52.00	Horizontal	Horizontal	N/A
7984.500	-35.90	18.22	-25.0	10.90	190.00	Horizontal	Horizontal	Pass
13353.224	-39.69	16.57	-25.0	14.69	360.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_2A\_n66A BW20(LTE)+B20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1909.700	-30.84	8.39	-25.0	5.84	33.00	Horizontal	Vertical	N/A
1973.500	-20.16	4.63	-25.0	-4.84	281.00	Horizontal	Vertical	N/A
2162.100	-26.42	5.44	-25.0	1.42	264.00	Horizontal	Vertical	N/A
3806.250	-47.05	9.14	-25.0	22.05	326.00	Horizontal	Vertical	Pass
7997.500	-36.62	18.88	-25.0	11.62	205.00	Horizontal	Vertical	Pass
13443.262	-40.03	16.06	-25.0	15.03	360.00	Horizontal	Vertical	Pass


RSE-V&V DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1838.600	-33.10	2.84	-25.0	8.10	62.00	Vertical	Vertical	N/A
1909.700	-31.67	8.39	-25.0	6.67	71.00	Vertical	Vertical	N/A
1978.800	-30.36	4.88	-25.0	5.36	53.00	Vertical	Vertical	N/A
2163.100	-32.60	5.38	-25.0	7.60	24.00	Vertical	Vertical	N/A
7939.500	-36.48	18.96	-25.0	11.48	40.00	Vertical	Vertical	Pass
13393.388	-39.87	16.95	-25.0	14.87	205.00	Vertical	Vertical	Pass



RSE-V&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1319.000	-51.20	1.03	-25.0	26.20	180.00	Vertical	Horizontal	Pass
1909.700	-41.66	8.39	-25.0	16.66	2.00	Vertical	Horizontal	N/A
1988.800	-26.43	4.60	-25.0	1.43	360.00	Vertical	Horizontal	N/A
2164.800	-32.74	5.37	-25.0	7.74	360.00	Vertical	Horizontal	N/A
6878.250	-36.59	16.18	-25.0	11.59	291.00	Vertical	Horizontal	Pass
13391.813	-39.96	16.93	-25.0	14.96	360.00	Vertical	Horizontal	Pass

29 DC\_5A\_n7A


29.1 DC\_5A\_n7A BW10(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_5A\_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
869.874	-34.30	4.39	-25.0	9.30	-1.00	Horizontal	Horizontal	N/A
2626.600	-31.09	6.78	-25.0	6.09	311.00	Horizontal	Horizontal	N/A
5039.500	-38.75	8.85	-25.0	13.75	178.00	Horizontal	Horizontal	Pass
7558.750	-35.00	13.50	-25.0	10.00	190.00	Horizontal	Horizontal	Pass
13384.724	-39.12	16.87	-25.0	14.12	60.00	Horizontal	Horizontal	Pass
17998.948	-42.68	12.88	-25.0	17.68	93.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-62.18	5.03	-25.0	37.18	49.00	Horizontal	Vertical	N/A
871.233	-34.91	4.35	-25.0	9.91	2.00	Horizontal	Vertical	N/A
2624.900	-31.36	6.89	-25.0	6.36	31.00	Horizontal	Vertical	N/A
5039.750	-43.27	8.83	-25.0	18.27	155.00	Horizontal	Vertical	Pass
7559.000	-28.21	13.50	-25.0	3.21	246.00	Horizontal	Vertical	N/A
7559.000*	-33.429	13.50	-25.0	8.429	246.00	Horizontal	Vertical	Pass
13359.000	-39.75	16.62	-25.0	14.75	188.00	Horizontal	Vertical	Pass


RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.354	-61.90	4.77	-25.0	36.90	119.00	Vertical	Vertical	N/A
872.445	-40.11	4.23	-25.0	15.11	11.00	Vertical	Vertical	N/A
2627.100	-34.21	6.76	-25.0	9.21	9.00	Vertical	Vertical	N/A
5039.250	-39.47	8.88	-25.0	14.47	82.00	Vertical	Vertical	Pass
7559.000	-30.18	13.50	-25.0	5.18	139.00	Vertical	Vertical	N/A
7559.000*	-41.868	13.50	-25.0	16.868	139.00	Vertical	Vertical	Pass
13338.526	-39.34	16.09	-25.0	14.34	64.00	Vertical	Vertical	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
871.766	-37.01	4.32	-25.0	12.01	281.00	Vertical	Horizontal	N/A
2624.300	-37.48	6.89	-25.0	12.48	159.00	Vertical	Horizontal	N/A
7559.000	-27.80	13.50	-25.0	2.80	264.00	Vertical	Horizontal	N/A
7559.000*	-35.400	13.50	-25.0	10.400	264.00	Vertical	Horizontal	Pass
12718.650	-39.71	14.76	-25.0	14.71	264.00	Vertical	Horizontal	Pass
17966.926	-43.26	13.67	-25.0	18.26	296.00	Vertical	Horizontal	Pass
20351.949	-43.29	12.97	-25.0	18.29	-3.00	Vertical	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance

## 29.2 DC\_5A\_n7A BW10(LTE)+BW20(NR), QPSK, High Chanel


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.438	-37.57	9.05	-25.0	12.57	187.00	Horizontal	Horizontal	N/A
891.942	-26.21	9.46	-25.0	1.21	41.00	Horizontal	Horizontal	N/A
2574.800	-29.55	11.83	-25.0	4.55	4.00	Horizontal	Horizontal	N/A
2670.900	-32.64	10.47	-25.0	7.64	202.00	Horizontal	Horizontal	N/A
7284.750	-38.18	16.90	-25.0	13.18	30.00	Horizontal	Horizontal	Pass
13376.850	-39.71	16.79	-25.0	14.71	349.00	Horizontal	Horizontal	Pass

### RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)


RSE(5G NSA FCC)\_RSE(5G NSA FCC)\_NSA\_5A\_n41A(Low) & 5A\_n7A &7A\_n5A\_814-849&2496-2570\_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.486	-37.59	9.05	-25.0	12.59	160.00	Horizontal	Vertical	N/A
889.905	-25.82	9.43	-25.0	0.82	210.00	Horizontal	Vertical	N/A
2576.900	-24.71	10.44	-25.0	-0.29	0.00	Horizontal	Vertical	N/A
2675.100	-30.73	10.09	-25.0	5.73	239.00	Horizontal	Vertical	N/A
7708.750	-35.72	17.22	-25.0	10.72	257.00	Horizontal	Vertical	Pass
13414.912	-39.11	16.68	-25.0	14.11	122.00	Horizontal	Vertical	Pass

### RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)


RSE(5G NSA FCC)\_RSE(5G NSA FCC)\_NSA\_5A\_n41A(Low) & 5A\_n7A &7A\_n5A\_814-849&2496-2570\_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.486	-37.45	9.05	-25.0	12.45	104.00	Vertical	Vertical	N/A
885.006	-27.23	8.98	-25.0	2.23	1.00	Vertical	Vertical	N/A
2574.700	-26.62	11.83	-25.0	1.62	62.00	Vertical	Vertical	N/A
2674.700	-36.07	10.12	-25.0	11.07	232.00	Vertical	Vertical	N/A
7996.250	-36.16	18.78	-25.0	11.16	191.00	Vertical	Vertical	Pass
13363.987	-39.70	16.67	-25.0	14.70	153.00	Vertical	Vertical	Pass



RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.341	-42.13	9.04	-25.0	17.13	62.00	Vertical	Horizontal	N/A
887.431	-25.65	9.23	-25.0	0.65	136.00	Vertical	Horizontal	N/A
2578.300	-36.55	9.99	-25.0	11.55	360.00	Vertical	Horizontal	N/A
2675.300	-35.25	10.04	-25.0	10.25	360.00	Vertical	Horizontal	N/A
7708.750	-34.27	17.22	-25.0	9.27	148.00	Vertical	Horizontal	Pass
13432.762	-39.58	16.29	-25.0	14.58	274.00	Vertical	Horizontal	Pass

30 DC\_5A\_n66A


30.1 DC\_5A\_n66A BW10(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.451	-48.05	8.73	-25.0	23.05	178.00	Horizontal	Horizontal	N/A
871.426	-28.00	8.09	-25.0	3.00	77.00	Horizontal	Horizontal	N/A
1730.200	-38.20	3.68	-25.0	13.20	64.00	Horizontal	Horizontal	N/A
2114.400	-24.18	6.79	-25.0	-0.82	120.00	Horizontal	Horizontal	N/A
7762.500	-36.11	17.53	-25.0	11.11	290.00	Horizontal	Horizontal	Pass
13424.362	-39.16	16.47	-25.0	14.16	133.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.451	-53.65	8.73	-25.0	28.65	331.00	Horizontal	Vertical	N/A
873.852	-30.02	7.95	-25.0	5.02	51.00	Horizontal	Vertical	N/A
1699.200	-35.24	3.57	-25.0	10.24	235.00	Horizontal	Vertical	N/A
2112.900	-20.31	6.96	-25.0	-4.69	272.00	Horizontal	Vertical	N/A
7994.500	-35.12	18.72	-25.0	10.12	301.00	Horizontal	Vertical	Pass
13402.838	-39.75	16.95	-25.0	14.75	360.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.451	-47.96	8.73	-25.0	22.96	0.00	Vertical	Vertical	N/A
874.967	-26.41	8.11	-25.0	1.41	0.00	Vertical	Vertical	N/A
1730.400	-38.96	3.68	-25.0	13.96	21.00	Vertical	Vertical	N/A
2112.200	-30.61	6.94	-25.0	5.61	125.00	Vertical	Vertical	N/A
7936.500	-35.83	18.94	-25.0	10.83	247.00	Vertical	Vertical	Pass
13368.974	-39.88	16.72	-25.0	14.88	180.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
833.500	-51.63	8.73	-25.0	26.63	50.00	Vertical	Horizontal	N/A
871.378	-26.21	8.10	-25.0	1.21	68.00	Vertical	Horizontal	N/A
1692.300	-39.58	2.61	-25.0	14.58	14.00	Vertical	Horizontal	N/A
2114.500	-30.82	6.77	-25.0	5.82	33.00	Vertical	Horizontal	N/A
7401.250	-36.64	17.83	-25.0	11.64	224.00	Vertical	Horizontal	Pass
13356.112	-39.61	16.60	-25.0	14.61	360.00	Vertical	Horizontal	Pass


### 30.2 DC\_5A\_n66A BW10(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.438	-41.70	9.05	-25.0	16.70	191.00	Horizontal	Horizontal	N/A
892.572	-25.99	9.46	-25.0	0.99	65.00	Horizontal	Horizontal	N/A
1793.900	-41.76	3.41	-25.0	16.76	0.00	Horizontal	Horizontal	N/A
2161.000	-24.84	5.93	-25.0	-0.16	130.00	Horizontal	Horizontal	N/A
7972.500	-36.77	18.13	-25.0	11.77	270.00	Horizontal	Horizontal	Pass
13362.675	-39.45	16.66	-25.0	14.45	180.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.438	-44.88	9.05	-25.0	19.88	161.00	Horizontal	Vertical	N/A
892.233	-26.57	9.46	-25.0	1.57	0.00	Horizontal	Vertical	N/A
1701.500	-42.30	3.81	-25.0	17.30	6.00	Horizontal	Vertical	N/A
1792.600	-37.79	3.57	-25.0	12.79	25.00	Horizontal	Vertical	N/A
2160.400	-23.94	5.89	-25.0	-1.06	198.00	Horizontal	Vertical	N/A
7980.250	-36.03	18.11	-25.0	11.03	29.00	Horizontal	Vertical	Pass


RSE-V&V DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.389	-41.78	9.05	-25.0	16.78	148.00	Vertical	Vertical	N/A
890.778	-25.96	9.52	-25.0	0.96	0.00	Vertical	Vertical	N/A
1791.500	-38.88	3.57	-25.0	13.88	91.00	Vertical	Vertical	N/A
2161.900	-33.34	5.96	-25.0	8.34	152.00	Vertical	Vertical	N/A
7927.250	-36.37	18.45	-25.0	11.37	116.00	Vertical	Vertical	Pass
13804.200	-39.74	16.91	-25.0	14.74	360.00	Vertical	Vertical	Pass



RSE-V&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.438	-46.37	9.05	-25.0	21.37	65.00	Vertical	Horizontal	N/A
890.536	-26.74	9.49	-25.0	1.74	91.00	Vertical	Horizontal	N/A
1792.900	-38.73	3.57	-25.0	13.73	332.00	Vertical	Horizontal	N/A
2161.700	-30.65	5.96	-25.0	5.65	25.00	Vertical	Horizontal	N/A
7308.750	-36.52	16.87	-25.0	11.52	0.00	Vertical	Horizontal	Pass
13389.975	-40.07	16.92	-25.0	15.07	132.00	Vertical	Horizontal	Pass

31 DC\_7A\_n5A

31.1 DC\_7A\_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-55.95	4.43	-25.0	30.95	216.00	Horizontal	Horizontal	N/A
872.396	-40.91	4.24	-25.0	15.91	130.00	Horizontal	Horizontal	N/A
2501.900	-41.21	9.01	-25.0	16.21	53.00	Horizontal	Horizontal	N/A
2631.800	-26.73	6.86	-25.0	1.73	131.00	Horizontal	Horizontal	N/A
4123.250	-40.92	7.08	-25.0	15.92	360.00	Horizontal	Horizontal	Pass
11989.287	-40.10	13.86	-25.0	15.10	360.00	Horizontal	Horizontal	Pass