



RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-57.80	4.43	-25.0	32.80	140.00	Horizontal	Vertical	N/A
875.500	-38.38	4.15	-25.0	13.38	0.00	Horizontal	Vertical	N/A
2633.500	-26.43	6.97	-25.0	1.43	136.00	Horizontal	Vertical	N/A
4123.250	-45.95	7.08	-25.0	20.95	191.00	Horizontal	Vertical	Pass
7231.000	-39.19	14.19	-25.0	14.19	156.00	Horizontal	Vertical	Pass
11944.401	-39.11	14.00	-25.0	14.11	208.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-62.33	4.43	-25.0	37.33	121.00	Vertical	Vertical	N/A
872.202	-45.70	4.28	-25.0	20.70	240.00	Vertical	Vertical	N/A
2502.300	-40.88	9.01	-25.0	15.88	145.00	Vertical	Vertical	N/A
2629.800	-31.76	6.86	-25.0	6.76	249.00	Vertical	Vertical	N/A
4123.250	-44.41	7.08	-25.0	19.41	25.00	Vertical	Vertical	Pass
13385.775	-39.54	16.88	-25.0	14.54	312.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-60.35	4.43	-25.0	35.35	196.00	Vertical	Horizontal	N/A
871.378	-41.12	4.36	-25.0	16.12	96.00	Vertical	Horizontal	N/A
2632.100	-32.49	6.86	-25.0	7.49	96.00	Vertical	Horizontal	N/A
7606.750	-40.73	13.64	-25.0	15.73	99.00	Vertical	Horizontal	Pass
13381.049	-39.20	16.83	-25.0	14.20	1.00	Vertical	Horizontal	Pass
20111.401	-43.39	12.96	-25.0	18.39	268.00	Vertical	Horizontal	Pass


### 31.2 DC\_7A\_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-56.46	4.63	-25.0	31.46	227.00	Horizontal	Horizontal	N/A
878.847	-39.28	4.15	-25.0	14.28	258.00	Horizontal	Horizontal	N/A
2552.100	-42.40	9.47	-25.0	17.40	131.00	Horizontal	Horizontal	N/A
2673.200	-26.32	7.73	-25.0	1.32	233.00	Horizontal	Horizontal	N/A
7598.750	-40.09	13.82	-25.0	15.09	285.00	Horizontal	Horizontal	Pass
13388.925	-39.64	16.91	-25.0	14.64	178.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-60.21	4.63	-25.0	35.21	133.00	Horizontal	Vertical	N/A
879.429	-40.37	4.14	-25.0	15.37	345.00	Horizontal	Vertical	N/A
2687.000	-27.11	7.70	-25.0	2.11	124.00	Horizontal	Vertical	N/A
7654.000	-38.79	13.61	-25.0	13.79	173.00	Horizontal	Vertical	Pass
11957.463	-39.70	13.98	-25.0	14.70	325.00	Horizontal	Vertical	Pass
20106.725	-43.20	12.96	-25.0	18.20	285.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-56.99	4.63	-25.0	31.99	102.00	Vertical	Vertical	N/A
875.500	-44.57	4.15	-25.0	19.57	352.00	Vertical	Vertical	N/A
2677.900	-27.58	7.92	-25.0	2.58	356.00	Vertical	Vertical	N/A
7653.500	-34.90	13.71	-25.0	9.90	151.00	Vertical	Vertical	Pass
13336.162	-39.54	15.99	-25.0	14.54	360.00	Vertical	Vertical	Pass
19758.651	-43.05	12.94	-25.0	18.05	0.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.620	-58.27	4.63	-25.0	33.27	28.00	Vertical	Horizontal	N/A
877.295	-42.24	4.00	-25.0	17.24	171.00	Vertical	Horizontal	N/A
2679.000	-32.73	7.93	-25.0	7.73	0.00	Vertical	Horizontal	N/A
7653.750	-34.43	13.66	-25.0	9.43	264.00	Vertical	Horizontal	Pass
11983.825	-40.04	13.88	-25.0	15.04	0.00	Vertical	Horizontal	Pass
17936.474	-42.52	13.77	-25.0	17.52	80.00	Vertical	Horizontal	Pass

32 DC\_7A\_n66A

32.1 DC\_7A\_n66A BW20(LTE)+BW20(NR), QPSK, Low Chanel


RSE-H&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1697.900	-34.07	2.63	-25.0	9.07	39.00	Horizontal	Horizontal	N/A
2112.400	-23.24	6.23	-25.0	-1.76	95.00	Horizontal	Horizontal	N/A
2637.200	-26.67	9.22	-25.0	1.67	133.00	Horizontal	Horizontal	N/A
4204.250	-45.56	11.17	-25.0	20.56	238.00	Horizontal	Horizontal	Pass
6960.750	-35.78	15.95	-25.0	10.78	7.00	Horizontal	Horizontal	Pass
13452.975	-39.77	15.88	-25.0	14.77	41.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1698.600	-37.39	2.90	-25.0	12.39	9.00	Horizontal	Vertical	N/A
2114.400	-23.14	6.26	-25.0	-1.86	191.00	Horizontal	Vertical	N/A
2518.800	-37.47	9.47	-25.0	12.47	163.00	Horizontal	Vertical	N/A
2626.000	-26.25	8.54	-25.0	1.25	227.00	Horizontal	Vertical	N/A
7925.000	-35.95	18.39	-25.0	10.95	344.00	Horizontal	Vertical	Pass
13352.175	-40.17	16.56	-25.0	15.17	299.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1375.500	-50.67	1.01	-25.0	25.67	155.00	Vertical	Vertical	Pass
1729.300	-39.44	3.18	-25.0	14.44	35.00	Vertical	Vertical	N/A
2114.100	-29.46	6.24	-25.0	4.46	339.00	Vertical	Vertical	N/A
2621.900	-29.17	8.46	-25.0	4.17	218.00	Vertical	Vertical	N/A
7403.000	-36.55	17.86	-25.0	11.55	94.00	Vertical	Vertical	Pass
13404.151	-39.35	16.92	-25.0	14.35	360.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1702.000	-38.74	3.30	-25.0	13.74	1.00	Vertical	Horizontal	N/A
2111.100	-30.48	6.19	-25.0	5.48	20.00	Vertical	Horizontal	N/A
2633.100	-35.03	9.38	-25.0	10.03	68.00	Vertical	Horizontal	N/A
4198.500	-44.80	11.01	-25.0	19.80	0.00	Vertical	Horizontal	Pass
7938.500	-35.31	18.94	-25.0	10.31	8.00	Vertical	Horizontal	Pass
13361.100	-40.04	16.64	-25.0	15.04	360.00	Vertical	Horizontal	Pass


### 32.2 DC\_7A\_n66A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1698.100	-41.53	2.71	-25.0	16.53	190.00	Horizontal	Horizontal	N/A
1791.900	-35.33	3.10	-25.0	10.33	152.00	Horizontal	Horizontal	N/A
2163.800	-23.74	5.42	-25.0	-1.26	114.00	Horizontal	Horizontal	N/A
2672.500	-28.30	10.09	-25.0	3.30	39.00	Horizontal	Horizontal	N/A
7805.750	-36.92	18.07	-25.0	11.92	281.00	Horizontal	Horizontal	Pass
13394.962	-39.71	16.96	-25.0	14.71	226.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1791.800	-43.89	3.10	-25.0	18.89	54.00	Horizontal	Vertical	N/A
2162.400	-25.05	5.49	-25.0	0.05	191.00	Horizontal	Vertical	N/A
2672.800	-25.88	10.07	-25.0	0.88	227.00	Horizontal	Vertical	N/A
5738.250	-40.19	13.91	-25.0	15.19	353.00	Horizontal	Vertical	Pass
7923.750	-36.62	18.32	-25.0	11.62	0.00	Horizontal	Vertical	Pass
13808.400	-39.17	16.81	-25.0	14.17	108.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1791.500	-34.80	3.10	-25.0	9.80	22.00	Vertical	Vertical	N/A
2162.700	-32.09	5.47	-25.0	7.09	40.00	Vertical	Vertical	N/A
2672.600	-30.17	10.08	-25.0	5.17	181.00	Vertical	Vertical	N/A
4376.000	-44.99	10.93	-25.0	19.99	315.00	Vertical	Vertical	Pass
7993.500	-36.67	18.59	-25.0	11.67	96.00	Vertical	Vertical	Pass
13376.062	-38.52	16.78	-25.0	13.52	360.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
246.650	-71.43	-13.55	-25.0	46.43	172.00	Vertical	Horizontal	N/A
1792.900	-43.97	3.10	-25.0	18.97	266.00	Vertical	Horizontal	N/A
2160.900	-31.33	5.57	-25.0	6.33	40.00	Vertical	Horizontal	N/A
2673.900	-35.84	10.06	-25.0	10.84	185.00	Vertical	Horizontal	Pass
7986.750	-35.80	18.28	-25.0	10.80	137.00	Vertical	Horizontal	Pass
13404.151	-39.86	16.92	-25.0	14.86	271.00	Vertical	Horizontal	Pass

33 DC\_26A\_n41A

33.1 DC\_26A\_n41A BW15(LTE)+BW100(NR), QPSK, Low Chanel


RSE-H&H DC\_26A\_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
869.438	-31.26	8.22	-25.0	6.26	64.00	Horizontal	Horizontal	N/A
1320.700	-49.47	2.09	-25.0	24.47	151.00	Horizontal	Horizontal	Pass
2505.500	-30.27	8.86	-25.0	5.27	225.00	Horizontal	Horizontal	N/A
4235.500	-44.68	10.40	-25.0	19.68	235.00	Horizontal	Horizontal	Pass
7781.000	-36.18	18.22	-25.0	11.18	159.00	Horizontal	Horizontal	Pass
13366.612	-40.08	16.70	-25.0	15.08	201.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_26A\_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
872.542	-31.07	7.92	-25.0	6.07	58.00	Horizontal	Vertical	N/A
1725.600	-49.48	1.75	-25.0	24.48	217.00	Horizontal	Vertical	Pass
2512.300	-31.87	9.14	-25.0	6.87	245.00	Horizontal	Vertical	N/A
4677.250	-44.30	10.89	-25.0	19.30	30.00	Horizontal	Vertical	Pass
6658.000	-37.02	16.18	-25.0	12.02	357.00	Horizontal	Vertical	Pass
13815.750	-39.78	16.64	-25.0	14.78	342.00	Horizontal	Vertical	Pass

RSE-V&V DC\_26A\_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
869.196	-26.53	8.21	-25.0	1.53	0.00	Vertical	Vertical	N/A
1590.300	-49.59	2.12	-25.0	24.59	253.00	Vertical	Vertical	Pass
2500.300	-36.43	8.49	-25.0	11.43	149.00	Vertical	Vertical	N/A
4315.250	-44.74	10.13	-25.0	19.74	280.00	Vertical	Vertical	Pass
7226.750	-37.01	16.83	-25.0	12.01	40.00	Vertical	Vertical	Pass
13398.375	-40.18	16.99	-25.0	15.18	294.00	Vertical	Vertical	Pass


RSE-V&H DC\_26A\_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
860.562	-28.10	8.46	-25.0	3.10	59.00	Vertical	Horizontal	N/A
1381.900	-50.19	1.67	-25.0	25.19	252.00	Vertical	Horizontal	Pass
2508.200	-37.53	9.15	-25.0	12.53	35.00	Vertical	Horizontal	N/A
4702.750	-44.49	10.84	-25.0	19.49	117.00	Vertical	Horizontal	Pass
7930.500	-35.88	18.76	-25.0	10.88	280.00	Vertical	Horizontal	Pass
13418.849	-40.45	16.60	-25.0	15.45	343.00	Vertical	Horizontal	Pass


### 33.2 DC\_26A\_n41A BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.146	-42.60	9.04	-25.0	17.60	189.00	Horizontal	Horizontal	N/A
891.214	-30.70	9.50	-25.0	5.70	67.00	Horizontal	Horizontal	N/A
2689.600	15.26	9.50	-25.0	-40.26	78.00	Horizontal	Horizontal	N/A
4215.500	-44.88	10.46	-25.0	19.88	1.00	Horizontal	Horizontal	Pass
7961.250	-36.31	18.22	-25.0	11.31	262.00	Horizontal	Horizontal	Pass
13378.950	-40.31	16.81	-25.0	15.31	265.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_26A\_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.195	-45.89	9.04	-25.0	20.89	172.00	Horizontal	Vertical	N/A
887.771	-28.57	9.27	-25.0	3.57	57.00	Horizontal	Vertical	N/A
2689.800	15.30	9.47	-25.0	-40.30	1.00	Horizontal	Vertical	N/A
5212.500	-40.66	12.35	-25.0	15.66	334.00	Horizontal	Vertical	Pass
7982.000	-36.12	18.16	-25.0	11.12	360.00	Horizontal	Vertical	Pass
13403.362	-38.92	16.94	-25.0	13.92	342.00	Horizontal	Vertical	Pass

RSE-V&V DC\_26A\_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.195	-43.76	9.04	-25.0	18.76	153.00	Vertical	Vertical	N/A
882.824	-28.54	8.63	-25.0	3.54	2.00	Vertical	Vertical	N/A
2689.800	13.29	9.47	-25.0	-38.29	180.00	Vertical	Vertical	N/A
4831.500	-43.67	12.50	-25.0	18.67	226.00	Vertical	Vertical	Pass
7991.750	-36.85	18.51	-25.0	11.85	360.00	Vertical	Vertical	Pass
13318.313	-39.59	15.29	-25.0	14.59	363.00	Vertical	Vertical	Pass

RSE-V&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.195	-46.29	9.04	-25.0	21.29	63.00	Vertical	Horizontal	N/A
891.166	-29.31	9.51	-25.0	4.31	337.00	Vertical	Horizontal	N/A
2689.900	14.10	9.46	-25.0	-39.10	27.00	Vertical	Horizontal	N/A
4788.000	-43.02	12.94	-25.0	18.02	117.00	Vertical	Horizontal	Pass
7930.500	-35.78	18.76	-25.0	10.78	259.00	Vertical	Horizontal	Pass
13816.800	-40.28	16.62	-25.0	15.28	296.00	Vertical	Horizontal	Pass

34 DC\_66A\_n5A

34.1 DC\_66A\_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel


RSE-H&H DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-53.68	4.43	-25.0	28.68	227.00	Horizontal	Horizontal	N/A
872.106	-37.20	4.29	-25.0	12.20	213.00	Horizontal	Horizontal	N/A
1711.800	-36.48	2.47	-25.0	11.48	79.00	Horizontal	Horizontal	N/A
2124.700	-19.57	4.00	-25.0	-5.43	240.00	Horizontal	Horizontal	N/A
2474.200	-41.78	5.81	-25.0	16.78	281.00	Horizontal	Horizontal	Pass
4123.250	-42.82	7.08	-25.0	17.82	24.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_66A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.624	-58.62	4.43	-25.0	33.62	129.00	Horizontal	Vertical	N/A
875.646	-37.68	4.13	-25.0	12.68	0.00	Horizontal	Vertical	N/A
1694.200	-31.48	1.10	-25.0	6.48	338.00	Horizontal	Vertical	N/A
2128.900	-20.10	4.23	-25.0	-4.90	187.00	Horizontal	Vertical	N/A
7585.250	-40.52	14.15	-25.0	15.52	74.00	Horizontal	Vertical	Pass
13355.588	-39.77	16.59	-25.0	14.77	360.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
871.911	-45.97	4.31	-25.0	20.97	360.00	Vertical	Vertical	N/A
1711.800	-35.23	2.47	-25.0	10.23	119.00	Vertical	Vertical	N/A
2123.000	-28.18	4.02	-25.0	3.18	283.00	Vertical	Vertical	N/A
2474.200	-39.18	5.81	-25.0	14.18	176.00	Vertical	Vertical	Pass
7696.000	-40.13	13.81	-25.0	15.13	40.00	Vertical	Vertical	Pass
13388.401	-39.20	16.90	-25.0	14.20	267.00	Vertical	Vertical	Pass


RSE-V&H DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-59.78	4.43	-25.0	34.78	88.00	Vertical	Horizontal	N/A
870.796	-41.22	4.29	-25.0	16.22	338.00	Vertical	Horizontal	N/A
1712.000	-40.28	2.47	-25.0	15.28	138.00	Vertical	Horizontal	N/A
2117.400	-26.41	3.96	-25.0	1.41	145.00	Vertical	Horizontal	N/A
2474.400	-43.49	5.82	-25.0	18.49	132.00	Vertical	Horizontal	Pass
4123.500	-46.45	7.07	-25.0	21.45	157.00	Vertical	Horizontal	Pass


### 34.2 DC\_66A\_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
840.047	-61.53	5.03	-25.0	36.53	203.00	Horizontal	Horizontal	N/A
880.787	-41.19	4.22	-25.0	16.19	5.00	Horizontal	Horizontal	N/A
1761.900	-36.52	1.97	-25.0	11.52	145.00	Horizontal	Horizontal	N/A
2168.200	-21.91	4.03	-25.0	-3.09	253.00	Horizontal	Horizontal	N/A
7260.000	-40.25	14.73	-25.0	15.25	20.00	Horizontal	Horizontal	Pass
13361.887	-39.53	16.65	-25.0	14.53	271.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.474	-60.40	4.62	-25.0	35.40	136.00	Horizontal	Vertical	N/A
880.108	-38.66	4.15	-25.0	13.66	0.00	Horizontal	Vertical	N/A
1762.000	-35.35	1.97	-25.0	10.35	27.00	Horizontal	Vertical	N/A
2174.800	-20.51	4.21	-25.0	-4.49	168.00	Horizontal	Vertical	N/A
7229.500	-40.03	14.31	-25.0	15.03	41.00	Horizontal	Vertical	Pass
13348.763	-38.52	16.49	-25.0	13.52	275.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.522	-60.97	4.62	-25.0	35.97	117.00	Vertical	Vertical	N/A
875.889	-48.76	4.08	-25.0	23.76	112.00	Vertical	Vertical	N/A
1761.800	-36.00	1.97	-25.0	11.00	105.00	Vertical	Vertical	N/A
2173.200	-29.41	4.16	-25.0	4.41	232.00	Vertical	Vertical	N/A
7608.500	-40.10	13.59	-25.0	15.10	312.00	Vertical	Vertical	Pass
12493.737	-39.05	14.66	-25.0	14.05	92.00	Vertical	Vertical	Pass

RSE-V&H DC\_66A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.522	-57.85	4.62	-25.0	32.85	93.00	Vertical	Horizontal	N/A
878.119	-42.47	4.10	-25.0	17.47	173.00	Vertical	Horizontal	N/A
1762.000	-41.21	1.97	-25.0	16.21	10.00	Vertical	Horizontal	N/A
2162.600	-27.57	4.12	-25.0	2.57	147.00	Vertical	Horizontal	N/A
11998.075	-38.65	13.83	-25.0	13.65	161.00	Vertical	Horizontal	Pass
18203.400	-42.07	12.86	-25.0	17.07	360.00	Vertical	Horizontal	Pass

35 DC\_66A\_n7A

35.1 DC\_66A\_n7A BW20(LTE)+BW20(NR), QPSK, Low Chanel


RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1729.900	-39.57	3.18	-25.0	14.57	360.00	Horizontal	Horizontal	N/A
2122.000	-20.24	5.76	-25.0	-4.76	117.00	Horizontal	Horizontal	N/A
2625.200	-31.98	8.46	-25.0	6.98	296.00	Horizontal	Horizontal	N/A
5194.750	-39.05	12.51	-25.0	14.05	189.00	Horizontal	Horizontal	Pass
7989.250	-36.66	18.40	-25.0	11.66	38.00	Horizontal	Horizontal	Pass
13412.287	-39.95	16.74	-25.0	14.95	274.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1729.800	-42.19	3.18	-25.0	17.19	209.00	Horizontal	Vertical	N/A
2123.100	-18.79	5.67	-25.0	-6.21	274.00	Horizontal	Vertical	N/A
2622.500	-30.14	8.44	-25.0	5.14	219.00	Horizontal	Vertical	N/A
4830.500	-42.65	12.54	-25.0	17.65	300.00	Horizontal	Vertical	Pass
7558.750	-34.11	17.56	-25.0	9.11	247.00	Horizontal	Vertical	Pass
13345.875	-39.90	16.38	-25.0	14.90	334.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
750.031	-66.74	-0.87	-25.0	41.74	45.00	Vertical	Vertical	Pass
1729.700	-42.48	3.18	-25.0	17.48	66.00	Vertical	Vertical	N/A
2116.500	-24.52	6.28	-25.0	-0.48	48.00	Vertical	Vertical	N/A
2623.700	-35.99	8.43	-25.0	10.99	1.00	Vertical	Vertical	N/A
7788.500	-35.42	18.26	-25.0	10.42	147.00	Vertical	Vertical	Pass
13373.963	-39.47	16.77	-25.0	14.47	152.00	Vertical	Vertical	Pass


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
876.471	-65.65	2.16	-25.0	40.65	93.00	Vertical	Horizontal	Pass
2116.700	-31.68	6.25	-25.0	6.68	242.00	Vertical	Horizontal	N/A
2520.300	-39.71	9.46	-25.0	14.71	84.00	Vertical	Horizontal	N/A
4314.750	-45.04	10.15	-25.0	20.04	287.00	Vertical	Horizontal	Pass
7559.000	-34.59	17.54	-25.0	9.59	158.00	Vertical	Horizontal	Pass
13367.663	-39.65	16.71	-25.0	14.65	108.00	Vertical	Horizontal	Pass


### 35.2 DC\_66A\_n7A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1779.800	-44.31	3.10	-25.0	19.31	11.00	Horizontal	Horizontal	N/A
2166.500	-21.56	5.37	-25.0	-3.44	106.00	Horizontal	Horizontal	N/A
2579.200	-24.77	9.37	-25.0	-0.23	152.00	Horizontal	Horizontal	N/A
2674.000	-30.00	10.06	-25.0	5.00	39.00	Horizontal	Horizontal	N/A
7996.250	-35.99	18.78	-25.0	10.99	342.00	Horizontal	Horizontal	Pass
13390.238	-39.90	16.92	-25.0	14.90	304.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1779.800	-43.77	3.10	-25.0	18.77	210.00	Horizontal	Vertical	N/A
2175.400	-21.63	5.77	-25.0	-3.37	60.00	Horizontal	Vertical	N/A
2574.400	-26.70	9.34	-25.0	1.70	3.00	Horizontal	Vertical	N/A
2674.600	-28.97	10.05	-25.0	3.97	323.00	Horizontal	Vertical	N/A
7404.250	-36.29	17.88	-25.0	11.29	127.00	Horizontal	Vertical	Pass
13351.388	-38.77	16.55	-25.0	13.77	320.00	Horizontal	Vertical	Pass


RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1779.700	-45.34	3.10	-25.0	20.34	68.00	Vertical	Vertical	N/A
2162.700	-27.92	5.47	-25.0	2.92	30.00	Vertical	Vertical	N/A
2577.500	-31.54	9.36	-25.0	6.54	1.00	Vertical	Vertical	N/A
2671.800	-34.64	10.05	-25.0	9.64	152.00	Vertical	Vertical	N/A
7278.250	-36.49	16.96	-25.0	11.49	202.00	Vertical	Vertical	Pass
13378.425	-39.80	16.81	-25.0	14.80	182.00	Vertical	Vertical	Pass

RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)

RSE(SG NSA FCC)\_RSE(SG NSA FCC)\_NSA 66A\_n41A(Low) & 66A\_n7A & 7A\_n66A\_1710-1785&2496-2570\_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2168.700	-31.48	5.46	-25.0	6.48	40.00	Vertical	Horizontal	N/A
2576.700	-18.58	9.35	-25.0	-6.42	68.00	Vertical	Horizontal	N/A
2673.500	-37.46	10.05	-25.0	12.46	22.00	Vertical	Horizontal	N/A
4913.500	-42.01	13.16	-25.0	17.01	7.00	Vertical	Horizontal	Pass
7922.250	-36.03	18.28	-25.0	11.03	104.00	Vertical	Horizontal	Pass
12754.463	-39.13	14.65	-25.0	14.13	45.00	Vertical	Horizontal	Pass

-- BLANK BELOW --