

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.900	38.79	-16.71	74.0	35.21	Peak	232.00	100	Horizontal	Pass
1**	1525.900	29.22	-16.71	54.0	24.78	AV	232.00	100	Horizontal	Pass
2	4333.750	48.32	-4.26	74.0	25.68	Peak	212.00	300	Horizontal	Pass
2**	4333.750	39.62	-4.26	54.0	14.38	AV	212.00	300	Horizontal	Pass
3	5760.250	103.89	-0.99	--	--	Peak	161.00	100	Horizontal	N/A
3**	5760.250	96.69	-0.99	--	--	AV	161.00	100	Horizontal	N/A
4	7468.500	54.64	1.58	74.0	19.36	Peak	297.00	200	Horizontal	Pass
4**	7468.500	43.75	1.58	54.0	10.25	AV	297.00	200	Horizontal	Pass
5	11147.588	51.40	-0.95	74.0	22.60	Peak	211.00	200	Horizontal	Pass
5**	11147.588	41.89	-0.95	54.0	12.11	AV	211.00	200	Horizontal	Pass
6	15742.238	51.84	0.27	74.0	22.16	Peak	19.00	400	Horizontal	Pass
6**	15742.238	43.21	0.27	54.0	10.79	AV	19.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.900	38.98	-16.50	74.0	35.02	Peak	259.00	100	Vertical	Pass
1**	1535.900	30.25	-16.50	54.0	23.75	AV	259.00	100	Vertical	Pass
2	4284.500	48.56	-4.38	74.0	25.44	Peak	56.00	400	Vertical	Pass
2**	4284.500	38.68	-4.38	54.0	15.32	AV	56.00	400	Vertical	Pass
3	5779.250	96.65	-1.43	--	--	Peak	30.00	200	Vertical	N/A
3**	5779.250	89.61	-1.43	--	--	AV	30.00	200	Vertical	N/A
4	7522.750	53.96	2.28	74.0	20.04	Peak	289.00	400	Vertical	Pass
4**	7522.750	44.91	2.28	54.0	9.09	AV	289.00	400	Vertical	Pass
5	11179.888	52.04	-1.46	74.0	21.96	Peak	177.00	200	Vertical	Pass
5**	11179.888	42.72	-1.46	54.0	11.28	AV	177.00	200	Vertical	Pass
6	16048.050	51.78	-1.20	74.0	22.22	Peak	327.00	200	Vertical	Pass
6**	16048.050	42.93	-1.20	54.0	11.07	AV	327.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.000	38.73	-16.48	74.0	35.27	Peak	83.00	200	Horizontal	Pass
1**	1470.000	29.61	-16.48	54.0	24.39	AV	83.00	200	Horizontal	Pass
2	4360.500	48.53	-4.03	74.0	25.47	Peak	82.00	400	Horizontal	Pass
2**	4360.500	39.58	-4.03	54.0	14.42	AV	82.00	400	Horizontal	Pass
3	5744.500	110.06	-1.65	--	--	Peak	50.00	150	Horizontal	N/A
3**	5744.500	102.43	-1.65	--	--	AV	50.00	150	Horizontal	N/A
4	7477.000	53.25	1.70	74.0	20.75	Peak	348.00	300	Horizontal	Pass
4**	7477.000	44.55	1.70	54.0	9.45	AV	348.00	300	Horizontal	Pass
5	11136.187	51.71	-0.96	74.0	22.29	Peak	162.00	200	Horizontal	Pass
5**	11136.187	42.78	-0.96	54.0	11.22	AV	162.00	200	Horizontal	Pass
6	15515.963	51.69	-0.93	74.0	22.31	Peak	203.00	100	Horizontal	Pass
6**	15515.963	42.74	-0.93	54.0	11.26	AV	203.00	100	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.700	39.48	-16.69	74.0	34.52	Peak	252.00	100	Vertical	Pass
1**	1458.700	29.50	-16.69	54.0	24.50	AV	252.00	100	Vertical	Pass
2	4351.000	48.70	-4.05	74.0	25.30	Peak	360.00	400	Vertical	Pass
2**	4351.000	38.85	-4.05	54.0	15.15	AV	360.00	400	Vertical	Pass
3	5743.000	103.90	-1.70	--	--	Peak	25.00	200	Vertical	N/A
3**	5743.000	94.50	-1.70	--	--	AV	25.00	200	Vertical	N/A
4	7630.250	53.96	0.87	74.0	20.04	Peak	0.00	400	Vertical	Pass
4**	7630.250	43.45	0.87	54.0	10.55	AV	0.00	400	Vertical	Pass
5	11127.875	51.71	-0.97	74.0	22.29	Peak	92.00	100	Vertical	Pass
5**	11127.875	43.10	-0.97	54.0	10.90	AV	92.00	100	Vertical	Pass
6	15750.112	52.56	0.37	74.0	21.44	Peak	118.00	200	Vertical	Pass
6**	15750.112	43.44	0.37	54.0	10.56	AV	118.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.500	39.85	-16.52	74.0	34.15	Peak	30.00	400	Horizontal	Pass
1**	1469.500	29.36	-16.52	54.0	24.64	AV	30.00	400	Horizontal	Pass
2	4312.000	48.49	-4.05	74.0	25.51	Peak	108.00	100	Horizontal	Pass
2**	4312.000	39.16	-4.05	54.0	14.84	AV	108.00	100	Horizontal	Pass
3	5786.250	109.99	-1.69	--	--	Peak	167.00	200	Horizontal	N/A
3**	5786.250	103.90	-1.69	--	--	AV	167.00	200	Horizontal	N/A
4	7538.250	53.45	2.12	74.0	20.55	Peak	64.00	400	Horizontal	Pass
4**	7538.250	44.37	2.12	54.0	9.63	AV	64.00	400	Horizontal	Pass
5	10709.875	52.51	-2.28	74.0	21.49	Peak	140.00	100	Horizontal	Pass
5**	10709.875	43.29	-2.28	54.0	10.71	AV	140.00	100	Horizontal	Pass
6	15735.151	51.50	0.17	74.0	22.50	Peak	329.00	400	Horizontal	Pass
6**	15735.151	43.54	0.17	54.0	10.46	AV	329.00	400	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.700	39.32	-16.57	74.0	34.68	Peak	328.00	100	Vertical	Pass
1**	1468.700	28.96	-16.57	54.0	25.04	AV	328.00	100	Vertical	Pass
2	4341.500	48.77	-4.04	74.0	25.23	Peak	67.00	400	Vertical	Pass
2**	4341.500	39.27	-4.04	54.0	14.73	AV	67.00	400	Vertical	Pass
3	5783.000	103.22	-1.76	--	--	Peak	33.00	150	Vertical	N/A
3**	5783.000	96.29	-1.76	--	--	AV	33.00	150	Vertical	N/A
4	7567.500	53.17	1.39	74.0	20.83	Peak	145.00	150	Vertical	Pass
4**	7567.500	44.68	1.39	54.0	9.32	AV	145.00	150	Vertical	Pass
5	11128.588	52.05	-0.97	74.0	21.95	Peak	269.00	100	Vertical	Pass
5**	11128.588	42.68	-0.97	54.0	11.32	AV	269.00	100	Vertical	Pass
6	15747.750	51.80	0.34	74.0	22.20	Peak	305.00	100	Vertical	Pass
6**	15747.750	42.54	0.34	54.0	11.46	AV	305.00	100	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.100	39.00	-16.60	74.0	35.00	Peak	4.00	100	Horizontal	Pass
1**	1584.100	28.87	-16.60	54.0	25.13	AV	4.00	100	Horizontal	Pass
2	4210.000	48.10	-4.62	74.0	25.90	Peak	40.00	100	Horizontal	Pass
2**	4210.000	38.81	-4.62	54.0	15.19	AV	40.00	100	Horizontal	Pass
3	5827.500	109.00	-1.61	--	--	Peak	167.00	100	Horizontal	N/A
3**	5827.500	101.66	-1.61	--	--	AV	167.00	100	Horizontal	N/A
4	7383.750	53.39	0.67	74.0	20.61	Peak	40.00	400	Horizontal	Pass
4**	7383.750	43.88	0.67	54.0	10.12	AV	40.00	400	Horizontal	Pass
5	11176.325	51.84	-1.40	74.0	22.16	Peak	31.00	150	Horizontal	Pass
5**	11176.325	42.60	-1.40	54.0	11.40	AV	31.00	150	Horizontal	Pass
6	15472.388	51.90	-0.36	74.0	22.10	Peak	79.00	300	Horizontal	Pass
6**	15472.388	42.45	-0.36	54.0	11.55	AV	79.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.100	39.35	-16.44	74.0	34.65	Peak	91.00	300	Vertical	Pass
1**	1513.100	29.92	-16.44	54.0	24.08	AV	91.00	300	Vertical	Pass
2	4365.500	48.74	-4.05	74.0	25.26	Peak	186.00	300	Vertical	Pass
2**	4365.500	39.24	-4.05	54.0	14.76	AV	186.00	300	Vertical	Pass
3	5823.250	100.82	-1.79	--	--	Peak	280.00	150	Vertical	N/A
3**	5823.250	93.19	-1.79	--	--	AV	280.00	150	Vertical	N/A
4	7507.500	53.53	1.32	74.0	20.47	Peak	220.00	100	Vertical	Pass
4**	7507.500	44.22	1.32	54.0	9.78	AV	220.00	100	Vertical	Pass
5	11184.400	51.55	-1.53	74.0	22.45	Peak	288.00	200	Vertical	Pass
5**	11184.400	42.33	-1.53	54.0	11.67	AV	288.00	200	Vertical	Pass
6	15765.599	52.30	-0.05	74.0	21.70	Peak	21.00	100	Vertical	Pass
6**	15765.599	43.54	-0.05	54.0	10.46	AV	21.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.700	39.03	-16.52	74.0	34.97	Peak	93.00	100	Horizontal	Pass
1**	1539.700	29.51	-16.52	54.0	24.49	AV	93.00	100	Horizontal	Pass
2	4273.750	48.41	-4.08	74.0	25.59	Peak	324.00	150	Horizontal	Pass
2**	4273.750	39.66	-4.08	54.0	14.34	AV	324.00	150	Horizontal	Pass
3	5752.500	107.50	-1.22	--	--	Peak	161.00	150	Horizontal	N/A
3**	5752.500	100.09	-1.22	--	--	AV	161.00	150	Horizontal	N/A
4	7553.750	53.49	1.11	74.0	20.51	Peak	6.00	150	Horizontal	Pass
4**	7553.750	43.99	1.11	54.0	10.01	AV	6.00	150	Horizontal	Pass
5	10818.888	51.98	-2.57	74.0	22.02	Peak	360.00	150	Horizontal	Pass
5**	10818.888	42.45	-2.57	54.0	11.55	AV	360.00	150	Horizontal	Pass
6	15747.488	52.10	0.34	74.0	21.90	Peak	341.00	300	Horizontal	Pass
6**	15747.488	43.53	0.34	54.0	10.47	AV	341.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.400	39.16	-16.45	74.0	34.84	Peak	294.00	300	Vertical	Pass
1**	1443.400	29.29	-16.45	54.0	24.71	AV	294.00	300	Vertical	Pass
2	4383.500	48.49	-4.15	74.0	25.51	Peak	149.00	300	Vertical	Pass
2**	4383.500	39.41	-4.15	54.0	14.59	AV	149.00	300	Vertical	Pass
3	5752.000	99.20	-1.24	--	--	Peak	28.00	150	Vertical	N/A
3**	5752.000	92.43	-1.24	--	--	AV	28.00	150	Vertical	N/A
4	7486.000	53.79	1.45	74.0	20.21	Peak	268.00	100	Vertical	Pass
4**	7486.000	44.11	1.45	54.0	9.89	AV	268.00	100	Vertical	Pass
5	10846.675	51.95	-1.90	74.0	22.05	Peak	344.00	200	Vertical	Pass
5**	10846.675	42.20	-1.90	54.0	11.80	AV	344.00	200	Vertical	Pass
6	15746.700	52.50	0.33	74.0	21.50	Peak	229.00	200	Vertical	Pass
6**	15746.700	42.96	0.33	54.0	11.04	AV	229.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.100	38.87	-16.72	74.0	35.13	Peak	188.00	300	Horizontal	Pass
1**	1526.100	30.22	-16.72	54.0	23.78	AV	188.00	300	Horizontal	Pass
2	4293.750	48.06	-3.96	74.0	25.94	Peak	291.00	300	Horizontal	Pass
2**	4293.750	39.58	-3.96	54.0	14.42	AV	291.00	300	Horizontal	Pass
3	5797.000	106.95	-1.84	--	--	Peak	171.00	100	Horizontal	N/A
3**	5797.000	100.19	-1.84	--	--	AV	171.00	100	Horizontal	N/A
4	7544.250	53.44	1.89	74.0	20.56	Peak	179.00	100	Horizontal	Pass
4**	7544.250	44.68	1.89	54.0	9.32	AV	179.00	100	Horizontal	Pass
5	11131.201	51.71	-0.97	74.0	22.29	Peak	225.00	100	Horizontal	Pass
5**	11131.201	42.64	-0.97	54.0	11.36	AV	225.00	100	Horizontal	Pass
6	15748.799	52.52	0.36	74.0	21.48	Peak	50.00	100	Horizontal	Pass
6**	15748.799	43.51	0.36	54.0	10.49	AV	50.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.700	38.93	-16.43	74.0	35.07	Peak	237.00	200	Vertical	Pass
1**	1474.700	29.86	-16.43	54.0	24.14	AV	237.00	200	Vertical	Pass
2	4393.750	48.17	-4.08	74.0	25.83	Peak	0.00	300	Vertical	Pass
2**	4393.750	39.41	-4.08	54.0	14.59	AV	0.00	300	Vertical	Pass
3	5788.750	100.12	-1.78	--	--	Peak	31.00	100	Vertical	N/A
3**	5788.750	90.90	-1.78	--	--	AV	31.00	100	Vertical	N/A
4	7353.750	53.86	0.80	74.0	20.14	Peak	280.00	300	Vertical	Pass
4**	7353.750	44.50	0.80	54.0	9.50	AV	280.00	300	Vertical	Pass
5	10711.300	51.94	-2.26	74.0	22.06	Peak	0.00	200	Vertical	Pass
5**	10711.300	43.13	-2.26	54.0	10.87	AV	0.00	200	Vertical	Pass
6	15754.313	52.07	0.26	74.0	21.93	Peak	276.00	200	Vertical	Pass
6**	15754.313	44.73	0.26	54.0	9.27	AV	276.00	200	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.900	38.45	-16.48	74.0	35.55	Peak	214.00	400	Horizontal	Pass
1**	1604.900	28.99	-16.48	54.0	25.01	AV	214.00	400	Horizontal	Pass
2	4267.250	48.33	-3.57	74.0	25.67	Peak	45.00	200	Horizontal	Pass
2**	4267.250	39.20	-3.57	54.0	14.80	AV	45.00	200	Horizontal	Pass
3	5763.000	103.38	-0.95	--	--	Peak	162.00	150	Horizontal	N/A
3**	5763.000	96.87	-0.95	--	--	AV	162.00	150	Horizontal	N/A
4	7353.250	53.27	0.90	74.0	20.73	Peak	118.00	300	Horizontal	Pass
4**	7353.250	44.54	0.90	54.0	9.46	AV	118.00	300	Horizontal	Pass
5	10688.026	52.05	-2.57	74.0	21.95	Peak	152.00	200	Horizontal	Pass
5**	10688.026	41.48	-2.57	54.0	12.52	AV	152.00	200	Horizontal	Pass
6	15743.025	51.86	0.28	74.0	22.14	Peak	217.00	100	Horizontal	Pass
6**	15743.025	43.64	0.28	54.0	10.36	AV	217.00	100	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.500	39.06	-16.49	74.0	34.94	Peak	234.00	300	Vertical	Pass
1**	1510.500	29.90	-16.49	54.0	24.10	AV	234.00	300	Vertical	Pass
2	4230.250	48.38	-4.36	74.0	25.62	Peak	140.00	300	Vertical	Pass
2**	4230.250	39.42	-4.36	54.0	14.58	AV	140.00	300	Vertical	Pass
3	5801.250	96.32	-1.77	--	--	Peak	30.00	100	Vertical	N/A
3**	5801.250	89.13	-1.77	--	--	AV	30.00	100	Vertical	N/A
4	7503.250	53.44	1.01	74.0	20.56	Peak	242.00	150	Vertical	Pass
4**	7503.250	44.42	1.01	54.0	9.58	AV	242.00	150	Vertical	Pass
5	10735.762	51.56	-1.87	74.0	22.44	Peak	291.00	150	Vertical	Pass
5**	10735.762	41.86	-1.87	54.0	12.14	AV	291.00	150	Vertical	Pass
6	15753.263	51.83	0.28	74.0	22.17	Peak	351.00	200	Vertical	Pass
6**	15753.263	42.52	0.28	54.0	11.48	AV	351.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)	Low	Pass
High		Pass	
802.11ax(HE40)	Low	Pass	
	High	Pass	
802.11ax(HE80)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)	Low	Pass
High		Pass	
802.11ax(HE40)	Low	Pass	
	High	Pass	
802.11ax(HE80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
802.11ac(VHT20)	Low	Pass	
	High	Pass	

	802.11ac(VHT40)	Low	Pass	
		High	Pass	
	802.11ac(VHT80)	Low	Pass	
		High	Pass	
	802.11ax(HE20)	Low	Pass	
		High	Pass	
	802.11ax(HE40)	Low	Pass	
		High	Pass	
	802.11ax(HE80)	Low	Pass	
		High	Pass	
	U-NII-3	802.11a	Low	Pass
			High	Pass
802.11n(HT20)		Low	Pass	
		High	Pass	
802.11n(HT40)		Low	Pass	
		High	Pass	
802.11ac(VHT20)		Low	Pass	
		High	Pass	
802.11ac(VHT40)		Low	Pass	
		High	Pass	
802.11ac(VHT80)		Middle	Pass	
802.11ax(HE20)		Low	Pass	
		High	Pass	
802.11ax(HE40)		Low	Pass	
		High	Pass	
802.11ax(HE80)		Middle	Pass	

Test Data and Plots


Main Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	59.77	3.89	74.0	14.23	Peak	148.00	150	Horizontal	Pass
1**	5148.700	48.43	3.89	54.0	5.57	AV	148.00	150	Horizontal	Pass
2	5149.675	59.62	3.93	74.0	14.38	Peak	355.00	200	Horizontal	Pass
2**	5149.675	48.88	3.93	54.0	5.12	AV	355.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.39	4.22	74.0	17.61	Peak	0.00	150	Horizontal	Pass
1**	5350.000	46.93	4.22	54.0	7.07	AV	0.00	150	Horizontal	Pass
2	5453.180	59.60	5.65	74.0	14.40	Peak	228.00	100	Horizontal	Pass
2**	5453.180	48.03	5.65	54.0	5.97	AV	228.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.07	3.91	74.0	12.93	Peak	135.00	100	Horizontal	Pass
1**	5149.350	48.62	3.91	54.0	5.38	AV	135.00	100	Horizontal	Pass
2	5149.675	60.62	3.93	74.0	13.38	Peak	157.00	200	Horizontal	Pass
2**	5149.675	48.59	3.93	54.0	5.41	AV	157.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.85	4.22	74.0	17.15	Peak	239.00	100	Horizontal	Pass
1**	5350.000	46.99	4.22	54.0	7.01	AV	239.00	100	Horizontal	Pass
2	5438.495	59.47	4.82	74.0	14.53	Peak	0.00	200	Horizontal	Pass
2**	5438.495	47.34	4.82	54.0	6.66	AV	0.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	60.58	3.87	74.0	13.42	Peak	14.00	200	Horizontal	Pass
1**	5147.725	48.64	3.87	54.0	5.36	AV	14.00	200	Horizontal	Pass
2	5149.675	59.02	3.93	74.0	14.98	Peak	360.00	200	Horizontal	Pass
2**	5149.675	48.97	3.93	54.0	5.03	AV	360.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	4.22	74.0	16.09	Peak	22.00	150	Horizontal	Pass
1**	5350.000	47.09	4.22	54.0	6.91	AV	22.00	150	Horizontal	Pass
2	5381.955	59.42	4.65	74.0	14.58	Peak	360.00	100	Horizontal	Pass
2**	5381.955	47.35	4.65	54.0	6.65	AV	360.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	60.73	3.89	74.0	13.27	Peak	139.00	100	Horizontal	Pass
1**	5148.700	48.57	3.89	54.0	5.43	AV	139.00	100	Horizontal	Pass
2	5149.675	58.26	3.93	74.0	15.74	Peak	134.00	100	Horizontal	Pass
2**	5149.675	48.56	3.93	54.0	5.44	AV	134.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	4.22	74.0	17.01	Peak	0.00	150	Horizontal	Pass
1**	5350.000	47.20	4.22	54.0	6.80	AV	0.00	150	Horizontal	Pass
2	5442.895	59.68	5.33	74.0	14.32	Peak	145.00	100	Horizontal	Pass
2**	5442.895	47.73	5.33	54.0	6.27	AV	145.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	59.01	3.89	74.0	14.99	Peak	0.00	150	Horizontal	Pass
1**	5149.025	48.92	3.89	54.0	5.08	AV	0.00	150	Horizontal	Pass
2	5149.675	58.36	3.93	74.0	15.64	Peak	18.00	200	Horizontal	Pass
2**	5149.675	49.00	3.93	54.0	5.00	AV	18.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.08	4.22	74.0	16.92	Peak	17.00	200	Horizontal	Pass
1**	5350.000	47.00	4.22	54.0	7.00	AV	17.00	200	Horizontal	Pass
2	5382.945	59.53	4.65	74.0	14.47	Peak	351.00	100	Horizontal	Pass
2**	5382.945	47.30	4.65	54.0	6.70	AV	351.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	58.74	3.89	74.0	15.26	Peak	84.00	150	Horizontal	Pass
1**	5149.025	48.57	3.89	54.0	5.43	AV	84.00	150	Horizontal	Pass
2	5149.675	57.96	3.93	74.0	16.04	Peak	144.00	150	Horizontal	Pass
2**	5149.675	48.93	3.93	54.0	5.07	AV	144.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.09	4.22	74.0	16.91	Peak	121.00	100	Horizontal	Pass
1**	5350.000	47.69	4.22	54.0	6.31	AV	121.00	100	Horizontal	Pass
2	5451.310	59.39	5.53	74.0	14.61	Peak	49.00	100	Horizontal	Pass
2**	5451.310	47.77	5.53	54.0	6.23	AV	49.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	64.94	3.89	74.0	9.06	Peak	17.00	100	Horizontal	Pass
1**	5148.700	48.26	3.89	54.0	5.74	AV	17.00	100	Horizontal	Pass
2	5149.675	63.66	3.93	74.0	10.34	Peak	357.00	150	Horizontal	Pass
2**	5149.675	48.66	3.93	54.0	5.34	AV	357.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.35	4.22	74.0	17.65	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.02	4.22	54.0	6.98	AV	360.00	150	Horizontal	Pass
2	5447.735	59.14	5.40	74.0	14.86	Peak	26.00	100	Horizontal	Pass
2**	5447.735	47.92	5.40	54.0	6.08	AV	26.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	62.92	3.85	74.0	11.08	Peak	348.00	200	Horizontal	Pass
1**	5146.750	47.38	3.85	54.0	6.62	AV	348.00	200	Horizontal	Pass
2	5149.675	59.46	3.93	74.0	14.54	Peak	103.00	150	Horizontal	Pass
2**	5149.675	48.01	3.93	54.0	5.99	AV	103.00	150	Horizontal	Pass
3	5149.350	60.18	3.91	74.0	13.82	Peak	3.00	100	Horizontal	Pass
3**	5149.350	48.22	3.91	54.0	5.78	AV	3.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.53	4.21	74.0	17.47	Peak	349.00	150	Horizontal	Pass
1**	5350.055	47.13	4.21	54.0	6.87	AV	349.00	150	Horizontal	Pass
2	5365.290	60.00	4.76	74.0	14.00	Peak	360.00	100	Horizontal	Pass
2**	5365.290	47.29	4.76	54.0	6.71	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	58.59	4.27	74.0	15.41	Peak	0.00	150	Horizontal	Pass
1**	5142.850	47.67	4.27	54.0	6.33	AV	0.00	150	Horizontal	Pass
2	5149.675	56.17	3.93	74.0	17.83	Peak	97.00	200	Horizontal	Pass
2**	5149.675	48.09	3.93	54.0	5.91	AV	97.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.50	4.21	74.0	16.50	Peak	248.00	200	Horizontal	Pass
1**	5350.055	47.75	4.21	54.0	6.25	AV	248.00	200	Horizontal	Pass
2	5358.085	61.57	4.58	74.0	12.43	Peak	18.00	200	Horizontal	Pass
2**	5358.085	48.43	4.58	54.0	5.57	AV	18.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.50	4.21	74.0	16.50	Peak	248.00	200	Horizontal	Pass
1**	5350.055	47.75	4.21	54.0	6.25	AV	248.00	200	Horizontal	Pass
2	5358.085	61.57	4.58	74.0	12.43	Peak	18.00	200	Horizontal	Pass
2**	5358.085	48.43	4.58	54.0	5.57	AV	18.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.39	4.21	74.0	16.61	Peak	184.00	150	Horizontal	Pass
1**	5350.055	47.34	4.21	54.0	6.66	AV	184.00	150	Horizontal	Pass
2	5451.090	59.64	5.51	74.0	14.36	Peak	139.00	100	Horizontal	Pass
2**	5451.090	48.32	5.51	54.0	5.68	AV	139.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5062.575	58.91	4.16	74.0	15.09	Peak	164.00	100	Horizontal	Pass
1**	5062.575	46.72	4.16	54.0	7.28	AV	164.00	100	Horizontal	Pass
2	5149.675	56.15	3.93	74.0	17.85	Peak	88.00	200	Horizontal	Pass
2**	5149.675	46.78	3.93	54.0	7.22	AV	88.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.64	4.21	74.0	16.36	Peak	227.00	100	Horizontal	Pass
1**	5350.055	46.94	4.21	54.0	7.06	AV	227.00	100	Horizontal	Pass
2	5445.535	59.38	5.46	74.0	14.62	Peak	134.00	150	Horizontal	Pass
2**	5445.535	48.13	5.46	54.0	5.87	AV	134.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.850	58.37	4.25	74.0	15.63	Peak	166.00	150	Horizontal	Pass
1**	5077.850	46.80	4.25	54.0	7.20	AV	166.00	150	Horizontal	Pass
2	5149.675	56.14	3.93	74.0	17.86	Peak	71.00	150	Horizontal	Pass
2**	5149.675	46.78	3.93	54.0	7.22	AV	71.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.62	4.21	74.0	17.38	Peak	310.00	150	Horizontal	Pass
1**	5350.055	46.96	4.21	54.0	7.04	AV	310.00	150	Horizontal	Pass
2	5455.325	59.35	5.59	74.0	14.65	Peak	113.00	150	Horizontal	Pass
2**	5455.325	48.17	5.59	54.0	5.83	AV	113.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4954.025	58.14	3.78	74.0	15.86	Peak	55.00	100	Horizontal	Pass
1**	4954.025	46.24	3.78	54.0	7.76	AV	55.00	100	Horizontal	Pass
2	5149.675	56.43	3.93	74.0	17.57	Peak	159.00	150	Horizontal	Pass
2**	5149.675	46.74	3.93	54.0	7.26	AV	159.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.39	4.21	74.0	13.61	Peak	0.00	200	Horizontal	Pass
1**	5350.055	48.70	4.21	54.0	5.30	AV	0.00	200	Horizontal	Pass
2	5363.145	60.22	4.76	74.0	13.78	Peak	11.00	200	Horizontal	Pass
2**	5363.145	48.47	4.76	54.0	5.53	AV	11.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4973.200	58.27	4.28	74.0	15.73	Peak	140.00	200	Horizontal	Pass
1**	4973.200	46.92	4.28	54.0	7.08	AV	140.00	200	Horizontal	Pass
2	5149.675	56.86	3.93	74.0	17.14	Peak	244.00	100	Horizontal	Pass
2**	5149.675	46.58	3.93	54.0	7.42	AV	244.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.71	4.22	74.0	15.29	Peak	14.00	200	Horizontal	Pass
1**	5350.000	48.78	4.22	54.0	5.22	AV	14.00	200	Horizontal	Pass
2	5357.755	59.92	4.54	74.0	14.08	Peak	9.00	150	Horizontal	Pass
2**	5357.755	48.72	4.54	54.0	5.28	AV	9.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5083.375	58.14	4.23	74.0	15.86	Peak	309.00	150	Horizontal	Pass
1**	5083.375	46.80	4.23	54.0	7.20	AV	309.00	150	Horizontal	Pass
2	5149.675	56.11	3.93	74.0	17.89	Peak	121.00	100	Horizontal	Pass
2**	5149.675	46.68	3.93	54.0	7.32	AV	121.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.60	4.22	74.0	15.40	Peak	25.00	200	Horizontal	Pass
1**	5350.000	48.65	4.22	54.0	5.35	AV	25.00	200	Horizontal	Pass
2	5363.145	59.78	4.76	74.0	14.22	Peak	0.00	150	Horizontal	Pass
2**	5363.145	48.11	4.76	54.0	5.89	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4986.850	58.18	4.12	74.0	15.82	Peak	279.00	150	Horizontal	Pass
1**	4986.850	46.58	4.12	54.0	7.42	AV	279.00	150	Horizontal	Pass
2	5149.675	55.87	3.93	74.0	18.13	Peak	260.00	200	Horizontal	Pass
2**	5149.675	46.72	3.93	54.0	7.28	AV	260.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.75	4.21	74.0	14.25	Peak	16.00	100	Horizontal	Pass
1**	5350.055	48.58	4.21	54.0	5.42	AV	16.00	100	Horizontal	Pass
2	5350.440	60.58	4.19	74.0	13.42	Peak	16.00	150	Horizontal	Pass
2**	5350.440	49.00	4.19	54.0	5.00	AV	16.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4971.250	58.39	4.16	74.0	15.61	Peak	61.00	100	Horizontal	Pass
1**	4971.250	46.75	4.16	54.0	7.25	AV	61.00	100	Horizontal	Pass
2	5149.675	56.74	3.93	74.0	17.26	Peak	0.00	100	Horizontal	Pass
2**	5149.675	46.65	3.93	54.0	7.35	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.84	4.22	74.0	16.16	Peak	21.00	200	Horizontal	Pass
1**	5350.000	48.88	4.22	54.0	5.12	AV	21.00	200	Horizontal	Pass
2	5353.740	59.88	4.25	74.0	14.12	Peak	19.00	200	Horizontal	Pass
2**	5353.740	48.42	4.25	54.0	5.58	AV	19.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.100	58.42	4.30	74.0	15.58	Peak	5.00	100	Horizontal	Pass
1**	5120.100	46.65	4.30	54.0	7.35	AV	5.00	100	Horizontal	Pass
2	5149.675	56.61	3.93	74.0	17.39	Peak	131.00	150	Horizontal	Pass
2**	5149.675	47.68	3.93	54.0	6.32	AV	131.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.15	4.22	74.0	16.85	Peak	20.00	150	Horizontal	Pass
1**	5350.000	47.35	4.22	54.0	6.65	AV	20.00	150	Horizontal	Pass
2	5361.550	59.57	4.97	74.0	14.43	Peak	126.00	150	Horizontal	Pass
2**	5361.550	47.89	4.97	54.0	6.11	AV	126.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.400	58.35	4.39	74.0	15.65	Peak	19.00	150	Horizontal	Pass
1**	5082.400	46.66	4.39	54.0	7.34	AV	19.00	150	Horizontal	Pass
2	5149.675	55.97	3.93	74.0	18.03	Peak	40.00	200	Horizontal	Pass
2**	5149.675	46.69	3.93	54.0	7.31	AV	40.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.82	4.22	74.0	14.18	Peak	0.00	200	Horizontal	Pass
1**	5350.000	47.78	4.22	54.0	6.22	AV	0.00	200	Horizontal	Pass
2	5350.165	61.82	4.21	74.0	12.18	Peak	345.00	200	Horizontal	Pass
2**	5350.165	47.94	4.21	54.0	6.06	AV	345.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5089.225	58.65	4.39	74.0	15.35	Peak	328.00	100	Horizontal	Pass
1**	5089.225	46.92	4.39	54.0	7.08	AV	328.00	100	Horizontal	Pass
2	5149.675	56.07	3.93	74.0	17.93	Peak	7.00	100	Horizontal	Pass
2**	5149.675	46.65	3.93	54.0	7.35	AV	7.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.23	4.22	74.0	14.77	Peak	344.00	200	Horizontal	Pass
1**	5350.000	48.31	4.22	54.0	5.69	AV	344.00	200	Horizontal	Pass
2	5350.165	65.12	4.21	74.0	8.88	Peak	18.00	100	Horizontal	Pass
2**	5350.165	48.33	4.21	54.0	5.67	AV	18.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.550	58.76	4.51	74.0	15.24	Peak	335.00	150	Horizontal	Pass
1**	5102.550	47.14	4.51	54.0	6.86	AV	335.00	150	Horizontal	Pass
2	5149.675	57.69	3.93	74.0	16.31	Peak	360.00	150	Horizontal	Pass
2**	5149.675	47.25	3.93	54.0	6.75	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.13	4.21	74.0	15.87	Peak	133.00	100	Horizontal	Pass
1**	5350.055	48.36	4.21	54.0	5.64	AV	133.00	100	Horizontal	Pass
2	5438.550	59.78	4.82	74.0	14.22	Peak	336.00	200	Horizontal	Pass
2**	5438.550	47.35	4.82	54.0	6.65	AV	336.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4973.850	58.74	4.20	74.0	15.26	Peak	360.00	200	Horizontal	Pass
1**	4973.850	46.99	4.20	54.0	7.01	AV	360.00	200	Horizontal	Pass
2	5149.675	56.49	3.93	74.0	17.51	Peak	68.00	200	Horizontal	Pass
2**	5149.675	47.17	3.93	54.0	6.83	AV	68.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.60	4.22	74.0	17.40	Peak	84.00	200	Horizontal	Pass
1**	5350.000	46.91	4.22	54.0	7.09	AV	84.00	200	Horizontal	Pass
2	5360.670	59.96	4.88	74.0	14.04	Peak	39.00	100	Horizontal	Pass
2**	5360.670	47.50	4.88	54.0	6.50	AV	39.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5047.625	59.11	4.02	74.0	14.89	Peak	352.00	150	Horizontal	Pass
1**	5047.625	46.74	4.02	54.0	7.26	AV	352.00	150	Horizontal	Pass
2	5149.675	57.09	3.93	74.0	16.91	Peak	41.00	100	Horizontal	Pass
2**	5149.675	46.78	3.93	54.0	7.22	AV	41.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.42	4.21	74.0	17.58	Peak	271.00	200	Horizontal	Pass
1**	5350.055	47.05	4.21	54.0	6.95	AV	271.00	200	Horizontal	Pass
2	5450.595	59.57	5.48	74.0	14.43	Peak	251.00	100	Horizontal	Pass
2**	5450.595	48.23	5.48	54.0	5.77	AV	251.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.700	58.67	4.53	74.0	15.33	Peak	259.00	100	Horizontal	Pass
1**	5096.700	47.58	4.53	54.0	6.42	AV	259.00	100	Horizontal	Pass
2	5149.675	56.47	3.93	74.0	17.53	Peak	2.00	150	Horizontal	Pass
2**	5149.675	46.96	3.93	54.0	7.04	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	4.25	68.2	-10.30	Peak	4.00	150	Horizontal	Pass
1**	5350.000	47.87	4.25	54.0	-6.13	AV	4.00	150	Horizontal	Pass
2	5378.233	58.56	5.03	68.2	-9.64	Peak	19.00	150	Horizontal	Pass
2**	5378.233	48.54	5.03	54.0	-5.46	AV	19.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.980	60.26	5.71	74.0	13.74	Peak	136.00	200	Horizontal	Pass
1**	5456.980	48.66	5.71	54.0	5.34	AV	136.00	200	Horizontal	Pass
2	5459.980	58.10	5.37	74.0	15.90	Peak	290.00	100	Horizontal	Pass
2**	5459.980	48.41	5.37	54.0	5.59	AV	290.00	100	Horizontal	Pass
3	5464.360	60.46	5.18	68.2	7.74	Peak	8.00	200	Horizontal	Pass
3**	5464.360	49.14	5.18	--	--	AV	8.00	200	Horizontal	N/A
4	5469.940	59.49	5.05	68.2	8.71	Peak	136.00	200	Horizontal	Pass
4**	5469.940	49.57	5.05	--	--	AV	136.00	200	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.27	4.76	68.2	7.93	Peak	14.00	100	Horizontal	Pass
2	5725.250	63.18	4.78	68.2	5.02	Peak	6.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.940	60.04	5.59	74.0	13.96	Peak	3.00	200	Horizontal	Pass
1**	5451.940	48.05	5.59	54.0	5.95	AV	3.00	200	Horizontal	Pass
2	5459.980	58.20	5.37	74.0	15.80	Peak	43.00	100	Horizontal	Pass
2**	5459.980	48.66	5.37	54.0	5.34	AV	43.00	100	Horizontal	Pass
3	5469.160	60.80	4.99	68.2	7.40	Peak	13.00	100	Horizontal	Pass
3**	5469.160	50.01	4.99	--	--	AV	13.00	100	Horizontal	N/A
4	5469.940	59.96	5.05	68.2	8.24	Peak	32.00	150	Horizontal	Pass
4**	5469.940	49.93	5.05	--	--	AV	32.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.68	4.76	68.2	7.52	Peak	8.00	200	Horizontal	Pass
2	5725.500	62.82	4.79	68.2	5.38	Peak	19.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.080	59.78	5.65	74.0	14.22	Peak	126.00	100	Horizontal	Pass
1**	5456.080	48.67	5.65	54.0	5.33	AV	126.00	100	Horizontal	Pass
2	5459.980	58.72	5.37	74.0	15.28	Peak	0.00	150	Horizontal	Pass
2**	5459.980	48.91	5.37	54.0	5.09	AV	0.00	150	Horizontal	Pass
3	5468.860	62.37	4.96	68.2	5.83	Peak	20.00	150	Horizontal	Pass
3**	5468.860	50.49	4.96	--	--	AV	20.00	150	Horizontal	N/A
4	5469.940	60.24	5.05	68.2	7.96	Peak	11.00	100	Horizontal	Pass
4**	5469.940	50.79	5.05	--	--	AV	11.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.47	4.77	68.2	6.73	Peak	9.00	200	Horizontal	Pass
2	5725.938	61.86	4.81	68.2	6.34	Peak	12.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.580	59.69	5.64	74.0	14.31	Peak	146.00	150	Horizontal	Pass
1**	5457.580	48.50	5.64	54.0	5.50	AV	146.00	150	Horizontal	Pass
2	5459.980	58.41	5.37	74.0	15.59	Peak	17.00	100	Horizontal	Pass
2**	5459.980	48.46	5.37	54.0	5.54	AV	17.00	100	Horizontal	Pass
3	5466.160	61.29	5.11	68.2	6.91	Peak	349.00	200	Horizontal	Pass
3**	5466.160	49.44	5.11	--	--	AV	349.00	200	Horizontal	N/A
4	5469.940	59.68	5.05	68.2	8.52	Peak	73.00	100	Horizontal	Pass
4**	5469.940	50.72	5.05	--	--	AV	73.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.94	4.76	68.2	5.26	Peak	11.00	150	Horizontal	Pass
2	5729.563	61.90	5.18	68.2	6.30	Peak	20.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.560	59.59	5.68	74.0	14.41	Peak	0.00	150	Horizontal	Pass
1**	5456.560	48.46	5.68	54.0	5.54	AV	0.00	150	Horizontal	Pass
2	5459.980	58.36	5.37	74.0	15.64	Peak	226.00	150	Horizontal	Pass
2**	5459.980	47.83	5.37	54.0	6.17	AV	226.00	150	Horizontal	Pass
3	5464.180	61.28	5.18	68.2	6.92	Peak	360.00	100	Horizontal	Pass
3**	5464.180	47.85	5.18	--	--	AV	360.00	100	Horizontal	N/A
4	5468.980	62.22	4.97	68.2	5.98	Peak	0.00	100	Horizontal	Pass
4**	5468.980	47.76	4.97	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.70	4.77	68.2	10.50	Peak	11.00	150	Horizontal	Pass
2	5839.750	60.36	6.33	68.2	7.84	Peak	85.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.400	60.05	5.54	74.0	13.95	Peak	137.00	150	Horizontal	Pass
1**	5451.400	48.05	5.54	54.0	5.95	AV	137.00	150	Horizontal	Pass
2	5459.980	58.08	5.37	74.0	15.92	Peak	218.00	200	Horizontal	Pass
2**	5459.980	48.22	5.37	54.0	5.78	AV	218.00	200	Horizontal	Pass
3	5469.580	62.03	5.03	68.2	6.17	Peak	20.00	100	Horizontal	Pass
3**	5469.580	49.01	5.03	--	--	AV	20.00	100	Horizontal	N/A
4	5469.940	57.18	5.05	68.2	11.02	Peak	14.00	200	Horizontal	Pass
4**	5469.940	48.76	5.05	--	--	AV	14.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.21	4.76	68.2	9.99	Peak	15.00	200	Horizontal	Pass
2	5842.625	60.85	6.28	68.2	7.35	Peak	292.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.000	59.94	5.59	74.0	14.06	Peak	133.00	200	Horizontal	Pass
1**	5452.000	48.22	5.59	54.0	5.78	AV	133.00	200	Horizontal	Pass
2	5459.980	58.06	5.37	74.0	15.94	Peak	7.00	150	Horizontal	Pass
2**	5459.980	48.32	5.37	54.0	5.68	AV	7.00	150	Horizontal	Pass
3	5468.740	58.92	4.95	68.2	9.28	Peak	360.00	150	Horizontal	Pass
3**	5468.740	48.34	4.95	--	--	AV	360.00	150	Horizontal	N/A
4	5469.940	57.39	5.05	68.2	10.81	Peak	329.00	200	Horizontal	Pass
4**	5469.940	48.24	5.05	--	--	AV	329.00	200	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.18	4.77	68.2	10.02	Peak	73.00	150	Horizontal	Pass
2	5727.063	62.82	4.88	68.2	5.38	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.380	60.08	5.64	74.0	13.92	Peak	338.00	100	Horizontal	Pass
1**	5453.380	48.52	5.64	54.0	5.48	AV	338.00	100	Horizontal	Pass
2	5459.980	57.67	5.37	74.0	16.33	Peak	344.00	200	Horizontal	Pass
2**	5459.980	48.24	5.37	54.0	5.76	AV	344.00	200	Horizontal	Pass
3	5466.880	59.04	5.00	68.2	9.16	Peak	167.00	150	Horizontal	Pass
3**	5466.880	48.33	5.00	--	--	AV	167.00	150	Horizontal	N/A
4	5469.940	57.95	5.05	68.2	10.25	Peak	0.00	200	Horizontal	Pass
4**	5469.940	48.73	5.05	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.78	4.77	68.2	8.42	Peak	14.00	200	Horizontal	Pass
2	5727.063	62.58	4.88	68.2	5.62	Peak	8.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.400	59.83	5.48	74.0	14.17	Peak	134.00	150	Horizontal	Pass
1**	5445.400	48.66	5.48	54.0	5.34	AV	134.00	150	Horizontal	Pass
2	5459.980	57.66	5.37	74.0	16.34	Peak	20.00	200	Horizontal	Pass
2**	5459.980	48.39	5.37	54.0	5.61	AV	20.00	200	Horizontal	Pass
3	5461.660	59.62	5.41	68.2	8.58	Peak	360.00	100	Horizontal	Pass
3**	5461.660	48.64	5.41	--	--	AV	360.00	100	Horizontal	N/A
4	5469.940	59.10	5.05	68.2	9.10	Peak	357.00	100	Horizontal	Pass
4**	5469.940	49.63	5.05	--	--	AV	357.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.38	4.77	68.2	9.82	Peak	17.00	100	Horizontal	Pass
2	5731.937	60.44	5.19	68.2	7.76	Peak	14.00	150	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.800	59.53	5.55	74.0	14.47	Peak	325.00	150	Horizontal	Pass
1**	5444.800	48.42	5.55	54.0	5.58	AV	325.00	150	Horizontal	Pass
2	5459.980	57.68	5.37	74.0	16.32	Peak	5.00	100	Horizontal	Pass
2**	5459.980	48.13	5.37	54.0	5.87	AV	5.00	100	Horizontal	Pass
3	5466.040	59.31	5.13	68.2	8.89	Peak	39.00	100	Horizontal	Pass
3**	5466.040	47.67	5.13	--	-47.67	AV	39.00	100	Horizontal	N/A
4	5469.940	58.01	5.05	68.2	10.19	Peak	231.00	100	Horizontal	Pass
4**	5469.940	47.74	5.05	--	-47.74	AV	231.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.00	4.77	68.2	11.20	Peak	196.00	100	Horizontal	Pass
2	5840.250	60.84	6.31	68.2	7.36	Peak	18.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.740	59.65	5.63	74.0	14.35	Peak	16.00	150	Horizontal	Pass
1**	5453.740	48.39	5.63	54.0	5.61	AV	16.00	150	Horizontal	Pass
2	5459.980	57.74	5.37	74.0	16.26	Peak	272.00	200	Horizontal	Pass
2**	5459.980	47.98	5.37	54.0	6.02	AV	272.00	200	Horizontal	Pass
3	5461.900	59.66	5.38	68.2	8.54	Peak	118.00	100	Horizontal	Pass
3**	5461.900	47.87	5.38	--	-47.87	AV	118.00	100	Horizontal	N/A
4	5469.940	56.92	5.05	68.2	11.28	Peak	218.00	200	Horizontal	Pass
4**	5469.940	47.74	5.05	--	-47.74	AV	218.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.57	4.77	68.2	10.63	Peak	103.00	200	Horizontal	Pass
2	5845.313	60.65	6.31	68.2	7.55	Peak	277.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.860	59.24	5.62	74.0	14.76	Peak	63.00	100	Horizontal	Pass
1**	5453.860	48.08	5.62	54.0	5.92	AV	63.00	100	Horizontal	Pass
2	5459.980	57.61	5.37	74.0	16.39	Peak	350.00	100	Horizontal	Pass
2**	5459.980	47.92	5.37	54.0	6.08	AV	350.00	100	Horizontal	Pass
3	5465.740	59.17	5.18	68.2	9.03	Peak	296.00	200	Horizontal	Pass
3**	5465.740	47.91	5.18	--	-47.91	AV	296.00	200	Horizontal	N/A
4	5469.940	58.32	5.05	68.2	9.88	Peak	200.00	200	Horizontal	Pass
4**	5469.940	48.23	5.05	--	-48.23	AV	200.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.97	4.76	68.2	10.23	Peak	102.00	100	Horizontal	Pass
2	5843.188	60.32	6.30	68.2	7.88	Peak	114.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.438	60.19	4.88	68.2	8.01	Peak	170.00	150	Horizontal	Pass
2	5650.000	58.53	4.41	68.2	9.67	Peak	39.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.21	3.49	68.3	12.09	Peak	0.00	100	Horizontal	Pass
2	5942.250	59.06	4.36	68.2	9.14	Peak	0.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.125	60.58	4.88	68.2	7.62	Peak	173.00	150	Horizontal	Pass
2	5650.000	58.13	4.41	68.2	10.07	Peak	123.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.19	3.49	68.3	12.11	Peak	242.00	100	Horizontal	Pass
2	5957.925	58.58	3.81	68.2	9.62	Peak	22.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.688	60.36	4.89	68.2	7.84	Peak	104.00	150	Horizontal	Pass
2	5650.000	59.44	4.41	68.2	8.76	Peak	12.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.76	3.49	68.3	12.54	Peak	61.00	100	Horizontal	Pass
2	5946.375	58.97	4.08	68.2	9.23	Peak	323.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.813	60.03	4.67	68.2	8.17	Peak	312.00	100	Horizontal	Pass
2	5650.000	58.39	4.41	68.2	9.81	Peak	45.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.91	3.49	68.3	12.39	Peak	360.00	150	Horizontal	Pass
2	5940.375	58.85	4.41	68.2	9.35	Peak	36.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.125	60.01	4.99	68.2	8.19	Peak	279.00	100	Horizontal	Pass
2	5650.000	57.86	4.41	68.2	10.34	Peak	325.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.57	3.49	68.3	11.73	Peak	259.00	150	Horizontal	Pass
2	5942.850	59.76	4.30	68.2	8.44	Peak	92.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.438	62.04	4.38	68.2	6.16	Peak	45.00	200	Horizontal	Pass
2	5650.000	60.14	4.41	68.2	8.06	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.26	3.49	68.3	12.04	Peak	360.00	200	Horizontal	Pass
2	5976.075	58.78	4.07	68.2	9.42	Peak	148.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.437	59.72	4.78	68.2	8.48	Peak	18.00	100	Horizontal	Pass
2	5650.000	57.71	4.41	68.2	10.49	Peak	341.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.77	3.49	68.3	12.53	Peak	168.00	200	Horizontal	Pass
2	5928.900	58.75	3.96	68.2	9.45	Peak	139.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.250	60.21	4.92	68.2	7.99	Peak	321.00	100	Horizontal	Pass
2	5650.000	57.40	4.41	68.2	10.80	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.14	3.49	68.3	12.16	Peak	178.00	100	Horizontal	Pass
2	5942.475	58.68	4.33	68.2	9.52	Peak	149.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.875	62.99	4.37	68.2	5.21	Peak	38.00	150	Horizontal	Pass
2	5650.000	59.76	4.41	68.2	8.44	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.70	3.49	68.3	11.60	Peak	171.00	150	Horizontal	Pass
2	5944.350	58.89	4.20	68.2	9.31	Peak	234.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.937	59.82	5.17	68.2	8.38	Peak	165.00	100	Horizontal	Pass
2	5650.000	57.22	4.41	68.2	10.98	Peak	96.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.81	3.49	68.3	10.49	Peak	201.00	100	Horizontal	Pass
2	5984.775	58.72	3.80	68.2	9.48	Peak	330.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.187	59.55	4.65	68.2	8.65	Peak	35.00	150	Horizontal	Pass
2	5650.000	58.30	4.41	68.2	9.90	Peak	122.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.82	3.49	68.3	11.48	Peak	360.00	200	Horizontal	Pass
2	5937.525	59.03	4.26	68.2	9.17	Peak	44.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.563	59.56	4.87	68.2	8.64	Peak	349.00	150	Horizontal	Pass
2	5650.000	56.99	4.41	68.2	11.21	Peak	215.00	150	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.60	3.49	68.3	11.70	Peak	62.00	100	Horizontal	Pass
2	5959.650	58.44	3.81	68.2	9.76	Peak	111.00	200	Horizontal	Pass


Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	59.72	3.86	74.0	14.28	Peak	197.00	100	Horizontal	Pass
1**	5147.400	48.52	3.86	54.0	5.48	AV	197.00	100	Horizontal	Pass
2	5149.675	58.04	3.93	74.0	15.96	Peak	172.00	100	Horizontal	Pass
2**	5149.675	48.67	3.93	54.0	5.33	AV	172.00	100	Horizontal	Pass
3	5148.050	57.26	3.88	74.0	16.74	Peak	215.00	100	Horizontal	Pass
3**	5148.050	48.86	3.88	54.0	5.14	AV	215.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.61	4.22	74.0	17.39	Peak	239.00	100	Horizontal	Pass
1**	5350.000	47.06	4.22	54.0	6.94	AV	239.00	100	Horizontal	Pass
2	5453.015	59.00	5.66	74.0	15.00	Peak	44.00	200	Horizontal	Pass
2**	5453.015	47.91	5.66	54.0	6.09	AV	44.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	60.45	3.89	74.0	13.55	Peak	202.00	200	Horizontal	Pass
1**	5149.025	48.83	3.89	54.0	5.17	AV	202.00	200	Horizontal	Pass
2	5149.675	58.12	3.93	74.0	15.88	Peak	212.00	100	Horizontal	Pass
2**	5149.675	48.65	3.93	54.0	5.35	AV	212.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.13	4.21	74.0	15.87	Peak	41.00	200	Horizontal	Pass
1**	5350.055	47.02	4.21	54.0	6.98	AV	41.00	200	Horizontal	Pass
2	5452.025	59.23	5.59	74.0	14.77	Peak	67.00	200	Horizontal	Pass
2**	5452.025	47.96	5.59	54.0	6.04	AV	67.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	59.31	4.27	74.0	14.69	Peak	195.00	100	Horizontal	Pass
1**	5142.850	48.18	4.27	54.0	5.82	AV	195.00	100	Horizontal	Pass
2	5149.675	57.93	3.93	74.0	16.07	Peak	106.00	200	Horizontal	Pass
2**	5149.675	48.84	3.93	54.0	5.16	AV	106.00	200	Horizontal	Pass
3	5147.075	57.56	3.86	74.0	16.44	Peak	124.00	100	Horizontal	Pass
3**	5147.075	48.84	3.86	54.0	5.16	AV	124.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.37	4.21	74.0	17.63	Peak	64.00	200	Horizontal	Pass
1**	5350.055	46.95	4.21	54.0	7.05	AV	64.00	200	Horizontal	Pass
2	5452.355	59.18	5.62	74.0	14.82	Peak	226.00	200	Horizontal	Pass
2**	5452.355	47.90	5.62	54.0	6.10	AV	226.00	200	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.750	59.24	4.52	74.0	14.76	Peak	322.00	150	Horizontal	Pass
1**	5094.750	47.25	4.52	54.0	6.75	AV	322.00	150	Horizontal	Pass
2	5149.675	58.18	3.93	74.0	15.82	Peak	206.00	200	Horizontal	Pass
2**	5149.675	48.77	3.93	54.0	5.23	AV	206.00	200	Horizontal	Pass
3	5148.700	58.46	3.89	74.0	15.54	Peak	201.00	100	Horizontal	Pass
3**	5148.700	48.96	3.89	54.0	5.04	AV	201.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.34	4.22	74.0	16.66	Peak	199.00	150	Horizontal	Pass
1**	5350.000	47.11	4.22	54.0	6.89	AV	199.00	150	Horizontal	Pass
2	5450.375	59.30	5.47	74.0	14.70	Peak	151.00	150	Horizontal	Pass
2**	5450.375	48.10	5.47	54.0	5.90	AV	151.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	59.04	3.91	74.0	14.96	Peak	201.00	150	Horizontal	Pass
1**	5149.350	48.66	3.91	54.0	5.34	AV	201.00	150	Horizontal	Pass
2	5149.675	58.49	3.93	74.0	15.51	Peak	164.00	100	Horizontal	Pass
2**	5149.675	48.92	3.93	54.0	5.08	AV	164.00	100	Horizontal	Pass
3	5149.675	58.49	3.93	74.0	15.51	Peak	164.00	100	Horizontal	Pass
3**	5149.675	48.92	3.93	54.0	5.08	AV	164.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.30	4.21	74.0	17.70	Peak	260.00	100	Horizontal	Pass
1**	5350.055	46.80	4.21	54.0	7.20	AV	260.00	100	Horizontal	Pass
2	5445.205	59.62	5.50	74.0	14.38	Peak	294.00	100	Horizontal	Pass
2**	5445.205	47.95	5.50	54.0	6.05	AV	294.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.100	58.43	4.68	74.0	15.57	Peak	34.00	150	Horizontal	Pass
1**	5081.100	47.28	4.68	54.0	6.72	AV	34.00	150	Horizontal	Pass
2	5149.675	56.24	3.93	74.0	17.76	Peak	254.00	200	Horizontal	Pass
2**	5149.675	46.98	3.93	54.0	7.02	AV	254.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.62	4.21	74.0	17.38	Peak	130.00	200	Horizontal	Pass
1**	5350.055	47.31	4.21	54.0	6.69	AV	130.00	200	Horizontal	Pass
2	5458.185	59.20	5.53	74.0	14.80	Peak	360.00	100	Horizontal	Pass
2**	5458.185	48.19	5.53	54.0	5.81	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	62.81	3.93	74.0	11.19	Peak	199.00	150	Horizontal	Pass
1**	5149.675	48.00	3.93	54.0	6.00	AV	199.00	150	Horizontal	Pass
2	5149.675	62.81	3.93	74.0	11.19	Peak	199.00	100	Horizontal	Pass
2**	5149.675	48.00	3.93	54.0	6.00	AV	199.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.12	4.22	74.0	16.88	Peak	2.00	150	Horizontal	Pass
1**	5350.000	47.09	4.22	54.0	6.91	AV	2.00	150	Horizontal	Pass
2	5453.125	59.76	5.65	74.0	14.24	Peak	42.00	150	Horizontal	Pass
2**	5453.125	47.85	5.65	54.0	6.15	AV	42.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	61.36	3.87	74.0	12.64	Peak	132.00	200	Horizontal	Pass
1**	5145.450	47.36	3.87	54.0	6.64	AV	132.00	200	Horizontal	Pass
2	5149.675	59.12	3.93	74.0	14.88	Peak	182.00	100	Horizontal	Pass
2**	5149.675	48.09	3.93	54.0	5.91	AV	182.00	100	Horizontal	Pass
3	5148.700	58.45	3.89	74.0	15.55	Peak	191.00	100	Horizontal	Pass
3**	5148.700	48.34	3.89	54.0	5.66	AV	191.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.84	4.22	74.0	17.16	Peak	205.00	150	Horizontal	Pass
1**	5350.000	46.81	4.22	54.0	7.19	AV	205.00	150	Horizontal	Pass
2	5453.510	59.20	5.64	74.0	14.80	Peak	69.00	200	Horizontal	Pass
2**	5453.510	48.02	5.64	54.0	5.98	AV	69.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	59.04	4.30	74.0	14.96	Peak	201.00	150	Horizontal	Pass
1**	5134.400	47.26	4.30	54.0	6.74	AV	201.00	150	Horizontal	Pass
2	5149.675	57.68	3.93	74.0	16.32	Peak	205.00	150	Horizontal	Pass
2**	5149.675	48.10	3.93	54.0	5.90	AV	205.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.20	4.21	74.0	16.80	Peak	230.00	150	Horizontal	Pass
1**	5350.055	47.22	4.21	54.0	6.78	AV	230.00	150	Horizontal	Pass
2	5457.305	59.08	5.69	74.0	14.92	Peak	313.00	150	Horizontal	Pass
2**	5457.305	48.21	5.69	54.0	5.79	AV	313.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5079.475	58.70	4.30	74.0	15.30	Peak	136.00	100	Horizontal	Pass
1**	5079.475	47.10	4.30	54.0	6.90	AV	136.00	100	Horizontal	Pass
2	5149.675	56.59	3.93	74.0	17.41	Peak	9.00	150	Horizontal	Pass
2**	5149.675	46.92	3.93	54.0	7.08	AV	9.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.48	4.22	74.0	17.52	Peak	52.00	200	Horizontal	Pass
1**	5350.000	46.98	4.22	54.0	7.02	AV	52.00	200	Horizontal	Pass
2	5448.120	59.87	5.42	74.0	14.13	Peak	124.00	200	Horizontal	Pass
2**	5448.120	47.94	5.42	54.0	6.06	AV	124.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.025	58.27	4.56	74.0	15.73	Peak	167.00	150	Horizontal	Pass
1**	5097.025	47.74	4.56	54.0	6.26	AV	167.00	150	Horizontal	Pass
2	5149.675	56.68	3.93	74.0	17.32	Peak	108.00	100	Horizontal	Pass
2**	5149.675	47.00	3.93	54.0	7.00	AV	108.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.89	4.22	74.0	17.11	Peak	13.00	100	Horizontal	Pass
1**	5350.000	47.11	4.22	54.0	6.89	AV	13.00	100	Horizontal	Pass
2	5454.060	59.34	5.61	74.0	14.66	Peak	171.00	100	Horizontal	Pass
2**	5454.060	48.39	5.61	54.0	5.61	AV	171.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.425	58.64	4.54	74.0	15.36	Peak	57.00	100	Horizontal	Pass
1**	5094.425	47.56	4.54	54.0	6.44	AV	57.00	100	Horizontal	Pass
2	5149.675	56.92	3.93	74.0	17.08	Peak	224.00	150	Horizontal	Pass
2**	5149.675	47.20	3.93	54.0	6.80	AV	224.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.19	4.21	74.0	16.81	Peak	360.00	100	Horizontal	Pass
1**	5350.055	47.34	4.21	54.0	6.66	AV	360.00	100	Horizontal	Pass
2	5455.820	60.32	5.63	74.0	13.68	Peak	283.00	100	Horizontal	Pass
2**	5455.820	48.23	5.63	54.0	5.77	AV	283.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	58.37	4.28	74.0	15.63	Peak	100.00	150	Horizontal	Pass
1**	5140.575	46.91	4.28	54.0	7.09	AV	100.00	150	Horizontal	Pass
2	5149.675	56.84	3.93	74.0	17.16	Peak	238.00	100	Horizontal	Pass
2**	5149.675	46.91	3.93	54.0	7.09	AV	238.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.39	4.22	74.0	16.61	Peak	127.00	200	Horizontal	Pass
1**	5350.000	48.25	4.22	54.0	5.75	AV	127.00	200	Horizontal	Pass
2	5353.795	60.33	4.26	74.0	13.67	Peak	145.00	150	Horizontal	Pass
2**	5353.795	48.43	4.26	54.0	5.57	AV	145.00	150	Horizontal	Pass
3	5350.440	59.22	4.19	74.0	14.78	Peak	199.00	100	Horizontal	Pass
3**	5350.440	48.84	4.19	54.0	5.16	AV	199.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	58.34	4.20	74.0	15.66	Peak	259.00	150	Horizontal	Pass
1**	5143.175	47.06	4.20	54.0	6.94	AV	259.00	150	Horizontal	Pass
2	5149.675	57.41	3.93	74.0	16.59	Peak	288.00	100	Horizontal	Pass
2**	5149.675	47.01	3.93	54.0	6.99	AV	288.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.05	4.21	74.0	15.95	Peak	171.00	100	Horizontal	Pass
1**	5350.055	48.22	4.21	54.0	5.78	AV	171.00	100	Horizontal	Pass
2	5354.510	60.01	4.35	74.0	13.99	Peak	184.00	100	Horizontal	Pass
2**	5354.510	47.94	4.35	54.0	6.06	AV	184.00	100	Horizontal	Pass
3	5350.385	57.49	4.20	74.0	16.51	Peak	157.00	100	Horizontal	Pass
3**	5350.385	48.76	4.20	54.0	5.24	AV	157.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.075	58.22	4.50	74.0	15.78	Peak	349.00	150	Horizontal	Pass
1**	5095.075	47.70	4.50	54.0	6.30	AV	349.00	150	Horizontal	Pass
2	5149.675	57.64	3.93	74.0	16.36	Peak	141.00	200	Horizontal	Pass
2**	5149.675	47.09	3.93	54.0	6.91	AV	141.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.52	4.22	74.0	15.48	Peak	210.00	200	Horizontal	Pass
1**	5350.000	48.26	4.22	54.0	5.74	AV	210.00	200	Horizontal	Pass
2	5444.270	60.26	5.59	74.0	13.74	Peak	8.00	100	Horizontal	Pass
2**	5444.270	48.16	5.59	54.0	5.84	AV	8.00	100	Horizontal	Pass
3	5358.690	57.64	4.66	74.0	16.36	Peak	136.00	100	Horizontal	Pass
3**	5358.690	48.86	4.66	54.0	5.14	AV	136.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.075	59.37	4.46	74.0	14.63	Peak	134.00	100	Horizontal	Pass
1**	5082.075	47.18	4.46	54.0	6.82	AV	134.00	100	Horizontal	Pass
2	5149.675	56.69	3.93	74.0	17.31	Peak	26.00	100	Horizontal	Pass
2**	5149.675	46.72	3.93	54.0	7.28	AV	26.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.31	4.21	74.0	14.69	Peak	193.00	150	Horizontal	Pass
1**	5350.055	48.72	4.21	54.0	5.28	AV	193.00	150	Horizontal	Pass
2	5441.740	59.99	5.15	74.0	14.01	Peak	244.00	200	Horizontal	Pass
2**	5441.740	47.69	5.15	54.0	6.31	AV	244.00	200	Horizontal	Pass
3	5351.430	57.81	4.17	74.0	16.19	Peak	129.00	100	Horizontal	Pass
3**	5351.430	48.77	4.17	54.0	5.23	AV	129.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5039.175	59.00	3.60	74.0	15.00	Peak	33.00	200	Horizontal	Pass
1**	5039.175	46.51	3.60	54.0	7.49	AV	33.00	200	Horizontal	Pass
2	5149.675	57.03	3.93	74.0	16.97	Peak	144.00	100	Horizontal	Pass
2**	5149.675	46.75	3.93	54.0	7.25	AV	144.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.47	4.21	74.0	16.53	Peak	185.00	150	Horizontal	Pass
1**	5350.055	48.15	4.21	54.0	5.85	AV	185.00	150	Horizontal	Pass
2	5361.330	59.87	4.96	74.0	14.13	Peak	353.00	150	Horizontal	Pass
2**	5361.330	48.05	4.96	54.0	5.95	AV	353.00	150	Horizontal	Pass
3	5362.100	57.94	4.90	74.0	16.06	Peak	119.00	100	Horizontal	Pass
3**	5362.100	48.87	4.90	54.0	5.13	AV	119.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4862.375	58.51	3.20	74.0	15.49	Peak	136.00	200	Horizontal	Pass
1**	4862.375	46.18	3.20	54.0	7.82	AV	136.00	200	Horizontal	Pass
2	5149.675	55.96	3.93	74.0	18.04	Peak	213.00	150	Horizontal	Pass
2**	5149.675	46.81	3.93	54.0	7.19	AV	213.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.58	4.22	74.0	16.42	Peak	233.00	100	Horizontal	Pass
1**	5350.000	48.15	4.22	54.0	5.85	AV	233.00	100	Horizontal	Pass
2	5454.390	60.44	5.60	74.0	13.56	Peak	42.00	100	Horizontal	Pass
2**	5454.390	48.12	5.60	54.0	5.88	AV	42.00	100	Horizontal	Pass
3	5358.360	56.90	4.62	74.0	17.10	Peak	249.00	100	Horizontal	Pass
3**	5358.360	48.95	4.62	54.0	5.05	AV	249.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.225	59.18	4.57	74.0	14.82	Peak	303.00	150	Horizontal	Pass
1**	5102.225	47.54	4.57	54.0	6.46	AV	303.00	150	Horizontal	Pass
2	5149.675	57.46	3.93	74.0	16.54	Peak	90.00	200	Horizontal	Pass
2**	5149.675	47.17	3.93	54.0	6.83	AV	90.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.79	4.22	74.0	14.21	Peak	152.00	200	Horizontal	Pass
1**	5350.000	47.27	4.22	54.0	6.73	AV	152.00	200	Horizontal	Pass
2	5350.385	61.03	4.20	74.0	12.97	Peak	163.00	150	Horizontal	Pass
2**	5350.385	47.40	4.20	54.0	6.60	AV	163.00	150	Horizontal	Pass
3	5457.415	57.80	5.67	74.0	16.20	Peak	19.00	100	Horizontal	Pass
3**	5457.415	48.50	5.67	54.0	5.50	AV	19.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.075	58.47	4.50	74.0	15.53	Peak	161.00	200	Horizontal	Pass
1**	5095.075	47.44	4.50	54.0	6.56	AV	161.00	200	Horizontal	Pass
2	5149.675	56.12	3.93	74.0	17.88	Peak	95.00	150	Horizontal	Pass
2**	5149.675	47.01	3.93	54.0	6.99	AV	95.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	4.22	74.0	17.07	Peak	37.00	150	Horizontal	Pass
1**	5350.000	47.13	4.22	54.0	6.87	AV	37.00	150	Horizontal	Pass
2	5453.015	59.35	5.66	74.0	14.65	Peak	307.00	200	Horizontal	Pass
2**	5453.015	48.19	5.66	54.0	5.81	AV	307.00	200	Horizontal	Pass
3	5457.250	58.71	5.70	74.0	15.29	Peak	340.00	100	Horizontal	Pass
3**	5457.250	48.55	5.70	54.0	5.45	AV	340.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5066.475	58.45	4.13	74.0	15.55	Peak	42.00	200	Horizontal	Pass
1**	5066.475	46.79	4.13	54.0	7.21	AV	42.00	200	Horizontal	Pass
2	5149.675	56.24	3.93	74.0	17.76	Peak	192.00	100	Horizontal	Pass
2**	5149.675	46.80	3.93	54.0	7.20	AV	192.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.41	4.21	74.0	17.59	Peak	284.00	200	Horizontal	Pass
1**	5350.055	47.37	4.21	54.0	6.63	AV	284.00	200	Horizontal	Pass
2	5456.205	59.56	5.66	74.0	14.44	Peak	336.00	100	Horizontal	Pass
2**	5456.205	48.06	5.66	54.0	5.94	AV	336.00	100	Horizontal	Pass
3	5451.750	57.61	5.57	74.0	16.39	Peak	347.00	100	Horizontal	Pass
3**	5451.750	48.58	5.57	54.0	5.42	AV	347.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.900	58.98	4.57	74.0	15.02	Peak	0.00	200	Horizontal	Pass
1**	5101.900	47.35	4.57	54.0	6.65	AV	0.00	200	Horizontal	Pass
2	5149.675	55.81	3.93	74.0	18.19	Peak	114.00	150	Horizontal	Pass
2**	5149.675	46.95	3.93	54.0	7.05	AV	114.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.34	4.21	74.0	17.66	Peak	9.00	200	Horizontal	Pass
1**	5350.055	46.93	4.21	54.0	7.07	AV	9.00	200	Horizontal	Pass
2	5445.095	59.11	5.52	74.0	14.89	Peak	12.00	150	Horizontal	Pass
2**	5445.095	48.13	5.52	54.0	5.87	AV	12.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.225	58.85	4.57	74.0	15.15	Peak	360.00	100	Horizontal	Pass
1**	5102.225	47.36	4.57	54.0	6.64	AV	360.00	100	Horizontal	Pass
2	5149.675	56.31	3.93	74.0	17.69	Peak	73.00	100	Horizontal	Pass
2**	5149.675	46.98	3.93	54.0	7.02	AV	73.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.06	4.21	74.0	16.94	Peak	141.00	100	Horizontal	Pass
1**	5350.055	47.43	4.21	54.0	6.57	AV	141.00	100	Horizontal	Pass
2	5449.495	59.53	5.46	74.0	14.47	Peak	40.00	100	Horizontal	Pass
2**	5449.495	48.00	5.46	54.0	6.00	AV	40.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4983.275	58.33	4.46	74.0	15.67	Peak	136.00	150	Horizontal	Pass
1**	4983.275	47.21	4.46	54.0	6.79	AV	136.00	150	Horizontal	Pass
2	5149.675	56.52	3.93	74.0	17.48	Peak	161.00	100	Horizontal	Pass
2**	5149.675	46.90	3.93	54.0	7.10	AV	161.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.16	4.21	74.0	16.84	Peak	289.00	150	Horizontal	Pass
1**	5350.055	47.17	4.21	54.0	6.83	AV	289.00	150	Horizontal	Pass
2	5384.320	59.73	4.67	74.0	14.27	Peak	201.00	100	Horizontal	Pass
2**	5384.320	47.64	4.67	54.0	6.36	AV	201.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.480	59.42	5.47	74.0	14.58	Peak	243.00	150	Horizontal	Pass
1**	5458.480	48.50	5.47	54.0	5.50	AV	243.00	150	Horizontal	Pass
2	5459.980	58.31	5.37	74.0	15.69	Peak	180.00	200	Horizontal	Pass
2**	5459.980	48.39	5.37	54.0	5.61	AV	180.00	200	Horizontal	Pass
3	5466.580	59.07	5.05	68.2	9.13	Peak	273.00	150	Horizontal	Pass
3**	5466.580	48.32	5.05	--	--	AV	273.00	150	Horizontal	N/A
4	5469.940	57.95	5.05	68.2	10.25	Peak	210.00	100	Horizontal	Pass
4**	5469.940	48.58	5.05	--	--	AV	210.00	100	Horizontal	N/A
5	5457.280	58.67	5.69	74.0	15.33	Peak	197.00	100	Horizontal	Pass
5**	5457.280	49.00	5.69	54.0	5.00	AV	197.00	100	Horizontal	Pass

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.98	4.76	68.2	5.22	Peak	212.00	150	Horizontal	Pass
2	5727.813	63.09	4.99	68.2	5.11	Peak	179.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.900	59.49	5.40	74.0	14.51	Peak	218.00	200	Horizontal	Pass
1**	5458.900	48.10	5.40	54.0	5.90	AV	218.00	200	Horizontal	Pass
2	5459.980	57.50	5.37	74.0	16.50	Peak	104.00	150	Horizontal	Pass
2**	5459.980	48.49	5.37	54.0	5.51	AV	104.00	150	Horizontal	Pass
3	5468.680	59.71	4.95	68.2	8.49	Peak	123.00	150	Horizontal	Pass
3**	5468.680	48.38	4.95	--	--	AV	123.00	150	Horizontal	N/A
4	5469.940	57.51	5.05	68.2	10.69	Peak	161.00	200	Horizontal	Pass
4**	5469.940	48.68	5.05	--	--	AV	161.00	200	Horizontal	N/A
5	5459.260	58.13	5.34	74.0	15.87	Peak	95.00	100	Horizontal	Pass
5**	5459.260	48.72	5.34	54.0	5.28	AV	95.00	100	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.06	4.76	68.2	8.14	Peak	143.00	100	Horizontal	Pass
2	5726.000	60.86	4.82	68.2	7.34	Peak	152.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.260	59.49	5.65	74.0	14.51	Peak	187.00	100	Horizontal	Pass
1**	5453.260	48.46	5.65	54.0	5.54	AV	187.00	100	Horizontal	Pass
2	5459.980	58.88	5.37	74.0	15.12	Peak	161.00	200	Horizontal	Pass
2**	5459.980	48.41	5.37	54.0	5.59	AV	161.00	200	Horizontal	Pass
3	5468.980	59.89	4.97	68.2	8.31	Peak	132.00	200	Horizontal	Pass
3**	5468.980	48.45	4.97	--	--	AV	132.00	200	Horizontal	N/A
4	5469.940	59.11	5.05	68.2	9.09	Peak	132.00	100	Horizontal	Pass
4**	5469.940	48.80	5.05	--	--	AV	132.00	100	Horizontal	N/A
5	5455.720	58.58	5.62	74.0	15.42	Peak	230.00	100	Horizontal	Pass
5**	5455.720	48.91	5.62	54.0	5.09	AV	230.00	100	Horizontal	Pass

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.99	4.77	68.2	6.21	Peak	136.00	150	Horizontal	Pass
2	5728.437	62.63	5.09	68.2	5.57	Peak	144.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.420	59.30	5.35	74.0	14.70	Peak	162.00	200	Horizontal	Pass
1**	5446.420	48.10	5.35	54.0	5.90	AV	162.00	200	Horizontal	Pass
2	5459.980	58.08	5.37	74.0	15.92	Peak	22.00	150	Horizontal	Pass
2**	5459.980	48.30	5.37	54.0	5.70	AV	22.00	150	Horizontal	Pass
3	5466.820	59.11	5.01	68.2	9.09	Peak	239.00	200	Horizontal	Pass
3**	5466.820	48.22	5.01	--	--	AV	239.00	200	Horizontal	N/A
4	5469.940	58.72	5.05	68.2	9.48	Peak	203.00	100	Horizontal	Pass
4**	5469.940	48.46	5.05	--	--	AV	203.00	100	Horizontal	N/A
5	5456.080	58.83	5.65	74.0	15.17	Peak	82.00	100	Horizontal	Pass
5**	5456.080	48.83	5.65	54.0	5.17	AV	82.00	100	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.99	4.76	68.2	8.21	Peak	200.00	150	Horizontal	Pass
2	5726.188	62.67	4.83	68.2	5.53	Peak	200.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.760	59.75	5.60	74.0	14.25	Peak	179.00	200	Horizontal	Pass
1**	5457.760	48.52	5.60	54.0	5.48	AV	179.00	200	Horizontal	Pass
2	5459.980	58.19	5.37	74.0	15.81	Peak	226.00	100	Horizontal	Pass
2**	5459.980	48.43	5.37	54.0	5.57	AV	226.00	100	Horizontal	Pass
3	5467.060	59.99	4.97	68.2	8.21	Peak	190.00	200	Horizontal	Pass
3**	5467.060	48.50	4.97	--	--	AV	190.00	200	Horizontal	N/A
4	5469.940	58.64	5.05	68.2	9.56	Peak	203.00	150	Horizontal	Pass
4**	5469.940	49.15	5.05	--	--	AV	203.00	150	Horizontal	N/A
5	5453.860	57.97	5.62	74.0	16.03	Peak	207.00	100	Horizontal	Pass
5**	5453.860	49.00	5.62	54.0	5.00	AV	207.00	100	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.59	4.77	68.2	10.61	Peak	196.00	100	Horizontal	Pass
2	5848.813	59.95	6.32	68.2	8.25	Peak	131.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.460	60.54	5.44	74.0	13.46	Peak	200.00	200	Horizontal	Pass
1**	5448.460	48.15	5.44	54.0	5.85	AV	200.00	200	Horizontal	Pass
2	5459.980	57.19	5.37	74.0	16.81	Peak	176.00	150	Horizontal	Pass
2**	5459.980	48.35	5.37	54.0	5.65	AV	176.00	150	Horizontal	Pass
3	5461.600	58.93	5.42	68.2	9.27	Peak	227.00	200	Horizontal	Pass
3**	5461.600	48.83	5.42	--	--	AV	227.00	200	Horizontal	N/A
4	5469.940	58.45	5.05	68.2	9.75	Peak	206.00	150	Horizontal	Pass
4**	5469.940	49.02	5.05	--	--	AV	206.00	150	Horizontal	N/A
5	5444.740	57.53	5.56	74.0	16.47	Peak	127.00	100	Horizontal	Pass
5**	5444.740	48.92	5.56	54.0	5.08	AV	127.00	100	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.16	4.76	68.2	10.04	Peak	157.00	200	Horizontal	Pass
2	5847.750	59.99	6.23	68.2	8.21	Peak	297.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.960	59.70	5.53	74.0	14.30	Peak	290.00	200	Horizontal	Pass
1**	5443.960	48.41	5.53	54.0	5.59	AV	290.00	200	Horizontal	Pass
2	5459.980	57.78	5.37	74.0	16.22	Peak	19.00	150	Horizontal	Pass
2**	5459.980	47.83	5.37	54.0	6.17	AV	19.00	150	Horizontal	Pass
3	5468.980	58.98	4.97	68.2	9.22	Peak	180.00	200	Horizontal	Pass
3**	5468.980	47.70	4.97	--	--	AV	180.00	200	Horizontal	N/A
4	5469.940	58.14	5.05	68.2	10.06	Peak	188.00	200	Horizontal	Pass
4**	5469.940	47.92	5.05	--	--	AV	188.00	200	Horizontal	N/A
5	5456.620	58.03	5.69	74.0	15.97	Peak	240.00	100	Horizontal	Pass
5**	5456.620	48.56	5.69	54.0	5.44	AV	240.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.22	4.77	68.2	9.98	Peak	56.00	200	Horizontal	Pass
2	5726.875	62.19	4.86	68.2	6.01	Peak	144.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.200	59.08	5.38	74.0	14.92	Peak	0.00	200	Horizontal	Pass
1**	5447.200	47.81	5.38	54.0	6.19	AV	0.00	200	Horizontal	Pass
2	5459.980	58.35	5.37	74.0	15.65	Peak	40.00	150	Horizontal	Pass
2**	5459.980	47.83	5.37	54.0	6.17	AV	40.00	150	Horizontal	Pass
3	5465.860	59.10	5.16	68.2	9.10	Peak	214.00	150	Horizontal	Pass
3**	5465.860	47.77	5.16	--	--	AV	214.00	150	Horizontal	N/A
4	5469.940	57.39	5.05	68.2	10.81	Peak	272.00	100	Horizontal	Pass
4**	5469.940	47.87	5.05	--	--	AV	272.00	100	Horizontal	N/A
5	5456.260	58.09	5.66	74.0	15.91	Peak	119.00	100	Horizontal	Pass
5**	5456.260	48.56	5.66	54.0	5.44	AV	119.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.98	4.77	68.2	7.22	Peak	229.00	200	Horizontal	Pass
2	5726.813	63.12	4.86	68.2	5.08	Peak	200.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.220	59.50	5.52	74.0	14.50	Peak	309.00	150	Horizontal	Pass
1**	5451.220	47.87	5.52	54.0	6.13	AV	309.00	150	Horizontal	Pass
2	5459.980	57.33	5.37	74.0	16.67	Peak	26.00	150	Horizontal	Pass
2**	5459.980	48.21	5.37	54.0	5.79	AV	26.00	150	Horizontal	Pass
3	5469.280	61.20	5.00	68.2	7.00	Peak	199.00	200	Horizontal	Pass
3**	5469.280	48.00	5.00	--	--	AV	199.00	200	Horizontal	N/A
4	5469.940	57.19	5.05	68.2	11.01	Peak	153.00	200	Horizontal	Pass
4**	5469.940	48.42	5.05	--	--	AV	153.00	200	Horizontal	N/A
5	5452.960	58.28	5.66	74.0	15.72	Peak	284.00	100	Horizontal	Pass
5**	5452.960	48.80	5.66	54.0	5.20	AV	284.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.87	4.76	68.2	11.33	Peak	112.00	100	Horizontal	Pass
2	5771.562	60.07	5.57	68.2	8.13	Peak	286.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.000	59.88	5.56	74.0	14.12	Peak	304.00	200	Horizontal	Pass
1**	5458.000	48.09	5.56	54.0	5.91	AV	304.00	200	Horizontal	Pass
2	5459.980	58.02	5.37	74.0	15.98	Peak	43.00	150	Horizontal	Pass
2**	5459.980	48.07	5.37	54.0	5.93	AV	43.00	150	Horizontal	Pass
3	5461.180	59.86	5.44	68.2	8.34	Peak	304.00	100	Horizontal	Pass
3**	5461.180	48.02	5.44	--	-48.02	AV	304.00	100	Horizontal	N/A
4	5469.940	58.03	5.05	68.2	10.17	Peak	127.00	100	Horizontal	Pass
4**	5469.940	48.07	5.05	--	-48.07	AV	127.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.31	4.77	68.2	10.89	Peak	12.00	200	Horizontal	Pass
2	5843.062	61.32	6.30	68.2	6.88	Peak	298.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.660	59.85	5.65	74.0	14.15	Peak	173.00	150	Horizontal	Pass
1**	5452.660	48.34	5.65	54.0	5.66	AV	173.00	150	Horizontal	Pass
2	5459.980	57.85	5.37	74.0	16.15	Peak	0.00	100	Horizontal	Pass
2**	5459.980	48.04	5.37	54.0	5.96	AV	0.00	100	Horizontal	Pass
3	5464.300	59.34	5.18	68.2	8.86	Peak	210.00	200	Horizontal	Pass
3**	5464.300	47.95	5.18	--	-47.95	AV	210.00	200	Horizontal	N/A
4	5469.940	56.98	5.05	68.2	11.22	Peak	106.00	200	Horizontal	Pass
4**	5469.940	48.19	5.05	--	-48.19	AV	106.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.01	4.76	68.2	11.19	Peak	42.00	100	Horizontal	Pass
2	5838.938	60.54	6.31	68.2	7.66	Peak	325.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.540	59.98	5.64	74.0	14.02	Peak	348.00	200	Horizontal	Pass
1**	5452.540	48.60	5.64	54.0	5.40	AV	348.00	200	Horizontal	Pass
2	5459.980	57.30	5.37	74.0	16.70	Peak	145.00	200	Horizontal	Pass
2**	5459.980	48.11	5.37	54.0	5.89	AV	145.00	200	Horizontal	Pass
3	5469.640	59.03	5.03	68.2	9.17	Peak	22.00	200	Horizontal	Pass
3**	5469.640	48.01	5.03	--	-48.01	AV	22.00	200	Horizontal	N/A
4	5469.940	57.67	5.05	68.2	10.53	Peak	208.00	200	Horizontal	Pass
4**	5469.940	47.85	5.05	--	-47.85	AV	208.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.38	4.77	68.2	10.82	Peak	72.00	150	Horizontal	Pass
2	5839.563	60.21	6.33	68.2	7.99	Peak	120.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.437	60.02	4.67	68.2	8.18	Peak	356.00	200	Horizontal	Pass
2	5650.000	58.10	4.41	68.2	10.10	Peak	205.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.84	3.49	68.3	12.46	Peak	186.00	200	Horizontal	Pass
2	5937.000	59.18	4.24	68.2	9.02	Peak	258.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.313	59.96	4.83	68.2	8.24	Peak	113.00	200	Horizontal	Pass
2	5650.000	57.33	4.41	68.2	10.87	Peak	21.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.26	3.49	68.3	12.04	Peak	203.00	200	Horizontal	Pass
2	5942.775	59.31	4.30	68.2	8.89	Peak	240.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.000	59.67	4.32	68.2	8.53	Peak	6.00	200	Horizontal	Pass
2	5650.000	57.96	4.41	68.2	10.24	Peak	196.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.09	3.49	68.3	12.21	Peak	347.00	100	Horizontal	Pass
2	5937.225	59.16	4.24	68.2	9.04	Peak	117.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.250	59.74	5.19	68.2	8.46	Peak	218.00	200	Horizontal	Pass
2	5650.000	57.80	4.41	68.2	10.40	Peak	130.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.46	3.49	68.3	12.84	Peak	0.00	200	Horizontal	Pass
2	5945.025	58.47	4.18	68.2	9.73	Peak	295.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.125	59.82	4.61	68.2	8.38	Peak	50.00	150	Horizontal	Pass
2	5650.000	57.33	4.41	68.2	10.87	Peak	191.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.25	3.49	68.3	12.05	Peak	147.00	100	Horizontal	Pass
2	5969.550	58.70	4.10	68.2	9.50	Peak	26.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.438	61.23	4.32	68.2	6.97	Peak	222.00	100	Horizontal	Pass
2	5650.000	58.25	4.41	68.2	9.95	Peak	153.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.69	3.49	68.3	11.61	Peak	324.00	150	Horizontal	Pass
2	5942.850	58.99	4.30	68.2	9.21	Peak	329.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.125	59.91	4.88	68.2	8.29	Peak	310.00	150	Horizontal	Pass
2	5650.000	57.33	4.41	68.2	10.87	Peak	142.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.18	3.49	68.3	12.12	Peak	224.00	100	Horizontal	Pass
2	5942.025	59.21	4.38	68.2	8.99	Peak	54.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.937	59.75	4.69	68.2	8.45	Peak	0.00	100	Horizontal	Pass
2	5650.000	58.04	4.41	68.2	10.16	Peak	54.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.41	3.49	68.3	11.89	Peak	79.00	100	Horizontal	Pass
2	5971.500	58.91	4.05	68.2	9.29	Peak	50.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.250	60.41	4.64	68.2	7.79	Peak	31.00	150	Horizontal	Pass
2	5650.000	57.76	4.41	68.2	10.44	Peak	303.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.44	3.49	68.3	11.86	Peak	263.00	150	Horizontal	Pass
2	5941.425	58.57	4.43	68.2	9.63	Peak	293.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.000	59.75	4.71	68.2	8.45	Peak	28.00	200	Horizontal	Pass
2	5650.000	57.74	4.41	68.2	10.46	Peak	70.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.88	3.49	68.3	12.42	Peak	96.00	100	Horizontal	Pass
2	5955.300	58.81	3.67	68.2	9.39	Peak	264.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.750	59.38	4.91	68.2	8.82	Peak	293.00	200	Horizontal	Pass
2	5650.000	57.00	4.41	68.2	11.20	Peak	135.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.77	3.49	68.3	12.53	Peak	231.00	150	Horizontal	Pass
2	5940.375	59.01	4.41	68.2	9.19	Peak	226.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.937	59.62	4.90	68.2	8.58	Peak	44.00	100	Horizontal	Pass
2	5650.000	57.98	4.41	68.2	10.22	Peak	170.00	200	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.49	3.49	68.3	11.81	Peak	6.00	150	Horizontal	Pass
2	5989.500	58.76	4.02	68.2	9.44	Peak	57.00	200	Horizontal	Pass


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	58.71	3.86	74.0	15.29	Peak	163.00	150	Horizontal	Pass
1**	5146.100	48.00	3.86	54.0	6.00	AV	163.00	150	Horizontal	Pass
2	5149.675	57.68	3.93	74.0	16.32	Peak	171.00	200	Horizontal	Pass
2**	5149.675	48.67	3.93	54.0	5.33	AV	171.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.43	4.22	74.0	17.57	Peak	197.00	100	Horizontal	Pass
1**	5350.000	47.06	4.22	54.0	6.94	AV	197.00	100	Horizontal	Pass
2	5443.280	60.31	5.40	74.0	13.69	Peak	268.00	100	Horizontal	Pass
2**	5443.280	48.11	5.40	54.0	5.89	AV	268.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	58.92	3.89	74.0	15.08	Peak	182.00	150	Horizontal	Pass
1**	5148.700	48.50	3.89	54.0	5.50	AV	182.00	150	Horizontal	Pass
2	5149.675	57.70	3.93	74.0	16.30	Peak	182.00	100	Horizontal	Pass
2**	5149.675	48.94	3.93	54.0	5.06	AV	182.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.58	4.21	74.0	17.42	Peak	67.00	150	Horizontal	Pass
1**	5350.055	47.09	4.21	54.0	6.91	AV	67.00	150	Horizontal	Pass
2	5356.490	60.76	4.46	74.0	13.24	Peak	18.00	200	Horizontal	Pass
2**	5356.490	47.34	4.46	54.0	6.66	AV	18.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	64.12	3.87	74.0	9.88	Peak	125.00	200	Horizontal	Pass
1**	5147.725	47.69	3.87	54.0	6.31	AV	125.00	200	Horizontal	Pass
2	5149.675	63.04	3.93	74.0	10.96	Peak	200.00	200	Horizontal	Pass
2**	5149.675	47.50	3.93	54.0	6.50	AV	200.00	200	Horizontal	Pass
3	5148.700	61.96	3.89	74.0	12.04	Peak	200.00	100	Horizontal	Pass
3**	5148.700	48.15	3.89	54.0	5.85	AV	200.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.33	4.21	74.0	16.67	Peak	12.00	100	Horizontal	Pass
1**	5350.055	46.85	4.21	54.0	7.15	AV	12.00	100	Horizontal	Pass
2	5453.290	60.58	5.65	74.0	13.42	Peak	126.00	150	Horizontal	Pass
2**	5453.290	48.25	5.65	54.0	5.75	AV	126.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	58.81	3.86	74.0	15.19	Peak	186.00	150	Horizontal	Pass
1**	5146.100	47.55	3.86	54.0	6.45	AV	186.00	150	Horizontal	Pass
2	5149.675	57.61	3.93	74.0	16.39	Peak	164.00	150	Horizontal	Pass
2**	5149.675	48.40	3.93	54.0	5.60	AV	164.00	150	Horizontal	Pass
3	5149.350	57.27	3.91	74.0	16.73	Peak	200.00	100	Horizontal	Pass
3**	5149.350	48.72	3.91	54.0	5.28	AV	200.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.56	4.21	74.0	16.44	Peak	360.00	100	Horizontal	Pass
1**	5350.055	47.06	4.21	54.0	6.94	AV	360.00	100	Horizontal	Pass
2	5441.740	60.09	5.15	74.0	13.91	Peak	288.00	100	Horizontal	Pass
2**	5441.740	47.59	5.15	54.0	6.41	AV	288.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	62.28	3.93	74.0	11.72	Peak	18.00	100	Horizontal	Pass
1**	5144.475	47.18	3.93	54.0	6.82	AV	18.00	100	Horizontal	Pass
2	5149.675	58.78	3.93	74.0	15.22	Peak	2.00	100	Horizontal	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	2.00	100	Horizontal	Pass
3	5149.350	58.09	3.91	74.0	15.91	Peak	11.00	100	Horizontal	Pass
3**	5149.350	47.64	3.91	54.0	6.36	AV	11.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.51	4.22	74.0	17.49	Peak	119.00	200	Horizontal	Pass
1**	5350.000	46.93	4.22	54.0	7.07	AV	119.00	200	Horizontal	Pass
2	5456.645	59.82	5.69	74.0	14.18	Peak	22.00	100	Horizontal	Pass
2**	5456.645	47.97	5.69	54.0	6.03	AV	22.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.61	3.91	74.0	13.39	Peak	17.00	150	Horizontal	Pass
1**	5149.350	47.69	3.91	54.0	6.31	AV	17.00	150	Horizontal	Pass
2	5149.675	59.69	3.93	74.0	14.31	Peak	21.00	150	Horizontal	Pass
2**	5149.675	47.76	3.93	54.0	6.24	AV	21.00	150	Horizontal	Pass
3	5148.700	60.28	3.89	74.0	13.72	Peak	13.00	100	Horizontal	Pass
3**	5148.700	47.84	3.89	54.0	6.16	AV	13.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.40	4.22	74.0	16.60	Peak	87.00	200	Horizontal	Pass
1**	5350.000	46.89	4.22	54.0	7.11	AV	87.00	200	Horizontal	Pass
2	5451.200	59.13	5.52	74.0	14.87	Peak	212.00	200	Horizontal	Pass
2**	5451.200	47.97	5.52	54.0	6.03	AV	212.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	59.55	3.91	74.0	14.45	Peak	360.00	100	Horizontal	Pass
1**	5149.350	47.82	3.91	54.0	6.18	AV	360.00	100	Horizontal	Pass
2	5149.675	57.38	3.93	74.0	16.62	Peak	345.00	200	Horizontal	Pass
2**	5149.675	47.22	3.93	54.0	6.78	AV	345.00	200	Horizontal	Pass
3	5094.750	56.63	4.52	74.0	17.37	Peak	269.00	100	Horizontal	Pass
3**	5094.750	47.84	4.52	54.0	6.16	AV	269.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	4.22	74.0	17.47	Peak	30.00	100	Horizontal	Pass
1**	5350.000	46.89	4.22	54.0	7.11	AV	30.00	100	Horizontal	Pass
2	5450.595	59.70	5.48	74.0	14.30	Peak	13.00	100	Horizontal	Pass
2**	5450.595	47.76	5.48	54.0	6.24	AV	13.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	62.98	3.86	74.0	11.02	Peak	16.00	150	Horizontal	Pass
1**	5145.775	47.94	3.86	54.0	6.06	AV	16.00	150	Horizontal	Pass
2	5149.675	58.91	3.93	74.0	15.09	Peak	147.00	100	Horizontal	Pass
2**	5149.675	48.36	3.93	54.0	5.64	AV	147.00	100	Horizontal	Pass
3	5149.350	61.09	3.91	74.0	12.91	Peak	345.00	100	Horizontal	Pass
3**	5149.350	48.60	3.91	54.0	5.40	AV	345.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.39	4.21	74.0	16.61	Peak	143.00	200	Horizontal	Pass
1**	5350.055	46.97	4.21	54.0	7.03	AV	143.00	200	Horizontal	Pass
2	5352.475	59.46	4.16	74.0	14.54	Peak	353.00	100	Horizontal	Pass
2**	5352.475	47.32	4.16	54.0	6.68	AV	353.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	59.08	4.34	74.0	14.92	Peak	182.00	100	Horizontal	Pass
1**	5127.900	47.62	4.34	54.0	6.38	AV	182.00	100	Horizontal	Pass
2	5149.675	57.19	3.93	74.0	16.81	Peak	162.00	200	Horizontal	Pass
2**	5149.675	48.56	3.93	54.0	5.44	AV	162.00	200	Horizontal	Pass
3	5149.025	57.45	3.89	74.0	16.55	Peak	135.00	100	Horizontal	Pass
3**	5149.025	48.70	3.89	54.0	5.30	AV	135.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.22	4.22	74.0	16.78	Peak	64.00	200	Horizontal	Pass
1**	5350.000	46.65	4.22	54.0	7.35	AV	64.00	200	Horizontal	Pass
2	5459.615	59.23	5.36	74.0	14.77	Peak	113.00	200	Horizontal	Pass
2**	5459.615	48.06	5.36	54.0	5.94	AV	113.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.650	58.69	4.28	74.0	15.31	Peak	68.00	150	Horizontal	Pass
1**	5111.650	47.04	4.28	54.0	6.96	AV	68.00	150	Horizontal	Pass
2	5149.675	55.96	3.93	74.0	18.04	Peak	1.00	200	Horizontal	Pass
2**	5149.675	46.92	3.93	54.0	7.08	AV	1.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.45	4.21	74.0	15.55	Peak	0.00	100	Horizontal	Pass
1**	5350.055	47.27	4.21	54.0	6.73	AV	0.00	100	Horizontal	Pass
2	5442.620	59.79	5.27	74.0	14.21	Peak	278.00	100	Horizontal	Pass
2**	5442.620	47.85	5.27	54.0	6.15	AV	278.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5025.200	58.63	3.51	74.0	15.37	Peak	229.00	200	Horizontal	Pass
1**	5025.200	46.42	3.51	54.0	7.58	AV	229.00	200	Horizontal	Pass
2	5149.675	57.75	3.93	74.0	16.25	Peak	321.00	200	Horizontal	Pass
2**	5149.675	46.91	3.93	54.0	7.09	AV	321.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.42	4.22	74.0	17.58	Peak	65.00	100	Horizontal	Pass
1**	5350.000	46.98	4.22	54.0	7.02	AV	65.00	100	Horizontal	Pass
2	5451.805	59.51	5.57	74.0	14.49	Peak	119.00	100	Horizontal	Pass
2**	5451.805	47.94	5.57	54.0	6.06	AV	119.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	58.71	3.85	74.0	15.29	Peak	360.00	100	Horizontal	Pass
1**	5146.750	46.77	3.85	54.0	7.23	AV	360.00	100	Horizontal	Pass
2	5149.675	58.11	3.93	74.0	15.89	Peak	360.00	150	Horizontal	Pass
2**	5149.675	46.80	3.93	54.0	7.20	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.18	4.21	74.0	16.82	Peak	188.00	200	Horizontal	Pass
1**	5350.055	46.80	4.21	54.0	7.20	AV	188.00	200	Horizontal	Pass
2	5457.580	59.84	5.64	74.0	14.16	Peak	347.00	150	Horizontal	Pass
2**	5457.580	48.07	5.64	54.0	5.93	AV	347.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4808.750	58.82	4.01	74.0	15.18	Peak	319.00	100	Horizontal	Pass
1**	4808.750	46.79	4.01	54.0	7.21	AV	319.00	100	Horizontal	Pass
2	5149.675	56.18	3.93	74.0	17.82	Peak	349.00	150	Horizontal	Pass
2**	5149.675	46.77	3.93	54.0	7.23	AV	349.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.90	4.21	74.0	16.10	Peak	146.00	150	Horizontal	Pass
1**	5350.055	48.16	4.21	54.0	5.84	AV	146.00	150	Horizontal	Pass
2	5359.955	59.82	4.80	74.0	14.18	Peak	132.00	100	Horizontal	Pass
2**	5359.955	47.91	4.80	54.0	6.09	AV	132.00	100	Horizontal	Pass
3	5354.565	56.92	4.36	74.0	17.08	Peak	85.00	100	Horizontal	Pass
3**	5354.565	48.78	4.36	54.0	5.22	AV	85.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.525	58.87	4.29	74.0	15.13	Peak	345.00	150	Horizontal	Pass
1**	5077.525	46.87	4.29	54.0	7.13	AV	345.00	150	Horizontal	Pass
2	5149.675	56.11	3.93	74.0	17.89	Peak	104.00	150	Horizontal	Pass
2**	5149.675	46.85	3.93	54.0	7.15	AV	104.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.35	4.21	74.0	16.65	Peak	20.00	100	Horizontal	Pass
1**	5350.055	48.45	4.21	54.0	5.55	AV	20.00	100	Horizontal	Pass
2	5361.550	60.03	4.97	74.0	13.97	Peak	16.00	100	Horizontal	Pass
2**	5361.550	48.52	4.97	54.0	5.48	AV	16.00	100	Horizontal	Pass
3	5355.830	57.48	4.45	74.0	16.52	Peak	20.00	100	Horizontal	Pass
3**	5355.830	48.95	4.45	54.0	5.05	AV	20.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.425	58.41	4.54	74.0	15.59	Peak	67.00	100	Horizontal	Pass
1**	5094.425	47.18	4.54	54.0	6.82	AV	67.00	100	Horizontal	Pass
2	5149.675	56.73	3.93	74.0	17.27	Peak	37.00	100	Horizontal	Pass
2**	5149.675	46.82	3.93	54.0	7.18	AV	37.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.80	4.21	74.0	12.20	Peak	130.00	150	Horizontal	Pass
1**	5350.055	47.39	4.21	54.0	6.61	AV	130.00	150	Horizontal	Pass
2	5351.650	63.24	4.17	74.0	10.76	Peak	15.00	100	Horizontal	Pass
2**	5351.650	46.92	4.17	54.0	7.08	AV	15.00	100	Horizontal	Pass
3	5457.690	57.58	5.62	74.0	16.42	Peak	102.00	100	Horizontal	Pass
3**	5457.690	48.36	5.62	54.0	5.64	AV	102.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.100	58.87	4.55	74.0	15.13	Peak	8.00	200	Horizontal	Pass
1**	5094.100	47.29	4.55	54.0	6.71	AV	8.00	200	Horizontal	Pass
2	5149.675	56.08	3.93	74.0	17.92	Peak	0.00	100	Horizontal	Pass
2**	5149.675	46.96	3.93	54.0	7.04	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.67	4.22	74.0	15.33	Peak	337.00	150	Horizontal	Pass
1**	5350.000	48.72	4.22	54.0	5.28	AV	337.00	150	Horizontal	Pass
2	5353.850	60.63	4.27	74.0	13.37	Peak	16.00	100	Horizontal	Pass
2**	5353.850	48.19	4.27	54.0	5.81	AV	16.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4976.775	58.72	4.42	74.0	15.28	Peak	201.00	150	Horizontal	Pass
1**	4976.775	47.20	4.42	54.0	6.80	AV	201.00	150	Horizontal	Pass
2	5149.675	56.10	3.93	74.0	17.90	Peak	158.00	200	Horizontal	Pass
2**	5149.675	46.81	3.93	54.0	7.19	AV	158.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.92	4.21	74.0	16.08	Peak	316.00	200	Horizontal	Pass
1**	5350.055	47.57	4.21	54.0	6.43	AV	316.00	200	Horizontal	Pass
2	5351.430	61.93	4.17	74.0	12.07	Peak	356.00	150	Horizontal	Pass
2**	5351.430	47.05	4.17	54.0	6.95	AV	356.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.400	58.35	4.39	74.0	15.65	Peak	36.00	200	Horizontal	Pass
1**	5082.400	47.15	4.39	54.0	6.85	AV	36.00	200	Horizontal	Pass
2	5149.675	57.08	3.93	74.0	16.92	Peak	219.00	100	Horizontal	Pass
2**	5149.675	46.77	3.93	54.0	7.23	AV	219.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	4.22	74.0	16.10	Peak	139.00	150	Horizontal	Pass
1**	5350.000	47.68	4.22	54.0	6.32	AV	139.00	150	Horizontal	Pass
2	5444.215	60.19	5.58	74.0	13.81	Peak	88.00	200	Horizontal	Pass
2**	5444.215	48.08	5.58	54.0	5.92	AV	88.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4955.000	58.49	3.72	74.0	15.51	Peak	343.00	150	Horizontal	Pass
1**	4955.000	46.20	3.72	54.0	7.80	AV	343.00	150	Horizontal	Pass
2	5149.675	56.46	3.93	74.0	17.54	Peak	143.00	200	Horizontal	Pass
2**	5149.675	47.08	3.93	54.0	6.92	AV	143.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.55	4.21	74.0	15.45	Peak	347.00	100	Horizontal	Pass
1**	5350.055	47.36	4.21	54.0	6.64	AV	347.00	100	Horizontal	Pass
2	5455.325	59.63	5.59	74.0	14.37	Peak	129.00	200	Horizontal	Pass
2**	5455.325	48.31	5.59	54.0	5.69	AV	129.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.775	58.86	4.64	74.0	15.14	Peak	165.00	150	Horizontal	Pass
1**	5080.775	47.44	4.64	54.0	6.56	AV	165.00	150	Horizontal	Pass
2	5149.675	57.19	3.93	74.0	16.81	Peak	190.00	200	Horizontal	Pass
2**	5149.675	46.88	3.93	54.0	7.12	AV	190.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.11	4.21	74.0	16.89	Peak	202.00	150	Horizontal	Pass
1**	5350.055	47.42	4.21	54.0	6.58	AV	202.00	150	Horizontal	Pass
2	5446.635	59.91	5.35	74.0	14.09	Peak	357.00	200	Horizontal	Pass
2**	5446.635	48.08	5.35	54.0	5.92	AV	357.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4984.575	58.13	4.21	74.0	15.87	Peak	144.00	100	Horizontal	Pass
1**	4984.575	46.93	4.21	54.0	7.07	AV	144.00	100	Horizontal	Pass
2	5149.675	56.36	3.93	74.0	17.64	Peak	303.00	100	Horizontal	Pass
2**	5149.675	47.05	3.93	54.0	6.95	AV	303.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.77	4.21	74.0	16.23	Peak	129.00	100	Horizontal	Pass
1**	5350.055	48.99	4.21	54.0	5.01	AV	129.00	100	Horizontal	Pass
2	5380.910	59.62	4.65	74.0	14.38	Peak	199.00	200	Horizontal	Pass
2**	5380.910	48.09	4.65	54.0	5.91	AV	199.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.875	58.14	4.43	74.0	15.86	Peak	360.00	100	Horizontal	Pass
1**	5102.875	47.50	4.43	54.0	6.50	AV	360.00	100	Horizontal	Pass
2	5149.675	56.23	3.93	74.0	17.77	Peak	175.00	200	Horizontal	Pass
2**	5149.675	46.85	3.93	54.0	7.15	AV	175.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.50	4.21	74.0	16.50	Peak	0.00	150	Horizontal	Pass
1**	5350.055	46.99	4.21	54.0	7.01	AV	0.00	150	Horizontal	Pass
2	5452.740	59.70	5.66	74.0	14.30	Peak	90.00	150	Horizontal	Pass
2**	5452.740	48.10	5.66	54.0	5.90	AV	90.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4791.850	58.31	4.41	74.0	15.69	Peak	116.00	100	Horizontal	Pass
1**	4791.850	46.98	4.41	54.0	7.02	AV	116.00	100	Horizontal	Pass
2	5149.675	56.73	3.93	74.0	17.27	Peak	0.00	100	Horizontal	Pass
2**	5149.675	46.82	3.93	54.0	7.18	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.81	4.21	74.0	17.19	Peak	163.00	200	Horizontal	Pass
1**	5350.055	46.84	4.21	54.0	7.16	AV	163.00	200	Horizontal	Pass
2	5447.405	59.76	5.39	74.0	14.24	Peak	227.00	100	Horizontal	Pass
2**	5447.405	47.88	5.39	54.0	6.12	AV	227.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.300	58.64	3.98	74.0	15.36	Peak	184.00	150	Horizontal	Pass
1**	4995.300	46.71	3.98	54.0	7.29	AV	184.00	150	Horizontal	Pass
2	5149.675	56.16	3.93	74.0	17.84	Peak	74.00	200	Horizontal	Pass
2**	5149.675	46.85	3.93	54.0	7.15	AV	74.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.10	4.21	74.0	16.90	Peak	121.00	100	Horizontal	Pass
1**	5350.055	47.04	4.21	54.0	6.96	AV	121.00	100	Horizontal	Pass
2	5455.050	59.45	5.57	74.0	14.55	Peak	322.00	100	Horizontal	Pass
2**	5455.050	48.05	5.57	54.0	5.95	AV	322.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.660	59.67	5.44	74.0	14.33	Peak	94.00	150	Horizontal	Pass
1**	5458.660	48.58	5.44	54.0	5.42	AV	94.00	150	Horizontal	Pass
2	5459.980	58.12	5.37	74.0	15.88	Peak	360.00	200	Horizontal	Pass
2**	5459.980	48.34	5.37	54.0	5.66	AV	360.00	200	Horizontal	Pass
3	5469.640	61.79	5.03	68.2	6.41	Peak	15.00	100	Horizontal	Pass
3**	5469.640	49.44	5.03	--	--	AV	15.00	100	Horizontal	N/A
4	5469.940	58.18	5.05	68.2	10.02	Peak	4.00	100	Horizontal	Pass
4**	5469.940	49.63	5.05	--	--	AV	4.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.35	4.76	68.2	7.85	Peak	142.00	200	Horizontal	Pass
2	5727.688	61.95	4.98	68.2	6.25	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.880	59.52	5.42	74.0	14.48	Peak	145.00	150	Horizontal	Pass
1**	5445.880	47.96	5.42	54.0	6.04	AV	145.00	150	Horizontal	Pass
2	5459.980	58.36	5.37	74.0	15.64	Peak	360.00	150	Horizontal	Pass
2**	5459.980	48.87	5.37	54.0	5.13	AV	360.00	150	Horizontal	Pass
3	5468.620	60.64	4.94	68.2	7.56	Peak	360.00	200	Horizontal	Pass
3**	5468.620	49.71	4.94	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	59.67	5.05	68.2	8.53	Peak	147.00	100	Horizontal	Pass
4**	5469.940	49.77	5.05	--	--	AV	147.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.81	4.77	68.2	8.39	Peak	133.00	150	Horizontal	Pass
2	5726.188	61.51	4.83	68.2	6.69	Peak	15.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.660	59.95	5.44	74.0	14.05	Peak	0.00	150	Horizontal	Pass
1**	5458.660	47.87	5.44	54.0	6.13	AV	0.00	150	Horizontal	Pass
2	5459.980	57.61	5.37	74.0	16.39	Peak	265.00	200	Horizontal	Pass
2**	5459.980	47.93	5.37	54.0	6.07	AV	265.00	200	Horizontal	Pass
3	5469.820	62.24	5.05	68.2	5.96	Peak	23.00	100	Horizontal	Pass
3**	5469.820	48.05	5.05	--	--	AV	23.00	100	Horizontal	N/A
4	5469.940	57.55	5.05	68.2	10.65	Peak	136.00	150	Horizontal	Pass
4**	5469.940	47.99	5.05	--	--	AV	136.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.21	4.77	68.2	5.99	Peak	18.00	100	Horizontal	Pass
2	5725.125	62.52	4.77	68.2	5.68	Peak	18.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.160	60.11	5.71	74.0	13.89	Peak	94.00	150	Horizontal	Pass
1**	5457.160	48.73	5.71	54.0	5.27	AV	94.00	150	Horizontal	Pass
2	5459.980	57.90	5.37	74.0	16.10	Peak	159.00	200	Horizontal	Pass
2**	5459.980	48.21	5.37	54.0	5.79	AV	159.00	200	Horizontal	Pass
3	5469.760	61.07	5.04	68.2	7.13	Peak	11.00	200	Horizontal	Pass
3**	5469.760	49.65	5.04	--	--	AV	11.00	200	Horizontal	N/A
4	5469.940	58.45	5.05	68.2	9.75	Peak	135.00	200	Horizontal	Pass
4**	5469.940	50.01	5.05	--	--	AV	135.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.29	4.77	68.2	7.91	Peak	360.00	100	Horizontal	Pass
2	5731.125	62.22	5.18	68.2	5.98	Peak	151.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.920	59.53	5.62	74.0	14.47	Peak	294.00	150	Horizontal	Pass
1**	5453.920	48.13	5.62	54.0	5.87	AV	294.00	150	Horizontal	Pass
2	5459.980	58.16	5.37	74.0	15.84	Peak	216.00	150	Horizontal	Pass
2**	5459.980	47.92	5.37	54.0	6.08	AV	216.00	150	Horizontal	Pass
3	5461.120	59.18	5.44	68.2	9.02	Peak	187.00	200	Horizontal	Pass
3**	5461.120	48.07	5.44	--	--	AV	187.00	200	Horizontal	N/A
4	5469.940	57.20	5.05	68.2	11.00	Peak	15.00	100	Horizontal	Pass
4**	5469.940	47.88	5.05	--	--	AV	15.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.65	4.76	68.2	7.55	Peak	153.00	100	Horizontal	Pass
2	5733.687	60.52	5.17	68.2	7.68	Peak	168.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.840	60.21	5.51	74.0	13.79	Peak	339.00	150	Horizontal	Pass
1**	5443.840	48.09	5.51	54.0	5.91	AV	339.00	150	Horizontal	Pass
2	5459.980	57.98	5.37	74.0	16.02	Peak	12.00	150	Horizontal	Pass
2**	5459.980	48.05	5.37	54.0	5.95	AV	12.00	150	Horizontal	Pass
3	5469.880	61.04	5.05	68.2	7.16	Peak	355.00	150	Horizontal	Pass
3**	5469.880	49.57	5.05	--	--	AV	355.00	150	Horizontal	N/A
4	5469.940	60.15	5.05	68.2	8.05	Peak	156.00	200	Horizontal	Pass
4**	5469.940	48.76	5.05	--	--	AV	156.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.39	4.77	68.2	9.81	Peak	207.00	200	Horizontal	Pass
2	5728.688	60.59	5.12	68.2	7.61	Peak	138.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.460	60.55	5.66	74.0	13.45	Peak	270.00	150	Horizontal	Pass
1**	5457.460	48.35	5.66	54.0	5.65	AV	270.00	150	Horizontal	Pass
2	5459.980	57.14	5.37	74.0	16.86	Peak	232.00	200	Horizontal	Pass
2**	5459.980	48.17	5.37	54.0	5.83	AV	232.00	200	Horizontal	Pass
3	5468.140	58.94	4.90	68.2	9.26	Peak	342.00	200	Horizontal	Pass
3**	5468.140	48.09	4.90	--	--	AV	342.00	200	Horizontal	N/A
4	5469.940	57.80	5.05	68.2	10.40	Peak	252.00	100	Horizontal	Pass
4**	5469.940	48.49	5.05	--	--	AV	252.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.27	4.76	68.2	10.93	Peak	320.00	200	Horizontal	Pass
2	5728.625	60.94	5.11	68.2	7.26	Peak	68.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.020	59.37	5.64	74.0	14.63	Peak	333.00	200	Horizontal	Pass
1**	5456.020	48.12	5.64	54.0	5.88	AV	333.00	200	Horizontal	Pass
2	5459.980	57.17	5.37	74.0	16.83	Peak	299.00	150	Horizontal	Pass
2**	5459.980	47.84	5.37	54.0	6.16	AV	299.00	150	Horizontal	Pass
3	5468.980	60.91	4.97	68.2	7.29	Peak	349.00	100	Horizontal	Pass
3**	5468.980	47.74	4.97	--	--	AV	349.00	100	Horizontal	N/A
4	5469.940	57.50	5.05	68.2	10.70	Peak	360.00	200	Horizontal	Pass
4**	5469.940	47.97	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.08	4.76	68.2	9.12	Peak	144.00	200	Horizontal	Pass
2	5726.813	62.08	4.86	68.2	6.12	Peak	20.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.700	60.97	5.61	74.0	13.03	Peak	17.00	100	Horizontal	Pass
1**	5457.700	48.83	5.61	54.0	5.17	AV	17.00	100	Horizontal	Pass
2	5459.980	57.89	5.37	74.0	16.11	Peak	9.00	200	Horizontal	Pass
2**	5459.980	48.60	5.37	54.0	5.40	AV	9.00	200	Horizontal	Pass
3	5461.480	61.24	5.43	68.2	6.96	Peak	147.00	200	Horizontal	Pass
3**	5461.480	48.82	5.43	--	--	AV	147.00	200	Horizontal	N/A
4	5469.940	58.27	5.05	68.2	9.93	Peak	78.00	200	Horizontal	Pass
4**	5469.940	49.59	5.05	--	--	AV	78.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.19	4.77	68.2	8.01	Peak	7.00	150	Horizontal	Pass
2	5732.063	62.59	5.19	68.2	5.61	Peak	19.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.580	59.35	5.64	74.0	14.65	Peak	284.00	150	Horizontal	Pass
1**	5457.580	48.07	5.64	54.0	5.93	AV	284.00	150	Horizontal	Pass
2	5459.980	58.36	5.37	74.0	15.64	Peak	35.00	200	Horizontal	Pass
2**	5459.980	47.95	5.37	54.0	6.05	AV	35.00	200	Horizontal	Pass
3	5463.100	58.95	5.22	68.2	9.25	Peak	61.00	150	Horizontal	Pass
3**	5463.100	47.83	5.22	--	-47.83	AV	61.00	150	Horizontal	N/A
4	5469.940	57.55	5.05	68.2	10.65	Peak	149.00	150	Horizontal	Pass
4**	5469.940	47.75	5.05	--	-47.75	AV	149.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.99	4.77	68.2	11.21	Peak	12.00	100	Horizontal	Pass
2	5837.938	59.91	6.28	68.2	8.29	Peak	91.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.040	59.54	5.61	74.0	14.46	Peak	182.00	100	Horizontal	Pass
1**	5454.040	48.53	5.61	54.0	5.47	AV	182.00	100	Horizontal	Pass
2	5459.980	57.23	5.37	74.0	16.77	Peak	90.00	200	Horizontal	Pass
2**	5459.980	48.18	5.37	54.0	5.82	AV	90.00	200	Horizontal	Pass
3	5467.900	59.30	4.88	68.2	8.90	Peak	207.00	100	Horizontal	Pass
3**	5467.900	47.87	4.88	--	-47.87	AV	207.00	100	Horizontal	N/A
4	5469.940	57.07	5.05	68.2	11.13	Peak	253.00	150	Horizontal	Pass
4**	5469.940	48.49	5.05	--	-48.49	AV	253.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.25	4.77	68.2	10.95	Peak	263.00	150	Horizontal	Pass
2	5846.125	59.86	6.29	68.2	8.34	Peak	20.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.260	59.83	5.66	74.0	14.17	Peak	0.00	150	Horizontal	Pass
1**	5456.260	48.15	5.66	54.0	5.85	AV	0.00	150	Horizontal	Pass
2	5459.980	57.71	5.37	74.0	16.29	Peak	55.00	150	Horizontal	Pass
2**	5459.980	48.06	5.37	54.0	5.94	AV	55.00	150	Horizontal	Pass
3	5462.740	59.47	5.27	68.2	8.73	Peak	13.00	100	Horizontal	Pass
3**	5462.740	48.03	5.27	--	-48.03	AV	13.00	100	Horizontal	N/A
4	5469.940	57.15	5.05	68.2	11.05	Peak	271.00	150	Horizontal	Pass
4**	5469.940	48.00	5.05	--	-48.00	AV	271.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.13	4.76	68.2	11.07	Peak	5.00	200	Horizontal	Pass
2	5839.125	60.80	6.32	68.2	7.40	Peak	122.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.438	60.19	4.88	68.2	8.01	Peak	170.00	150	Horizontal	Pass
2	5650.000	58.53	4.41	68.2	9.67	Peak	39.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.21	3.49	68.3	12.09	Peak	0.00	100	Horizontal	Pass
2	5942.250	59.06	4.36	68.2	9.14	Peak	0.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.125	60.58	4.88	68.2	7.62	Peak	173.00	150	Horizontal	Pass
2	5650.000	58.13	4.41	68.2	10.07	Peak	123.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.19	3.49	68.3	12.11	Peak	242.00	100	Horizontal	Pass
2	5957.925	58.58	3.81	68.2	9.62	Peak	22.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.688	60.36	4.89	68.2	7.84	Peak	104.00	150	Horizontal	Pass
2	5650.000	59.44	4.41	68.2	8.76	Peak	12.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.76	3.49	68.3	12.54	Peak	61.00	100	Horizontal	Pass
2	5946.375	58.97	4.08	68.2	9.23	Peak	323.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.813	60.03	4.67	68.2	8.17	Peak	312.00	100	Horizontal	Pass
2	5650.000	58.39	4.41	68.2	9.81	Peak	45.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.91	3.49	68.3	12.39	Peak	360.00	150	Horizontal	Pass
2	5940.375	58.85	4.41	68.2	9.35	Peak	36.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.125	60.01	4.99	68.2	8.19	Peak	279.00	100	Horizontal	Pass
2	5650.000	57.86	4.41	68.2	10.34	Peak	325.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.57	3.49	68.3	11.73	Peak	259.00	150	Horizontal	Pass
2	5942.850	59.76	4.30	68.2	8.44	Peak	92.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.438	62.04	4.38	68.2	6.16	Peak	45.00	200	Horizontal	Pass
2	5650.000	60.14	4.41	68.2	8.06	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.26	3.49	68.3	12.04	Peak	360.00	200	Horizontal	Pass
2	5976.075	58.78	4.07	68.2	9.42	Peak	148.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.437	59.72	4.78	68.2	8.48	Peak	18.00	100	Horizontal	Pass
2	5650.000	57.71	4.41	68.2	10.49	Peak	341.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.77	3.49	68.3	12.53	Peak	168.00	200	Horizontal	Pass
2	5928.900	58.75	3.96	68.2	9.45	Peak	139.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.250	60.21	4.92	68.2	7.99	Peak	321.00	100	Horizontal	Pass
2	5650.000	57.40	4.41	68.2	10.80	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.14	3.49	68.3	12.16	Peak	178.00	100	Horizontal	Pass
2	5942.475	58.68	4.33	68.2	9.52	Peak	149.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.875	62.99	4.37	68.2	5.21	Peak	38.00	150	Horizontal	Pass
2	5650.000	59.76	4.41	68.2	8.44	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.70	3.49	68.3	11.60	Peak	171.00	150	Horizontal	Pass
2	5944.350	58.89	4.20	68.2	9.31	Peak	234.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.937	59.76	5.07	68.2	8.44	Peak	236.00	200	Horizontal	Pass
2	5650.000	57.68	4.41	68.2	10.52	Peak	31.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.82	3.49	68.3	11.48	Peak	262.00	200	Horizontal	Pass
2	5934.675	58.32	4.23	68.2	9.88	Peak	225.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.688	60.10	4.67	68.2	8.10	Peak	334.00	200	Horizontal	Pass
2	5650.000	57.56	4.41	68.2	10.64	Peak	98.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.49	3.49	68.3	11.81	Peak	150.00	200	Horizontal	Pass
2	5944.875	58.61	4.18	68.2	9.59	Peak	182.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.625	60.65	4.79	68.2	7.55	Peak	52.00	100	Horizontal	Pass
2	5650.000	57.54	4.41	68.2	10.66	Peak	210.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.12	3.49	68.3	12.18	Peak	224.00	100	Horizontal	Pass
2	5935.575	58.71	4.22	68.2	9.49	Peak	93.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2320162-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2320162-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2320162-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--