

## **Annex A.2 Peak to Average Ratio**

# 1. WCDMA\_Band2


## 1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	3	13	Pass


  

Statistic Count		Probability	
Sample Count	999512	10,000%	1.688 dB
Sample Time	40.000 ms	1,0000%	2.531 dB
Avg Power	22.586 dBm	0,1000%	3.000 dB
Max Power	26.045 dBm	0,0100%	3.328 dB
PAR	3.459 dB	0,0001%	3.422 dB

## 1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)




### 1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)




## 2. WCDMA\_Band4


### 2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



## 2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)




### 2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)




### 3. WCDMA\_Band5

#### 3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)






### 3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)




### 3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)




## 4. LTE\_Band2

### 4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



## 4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



### 4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	5.39	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 1860.00000 Ref. Level: 30.00 Connector:RF2COM


x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	Value
Sample Count	999712
Sample Time	10.002 ms
Avg Power	21.064 dBm
Max Power	26.811 dBm
PAR	5.747 dB


Probability	Value
10,000%	2.859 dB
1,0000%	4.734 dB
0,1000%	5.391 dB
0,0100%	5.625 dB
0,0010%	5.672 dB
0,0001%	5.672 dB

Go To Local
Show Remote Screen

#### 4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



#### 4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



#### 4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.25	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1880.00000 Ref. Level: 30.00 Connector:RF2COM


x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count <span style="float: right;">1 / 1</span>		<b>Probability</b>	
Sample Count	998312	10,000%	2.344 dB
Sample Time	9.988 ms	1,0000%	4.219 dB
Avg Power	20.872 dBm	0,1000%	5.250 dB
Max Power	27.506 dBm	0,0100%	5.859 dB
PAR	6.634 dB	0,0010%	6.281 dB
		0,0001%	6.563 dB


Go To Local
Show Remote Screen




### 4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




#### 4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




#### 4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



#### 4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 5. LTE\_Band4

### 5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)







### 5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




### 5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




### 5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






### 5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 6. LTE\_Band5


### 6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




### 6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




**6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**



**6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**







**6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




### 6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




**6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




### 6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



**6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




## 7. LTE\_Band7

### 7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**







### 7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**



### 7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



**7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.91	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS
Power

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF2COM
RDY


x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	Value
Sample Count	999312
Sample Time	9.998 ms
Avg Power	21.055 dBm
Max Power	28.082 dBm
PAR	7.027 dB


Probability	Value
10,000%	2.813 dB
1,0000%	4.828 dB
0,1000%	5.906 dB
0,0100%	6.891 dB
0,0010%	6.984 dB
0,0001%	6.984 dB

Go To Local
Show Remote Screen


**7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






**7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 8. LTE\_Band12


### 8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




### 8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



### 8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**







### 8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




### 8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



### 8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




## 9. LTE\_Band13

### 9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**






### 9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




**9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




## 10. LTE\_Band17


### 10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




### 10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



**10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**







**10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




### 10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




**10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



**10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




### 10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




## 11. LTE\_Band26(part22)

### 11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)





### 11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)



**11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	6.7	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172** GPRF

Power
  Spectrum
  FFT Spectrum
  IQ Recorder
  IQ vs. Slot
  EPS

Frequency: **831.50000** Ref. Level: **30.00** Connector: **RF2COM**


x: Off y: ---

x: Off y: ---


x: Off y: ---

Statistic Count		Probability	
Sample Count	998912	10,000%	2.906 dB
Sample Time	9.994 ms	1,0000%	5.297 dB
Avg Power	20.846 dBm	0,1000%	6.703 dB
Max Power	29.380 dBm	0,0100%	7.641 dB
PAR	8.535 dB	0,0010%	8.203 dB
		0,0001%	8.438 dB


**11.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**11.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**




**11.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**11.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**



### 11.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**11.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**






### 11.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 11.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



## 12. LTE\_Band26(part90)

### 12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)



**12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.95	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 819.00000 Ref. Level: 30.00 Connector:RF2COM

Statistic Count	1 / 1
Sample Count	1023250
Sample Time	20.475 ms
Avg Power	21.832 dBm
Max Power	29.561 dBm
PAR	7.729 dB


Probability	
10,000%	2.297 dB
1,0000%	4.547 dB
0,1000%	5.953 dB
0,0100%	6.891 dB
0,0010%	7.500 dB
0,0001%	7.688 dB

Go To Local Show Remote Screen

**12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**



### 12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



### 13. LTE\_Band66


#### 13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.92	13	Pass


Statistic	Value	Probability	Value
Sample Count	999512	10,000%	2.578 dB
Sample Time	10.000 ms	1,0000%	4.172 dB
Avg Power	22.403 dBm	0,1000%	4.922 dB
Max Power	27.853 dBm	0,0100%	5.344 dB
PAR	5.450 dB	0,0010%	5.391 dB
		0,0001%	5.438 dB

### 13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)







### 13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




**13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



### 13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






**13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 14. LTE\_Band38


### 14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




### 14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



### 14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)







### 14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**



### 14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 15. LTE\_Band41 full

### 15.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**15.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






### 15.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



**15.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**15.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.67	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF2COM


Statistic Count	Value	Probability	Value (dB)
Sample Count	999312	10,000%	5.156 dB
Sample Time	9.998 ms	1,0000%	7.453 dB
Avg Power	18.801 dBm	0,1000%	8.672 dB
Max Power	28.041 dBm	0,0100%	9.094 dB
PAR	9.240 dB	0,0010%	9.188 dB
		0,0001%	9.188 dB

Go To Local Show Remote Screen


**15.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**



**15.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**



**15.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**15.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	8.72	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2680.00000 Ref. Level: 30.00 Connector:RF2COM


x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	Value
Sample Count	999112
Sample Time	9.996 ms
Avg Power	18.595 dBm
Max Power	27.990 dBm
PAR	9.395 dB

Probability	Value
10,000%	5.156 dB
1,0000%	7.453 dB
0,1000%	8.719 dB
0,0100%	9.281 dB
0,0010%	9.328 dB
0,0001%	9.375 dB


Go To Local
Show Remote Screen

**15.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






**15.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**15.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 16. CA\_7C


**16.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**16.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**16.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**16.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6.98	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2534.80000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	1 / 1	Probability	
Sample Count	998912	10,000%	3.469 dB
Sample Time	9.994 ms	1,0000%	5.719 dB
Avg Power	19.177 dBm	0,1000%	6.984 dB
Max Power	28.564 dBm	0,0100%	7.781 dB
PAR	9.387 dB	0,0010%	8.344 dB
		0,0001%	8.953 dB

Go To Local Show Remote Screen

**16.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**16.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**





**16.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.42	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	999113	10,000%	3.328 dB
Sample Time	19.992 ms	1,0000%	5.297 dB
Avg Power	20.149 dBm	0,1000%	6.422 dB
Max Power	28.310 dBm	0,0100%	7.125 dB
PAR	8.161 dB	0,0010%	7.734 dB
		0,0001%	8.109 dB

Go To Local Show Remote Screen

**16.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**16.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.33	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count		Probability	
Sample Count	999112	10,000%	3.328 dB
Sample Time	19.992 ms	1,0000%	5.250 dB
Avg Power	20.146 dBm	0,1000%	6.328 dB
Max Power	28.399 dBm	0,0100%	7.031 dB
PAR	8.253 dB	0,0010%	7.641 dB
		0,0001%	7.922 dB

Go To Local
Show Remote Screen

**16.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.98	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	1023880	20.488 ms	19.165 dBm	28.317 dBm	9.152 dB


Probability	Value
10,000%	3.516 dB
1,0000%	5.766 dB
0,1000%	6.984 dB
0,0100%	7.781 dB
0,0010%	8.531 dB
0,0001%	9.047 dB

Go To Local Show Remote Screen

**16.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**16.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 17. CA\_38C

17.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**17.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**






**17.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**17.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 18. CA\_41C\_full


18.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**18.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**18.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.3	0.1	10.5	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2593.30000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count		Probability	
Sample Count	998512	10,000%	5.672 dB
Sample Time	9.990 ms	1,0000%	9.000 dB
Avg Power	16.169 dBm	0,1000%	10.500 dB
Max Power	28.728 dBm	0,0100%	11.484 dB
PAR	12.559 dB	0,0010%	12.047 dB
		0,0001%	12.375 dB

Go To Local
Show Remote Screen



**18.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	10.5	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2592.80000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	998512	9.990 ms	16.145 dBm	29.053 dBm	12.909 dB


Probability	Value
10,000%	5.578 dB
1,0000%	9.047 dB
0,1000%	10.500 dB
0,0100%	11.484 dB
0,0010%	12.047 dB
0,0001%	12.703 dB

Go To Local Show Remote Screen


**18.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**18.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	9.84	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF4COM

Probability[%]

Statistic Count		Probability	
Sample Count	999513	10,000%	5.766 dB
Sample Time	20.000 ms	1,0000%	8.578 dB
		0,1000%	9.844 dB
Avg Power	17.112 dBm	0,0100%	10.641 dB
Max Power	28.948 dBm	0,0010%	11.344 dB
PAR	11.835 dB	0,0001%	11.625 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger


List Config.

Power

Statistic

Marker / Display

**18.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**





**18.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.98	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count		Probability	
Sample Count	999513	10,000%	5.859 dB
Sample Time	20.000 ms	1,0000%	8.484 dB
		0,1000%	9.984 dB
Avg Power	17.135 dBm	0,0100%	10.922 dB
Max Power	29.220 dBm	0,0010%	11.531 dB
PAR	12.085 dB	0,0001%	12.000 dB

Go To Local
Show Remote Screen

**18.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.36	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023460	10,000%	5.625 dB
Sample Time	20.479 ms	1,0000%	8.813 dB
Avg Power	16.268 dBm	0,1000%	10.359 dB
Max Power	28.836 dBm	0,0010%	12.094 dB
PAR	12.568 dB	0,0001%	12.422 dB


Go To Local Show Remote Screen

## 19. n5


### 19.1. Peak to Average Ratio for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**19.2. Peak to Average Ratio for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




**19.3. Peak to Average Ratio for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.4. Peak to Average Ratio for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**



**19.5. Peak to Average Ratio for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**




**19.6. Peak to Average Ratio for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**







**19.7. Peak to Average Ratio for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.8. Peak to Average Ratio for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**




**19.9. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**



**19.10. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**



**19.11. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**



**19.12. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

