

Annex A.3 Occupied Bandwidth

1. GSM_GSM850

1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.246	0.312	0.3	Pass

Agilent

Measure

Ch Freq 824.2 MHz
Trig Free

Occupied Bandwidth
Averages: 8

Ref 30 dBm
#Atten 40 dB

#Peak
Log

10
dB/

Offst
8.94

dB

Center 824.200 0 MHz
Span 2 MHz

#Res BW 3.9 kHz
#VBW 12 kHz
#Sweep 10 s (2564 pts)

Occupied Bandwidth

245.8861 kHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -371.694 Hz

x dB Bandwidth 311.846 kHz


Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies


1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.244	0.308	0.3	Pass



1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.246	0.313	0.3	Pass



2. GSM_PCS


2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.247	0.309	0.3	Pass



2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.247	0.312	0.3	Pass



2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.245	0.306	0.3	Pass

Agilent

Measure

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
244.9510 kHz	x dB	-26.00 dB
Transmit Freq Error		-370.107 Hz
x dB Bandwidth		305.985 kHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

3. EGPRS_GSM850


3.1. EGPRS Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.248	0.302	0.3	Pass



3.2. EGPRS Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.242	0.301	0.3	Pass



3.3. EGPRS Occupied Bandwidth(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.245	0.305	0.3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.01 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)


Occupied Bandwidth	Occ BW % Pwr	99.00 %
245.4263 kHz	x dB	-26.00 dB
Transmit Freq Error	274.701 Hz	
x dB Bandwidth	305.450 kHz	

Copyright 2000-2012 Agilent Technologies

4. EGPRS_PCS


4.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.253	0.313	0.3	Pass




4.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.251	0.312	0.3	Pass




4.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.255	0.316	0.3	Pass



5. WCDMA_Band2

5.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)



5.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.136	4.717	5	Pass

The screenshot displays the Agilent spectrum analyzer interface for a WCDMA channel at 1.88 GHz. The main display shows a spectral plot with a yellow trace representing the signal. The plot is set to a logarithmic scale (Log) with a reference level of 30 dBm and an attenuation of 30 dB. The center frequency is 1.880 000 GHz, and the span is 10 MHz. The resolution bandwidth (RBW) is 100 kHz, and the video bandwidth (VBW) is 300 kHz. The sweep time is 10 seconds with 500 points.

Key measurement results are highlighted in a green box:

- Occupied Bandwidth:** 4.1365 MHz
- Occ BW % Pwr:** 99.00 %
- x dB:** -26.00 dB
- Transmit Freq Error:** -13.661 kHz
- x dB Bandwidth:** 4.717 MHz

The interface also includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The copyright notice at the bottom reads 'Copyright 2000-2012 Agilent Technologies'.

5.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.141	4.736	5	Pass

Agilent

Measure

Ch Freq 1.9076 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.7 dB

Center 1.907 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1412 MHz x dB -26.00 dB

Transmit Freq Error -16.755 kHz

x dB Bandwidth 4.736 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

6. WCDMA_Band4


6.1. WCDMA Occupied Bandwidth(NTNV)(Channel:1312)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.133	4.697	5	Pass



6.2. WCDMA Occupied Bandwidth(NTNV)(Channel:1412)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.4	99	26	0.1	Peak	4.135	4.699	5	Pass



6.3. WCDMA Occupied Bandwidth(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.133	4.692	5	Pass

Agilent

Measure

Ch Freq 1.7526 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log dB/Offst 10.5 dB

Center 1.752 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1327 MHz	x dB	-26.00 dB
Transmit Freq Error	-9.606 kHz	
x dB Bandwidth	4.692 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

7. WCDMA_Band5

7.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)



7.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.4	99	26	0.1	Peak	4.138	4.698	5	Pass

Agilent

Measure

Ch Freq 836.4 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.01 dB

Center 836.400 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1385 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.927 kHz	
x dB Bandwidth	4.698 MHz	

Copyright 2000-2012 Agilent Technologies

More

1 of 2

Document No: BL-SZ2350513

Page 21 of 600

7.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.145	4.714	5	Pass

Agilent

Measure

Ch Freq 846.6 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.05 dBm #Atten 30 dB

Center 846.600 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1446 MHz	x dB	-26.00 dB
Transmit Freq Error	-23.940 kHz	
x dB Bandwidth	4.714 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2


8. LTE_Band2

8.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




8.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.093	1.302	1.4	Pass




8.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.089	1.291	1.4	Pass



8.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.083	1.27	1.4	Pass



8.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.092	1.268	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is titled 'Occupied Bandwidth' and shows a signal centered at 1.9093 GHz. The plot parameters are: Center 1.909 300 GHz, Span 2.8 MHz, #Res BW 27 kHz, #VBW 100 kHz, #Sweep 1 s (518 pts). The plot shows a signal with a peak at approximately 1.9093 GHz and a bandwidth of 1.0922 MHz. The signal is measured at -26.00 dB relative to a 30 dBm reference. The plot also shows the signal's power level at the upper and lower limits of the occupied bandwidth.

The measurement results are displayed in a summary box at the bottom of the screen:


Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0922 MHz	x dB	-26.00 dB
Transmit Freq Error		-279.093 Hz
x dB Bandwidth		1.268 MHz

The interface also includes a 'Measure' menu on the right side with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies

8.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.089	1.268	1.4	Pass



8.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.694	2.938	3	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 1.8515 GHz and a span of 6 MHz. The y-axis is labeled 'dB' and the x-axis is labeled 'MHz'. The plot shows a signal with a peak at approximately 1.8515 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 2.6941 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -121.186 Hz and the 'x dB Bandwidth' is 2.938 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Occupied Bandwidth	Occ BW % Pwr	x dB
2.6941 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


8.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.689	2.958	3	Pass




8.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.693	2.943	3	Pass




8.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.69	2.956	3	Pass




8.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.692	2.954	3	Pass




8.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.691	2.948	3	Pass



8.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.504	4.976	5	Pass




8.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.491	4.958	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.8525 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot is set to 'Log' scale with 'dB/Offst 10.7 dB'. The center frequency is 1.852500 GHz and the span is 10 MHz. The resolution bandwidth (RBW) is 100 kHz, the video bandwidth (VBW) is 300 kHz, and the sweep time is 1 s (500 pts). The plot shows a signal with a peak at approximately 1.8525 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 4.4908 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. Other parameters shown include 'Transmit Freq Error -2.554 kHz' and 'x dB Bandwidth 4.958 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays 'Copyright 2000-2012 Agilent Technologies'.


8.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.493	4.951	5	Pass




8.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.495	4.952	5	Pass




8.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.494	4.944	5	Pass




8.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.498	4.963	5	Pass



8.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.977	9.886	10	Pass



8.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.959	9.828	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.88 GHz with a span of 20 MHz. The vertical axis is labeled 'dB' with a reference of 30 dBm and an attenuation of 30 dB. The horizontal axis is labeled 'MHz'.

Key parameters shown in the interface include:

- Ch Freq: 1.88 GHz
- Trig: Free
- Occupied Bandwidth: 8.9586 MHz
- Averages: 2
- Ref: 30 dBm
- #Atten: 30 dB
- #Peak: Log
- dB/Offst: 10.6 dB
- Center: 1.880 00 GHz
- Span: 20 MHz
- #Res BW: 200 kHz
- #VBW: 620 kHz
- #Sweep: 1 s (500 pts)

The measurement results are summarized in the following table:


Measurement	Value
Occupied Bandwidth	8.9586 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-6.827 kHz
x dB Bandwidth	9.828 MHz

The interface also includes a 'Measure' menu on the right with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies


8.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.96	9.807	10	Pass




8.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.96	9.836	10	Pass




8.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.964	9.86	10	Pass




8.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.442	14.75	15	Pass




8.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.451	14.69	15	Pass




8.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.424	14.658	15	Pass




8.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.444	14.657	15	Pass




8.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.432	14.783	15	Pass




8.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.458	14.707	15	Pass




8.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.94	19.32	20	Pass




8.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.928	19.376	20	Pass




8.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.91	19.411	20	Pass




8.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.938	19.537	20	Pass




8.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.952	19.627	20	Pass




8.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.923	19.417	20	Pass




9. LTE_Band4

9.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.094	1.301	1.4	Pass



9.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.09	1.289	1.4	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 1.7325 GHz and a span of 2.8 MHz. The vertical axis is labeled 'dB' with a reference of 30 dBm and an attenuation of 30 dB. The horizontal axis is labeled 'MHz'. The plot shows a signal with a peak at approximately 1.7325 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 1.0896 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 697.745 Hz and the 'x dB Bandwidth' is 1.289 MHz. The 'Averages' are set to 2. The 'Verdict' is 'Pass'.

Occupied Bandwidth	Occ BW % Pwr	x dB
1.0896 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


9.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.083	1.27	1.4	Pass




9.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.092	1.266	1.4	Pass



9.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.088	1.268	1.4	Pass




9.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.693	2.934	3	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a peak at 1.7115 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 2.6927 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. Other parameters shown include Transmit Freq Error (366.908 Hz) and x dB Bandwidth (2.934 MHz). The interface also includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

9.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.692	2.956	3	Pass



9.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.694	2.94	3	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is titled 'Occupied Bandwidth' and shows a signal centered at 1.7325 GHz. The plot parameters are: Center 1.732 500 GHz, Span 6 MHz, #Res BW 62 kHz, #VBW 200 kHz, #Sweep 1 s (483 pts). The plot shows a signal with a peak at approximately 1.7325 GHz and a bandwidth of 2.6937 MHz. The signal level is 99.00% and the XdB Down is -26.00 dB. The plot also shows the Transmit Freq Error as -3.153 kHz and the x dB Bandwidth as 2.940 MHz. The plot is titled 'Occupied Bandwidth' and shows a signal centered at 1.7325 GHz. The plot parameters are: Center 1.732 500 GHz, Span 6 MHz, #Res BW 62 kHz, #VBW 200 kHz, #Sweep 1 s (483 pts). The plot shows a signal with a peak at approximately 1.7325 GHz and a bandwidth of 2.6937 MHz. The signal level is 99.00% and the XdB Down is -26.00 dB. The plot also shows the Transmit Freq Error as -3.153 kHz and the x dB Bandwidth as 2.940 MHz.

Occupied Bandwidth 2.6937 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB


Transmit Freq Error -3.153 kHz

x dB Bandwidth 2.940 MHz

Copyright 2000-2012 Agilent Technologies


9.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.692	2.96	3	Pass




9.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.696	2.952	3	Pass



9.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.688	2.957	3	Pass




9.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.504	4.968	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 1.7125 GHz and a span of 10 MHz. The vertical axis is labeled 'dB/Offst' with a scale of 10.4 dB. The horizontal axis is labeled 'Span 10 MHz'. The plot shows a signal with a peak level of approximately -26 dB. The 'Occupied Bandwidth' is highlighted in green and shows a value of 4.5042 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -1.407 kHz and the 'x dB Bandwidth' is 4.968 MHz. The interface also shows various measurement settings such as 'Ref 30 dBm', '#Atten 30 dB', '#Peak Log', and '#Res BW 100 kHz'. The 'Measure' menu on the right includes options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays the copyright notice 'Copyright 2000-2012 Agilent Technologies'.


9.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.491	4.955	5	Pass



9.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.494	4.956	5	Pass



9.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.495	4.962	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is titled 'Occupied Bandwidth' and shows a signal centered at 1.7325 GHz. The plot parameters are: Center 1.732 500 GHz, Span 10 MHz, #Res BW 100 kHz, #VBW 300 kHz, #Sweep 1 s (500 pts). The plot shows a signal with a peak at approximately 1.7325 GHz and a bandwidth of 4.4945 MHz. The signal level is 99.00% and the XdB Down is -26.00 dB. The plot also shows a transmit frequency error of -6.935 kHz and a bandwidth of 4.962 MHz. The plot is titled 'Occupied Bandwidth' and shows a signal centered at 1.7325 GHz. The plot parameters are: Center 1.732 500 GHz, Span 10 MHz, #Res BW 100 kHz, #VBW 300 kHz, #Sweep 1 s (500 pts). The plot shows a signal with a peak at approximately 1.7325 GHz and a bandwidth of 4.4945 MHz. The signal level is 99.00% and the XdB Down is -26.00 dB. The plot also shows a transmit frequency error of -6.935 kHz and a bandwidth of 4.962 MHz.

Occupied Bandwidth 4.4945 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB


Transmit Freq Error -6.935 kHz

x dB Bandwidth 4.962 MHz

Copyright 2000-2012 Agilent Technologies

9.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.492	4.942	5	Pass



9.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.496	4.973	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.7525 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot is set to 'Log' scale with a 'Ref 30 dBm' and '#Atten 30 dB'. The plot shows a signal with a peak at approximately 1.7525 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 4.4963 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. Other parameters shown include 'Transmit Freq Error -966.593 Hz' and 'x dB Bandwidth 4.973 MHz'. The bottom of the screen shows 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr
4.4963 MHz	99.00 %
Transmit Freq Error	x dB
-966.593 Hz	-26.00 dB
x dB Bandwidth	
4.973 MHz	

9.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.975	9.891	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace representing the signal. The plot is centered at 1.715 GHz with a span of 20 MHz. The vertical axis is labeled 'dB' and the horizontal axis is labeled 'MHz'. The plot shows a signal with a peak at approximately 1.715 GHz. The 'Occupied Bandwidth' is highlighted in a green box at the bottom of the screen, showing a value of 8.9752 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 2.154 kHz and the 'x dB Bandwidth' is 9.891 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom of the screen.


Occupied Bandwidth	Occ BW % Pwr	x dB
8.9752 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 2.154 kHz
x dB Bandwidth: 9.891 MHz

Copyright 2000-2012 Agilent Technologies


9.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.985	9.79	10	Pass




9.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.958	9.847	10	Pass




9.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.959	9.795	10	Pass



9.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.967	9.837	10	Pass



9.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.959	9.882	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace representing the signal. The plot is centered at 1.750 GHz with a span of 20 MHz. The vertical axis is labeled 'dB' and the horizontal axis is labeled 'MHz'. The plot shows a signal with a peak at approximately 1.750 GHz. The 'Occupied Bandwidth' is highlighted in a green box at the bottom of the screen, showing a value of 8.9591 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -7.092 kHz and the 'x dB Bandwidth' is 9.882 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom of the screen.


Occupied Bandwidth	Occ BW % Pwr	x dB
8.9591 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -7.092 kHz
x dB Bandwidth: 9.882 MHz

Copyright 2000-2012 Agilent Technologies


9.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.433	14.727	15	Pass




9.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.457	14.619	15	Pass




9.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.417	14.67	15	Pass




9.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.469	14.582	15	Pass



9.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.421	14.776	15	Pass



9.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.466	14.718	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.7475 GHz' and 'Trig Free'. Below this, the 'Occupied Bandwidth' measurement is highlighted with a green border. The main display area shows a spectrum plot with a yellow trace, a reference level at 30 dBm, and an attenuation of 30 dB. The plot shows a signal with a peak at approximately 1.7475 GHz. The 'Occupied Bandwidth' measurement is shown as 13.4655 MHz, with a percentage of power of 99.00% and a value of -26.00 dB. Other parameters shown include 'Transmit Freq Error -2.878 kHz' and 'x dB Bandwidth 14.718 MHz'. The bottom of the screen displays 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
13.4655 MHz	99.00 %	-26.00 dB

Other parameters shown in the screenshot:

- Center: 1.747 50 GHz
- Span: 30 MHz
- #Res BW: 300 kHz
- #VBW: 1 MHz
- #Sweep: 1 s (500 pts)


9.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.918	19.35	20	Pass




9.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.914	19.548	20	Pass




9.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.911	19.393	20	Pass




9.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.921	19.54	20	Pass




9.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.933	20.283	20	Pass




9.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.909	19.368	20	Pass



10. LTE_Band5

10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.093	1.296	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 824.7 MHz, and the span is 2.8 MHz. The occupied bandwidth is highlighted as 1.0931 MHz. The power level is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is -3.484 kHz. The XdB bandwidth is 1.296 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0931 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.484 kHz	
x dB Bandwidth	1.296 MHz	


10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.091	1.317	1.4	Pass




10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.083	1.267	1.4	Pass




10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.093	1.267	1.4	Pass




10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.088	1.269	1.4	Pass




10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.697	2.955	3	Pass




10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.689	2.95	3	Pass




10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.694	2.94	3	Pass




10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.692	2.947	3	Pass




10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.695	2.955	3	Pass



10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.692	2.961	3	Pass



10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.494	4.988	5	Pass

Agilent
Measure

Ch Freq 826.5 MHz **Trig** Free

Occupied Bandwidth Averages: 2

Ref 28.98 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.98 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.4942 MHz

Transmit Freq Error -7.441 kHz

x dB Bandwidth 4.988 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.492	4.938	5	Pass



10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.488	4.951	5	Pass

Agilent
Measure

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.01 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4883 MHz **x dB** -26.00 dB

Transmit Freq Error -4.159 kHz

x dB Bandwidth 4.951 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.495	4.962	5	Pass



10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.491	4.935	5	Pass

Agilent
Measure

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Ref 29.05 dBm #Atten 30 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4911 MHz	x dB -26.00 dB
Transmit Freq Error -8.457 kHz	
x dB Bandwidth 4.935 MHz	

Copyright 2000-2012 Agilent Technologies

10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.498	4.962	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 846.500 MHz and a span of 10 MHz. The vertical axis is labeled 'dB/Offst' with a value of 9.05 dB. The horizontal axis is labeled 'Span 10 MHz'. The plot shows a signal with a peak at approximately 846.5 MHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 4.4982 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -9.245 kHz and the 'x dB Bandwidth' is 4.962 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More 1 of 2

10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.966	9.892	10	Pass

Agilent
Measure

Ch Freq 829 MHz **Trig** Free

Occupied Bandwidth Averages: 2

Ref 29 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9 dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

8.9664 MHz

Transmit Freq Error -2.475 kHz

x dB Bandwidth 9.892 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies


10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.969	9.811	10	Pass




10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.951	9.832	10	Pass



10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.962	9.799	10	Pass




10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.956	9.796	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 844 MHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 29.03 dBm', '#Atten 30 dB', 'Log 10 dB/Offst 9.03 dB', 'Center 844.00 MHz', 'Span 20 MHz', '#Res BW 200 kHz', '#VBW 620 kHz', and '#Sweep 1 s (500 pts)'. A green box highlights the measurement results: 'Occupied Bandwidth 8.956 MHz', 'Occ BW % Pwr 99.00 %', 'x dB -26.00 dB', 'Transmit Freq Error -22.409 kHz', and 'x dB Bandwidth 9.796 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.


10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.955	9.819	10	Pass




11. LTE_Band7

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.487	4.962	5	Pass




11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.495	4.951	5	Pass




11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.494	4.978	5	Pass



11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.494	4.951	5	Pass



11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.499	4.979	5	Pass

