

**25.32. Occupied Bandwidth for SA(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	35.89	38.42	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a peak at 2.59 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 35.8897 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -1.112 MHz and the 'x dB Bandwidth' is 38.424 MHz. The interface also shows various settings like 'Ch Freq 2.59 GHz', 'Trig Free', 'Averages: 1', 'Ref 30 dBm', '#Atten 30 dB', 'Center 2.590 0 GHz', 'Span 80 MHz', '#Res BW 1 MHz', '#VBW 3 MHz', and '#Sweep 1 s (401 pts)'. A 'Measure' menu on the right includes options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The copyright notice 'Copyright 2000-2012 Agilent Technologies' is visible at the bottom.

**25.33. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	35.97	38.46	40	Pass

**Agilent**

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 1

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.3 dB

Center 2.595 0 GHz Span 80 MHz

#Res BW 1 MHz #VBW 3 MHz #Sweep 1 s (401 pts)

**Occupied Bandwidth** 35.9687 MHz

Occ BW % Pwr 99.00 %

x dB Bandwidth 38.458 MHz x dB -26.00 dB

Transmit Freq Error -1.162 MHz

Copyright 2000-2012 Agilent Technologies

**Measure**

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

**25.34. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	35.88	38.47	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a peak at 2.595 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 35.8792 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -1.114 MHz and the 'x dB Bandwidth' is 38.468 MHz. The interface also shows various settings like 'Ch Freq 2.595 GHz', 'Trig Free', 'Averages: 1', 'Ref 30 dBm', '#Atten 30 dB', 'Center 2.595 0 GHz', 'Span 80 MHz', '#Res BW 1 MHz', '#VBW 3 MHz', and '#Sweep 1 s (401 pts)'. A 'Measure' menu is visible on the right side with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The copyright notice 'Copyright 2000-2012 Agilent Technologies' is at the bottom.

**25.35. Occupied Bandwidth for SA(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	35.95	38.45	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.6 GHz. The measurement results are summarized in the bottom section:


<b>Occupied Bandwidth</b>	<b>Occ BW % Pwr</b>	99.00 %
35.9536 MHz	<b>x dB</b>	-26.00 dB
<b>Transmit Freq Error</b>		-1.102 MHz
<b>x dB Bandwidth</b>		38.448 MHz

Additional parameters shown in the interface include: Ch Freq 2.6 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak Log, 10 dB/Offst, 11.3 dB, Center 2.600 0 GHz, Span 80 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (401 pts).

Copyright 2000-2012 Agilent Technologies

**25.36. Occupied Bandwidth for SA(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	35.89	38.48	40	Pass



## 26. n41


26.1. Occupied Bandwidth for SA(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.56	9.08	10	Pass




**26.2. Occupied Bandwidth for SA(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.55	9.05	10	Pass



**26.3. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.54	9.01	10	Pass






**26.4. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.56	9	10	Pass




**26.5. Occupied Bandwidth for SA(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.55	8.99	10	Pass



**26.6. Occupied Bandwidth for SA(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.55	8.95	10	Pass




**26.7. Occupied Bandwidth for SA(NTNV)(Channel:500700, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	12.86	13.3	15	Pass




**26.8. Occupied Bandwidth for SA(NTNV)(Channel:500700, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	12.82	13.38	15	Pass




**26.9. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	12.87	13.31	15	Pass




**26.10. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	12.82	13.32	15	Pass



26.11. Occupied Bandwidth for SA(NTNV)(Channel:536496, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	12.82	13.28	15	Pass






**26.12. Occupied Bandwidth for SA(NTNV)(Channel:536496, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	12.83	13.38	15	Pass




**26.13. Occupied Bandwidth for SA(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	17.82	18.35	20	Pass




26.14. Occupied Bandwidth for SA(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	17.83	18.37	20	Pass




26.15. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	17.81	18.33	20	Pass



**26.16. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	17.83	18.35	20	Pass




26.17. Occupied Bandwidth for SA(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	17.8	18.39	20	Pass




**26.18. Occupied Bandwidth for SA(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	17.82	18.37	20	Pass



**26.19. Occupied Bandwidth for SA(NTNV)(Channel:501702, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:64, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2508.51	99	26	1	Peak	23.22	25.24	25	Pass






26.20. Occupied Bandwidth for SA(NTNV)(Channel:501702, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2508.51	99	26	1	Peak	23.21	25.24	25	Pass



26.21. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:64, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.21	25.14	25	Pass




26.22. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.22	25.31	25	Pass



**26.23. Occupied Bandwidth for SA(NTNV)(Channel:535500, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:64, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2677.5	99	26	1	Peak	23.22	25.29	25	Pass




**26.24. Occupied Bandwidth for SA(NTNV)(Channel:535500, Bandwidth:25, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2677.5	99	26	1	Peak	23.21	25.26	25	Pass



26.25. Occupied Bandwidth for SA(NTNV)(Channel:502704, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:90, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2513.52	99	26	1	Peak	32.44	34.57	35	Pass




**26.26. Occupied Bandwidth for SA(NTNV)(Channel:502704, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:90, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2513.52	99	26	1	Peak	32.34	34.71	35	Pass



26.27. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:90, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	32.39	34.61	35	Pass





26.28. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:90, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	32.39	34.71	35	Pass



**26.29. Occupied Bandwidth for SA(NTNV)(Channel:534498, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:90, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2672.49	99	26	1	Peak	32.38	34.68	35	Pass




**26.30. Occupied Bandwidth for SA(NTNV)(Channel:534498, Bandwidth:35, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:90, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2672.49	99	26	1	Peak	32.4	34.74	35	Pass




**26.31. Occupied Bandwidth for SA(NTNV)(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	35.89	38.27	40	Pass




26.32. Occupied Bandwidth for SA(NTNV)(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	35.82	38.3	40	Pass




**26.33. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	35.88	38.26	40	Pass




26.34. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	35.83	38.26	40	Pass



26.35. Occupied Bandwidth for SA(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	35.86	38.17	40	Pass





26.36. Occupied Bandwidth for SA(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	35.82	38.37	40	Pass




**26.37. Occupied Bandwidth for SA(NTNV)(Channel:503700, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:108, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2518.5	99	26	1	Peak	38.84	41.13	45	Pass




**26.38. Occupied Bandwidth for SA(NTNV)(Channel:503700, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2518.5	99	26	1	Peak	38.81	41.23	45	Pass




**26.39. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:108, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.8	41.2	45	Pass



**26.40. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.76	41.28	45	Pass




**26.41. Occupied Bandwidth for SA(NTNV)(Channel:533496, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:108, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2667.48	99	26	1	Peak	38.83	41.18	45	Pass




26.42. Occupied Bandwidth for SA(NTNV)(Channel:533496, Bandwidth:45, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2667.48	99	26	1	Peak	38.78	41.22	45	Pass



26.43. Occupied Bandwidth for SA(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	45.95	48.3	50	Pass






**26.44. Occupied Bandwidth for SA(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	45.76	48.35	50	Pass



**26.45. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	45.92	48.36	50	Pass




26.46. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	45.72	48.37	50	Pass




**26.47. Occupied Bandwidth for SA(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	45.94	48.35	50	Pass



26.48. Occupied Bandwidth for SA(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	45.74	48.35	50	Pass




26.49. Occupied Bandwidth for SA(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.83	60.59	60	Pass



**26.50. Occupied Bandwidth for SA(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.87	60.6	60	Pass



26.51. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.81	60.57	60	Pass





**26.52. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.84	60.64	60	Pass




**26.53. Occupied Bandwidth for SA(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.86	60.59	60	Pass



**26.54. Occupied Bandwidth for SA(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.91	60.5	60	Pass



26.55. Occupied Bandwidth for SA(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	64.37	66.95	70	Pass




26.56. Occupied Bandwidth for SA(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	64.2	67.03	70	Pass




**26.57. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	64.33	66.91	70	Pass




26.58. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	64.19	67.08	70	Pass



**26.59. Occupied Bandwidth for SA(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	64.36	66.97	70	Pass






26.60. Occupied Bandwidth for SA(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	64.27	67	70	Pass




26.61. Occupied Bandwidth for SA(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.1	79.94	80	Pass




26.62. Occupied Bandwidth for SA(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.03	80.13	80	Pass




**26.63. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	76.96	79.94	80	Pass




**26.64. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.04	80.09	80	Pass




**26.65. Occupied Bandwidth for SA(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.06	80.04	80	Pass




26.66. Occupied Bandwidth for SA(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.11	80.14	80	Pass



26.67. Occupied Bandwidth for SA(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	86.79	89.89	90	Pass





26.68. Occupied Bandwidth for SA(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	86.66	89.9	90	Pass




26.69. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	86.73	89.75	90	Pass



**26.70. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	86.6	89.87	90	Pass



26.71. Occupied Bandwidth for SA(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	86.79	89.76	90	Pass




26.72. Occupied Bandwidth for SA(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	86.75	89.9	90	Pass



**26.73. Occupied Bandwidth for SA(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	96.31	99.55	100	Pass




**26.74. Occupied Bandwidth for SA(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	96.43	99.72	100	Pass



**26.75. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	96.26	99.51	100	Pass





**26.76. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	96.39	99.67	100	Pass



**26.77. Occupied Bandwidth for SA(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	96.37	99.51	100	Pass

