



26.71. Occupied Bandwidth for SA(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2644.98 | 99 | 26 | 1 | Peak | 86.79 | 89.76 | 90 | Pass |




26.72. Occupied Bandwidth for SA(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2644.98 | 99 | 26 | 1 | Peak | 86.75 | 89.9 | 90 | Pass |




26.73. Occupied Bandwidth for SA(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2546.01 | 99 | 26 | 1 | Peak | 96.31 | 99.55 | 100 | Pass |




26.74. Occupied Bandwidth for SA(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2546.01 | 99 | 26 | 1 | Peak | 96.43 | 99.72 | 100 | Pass |




26.75. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2592.99 | 99 | 26 | 1 | Peak | 96.26 | 99.51 | 100 | Pass |




26.76. Occupied Bandwidth for SA(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2592.99 | 99 | 26 | 1 | Peak | 96.39 | 99.67 | 100 | Pass |




26.77. Occupied Bandwidth for SA(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2640 | 99 | 26 | 1 | Peak | 96.37 | 99.51 | 100 | Pass |



26.78. Occupied Bandwidth for SA(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2640 | 99 | 26 | 1 | Peak | 96.5 | 99.71 | 100 | Pass |



27. n66 15kHz


27.1. Occupied Bandwidth for SA(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1712.5 | 99 | 26 | 0.1 | Peak | 4.49 | 4.89 | 5 | Pass |




27.2. Occupied Bandwidth for SA(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1712.5 | 99 | 26 | 0.1 | Peak | 4.48 | 4.89 | 5 | Pass |




27.3. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.1 | Peak | 4.49 | 4.89 | 5 | Pass |




27.4. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.1 | Peak | 4.48 | 4.89 | 5 | Pass |




27.5. Occupied Bandwidth for SA(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1777.5 | 99 | 26 | 0.1 | Peak | 4.49 | 4.9 | 5 | Pass |



27.6. Occupied Bandwidth for SA(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1777.5 | 99 | 26 | 0.1 | Peak | 4.47 | 4.89 | 5 | Pass |




27.7. Occupied Bandwidth for SA(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1715 | 99 | 26 | 0.03 | Peak | 8.91 | 9.24 | 10 | Pass |




27.8. Occupied Bandwidth for SA(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1715 | 99 | 26 | 0.03 | Peak | 8.92 | 9.29 | 10 | Pass |




27.9. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.03 | Peak | 8.9 | 9.22 | 10 | Pass |




27.10. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.03 | Peak | 8.92 | 9.25 | 10 | Pass |




27.11. Occupied Bandwidth for SA(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1775 | 99 | 26 | 0.03 | Peak | 8.91 | 9.23 | 10 | Pass |




27.12. Occupied Bandwidth for SA(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1775 | 99 | 26 | 0.03 | Peak | 8.92 | 9.29 | 10 | Pass |




27.13. Occupied Bandwidth for SA(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1717.5 | 99 | 26 | 0.03 | Peak | 13.36 | 13.81 | 15 | Pass |




27.14. Occupied Bandwidth for SA(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1717.5 | 99 | 26 | 0.03 | Peak | 13.37 | 13.78 | 15 | Pass |




27.15. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.03 | Peak | 13.37 | 13.81 | 15 | Pass |




27.17. Occupied Bandwidth for SA(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1772.5 | 99 | 26 | 0.03 | Peak | 13.36 | 13.76 | 15 | Pass |




27.18. Occupied Bandwidth for SA(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1772.5 | 99 | 26 | 0.03 | Peak | 13.38 | 13.78 | 15 | Pass |




27.19. Occupied Bandwidth for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1720 | 99 | 26 | 0.03 | Peak | 17.85 | 18.3 | 20 | Pass |




27.20. Occupied Bandwidth for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1720 | 99 | 26 | 0.03 | Peak | 17.85 | 18.35 | 20 | Pass |




27.21. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.03 | Peak | 17.86 | 18.29 | 20 | Pass |




27.22. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 0.03 | Peak | 17.85 | 18.35 | 20 | Pass |




27.23. Occupied Bandwidth for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1770 | 99 | 26 | 0.03 | Peak | 17.85 | 18.32 | 20 | Pass |




27.24. Occupied Bandwidth for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1770 | 99 | 26 | 0.03 | Peak | 17.85 | 18.28 | 20 | Pass |




27.25. Occupied Bandwidth for SA(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1722.5 | 99 | 26 | 1 | Peak | 23.36 | 25.24 | 25 | Pass |




27.26. Occupied Bandwidth for SA(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1722.5 | 99 | 26 | 1 | Peak | 23.28 | 25.26 | 25 | Pass |




27.27. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 23.37 | 25.23 | 25 | Pass |




27.28. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 23.29 | 25.26 | 25 | Pass |




27.29. Occupied Bandwidth for SA(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1767.5 | 99 | 26 | 1 | Peak | 23.32 | 25.17 | 25 | Pass |




27.30. Occupied Bandwidth for SA(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1767.5 | 99 | 26 | 1 | Peak | 23.26 | 25.25 | 25 | Pass |




27.31. Occupied Bandwidth for SA(NTNV)(Channel:345000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1725 | 99 | 26 | 1 | Peak | 28.9 | 31.04 | 30 | Pass |




27.33. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 28.93 | 31.05 | 30 | Pass |




27.34. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 28.97 | 31.03 | 30 | Pass |



27.35. Occupied Bandwidth for SA(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1765 | 99 | 26 | 1 | Peak | 28.89 | 30.99 | 30 | Pass |




27.36. Occupied Bandwidth for SA(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1765 | 99 | 26 | 1 | Peak | 28.95 | 31.03 | 30 | Pass |




27.37. Occupied Bandwidth for SA(NTNV)(Channel:345500, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1727.5 | 99 | 26 | 1 | Peak | 32.4 | 34.6 | 35 | Pass |




27.38. Occupied Bandwidth for SA(NTNV)(Channel:345500, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1727.5 | 99 | 26 | 1 | Peak | 32.49 | 34.68 | 35 | Pass |




27.39. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 32.43 | 34.59 | 35 | Pass |




27.40. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 32.53 | 34.63 | 35 | Pass |




27.41. Occupied Bandwidth for SA(NTNV)(Channel:352500, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1762.5 | 99 | 26 | 1 | Peak | 32.4 | 34.55 | 35 | Pass |




27.42. Occupied Bandwidth for SA(NTNV)(Channel:352500, Bandwidth:35, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1762.5 | 99 | 26 | 1 | Peak | 32.5 | 34.63 | 35 | Pass |




27.44. Occupied Bandwidth for SA(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1730 | 99 | 26 | 1 | Peak | 38.72 | 41.11 | 40 | Pass |




27.45. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 38.73 | 41.08 | 40 | Pass |




27.47. Occupied Bandwidth for SA(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1760 | 99 | 26 | 1 | Peak | 38.7 | 41.07 | 40 | Pass |




27.48. Occupied Bandwidth for SA(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1760 | 99 | 26 | 1 | Peak | 38.74 | 41.11 | 40 | Pass |




27.49. Occupied Bandwidth for SA(NTNV)(Channel:346500, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1732.5 | 99 | 26 | 1 | Peak | 43 | 45.4 | 45 | Pass |




27.50. Occupied Bandwidth for SA(NTNV)(Channel:346500, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1732.5 | 99 | 26 | 1 | Peak | 42.98 | 45.39 | 45 | Pass |




27.51. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 43.08 | 45.4 | 45 | Pass |




27.52. Occupied Bandwidth for SA(NTNV)(Channel:349000, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1745 | 99 | 26 | 1 | Peak | 42.97 | 45.36 | 45 | Pass |




27.53. Occupied Bandwidth for SA(NTNV)(Channel:351500, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1757.5 | 99 | 26 | 1 | Peak | 43.03 | 45.38 | 45 | Pass |



27.54. Occupied Bandwidth for SA(NTNV)(Channel:351500, Bandwidth:45, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:240, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 1757.5 | 99 | 26 | 1 | Peak | 43.01 | 45.42 | 45 | Pass |



--BLANK BELOW--