



**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.76	-25	Pass	2986
30	1000	0.1	RMS	843.3	-64	-25	Pass	9701
1000	2475	1	RMS	2475	-50.54	-25	Pass	1476
2475	2735	1	RMS	2524.4	4.83	60	Pass	401
2735	3000	1	RMS	2956.938	-49.26	-25	Pass	401
3000	12000	1	RMS	11999	-51.37	-25	Pass	9002
12000	26000	1	RMS	25998	-37.68	-25	Pass	14002




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-25	Pass	2986
30	1000	0.1	RMS	852.502	-64.02	-25	Pass	9701
1000	2475	1	RMS	2474	-50.76	-25	Pass	1476
2475	2735	1	RMS	2538.05	9.17	60	Pass	401
2735	3000	1	RMS	2956.275	-49.23	-25	Pass	401
3000	12000	1	RMS	12000	-51.33	-25	Pass	9002
12000	26000	1	RMS	25991	-37.84	-25	Pass	14002




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-25	Pass	2986
30	1000	0.1	RMS	830.7	-63.88	-25	Pass	9701
1000	2475	1	RMS	2475	-50.7	-25	Pass	1476
2475	2735	1	RMS	2525.05	3.84	60	Pass	401
2735	3000	1	RMS	2956.938	-49.27	-25	Pass	401
3000	12000	1	RMS	11990	-51.3	-25	Pass	9002
12000	26000	1	RMS	25994	-37.75	-25	Pass	14002




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-25	Pass	2986
30	1000	0.1	RMS	854.203	-64.06	-25	Pass	9701
1000	2475	1	RMS	2473	-50.8	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.13	60	Pass	401
2735	3000	1	RMS	2958.925	-49.26	-25	Pass	401
3000	12000	1	RMS	11995	-51.3	-25	Pass	9002
12000	26000	1	RMS	25992	-37.73	-25	Pass	14002




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.08	-25	Pass	2986
30	1000	0.1	RMS	858.806	-64.05	-25	Pass	9701
1000	2475	1	RMS	2472	-50.81	-25	Pass	1476
2475	2735	1	RMS	2527.65	4.81	60	Pass	401
2735	3000	1	RMS	2949.65	-49.27	-25	Pass	401
3000	12000	1	RMS	11999	-51.27	-25	Pass	9002
12000	26000	1	RMS	25998	-37.84	-25	Pass	14002




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-25	Pass	2986
30	1000	0.1	RMS	876.618	-64.1	-25	Pass	9701
1000	2475	1	RMS	2471	-50.85	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.19	60	Pass	401
2735	3000	1	RMS	2957.6	-49.28	-25	Pass	401
3000	12000	1	RMS	11991	-51.34	-25	Pass	9002
12000	26000	1	RMS	25994	-37.69	-25	Pass	14002




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-25	Pass	2986
30	1000	0.1	RMS	839.2	-64.16	-25	Pass	9701
1000	2475	1	RMS	2474	-50.76	-25	Pass	1476
2475	2735	1	RMS	2527.65	3.81	60	Pass	401
2735	3000	1	RMS	2956.275	-49.28	-25	Pass	401
3000	12000	1	RMS	11998	-51.25	-25	Pass	9002
12000	26000	1	RMS	25996	-37.65	-25	Pass	14002




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.01	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.66	-25	Pass	2986
30	1000	0.1	RMS	857.105	-64.11	-25	Pass	9701
1000	2475	1	RMS	2471	-50.83	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.01	60	Pass	401
2735	3000	1	RMS	2958.263	-49.26	-25	Pass	401
3000	12000	1	RMS	11999	-51.35	-25	Pass	9002
12000	26000	1	RMS	25993	-37.8	-25	Pass	14002




**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-25	Pass	2986
30	1000	0.1	RMS	843	-63.97	-25	Pass	9701
1000	2475	1	RMS	2473	-50.75	-25	Pass	1476
2475	2735	1	RMS	2535.45	5.13	60	Pass	401
2735	3000	1	RMS	2954.288	-49.26	-25	Pass	401
3000	12000	1	RMS	11995	-51.3	-25	Pass	9002
12000	26000	1	RMS	25997	-37.78	-25	Pass	14002




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.86	-25	Pass	2986
30	1000	0.1	RMS	844.6	-64.11	-25	Pass	9701
1000	2475	1	RMS	2473	-50.81	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.87	60	Pass	401
2735	3000	1	RMS	2956.938	-49.26	-25	Pass	401
3000	12000	1	RMS	12000	-51.34	-25	Pass	9002
12000	26000	1	RMS	25991	-37.78	-25	Pass	14002



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-25	Pass	2986
30	1000	0.1	RMS	827.2	-63.89	-25	Pass	9701
1000	2475	1	RMS	2471	-50.82	-25	Pass	1476
2475	2735	1	RMS	2536.75	4.14	60	Pass	401
2735	3000	1	RMS	2956.938	-49.28	-25	Pass	401
3000	12000	1	RMS	11999	-51.34	-25	Pass	9002
12000	26000	1	RMS	25996	-37.67	-25	Pass	14002



21. CA_38C


**21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.49	-25	Pass	2986
30	1000	0.1	RMS	848.6	-60.04	-25	Pass	9701
1000	2525	1	RMS	2514	-45.61	-25	Pass	1526
2525	2665	1	RMS	2570.85	10.47	60	Pass	401
2665	3000	1	RMS	2953.938	-45.27	-25	Pass	401
3000	12000	1	RMS	11994	-51.33	-25	Pass	9002
12000	26500	1	RMS	26009	-37.55	-25	Pass	14502




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.03	-25	Pass	2986
30	1000	0.1	RMS	846	-60.01	-25	Pass	9701
1000	2525	1	RMS	2525	-44.61	-25	Pass	1526
2525	2665	1	RMS	2588.7	6.71	60	Pass	401
2665	3000	1	RMS	2957.288	-45.26	-25	Pass	401
3000	12000	1	RMS	11981	-51.34	-25	Pass	9002
12000	26500	1	RMS	26003	-37.59	-25	Pass	14502




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.07	-25	Pass	2986
30	1000	0.1	RMS	857.406	-60.09	-25	Pass	9701
1000	2525	1	RMS	2514	-45.12	-25	Pass	1526
2525	2665	1	RMS	2570.5	10.85	60	Pass	401
2665	3000	1	RMS	2957.288	-45.29	-25	Pass	401
3000	12000	1	RMS	11996	-51.33	-25	Pass	9002
12000	26500	1	RMS	25998	-37.62	-25	Pass	14502




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.86	-25	Pass	2986
30	1000	0.1	RMS	855.504	-60.18	-25	Pass	9701
1000	2525	1	RMS	2524	-45.85	-25	Pass	1526
2525	2665	1	RMS	2582.75	6.02	60	Pass	401
2665	3000	1	RMS	2950.588	-45.3	-25	Pass	401
3000	12000	1	RMS	11999	-51.29	-25	Pass	9002
12000	26500	1	RMS	26001	-37.55	-25	Pass	14502




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.89	-25	Pass	2986
30	1000	0.1	RMS	838.5	-60.1	-25	Pass	9701
1000	2525	1	RMS	2524	-45.4	-25	Pass	1526
2525	2665	1	RMS	2609	11.13	60	Pass	401
2665	3000	1	RMS	2956.45	-45.29	-25	Pass	401
3000	12000	1	RMS	11989	-51.3	-25	Pass	9002
12000	26500	1	RMS	25994	-37.62	-25	Pass	14502




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-25	Pass	2986
30	1000	0.1	RMS	850.301	-59.9	-25	Pass	9701
1000	2525	1	RMS	2524	-46.37	-25	Pass	1526
2525	2665	1	RMS	2586.95	6.62	60	Pass	401
2665	3000	1	RMS	2959.8	-45.29	-25	Pass	401
3000	12000	1	RMS	11987	-51.3	-25	Pass	9002
12000	26500	1	RMS	26001	-37.62	-25	Pass	14502




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-25	Pass	2986
30	1000	0.1	RMS	856.205	-60.14	-25	Pass	9701
1000	2525	1	RMS	2524	-46.43	-25	Pass	1526
2525	2665	1	RMS	2609	11.04	60	Pass	401
2665	3000	1	RMS	2957.288	-45.27	-25	Pass	401
3000	12000	1	RMS	11981	-51.38	-25	Pass	9002
12000	26500	1	RMS	26001	-37.54	-25	Pass	14502




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.45	-25	Pass	2986
30	1000	0.1	RMS	848.1	-60.12	-25	Pass	9701
1000	2525	1	RMS	2525	-46.63	-25	Pass	1526
2525	2665	1	RMS	2582.75	5.48	60	Pass	401
2665	3000	1	RMS	2954.775	-45.29	-25	Pass	401
3000	12000	1	RMS	12000	-51.33	-25	Pass	9002
12000	26500	1	RMS	25992	-37.67	-25	Pass	14502




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	Pass	2986
30	1000	0.1	RMS	857.005	-60.06	-25	Pass	9701
1000	2525	1	RMS	2500	-46.72	-25	Pass	1526
2525	2665	1	RMS	2590.45	10.73	60	Pass	401
2665	3000	1	RMS	2953.938	-45.27	-25	Pass	401
3000	12000	1	RMS	11999	-51.3	-25	Pass	9002
12000	26500	1	RMS	26008	-37.66	-25	Pass	14502




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-25	Pass	2986
30	1000	0.1	RMS	828.3	-59.98	-25	Pass	9701
1000	2525	1	RMS	2514	-46.73	-25	Pass	1526
2525	2665	1	RMS	2592.55	6.42	60	Pass	401
2665	3000	1	RMS	2951.425	-45.28	-25	Pass	401
3000	12000	1	RMS	11988	-51.39	-25	Pass	9002
12000	26500	1	RMS	26005	-37.62	-25	Pass	14502




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.73	-25	Pass	2986
30	1000	0.1	RMS	846.8	-60.2	-25	Pass	9701
1000	2525	1	RMS	2497	-46.73	-25	Pass	1526
2525	2665	1	RMS	2619.15	10.73	60	Pass	401
2665	3000	1	RMS	2952.263	-45.26	-25	Pass	401
3000	12000	1	RMS	12000	-51.33	-25	Pass	9002
12000	26500	1	RMS	26005	-37.55	-25	Pass	14502




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-25	Pass	2986
30	1000	0.1	RMS	819.7	-60.18	-25	Pass	9701
1000	2525	1	RMS	2502	-46.72	-25	Pass	1526
2525	2665	1	RMS	2596.05	5.35	60	Pass	401
2665	3000	1	RMS	2950.588	-45.3	-25	Pass	401
3000	12000	1	RMS	11994	-51.34	-25	Pass	9002
12000	26500	1	RMS	25997	-37.54	-25	Pass	14502




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.86	-25	Pass	2986
30	1000	0.1	RMS	834.6	-60.1	-25	Pass	9701
1000	2525	1	RMS	2496	-46.24	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.52	60	Pass	401
2665	3000	1	RMS	2950.588	-45.26	-25	Pass	401
3000	12000	1	RMS	11999	-51.24	-25	Pass	9002
12000	26500	1	RMS	26007	-37.56	-25	Pass	14502




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.24	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.7	-25	Pass	2986
30	1000	0.1	RMS	843.3	-59.96	-25	Pass	9701
1000	2525	1	RMS	2524	-42.15	-25	Pass	1526
2525	2665	1	RMS	2578.9	5.27	60	Pass	401
2665	3000	1	RMS	2665	-44.98	-25	Pass	401
3000	12000	1	RMS	11999	-51.35	-25	Pass	9002
12000	26500	1	RMS	25997	-37.58	-25	Pass	14502




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	Pass	2986
30	1000	0.1	RMS	831.6	-60	-25	Pass	9701
1000	2525	1	RMS	2496	-45.01	-25	Pass	1526
2525	2665	1	RMS	2571.2	10.63	60	Pass	401
2665	3000	1	RMS	2956.45	-45.28	-25	Pass	401
3000	12000	1	RMS	11999	-51.34	-25	Pass	9002
12000	26500	1	RMS	26011	-37.68	-25	Pass	14502




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.6	-25	Pass	2986
30	1000	0.1	RMS	834.1	-60.04	-25	Pass	9701
1000	2525	1	RMS	2524	-43.52	-25	Pass	1526
2525	2665	1	RMS	2579.25	4.71	60	Pass	401
2665	3000	1	RMS	2949.75	-45.28	-25	Pass	401
3000	12000	1	RMS	11997	-51.32	-25	Pass	9002
12000	26500	1	RMS	26010	-37.63	-25	Pass	14502




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69	-25	Pass	2986
30	1000	0.1	RMS	836	-60.15	-25	Pass	9701
1000	2525	1	RMS	2501	-45.88	-25	Pass	1526
2525	2665	1	RMS	2613.55	10.68	60	Pass	401
2665	3000	1	RMS	2953.938	-45.26	-25	Pass	401
3000	12000	1	RMS	11996	-51.3	-25	Pass	9002
12000	26500	1	RMS	26019	-37.69	-25	Pass	14502




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.26	-25	Pass	2986
30	1000	0.1	RMS	845.8	-60.06	-25	Pass	9701
1000	2525	1	RMS	2524	-43.34	-25	Pass	1526
2525	2665	1	RMS	2581.7	5.87	60	Pass	401
2665	3000	1	RMS	2665	-43.97	-25	Pass	401
3000	12000	1	RMS	11995	-51.33	-25	Pass	9002
12000	26500	1	RMS	26011	-37.56	-25	Pass	14502




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.8	-25	Pass	2986
30	1000	0.1	RMS	843.8	-59.99	-25	Pass	9701
1000	2525	1	RMS	2501	-45.47	-25	Pass	1526
2525	2665	1	RMS	2613.55	10.56	60	Pass	401
2665	3000	1	RMS	2959.8	-45.28	-25	Pass	401
3000	12000	1	RMS	12000	-51.38	-25	Pass	9002
12000	26500	1	RMS	25996	-37.67	-25	Pass	14502




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.8	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.99	-25	Pass	9701
1000	2525	1	RMS	2524	-44.45	-25	Pass	1526
2525	2665	1	RMS	2583.1	4.84	60	Pass	401
2665	3000	1	RMS	2665.838	-45.18	-25	Pass	401
3000	12000	1	RMS	12000	-51.32	-25	Pass	9002
12000	26500	1	RMS	26001	-37.6	-25	Pass	14502




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.13	-25	Pass	2986
30	1000	0.1	RMS	854.704	-60	-25	Pass	9701
1000	2525	1	RMS	2506	-46.21	-25	Pass	1526
2525	2665	1	RMS	2581.35	10.97	60	Pass	401
2665	3000	1	RMS	2956.45	-45.28	-25	Pass	401
3000	12000	1	RMS	11996	-51.32	-25	Pass	9002
12000	26500	1	RMS	26005	-37.7	-25	Pass	14502




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.69	-25	Pass	2986
30	1000	0.1	RMS	835.3	-60.06	-25	Pass	9701
1000	2525	1	RMS	2524	-44.44	-25	Pass	1526
2525	2665	1	RMS	2585.9	5.3	60	Pass	401
2665	3000	1	RMS	2665	-43.1	-25	Pass	401
3000	12000	1	RMS	11994	-51.37	-25	Pass	9002
12000	26500	1	RMS	26013	-37.64	-25	Pass	14502




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.67	-25	Pass	2986
30	1000	0.1	RMS	842	-60.07	-25	Pass	9701
1000	2525	1	RMS	2506	-46.13	-25	Pass	1526
2525	2665	1	RMS	2581	10.91	60	Pass	401
2665	3000	1	RMS	2956.45	-45.22	-25	Pass	401
3000	12000	1	RMS	11994	-51.35	-25	Pass	9002
12000	26500	1	RMS	26001	-37.63	-25	Pass	14502



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.68	-25	Pass	2986
30	1000	0.1	RMS	849.7	-60.09	-25	Pass	9701
1000	2525	1	RMS	2525	-45.42	-25	Pass	1526
2525	2665	1	RMS	2582.75	4.55	60	Pass	401
2665	3000	1	RMS	2665	-44.13	-25	Pass	401
3000	12000	1	RMS	11994	-51.33	-25	Pass	9002
12000	26500	1	RMS	26004	-37.5	-25	Pass	14502



22. CA_41C_full


**22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.99	-25	Pass	2986
30	1000	0.1	RMS	882.922	-59.43	-25	Pass	9701
1000	2475	1	RMS	2474	-43.59	-25	Pass	1476
2475	2735	1	RMS	2519.2	10.49	60	Pass	401
2735	3000	1	RMS	2870.813	-44.49	-25	Pass	401
3000	12000	1	RMS	10848	-47.76	-25	Pass	9002
12000	27000	1	RMS	25201	-34.16	-25	Pass	15002




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.15	-25	Pass	2986
30	1000	0.1	RMS	999.3	-59.45	-25	Pass	9701
1000	2475	1	RMS	2474	-46.01	-25	Pass	1476
2475	2735	1	RMS	2517.25	12.93	60	Pass	401
2735	3000	1	RMS	2867.5	-44.47	-25	Pass	401
3000	12000	1	RMS	10847	-47.76	-25	Pass	9002
12000	27000	1	RMS	25198	-34.07	-25	Pass	15002




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.94	-25	Pass	2986
30	1000	0.1	RMS	999.199	-59.29	-25	Pass	9701
1000	2475	1	RMS	2475	-43.57	-25	Pass	1476
2475	2735	1	RMS	2519.85	10.81	60	Pass	401
2735	3000	1	RMS	2869.488	-44.48	-25	Pass	401
3000	12000	1	RMS	10847	-47.72	-25	Pass	9002
12000	27000	1	RMS	25199	-34.12	-25	Pass	15002




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.11	-25	Pass	2986
30	1000	0.1	RMS	999.6	-59.39	-25	Pass	9701
1000	2475	1	RMS	2475	-45.44	-25	Pass	1476
2475	2735	1	RMS	2517.9	11.4	60	Pass	401
2735	3000	1	RMS	2868.825	-44.45	-25	Pass	401
3000	12000	1	RMS	8899	-47.69	-25	Pass	9002
12000	27000	1	RMS	25197	-34.14	-25	Pass	15002




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.28	-25	Pass	2986
30	1000	0.1	RMS	991.394	-59.4	-25	Pass	9701
1000	2475	1	RMS	2466	-46.49	-25	Pass	1476
2475	2735	1	RMS	2580.95	10.71	60	Pass	401
2735	3000	1	RMS	2870.15	-44.45	-25	Pass	401
3000	12000	1	RMS	8900	-47.71	-25	Pass	9002
12000	27000	1	RMS	25201	-34.07	-25	Pass	15002




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.71	-25	Pass	2986
30	1000	0.1	RMS	995.897	-59.24	-25	Pass	9701
1000	2475	1	RMS	2471	-46.52	-25	Pass	1476
2475	2735	1	RMS	2601.75	12.07	60	Pass	401
2735	3000	1	RMS	2874.125	-44.47	-25	Pass	401
3000	12000	1	RMS	10855	-47.77	-25	Pass	9002
12000	27000	1	RMS	25201	-34.15	-25	Pass	15002




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.31	-25	Pass	2986
30	1000	0.1	RMS	989.693	-59.39	-25	Pass	9701
1000	2475	1	RMS	2475	-46.54	-25	Pass	1476
2475	2735	1	RMS	2581.6	11.02	60	Pass	401
2735	3000	1	RMS	2870.813	-44.44	-25	Pass	401
3000	12000	1	RMS	8901	-47.72	-25	Pass	9002
12000	27000	1	RMS	25199	-34.1	-25	Pass	15002




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.05	-25	Pass	2986
30	1000	0.1	RMS	997.698	-59.42	-25	Pass	9701
1000	2475	1	RMS	2472	-46.56	-25	Pass	1476
2475	2735	1	RMS	2601.75	11.48	60	Pass	401
2735	3000	1	RMS	2868.825	-44.48	-25	Pass	401
3000	12000	1	RMS	10852	-47.71	-25	Pass	9002
12000	27000	1	RMS	25204	-34.14	-25	Pass	15002




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.53	-25	Pass	2986
30	1000	0.1	RMS	889.127	-59.45	-25	Pass	9701
1000	2475	1	RMS	2470	-46.56	-25	Pass	1476
2475	2735	1	RMS	2665.45	10.58	60	Pass	401
2735	3000	1	RMS	2869.488	-44.43	-25	Pass	401
3000	12000	1	RMS	10846	-47.77	-25	Pass	9002
12000	27000	1	RMS	25190	-34.18	-25	Pass	15002




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.24	-25	Pass	2986
30	1000	0.1	RMS	887.826	-59.43	-25	Pass	9701
1000	2475	1	RMS	2473	-46.54	-25	Pass	1476
2475	2735	1	RMS	2685.6	12.27	60	Pass	401
2735	3000	1	RMS	2870.813	-44.42	-25	Pass	401
3000	12000	1	RMS	10851	-47.79	-25	Pass	9002
12000	27000	1	RMS	25203	-34.15	-25	Pass	15002




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.04	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.54	-25	Pass	2986
30	1000	0.1	RMS	989.593	-59.32	-25	Pass	9701
1000	2475	1	RMS	2471	-46.53	-25	Pass	1476
2475	2735	1	RMS	2665.45	10.77	60	Pass	401
2735	3000	1	RMS	2870.813	-44.45	-25	Pass	401
3000	12000	1	RMS	8901	-47.72	-25	Pass	9002
12000	27000	1	RMS	25203	-34.05	-25	Pass	15002




**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.23	-25	Pass	2986
30	1000	0.1	RMS	990.894	-59.42	-25	Pass	9701
1000	2475	1	RMS	2472	-46.51	-25	Pass	1476
2475	2735	1	RMS	2685.6	10.7	60	Pass	401
2735	3000	1	RMS	2872.138	-44.45	-25	Pass	401
3000	12000	1	RMS	8903	-47.59	-25	Pass	9002
12000	27000	1	RMS	25191	-34.12	-25	Pass	15002




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.59	-25	Pass	2986
30	1000	0.1	RMS	997.498	-59.46	-25	Pass	9701
1000	2475	1	RMS	2475	-46.53	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.81	60	Pass	401
2735	3000	1	RMS	2868.825	-44.42	-25	Pass	401
3000	12000	1	RMS	10851	-47.7	-25	Pass	9002
12000	27000	1	RMS	25198	-34.08	-25	Pass	15002




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.34	-25	Pass	2986
30	1000	0.1	RMS	995.297	-59.38	-25	Pass	9701
1000	2475	1	RMS	2475	-43.57	-25	Pass	1476
2475	2735	1	RMS	2522.45	6.51	60	Pass	401
2735	3000	1	RMS	2868.825	-44.43	-25	Pass	401
3000	12000	1	RMS	10848	-47.68	-25	Pass	9002
12000	27000	1	RMS	25197	-34.1	-25	Pass	15002




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.27	-25	Pass	2986
30	1000	0.1	RMS	874.317	-59.45	-25	Pass	9701
1000	2475	1	RMS	2474	-46.5	-25	Pass	1476
2475	2735	1	RMS	2534.15	11.53	60	Pass	401
2735	3000	1	RMS	2867.5	-44.41	-25	Pass	401
3000	12000	1	RMS	10849	-47.75	-25	Pass	9002
12000	27000	1	RMS	25203	-34.08	-25	Pass	15002




**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.59	-25	Pass	2986
30	1000	0.1	RMS	1000	-59.4	-25	Pass	9701
1000	2475	1	RMS	2475	-44.02	-25	Pass	1476
2475	2735	1	RMS	2519.85	5.73	60	Pass	401
2735	3000	1	RMS	2870.813	-44.46	-25	Pass	401
3000	12000	1	RMS	8905	-47.76	-25	Pass	9002
12000	27000	1	RMS	25193	-34.19	-25	Pass	15002




**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.03	-25	Pass	2986
30	1000	0.1	RMS	994.997	-59.38	-25	Pass	9701
1000	2475	1	RMS	2465	-46.54	-25	Pass	1476
2475	2735	1	RMS	2573.8	11.47	60	Pass	401
2735	3000	1	RMS	2867.5	-44.45	-25	Pass	401
3000	12000	1	RMS	10852	-47.72	-25	Pass	9002
12000	27000	1	RMS	25200	-34.11	-25	Pass	15002




**22.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.13	-25	Pass	2986
30	1000	0.1	RMS	995.997	-59.31	-25	Pass	9701
1000	2475	1	RMS	2474	-46.56	-25	Pass	1476
2475	2735	1	RMS	2595.9	6.05	60	Pass	401
2735	3000	1	RMS	2869.488	-44.45	-25	Pass	401
3000	12000	1	RMS	10849	-47.72	-25	Pass	9002
12000	27000	1	RMS	25199	-34.01	-25	Pass	15002




**22.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.08	-25	Pass	2986
30	1000	0.1	RMS	999.3	-59.18	-25	Pass	9701
1000	2475	1	RMS	2471	-46.49	-25	Pass	1476
2475	2735	1	RMS	2573.8	10.46	60	Pass	401
2735	3000	1	RMS	2870.15	-44.45	-25	Pass	401
3000	12000	1	RMS	10850	-47.72	-25	Pass	9002
12000	27000	1	RMS	25201	-34.09	-25	Pass	15002




**22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.16	-25	Pass	2986
30	1000	0.1	RMS	997.598	-59.38	-25	Pass	9701
1000	2475	1	RMS	2471	-46.51	-25	Pass	1476
2475	2735	1	RMS	2595.25	5.81	60	Pass	401
2735	3000	1	RMS	2868.163	-44.43	-25	Pass	401
3000	12000	1	RMS	8901	-47.67	-25	Pass	9002
12000	27000	1	RMS	25203	-34.21	-25	Pass	15002




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.84	-25	Pass	2986
30	1000	0.1	RMS	996.998	-59.3	-25	Pass	9701
1000	2475	1	RMS	2474	-46.51	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.67	60	Pass	401
2735	3000	1	RMS	2874.788	-44.44	-25	Pass	401
3000	12000	1	RMS	10851	-47.73	-25	Pass	9002
12000	27000	1	RMS	25201	-34.09	-25	Pass	15002




**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.64	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.4	-25	Pass	2986
30	1000	0.1	RMS	995.497	-59.44	-25	Pass	9701
1000	2475	1	RMS	2473	-46.52	-25	Pass	1476
2475	2735	1	RMS	2657.65	6.47	60	Pass	401
2735	3000	1	RMS	2868.825	-44.44	-25	Pass	401
3000	12000	1	RMS	8905	-47.72	-25	Pass	9002
12000	27000	1	RMS	25201	-34.09	-25	Pass	15002




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.98	-25	Pass	2986
30	1000	0.1	RMS	883.022	-59.32	-25	Pass	9701
1000	2475	1	RMS	2471	-46.57	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.09	60	Pass	401
2735	3000	1	RMS	2871.475	-44.45	-25	Pass	401
3000	12000	1	RMS	8898	-47.74	-25	Pass	9002
12000	27000	1	RMS	25200	-34.22	-25	Pass	15002



**22.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.49	-25	Pass	2986
30	1000	0.1	RMS	1000	-59.42	-25	Pass	9701
1000	2475	1	RMS	2474	-46.53	-25	Pass	1476
2475	2735	1	RMS	2658.3	4.77	60	Pass	401
2735	3000	1	RMS	2868.825	-44.44	-25	Pass	401
3000	12000	1	RMS	11701	-47.77	-25	Pass	9002
12000	27000	1	RMS	25190	-34.07	-25	Pass	15002



23. n5


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.29	-13	Pass	2986
30	814	0.1	RMS	739.4	-64.21	-13	Pass	7841
814	859	0.1	RMS	825.9	9.92	60	Pass	451
859	1000	0.1	RMS	999.9	-63.92	-13	Pass	1411
1000	3000	1	RMS	2868	-48.76	-13	Pass	2001
3000	10000	1	RMS	8900	-58.44	-13	Pass	7001




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2986
30	814	0.1	RMS	736.6	-64.12	-13	Pass	7841
814	859	0.1	RMS	826.9	9.81	60	Pass	451
859	1000	0.1	RMS	894.3	-63.69	-13	Pass	1411
1000	3000	1	RMS	2867	-48.76	-13	Pass	2001
3000	10000	1	RMS	8911	-58.49	-13	Pass	7001




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2986
30	814	0.1	RMS	732.3	-64.16	-13	Pass	7841
814	859	0.1	RMS	835.9	10.01	60	Pass	451
859	1000	0.1	RMS	883	-63.69	-13	Pass	1411
1000	3000	1	RMS	2870	-48.7	-13	Pass	2001
3000	10000	1	RMS	8901	-58.45	-13	Pass	7001




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.5	-13	Pass	2986
30	814	0.1	RMS	748.7	-64.24	-13	Pass	7841
814	859	0.1	RMS	836.1	9.92	60	Pass	451
859	1000	0.1	RMS	878.8	-63.68	-13	Pass	1411
1000	3000	1	RMS	2869	-48.68	-13	Pass	2001
3000	10000	1	RMS	8901	-58.48	-13	Pass	7001




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	814	0.1	RMS	733.9	-64.19	-13	Pass	7841
814	859	0.1	RMS	845.9	10.2	60	Pass	451
859	1000	0.1	RMS	887.2	-63.8	-13	Pass	1411
1000	3000	1	RMS	2870	-48.79	-13	Pass	2001
3000	10000	1	RMS	8901	-58.4	-13	Pass	7001




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.63	-13	Pass	2986
30	814	0.1	RMS	749.8	-64.15	-13	Pass	7841
814	859	0.1	RMS	845.4	10.09	60	Pass	451
859	1000	0.1	RMS	904.3	-63.8	-13	Pass	1411
1000	3000	1	RMS	2868	-48.81	-13	Pass	2001
3000	10000	1	RMS	8902	-58.49	-13	Pass	7001




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.93	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.35	-13	Pass	7841
814	859	0.1	RMS	830.8	5.14	60	Pass	451
859	1000	0.1	RMS	905	-63.75	-13	Pass	1411
1000	3000	1	RMS	2870	-48.77	-13	Pass	2001
3000	10000	1	RMS	8899	-58.49	-13	Pass	7001




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.44	-13	Pass	7841
814	859	0.1	RMS	832.3	5.34	60	Pass	451
859	1000	0.1	RMS	902.6	-63.82	-13	Pass	1411
1000	3000	1	RMS	2868	-48.79	-13	Pass	2001
3000	10000	1	RMS	8899	-58.34	-13	Pass	7001




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.57	-13	Pass	2986
30	814	0.1	RMS	814	-63.43	-13	Pass	7841
814	859	0.1	RMS	834.4	5.45	60	Pass	451
859	1000	0.1	RMS	876	-63.85	-13	Pass	1411
1000	3000	1	RMS	2869	-48.75	-13	Pass	2001
3000	10000	1	RMS	8904	-58.45	-13	Pass	7001




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.55	-13	Pass	2986
30	814	0.1	RMS	814	-62.66	-13	Pass	7841
814	859	0.1	RMS	834.5	5.31	60	Pass	451
859	1000	0.1	RMS	996.6	-63.61	-13	Pass	1411
1000	3000	1	RMS	2870	-48.8	-13	Pass	2001
3000	10000	1	RMS	8901	-58.48	-13	Pass	7001




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.8	-13	Pass	2986
30	814	0.1	RMS	739.1	-64.18	-13	Pass	7841
814	859	0.1	RMS	843.7	5.33	60	Pass	451
859	1000	0.1	RMS	890.6	-63.87	-13	Pass	1411
1000	3000	1	RMS	2868	-48.78	-13	Pass	2001
3000	10000	1	RMS	8899	-58.46	-13	Pass	7001




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	814	0.1	RMS	732.9	-64.18	-13	Pass	7841
814	859	0.1	RMS	843.9	5.51	60	Pass	451
859	1000	0.1	RMS	907.6	-63.76	-13	Pass	1411
1000	3000	1	RMS	2877	-48.77	-13	Pass	2001
3000	10000	1	RMS	8901	-58.42	-13	Pass	7001




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	814	0.1	RMS	813.4	-54.8	-13	Pass	7841
814	859	0.1	RMS	833.3	3.9	60	Pass	451
859	1000	0.1	RMS	894.1	-63.9	-13	Pass	1411
1000	3000	1	RMS	2872	-48.74	-13	Pass	2001
3000	10000	1	RMS	8903	-58.48	-13	Pass	7001




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-13	Pass	2986
30	814	0.1	RMS	813.4	-51.41	-13	Pass	7841
814	859	0.1	RMS	833.2	3.98	60	Pass	451
859	1000	0.1	RMS	893.8	-63.74	-13	Pass	1411
1000	3000	1	RMS	2870	-48.78	-13	Pass	2001
3000	10000	1	RMS	8901	-58.45	-13	Pass	7001




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	814	0.1	RMS	814	-58.89	-13	Pass	7841
814	859	0.1	RMS	833.3	3.89	60	Pass	451
859	1000	0.1	RMS	894.2	-63.78	-13	Pass	1411
1000	3000	1	RMS	2873	-48.8	-13	Pass	2001
3000	10000	1	RMS	8894	-58.51	-13	Pass	7001




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.57	-13	Pass	2986
30	814	0.1	RMS	814	-56.77	-13	Pass	7841
814	859	0.1	RMS	833	3.96	60	Pass	451
859	1000	0.1	RMS	911.5	-63.83	-13	Pass	1411
1000	3000	1	RMS	2869	-48.75	-13	Pass	2001
3000	10000	1	RMS	8903	-58.47	-13	Pass	7001




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.46	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.14	-13	Pass	7841
814	859	0.1	RMS	842.7	3.92	60	Pass	451
859	1000	0.1	RMS	900.7	-63.77	-13	Pass	1411
1000	3000	1	RMS	2869	-48.78	-13	Pass	2001
3000	10000	1	RMS	8902	-58.54	-13	Pass	7001



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.7	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.1	-13	Pass	7841
814	859	0.1	RMS	834.8	3.98	60	Pass	451
859	1000	0.1	RMS	889.4	-63.82	-13	Pass	1411
1000	3000	1	RMS	2878	-48.78	-13	Pass	2001
3000	10000	1	RMS	8902	-58.41	-13	Pass	7001



24. n7


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	Pass	2986
30	1000	0.1	RMS	883.523	-63.68	-25	Pass	9701
1000	2490	1	RMS	2489	-50.51	-25	Pass	1491
2490	2580	1	RMS	2502.15	18.98	60	Pass	401
2580	3000	1	RMS	2869	-48.79	-25	Pass	421
3000	6500	1	RMS	6208	-63.31	-25	Pass	3501
6500	26000	1	RMS	25197	-49.48	-25	Pass	19503




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-25	Pass	2986
30	1000	0.1	RMS	888.126	-63.56	-25	Pass	9701
1000	2490	1	RMS	2490	-50.49	-25	Pass	1491
2490	2580	1	RMS	2502.375	18.91	60	Pass	401
2580	3000	1	RMS	2871	-48.78	-25	Pass	421
3000	6500	1	RMS	6220	-63.22	-25	Pass	3501
6500	26000	1	RMS	25203	-49.43	-25	Pass	19503




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-25	Pass	2986
30	1000	0.1	RMS	896.932	-63.71	-25	Pass	9701
1000	2490	1	RMS	2489	-50.64	-25	Pass	1491
2490	2580	1	RMS	2534.55	18.96	60	Pass	401
2580	3000	1	RMS	2870	-48.8	-25	Pass	421
3000	6500	1	RMS	6202	-63.28	-25	Pass	3501
6500	26000	1	RMS	25201	-49.45	-25	Pass	19503




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.64	-25	Pass	2986
30	1000	0.1	RMS	886.525	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-50.64	-25	Pass	1491
2490	2580	1	RMS	2534.775	18.91	60	Pass	401
2580	3000	1	RMS	2870	-48.81	-25	Pass	421
3000	6500	1	RMS	6209	-63.27	-25	Pass	3501
6500	26000	1	RMS	25199	-49.46	-25	Pass	19503




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-25	Pass	2986
30	1000	0.1	RMS	988.592	-63.73	-25	Pass	9701
1000	2490	1	RMS	2490	-50.61	-25	Pass	1491
2490	2580	1	RMS	2566.95	18.94	60	Pass	401
2580	3000	1	RMS	2870	-48.79	-25	Pass	421
3000	6500	1	RMS	5136	-63.23	-25	Pass	3501
6500	26000	1	RMS	25201	-49.46	-25	Pass	19503




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-25	Pass	2986
30	1000	0.1	RMS	886.325	-63.89	-25	Pass	9701
1000	2490	1	RMS	2490	-50.64	-25	Pass	1491
2490	2580	1	RMS	2567.175	18.86	60	Pass	401
2580	3000	1	RMS	2868	-48.8	-25	Pass	421
3000	6500	1	RMS	5135	-63.2	-25	Pass	3501
6500	26000	1	RMS	25201	-49.31	-25	Pass	19503




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-25	Pass	2986
30	1000	0.1	RMS	905.437	-63.77	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2515.875	12.21	60	Pass	401
2580	3000	1	RMS	2871	-48.76	-25	Pass	421
3000	6500	1	RMS	6220	-63.23	-25	Pass	3501
6500	26000	1	RMS	25206	-49.38	-25	Pass	19503




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.48	-25	Pass	2986
30	1000	0.1	RMS	911.742	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-46.32	-25	Pass	1491
2490	2580	1	RMS	2513.4	12.17	60	Pass	401
2580	3000	1	RMS	2870	-48.8	-25	Pass	421
3000	6500	1	RMS	6216	-63.25	-25	Pass	3501
6500	26000	1	RMS	25201	-49.44	-25	Pass	19503




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-25	Pass	2986
30	1000	0.1	RMS	900.634	-63.75	-25	Pass	9701
1000	2490	1	RMS	2486	-50.6	-25	Pass	1491
2490	2580	1	RMS	2530.95	11.84	60	Pass	401
2580	3000	1	RMS	2868	-48.77	-25	Pass	421
3000	6500	1	RMS	6220	-63.22	-25	Pass	3501
6500	26000	1	RMS	25201	-49.37	-25	Pass	19503




**24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-25	Pass	2986
30	1000	0.1	RMS	902.235	-63.79	-25	Pass	9701
1000	2490	1	RMS	2490	-50.53	-25	Pass	1491
2490	2580	1	RMS	2535.9	11.96	60	Pass	401
2580	3000	1	RMS	2869	-48.79	-25	Pass	421
3000	6500	1	RMS	6219	-63.24	-25	Pass	3501
6500	26000	1	RMS	25194	-49.38	-25	Pass	19503




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.78	-25	Pass	2986
30	1000	0.1	RMS	890.327	-63.83	-25	Pass	9701
1000	2490	1	RMS	2488	-50.68	-25	Pass	1491
2490	2580	1	RMS	2552.325	11.84	60	Pass	401
2580	3000	1	RMS	2581	-47.98	-25	Pass	421
3000	6500	1	RMS	6220	-63.27	-25	Pass	3501
6500	26000	1	RMS	25199	-49.48	-25	Pass	19503




**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-25	Pass	2986
30	1000	0.1	RMS	890.828	-63.68	-25	Pass	9701
1000	2490	1	RMS	2488	-50.72	-25	Pass	1491
2490	2580	1	RMS	2552.1	12.01	60	Pass	401
2580	3000	1	RMS	2580	-46.93	-25	Pass	421
3000	6500	1	RMS	6219	-63.23	-25	Pass	3501
6500	26000	1	RMS	25197	-49.41	-25	Pass	19503




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-25	Pass	2986
30	1000	0.1	RMS	901.435	-63.75	-25	Pass	9701
1000	2490	1	RMS	2490	-43.11	-25	Pass	1491
2490	2580	1	RMS	2521.05	8.74	60	Pass	401
2580	3000	1	RMS	2872	-48.82	-25	Pass	421
3000	6500	1	RMS	6216	-63.26	-25	Pass	3501
6500	26000	1	RMS	25201	-49.41	-25	Pass	19503




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.83	-25	Pass	2986
30	1000	0.1	RMS	900.734	-63.75	-25	Pass	9701
1000	2490	1	RMS	2490	-40.01	-25	Pass	1491
2490	2580	1	RMS	2527.35	8.77	60	Pass	401
2580	3000	1	RMS	2869	-48.8	-25	Pass	421
3000	6500	1	RMS	6220	-63.26	-25	Pass	3501
6500	26000	1	RMS	25202	-49.37	-25	Pass	19503




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.84	-25	Pass	2986
30	1000	0.1	RMS	893.63	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-47.28	-25	Pass	1491
2490	2580	1	RMS	2526.45	8.78	60	Pass	401
2580	3000	1	RMS	2580	-48.39	-25	Pass	421
3000	6500	1	RMS	6219	-63.22	-25	Pass	3501
6500	26000	1	RMS	25199	-49.41	-25	Pass	19503




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-25	Pass	2986
30	1000	0.1	RMS	889.026	-63.9	-25	Pass	9701
1000	2490	1	RMS	2490	-46.61	-25	Pass	1491
2490	2580	1	RMS	2529.6	8.7	60	Pass	401
2580	3000	1	RMS	2580	-47.74	-25	Pass	421
3000	6500	1	RMS	6220	-63.29	-25	Pass	3501
6500	26000	1	RMS	25201	-49.41	-25	Pass	19503




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-25	Pass	2986
30	1000	0.1	RMS	903.436	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-49.54	-25	Pass	1491
2490	2580	1	RMS	2536.35	8.75	60	Pass	401
2580	3000	1	RMS	2580	-45.32	-25	Pass	421
3000	6500	1	RMS	6220	-63.24	-25	Pass	3501
6500	26000	1	RMS	25201	-49.27	-25	Pass	19503



**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-25	Pass	2986
30	1000	0.1	RMS	891.928	-63.75	-25	Pass	9701
1000	2490	1	RMS	2490	-48.64	-25	Pass	1491
2490	2580	1	RMS	2533.65	8.7	60	Pass	401
2580	3000	1	RMS	2580	-42.36	-25	Pass	421
3000	6500	1	RMS	6207	-63.28	-25	Pass	3501
6500	26000	1	RMS	25200	-49.4	-25	Pass	19503



25. n38_PC3


**25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.3	-25	Pass	2986
30	1000	0.1	RMS	911.241	-61.15	-25	Pass	9701
1000	2560	1	RMS	2560	-49.18	-25	Pass	1561
2560	2630	1	RMS	2574.175	16.58	60	Pass	401
2630	3000	1	RMS	2884.375	-48.77	-25	Pass	401
3000	6500	1	RMS	5148	-61.62	-25	Pass	3501
6500	27000	1	RMS	25189	-48.8	-25	Pass	20503




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	Pass	2986
30	1000	0.1	RMS	909.34	-61.01	-25	Pass	9701
1000	2560	1	RMS	2560	-49.28	-25	Pass	1561
2560	2630	1	RMS	2574.175	16.46	60	Pass	401
2630	3000	1	RMS	2871.425	-48.75	-25	Pass	401
3000	6500	1	RMS	5150	-62.4	-25	Pass	3501
6500	27000	1	RMS	25199	-48.74	-25	Pass	20503




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.85	-25	Pass	2986
30	1000	0.1	RMS	972.882	-61.4	-25	Pass	9701
1000	2560	1	RMS	2548	-50.35	-25	Pass	1561
2560	2630	1	RMS	2594.475	16.63	60	Pass	401
2630	3000	1	RMS	2865.875	-48.69	-25	Pass	401
3000	6500	1	RMS	5192	-61.76	-25	Pass	3501
6500	27000	1	RMS	18255	-48.79	-25	Pass	20503




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.37	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.35	-25	Pass	2986
30	1000	0.1	RMS	867.312	-61.05	-25	Pass	9701
1000	2560	1	RMS	2527	-50.33	-25	Pass	1561
2560	2630	1	RMS	2593.775	16.54	60	Pass	401
2630	3000	1	RMS	2875.125	-48.79	-25	Pass	401
3000	6500	1	RMS	5189	-61.99	-25	Pass	3501
6500	27000	1	RMS	25200	-48.42	-25	Pass	20503




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.46	-69.48	-25	Pass	2986
30	1000	0.1	RMS	956.571	-61.74	-25	Pass	9701
1000	2560	1	RMS	2511	-50.11	-25	Pass	1561
2560	2630	1	RMS	2614.6	16.66	60	Pass	401
2630	3000	1	RMS	2863.1	-48.82	-25	Pass	401
3000	6500	1	RMS	5228	-61.2	-25	Pass	3501
6500	27000	1	RMS	25474	-48.27	-25	Pass	20503




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.19	-25	Pass	2986
30	1000	0.1	RMS	995.897	-61.41	-25	Pass	9701
1000	2560	1	RMS	2507	-50.2	-25	Pass	1561
2560	2630	1	RMS	2613.725	16.51	60	Pass	401
2630	3000	1	RMS	2866.8	-48.71	-25	Pass	401
3000	6500	1	RMS	5230	-62.03	-25	Pass	3501
6500	27000	1	RMS	25203	-48.67	-25	Pass	20503




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.67	-25	Pass	2986
30	1000	0.1	RMS	969.78	-61.44	-25	Pass	9701
1000	2560	1	RMS	2560	-47.16	-25	Pass	1561
2560	2630	1	RMS	2581.175	13.4	60	Pass	401
2630	3000	1	RMS	2870.5	-48.69	-25	Pass	401
3000	6500	1	RMS	5155	-62.41	-25	Pass	3501
6500	27000	1	RMS	25201	-48.73	-25	Pass	20503




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.21	-25	Pass	2986
30	1000	0.1	RMS	948.266	-61.64	-25	Pass	9701
1000	2560	1	RMS	2560	-44.39	-25	Pass	1561
2560	2630	1	RMS	2579.425	13.42	60	Pass	401
2630	3000	1	RMS	2867.725	-48.74	-25	Pass	401
3000	6500	1	RMS	6220	-63	-25	Pass	3501
6500	27000	1	RMS	18304	-48.94	-25	Pass	20503




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.83	-25	Pass	2986
30	1000	0.1	RMS	907.138	-61.06	-25	Pass	9701
1000	2560	1	RMS	2528	-50.29	-25	Pass	1561
2560	2630	1	RMS	2596.05	13.46	60	Pass	401
2630	3000	1	RMS	2868.65	-48.76	-25	Pass	401
3000	6500	1	RMS	5185	-62.21	-25	Pass	3501
6500	27000	1	RMS	25196	-48.48	-25	Pass	20503




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2986
30	1000	0.1	RMS	998.499	-61.45	-25	Pass	9701
1000	2560	1	RMS	2534	-50.33	-25	Pass	1561
2560	2630	1	RMS	2594.3	13.43	60	Pass	401
2630	3000	1	RMS	2869.575	-48.77	-25	Pass	401
3000	6500	1	RMS	5191	-62.8	-25	Pass	3501
6500	27000	1	RMS	25212	-48.77	-25	Pass	20503




**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.49	-25	Pass	2986
30	1000	0.1	RMS	999.3	-61.32	-25	Pass	9701
1000	2560	1	RMS	2520	-50.12	-25	Pass	1561
2560	2630	1	RMS	2607.075	13.46	60	Pass	401
2630	3000	1	RMS	2630	-47.26	-25	Pass	401
3000	6500	1	RMS	5224	-60.61	-25	Pass	3501
6500	27000	1	RMS	25200	-48.58	-25	Pass	20503




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.87	-25	Pass	2986
30	1000	0.1	RMS	877.919	-61.3	-25	Pass	9701
1000	2560	1	RMS	2514	-50.18	-25	Pass	1561
2560	2630	1	RMS	2610.575	13.5	60	Pass	401
2630	3000	1	RMS	2630	-45.07	-25	Pass	401
3000	6500	1	RMS	5220	-62.06	-25	Pass	3501
6500	27000	1	RMS	18197	-48.74	-25	Pass	20503




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.91	-25	Pass	2986
30	1000	0.1	RMS	888.726	-61.09	-25	Pass	9701
1000	2560	1	RMS	2560	-44.65	-25	Pass	1561
2560	2630	1	RMS	2589.4	10.6	60	Pass	401
2630	3000	1	RMS	2868.65	-48.72	-25	Pass	401
3000	6500	1	RMS	5187	-62.21	-25	Pass	3501
6500	27000	1	RMS	25187	-48.78	-25	Pass	20503




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.87	-70.54	-25	Pass	2986
30	1000	0.1	RMS	872.516	-61.29	-25	Pass	9701
1000	2560	1	RMS	2560	-41.84	-25	Pass	1561
2560	2630	1	RMS	2583.275	10.47	60	Pass	401
2630	3000	1	RMS	2630	-47.15	-25	Pass	401
3000	6500	1	RMS	6220	-62.69	-25	Pass	3501
6500	27000	1	RMS	17594	-48.56	-25	Pass	20503




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-25	Pass	2986
30	1000	0.1	RMS	951.968	-61.43	-25	Pass	9701
1000	2560	1	RMS	2559	-45.87	-25	Pass	1561
2560	2630	1	RMS	2594.3	10.62	60	Pass	401
2630	3000	1	RMS	2630	-46.81	-25	Pass	401
3000	6500	1	RMS	5197	-62.21	-25	Pass	3501
6500	27000	1	RMS	25182	-48.82	-25	Pass	20503




**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.37	-25	Pass	2986
30	1000	0.1	RMS	888.826	-61.37	-25	Pass	9701
1000	2560	1	RMS	2559	-44.82	-25	Pass	1561
2560	2630	1	RMS	2588.175	10.49	60	Pass	401
2630	3000	1	RMS	2630	-44.98	-25	Pass	401
3000	6500	1	RMS	5188	-62.92	-25	Pass	3501
6500	27000	1	RMS	25191	-48.58	-25	Pass	20503




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.93	-25	Pass	2986
30	1000	0.1	RMS	968.379	-61.16	-25	Pass	9701
1000	2560	1	RMS	2560	-48.04	-25	Pass	1561
2560	2630	1	RMS	2599.375	10.61	60	Pass	401
2630	3000	1	RMS	2630	-45.06	-25	Pass	401
3000	6500	1	RMS	5207	-62.11	-25	Pass	3501
6500	27000	1	RMS	25854	-48.63	-25	Pass	20503



**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.01	-25	Pass	2986
30	1000	0.1	RMS	717.3	-61.29	-25	Pass	9701
1000	2560	1	RMS	2560	-46.02	-25	Pass	1561
2560	2630	1	RMS	2593.425	10.51	60	Pass	401
2630	3000	1	RMS	2630	-43.67	-25	Pass	401
3000	6500	1	RMS	6213	-62.96	-25	Pass	3501
6500	27000	1	RMS	25214	-48.47	-25	Pass	20503



26. n41


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.78	-25	Pass	2986
30	1000	0.1	RMS	999.5	-61.27	-25	Pass	9701
1000	2486	1	RMS	2486	-49.83	-25	Pass	1487
2486	2700	1	RMS	2499.91	16.66	60	Pass	401
2700	3000	1	RMS	2865	-48.75	-25	Pass	401
3000	6500	1	RMS	5000	-60.01	-25	Pass	3501
6500	27000	1	RMS	25198	-48.28	-25	Pass	20503




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.69	-25	Pass	2986
30	1000	0.1	RMS	881.722	-61.14	-25	Pass	9701
1000	2486	1	RMS	2486	-49.34	-25	Pass	1487
2486	2700	1	RMS	2500.445	16.43	60	Pass	401
2700	3000	1	RMS	2871	-48.69	-25	Pass	401
3000	6500	1	RMS	5001	-61.06	-25	Pass	3501
6500	27000	1	RMS	18271	-48.46	-25	Pass	20503




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-25	Pass	2986
30	1000	0.1	RMS	920.747	-61.06	-25	Pass	9701
1000	2486	1	RMS	2484	-50.48	-25	Pass	1487
2486	2700	1	RMS	2591.93	16.79	60	Pass	401
2700	3000	1	RMS	2868	-48.68	-25	Pass	401
3000	6500	1	RMS	5188	-61.68	-25	Pass	3501
6500	27000	1	RMS	25196	-48.24	-25	Pass	20503




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.06	-25	Pass	2986
30	1000	0.1	RMS	779.9	-60.78	-25	Pass	9701
1000	2486	1	RMS	2484	-50.64	-25	Pass	1487
2486	2700	1	RMS	2592.465	16.54	60	Pass	401
2700	3000	1	RMS	2867.25	-48.71	-25	Pass	401
3000	6500	1	RMS	5185	-62.13	-25	Pass	3501
6500	27000	1	RMS	25206	-48.47	-25	Pass	20503




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.6	-25	Pass	2986
30	1000	0.1	RMS	548.8	-61.65	-25	Pass	9701
1000	2486	1	RMS	2449	-50.64	-25	Pass	1487
2486	2700	1	RMS	2684.485	16.31	60	Pass	401
2700	3000	1	RMS	2873.25	-48.75	-25	Pass	401
3000	6500	1	RMS	5368	-61.3	-25	Pass	3501
6500	27000	1	RMS	25208	-48.56	-25	Pass	20503




**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.3	-25	Pass	2986
30	1000	0.1	RMS	779.3	-61.15	-25	Pass	9701
1000	2486	1	RMS	2486	-50.52	-25	Pass	1487
2486	2700	1	RMS	2684.485	16.12	60	Pass	401
2700	3000	1	RMS	2868	-48.69	-25	Pass	401
3000	6500	1	RMS	5370	-61.98	-25	Pass	3501
6500	27000	1	RMS	25204	-48.37	-25	Pass	20503




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.14	-25	Pass	2986
30	1000	0.1	RMS	637.2	-61.14	-25	Pass	9701
1000	2486	1	RMS	2486	-42.27	-25	Pass	1487
2486	2700	1	RMS	2518.635	8.49	60	Pass	401
2700	3000	1	RMS	2868	-48.74	-25	Pass	401
3000	6500	1	RMS	5037	-62.61	-25	Pass	3501
6500	27000	1	RMS	25197	-48.25	-25	Pass	20503




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.38	-68.09	-25	Pass	2986
30	1000	0.1	RMS	926.151	-61.04	-25	Pass	9701
1000	2486	1	RMS	2486	-39.95	-25	Pass	1487
2486	2700	1	RMS	2532.01	8.57	60	Pass	401
2700	3000	1	RMS	2867.25	-48.74	-25	Pass	401
3000	6500	1	RMS	6219	-62.77	-25	Pass	3501
6500	27000	1	RMS	20604	-48.92	-25	Pass	20503




26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.68	-25	Pass	2986
30	1000	0.1	RMS	947.865	-61.75	-25	Pass	9701
1000	2486	1	RMS	2474	-50.61	-25	Pass	1487
2486	2700	1	RMS	2585.51	8.52	60	Pass	401
2700	3000	1	RMS	2867.25	-48.73	-25	Pass	401
3000	6500	1	RMS	5171	-62.26	-25	Pass	3501
6500	27000	1	RMS	25197	-48.12	-25	Pass	20503




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.38	-70.33	-25	Pass	2986
30	1000	0.1	RMS	922.649	-61.32	-25	Pass	9701
1000	2486	1	RMS	2483	-50.42	-25	Pass	1487
2486	2700	1	RMS	2599.42	8.45	60	Pass	401
2700	3000	1	RMS	2867.25	-48.68	-25	Pass	401
3000	6500	1	RMS	6197	-63.01	-25	Pass	3501
6500	27000	1	RMS	25174	-48.75	-25	Pass	20503




26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.36	-25	Pass	2986
30	1000	0.1	RMS	917.946	-60.53	-25	Pass	9701
1000	2486	1	RMS	2452	-50.65	-25	Pass	1487
2486	2700	1	RMS	2652.385	8.18	60	Pass	401
2700	3000	1	RMS	2700	-42.2	-25	Pass	401
3000	6500	1	RMS	5305	-62.33	-25	Pass	3501
6500	27000	1	RMS	25483	-48.58	-25	Pass	20503




**26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.67	-25	Pass	2986
30	1000	0.1	RMS	880.121	-61.03	-25	Pass	9701
1000	2486	1	RMS	2478	-50.56	-25	Pass	1487
2486	2700	1	RMS	2648.64	8.12	60	Pass	401
2700	3000	1	RMS	2700.75	-40.39	-25	Pass	401
3000	6500	1	RMS	6256	-62.93	-25	Pass	3501
6500	27000	1	RMS	18220	-48.62	-25	Pass	20503




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.83	-25	Pass	2986
30	1000	0.1	RMS	937.158	-61.47	-25	Pass	9701
1000	2486	1	RMS	2484	-43.27	-25	Pass	1487
2486	2700	1	RMS	2537.895	6.35	60	Pass	401
2700	3000	1	RMS	2868	-48.77	-25	Pass	401
3000	6500	1	RMS	5115	-62.58	-25	Pass	3501
6500	27000	1	RMS	25196	-48.65	-25	Pass	20503




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.43	-69.72	-25	Pass	2986
30	1000	0.1	RMS	753.1	-60.88	-25	Pass	9701
1000	2486	1	RMS	2485	-40.78	-25	Pass	1487
2486	2700	1	RMS	2550.735	6.36	60	Pass	401
2700	3000	1	RMS	2867.25	-48.72	-25	Pass	401
3000	6500	1	RMS	6203	-62.91	-25	Pass	3501
6500	27000	1	RMS	25191	-48.36	-25	Pass	20503




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.3	-25	Pass	2986
30	1000	0.1	RMS	854.604	-61.31	-25	Pass	9701
1000	2486	1	RMS	2486	-49.63	-25	Pass	1487
2486	2700	1	RMS	2584.975	6.43	60	Pass	401
2700	3000	1	RMS	2867.25	-48.71	-25	Pass	401
3000	6500	1	RMS	5209	-62.13	-25	Pass	3501
6500	27000	1	RMS	25204	-49	-25	Pass	20503




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.37	-25	Pass	2986
30	1000	0.1	RMS	990.694	-61.11	-25	Pass	9701
1000	2486	1	RMS	2486	-48.91	-25	Pass	1487
2486	2700	1	RMS	2569.46	6.42	60	Pass	401
2700	3000	1	RMS	2700	-48.62	-25	Pass	401
3000	6500	1	RMS	6203	-62.82	-25	Pass	3501
6500	27000	1	RMS	25184	-48.69	-25	Pass	20503




**26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.25	-25	Pass	2986
30	1000	0.1	RMS	868.513	-61.2	-25	Pass	9701
1000	2486	1	RMS	2486	-50.51	-25	Pass	1487
2486	2700	1	RMS	2622.425	6.44	60	Pass	401
2700	3000	1	RMS	2700	-41.64	-25	Pass	401
3000	6500	1	RMS	5303	-61.81	-25	Pass	3501
6500	27000	1	RMS	25184	-48.24	-25	Pass	20503



26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-25	Pass	2986
30	1000	0.1	RMS	892.929	-61.48	-25	Pass	9701
1000	2486	1	RMS	2465	-50.56	-25	Pass	1487
2486	2700	1	RMS	2616.54	6.57	60	Pass	401
2700	3000	1	RMS	2700	-40.11	-25	Pass	401
3000	6500	1	RMS	6221	-63.04	-25	Pass	3501
6500	27000	1	RMS	25205	-48.43	-25	Pass	20503




27. n66 15kHz

27.1. Spurious Emission at Antenna Terminals for SA - PI2


BPSK&QPSK(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	885.7	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1790	1	RMS	1712.375	19.71	60	Pass	401
1790	3000	1	RMS	2638	-46.99	-13	Pass	1211
3000	7000	1	RMS	6981	-67.49	-13	Pass	4001
7000	20000	1	RMS	19995	-50.03	-13	Pass	13001




**27.2. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15,
OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	911.9	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-51.46	-13	Pass	701
1700	1790	1	RMS	1712.375	19.65	60	Pass	401
1790	3000	1	RMS	2635	-47.03	-13	Pass	1211
3000	7000	1	RMS	6979	-67.49	-13	Pass	4001
7000	20000	1	RMS	19996	-49.99	-13	Pass	13001




**27.3. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15,
OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2986
30	1000	0.1	RMS	905.3	-62.47	-13	Pass	9701
1000	1700	1	RMS	1696	-51.56	-13	Pass	701
1700	1790	1	RMS	1744.775	19.66	60	Pass	401
1790	3000	1	RMS	2632	-46.93	-13	Pass	1211
3000	7000	1	RMS	6979	-67.46	-13	Pass	4001
7000	20000	1	RMS	20000	-50.06	-13	Pass	13001




**27.4. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.5	-13	Pass	2986
30	1000	0.1	RMS	944.8	-62.4	-13	Pass	9701
1000	1700	1	RMS	1655	-51.57	-13	Pass	701
1700	1790	1	RMS	1744.775	19.63	60	Pass	401
1790	3000	1	RMS	2642	-46.98	-13	Pass	1211
3000	7000	1	RMS	6980	-67.53	-13	Pass	4001
7000	20000	1	RMS	20000	-49.97	-13	Pass	13001




**27.5. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15,
OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.28	-13	Pass	9701
1000	1700	1	RMS	1582	-51.57	-13	Pass	701
1700	1790	1	RMS	1777.4	19.69	60	Pass	401
1790	3000	1	RMS	2638	-47.03	-13	Pass	1211
3000	7000	1	RMS	3554	-66.81	-13	Pass	4001
7000	20000	1	RMS	19995	-49.98	-13	Pass	13001




**27.6. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15,
OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	936.1	-62.48	-13	Pass	9701
1000	1700	1	RMS	1589	-51.57	-13	Pass	701
1700	1790	1	RMS	1777.4	19.66	60	Pass	401
1790	3000	1	RMS	2632	-46.97	-13	Pass	1211
3000	7000	1	RMS	3555	-65.81	-13	Pass	4001
7000	20000	1	RMS	19996	-49.87	-13	Pass	13001




**27.7. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.5	-13	Pass	2986
30	1000	0.1	RMS	932	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-44.61	-13	Pass	701
1700	1790	1	RMS	1722.725	13.67	60	Pass	401
1790	3000	1	RMS	2642	-46.98	-13	Pass	1211
3000	7000	1	RMS	6983	-67.54	-13	Pass	4001
7000	20000	1	RMS	19997	-49.99	-13	Pass	13001




**27.8. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	950.2	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-41.36	-13	Pass	701
1700	1790	1	RMS	1721.825	13.79	60	Pass	401
1790	3000	1	RMS	2634	-46.91	-13	Pass	1211
3000	7000	1	RMS	6980	-67.46	-13	Pass	4001
7000	20000	1	RMS	19998	-49.89	-13	Pass	13001




**27.9. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	949	-62.42	-13	Pass	9701
1000	1700	1	RMS	1686	-51.59	-13	Pass	701
1700	1790	1	RMS	1742.525	13.64	60	Pass	401
1790	3000	1	RMS	2642	-46.95	-13	Pass	1211
3000	7000	1	RMS	6980	-67.49	-13	Pass	4001
7000	20000	1	RMS	20000	-49.99	-13	Pass	13001




**27.10. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.36	-13	Pass	9701
1000	1700	1	RMS	1694	-51.56	-13	Pass	701
1700	1790	1	RMS	1744.775	13.65	60	Pass	401
1790	3000	1	RMS	2638	-46.96	-13	Pass	1211
3000	7000	1	RMS	6980	-67.52	-13	Pass	4001
7000	20000	1	RMS	20000	-49.97	-13	Pass	13001




**27.11. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.84	-13	Pass	2986
30	1000	0.1	RMS	922	-62.42	-13	Pass	9701
1000	1700	1	RMS	1699	-51.59	-13	Pass	701
1700	1790	1	RMS	1766.375	13.76	60	Pass	401
1790	3000	1	RMS	1790	-45.77	-13	Pass	1211
3000	7000	1	RMS	6980	-67.41	-13	Pass	4001
7000	20000	1	RMS	20000	-50.05	-13	Pass	13001




27.12. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15,
OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.33	-13	Pass	9701
1000	1700	1	RMS	1696	-51.57	-13	Pass	701
1700	1790	1	RMS	1766.6	13.79	60	Pass	401
1790	3000	1	RMS	1790	-41.49	-13	Pass	1211
3000	7000	1	RMS	6981	-67.53	-13	Pass	4001
7000	20000	1	RMS	19999	-49.98	-13	Pass	13001



**27.13. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:108, RB Position:54)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.5	-13	Pass	9701
1000	1700	1	RMS	1700	-42.41	-13	Pass	701
1700	1790	1	RMS	1731.95	10.4	60	Pass	401
1790	3000	1	RMS	2633	-46.9	-13	Pass	1211
3000	7000	1	RMS	6980	-67.45	-13	Pass	4001
7000	20000	1	RMS	19998	-50.01	-13	Pass	13001



27.14. Spurious Emission at Antenna Terminals for SA - PI2


BPSK&QPSK(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.49	-13	Pass	9701
1000	1700	1	RMS	1700	-39.09	-13	Pass	701
1700	1790	1	RMS	1731.275	10.47	60	Pass	401
1790	3000	1	RMS	2632	-46.95	-13	Pass	1211
3000	7000	1	RMS	6981	-67.45	-13	Pass	4001
7000	20000	1	RMS	19998	-49.94	-13	Pass	13001




**27.15. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	917.7	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-49.34	-13	Pass	701
1700	1790	1	RMS	1738.925	10.36	60	Pass	401
1790	3000	1	RMS	2641	-46.99	-13	Pass	1211
3000	7000	1	RMS	6979	-67.43	-13	Pass	4001
7000	20000	1	RMS	19990	-49.98	-13	Pass	13001




**27.16. Spurious Emission at Antenna Terminals for SA - PI2
BPSK&QPSK(NTNV)(Subtest:4, Channel:349000, Bandwidth:40, SCS:15,
OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-45.81	-13	Pass	701
1700	1790	1	RMS	1737.575	10.48	60	Pass	401
1790	3000	1	RMS	1790	-45.4	-13	Pass	1211
3000	7000	1	RMS	6980	-67.45	-13	Pass	4001
7000	20000	1	RMS	20000	-49.97	-13	Pass	13001




**27.17. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:5, Channel:352000, Bandwidth:40, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.44	-13	Pass	9701
1000	1700	1	RMS	1699	-51.45	-13	Pass	701
1700	1790	1	RMS	1756.475	10.35	60	Pass	401
1790	3000	1	RMS	1790	-40.86	-13	Pass	1211
3000	7000	1	RMS	6982	-67.53	-13	Pass	4001
7000	20000	1	RMS	19997	-49.91	-13	Pass	13001



**27.18. Spurious Emission at Antenna Terminals for SA - PI2
 BPSK&QPSK(NTNV)(Subtest:6, Channel:352000, Bandwidth:40, SCS:15,
 OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	896.9	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1761.2	10.4	60	Pass	401
1790	3000	1	RMS	1790	-36.72	-13	Pass	1211
3000	7000	1	RMS	6979	-67.47	-13	Pass	4001
7000	20000	1	RMS	19999	-50.02	-13	Pass	13001



--BLANK BELOW--