

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.200	41.08	-17.02	74.0	32.92	Peak	172.00	100	Horizontal	Pass
1**	1497.200	29.63	-17.02	54.0	24.37	AV	172.00	100	Horizontal	Pass
2	4388.200	50.30	-3.41	74.0	23.70	Peak	114.00	100	Horizontal	Pass
2**	4388.200	41.69	-3.41	54.0	12.31	AV	114.00	100	Horizontal	Pass
3	5699.200	110.17	-0.96	--	--	Peak	126.00	200	Horizontal	N/A
3**	5699.200	101.12	-0.96	--	--	AV	126.00	200	Horizontal	N/A
4	7731.687	50.21	-2.33	74.0	23.79	Peak	139.00	400	Horizontal	Pass
4**	7731.687	40.27	-2.33	54.0	13.73	AV	139.00	400	Horizontal	Pass
5	11659.513	53.57	0.11	74.0	20.43	Peak	139.00	100	Horizontal	Pass
5**	11659.513	43.92	0.11	54.0	10.08	AV	139.00	100	Horizontal	Pass
6	15854.588	56.21	1.20	74.0	17.79	Peak	112.00	400	Horizontal	Pass
6**	15854.588	47.32	1.20	54.0	6.68	AV	112.00	400	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	41.83	-17.01	74.0	32.17	Peak	78.00	300	Vertical	Pass
1**	1499.600	32.19	-17.01	54.0	21.81	AV	78.00	300	Vertical	Pass
2	4020.400	50.28	-4.78	74.0	23.72	Peak	320.00	400	Vertical	Pass
2**	4020.400	39.62	-4.78	54.0	14.38	AV	320.00	400	Vertical	Pass
3	5698.400	106.44	-1.06	--	--	Peak	208.00	150	Vertical	N/A
3**	5698.400	98.09	-1.06	--	--	AV	208.00	150	Vertical	N/A
4	7319.413	49.98	-3.03	74.0	24.02	Peak	185.00	400	Vertical	Pass
4**	7319.413	40.16	-3.03	54.0	13.84	AV	185.00	400	Vertical	Pass
5	12213.526	53.40	1.14	74.0	20.60	Peak	286.00	200	Vertical	Pass
5**	12213.526	43.52	1.14	54.0	10.48	AV	286.00	200	Vertical	Pass
6	15785.813	56.30	1.84	74.0	17.70	Peak	182.00	400	Vertical	Pass
6**	15785.813	47.04	1.84	54.0	6.96	AV	182.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	38.90	-16.98	74.0	35.10	Peak	176.00	100	Horizontal	Pass
1**	1497.000	29.42	-16.98	54.0	24.58	AV	176.00	100	Horizontal	Pass
2	4388.400	50.73	-3.40	74.0	23.27	Peak	199.00	100	Horizontal	Pass
2**	4388.400	41.57	-3.40	54.0	12.43	AV	199.00	100	Horizontal	Pass
3	5512.400	106.61	-0.95	--	--	Peak	277.00	150	Horizontal	N/A
3**	5512.400	99.73	-0.95	--	--	AV	277.00	150	Horizontal	N/A
4	7341.263	49.86	-3.09	74.0	24.14	Peak	95.00	400	Horizontal	Pass
4**	7341.263	41.33	-3.09	54.0	12.67	AV	95.00	400	Horizontal	Pass
5	12281.088	54.05	1.80	74.0	19.95	Peak	37.00	200	Horizontal	Pass
5**	12281.088	45.18	1.80	54.0	8.82	AV	37.00	200	Horizontal	Pass
6	15660.599	56.09	1.28	74.0	17.91	Peak	326.00	150	Horizontal	Pass
6**	15660.599	46.58	1.28	54.0	7.42	AV	326.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.000	39.56	-16.84	74.0	34.44	Peak	322.00	300	Vertical	Pass
1**	1505.000	30.37	-16.84	54.0	23.63	AV	322.00	300	Vertical	Pass
2	4299.600	50.18	-4.16	74.0	23.82	Peak	98.00	200	Vertical	Pass
2**	4299.600	41.13	-4.16	54.0	12.87	AV	98.00	200	Vertical	Pass
3	5499.800	105.09	-1.70	--	--	Peak	80.00	150	Vertical	N/A
3**	5499.800	94.26	-1.70	--	--	AV	80.00	150	Vertical	N/A
4	7398.188	49.93	-4.08	74.0	24.07	Peak	351.00	200	Vertical	Pass
4**	7398.188	39.49	-4.08	54.0	14.51	AV	351.00	200	Vertical	Pass
5	11958.225	53.49	1.01	74.0	20.51	Peak	66.00	200	Vertical	Pass
5**	11958.225	44.09	1.01	54.0	9.91	AV	66.00	200	Vertical	Pass
6	15850.125	55.88	1.33	74.0	18.12	Peak	58.00	100	Vertical	Pass
6**	15850.125	46.92	1.33	54.0	7.08	AV	58.00	100	Vertical	Pass

11x40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.000	39.32	-17.35	74.0	34.68	Peak	276.00	300	Horizontal	Pass
1**	1523.000	29.17	-17.35	54.0	24.83	AV	276.00	300	Horizontal	Pass
2	4386.400	51.26	-3.29	74.0	22.74	Peak	26.00	300	Horizontal	Pass
2**	4386.400	41.68	-3.29	54.0	12.32	AV	26.00	300	Horizontal	Pass
3	5594.000	105.13	-2.13	--	--	Peak	268.00	150	Horizontal	N/A
3**	5594.000	97.58	-2.13	--	--	AV	268.00	150	Horizontal	N/A
4	7439.875	50.06	-3.53	74.0	23.94	Peak	90.00	400	Horizontal	Pass
4**	7439.875	41.02	-3.53	54.0	12.98	AV	90.00	400	Horizontal	Pass
5	12403.562	53.61	1.51	74.0	20.39	Peak	175.00	150	Horizontal	Pass
5**	12403.562	43.79	1.51	54.0	10.21	AV	175.00	150	Horizontal	Pass
6	15799.200	56.31	2.31	74.0	17.69	Peak	202.00	100	Horizontal	Pass
6**	15799.200	46.51	2.31	54.0	7.49	AV	202.00	100	Horizontal	Pass

11x40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.400	41.16	-16.88	74.0	32.84	Peak	81.00	400	Vertical	Pass
1**	1493.400	30.23	-16.88	54.0	23.77	AV	81.00	400	Vertical	Pass
2	4391.200	50.71	-3.40	74.0	23.29	Peak	185.00	100	Vertical	Pass
2**	4391.200	42.09	-3.40	54.0	11.91	AV	185.00	100	Vertical	Pass
3	5590.600	103.35	-2.14	--	--	Peak	216.00	150	Vertical	N/A
3**	5590.600	95.23	-2.14	--	--	AV	216.00	150	Vertical	N/A
4	7333.500	50.43	-3.12	74.0	23.57	Peak	0.00	100	Vertical	Pass
4**	7333.500	41.17	-3.12	54.0	12.83	AV	0.00	100	Vertical	Pass
5	12642.187	54.01	1.09	74.0	19.99	Peak	360.00	200	Vertical	Pass
5**	12642.187	43.57	1.09	54.0	10.43	AV	360.00	200	Vertical	Pass
6	15796.838	56.49	2.23	74.0	17.51	Peak	63.00	200	Vertical	Pass
6**	15796.838	46.92	2.23	54.0	7.08	AV	63.00	200	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.600	39.33	-17.04	74.0	34.67	Peak	159.00	300	Horizontal	Pass
1**	1459.600	29.29	-17.04	54.0	24.71	AV	159.00	300	Horizontal	Pass
2	4157.600	49.95	-4.88	74.0	24.05	Peak	272.00	100	Horizontal	Pass
2**	4157.600	40.53	-4.88	54.0	13.47	AV	272.00	100	Horizontal	Pass
3	5668.800	105.58	-2.54	--	--	Peak	115.00	200	Horizontal	N/A
3**	5668.800	97.52	-2.54	--	--	AV	115.00	200	Horizontal	N/A
4	7686.550	49.72	-1.99	74.0	24.28	Peak	168.00	200	Horizontal	Pass
4**	7686.550	40.69	-1.99	54.0	13.31	AV	168.00	200	Horizontal	Pass
5	12298.050	53.70	1.51	74.0	20.30	Peak	208.00	100	Horizontal	Pass
5**	12298.050	44.07	1.51	54.0	9.93	AV	208.00	100	Horizontal	Pass
6	15504.151	56.43	1.26	74.0	17.57	Peak	318.00	100	Horizontal	Pass
6**	15504.151	46.07	1.26	54.0	7.93	AV	318.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.700	41.74	-16.88	74.0	32.26	Peak	88.00	200	Vertical	Pass
1**	1493.700	31.37	-16.88	54.0	22.63	AV	88.00	200	Vertical	Pass
2	3994.800	50.72	-4.28	74.0	23.28	Peak	217.00	200	Vertical	Pass
2**	3994.800	39.93	-4.28	54.0	14.07	AV	217.00	200	Vertical	Pass
3	5668.400	103.90	-2.58	--	--	Peak	228.00	100	Vertical	N/A
3**	5668.400	94.55	-2.58	--	--	AV	228.00	100	Vertical	N/A
4	7678.500	49.94	-2.49	74.0	24.06	Peak	53.00	400	Vertical	Pass
4**	7678.500	40.96	-2.49	54.0	13.04	AV	53.00	400	Vertical	Pass
5	12280.513	55.07	1.80	74.0	18.93	Peak	237.00	200	Vertical	Pass
5**	12280.513	44.87	1.80	54.0	9.13	AV	237.00	200	Vertical	Pass
6	15874.800	56.27	0.41	74.0	17.73	Peak	360.00	200	Vertical	Pass
6**	15874.800	46.42	0.41	54.0	7.58	AV	360.00	200	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.000	39.22	-17.09	74.0	34.78	Peak	253.00	100	Horizontal	Pass
1**	1451.000	29.31	-17.09	54.0	24.69	AV	253.00	100	Horizontal	Pass
2	4390.400	50.74	-3.30	74.0	23.26	Peak	267.00	400	Horizontal	Pass
2**	4390.400	41.12	-3.30	54.0	12.88	AV	267.00	400	Horizontal	Pass
3	5532.800	104.44	-2.22	--	--	Peak	267.00	200	Horizontal	N/A
3**	5532.800	95.79	-2.22	--	--	AV	267.00	200	Horizontal	N/A
4	7505.138	49.82	-3.03	74.0	24.18	Peak	145.00	300	Horizontal	Pass
4**	7505.138	40.94	-3.03	54.0	13.06	AV	145.00	300	Horizontal	Pass
5	12308.975	54.58	1.37	74.0	19.42	Peak	33.00	200	Horizontal	Pass
5**	12308.975	44.08	1.37	54.0	9.92	AV	33.00	200	Horizontal	Pass
6	16023.113	56.29	0.62	74.0	17.71	Peak	14.00	100	Horizontal	Pass
6**	16023.113	46.61	0.62	54.0	7.39	AV	14.00	100	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.400	41.08	-16.87	74.0	32.92	Peak	63.00	100	Vertical	Pass
1**	1494.400	30.15	-16.87	54.0	23.85	AV	63.00	100	Vertical	Pass
2	4391.000	50.32	-3.38	74.0	23.68	Peak	98.00	100	Vertical	Pass
2**	4391.000	41.25	-3.38	54.0	12.75	AV	98.00	100	Vertical	Pass
3	5528.000	102.82	-1.85	--	--	Peak	219.00	100	Vertical	N/A
3**	5528.000	93.61	-1.85	--	--	AV	219.00	100	Vertical	N/A
4	7433.263	50.26	-3.35	74.0	23.74	Peak	221.00	400	Vertical	Pass
4**	7433.263	40.11	-3.35	54.0	13.89	AV	221.00	400	Vertical	Pass
5	12281.088	53.74	1.80	74.0	20.26	Peak	153.00	200	Vertical	Pass
5**	12281.088	44.87	1.80	54.0	9.13	AV	153.00	200	Vertical	Pass
6	15992.401	55.96	0.24	74.0	18.04	Peak	82.00	300	Vertical	Pass
6**	15992.401	45.59	0.24	54.0	8.41	AV	82.00	300	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	38.70	-16.85	74.0	35.30	Peak	172.00	400	Horizontal	Pass
1**	1495.600	30.24	-16.85	54.0	23.76	AV	172.00	400	Horizontal	Pass
2	4393.400	50.71	-3.70	74.0	23.29	Peak	126.00	400	Horizontal	Pass
2**	4393.400	41.49	-3.70	54.0	12.51	AV	126.00	400	Horizontal	Pass
3	5614.000	105.07	-1.79	--	--	Peak	274.00	100	Horizontal	N/A
3**	5614.000	95.18	-1.79	--	--	AV	274.00	100	Horizontal	N/A
4	7674.187	49.78	-2.37	74.0	24.22	Peak	345.00	400	Horizontal	Pass
4**	7674.187	40.16	-2.37	54.0	13.84	AV	345.00	400	Horizontal	Pass
5	11954.201	54.31	1.20	74.0	19.69	Peak	345.00	150	Horizontal	Pass
5**	11954.201	44.24	1.20	54.0	9.76	AV	345.00	150	Horizontal	Pass
6	16078.238	56.11	1.61	74.0	17.89	Peak	121.00	300	Horizontal	Pass
6**	16078.238	47.09	1.61	54.0	6.91	AV	121.00	300	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	40.30	-16.85	74.0	33.70	Peak	100.00	100	Vertical	Pass
1**	1495.600	30.23	-16.85	54.0	23.77	AV	100.00	100	Vertical	Pass
2	4390.200	50.35	-3.31	74.0	23.65	Peak	315.00	200	Vertical	Pass
2**	4390.200	41.75	-3.31	54.0	12.25	AV	315.00	200	Vertical	Pass
3	5609.000	101.64	-1.86	--	--	Peak	228.00	100	Vertical	N/A
3**	5609.000	93.92	-1.86	--	--	AV	228.00	100	Vertical	N/A
4	7340.975	50.58	-3.07	74.0	23.42	Peak	251.00	400	Vertical	Pass
4**	7340.975	41.83	-3.07	54.0	12.17	AV	251.00	400	Vertical	Pass
5	12323.350	53.16	1.42	74.0	20.84	Peak	0.00	200	Vertical	Pass
5**	12323.350	44.49	1.42	54.0	9.51	AV	0.00	200	Vertical	Pass
6	15636.712	56.72	1.48	74.0	17.28	Peak	31.00	300	Vertical	Pass
6**	15636.712	46.82	1.48	54.0	7.18	AV	31.00	300	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	40.95	-16.87	74.0	33.05	Peak	170.00	300	Horizontal	Pass
1**	1494.100	32.41	-16.87	54.0	21.59	AV	170.00	300	Horizontal	Pass
2	4380.200	51.46	-3.35	74.0	22.54	Peak	247.00	200	Horizontal	Pass
2**	4380.200	41.77	-3.35	54.0	12.23	AV	247.00	200	Horizontal	Pass
3	5561.400	102.67	-2.16	--	--	Peak	271.00	100	Horizontal	N/A
3**	5561.400	91.26	-2.16	--	--	AV	271.00	100	Horizontal	N/A
4	7637.675	50.10	-3.20	74.0	23.90	Peak	360.00	100	Horizontal	Pass
4**	7637.675	40.04	-3.20	54.0	13.96	AV	360.00	100	Horizontal	Pass
5	12231.925	53.80	1.25	74.0	20.20	Peak	152.00	150	Horizontal	Pass
5**	12231.925	45.21	1.25	54.0	8.79	AV	152.00	150	Horizontal	Pass
6	16095.300	55.95	1.32	74.0	18.05	Peak	26.00	400	Horizontal	Pass
6**	16095.300	46.99	1.32	54.0	7.01	AV	26.00	400	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	40.55	-16.86	74.0	33.45	Peak	74.00	100	Vertical	Pass
1**	1500.600	34.97	-16.86	54.0	19.03	AV	74.00	100	Vertical	Pass
2	4391.600	50.10	-3.45	74.0	23.90	Peak	249.00	400	Vertical	Pass
2**	4391.600	41.89	-3.45	54.0	12.11	AV	249.00	400	Vertical	Pass
3	5577.600	99.93	-1.80	--	--	Peak	215.00	100	Vertical	N/A
3**	5577.600	90.02	-1.80	--	--	AV	215.00	100	Vertical	N/A
4	7599.437	49.81	-2.91	74.0	24.19	Peak	15.00	100	Vertical	Pass
4**	7599.437	40.69	-2.91	54.0	13.31	AV	15.00	100	Vertical	Pass
5	12078.401	53.18	0.61	74.0	20.82	Peak	263.00	100	Vertical	Pass
5**	12078.401	43.01	0.61	54.0	10.99	AV	263.00	100	Vertical	Pass
6	15804.450	55.91	2.28	74.0	18.09	Peak	56.00	300	Vertical	Pass
6**	15804.450	47.30	2.28	54.0	6.70	AV	56.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.400	38.64	-16.94	74.0	35.36	Peak	308.00	200	Horizontal	Pass
1**	1483.400	29.69	-16.94	54.0	24.31	AV	308.00	200	Horizontal	Pass
2	4392.800	49.87	-3.61	74.0	24.13	Peak	185.00	400	Horizontal	Pass
2**	4392.800	41.50	-3.61	54.0	12.50	AV	185.00	400	Horizontal	Pass
3	5743.600	108.99	-2.09	--	--	Peak	127.00	100	Horizontal	N/A
3**	5743.600	101.02	-2.09	--	--	AV	127.00	100	Horizontal	N/A
4	7353.625	50.05	-3.80	74.0	23.95	Peak	360.00	400	Horizontal	Pass
4**	7353.625	40.11	-3.80	54.0	13.89	AV	360.00	400	Horizontal	Pass
5	12266.713	53.77	1.35	74.0	20.23	Peak	48.00	150	Horizontal	Pass
5**	12266.713	44.31	1.35	54.0	9.69	AV	48.00	150	Horizontal	Pass
6	16077.187	56.26	1.58	74.0	17.74	Peak	360.00	400	Horizontal	Pass
6**	16077.187	46.94	1.58	54.0	7.06	AV	360.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	39.71	-16.86	74.0	34.29	Peak	214.00	100	Vertical	Pass
1**	1495.100	29.91	-16.86	54.0	24.09	AV	214.00	100	Vertical	Pass
2	4392.800	50.60	-3.61	74.0	23.40	Peak	340.00	200	Vertical	Pass
2**	4392.800	41.44	-3.61	54.0	12.56	AV	340.00	200	Vertical	Pass
3	5747.200	106.26	-2.21	--	--	Peak	63.00	200	Vertical	N/A
3**	5747.200	99.98	-2.21	--	--	AV	63.00	200	Vertical	N/A
4	7444.188	49.90	-3.24	74.0	24.10	Peak	93.00	400	Vertical	Pass
4**	7444.188	40.79	-3.24	54.0	13.21	AV	93.00	400	Vertical	Pass
5	11939.826	53.67	1.69	74.0	20.33	Peak	350.00	100	Vertical	Pass
5**	11939.826	44.62	1.69	54.0	9.38	AV	350.00	100	Vertical	Pass
6	15789.487	56.39	1.99	74.0	17.61	Peak	1.00	400	Vertical	Pass
6**	15789.487	46.81	1.99	54.0	7.19	AV	1.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.000	43.42	-17.10	74.0	30.58	Peak	4.00	300	Horizontal	Pass
1**	1444.000	29.24	-17.10	54.0	24.76	AV	4.00	300	Horizontal	Pass
2	4298.400	50.45	-4.07	74.0	23.55	Peak	283.00	300	Horizontal	Pass
2**	4298.400	41.56	-4.07	54.0	12.44	AV	283.00	300	Horizontal	Pass
3	5783.400	109.00	-1.48	--	--	Peak	351.00	150	Horizontal	N/A
3**	5783.400	100.83	-1.48	--	--	AV	351.00	150	Horizontal	N/A
4	7508.875	50.03	-3.13	74.0	23.97	Peak	332.00	300	Horizontal	Pass
4**	7508.875	41.67	-3.13	54.0	12.33	AV	332.00	300	Horizontal	Pass
5	12216.401	54.22	1.19	74.0	19.78	Peak	148.00	150	Horizontal	Pass
5**	12216.401	43.66	1.19	54.0	10.34	AV	148.00	150	Horizontal	Pass
6	16187.175	56.39	1.55	74.0	17.61	Peak	261.00	100	Horizontal	Pass
6**	16187.175	46.12	1.55	54.0	7.88	AV	261.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.200	40.70	-16.86	74.0	33.30	Peak	235.00	300	Vertical	Pass
1**	1495.200	30.34	-16.86	54.0	23.66	AV	235.00	300	Vertical	Pass
2	4399.000	50.31	-4.63	74.0	23.69	Peak	236.00	400	Vertical	Pass
2**	4399.000	40.53	-4.63	54.0	13.47	AV	236.00	400	Vertical	Pass
3	5782.200	107.91	-1.33	--	--	Peak	54.00	100	Vertical	N/A
3**	5782.200	100.52	-1.33	--	--	AV	54.00	100	Vertical	N/A
4	7504.850	49.64	-3.04	74.0	24.36	Peak	0.00	300	Vertical	Pass
4**	7504.850	40.77	-3.04	54.0	13.23	AV	0.00	300	Vertical	Pass
5	12233.075	54.18	1.21	74.0	19.82	Peak	263.00	200	Vertical	Pass
5**	12233.075	44.24	1.21	54.0	9.76	AV	263.00	200	Vertical	Pass
6	16038.600	56.18	0.79	74.0	17.82	Peak	195.00	100	Vertical	Pass
6**	16038.600	47.58	0.79	54.0	6.42	AV	195.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.700	39.55	-17.14	74.0	34.45	Peak	164.00	300	Horizontal	Pass
1**	1555.700	30.04	-17.14	54.0	23.96	AV	164.00	300	Horizontal	Pass
2	4372.400	50.41	-4.03	74.0	23.59	Peak	89.00	400	Horizontal	Pass
2**	4372.400	40.66	-4.03	54.0	13.34	AV	89.00	400	Horizontal	Pass
3	5824.000	108.67	-2.13	--	--	Peak	327.00	100	Horizontal	N/A
3**	5824.000	102.01	-2.13	--	--	AV	327.00	100	Horizontal	N/A
4	7455.112	50.15	-3.61	74.0	23.85	Peak	288.00	100	Horizontal	Pass
4**	7455.112	40.32	-3.61	54.0	13.68	AV	288.00	100	Horizontal	Pass
5	12336.862	53.51	1.32	74.0	20.49	Peak	324.00	150	Horizontal	Pass
5**	12336.862	44.12	1.32	54.0	9.88	AV	324.00	150	Horizontal	Pass
6	16089.000	56.44	1.45	74.0	17.56	Peak	7.00	100	Horizontal	Pass
6**	16089.000	46.60	1.45	54.0	7.40	AV	7.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	41.51	-16.88	74.0	32.49	Peak	76.00	300	Vertical	Pass
1**	1500.300	30.70	-16.88	54.0	23.30	AV	76.00	300	Vertical	Pass
2	4387.800	50.43	-3.38	74.0	23.57	Peak	0.00	300	Vertical	Pass
2**	4387.800	41.58	-3.38	54.0	12.42	AV	0.00	300	Vertical	Pass
3	5826.800	106.97	-2.00	--	--	Peak	54.00	150	Vertical	N/A
3**	5826.800	100.42	-2.00	--	--	AV	54.00	150	Vertical	N/A
4	7685.687	49.95	-2.09	74.0	24.05	Peak	208.00	200	Vertical	Pass
4**	7685.687	40.65	-2.09	54.0	13.35	AV	208.00	200	Vertical	Pass
5	11219.637	53.31	-0.21	74.0	20.69	Peak	279.00	150	Vertical	Pass
5**	11219.637	42.79	-0.21	54.0	11.21	AV	279.00	150	Vertical	Pass
6	15631.462	56.47	1.66	74.0	17.53	Peak	10.00	100	Vertical	Pass
6**	15631.462	46.46	1.66	54.0	7.54	AV	10.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.100	40.40	-17.47	74.0	33.60	Peak	349.00	200	Horizontal	Pass
1**	1605.100	28.72	-17.47	54.0	25.28	AV	349.00	200	Horizontal	Pass
2	4381.800	50.26	-3.63	74.0	23.74	Peak	360.00	400	Horizontal	Pass
2**	4381.800	41.67	-3.63	54.0	12.33	AV	360.00	400	Horizontal	Pass
3	5744.000	108.41	-2.06	--	--	Peak	352.00	100	Horizontal	N/A
3**	5744.000	101.36	-2.06	--	--	AV	352.00	100	Horizontal	N/A
4	7728.813	50.14	-2.53	74.0	23.86	Peak	226.00	200	Horizontal	Pass
4**	7728.813	40.25	-2.53	54.0	13.75	AV	226.00	200	Horizontal	Pass
5	11917.975	54.00	1.49	74.0	20.00	Peak	174.00	200	Horizontal	Pass
5**	11917.975	44.54	1.49	54.0	9.46	AV	174.00	200	Horizontal	Pass
6	15855.112	55.68	1.19	74.0	18.32	Peak	0.00	200	Horizontal	Pass
6**	15855.112	46.70	1.19	54.0	7.30	AV	0.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	42.57	-17.01	74.0	31.43	Peak	351.00	400	Vertical	Pass
1**	1537.500	29.79	-17.01	54.0	24.21	AV	351.00	400	Vertical	Pass
2	4318.600	51.05	-4.14	74.0	22.95	Peak	285.00	300	Vertical	Pass
2**	4318.600	41.85	-4.14	54.0	12.15	AV	285.00	300	Vertical	Pass
3	5748.200	106.36	-2.21	--	--	Peak	52.00	100	Vertical	N/A
3**	5748.200	98.76	-2.21	--	--	AV	52.00	100	Vertical	N/A
4	7339.825	49.59	-2.95	74.0	24.41	Peak	14.00	300	Vertical	Pass
4**	7339.825	41.34	-2.95	54.0	12.66	AV	14.00	300	Vertical	Pass
5	12619.187	53.32	1.81	74.0	20.68	Peak	352.00	200	Vertical	Pass
5**	12619.187	43.59	1.81	54.0	10.41	AV	352.00	200	Vertical	Pass
6	16075.612	56.12	1.55	74.0	17.88	Peak	282.00	300	Vertical	Pass
6**	16075.612	46.94	1.55	54.0	7.06	AV	282.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.300	39.65	-16.87	74.0	34.35	Peak	267.00	200	Horizontal	Pass
1**	1494.300	29.23	-16.87	54.0	24.77	AV	267.00	200	Horizontal	Pass
2	4295.800	50.65	-4.31	74.0	23.35	Peak	179.00	300	Horizontal	Pass
2**	4295.800	40.51	-4.31	54.0	13.49	AV	179.00	300	Horizontal	Pass
3	5784.000	108.32	-1.57	--	--	Peak	351.00	200	Horizontal	N/A
3**	5784.000	101.99	-1.57	--	--	AV	351.00	200	Horizontal	N/A
4	7347.300	50.56	-3.66	74.0	23.44	Peak	107.00	400	Horizontal	Pass
4**	7347.300	40.28	-3.66	54.0	13.72	AV	107.00	400	Horizontal	Pass
5	12233.075	53.98	1.21	74.0	20.02	Peak	287.00	200	Horizontal	Pass
5**	12233.075	45.16	1.21	54.0	8.84	AV	287.00	200	Horizontal	Pass
6	16091.099	56.43	1.41	74.0	17.57	Peak	232.00	300	Horizontal	Pass
6**	16091.099	46.64	1.41	54.0	7.36	AV	232.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	41.10	-16.86	74.0	32.90	Peak	279.00	400	Vertical	Pass
1**	1494.800	29.70	-16.86	54.0	24.30	AV	279.00	400	Vertical	Pass
2	4364.600	50.17	-3.98	74.0	23.83	Peak	18.00	200	Vertical	Pass
2**	4364.600	40.83	-3.98	54.0	13.17	AV	18.00	200	Vertical	Pass
3	5786.000	106.48	-1.65	--	--	Peak	113.00	200	Vertical	N/A
3**	5786.000	98.18	-1.65	--	--	AV	113.00	200	Vertical	N/A
4	7527.275	50.15	-3.08	74.0	23.85	Peak	15.00	100	Vertical	Pass
4**	7527.275	39.36	-3.08	54.0	14.64	AV	15.00	100	Vertical	Pass
5	12287.412	54.16	1.72	74.0	19.84	Peak	360.00	100	Vertical	Pass
5**	12287.412	44.74	1.72	54.0	9.26	AV	360.00	100	Vertical	Pass
6	15796.575	56.32	2.22	74.0	17.68	Peak	277.00	400	Vertical	Pass
6**	15796.575	47.12	2.22	54.0	6.88	AV	277.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.300	40.24	-17.21	74.0	33.76	Peak	134.00	100	Horizontal	Pass
1**	1446.300	30.05	-17.21	54.0	23.95	AV	134.00	100	Horizontal	Pass
2	4394.400	50.17	-3.84	74.0	23.83	Peak	104.00	200	Horizontal	Pass
2**	4394.400	41.12	-3.84	54.0	12.88	AV	104.00	200	Horizontal	Pass
3	5823.400	108.80	-2.13	--	--	Peak	349.00	100	Horizontal	N/A
3**	5823.400	100.96	-2.13	--	--	AV	349.00	100	Horizontal	N/A
4	7508.588	49.95	-3.12	74.0	24.05	Peak	292.00	100	Horizontal	Pass
4**	7508.588	40.39	-3.12	54.0	13.61	AV	292.00	100	Horizontal	Pass
5	12627.526	53.59	1.51	74.0	20.41	Peak	181.00	100	Horizontal	Pass
5**	12627.526	43.53	1.51	54.0	10.47	AV	181.00	100	Horizontal	Pass
6	15855.112	56.31	1.19	74.0	17.69	Peak	0.00	100	Horizontal	Pass
6**	15855.112	46.97	1.19	54.0	7.03	AV	0.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	39.89	-17.04	74.0	34.11	Peak	72.00	100	Vertical	Pass
1**	1497.300	31.98	-17.04	54.0	22.02	AV	72.00	100	Vertical	Pass
2	4379.800	49.99	-3.28	74.0	24.01	Peak	297.00	300	Vertical	Pass
2**	4379.800	41.66	-3.28	54.0	12.34	AV	297.00	300	Vertical	Pass
3	5828.800	106.67	-1.81	--	--	Peak	53.00	200	Vertical	N/A
3**	5828.800	98.82	-1.81	--	--	AV	53.00	200	Vertical	N/A
4	7341.837	50.46	-3.15	74.0	23.54	Peak	298.00	400	Vertical	Pass
4**	7341.837	41.22	-3.15	54.0	12.78	AV	298.00	400	Vertical	Pass
5	12281.088	54.11	1.80	74.0	19.89	Peak	316.00	150	Vertical	Pass
5**	12281.088	44.64	1.80	54.0	9.36	AV	316.00	150	Vertical	Pass
6	15812.062	55.96	2.12	74.0	18.04	Peak	75.00	400	Vertical	Pass
6**	15812.062	47.28	2.12	54.0	6.72	AV	75.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	40.48	-16.88	74.0	33.52	Peak	169.00	300	Horizontal	Pass
1**	1493.600	29.93	-16.88	54.0	24.07	AV	169.00	300	Horizontal	Pass
2	4296.800	50.44	-4.00	74.0	23.56	Peak	291.00	200	Horizontal	Pass
2**	4296.800	40.84	-4.00	54.0	13.16	AV	291.00	200	Horizontal	Pass
3	5753.600	106.25	-2.10	--	--	Peak	339.00	150	Horizontal	N/A
3**	5753.600	98.72	-2.10	--	--	AV	339.00	150	Horizontal	N/A
4	7713.575	49.69	-2.35	74.0	24.31	Peak	32.00	200	Horizontal	Pass
4**	7713.575	40.06	-2.35	54.0	13.94	AV	32.00	200	Horizontal	Pass
5	11945.862	54.41	1.51	74.0	19.59	Peak	124.00	200	Horizontal	Pass
5**	11945.862	44.58	1.51	54.0	9.42	AV	124.00	200	Horizontal	Pass
6	16174.838	57.52	1.32	74.0	16.48	Peak	298.00	100	Horizontal	Pass
6**	16174.838	46.92	1.32	54.0	7.08	AV	298.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.000	41.38	-16.88	74.0	32.62	Peak	242.00	200	Vertical	Pass
1**	1493.000	30.32	-16.88	54.0	23.68	AV	242.00	200	Vertical	Pass
2	4381.800	50.54	-3.63	74.0	23.46	Peak	166.00	400	Vertical	Pass
2**	4381.800	41.26	-3.63	54.0	12.74	AV	166.00	400	Vertical	Pass
3	5758.200	104.60	-1.64	--	--	Peak	49.00	150	Vertical	N/A
3**	5758.200	98.16	-1.64	--	--	AV	49.00	150	Vertical	N/A
4	7337.525	49.77	-2.90	74.0	24.23	Peak	193.00	400	Vertical	Pass
4**	7337.525	41.30	-2.90	54.0	12.70	AV	193.00	400	Vertical	Pass
5	12345.201	53.26	1.28	74.0	20.74	Peak	15.00	150	Vertical	Pass
5**	12345.201	43.82	1.28	54.0	10.18	AV	15.00	150	Vertical	Pass
6	16053.037	56.01	0.76	74.0	17.99	Peak	14.00	200	Vertical	Pass
6**	16053.037	46.26	0.76	54.0	7.74	AV	14.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.300	38.82	-17.49	74.0	35.18	Peak	35.00	300	Horizontal	Pass
1**	1472.300	28.46	-17.49	54.0	25.54	AV	35.00	300	Horizontal	Pass
2	4089.200	50.20	-4.75	74.0	23.80	Peak	30.00	400	Horizontal	Pass
2**	4089.200	40.22	-4.75	54.0	13.78	AV	30.00	400	Horizontal	Pass
3	5793.400	106.17	-1.80	--	--	Peak	350.00	100	Horizontal	N/A
3**	5793.400	98.05	-1.80	--	--	AV	350.00	100	Horizontal	N/A
4	7469.775	50.57	-3.47	74.0	23.43	Peak	336.00	400	Horizontal	Pass
4**	7469.775	40.20	-3.47	54.0	13.80	AV	336.00	400	Horizontal	Pass
5	12359.862	53.45	1.17	74.0	20.55	Peak	301.00	200	Horizontal	Pass
5**	12359.862	44.84	1.17	54.0	9.16	AV	301.00	200	Horizontal	Pass
6	16124.963	56.12	0.80	74.0	17.88	Peak	0.00	200	Horizontal	Pass
6**	16124.963	47.83	0.80	54.0	6.17	AV	0.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.000	42.16	-16.87	74.0	31.84	Peak	86.00	200	Vertical	Pass
1**	1494.000	29.65	-16.87	54.0	24.35	AV	86.00	200	Vertical	Pass
2	4384.400	50.30	-3.57	74.0	23.70	Peak	154.00	300	Vertical	Pass
2**	4384.400	41.37	-3.57	54.0	12.63	AV	154.00	300	Vertical	Pass
3	5789.800	104.17	-1.82	--	--	Peak	62.00	200	Vertical	N/A
3**	5789.800	97.18	-1.82	--	--	AV	62.00	200	Vertical	N/A
4	7457.125	50.54	-3.67	74.0	23.46	Peak	320.00	200	Vertical	Pass
4**	7457.125	40.89	-3.67	54.0	13.11	AV	320.00	200	Vertical	Pass
5	12607.400	53.46	1.90	74.0	20.54	Peak	122.00	100	Vertical	Pass
5**	12607.400	44.21	1.90	54.0	9.79	AV	122.00	100	Vertical	Pass
6	15675.037	57.06	1.54	74.0	16.94	Peak	322.00	100	Vertical	Pass
6**	15675.037	47.02	1.54	54.0	6.98	AV	322.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.400	39.08	-17.15	74.0	34.92	Peak	83.00	400	Horizontal	Pass
1**	1555.400	29.12	-17.15	54.0	24.88	AV	83.00	400	Horizontal	Pass
2	4391.800	50.23	-3.48	74.0	23.77	Peak	350.00	400	Horizontal	Pass
2**	4391.800	42.16	-3.48	54.0	11.84	AV	350.00	400	Horizontal	Pass
3	5743.400	108.63	-2.11	--	--	Peak	360.00	100	Horizontal	N/A
3**	5743.400	101.82	-2.11	--	--	AV	360.00	100	Horizontal	N/A
4	7600.300	49.78	-2.93	74.0	24.22	Peak	256.00	300	Horizontal	Pass
4**	7600.300	39.79	-2.93	54.0	14.21	AV	256.00	300	Horizontal	Pass
5	12423.687	53.39	1.42	74.0	20.61	Peak	212.00	200	Horizontal	Pass
5**	12423.687	43.73	1.42	54.0	10.27	AV	212.00	200	Horizontal	Pass
6	15508.088	56.77	1.38	74.0	17.23	Peak	70.00	400	Horizontal	Pass
6**	15508.088	46.65	1.38	54.0	7.35	AV	70.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	41.45	-16.87	74.0	32.55	Peak	86.00	100	Vertical	Pass
1**	1494.100	29.84	-16.87	54.0	24.16	AV	86.00	100	Vertical	Pass
2	4284.200	50.30	-4.14	74.0	23.70	Peak	307.00	200	Vertical	Pass
2**	4284.200	40.87	-4.14	54.0	13.13	AV	307.00	200	Vertical	Pass
3	5747.600	105.07	-2.21	--	--	Peak	46.00	150	Vertical	N/A
3**	5747.600	97.65	-2.21	--	--	AV	46.00	150	Vertical	N/A
4	7327.462	50.84	-3.43	74.0	23.16	Peak	223.00	100	Vertical	Pass
4**	7327.462	40.39	-3.43	54.0	13.61	AV	223.00	100	Vertical	Pass
5	12691.637	53.40	0.84	74.0	20.60	Peak	15.00	200	Vertical	Pass
5**	12691.637	43.73	0.84	54.0	10.27	AV	15.00	200	Vertical	Pass
6	15802.087	56.76	2.31	74.0	17.24	Peak	236.00	300	Vertical	Pass
6**	15802.087	47.61	2.31	54.0	6.39	AV	236.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.700	38.90	-16.94	74.0	35.10	Peak	244.00	400	Horizontal	Pass
1**	1622.700	29.22	-16.94	54.0	24.78	AV	244.00	400	Horizontal	Pass
2	4387.200	51.07	-3.34	74.0	22.93	Peak	0.00	300	Horizontal	Pass
2**	4387.200	42.33	-3.34	54.0	11.67	AV	0.00	300	Horizontal	Pass
3	5784.000	109.31	-1.57	--	--	Peak	351.00	100	Horizontal	N/A
3**	5784.000	101.65	-1.57	--	--	AV	351.00	100	Horizontal	N/A
4	7325.162	50.04	-3.46	74.0	23.96	Peak	136.00	400	Horizontal	Pass
4**	7325.162	40.63	-3.46	54.0	13.37	AV	136.00	400	Horizontal	Pass
5	12396.951	53.81	1.59	74.0	20.19	Peak	119.00	100	Horizontal	Pass
5**	12396.951	44.12	1.59	54.0	9.88	AV	119.00	100	Horizontal	Pass
6	16130.737	55.94	1.02	74.0	18.06	Peak	0.00	100	Horizontal	Pass
6**	16130.737	46.27	1.02	54.0	7.73	AV	0.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.800	40.91	-16.88	74.0	33.09	Peak	74.00	400	Vertical	Pass
1**	1493.800	29.83	-16.88	54.0	24.17	AV	74.00	400	Vertical	Pass
2	4297.400	50.18	-4.00	74.0	23.82	Peak	109.00	300	Vertical	Pass
2**	4297.400	41.26	-4.00	54.0	12.74	AV	109.00	300	Vertical	Pass
3	5788.600	106.71	-1.72	--	--	Peak	53.00	100	Vertical	N/A
3**	5788.600	97.84	-1.72	--	--	AV	53.00	100	Vertical	N/A
4	7450.800	49.93	-3.19	74.0	24.07	Peak	13.00	400	Vertical	Pass
4**	7450.800	40.42	-3.19	54.0	13.58	AV	13.00	400	Vertical	Pass
5	12599.638	53.68	1.89	74.0	20.32	Peak	235.00	100	Vertical	Pass
5**	12599.638	43.21	1.89	54.0	10.79	AV	235.00	100	Vertical	Pass
6	16039.912	56.45	0.80	74.0	17.55	Peak	88.00	200	Vertical	Pass
6**	16039.912	47.06	0.80	54.0	6.94	AV	88.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.200	41.80	-17.22	74.0	32.20	Peak	172.00	400	Horizontal	Pass
1**	1565.200	32.25	-17.22	54.0	21.75	AV	172.00	400	Horizontal	Pass
2	4356.800	50.96	-4.15	74.0	23.04	Peak	37.00	400	Horizontal	Pass
2**	4356.800	41.56	-4.15	54.0	12.44	AV	37.00	400	Horizontal	Pass
3	5823.600	109.29	-2.13	--	--	Peak	339.00	150	Horizontal	N/A
3**	5823.600	101.08	-2.13	--	--	AV	339.00	150	Horizontal	N/A
4	7397.900	50.52	-4.10	74.0	23.48	Peak	0.00	200	Horizontal	Pass
4**	7397.900	39.77	-4.10	54.0	14.23	AV	0.00	200	Horizontal	Pass
5	11945.862	53.54	1.51	74.0	20.46	Peak	309.00	200	Horizontal	Pass
5**	11945.862	44.12	1.51	54.0	9.88	AV	309.00	200	Horizontal	Pass
6	16101.599	56.27	1.13	74.0	17.73	Peak	132.00	100	Horizontal	Pass
6**	16101.599	46.98	1.13	54.0	7.02	AV	132.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.600	43.03	-17.35	74.0	30.97	Peak	348.00	200	Vertical	Pass
1**	1469.600	29.37	-17.35	54.0	24.63	AV	348.00	200	Vertical	Pass
2	4073.600	50.17	-4.69	74.0	23.83	Peak	293.00	100	Vertical	Pass
2**	4073.600	39.77	-4.69	54.0	14.23	AV	293.00	100	Vertical	Pass
3	5828.200	105.79	-1.87	--	--	Peak	56.00	100	Vertical	N/A
3**	5828.200	98.38	-1.87	--	--	AV	56.00	100	Vertical	N/A
4	7432.975	49.75	-3.37	74.0	24.25	Peak	14.00	400	Vertical	Pass
4**	7432.975	40.33	-3.37	54.0	13.67	AV	14.00	400	Vertical	Pass
5	11921.713	53.27	1.50	74.0	20.73	Peak	174.00	150	Vertical	Pass
5**	11921.713	44.95	1.50	54.0	9.05	AV	174.00	150	Vertical	Pass
6	15402.037	56.16	0.78	74.0	17.84	Peak	0.00	400	Vertical	Pass
6**	15402.037	47.40	0.78	54.0	6.60	AV	0.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.200	38.69	-17.03	74.0	35.31	Peak	126.00	300	Horizontal	Pass
1**	1571.200	30.02	-17.03	54.0	23.98	AV	126.00	300	Horizontal	Pass
2	4390.800	50.92	-3.35	74.0	23.08	Peak	233.00	200	Horizontal	Pass
2**	4390.800	42.36	-3.35	54.0	11.64	AV	233.00	200	Horizontal	Pass
3	5753.200	106.07	-2.03	--	--	Peak	360.00	150	Horizontal	N/A
3**	5753.200	98.80	-2.03	--	--	AV	360.00	150	Horizontal	N/A
4	7501.112	50.71	-3.17	74.0	23.29	Peak	331.00	100	Horizontal	Pass
4**	7501.112	40.47	-3.17	54.0	13.53	AV	331.00	100	Horizontal	Pass
5	12225.025	53.81	1.31	74.0	20.19	Peak	108.00	150	Horizontal	Pass
5**	12225.025	45.13	1.31	54.0	8.87	AV	108.00	150	Horizontal	Pass
6	15843.826	55.93	1.39	74.0	18.07	Peak	256.00	200	Horizontal	Pass
6**	15843.826	46.79	1.39	54.0	7.21	AV	256.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	41.03	-17.22	74.0	32.97	Peak	76.00	300	Vertical	Pass
1**	1498.500	33.44	-17.22	54.0	20.56	AV	76.00	300	Vertical	Pass
2	4345.200	51.06	-4.20	74.0	22.94	Peak	66.00	300	Vertical	Pass
2**	4345.200	41.24	-4.20	54.0	12.76	AV	66.00	300	Vertical	Pass
3	5758.800	105.31	-1.56	--	--	Peak	66.00	150	Vertical	N/A
3**	5758.800	96.54	-1.56	--	--	AV	66.00	150	Vertical	N/A
4	7508.875	49.70	-3.13	74.0	24.30	Peak	360.00	300	Vertical	Pass
4**	7508.875	40.98	-3.13	54.0	13.02	AV	360.00	300	Vertical	Pass
5	12333.700	53.88	1.36	74.0	20.12	Peak	342.00	150	Vertical	Pass
5**	12333.700	43.80	1.36	54.0	10.20	AV	342.00	150	Vertical	Pass
6	16116.300	56.27	0.66	74.0	17.73	Peak	203.00	300	Vertical	Pass
6**	16116.300	46.33	0.66	54.0	7.67	AV	203.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.900	39.17	-16.88	74.0	34.83	Peak	170.00	200	Horizontal	Pass
1**	1493.900	30.14	-16.88	54.0	23.86	AV	170.00	200	Horizontal	Pass
2	4392.800	50.19	-3.61	74.0	23.81	Peak	242.00	400	Horizontal	Pass
2**	4392.800	41.02	-3.61	54.0	12.98	AV	242.00	400	Horizontal	Pass
3	5793.600	104.80	-1.78	--	--	Peak	330.00	150	Horizontal	N/A
3**	5793.600	98.52	-1.78	--	--	AV	330.00	150	Horizontal	N/A
4	7732.263	49.84	-2.24	74.0	24.16	Peak	0.00	400	Horizontal	Pass
4**	7732.263	40.39	-2.24	54.0	13.61	AV	0.00	400	Horizontal	Pass
5	12326.225	53.35	1.42	74.0	20.65	Peak	236.00	150	Horizontal	Pass
5**	12326.225	43.79	1.42	54.0	10.21	AV	236.00	150	Horizontal	Pass
6	15803.138	56.54	2.29	74.0	17.46	Peak	127.00	300	Horizontal	Pass
6**	15803.138	47.44	2.29	54.0	6.56	AV	127.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.400	44.32	-17.06	74.0	29.68	Peak	74.00	300	Vertical	Pass
1**	1497.400	29.67	-17.06	54.0	24.33	AV	74.00	300	Vertical	Pass
2	4389.200	49.79	-3.36	74.0	24.21	Peak	14.00	400	Vertical	Pass
2**	4389.200	41.04	-3.36	54.0	12.96	AV	14.00	400	Vertical	Pass
3	5797.400	103.54	-1.71	--	--	Peak	59.00	100	Vertical	N/A
3**	5797.400	95.12	-1.71	--	--	AV	59.00	100	Vertical	N/A
4	7343.275	50.04	-3.35	74.0	23.96	Peak	360.00	300	Vertical	Pass
4**	7343.275	40.92	-3.35	54.0	13.08	AV	360.00	300	Vertical	Pass
5	12280.513	53.74	1.80	74.0	20.26	Peak	0.00	100	Vertical	Pass
5**	12280.513	44.63	1.80	54.0	9.37	AV	0.00	100	Vertical	Pass
6	16198.462	56.40	1.59	74.0	17.60	Peak	253.00	300	Vertical	Pass
6**	16198.462	47.60	1.59	54.0	6.40	AV	253.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.700	39.07	-17.27	74.0	34.93	Peak	50.00	400	Horizontal	Pass
1**	1542.700	29.62	-17.27	54.0	24.38	AV	50.00	400	Horizontal	Pass
2	4392.600	50.74	-3.58	74.0	23.26	Peak	238.00	200	Horizontal	Pass
2**	4392.600	41.79	-3.58	54.0	12.21	AV	238.00	200	Horizontal	Pass
3	5783.200	103.83	-1.46	--	--	Peak	351.00	200	Horizontal	N/A
3**	5783.200	96.14	-1.46	--	--	AV	351.00	200	Horizontal	N/A
4	7322.862	49.86	-3.34	74.0	24.14	Peak	252.00	300	Horizontal	Pass
4**	7322.862	40.27	-3.34	54.0	13.73	AV	252.00	300	Horizontal	Pass
5	12419.951	53.32	1.39	74.0	20.68	Peak	55.00	200	Horizontal	Pass
5**	12419.951	44.06	1.39	54.0	9.94	AV	55.00	200	Horizontal	Pass
6	16077.975	56.08	1.60	74.0	17.92	Peak	360.00	300	Horizontal	Pass
6**	16077.975	46.20	1.60	54.0	7.80	AV	360.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	41.37	-16.92	74.0	32.63	Peak	283.00	300	Vertical	Pass
1**	1500.100	29.13	-16.92	54.0	24.87	AV	283.00	300	Vertical	Pass
2	4390.600	50.01	-3.33	74.0	23.99	Peak	104.00	300	Vertical	Pass
2**	4390.600	41.53	-3.33	54.0	12.47	AV	104.00	300	Vertical	Pass
3	5769.200	102.74	-1.80	--	--	Peak	57.00	200	Vertical	N/A
3**	5769.200	94.70	-1.80	--	--	AV	57.00	200	Vertical	N/A
4	7403.362	49.93	-3.68	74.0	24.07	Peak	324.00	300	Vertical	Pass
4**	7403.362	40.53	-3.68	54.0	13.47	AV	324.00	300	Vertical	Pass
5	12219.275	53.60	1.22	74.0	20.40	Peak	288.00	200	Vertical	Pass
5**	12219.275	44.45	1.22	54.0	9.55	AV	288.00	200	Vertical	Pass
6	15625.162	56.50	1.72	74.0	17.50	Peak	342.00	200	Vertical	Pass
6**	15625.162	46.67	1.72	54.0	7.33	AV	342.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.100	44.08	-17.41	74.0	29.92	Peak	247.00	300	Horizontal	Pass
1**	1602.100	29.95	-17.41	54.0	24.05	AV	247.00	300	Horizontal	Pass
2	4367.400	50.23	-3.83	74.0	23.77	Peak	343.00	400	Horizontal	Pass
2**	4367.400	40.71	-3.83	54.0	13.29	AV	343.00	400	Horizontal	Pass
3	5742.800	110.69	-2.17	--	--	Peak	0.00	150	Horizontal	N/A
3**	5742.800	100.74	-2.17	--	--	AV	0.00	150	Horizontal	N/A
4	7674.763	49.80	-2.43	74.0	24.20	Peak	97.00	100	Horizontal	Pass
4**	7674.763	40.56	-2.43	54.0	13.44	AV	97.00	100	Horizontal	Pass
5	12326.225	53.86	1.42	74.0	20.14	Peak	279.00	100	Horizontal	Pass
5**	12326.225	44.28	1.42	54.0	9.72	AV	279.00	100	Horizontal	Pass
6	15794.475	56.10	2.15	74.0	17.90	Peak	212.00	150	Horizontal	Pass
6**	15794.475	46.86	2.15	54.0	7.14	AV	212.00	150	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	41.11	-16.88	74.0	32.89	Peak	74.00	300	Vertical	Pass
1**	1500.300	31.22	-16.88	54.0	22.78	AV	74.00	300	Vertical	Pass
2	4243.800	50.29	-4.38	74.0	23.71	Peak	74.00	400	Vertical	Pass
2**	4243.800	40.46	-4.38	54.0	13.54	AV	74.00	400	Vertical	Pass
3	5748.000	108.21	-2.21	--	--	Peak	74.00	150	Vertical	N/A
3**	5748.000	98.51	-2.21	--	--	AV	74.00	150	Vertical	N/A
4	7452.237	50.51	-3.16	74.0	23.49	Peak	180.00	300	Vertical	Pass
4**	7452.237	40.96	-3.16	54.0	13.04	AV	180.00	300	Vertical	Pass
5	12614.013	53.56	1.88	74.0	20.44	Peak	148.00	200	Vertical	Pass
5**	12614.013	43.59	1.88	54.0	10.41	AV	148.00	200	Vertical	Pass
6	16008.412	56.23	0.40	74.0	17.77	Peak	155.00	300	Vertical	Pass
6**	16008.412	46.58	0.40	54.0	7.42	AV	155.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	39.31	-16.85	74.0	34.69	Peak	40.00	200	Horizontal	Pass
1**	1500.500	29.94	-16.85	54.0	24.06	AV	40.00	200	Horizontal	Pass
2	4364.200	50.98	-4.05	74.0	23.02	Peak	50.00	200	Horizontal	Pass
2**	4364.200	41.34	-4.05	54.0	12.66	AV	50.00	200	Horizontal	Pass
3	5784.200	111.08	-1.59	--	--	Peak	72.00	150	Horizontal	N/A
3**	5784.200	102.61	-1.59	--	--	AV	72.00	150	Horizontal	N/A
4	7339.537	51.01	-2.93	74.0	22.99	Peak	360.00	400	Horizontal	Pass
4**	7339.537	41.24	-2.93	54.0	12.76	AV	360.00	400	Horizontal	Pass
5	11225.099	53.58	-0.22	74.0	20.42	Peak	19.00	150	Horizontal	Pass
5**	11225.099	43.50	-0.22	54.0	10.50	AV	19.00	150	Horizontal	Pass
6	16086.112	56.22	1.51	74.0	17.78	Peak	347.00	300	Horizontal	Pass
6**	16086.112	47.39	1.51	54.0	6.61	AV	347.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.400	40.54	-16.87	74.0	33.46	Peak	225.00	200	Vertical	Pass
1**	1494.400	35.04	-16.87	54.0	18.96	AV	225.00	200	Vertical	Pass
2	4387.800	51.32	-3.38	74.0	22.68	Peak	90.00	400	Vertical	Pass
2**	4387.800	41.96	-3.38	54.0	12.04	AV	90.00	400	Vertical	Pass
3	5787.600	107.06	-1.69	--	--	Peak	70.00	100	Vertical	N/A
3**	5787.600	98.54	-1.69	--	--	AV	70.00	100	Vertical	N/A
4	7450.800	49.81	-3.19	74.0	24.19	Peak	117.00	100	Vertical	Pass
4**	7450.800	41.42	-3.19	54.0	12.58	AV	117.00	100	Vertical	Pass
5	12029.237	53.69	0.78	74.0	20.31	Peak	166.00	200	Vertical	Pass
5**	12029.237	43.07	0.78	54.0	10.93	AV	166.00	200	Vertical	Pass
6	15654.300	56.28	1.19	74.0	17.72	Peak	129.00	400	Vertical	Pass
6**	15654.300	46.33	1.19	54.0	7.67	AV	129.00	400	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.300	39.06	-17.11	74.0	34.94	Peak	203.00	300	Horizontal	Pass
1**	1569.300	28.63	-17.11	54.0	25.37	AV	203.00	300	Horizontal	Pass
2	4267.600	50.17	-4.78	74.0	23.83	Peak	133.00	400	Horizontal	Pass
2**	4267.600	40.07	-4.78	54.0	13.93	AV	133.00	400	Horizontal	Pass
3	5822.600	110.68	-2.13	--	--	Peak	342.00	150	Horizontal	N/A
3**	5822.600	101.09	-2.13	--	--	AV	342.00	150	Horizontal	N/A
4	7336.950	50.13	-3.01	74.0	23.87	Peak	156.00	300	Horizontal	Pass
4**	7336.950	40.95	-3.01	54.0	13.05	AV	156.00	300	Horizontal	Pass
5	12317.025	53.53	1.41	74.0	20.47	Peak	92.00	200	Horizontal	Pass
5**	12317.025	44.47	1.41	54.0	9.53	AV	92.00	200	Horizontal	Pass
6	16101.862	56.61	1.12	74.0	17.39	Peak	88.00	100	Horizontal	Pass
6**	16101.862	47.46	1.12	54.0	6.54	AV	88.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.700	47.57	-17.08	74.0	26.43	Peak	275.00	300	Vertical	Pass
1**	1527.700	29.19	-17.08	54.0	24.81	AV	275.00	300	Vertical	Pass
2	4380.400	50.84	-3.39	74.0	23.16	Peak	324.00	200	Vertical	Pass
2**	4380.400	42.09	-3.39	54.0	11.91	AV	324.00	200	Vertical	Pass
3	5827.000	108.26	-1.98	--	--	Peak	61.00	100	Vertical	N/A
3**	5827.000	98.07	-1.98	--	--	AV	61.00	100	Vertical	N/A
4	7444.188	49.82	-3.24	74.0	24.18	Peak	221.00	200	Vertical	Pass
4**	7444.188	40.39	-3.24	54.0	13.61	AV	221.00	200	Vertical	Pass
5	12283.099	54.15	1.79	74.0	19.85	Peak	92.00	100	Vertical	Pass
5**	12283.099	43.84	1.79	54.0	10.16	AV	92.00	100	Vertical	Pass
6	15666.375	56.44	1.36	74.0	17.56	Peak	71.00	300	Vertical	Pass
6**	15666.375	47.46	1.36	54.0	6.54	AV	71.00	300	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	39.61	-16.87	74.0	34.39	Peak	186.00	300	Horizontal	Pass
1**	1494.600	29.75	-16.87	54.0	24.25	AV	186.00	300	Horizontal	Pass
2	4384.800	50.97	-3.50	74.0	23.03	Peak	177.00	100	Horizontal	Pass
2**	4384.800	42.36	-3.50	54.0	11.64	AV	177.00	100	Horizontal	Pass
3	5745.200	107.15	-2.15	--	--	Peak	51.00	100	Horizontal	N/A
3**	5745.200	95.48	-2.15	--	--	AV	51.00	100	Horizontal	N/A
4	7336.663	50.58	-3.07	74.0	23.42	Peak	249.00	300	Horizontal	Pass
4**	7336.663	41.76	-3.07	54.0	12.24	AV	249.00	300	Horizontal	Pass
5	12369.350	53.46	1.25	74.0	20.54	Peak	266.00	150	Horizontal	Pass
5**	12369.350	43.57	1.25	54.0	10.43	AV	266.00	150	Horizontal	Pass
6	15850.125	56.24	1.33	74.0	17.76	Peak	112.00	400	Horizontal	Pass
6**	15850.125	46.52	1.33	54.0	7.48	AV	112.00	400	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	41.64	-16.94	74.0	32.36	Peak	83.00	300	Vertical	Pass
1**	1500.000	30.17	-16.94	54.0	23.83	AV	83.00	300	Vertical	Pass
2	4380.200	50.80	-3.35	74.0	23.20	Peak	0.00	100	Vertical	Pass
2**	4380.200	41.76	-3.35	54.0	12.24	AV	0.00	100	Vertical	Pass
3	5750.400	105.66	-2.34	--	--	Peak	39.00	100	Vertical	N/A
3**	5750.400	96.13	-2.34	--	--	AV	39.00	100	Vertical	N/A
4	7625.312	50.23	-2.86	74.0	23.77	Peak	213.00	100	Vertical	Pass
4**	7625.312	40.68	-2.86	54.0	13.32	AV	213.00	100	Vertical	Pass
5	12330.250	53.60	1.41	74.0	20.40	Peak	49.00	100	Vertical	Pass
5**	12330.250	45.25	1.41	54.0	8.75	AV	49.00	100	Vertical	Pass
6	16139.138	55.62	1.03	74.0	18.38	Peak	92.00	200	Vertical	Pass
6**	16139.138	45.80	1.03	54.0	8.20	AV	92.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.000	39.21	-17.10	74.0	34.79	Peak	9.00	400	Horizontal	Pass
1**	1457.000	29.88	-17.10	54.0	24.12	AV	9.00	400	Horizontal	Pass
2	4392.600	50.59	-3.58	74.0	23.41	Peak	29.00	200	Horizontal	Pass
2**	4392.600	41.38	-3.58	54.0	12.62	AV	29.00	200	Horizontal	Pass
3	5796.200	105.34	-1.69	--	--	Peak	49.00	100	Horizontal	N/A
3**	5796.200	97.36	-1.69	--	--	AV	49.00	100	Horizontal	N/A
4	7723.638	50.19	-2.50	74.0	23.81	Peak	283.00	300	Horizontal	Pass
4**	7723.638	40.82	-2.50	54.0	13.18	AV	283.00	300	Horizontal	Pass
5	12350.375	53.69	1.22	74.0	20.31	Peak	154.00	150	Horizontal	Pass
5**	12350.375	43.25	1.22	54.0	10.75	AV	154.00	150	Horizontal	Pass
6	15975.599	55.71	0.41	74.0	18.29	Peak	187.00	100	Horizontal	Pass
6**	15975.599	45.80	0.41	54.0	8.20	AV	187.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.500	38.96	-17.04	74.0	35.04	Peak	93.00	200	Vertical	Pass
1**	1535.500	30.00	-17.04	54.0	24.00	AV	93.00	200	Vertical	Pass
2	4380.200	50.21	-3.35	74.0	23.79	Peak	48.00	300	Vertical	Pass
2**	4380.200	41.44	-3.35	54.0	12.56	AV	48.00	300	Vertical	Pass
3	5788.800	105.19	-1.74	--	--	Peak	58.00	200	Vertical	N/A
3**	5788.800	97.23	-1.74	--	--	AV	58.00	200	Vertical	N/A
4	7632.212	50.94	-2.91	74.0	23.06	Peak	178.00	400	Vertical	Pass
4**	7632.212	40.52	-2.91	54.0	13.48	AV	178.00	400	Vertical	Pass
5	11638.813	52.98	-0.23	74.0	21.02	Peak	45.00	100	Vertical	Pass
5**	11638.813	42.98	-0.23	54.0	11.02	AV	45.00	100	Vertical	Pass
6	15667.951	56.38	1.39	74.0	17.62	Peak	132.00	200	Vertical	Pass
6**	15667.951	46.61	1.39	54.0	7.39	AV	132.00	200	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.300	39.12	-17.03	74.0	34.88	Peak	334.00	300	Horizontal	Pass
1**	1528.300	29.59	-17.03	54.0	24.41	AV	334.00	300	Horizontal	Pass
2	4379.000	50.32	-3.36	74.0	23.68	Peak	145.00	400	Horizontal	Pass
2**	4379.000	41.42	-3.36	54.0	12.58	AV	145.00	400	Horizontal	Pass
3	5772.800	105.67	-2.08	--	--	Peak	360.00	100	Horizontal	N/A
3**	5772.800	96.27	-2.08	--	--	AV	360.00	100	Horizontal	N/A
4	7627.325	49.72	-2.75	74.0	24.28	Peak	57.00	400	Horizontal	Pass
4**	7627.325	40.57	-2.75	54.0	13.43	AV	57.00	400	Horizontal	Pass
5	12433.463	53.77	1.65	74.0	20.23	Peak	138.00	200	Horizontal	Pass
5**	12433.463	43.92	1.65	54.0	10.08	AV	138.00	200	Horizontal	Pass
6	16022.850	55.93	0.61	74.0	18.07	Peak	220.00	150	Horizontal	Pass
6**	16022.850	47.06	0.61	54.0	6.94	AV	220.00	150	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	41.25	-16.88	74.0	32.75	Peak	288.00	100	Vertical	Pass
1**	1493.100	33.48	-16.88	54.0	20.52	AV	288.00	100	Vertical	Pass
2	4299.400	51.11	-4.14	74.0	22.89	Peak	206.00	400	Vertical	Pass
2**	4299.400	40.78	-4.14	54.0	13.22	AV	206.00	400	Vertical	Pass
3	5769.200	103.48	-1.80	--	--	Peak	60.00	200	Vertical	N/A
3**	5769.200	94.76	-1.80	--	--	AV	60.00	200	Vertical	N/A
4	7627.325	49.77	-2.75	74.0	24.23	Peak	66.00	400	Vertical	Pass
4**	7627.325	40.50	-2.75	54.0	13.50	AV	66.00	400	Vertical	Pass
5	12320.187	53.30	1.43	74.0	20.70	Peak	0.00	150	Vertical	Pass
5**	12320.187	44.74	1.43	54.0	9.26	AV	0.00	150	Vertical	Pass
6	15626.738	56.05	1.71	74.0	17.95	Peak	34.00	200	Vertical	Pass
6**	15626.738	46.49	1.71	54.0	7.51	AV	34.00	200	Vertical	Pass


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)	Low	Pass
		High	Pass
802.11ax(HE40)	Low	Pass	
	High	Pass	
802.11ax(HE80)	Middle	Pass	
802.11ax(HE160)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)	Low	Pass
		High	Pass
	802.11ax(HE40)	Low	Pass
High		Pass	
802.11ax(HE80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)	Low	Pass
		High	Pass
	802.11ax(HE40)	Low	Pass
High		Pass	
802.11ax(HE80)	Low	Pass	
	High	Pass	
802.11ax(HE160)	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)	Low	Pass
		High	Pass
	802.11ax(HE40)	Low	Pass
High		Pass	
802.11ax(HE80)	Middle	Pass	


Test Data and Plots
SISO-Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	58.11	2.27	74.0	15.89	Peak	47.00	100	Horizontal	Pass
1**	5147.075	46.85	2.27	54.0	7.15	AV	47.00	100	Horizontal	Pass
2	5149.675	56.23	2.07	74.0	17.77	Peak	280.00	200	Horizontal	Pass
2**	5149.675	46.96	2.07	54.0	7.04	AV	280.00	200	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.81	1.93	74.0	19.19	Peak	174.00	150	Horizontal	Pass
1**	5350.055	45.37	1.93	54.0	8.63	AV	174.00	150	Horizontal	Pass
2	5417.650	57.73	2.28	74.0	16.27	Peak	218.00	200	Horizontal	Pass
2**	5417.650	45.92	2.28	54.0	8.08	AV	218.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.275	57.56	2.37	74.0	16.44	Peak	67.00	100	Horizontal	Pass
1**	5139.275	46.97	2.37	54.0	7.03	AV	67.00	100	Horizontal	Pass
2	5149.675	55.99	2.07	74.0	18.01	Peak	123.00	100	Horizontal	Pass
2**	5149.675	46.98	2.07	54.0	7.02	AV	123.00	100	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.25	1.93	74.0	17.75	Peak	144.00	150	Horizontal	Pass
1**	5350.055	45.70	1.93	54.0	8.30	AV	144.00	150	Horizontal	Pass
2	5456.535	58.26	2.46	74.0	15.74	Peak	303.00	150	Horizontal	Pass
2**	5456.535	46.44	2.46	54.0	7.56	AV	303.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.75	2.18	74.0	16.25	Peak	95.00	150	Horizontal	Pass
1**	5147.725	48.09	2.18	54.0	5.91	AV	95.00	150	Horizontal	Pass
2	5149.675	60.18	2.07	74.0	13.82	Peak	106.00	100	Horizontal	Pass
2**	5149.675	48.29	2.07	54.0	5.71	AV	106.00	100	Horizontal	Pass
3	5147.400	56.74	2.23	74.0	17.26	Peak	107.00	150	Horizontal	Pass
3**	5147.400	48.51	2.23	54.0	5.49	AV	107.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.46	1.93	74.0	16.54	Peak	299.00	100	Horizontal	Pass
1**	5350.055	45.92	1.93	54.0	8.08	AV	299.00	100	Horizontal	Pass
2	5457.525	58.04	2.50	74.0	15.96	Peak	360.00	100	Horizontal	Pass
2**	5457.525	46.37	2.50	54.0	7.63	AV	360.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4863.025	57.64	1.70	74.0	16.36	Peak	219.00	200	Horizontal	Pass
1**	4863.025	45.12	1.70	54.0	8.88	AV	219.00	200	Horizontal	Pass
2	5149.675	56.61	2.07	74.0	17.39	Peak	353.00	200	Horizontal	Pass
2**	5149.675	48.14	2.07	54.0	5.86	AV	353.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.72	1.93	74.0	18.28	Peak	301.00	200	Horizontal	Pass
1**	5350.000	45.72	1.93	54.0	8.28	AV	301.00	200	Horizontal	Pass
2	5373.870	57.69	2.28	74.0	16.31	Peak	190.00	200	Horizontal	Pass
2**	5373.870	46.10	2.28	54.0	7.90	AV	190.00	200	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.22	2.05	74.0	15.78	Peak	103.00	200	Horizontal	Pass
1**	5149.350	48.64	2.05	54.0	5.36	AV	103.00	200	Horizontal	Pass
2	5149.675	56.84	2.07	74.0	17.16	Peak	103.00	150	Horizontal	Pass
2**	5149.675	48.77	2.07	54.0	5.23	AV	103.00	150	Horizontal	Pass
3	5147.400	57.38	2.23	74.0	16.62	Peak	286.00	150	Horizontal	Pass
3**	5147.400	48.64	2.23	54.0	5.36	AV	286.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.53	1.93	74.0	18.47	Peak	299.00	200	Horizontal	Pass
1**	5350.000	46.22	1.93	54.0	7.78	AV	299.00	200	Horizontal	Pass
2	5457.580	57.84	2.49	74.0	16.16	Peak	3.00	150	Horizontal	Pass
2**	5457.580	46.32	2.49	54.0	7.68	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.250	58.58	2.36	74.0	15.42	Peak	100.00	200	Horizontal	Pass
1**	5140.250	48.12	2.36	54.0	5.88	AV	100.00	200	Horizontal	Pass
2	5149.675	56.58	2.07	74.0	17.42	Peak	100.00	150	Horizontal	Pass
2**	5149.675	48.21	2.07	54.0	5.79	AV	100.00	150	Horizontal	Pass
3	5144.150	57.43	2.31	74.0	16.57	Peak	229.00	150	Horizontal	Pass
3**	5144.150	48.89	2.31	54.0	5.11	AV	229.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.31	1.93	74.0	17.69	Peak	4.00	200	Horizontal	Pass
1**	5350.055	46.02	1.93	54.0	7.98	AV	4.00	200	Horizontal	Pass
2	5440.200	57.80	2.32	74.0	16.20	Peak	4.00	200	Horizontal	Pass
2**	5440.200	46.24	2.32	54.0	7.76	AV	4.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.650	60.07	2.09	74.0	13.93	Peak	99.00	150	Horizontal	Pass
1**	5111.650	47.97	2.09	54.0	6.03	AV	99.00	150	Horizontal	Pass
2	5149.675	56.44	2.07	74.0	17.56	Peak	102.00	100	Horizontal	Pass
2**	5149.675	47.78	2.07	54.0	6.22	AV	102.00	100	Horizontal	Pass
3	5092.800	56.74	2.33	74.0	17.26	Peak	102.00	150	Horizontal	Pass
3**	5092.800	48.96	2.33	54.0	5.04	AV	102.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.88	1.93	74.0	17.12	Peak	100.00	150	Horizontal	Pass
1**	5350.055	47.59	1.93	54.0	6.41	AV	100.00	150	Horizontal	Pass
2	5356.490	59.90	2.15	74.0	14.10	Peak	100.00	200	Horizontal	Pass
2**	5356.490	47.51	2.15	54.0	6.49	AV	100.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	59.08	2.28	74.0	14.92	Peak	97.00	150	Horizontal	Pass
1**	5144.475	47.67	2.28	54.0	6.33	AV	97.00	150	Horizontal	Pass
2	5149.675	57.09	2.07	74.0	16.91	Peak	87.00	200	Horizontal	Pass
2**	5149.675	47.80	2.07	54.0	6.20	AV	87.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.36	1.93	74.0	17.64	Peak	324.00	200	Horizontal	Pass
1**	5350.055	45.91	1.93	54.0	8.09	AV	324.00	200	Horizontal	Pass
2	5431.840	57.99	2.25	74.0	16.01	Peak	123.00	150	Horizontal	Pass
2**	5431.840	46.29	2.25	54.0	7.71	AV	123.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	58.10	2.10	74.0	15.90	Peak	92.00	150	Horizontal	Pass
1**	5148.375	48.54	2.10	54.0	5.46	AV	92.00	150	Horizontal	Pass
2	5149.675	58.56	2.07	74.0	15.44	Peak	95.00	150	Horizontal	Pass
2**	5149.675	47.93	2.07	54.0	6.07	AV	95.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.37	1.93	74.0	18.63	Peak	99.00	150	Horizontal	Pass
1**	5350.055	45.84	1.93	54.0	8.16	AV	99.00	150	Horizontal	Pass
2	5427.055	58.52	2.51	74.0	15.48	Peak	11.00	150	Horizontal	Pass
2**	5427.055	46.43	2.51	54.0	7.57	AV	11.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	58.13	2.25	74.0	15.87	Peak	98.00	150	Horizontal	Pass
1**	5144.800	48.06	2.25	54.0	5.94	AV	98.00	150	Horizontal	Pass
2	5149.675	56.11	2.07	74.0	17.89	Peak	100.00	100	Horizontal	Pass
2**	5149.675	48.37	2.07	54.0	5.63	AV	100.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	1.93	74.0	17.96	Peak	94.00	200	Horizontal	Pass
1**	5350.000	45.93	1.93	54.0	8.07	AV	94.00	200	Horizontal	Pass
2	5392.295	58.44	2.16	74.0	15.56	Peak	73.00	200	Horizontal	Pass
2**	5392.295	45.79	2.16	54.0	8.21	AV	73.00	200	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.925	58.46	2.36	74.0	15.54	Peak	101.00	200	Horizontal	Pass
1**	5100.925	48.05	2.36	54.0	5.95	AV	101.00	200	Horizontal	Pass
2	5149.675	55.40	2.07	74.0	18.60	Peak	93.00	200	Horizontal	Pass
2**	5149.675	47.04	2.07	54.0	6.96	AV	93.00	200	Horizontal	Pass
3	5107.100	56.03	2.04	74.0	17.97	Peak	88.00	150	Horizontal	Pass
3**	5107.100	48.46	2.04	54.0	5.54	AV	88.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.89	1.93	74.0	18.11	Peak	93.00	100	Horizontal	Pass
1**	5350.055	47.52	1.93	54.0	6.48	AV	93.00	100	Horizontal	Pass
2	5380.690	59.14	2.28	74.0	14.86	Peak	96.00	150	Horizontal	Pass
2**	5380.690	47.66	2.28	54.0	6.34	AV	96.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.425	57.22	2.37	74.0	16.78	Peak	47.00	150	Horizontal	Pass
1**	5081.425	45.92	2.37	54.0	8.08	AV	47.00	150	Horizontal	Pass
2	5149.675	55.59	2.07	74.0	18.41	Peak	310.00	100	Horizontal	Pass
2**	5149.675	45.84	2.07	54.0	8.16	AV	310.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	1.93	74.0	18.83	Peak	71.00	150	Horizontal	Pass
1**	5350.000	46.01	1.93	54.0	7.99	AV	71.00	150	Horizontal	Pass
2	5450.485	58.32	2.21	74.0	15.68	Peak	360.00	200	Horizontal	Pass
2**	5450.485	45.97	2.21	54.0	8.03	AV	360.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.600	57.61	2.35	74.0	16.39	Peak	275.00	150	Horizontal	Pass
1**	5087.600	46.22	2.35	54.0	7.78	AV	275.00	150	Horizontal	Pass
2	5149.675	54.76	2.07	74.0	19.24	Peak	336.00	200	Horizontal	Pass
2**	5149.675	45.70	2.07	54.0	8.30	AV	336.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.44	1.93	74.0	18.56	Peak	15.00	150	Horizontal	Pass
1**	5350.055	45.83	1.93	54.0	8.17	AV	15.00	150	Horizontal	Pass
2	5426.835	58.04	2.49	74.0	15.96	Peak	298.00	200	Horizontal	Pass
2**	5426.835	46.44	2.49	54.0	7.56	AV	298.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4830.525	57.74	2.06	74.0	16.26	Peak	119.00	150	Horizontal	Pass
1**	4830.525	45.55	2.06	54.0	8.45	AV	119.00	150	Horizontal	Pass
2	5149.675	55.56	2.07	74.0	18.44	Peak	119.00	100	Horizontal	Pass
2**	5149.675	46.00	2.07	54.0	8.00	AV	119.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.40	1.93	74.0	18.60	Peak	22.00	200	Horizontal	Pass
1**	5350.055	45.68	1.93	54.0	8.32	AV	22.00	200	Horizontal	Pass
2	5429.915	57.92	2.30	74.0	16.08	Peak	303.00	150	Horizontal	Pass
2**	5429.915	46.16	2.30	54.0	7.84	AV	303.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.700	57.60	2.17	74.0	16.40	Peak	170.00	100	Horizontal	Pass
1**	5096.700	45.77	2.17	54.0	8.23	AV	170.00	100	Horizontal	Pass
2	5149.675	54.99	2.07	74.0	19.01	Peak	344.00	200	Horizontal	Pass
2**	5149.675	45.54	2.07	54.0	8.46	AV	344.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.52	1.93	74.0	18.48	Peak	194.00	200	Horizontal	Pass
1**	5350.000	45.91	1.93	54.0	8.09	AV	194.00	200	Horizontal	Pass
2	5424.415	58.21	2.38	74.0	15.79	Peak	357.00	100	Horizontal	Pass
2**	5424.415	46.25	2.38	54.0	7.75	AV	357.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.525	57.18	2.43	74.0	16.82	Peak	220.00	150	Horizontal	Pass
1**	5090.525	46.11	2.43	54.0	7.89	AV	220.00	150	Horizontal	Pass
2	5149.675	54.99	2.07	74.0	19.01	Peak	0.00	100	Horizontal	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	0.00	100	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.92	1.93	74.0	16.08	Peak	95.00	100	Horizontal	Pass
1**	5350.055	48.31	1.93	54.0	5.69	AV	95.00	100	Horizontal	Pass
2	5352.035	59.05	2.04	74.0	14.95	Peak	92.00	100	Horizontal	Pass
2**	5352.035	48.43	2.04	54.0	5.57	AV	92.00	100	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	57.77	2.10	74.0	16.23	Peak	241.00	150	Horizontal	Pass
1**	5148.375	45.74	2.10	54.0	8.26	AV	241.00	150	Horizontal	Pass
2	5149.675	55.17	2.07	74.0	18.83	Peak	147.00	200	Horizontal	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	147.00	200	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.31	1.93	74.0	16.69	Peak	92.00	200	Horizontal	Pass
1**	5350.000	48.15	1.93	54.0	5.85	AV	92.00	200	Horizontal	Pass
2	5350.880	58.56	1.88	74.0	15.44	Peak	95.00	150	Horizontal	Pass
2**	5350.880	48.15	1.88	54.0	5.85	AV	95.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.775	57.03	2.39	74.0	16.97	Peak	56.00	100	Horizontal	Pass
1**	5080.775	45.99	2.39	54.0	8.01	AV	56.00	100	Horizontal	Pass
2	5149.675	55.06	2.07	74.0	18.94	Peak	70.00	150	Horizontal	Pass
2**	5149.675	46.10	2.07	54.0	7.90	AV	70.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.53	1.93	74.0	17.47	Peak	92.00	150	Horizontal	Pass
1**	5350.055	47.90	1.93	54.0	6.10	AV	92.00	150	Horizontal	Pass
2	5350.165	59.23	1.92	74.0	14.77	Peak	92.00	100	Horizontal	Pass
2**	5350.165	47.98	1.92	54.0	6.02	AV	92.00	100	Horizontal	Pass
3	5350.550	56.71	1.90	74.0	17.29	Peak	92.00	150	Horizontal	Pass
3**	5350.550	48.75	1.90	54.0	5.25	AV	92.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	57.31	2.25	74.0	16.69	Peak	22.00	100	Horizontal	Pass
1**	5144.800	46.17	2.25	54.0	7.83	AV	22.00	100	Horizontal	Pass
2	5149.675	55.44	2.07	74.0	18.56	Peak	103.00	200	Horizontal	Pass
2**	5149.675	45.93	2.07	54.0	8.07	AV	103.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.61	1.93	74.0	17.39	Peak	97.00	150	Horizontal	Pass
1**	5350.055	48.66	1.93	54.0	5.34	AV	97.00	150	Horizontal	Pass
2	5369.580	58.64	2.21	74.0	15.36	Peak	97.00	150	Horizontal	Pass
2**	5369.580	46.38	2.21	54.0	7.62	AV	97.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5062.575	57.72	2.09	74.0	16.28	Peak	325.00	150	Horizontal	Pass
1**	5062.575	45.70	2.09	54.0	8.30	AV	325.00	150	Horizontal	Pass
2	5149.675	55.36	2.07	74.0	18.64	Peak	252.00	100	Horizontal	Pass
2**	5149.675	45.96	2.07	54.0	8.04	AV	252.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.69	1.93	74.0	14.31	Peak	88.00	150	Horizontal	Pass
1**	5350.055	48.44	1.93	54.0	5.56	AV	88.00	150	Horizontal	Pass
2	5356.215	59.72	2.12	74.0	14.28	Peak	88.00	200	Horizontal	Pass
2**	5356.215	46.61	2.12	54.0	7.39	AV	88.00	200	Horizontal	Pass
3	5351.045	56.53	1.91	74.0	17.47	Peak	94.00	150	Horizontal	Pass
3**	5351.045	48.87	1.91	54.0	5.13	AV	94.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.525	57.41	2.43	74.0	16.59	Peak	192.00	150	Horizontal	Pass
1**	5090.525	46.25	2.43	54.0	7.75	AV	192.00	150	Horizontal	Pass
2	5149.675	55.36	2.07	74.0	18.64	Peak	224.00	150	Horizontal	Pass
2**	5149.675	45.70	2.07	54.0	8.30	AV	224.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.29	1.93	74.0	16.71	Peak	89.00	200	Horizontal	Pass
1**	5350.000	48.33	1.93	54.0	5.67	AV	89.00	200	Horizontal	Pass
2	5352.585	58.78	2.11	74.0	15.22	Peak	61.00	200	Horizontal	Pass
2**	5352.585	47.75	2.11	54.0	6.25	AV	61.00	200	Horizontal	Pass
3	5351.540	57.98	1.97	74.0	16.02	Peak	93.00	150	Horizontal	Pass
3**	5351.540	48.68	1.97	54.0	5.32	AV	93.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.525	58.84	2.43	74.0	15.16	Peak	93.00	200	Horizontal	Pass
1**	5090.525	48.83	2.43	54.0	5.17	AV	93.00	200	Horizontal	Pass
2	5149.675	55.77	2.07	74.0	18.23	Peak	332.00	200	Horizontal	Pass
2**	5149.675	47.03	2.07	54.0	6.97	AV	332.00	200	Horizontal	Pass
3	5105.475	57.48	2.32	74.0	16.52	Peak	96.00	150	Horizontal	Pass
3**	5105.475	48.69	2.32	54.0	5.31	AV	96.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.37	1.93	74.0	16.63	Peak	85.00	200	Horizontal	Pass
1**	5350.055	48.24	1.93	54.0	5.76	AV	85.00	200	Horizontal	Pass
2	5378.765	59.92	2.12	74.0	14.08	Peak	88.00	150	Horizontal	Pass
2**	5378.765	48.08	2.12	54.0	5.92	AV	88.00	150	Horizontal	Pass
3	5385.750	56.15	2.27	74.0	17.85	Peak	91.00	150	Horizontal	Pass
3**	5385.750	48.93	2.27	54.0	5.07	AV	91.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	57.68	2.27	74.0	16.32	Peak	267.00	100	Horizontal	Pass
1**	5145.450	46.60	2.27	54.0	7.40	AV	267.00	100	Horizontal	Pass
2	5149.675	55.26	2.07	74.0	18.74	Peak	72.00	200	Horizontal	Pass
2**	5149.675	46.14	2.07	54.0	7.86	AV	72.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.15	1.93	74.0	16.85	Peak	101.00	200	Horizontal	Pass
1**	5350.055	48.12	1.93	54.0	5.88	AV	101.00	200	Horizontal	Pass
2	5354.785	58.70	2.06	74.0	15.30	Peak	98.00	200	Horizontal	Pass
2**	5354.785	47.75	2.06	54.0	6.25	AV	98.00	200	Horizontal	Pass
3	5350.495	57.42	1.90	74.0	16.58	Peak	237.00	150	Horizontal	Pass
3**	5350.495	48.68	1.90	54.0	5.32	AV	237.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.650	57.09	2.25	74.0	16.91	Peak	360.00	100	Horizontal	Pass
1**	5085.650	45.83	2.25	54.0	8.17	AV	360.00	100	Horizontal	Pass
2	5149.675	55.91	2.07	74.0	18.09	Peak	358.00	100	Horizontal	Pass
2**	5149.675	46.71	2.07	54.0	7.29	AV	358.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.34	1.93	74.0	13.66	Peak	104.00	100	Horizontal	Pass
1**	5350.000	48.78	1.93	54.0	5.22	AV	104.00	100	Horizontal	Pass
2	5351.980	60.04	2.03	74.0	13.96	Peak	101.00	150	Horizontal	Pass
2**	5351.980	47.76	2.03	54.0	6.24	AV	101.00	150	Horizontal	Pass
3	5350.935	55.84	1.89	74.0	18.16	Peak	96.00	150	Horizontal	Pass
3**	5350.935	48.82	1.89	54.0	5.18	AV	96.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.200	57.15	2.45	74.0	16.85	Peak	212.00	150	Horizontal	Pass
1**	5103.200	45.94	2.45	54.0	8.06	AV	212.00	150	Horizontal	Pass
2	5149.675	55.72	2.07	74.0	18.28	Peak	175.00	100	Horizontal	Pass
2**	5149.675	45.89	2.07	54.0	8.11	AV	175.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.52	1.93	74.0	16.48	Peak	97.00	200	Horizontal	Pass
1**	5350.055	48.57	1.93	54.0	5.43	AV	97.00	200	Horizontal	Pass
2	5353.465	59.85	2.14	74.0	14.15	Peak	125.00	100	Horizontal	Pass
2**	5353.465	48.74	2.14	54.0	5.26	AV	125.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.900	58.66	2.35	74.0	15.34	Peak	81.00	150	Horizontal	Pass
1**	5101.900	48.11	2.35	54.0	5.89	AV	81.00	150	Horizontal	Pass
2	5149.675	56.14	2.07	74.0	17.86	Peak	73.00	150	Horizontal	Pass
2**	5149.675	46.78	2.07	54.0	7.22	AV	73.00	150	Horizontal	Pass
3	5103.850	56.32	2.51	74.0	17.68	Peak	122.00	150	Horizontal	Pass
3**	5103.850	48.37	2.51	54.0	5.63	AV	122.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.14	1.93	74.0	16.86	Peak	98.00	150	Horizontal	Pass
1**	5350.055	47.55	1.93	54.0	6.45	AV	98.00	150	Horizontal	Pass
2	5404.065	60.65	2.18	74.0	13.35	Peak	98.00	200	Horizontal	Pass
2**	5404.065	48.16	2.18	54.0	5.84	AV	98.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	57.22	2.03	74.0	16.78	Peak	216.00	100	Horizontal	Pass
1**	5125.950	45.46	2.03	54.0	8.54	AV	216.00	100	Horizontal	Pass
2	5149.675	55.69	2.07	74.0	18.31	Peak	360.00	200	Horizontal	Pass
2**	5149.675	45.65	2.07	54.0	8.35	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.46	1.93	74.0	18.54	Peak	241.00	150	Horizontal	Pass
1**	5350.055	45.57	1.93	54.0	8.43	AV	241.00	150	Horizontal	Pass
2	5422.490	58.50	2.44	74.0	15.50	Peak	11.00	200	Horizontal	Pass
2**	5422.490	46.22	2.44	54.0	7.78	AV	11.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.800	57.29	2.33	74.0	16.71	Peak	49.00	100	Horizontal	Pass
1**	5092.800	45.99	2.33	54.0	8.01	AV	49.00	100	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	1.00	100	Horizontal	Pass
2**	5149.675	45.79	2.07	54.0	8.21	AV	1.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	1.93	74.0	18.34	Peak	238.00	150	Horizontal	Pass
1**	5350.000	45.96	1.93	54.0	8.04	AV	238.00	150	Horizontal	Pass
2	5455.985	58.14	2.39	74.0	15.86	Peak	168.00	200	Horizontal	Pass
2**	5455.985	45.96	2.39	54.0	8.04	AV	168.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5057.375	57.08	1.89	74.0	16.92	Peak	34.00	150	Horizontal	Pass
1**	5057.375	45.56	1.89	54.0	8.44	AV	34.00	150	Horizontal	Pass
2	5149.675	54.83	2.07	74.0	19.17	Peak	44.00	200	Horizontal	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	44.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.31	1.93	74.0	18.69	Peak	68.00	100	Horizontal	Pass
1**	5350.055	45.73	1.93	54.0	8.27	AV	68.00	100	Horizontal	Pass
2	5399.995	58.07	2.00	74.0	15.93	Peak	17.00	100	Horizontal	Pass
2**	5399.995	45.91	2.00	54.0	8.09	AV	17.00	100	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.550	58.83	2.44	74.0	15.17	Peak	96.00	100	Horizontal	Pass
1**	5459.550	47.25	2.44	54.0	6.75	AV	96.00	100	Horizontal	Pass
2	5460.000	55.70	2.50	74.0	18.30	Peak	236.00	200	Horizontal	Pass
2**	5460.000	46.83	2.50	54.0	7.17	AV	236.00	200	Horizontal	Pass
3	5467.650	59.05	3.14	68.2	9.15	Peak	128.00	100	Horizontal	Pass
3**	5467.650	48.00	3.14	--	--	AV	128.00	100	Horizontal	N/A
4	5469.950	57.85	2.87	68.2	10.35	Peak	96.00	100	Horizontal	Pass
4**	5469.950	48.62	2.87	--	--	AV	96.00	100	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.02	2.55	68.2	10.18	Peak	241.00	200	Horizontal	Pass
2	5726.600	58.79	2.52	68.2	9.41	Peak	251.00	200	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.850	58.27	2.38	74.0	15.73	Peak	95.00	200	Horizontal	Pass
1**	5455.850	46.87	2.38	54.0	7.13	AV	95.00	200	Horizontal	Pass
2	5460.000	56.37	2.50	74.0	17.63	Peak	130.00	100	Horizontal	Pass
2**	5460.000	46.64	2.50	54.0	7.36	AV	130.00	100	Horizontal	Pass
3	5469.200	59.26	2.96	68.2	8.94	Peak	100.00	200	Horizontal	Pass
3**	5469.200	48.28	2.96	--	--	AV	100.00	200	Horizontal	N/A
4	5469.950	57.74	2.87	68.2	10.46	Peak	21.00	100	Horizontal	Pass
4**	5469.950	48.25	2.87	--	--	AV	21.00	100	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.32	2.55	68.2	9.88	Peak	129.00	100	Horizontal	Pass
2	5726.300	58.89	2.52	68.2	9.31	Peak	238.00	200	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.750	59.32	2.46	74.0	14.68	Peak	104.00	200	Horizontal	Pass
1**	5459.750	48.26	2.46	54.0	5.74	AV	104.00	200	Horizontal	Pass
2	5460.000	57.29	2.50	74.0	16.71	Peak	104.00	100	Horizontal	Pass
2**	5460.000	48.36	2.50	54.0	5.64	AV	104.00	100	Horizontal	Pass
3	5469.800	61.80	2.88	68.2	6.40	Peak	241.00	100	Horizontal	Pass
3**	5469.800	50.74	2.88	--	--	AV	241.00	100	Horizontal	N/A
4	5469.950	58.99	2.87	68.2	9.21	Peak	241.00	200	Horizontal	Pass
4**	5469.950	50.72	2.87	--	--	AV	241.00	200	Horizontal	N/A
5	5458.050	56.54	2.47	74.0	17.46	Peak	74.00	150	Horizontal	Pass
5**	5458.050	48.87	2.47	54.0	5.13	AV	74.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.16	2.55	68.2	9.04	Peak	99.00	100	Horizontal	Pass
2	5725.300	61.60	2.54	68.2	6.60	Peak	242.00	100	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.100	58.23	2.41	74.0	15.77	Peak	68.00	100	Horizontal	Pass
1**	5456.100	47.09	2.41	54.0	6.91	AV	68.00	100	Horizontal	Pass
2	5460.000	56.18	2.50	74.0	17.82	Peak	85.00	200	Horizontal	Pass
2**	5460.000	47.18	2.50	54.0	6.82	AV	85.00	200	Horizontal	Pass
3	5467.250	59.66	3.05	68.2	8.54	Peak	91.00	150	Horizontal	Pass
3**	5467.250	48.34	3.05	--	--	AV	91.00	150	Horizontal	N/A
4	5469.950	58.19	2.87	68.2	10.01	Peak	93.00	200	Horizontal	Pass
4**	5469.950	48.61	2.87	--	--	AV	93.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.58	2.55	68.2	9.62	Peak	240.00	100	Horizontal	Pass
2	5725.100	59.35	2.55	68.2	8.85	Peak	98.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.000	58.78	2.41	74.0	15.22	Peak	99.00	200	Horizontal	Pass
1**	5459.000	48.75	2.41	54.0	5.25	AV	99.00	200	Horizontal	Pass
2	5460.000	57.42	2.50	74.0	16.58	Peak	308.00	150	Horizontal	Pass
2**	5460.000	48.93	2.50	54.0	5.07	AV	308.00	150	Horizontal	Pass
3	5469.700	61.93	2.89	68.2	6.27	Peak	95.00	150	Horizontal	Pass
3**	5469.700	50.82	2.89	--	--	AV	95.00	150	Horizontal	N/A
4	5469.950	59.42	2.87	68.2	8.78	Peak	95.00	150	Horizontal	Pass
4**	5469.950	51.46	2.87	--	--	AV	95.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.07	2.55	68.2	10.13	Peak	234.00	100	Horizontal	Pass
2	5726.300	58.86	2.52	68.2	9.34	Peak	96.00	200	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	59.97	2.51	74.0	14.03	Peak	100.00	150	Horizontal	Pass
1**	5457.400	48.95	2.51	54.0	5.05	AV	100.00	150	Horizontal	Pass
2	5460.000	57.40	2.50	74.0	16.60	Peak	100.00	150	Horizontal	Pass
2**	5460.000	48.98	2.50	54.0	5.02	AV	100.00	150	Horizontal	Pass
3	5469.400	60.77	2.93	68.2	7.43	Peak	94.00	150	Horizontal	Pass
3**	5469.400	50.38	2.93	--	--	AV	94.00	150	Horizontal	N/A
4	5469.950	58.84	2.87	68.2	9.36	Peak	100.00	200	Horizontal	Pass
4**	5469.950	50.79	2.87	--	--	AV	100.00	200	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.92	2.55	68.2	11.28	Peak	60.00	200	Horizontal	Pass
2	5725.350	58.11	2.54	68.2	10.09	Peak	313.00	100	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5402.000	59.10	1.95	74.0	14.90	Peak	97.00	150	Horizontal	Pass
1**	5402.000	47.81	1.95	54.0	6.19	AV	97.00	150	Horizontal	Pass
2	5460.000	55.54	2.50	74.0	18.46	Peak	210.00	200	Horizontal	Pass
2**	5460.000	47.02	2.50	54.0	6.98	AV	210.00	200	Horizontal	Pass
3	5462.050	58.33	2.73	68.2	9.87	Peak	266.00	100	Horizontal	Pass
3**	5462.050	47.06	2.73	--	--	AV	266.00	100	Horizontal	N/A
4	5469.950	57.26	2.87	68.2	10.94	Peak	67.00	150	Horizontal	Pass
4**	5469.950	47.89	2.87	--	--	AV	67.00	150	Horizontal	N/A
5	5421.750	56.37	2.44	74.0	17.63	Peak	251.00	150	Horizontal	Pass
5**	5421.750	48.95	2.44	54.0	5.05	AV	251.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.97	2.55	68.2	12.23	Peak	177.00	150	Horizontal	Pass
2	5777.050	58.87	2.26	68.2	9.33	Peak	168.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.300	58.23	2.32	74.0	15.77	Peak	97.00	200	Horizontal	Pass
1**	5455.300	46.91	2.32	54.0	7.09	AV	97.00	200	Horizontal	Pass
2	5460.000	57.59	2.50	74.0	16.41	Peak	67.00	200	Horizontal	Pass
2**	5460.000	47.31	2.50	54.0	6.69	AV	67.00	200	Horizontal	Pass
3	5468.450	60.77	3.06	68.2	7.43	Peak	94.00	200	Horizontal	Pass
3**	5468.450	49.42	3.06	--	--	AV	94.00	200	Horizontal	N/A
4	5469.950	59.92	2.87	68.2	8.28	Peak	97.00	150	Horizontal	Pass
4**	5469.950	50.08	2.87	--	--	AV	97.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.41	2.55	68.2	6.79	Peak	241.00	100	Horizontal	Pass
2	5725.700	63.15	2.54	68.2	5.05	Peak	98.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.850	60.22	2.42	74.0	13.78	Peak	94.00	200	Horizontal	Pass
1**	5458.850	48.42	2.42	54.0	5.58	AV	94.00	200	Horizontal	Pass
2	5460.000	56.86	2.50	74.0	17.14	Peak	90.00	100	Horizontal	Pass
2**	5460.000	48.63	2.50	54.0	5.37	AV	90.00	100	Horizontal	Pass
3	5468.650	62.17	3.04	68.2	6.03	Peak	94.00	200	Horizontal	Pass
3**	5468.650	51.24	3.04	--	--	AV	94.00	200	Horizontal	N/A
4	5469.950	60.97	2.87	68.2	7.23	Peak	90.00	100	Horizontal	Pass
4**	5469.950	50.68	2.87	--	--	AV	90.00	100	Horizontal	N/A
5	5459.700	57.48	2.46	74.0	16.52	Peak	128.00	150	Horizontal	Pass
5**	5459.700	48.88	2.46	54.0	5.12	AV	128.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.17	2.55	68.2	11.03	Peak	99.00	150	Horizontal	Pass
2	5725.550	58.68	2.54	68.2	9.52	Peak	243.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.88	2.47	74.0	14.12	Peak	97.00	100	Horizontal	Pass
1**	5459.800	48.82	2.47	54.0	5.18	AV	97.00	100	Horizontal	Pass
2	5460.000	58.06	2.50	74.0	15.94	Peak	83.00	200	Horizontal	Pass
2**	5460.000	48.82	2.50	54.0	5.18	AV	83.00	200	Horizontal	Pass
3	5469.100	60.98	2.97	68.2	7.22	Peak	94.00	200	Horizontal	Pass
3**	5469.100	50.05	2.97	--	--	AV	94.00	200	Horizontal	N/A
4	5469.950	60.99	2.87	68.2	7.21	Peak	91.00	100	Horizontal	Pass
4**	5469.950	50.73	2.87	--	--	AV	91.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.06	2.55	68.2	11.14	Peak	250.00	200	Horizontal	Pass
2	5746.550	58.59	2.20	68.2	9.61	Peak	216.00	100	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5407.750	58.65	1.91	74.0	15.35	Peak	93.00	200	Horizontal	Pass
1**	5407.750	47.06	1.91	54.0	6.94	AV	93.00	200	Horizontal	Pass
2	5460.000	56.11	2.50	74.0	17.89	Peak	93.00	100	Horizontal	Pass
2**	5460.000	46.43	2.50	54.0	7.57	AV	93.00	100	Horizontal	Pass
3	5467.750	57.80	3.16	68.2	10.40	Peak	115.00	100	Horizontal	Pass
3**	5467.750	47.32	3.16	--	--	AV	115.00	100	Horizontal	N/A
4	5469.950	57.07	2.87	68.2	11.13	Peak	192.00	150	Horizontal	Pass
4**	5469.950	46.85	2.87	--	--	AV	192.00	150	Horizontal	N/A
5	5424.650	56.52	2.37	74.0	17.48	Peak	69.00	150	Horizontal	Pass
5**	5424.650	48.64	2.37	54.0	5.36	AV	69.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.09	2.55	68.2	12.11	Peak	188.00	150	Horizontal	Pass
2	5817.800	58.35	2.55	68.2	9.85	Peak	305.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.000	58.04	2.37	74.0	15.96	Peak	175.00	100	Horizontal	Pass
1**	5387.000	46.05	2.37	54.0	7.95	AV	175.00	100	Horizontal	Pass
2	5460.000	55.52	2.50	74.0	18.48	Peak	301.00	150	Horizontal	Pass
2**	5460.000	46.11	2.50	54.0	7.89	AV	301.00	150	Horizontal	Pass
3	5467.800	58.08	3.15	68.2	10.12	Peak	27.00	200	Horizontal	Pass
3**	5467.800	47.23	3.15	--	--	AV	27.00	200	Horizontal	N/A
4	5469.950	56.12	2.87	68.2	12.08	Peak	24.00	150	Horizontal	Pass
4**	5469.950	46.66	2.87	--	--	AV	24.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.17	2.55	68.2	12.03	Peak	308.00	100	Horizontal	Pass
2	5764.250	58.61	2.65	68.2	9.59	Peak	0.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5370.500	57.90	2.21	74.0	16.10	Peak	17.00	150	Horizontal	Pass
1**	5370.500	46.14	2.21	54.0	7.86	AV	17.00	150	Horizontal	Pass
2	5460.000	55.41	2.50	74.0	18.59	Peak	46.00	100	Horizontal	Pass
2**	5460.000	46.44	2.50	54.0	7.56	AV	46.00	100	Horizontal	Pass
3	5467.450	57.86	3.10	68.2	10.34	Peak	34.00	150	Horizontal	Pass
3**	5467.450	46.65	3.10	--	--	AV	34.00	150	Horizontal	N/A
4	5469.950	56.98	2.87	68.2	11.22	Peak	19.00	150	Horizontal	Pass
4**	5469.950	46.50	2.87	--	--	AV	19.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.46	2.55	68.2	11.74	Peak	73.00	100	Horizontal	Pass
2	5753.400	58.20	2.48	68.2	10.00	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.900	58.13	2.14	74.0	15.87	Peak	19.00	100	Horizontal	Pass
1**	5387.900	45.74	2.14	54.0	8.26	AV	19.00	100	Horizontal	Pass
2	5460.000	55.42	2.50	74.0	18.58	Peak	80.00	150	Horizontal	Pass
2**	5460.000	46.28	2.50	54.0	7.72	AV	80.00	150	Horizontal	Pass
3	5468.150	57.98	3.11	68.2	10.22	Peak	236.00	100	Horizontal	Pass
3**	5468.150	46.71	3.11	--	--	AV	236.00	100	Horizontal	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	158.00	150	Horizontal	Pass
4**	5469.950	46.71	2.87	--	--	AV	158.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.73	2.55	68.2	11.47	Peak	161.00	150	Horizontal	Pass
2	5728.450	58.31	2.61	68.2	9.89	Peak	221.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.300	62.21	2.23	74.0	11.79	Peak	279.00	200	Horizontal	Pass
1**	5445.300	45.99	2.23	54.0	8.01	AV	279.00	200	Horizontal	Pass
2	5460.000	55.74	2.50	74.0	18.26	Peak	121.00	150	Horizontal	Pass
2**	5460.000	46.10	2.50	54.0	7.90	AV	121.00	150	Horizontal	Pass
3	5462.000	58.41	2.72	68.2	9.79	Peak	193.00	100	Horizontal	Pass
3**	5462.000	46.67	2.72	--	--	AV	193.00	100	Horizontal	N/A
4	5469.950	57.24	2.87	68.2	10.96	Peak	239.00	200	Horizontal	Pass
4**	5469.950	46.65	2.87	--	--	AV	239.00	200	Horizontal	N/A
5	5438.850	57.54	2.30	74.0	16.46	Peak	115.00	150	Horizontal	Pass
5**	5438.850	48.97	2.30	54.0	5.03	AV	115.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.77	2.55	68.2	12.43	Peak	126.00	150	Horizontal	Pass
2	5757.750	58.30	2.62	68.2	9.90	Peak	275.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.150	57.36	2.63	68.2	10.84	Peak	169.00	150	Horizontal	Pass
2	5650.000	56.03	2.54	68.2	12.17	Peak	229.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.90	2.32	68.2	12.30	Peak	91.00	200	Horizontal	Pass
2	5948.550	57.90	2.66	68.2	10.30	Peak	94.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.950	57.71	2.55	68.2	10.49	Peak	327.00	200	Horizontal	Pass
2	5650.000	56.05	2.54	68.2	12.15	Peak	122.00	200	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.58	2.32	68.2	12.62	Peak	108.00	150	Horizontal	Pass
2	5929.350	58.03	2.66	68.2	10.17	Peak	314.00	100	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.750	57.52	2.53	68.2	10.68	Peak	214.00	200	Horizontal	Pass
2	5650.000	55.51	2.54	68.2	12.69	Peak	67.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.56	2.32	68.2	11.64	Peak	311.00	100	Horizontal	Pass
2	5940.400	58.46	2.59	68.2	9.74	Peak	351.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.300	57.55	2.34	68.2	10.65	Peak	177.00	200	Horizontal	Pass
2	5650.000	55.74	2.54	68.2	12.46	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.38	2.32	68.2	12.82	Peak	236.00	200	Horizontal	Pass
2	5947.050	58.27	2.52	68.2	9.93	Peak	20.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.150	57.85	2.34	68.2	10.35	Peak	63.00	150	Horizontal	Pass
2	5650.000	56.39	2.54	68.2	11.81	Peak	237.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.43	2.32	68.2	10.77	Peak	293.00	100	Horizontal	Pass
2	5941.600	58.45	2.90	68.2	9.75	Peak	85.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.300	59.55	2.53	68.2	8.65	Peak	60.00	150	Horizontal	Pass
2	5650.000	57.38	2.54	68.2	10.82	Peak	47.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.18	2.32	68.2	12.02	Peak	52.00	150	Horizontal	Pass
2	5947.200	59.01	2.56	68.2	9.19	Peak	280.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.700	57.29	2.32	68.2	10.91	Peak	151.00	200	Horizontal	Pass
2	5650.000	56.54	2.54	68.2	11.66	Peak	6.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.59	2.32	68.2	11.61	Peak	51.00	100	Horizontal	Pass
2	5941.950	58.64	2.83	68.2	9.56	Peak	306.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.500	57.89	2.61	68.2	10.31	Peak	95.00	200	Horizontal	Pass
2	5650.000	56.06	2.54	68.2	12.14	Peak	149.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.04	2.32	68.2	12.16	Peak	149.00	200	Horizontal	Pass
2	5946.350	58.67	2.37	68.2	9.53	Peak	90.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.100	61.86	2.38	68.2	6.34	Peak	52.00	150	Horizontal	Pass
2	5650.000	59.11	2.54	68.2	9.09	Peak	332.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.30	2.32	68.2	11.90	Peak	2.00	150	Horizontal	Pass
2	5926.850	58.66	2.36	68.2	9.54	Peak	39.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.550	57.80	2.51	68.2	10.40	Peak	45.00	200	Horizontal	Pass
2	5650.000	55.26	2.54	68.2	12.94	Peak	116.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.55	2.32	68.2	12.65	Peak	214.00	200	Horizontal	Pass
2	5947.850	58.34	2.70	68.2	9.86	Peak	26.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.650	57.37	2.53	68.2	10.83	Peak	104.00	150	Horizontal	Pass
2	5650.000	55.68	2.54	68.2	12.52	Peak	277.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.03	2.32	68.2	12.17	Peak	182.00	100	Horizontal	Pass
2	5942.400	58.34	2.73	68.2	9.86	Peak	289.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.650	57.60	2.63	68.2	10.60	Peak	245.00	100	Horizontal	Pass
2	5650.000	55.87	2.54	68.2	12.33	Peak	48.00	100	Horizontal	Pass


U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
c	5924.950	56.01	2.32	68.2	12.19	Peak	249.00	150	Horizontal	Pass
2	5946.750	58.19	2.46	68.2	10.01	Peak	308.00	200	Horizontal	Pass


SISO-Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5032.675	58.04	2.21	74.0	15.96	Peak	246.00	150	Horizontal	Pass
1**	5032.675	45.91	2.21	54.0	8.09	AV	246.00	150	Horizontal	Pass
2	5149.675	55.49	2.07	74.0	18.51	Peak	49.00	100	Horizontal	Pass
2**	5149.675	45.74	2.07	54.0	8.26	AV	49.00	100	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.40	1.93	74.0	18.60	Peak	129.00	100	Horizontal	Pass
1**	5350.055	45.77	1.93	54.0	8.23	AV	129.00	100	Horizontal	Pass
2	5400.765	57.74	1.97	74.0	16.26	Peak	111.00	100	Horizontal	Pass
2**	5400.765	45.96	1.97	54.0	8.04	AV	111.00	100	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4849.700	57.33	1.97	74.0	16.67	Peak	360.00	200	Horizontal	Pass
1**	4849.700	45.37	1.97	54.0	8.63	AV	360.00	200	Horizontal	Pass
2	5149.675	55.19	2.07	74.0	18.81	Peak	109.00	150	Horizontal	Pass
2**	5149.675	45.85	2.07	54.0	8.15	AV	109.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.37	1.93	74.0	18.63	Peak	271.00	200	Horizontal	Pass
1**	5350.000	45.66	1.93	54.0	8.34	AV	271.00	200	Horizontal	Pass
2	5457.030	57.96	2.51	74.0	16.04	Peak	161.00	200	Horizontal	Pass
2**	5457.030	46.23	2.51	54.0	7.77	AV	161.00	200	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.325	56.57	2.40	74.0	17.43	Peak	143.00	200	Horizontal	Pass
1**	5137.325	45.28	2.40	54.0	8.72	AV	143.00	200	Horizontal	Pass
2	5149.675	54.74	2.07	74.0	19.26	Peak	322.00	100	Horizontal	Pass
2**	5149.675	45.14	2.07	54.0	8.86	AV	322.00	100	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.06	1.93	74.0	17.94	Peak	238.00	200	Horizontal	Pass
1**	5350.055	45.67	1.93	54.0	8.33	AV	238.00	200	Horizontal	Pass
2	5437.450	57.69	2.23	74.0	16.31	Peak	360.00	100	Horizontal	Pass
2**	5437.450	46.04	2.23	54.0	7.96	AV	360.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.325	57.30	2.24	74.0	16.70	Peak	212.00	100	Horizontal	Pass
1**	5085.325	45.86	2.24	54.0	8.14	AV	212.00	100	Horizontal	Pass
2	5149.675	55.28	2.07	74.0	18.72	Peak	90.00	200	Horizontal	Pass
2**	5149.675	45.78	2.07	54.0	8.22	AV	90.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.22	1.93	74.0	18.78	Peak	248.00	200	Horizontal	Pass
1**	5350.055	45.69	1.93	54.0	8.31	AV	248.00	200	Horizontal	Pass
2	5437.560	57.62	2.24	74.0	16.38	Peak	323.00	150	Horizontal	Pass
2**	5437.560	46.44	2.24	54.0	7.56	AV	323.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4903.000	57.45	1.61	74.0	16.55	Peak	326.00	100	Horizontal	Pass
1**	4903.000	44.95	1.61	54.0	9.05	AV	326.00	100	Horizontal	Pass
2	5149.675	55.50	2.07	74.0	18.50	Peak	7.00	100	Horizontal	Pass
2**	5149.675	46.22	2.07	54.0	7.78	AV	7.00	100	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.84	1.93	74.0	19.16	Peak	279.00	100	Horizontal	Pass
1**	5350.055	45.54	1.93	54.0	8.46	AV	279.00	100	Horizontal	Pass
2	5423.370	58.22	2.44	74.0	15.78	Peak	235.00	200	Horizontal	Pass
2**	5423.370	46.38	2.44	54.0	7.62	AV	235.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.500	57.28	2.26	74.0	16.72	Peak	336.00	100	Horizontal	Pass
1**	5078.500	45.88	2.26	54.0	8.12	AV	336.00	100	Horizontal	Pass
2	5149.675	55.93	2.07	74.0	18.07	Peak	57.00	100	Horizontal	Pass
2**	5149.675	46.71	2.07	54.0	7.29	AV	57.00	100	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.50	1.93	74.0	17.50	Peak	360.00	100	Horizontal	Pass
1**	5350.000	46.10	1.93	54.0	7.90	AV	360.00	100	Horizontal	Pass
2	5408.960	57.81	1.95	74.0	16.19	Peak	347.00	200	Horizontal	Pass
2**	5408.960	45.66	1.95	54.0	8.34	AV	347.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.125	57.69	2.35	74.0	16.31	Peak	0.00	150	Horizontal	Pass
1**	5080.125	46.60	2.35	54.0	7.40	AV	0.00	150	Horizontal	Pass
2	5149.675	55.51	2.07	74.0	18.49	Peak	272.00	100	Horizontal	Pass
2**	5149.675	46.18	2.07	54.0	7.82	AV	272.00	100	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.30	1.93	74.0	17.70	Peak	24.00	100	Horizontal	Pass
1**	5350.055	47.00	1.93	54.0	7.00	AV	24.00	100	Horizontal	Pass
2	5406.485	58.88	1.96	74.0	15.12	Peak	0.00	200	Horizontal	Pass
2**	5406.485	47.50	1.96	54.0	6.50	AV	0.00	200	Horizontal	Pass
3	5403.735	57.61	2.15	74.0	16.39	Peak	359.00	150	Horizontal	Pass
3**	5403.735	48.95	2.15	54.0	5.05	AV	359.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.400	57.45	1.92	74.0	16.55	Peak	304.00	150	Horizontal	Pass
1**	5069.400	45.61	1.92	54.0	8.39	AV	304.00	150	Horizontal	Pass
2	5149.675	54.86	2.07	74.0	19.14	Peak	360.00	200	Horizontal	Pass
2**	5149.675	45.96	2.07	54.0	8.04	AV	360.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	1.93	74.0	18.35	Peak	29.00	200	Horizontal	Pass
1**	5350.000	45.78	1.93	54.0	8.22	AV	29.00	200	Horizontal	Pass
2	5374.970	58.61	2.25	74.0	15.39	Peak	336.00	100	Horizontal	Pass
2**	5374.970	45.89	2.25	54.0	8.11	AV	336.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5007.975	57.25	1.84	74.0	16.75	Peak	284.00	100	Horizontal	Pass
1**	5007.975	45.56	1.84	54.0	8.44	AV	284.00	100	Horizontal	Pass
2	5149.675	54.86	2.07	74.0	19.14	Peak	13.00	150	Horizontal	Pass
2**	5149.675	45.94	2.07	54.0	8.06	AV	13.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.31	1.93	74.0	17.69	Peak	337.00	150	Horizontal	Pass
1**	5350.000	45.81	1.93	54.0	8.19	AV	337.00	150	Horizontal	Pass
2	5432.445	57.78	2.18	74.0	16.22	Peak	244.00	200	Horizontal	Pass
2**	5432.445	45.86	2.18	54.0	8.14	AV	244.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.550	57.45	2.40	74.0	16.55	Peak	50.00	150	Horizontal	Pass
1**	5141.550	46.01	2.40	54.0	7.99	AV	50.00	150	Horizontal	Pass
2	5149.675	55.50	2.07	74.0	18.50	Peak	277.00	100	Horizontal	Pass
2**	5149.675	45.73	2.07	54.0	8.27	AV	277.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.19	1.93	74.0	17.81	Peak	303.00	150	Horizontal	Pass
1**	5350.055	45.87	1.93	54.0	8.13	AV	303.00	150	Horizontal	Pass
2	5455.600	58.19	2.35	74.0	15.81	Peak	94.00	150	Horizontal	Pass
2**	5455.600	45.96	2.35	54.0	8.04	AV	94.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.900	57.63	2.25	74.0	16.37	Peak	345.00	150	Horizontal	Pass
1**	5075.900	46.61	2.25	54.0	7.39	AV	345.00	150	Horizontal	Pass
2	5149.675	55.18	2.07	74.0	18.82	Peak	146.00	150	Horizontal	Pass
2**	5149.675	46.02	2.07	54.0	7.98	AV	146.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.61	1.93	74.0	17.39	Peak	3.00	150	Horizontal	Pass
1**	5350.000	46.87	1.93	54.0	7.13	AV	3.00	150	Horizontal	Pass
2	5387.070	59.78	2.35	74.0	14.22	Peak	140.00	100	Horizontal	Pass
2**	5387.070	47.46	2.35	54.0	6.54	AV	140.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5014.475	57.31	1.92	74.0	16.69	Peak	327.00	200	Horizontal	Pass
1**	5014.475	45.51	1.92	54.0	8.49	AV	327.00	200	Horizontal	Pass
2	5149.675	55.53	2.07	74.0	18.47	Peak	128.00	100	Horizontal	Pass
2**	5149.675	45.88	2.07	54.0	8.12	AV	128.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.91	1.93	74.0	19.09	Peak	223.00	100	Horizontal	Pass
1**	5350.055	45.88	1.93	54.0	8.12	AV	223.00	100	Horizontal	Pass
2	5429.200	57.69	2.33	74.0	16.31	Peak	170.00	200	Horizontal	Pass
2**	5429.200	46.25	2.33	54.0	7.75	AV	170.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.725	57.43	2.03	74.0	16.57	Peak	305.00	200	Horizontal	Pass
1**	4848.725	45.34	2.03	54.0	8.66	AV	305.00	200	Horizontal	Pass
2	5149.675	54.46	2.07	74.0	19.54	Peak	360.00	200	Horizontal	Pass
2**	5149.675	45.84	2.07	54.0	8.16	AV	360.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	1.93	74.0	19.02	Peak	133.00	100	Horizontal	Pass
1**	5350.000	45.80	1.93	54.0	8.20	AV	133.00	100	Horizontal	Pass
2	5448.395	57.81	2.37	74.0	16.19	Peak	196.00	100	Horizontal	Pass
2**	5448.395	46.00	2.37	54.0	8.00	AV	196.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5072.000	57.12	2.05	74.0	16.88	Peak	9.00	150	Horizontal	Pass
1**	5072.000	45.61	2.05	54.0	8.39	AV	9.00	150	Horizontal	Pass
2	5149.675	56.37	2.07	74.0	17.63	Peak	280.00	100	Horizontal	Pass
2**	5149.675	45.69	2.07	54.0	8.31	AV	280.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.01	1.93	74.0	17.99	Peak	299.00	100	Horizontal	Pass
1**	5350.055	45.77	1.93	54.0	8.23	AV	299.00	100	Horizontal	Pass
2	5426.835	57.83	2.49	74.0	16.17	Peak	63.00	150	Horizontal	Pass
2**	5426.835	46.38	2.49	54.0	7.62	AV	63.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5049.250	57.21	2.23	74.0	16.79	Peak	178.00	200	Horizontal	Pass
1**	5049.250	45.45	2.23	54.0	8.55	AV	178.00	200	Horizontal	Pass
2	5149.675	55.41	2.07	74.0	18.59	Peak	155.00	150	Horizontal	Pass
2**	5149.675	45.48	2.07	54.0	8.52	AV	155.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.30	1.93	74.0	18.70	Peak	188.00	200	Horizontal	Pass
1**	5350.055	45.69	1.93	54.0	8.31	AV	188.00	200	Horizontal	Pass
2	5425.680	57.57	2.38	74.0	16.43	Peak	73.00	150	Horizontal	Pass
2**	5425.680	46.32	2.38	54.0	7.68	AV	73.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.875	57.15	2.42	74.0	16.85	Peak	280.00	100	Horizontal	Pass
1**	5141.875	46.14	2.42	54.0	7.86	AV	280.00	100	Horizontal	Pass
2	5149.675	55.43	2.07	74.0	18.57	Peak	107.00	200	Horizontal	Pass
2**	5149.675	45.76	2.07	54.0	8.24	AV	107.00	200	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	1.93	74.0	18.35	Peak	138.00	150	Horizontal	Pass
1**	5350.000	46.16	1.93	54.0	7.84	AV	138.00	150	Horizontal	Pass
2	5415.395	58.02	2.16	74.0	15.98	Peak	3.00	200	Horizontal	Pass
2**	5415.395	46.23	2.16	54.0	7.77	AV	3.00	200	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5009.600	57.90	1.90	74.0	16.10	Peak	37.00	100	Horizontal	Pass
1**	5009.600	45.52	1.90	54.0	8.48	AV	37.00	100	Horizontal	Pass
2	5149.675	55.54	2.07	74.0	18.46	Peak	68.00	150	Horizontal	Pass
2**	5149.675	45.92	2.07	54.0	8.08	AV	68.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.77	1.93	74.0	18.23	Peak	110.00	150	Horizontal	Pass
1**	5350.055	45.97	1.93	54.0	8.03	AV	110.00	150	Horizontal	Pass
2	5378.820	57.93	2.12	74.0	16.07	Peak	227.00	100	Horizontal	Pass
2**	5378.820	46.04	2.12	54.0	7.96	AV	227.00	100	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5104.825	57.61	2.46	74.0	16.39	Peak	169.00	100	Horizontal	Pass
1**	5104.825	45.99	2.46	54.0	8.01	AV	169.00	100	Horizontal	Pass
2	5149.675	55.37	2.07	74.0	18.63	Peak	87.00	150	Horizontal	Pass
2**	5149.675	45.85	2.07	54.0	8.15	AV	87.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.00	1.93	74.0	16.00	Peak	2.00	100	Horizontal	Pass
1**	5350.000	48.61	1.93	54.0	5.39	AV	2.00	100	Horizontal	Pass
2	5354.620	59.30	2.07	74.0	14.70	Peak	355.00	150	Horizontal	Pass
2**	5354.620	47.62	2.07	54.0	6.38	AV	355.00	150	Horizontal	Pass
3	5350.440	57.70	1.91	74.0	16.30	Peak	355.00	150	Horizontal	Pass
3**	5350.440	48.83	1.91	54.0	5.17	AV	355.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.200	57.55	2.43	74.0	16.45	Peak	90.00	200	Horizontal	Pass
1**	5090.200	45.90	2.43	54.0	8.10	AV	90.00	200	Horizontal	Pass
2	5149.675	55.36	2.07	74.0	18.64	Peak	71.00	150	Horizontal	Pass
2**	5149.675	45.88	2.07	54.0	8.12	AV	71.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	1.93	74.0	18.29	Peak	36.00	100	Horizontal	Pass
1**	5350.000	45.85	1.93	54.0	8.15	AV	36.00	100	Horizontal	Pass
2	5410.995	57.95	2.00	74.0	16.05	Peak	5.00	200	Horizontal	Pass
2**	5410.995	45.88	2.00	54.0	8.12	AV	5.00	200	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5046.000	58.28	2.00	74.0	15.72	Peak	360.00	200	Horizontal	Pass
1**	5046.000	45.61	2.00	54.0	8.39	AV	360.00	200	Horizontal	Pass
2	5149.675	55.40	2.07	74.0	18.60	Peak	6.00	150	Horizontal	Pass
2**	5149.675	45.95	2.07	54.0	8.05	AV	6.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.01	1.93	74.0	15.99	Peak	138.00	150	Horizontal	Pass
1**	5350.055	48.92	1.93	54.0	5.08	AV	138.00	150	Horizontal	Pass
2	5350.440	59.47	1.91	74.0	14.53	Peak	118.00	100	Horizontal	Pass
2**	5350.440	48.69	1.91	54.0	5.31	AV	118.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.075	57.10	2.43	74.0	16.90	Peak	53.00	200	Horizontal	Pass
1**	5134.075	46.22	2.43	54.0	7.78	AV	53.00	200	Horizontal	Pass
2	5149.675	56.18	2.07	74.0	17.82	Peak	18.00	150	Horizontal	Pass
2**	5149.675	45.77	2.07	54.0	8.23	AV	18.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.81	1.93	74.0	17.19	Peak	352.00	200	Horizontal	Pass
1**	5350.000	48.48	1.93	54.0	5.52	AV	352.00	200	Horizontal	Pass
2	5352.255	59.20	2.07	74.0	14.80	Peak	119.00	200	Horizontal	Pass
2**	5352.255	47.80	2.07	54.0	6.20	AV	119.00	200	Horizontal	Pass
3	5350.330	57.60	1.91	74.0	16.40	Peak	283.00	150	Horizontal	Pass
3**	5350.330	48.72	1.91	54.0	5.28	AV	283.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.200	57.99	2.43	74.0	16.01	Peak	360.00	100	Horizontal	Pass
1**	5090.200	47.36	2.43	54.0	6.64	AV	360.00	100	Horizontal	Pass
2	5149.675	55.91	2.07	74.0	18.09	Peak	250.00	150	Horizontal	Pass
2**	5149.675	46.35	2.07	54.0	7.65	AV	250.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.61	1.93	74.0	17.39	Peak	338.00	100	Horizontal	Pass
1**	5350.000	46.92	1.93	54.0	7.08	AV	338.00	100	Horizontal	Pass
2	5380.855	59.28	2.27	74.0	14.72	Peak	138.00	100	Horizontal	Pass
2**	5380.855	47.38	2.27	54.0	6.62	AV	138.00	100	Horizontal	Pass
3	5403.625	56.80	2.14	74.0	17.20	Peak	134.00	150	Horizontal	Pass
3**	5403.625	48.68	2.14	54.0	5.32	AV	134.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4867.575	57.71	1.77	74.0	16.29	Peak	17.00	200	Horizontal	Pass
1**	4867.575	45.20	1.77	54.0	8.80	AV	17.00	200	Horizontal	Pass
2	5149.675	55.81	2.07	74.0	18.19	Peak	333.00	100	Horizontal	Pass
2**	5149.675	45.82	2.07	54.0	8.18	AV	333.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	1.93	74.0	17.96	Peak	130.00	150	Horizontal	Pass
1**	5350.000	46.55	1.93	54.0	7.45	AV	130.00	150	Horizontal	Pass
2	5385.585	58.13	2.26	74.0	15.87	Peak	309.00	150	Horizontal	Pass
2**	5385.585	45.88	2.26	54.0	8.12	AV	309.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5104.825	57.33	2.46	74.0	16.67	Peak	39.00	150	Horizontal	Pass
1**	5104.825	46.05	2.46	54.0	7.95	AV	39.00	150	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	193.00	150	Horizontal	Pass
2**	5149.675	45.69	2.07	54.0	8.31	AV	193.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.87	1.93	74.0	18.13	Peak	10.00	200	Horizontal	Pass
1**	5350.000	46.21	1.93	54.0	7.79	AV	10.00	200	Horizontal	Pass
2	5425.845	57.95	2.39	74.0	16.05	Peak	314.00	100	Horizontal	Pass
2**	5425.845	46.28	2.39	54.0	7.72	AV	314.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4999.850	57.56	2.20	74.0	16.44	Peak	40.00	100	Horizontal	Pass
1**	4999.850	45.72	2.20	54.0	8.28	AV	40.00	100	Horizontal	Pass
2	5149.675	55.10	2.07	74.0	18.90	Peak	274.00	150	Horizontal	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	274.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.50	1.93	74.0	15.50	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.81	1.93	54.0	6.19	AV	360.00	150	Horizontal	Pass
2	5350.165	59.25	1.92	74.0	14.75	Peak	360.00	150	Horizontal	Pass
2**	5350.165	47.90	1.92	54.0	6.10	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.300	57.86	2.39	74.0	16.14	Peak	0.00	150	Horizontal	Pass
1**	5138.300	46.48	2.39	54.0	7.52	AV	0.00	150	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	320.00	100	Horizontal	Pass
2**	5149.675	46.04	2.07	54.0	7.96	AV	320.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.80	1.93	74.0	17.20	Peak	360.00	200	Horizontal	Pass
1**	5350.000	46.84	1.93	54.0	7.16	AV	360.00	200	Horizontal	Pass
2	5402.085	59.44	1.96	74.0	14.56	Peak	350.00	200	Horizontal	Pass
2**	5402.085	47.45	1.96	54.0	6.55	AV	350.00	200	Horizontal	Pass
3	5393.670	56.11	2.14	74.0	17.89	Peak	289.00	150	Horizontal	Pass
3**	5393.670	48.70	2.14	54.0	5.30	AV	289.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.825	57.72	2.34	74.0	16.28	Peak	313.00	100	Horizontal	Pass
1**	5143.825	45.81	2.34	54.0	8.19	AV	313.00	100	Horizontal	Pass
2	5149.675	55.78	2.07	74.0	18.22	Peak	165.00	100	Horizontal	Pass
2**	5149.675	45.72	2.07	54.0	8.28	AV	165.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.55	1.93	74.0	18.45	Peak	204.00	200	Horizontal	Pass
1**	5350.000	45.56	1.93	54.0	8.44	AV	204.00	200	Horizontal	Pass
2	5448.615	58.18	2.37	74.0	15.82	Peak	219.00	150	Horizontal	Pass
2**	5448.615	45.94	2.37	54.0	8.06	AV	219.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4999.525	57.42	2.17	74.0	16.58	Peak	48.00	100	Horizontal	Pass
1**	4999.525	45.53	2.17	54.0	8.47	AV	48.00	100	Horizontal	Pass
2	5149.675	55.47	2.07	74.0	18.53	Peak	303.00	100	Horizontal	Pass
2**	5149.675	45.81	2.07	54.0	8.19	AV	303.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.97	1.93	74.0	18.03	Peak	354.00	100	Horizontal	Pass
1**	5350.000	45.57	1.93	54.0	8.43	AV	354.00	100	Horizontal	Pass
2	5404.065	58.32	2.18	74.0	15.68	Peak	222.00	150	Horizontal	Pass
2**	5404.065	46.18	2.18	54.0	7.82	AV	222.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5086.950	57.25	2.32	74.0	16.75	Peak	196.00	200	Horizontal	Pass
1**	5086.950	46.05	2.32	54.0	7.95	AV	196.00	200	Horizontal	Pass
2	5149.675	56.13	2.07	74.0	17.87	Peak	80.00	100	Horizontal	Pass
2**	5149.675	46.10	2.07	54.0	7.90	AV	80.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.64	1.93	74.0	18.36	Peak	266.00	150	Horizontal	Pass
1**	5350.000	45.49	1.93	54.0	8.51	AV	266.00	150	Horizontal	Pass
2	5405.990	57.68	1.99	74.0	16.32	Peak	173.00	100	Horizontal	Pass
2**	5405.990	45.87	1.99	54.0	8.13	AV	173.00	100	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.800	58.57	2.44	74.0	15.43	Peak	251.00	100	Horizontal	Pass
1**	5421.800	46.59	2.44	54.0	7.41	AV	251.00	100	Horizontal	Pass
2	5460.000	55.61	2.50	74.0	18.39	Peak	153.00	200	Horizontal	Pass
2**	5460.000	46.55	2.50	54.0	7.45	AV	153.00	200	Horizontal	Pass
3	5467.850	58.61	3.15	68.2	9.59	Peak	323.00	150	Horizontal	Pass
3**	5467.850	47.17	3.15	--	--	AV	323.00	150	Horizontal	N/A
4	5469.950	57.67	2.87	68.2	10.53	Peak	22.00	150	Horizontal	Pass
4**	5469.950	47.25	2.87	--	--	AV	22.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.69	2.55	68.2	7.51	Peak	141.00	100	Horizontal	Pass
2	5725.900	62.63	2.53	68.2	5.57	Peak	130.00	100	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5422.000	57.80	2.44	74.0	16.20	Peak	243.00	200	Horizontal	Pass
1**	5422.000	46.29	2.44	54.0	7.71	AV	243.00	200	Horizontal	Pass
2	5460.000	55.84	2.50	74.0	18.16	Peak	118.00	150	Horizontal	Pass
2**	5460.000	46.60	2.50	54.0	7.40	AV	118.00	150	Horizontal	Pass
3	5462.200	58.48	2.74	68.2	9.72	Peak	137.00	200	Horizontal	Pass
3**	5462.200	46.68	2.74	--	--	AV	137.00	200	Horizontal	N/A
4	5469.950	56.98	2.87	68.2	11.22	Peak	124.00	150	Horizontal	Pass
4**	5469.950	47.43	2.87	--	--	AV	124.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.39	2.55	68.2	8.81	Peak	147.00	200	Horizontal	Pass
2	5725.800	61.14	2.53	68.2	7.06	Peak	124.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.500	59.26	2.44	74.0	14.74	Peak	118.00	200	Horizontal	Pass
1**	5458.500	48.46	2.44	54.0	5.54	AV	118.00	200	Horizontal	Pass
2	5460.000	57.22	2.50	74.0	16.78	Peak	118.00	100	Horizontal	Pass
2**	5460.000	48.46	2.50	54.0	5.54	AV	118.00	100	Horizontal	Pass
3	5467.050	61.27	3.00	68.2	6.93	Peak	138.00	150	Horizontal	Pass
3**	5467.050	49.85	3.00	--	--	AV	138.00	150	Horizontal	N/A
4	5469.950	59.91	2.87	68.2	8.29	Peak	140.00	150	Horizontal	Pass
4**	5469.950	50.49	2.87	--	--	AV	140.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.99	2.55	68.2	9.21	Peak	133.00	100	Horizontal	Pass
2	5725.750	61.31	2.54	68.2	6.89	Peak	133.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.050	58.70	2.47	74.0	15.30	Peak	212.00	200	Horizontal	Pass
1**	5458.050	46.45	2.47	54.0	7.55	AV	212.00	200	Horizontal	Pass
2	5460.000	55.75	2.50	74.0	18.25	Peak	0.00	200	Horizontal	Pass
2**	5460.000	46.44	2.50	54.0	7.56	AV	0.00	200	Horizontal	Pass
3	5466.950	58.37	2.98	68.2	9.83	Peak	116.00	100	Horizontal	Pass
3**	5466.950	47.29	2.98	--	--	AV	116.00	100	Horizontal	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	338.00	200	Horizontal	Pass
4**	5469.950	47.11	2.87	--	--	AV	338.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.05	2.55	68.2	8.15	Peak	142.00	200	Horizontal	Pass
2	5725.450	59.93	2.54	68.2	8.27	Peak	131.00	100	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.050	59.02	2.47	74.0	14.98	Peak	138.00	200	Horizontal	Pass
1**	5458.050	47.82	2.47	54.0	6.18	AV	138.00	200	Horizontal	Pass
2	5460.000	57.53	2.50	74.0	16.47	Peak	360.00	200	Horizontal	Pass
2**	5460.000	48.07	2.50	54.0	5.93	AV	360.00	200	Horizontal	Pass
3	5466.500	60.55	2.87	68.2	7.65	Peak	0.00	150	Horizontal	Pass
3**	5466.500	49.02	2.87	--	--	AV	0.00	150	Horizontal	N/A
4	5469.950	60.53	2.87	68.2	7.67	Peak	360.00	150	Horizontal	Pass
4**	5469.950	49.84	2.87	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.55	2.55	68.2	9.65	Peak	140.00	100	Horizontal	Pass
2	5725.100	59.88	2.55	68.2	8.32	Peak	142.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.250	59.85	2.38	74.0	14.15	Peak	0.00	200	Horizontal	Pass
1**	5446.250	48.22	2.38	54.0	5.78	AV	0.00	200	Horizontal	Pass
2	5460.000	58.10	2.50	74.0	15.90	Peak	353.00	200	Horizontal	Pass
2**	5460.000	48.70	2.50	54.0	5.30	AV	353.00	200	Horizontal	Pass
3	5469.450	60.54	2.93	68.2	7.66	Peak	127.00	100	Horizontal	Pass
3**	5469.450	49.66	2.93	--	--	AV	127.00	100	Horizontal	N/A
4	5469.950	59.08	2.87	68.2	9.12	Peak	118.00	150	Horizontal	Pass
4**	5469.950	49.62	2.87	--	--	AV	118.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.35	2.55	68.2	10.85	Peak	134.00	200	Horizontal	Pass
2	5729.050	58.91	2.65	68.2	9.29	Peak	127.00	100	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.200	60.00	2.30	74.0	14.00	Peak	0.00	200	Horizontal	Pass
1**	5441.200	47.97	2.30	54.0	6.03	AV	0.00	200	Horizontal	Pass
2	5460.000	57.43	2.50	74.0	16.57	Peak	334.00	150	Horizontal	Pass
2**	5460.000	47.62	2.50	54.0	6.38	AV	334.00	150	Horizontal	Pass
3	5465.950	58.07	2.74	68.2	10.13	Peak	346.00	100	Horizontal	Pass
3**	5465.950	47.16	2.74	--	--	AV	346.00	100	Horizontal	N/A
4	5469.950	56.99	2.87	68.2	11.21	Peak	125.00	200	Horizontal	Pass
4**	5469.950	47.58	2.87	--	--	AV	125.00	200	Horizontal	N/A
5	5423.000	57.88	2.45	74.0	16.12	Peak	148.00	150	Horizontal	Pass
5**	5423.000	48.77	2.45	54.0	5.23	AV	148.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.39	2.55	68.2	11.81	Peak	141.00	150	Horizontal	Pass
2	5758.600	58.12	2.75	68.2	10.08	Peak	143.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.050	58.97	2.34	74.0	15.03	Peak	0.00	100	Horizontal	Pass
1**	5418.050	46.21	2.34	54.0	7.79	AV	0.00	100	Horizontal	Pass
2	5460.000	55.72	2.50	74.0	18.28	Peak	217.00	150	Horizontal	Pass
2**	5460.000	46.35	2.50	54.0	7.65	AV	217.00	150	Horizontal	Pass
3	5469.300	58.96	2.95	68.2	9.24	Peak	345.00	200	Horizontal	Pass
3**	5469.300	47.39	2.95	--	--	AV	345.00	200	Horizontal	N/A
4	5469.950	57.36	2.87	68.2	10.84	Peak	355.00	100	Horizontal	Pass
4**	5469.950	47.14	2.87	--	--	AV	355.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	62.45	2.55	68.2	5.75	Peak	138.00	100	Horizontal	Pass
2	5725.900	63.11	2.53	68.2	5.09	Peak	138.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.850	58.75	2.42	74.0	15.25	Peak	5.00	150	Horizontal	Pass
1**	5458.850	47.77	2.42	54.0	6.23	AV	5.00	150	Horizontal	Pass
2	5460.000	56.99	2.50	74.0	17.01	Peak	132.00	150	Horizontal	Pass
2**	5460.000	47.65	2.50	54.0	6.35	AV	132.00	150	Horizontal	Pass
3	5467.700	60.03	3.16	68.2	8.17	Peak	118.00	150	Horizontal	Pass
3**	5467.700	48.91	3.16	--	--	AV	118.00	150	Horizontal	N/A
4	5469.950	58.02	2.87	68.2	10.18	Peak	342.00	150	Horizontal	Pass
4**	5469.950	49.43	2.87	--	--	AV	342.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.57	2.55	68.2	9.63	Peak	127.00	100	Horizontal	Pass
2	5728.350	59.20	2.60	68.2	9.00	Peak	138.00	200	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.75	2.47	74.0	14.25	Peak	0.00	200	Horizontal	Pass
1**	5459.800	48.97	2.47	54.0	5.03	AV	0.00	200	Horizontal	Pass
2	5460.000	58.16	2.50	74.0	15.84	Peak	111.00	200	Horizontal	Pass
2**	5460.000	48.83	2.50	54.0	5.17	AV	111.00	200	Horizontal	Pass
3	5467.700	61.24	3.16	68.2	6.96	Peak	342.00	150	Horizontal	Pass
3**	5467.700	50.01	3.16	--	--	AV	342.00	150	Horizontal	N/A
4	5469.950	59.51	2.87	68.2	8.69	Peak	355.00	100	Horizontal	Pass
4**	5469.950	49.76	2.87	--	--	AV	355.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.82	2.55	68.2	11.38	Peak	343.00	100	Horizontal	Pass
2	5806.600	58.52	2.74	68.2	9.68	Peak	318.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.750	59.77	2.39	74.0	14.23	Peak	3.00	200	Horizontal	Pass
1**	5447.750	47.59	2.39	54.0	6.41	AV	3.00	200	Horizontal	Pass
2	5460.000	56.74	2.50	74.0	17.26	Peak	3.00	150	Horizontal	Pass
2**	5460.000	47.29	2.50	54.0	6.71	AV	3.00	150	Horizontal	Pass
3	5462.000	58.46	2.72	68.2	9.74	Peak	1.00	200	Horizontal	Pass
3**	5462.000	47.64	2.72	--	--	AV	1.00	200	Horizontal	N/A
4	5469.950	57.99	2.87	68.2	10.21	Peak	146.00	150	Horizontal	Pass
4**	5469.950	47.18	2.87	--	--	AV	146.00	150	Horizontal	N/A
5	5421.000	58.13	2.43	74.0	15.87	Peak	3.00	150	Horizontal	Pass
5**	5421.000	48.96	2.43	54.0	5.04	AV	3.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.20	2.55	68.2	12.00	Peak	334.00	100	Horizontal	Pass
2	5744.600	58.50	2.20	68.2	9.70	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.750	57.76	2.38	74.0	16.24	Peak	128.00	200	Horizontal	Pass
1**	5428.750	46.25	2.38	54.0	7.75	AV	128.00	200	Horizontal	Pass
2	5460.000	55.55	2.50	74.0	18.45	Peak	229.00	100	Horizontal	Pass
2**	5460.000	46.14	2.50	54.0	7.86	AV	229.00	100	Horizontal	Pass
3	5466.950	57.83	2.98	68.2	10.37	Peak	316.00	200	Horizontal	Pass
3**	5466.950	46.44	2.98	--	--	AV	316.00	200	Horizontal	N/A
4	5469.950	55.71	2.87	68.2	12.49	Peak	87.00	100	Horizontal	Pass
4**	5469.950	46.59	2.87	--	--	AV	87.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.55	2.55	68.2	11.65	Peak	276.00	100	Horizontal	Pass
2	5777.550	58.11	2.18	68.2	10.09	Peak	230.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5373.200	58.01	2.27	74.0	15.99	Peak	8.00	100	Horizontal	Pass
1**	5373.200	46.08	2.27	54.0	7.92	AV	8.00	100	Horizontal	Pass
2	5460.000	55.25	2.50	74.0	18.75	Peak	187.00	150	Horizontal	Pass
2**	5460.000	46.16	2.50	54.0	7.84	AV	187.00	150	Horizontal	Pass
3	5468.250	58.26	3.09	68.2	9.94	Peak	172.00	200	Horizontal	Pass
3**	5468.250	46.64	3.09	--	--	AV	172.00	200	Horizontal	N/A
4	5469.950	55.54	2.87	68.2	12.66	Peak	268.00	200	Horizontal	Pass
4**	5469.950	46.71	2.87	--	--	AV	268.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.29	2.55	68.2	11.91	Peak	272.00	200	Horizontal	Pass
2	5802.800	58.19	2.57	68.2	10.01	Peak	16.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5375.450	58.07	2.23	74.0	15.93	Peak	204.00	150	Horizontal	Pass
1**	5375.450	45.90	2.23	54.0	8.10	AV	204.00	150	Horizontal	Pass
2	5460.000	56.98	2.50	74.0	17.02	Peak	0.00	150	Horizontal	Pass
2**	5460.000	46.00	2.50	54.0	8.00	AV	0.00	150	Horizontal	Pass
3	5468.750	57.85	3.02	68.2	10.35	Peak	78.00	150	Horizontal	Pass
3**	5468.750	46.49	3.02	--	--	AV	78.00	150	Horizontal	N/A
4	5469.950	56.30	2.87	68.2	11.90	Peak	209.00	200	Horizontal	Pass
4**	5469.950	46.49	2.87	--	--	AV	209.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.78	2.55	68.2	11.42	Peak	231.00	150	Horizontal	Pass
2	5753.350	59.25	2.49	68.2	8.95	Peak	172.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5423.100	57.76	2.45	74.0	16.24	Peak	120.00	200	Horizontal	Pass
1**	5423.100	46.56	2.45	54.0	7.44	AV	120.00	200	Horizontal	Pass
2	5460.000	54.87	2.50	74.0	19.13	Peak	182.00	100	Horizontal	Pass
2**	5460.000	46.18	2.50	54.0	7.82	AV	182.00	100	Horizontal	Pass
3	5467.300	57.76	3.06	68.2	10.44	Peak	303.00	200	Horizontal	Pass
3**	5467.300	46.80	3.06	--	--	AV	303.00	200	Horizontal	N/A
4	5469.950	56.06	2.87	68.2	12.14	Peak	35.00	200	Horizontal	Pass
4**	5469.950	46.50	2.87	--	--	AV	35.00	200	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.16	2.55	68.2	12.04	Peak	360.00	200	Horizontal	Pass
2	5817.250	57.98	2.60	68.2	10.22	Peak	81.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.150	57.77	2.53	68.2	10.43	Peak	280.00	150	Horizontal	Pass
2	5650.000	55.69	2.54	68.2	12.51	Peak	127.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.03	2.32	68.2	12.17	Peak	360.00	150	Horizontal	Pass
2	5939.850	58.59	2.44	68.2	9.61	Peak	177.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.000	57.98	2.69	68.2	10.22	Peak	360.00	200	Horizontal	Pass
2	5650.000	56.11	2.54	68.2	12.09	Peak	90.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.26	2.32	68.2	11.94	Peak	16.00	200	Horizontal	Pass
2	5946.550	58.65	2.42	68.2	9.55	Peak	341.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.600	57.46	2.59	68.2	10.74	Peak	19.00	200	Horizontal	Pass
2	5650.000	56.28	2.54	68.2	11.92	Peak	82.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.90	2.32	68.2	12.30	Peak	190.00	150	Horizontal	Pass
2	5925.950	58.16	2.33	68.2	10.04	Peak	325.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.200	57.72	2.53	68.2	10.48	Peak	248.00	100	Horizontal	Pass
2	5650.000	55.17	2.54	68.2	13.03	Peak	360.00	200	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.86	2.32	68.2	11.34	Peak	107.00	200	Horizontal	Pass
2	5937.400	58.83	2.33	68.2	9.37	Peak	193.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.300	58.04	2.71	68.2	10.16	Peak	102.00	100	Horizontal	Pass
2	5650.000	56.68	2.54	68.2	11.52	Peak	360.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.22	2.32	68.2	11.98	Peak	129.00	100	Horizontal	Pass
2	5942.200	58.44	2.77	68.2	9.76	Peak	301.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.750	60.05	2.53	68.2	8.15	Peak	148.00	150	Horizontal	Pass
2	5650.000	57.64	2.54	68.2	10.56	Peak	123.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.13	2.32	68.2	12.07	Peak	317.00	200	Horizontal	Pass
2	5942.850	58.90	2.64	68.2	9.30	Peak	360.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.200	57.25	2.72	68.2	10.95	Peak	319.00	100	Horizontal	Pass
2	5650.000	56.53	2.54	68.2	11.67	Peak	81.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.85	2.32	68.2	12.35	Peak	323.00	150	Horizontal	Pass
2	5948.050	58.49	2.71	68.2	9.71	Peak	353.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.150	58.43	2.71	68.2	9.77	Peak	354.00	100	Horizontal	Pass
2	5650.000	57.04	2.54	68.2	11.16	Peak	317.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.78	2.32	68.2	12.42	Peak	223.00	200	Horizontal	Pass
2	5948.700	58.03	2.64	68.2	10.17	Peak	82.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.300	61.21	2.62	68.2	6.99	Peak	138.00	100	Horizontal	Pass
2	5650.000	57.01	2.54	68.2	11.19	Peak	134.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.74	2.32	68.2	12.46	Peak	119.00	100	Horizontal	Pass
2	5925.850	58.68	2.33	68.2	9.52	Peak	65.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	58.00	2.55	68.2	10.20	Peak	286.00	150	Horizontal	Pass
2	5650.000	56.40	2.54	68.2	11.80	Peak	175.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.93	2.32	68.2	12.27	Peak	224.00	100	Horizontal	Pass
2	5942.300	58.07	2.75	68.2	10.13	Peak	291.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.100	58.68	2.34	68.2	9.52	Peak	244.00	100	Horizontal	Pass
2	5650.000	55.75	2.54	68.2	12.45	Peak	169.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.43	2.32	68.2	11.77	Peak	214.00	100	Horizontal	Pass
2	5938.100	58.13	2.33	68.2	10.07	Peak	85.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.750	57.54	2.57	68.2	10.66	Peak	333.00	100	Horizontal	Pass
2	5650.000	56.46	2.54	68.2	11.74	Peak	128.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.19	2.32	68.2	12.01	Peak	360.00	100	Horizontal	Pass
2	5944.500	58.63	2.39	68.2	9.57	Peak	358.00	150	Horizontal	Pass

MIMO


U-NII-1 11a CH36

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5023.575	58.08	1.63	74.0	15.92	Peak	360.00	150	Horizontal	Pass
1**	5023.575	45.63	1.63	54.0	8.37	AV	360.00	150	Horizontal	Pass
2	5149.675	56.05	2.07	74.0	17.95	Peak	249.00	200	Horizontal	Pass
2**	5149.675	47.35	2.07	54.0	6.65	AV	249.00	200	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.23	1.93	74.0	18.77	Peak	102.00	200	Horizontal	Pass
1**	5350.055	45.80	1.93	54.0	8.20	AV	102.00	200	Horizontal	Pass
2	5382.010	58.04	2.21	74.0	15.96	Peak	83.00	150	Horizontal	Pass
2**	5382.010	46.06	2.21	54.0	7.94	AV	83.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.08	2.18	74.0	16.92	Peak	65.00	150	Horizontal	Pass
1**	5147.725	46.92	2.18	54.0	7.08	AV	65.00	150	Horizontal	Pass
2	5149.675	57.74	2.07	74.0	16.26	Peak	276.00	150	Horizontal	Pass
2**	5149.675	47.38	2.07	54.0	6.62	AV	276.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.30	1.93	74.0	18.70	Peak	292.00	100	Horizontal	Pass
1**	5350.055	45.86	1.93	54.0	8.14	AV	292.00	100	Horizontal	Pass
2	5455.600	57.86	2.35	74.0	16.14	Peak	329.00	100	Horizontal	Pass
2**	5455.600	45.93	2.35	54.0	8.07	AV	329.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	60.70	2.14	74.0	13.30	Peak	26.00	100	Horizontal	Pass
1**	5148.050	48.68	2.14	54.0	5.32	AV	26.00	100	Horizontal	Pass
2	5149.675	58.83	2.07	74.0	15.17	Peak	311.00	100	Horizontal	Pass
2**	5149.675	48.98	2.07	54.0	5.02	AV	311.00	100	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.35	1.93	74.0	18.65	Peak	34.00	100	Horizontal	Pass
1**	5350.000	45.87	1.93	54.0	8.13	AV	34.00	100	Horizontal	Pass
2	5399.115	57.73	1.97	74.0	16.27	Peak	53.00	150	Horizontal	Pass
2**	5399.115	46.02	1.97	54.0	7.98	AV	53.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	58.04	2.29	74.0	15.96	Peak	276.00	100	Horizontal	Pass
1**	5146.750	47.66	2.29	54.0	6.34	AV	276.00	100	Horizontal	Pass
2	5149.675	57.20	2.07	74.0	16.80	Peak	31.00	200	Horizontal	Pass
2**	5149.675	48.06	2.07	54.0	5.94	AV	31.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	1.93	74.0	18.73	Peak	113.00	100	Horizontal	Pass
1**	5350.000	46.16	1.93	54.0	7.84	AV	113.00	100	Horizontal	Pass
2	5457.305	57.74	2.51	74.0	16.26	Peak	8.00	100	Horizontal	Pass
2**	5457.305	46.22	2.51	54.0	7.78	AV	8.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	59.25	2.27	74.0	14.75	Peak	281.00	200	Horizontal	Pass
1**	5145.775	47.43	2.27	54.0	6.57	AV	281.00	200	Horizontal	Pass
2	5149.675	56.75	2.07	74.0	17.25	Peak	281.00	200	Horizontal	Pass
2**	5149.675	48.66	2.07	54.0	5.34	AV	281.00	200	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.10	1.93	74.0	17.90	Peak	103.00	200	Horizontal	Pass
1**	5350.000	45.70	1.93	54.0	8.30	AV	103.00	200	Horizontal	Pass
2	5426.835	58.24	2.49	74.0	15.76	Peak	59.00	200	Horizontal	Pass
2**	5426.835	46.40	2.49	54.0	7.60	AV	59.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	58.47	2.36	74.0	15.53	Peak	314.00	100	Horizontal	Pass
1**	5140.575	47.86	2.36	54.0	6.14	AV	314.00	100	Horizontal	Pass
2	5149.675	56.78	2.07	74.0	17.22	Peak	285.00	150	Horizontal	Pass
2**	5149.675	48.58	2.07	54.0	5.42	AV	285.00	150	Horizontal	Pass
3	5146.425	57.29	2.28	74.0	16.71	Peak	31.00	150	Horizontal	Pass
3**	5146.425	48.92	2.28	54.0	5.08	AV	31.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.79	1.93	74.0	17.21	Peak	159.00	200	Horizontal	Pass
1**	5350.055	45.64	1.93	54.0	8.36	AV	159.00	200	Horizontal	Pass
2	5403.900	57.99	2.17	74.0	16.01	Peak	126.00	150	Horizontal	Pass
2**	5403.900	46.11	2.17	54.0	7.89	AV	126.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.300	58.37	2.39	74.0	15.63	Peak	28.00	200	Horizontal	Pass
1**	5138.300	48.06	2.39	54.0	5.94	AV	28.00	200	Horizontal	Pass
2	5149.675	56.12	2.07	74.0	17.88	Peak	31.00	100	Horizontal	Pass
2**	5149.675	47.55	2.07	54.0	6.45	AV	31.00	100	Horizontal	Pass
3	5137.650	58.02	2.40	74.0	15.98	Peak	52.00	150	Horizontal	Pass
3**	5137.650	48.86	2.40	54.0	5.14	AV	52.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.24	1.93	74.0	17.76	Peak	285.00	200	Horizontal	Pass
1**	5350.055	47.07	1.93	54.0	6.93	AV	285.00	200	Horizontal	Pass
2	5384.650	58.70	2.20	74.0	15.30	Peak	288.00	150	Horizontal	Pass
2**	5384.650	47.82	2.20	54.0	6.18	AV	288.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5086.625	58.03	2.30	74.0	15.97	Peak	282.00	100	Horizontal	Pass
1**	5086.625	46.14	2.30	54.0	7.86	AV	282.00	100	Horizontal	Pass
2	5149.675	56.57	2.07	74.0	17.43	Peak	23.00	200	Horizontal	Pass
2**	5149.675	47.75	2.07	54.0	6.25	AV	23.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.18	1.93	74.0	18.82	Peak	167.00	200	Horizontal	Pass
1**	5350.055	45.75	1.93	54.0	8.25	AV	167.00	200	Horizontal	Pass
2	5428.980	57.66	2.36	74.0	16.34	Peak	221.00	150	Horizontal	Pass
2**	5428.980	46.29	2.36	54.0	7.71	AV	221.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	59.93	2.18	74.0	14.07	Peak	33.00	200	Horizontal	Pass
1**	5147.725	48.01	2.18	54.0	5.99	AV	33.00	200	Horizontal	Pass
2	5149.675	58.27	2.07	74.0	15.73	Peak	272.00	100	Horizontal	Pass
2**	5149.675	48.22	2.07	54.0	5.78	AV	272.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.88	1.93	74.0	18.12	Peak	275.00	150	Horizontal	Pass
1**	5350.000	45.74	1.93	54.0	8.26	AV	275.00	150	Horizontal	Pass
2	5423.150	57.80	2.45	74.0	16.20	Peak	287.00	100	Horizontal	Pass
2**	5423.150	46.21	2.45	54.0	7.79	AV	287.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.025	59.69	2.43	74.0	14.31	Peak	279.00	100	Horizontal	Pass
1**	5136.025	48.24	2.43	54.0	5.76	AV	279.00	100	Horizontal	Pass
2	5149.675	57.78	2.07	74.0	16.22	Peak	29.00	200	Horizontal	Pass
2**	5149.675	48.81	2.07	54.0	5.19	AV	29.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.83	1.93	74.0	18.17	Peak	308.00	100	Horizontal	Pass
1**	5350.055	45.69	1.93	54.0	8.31	AV	308.00	100	Horizontal	Pass
2	5391.525	57.99	2.15	74.0	16.01	Peak	195.00	150	Horizontal	Pass
2**	5391.525	46.02	2.15	54.0	7.98	AV	195.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.150	58.53	2.13	74.0	15.47	Peak	280.00	100	Horizontal	Pass
1**	5131.150	47.00	2.13	54.0	7.00	AV	280.00	100	Horizontal	Pass
2	5149.675	56.02	2.07	74.0	17.98	Peak	31.00	150	Horizontal	Pass
2**	5149.675	47.56	2.07	54.0	6.44	AV	31.00	150	Horizontal	Pass
3	5120.425	56.39	2.20	74.0	17.61	Peak	307.00	150	Horizontal	Pass
3**	5120.425	48.28	2.20	54.0	5.72	AV	307.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.18	1.93	74.0	17.82	Peak	274.00	200	Horizontal	Pass
1**	5350.000	47.35	1.93	54.0	6.65	AV	274.00	200	Horizontal	Pass
2	5398.730	59.14	1.95	74.0	14.86	Peak	59.00	200	Horizontal	Pass
2**	5398.730	46.75	1.95	54.0	7.25	AV	59.00	200	Horizontal	Pass
3	5366.225	56.59	2.17	74.0	17.41	Peak	277.00	150	Horizontal	Pass
3**	5366.225	48.43	2.17	54.0	5.57	AV	277.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.275	57.40	2.37	74.0	16.60	Peak	302.00	200	Horizontal	Pass
1**	5139.275	46.05	2.37	54.0	7.95	AV	302.00	200	Horizontal	Pass
2	5149.675	55.45	2.07	74.0	18.55	Peak	82.00	200	Horizontal	Pass
2**	5149.675	45.76	2.07	54.0	8.24	AV	82.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	1.93	74.0	17.96	Peak	339.00	150	Horizontal	Pass
1**	5350.000	45.53	1.93	54.0	8.47	AV	339.00	150	Horizontal	Pass
2	5404.230	57.67	2.16	74.0	16.33	Peak	349.00	150	Horizontal	Pass
2**	5404.230	46.04	2.16	54.0	7.96	AV	349.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5024.875	57.21	1.79	74.0	16.79	Peak	297.00	150	Horizontal	Pass
1**	5024.875	45.45	1.79	54.0	8.55	AV	297.00	150	Horizontal	Pass
2	5149.675	56.06	2.07	74.0	17.94	Peak	125.00	200	Horizontal	Pass
2**	5149.675	45.79	2.07	54.0	8.21	AV	125.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.20	1.93	74.0	18.80	Peak	300.00	100	Horizontal	Pass
1**	5350.055	45.63	1.93	54.0	8.37	AV	300.00	100	Horizontal	Pass
2	5451.255	58.79	2.17	74.0	15.21	Peak	67.00	100	Horizontal	Pass
2**	5451.255	45.98	2.17	54.0	8.02	AV	67.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.000	57.50	2.30	74.0	16.50	Peak	336.00	200	Horizontal	Pass
1**	5098.000	45.90	2.30	54.0	8.10	AV	336.00	200	Horizontal	Pass
2	5149.675	55.50	2.07	74.0	18.50	Peak	356.00	150	Horizontal	Pass
2**	5149.675	45.70	2.07	54.0	8.30	AV	356.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.64	1.93	74.0	18.36	Peak	136.00	100	Horizontal	Pass
1**	5350.000	45.70	1.93	54.0	8.30	AV	136.00	100	Horizontal	Pass
2	5421.830	57.84	2.44	74.0	16.16	Peak	40.00	100	Horizontal	Pass
2**	5421.830	46.49	2.44	54.0	7.51	AV	40.00	100	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4992.375	57.13	1.76	74.0	16.87	Peak	70.00	100	Horizontal	Pass
1**	4992.375	45.42	1.76	54.0	8.58	AV	70.00	100	Horizontal	Pass
2	5149.675	55.82	2.07	74.0	18.18	Peak	19.00	150	Horizontal	Pass
2**	5149.675	45.81	2.07	54.0	8.19	AV	19.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.94	1.93	74.0	18.06	Peak	22.00	150	Horizontal	Pass
1**	5350.000	45.82	1.93	54.0	8.18	AV	22.00	150	Horizontal	Pass
2	5408.135	58.17	1.89	74.0	15.83	Peak	65.00	100	Horizontal	Pass
2**	5408.135	45.73	1.89	54.0	8.27	AV	65.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	56.81	2.40	74.0	17.19	Peak	20.00	150	Horizontal	Pass
1**	5088.900	46.35	2.40	54.0	7.65	AV	20.00	150	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	301.00	200	Horizontal	Pass
2**	5149.675	45.77	2.07	54.0	8.23	AV	301.00	200	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.76	1.93	74.0	16.24	Peak	280.00	100	Horizontal	Pass
1**	5350.000	48.02	1.93	54.0	5.98	AV	280.00	100	Horizontal	Pass
2	5351.705	59.60	1.99	74.0	14.40	Peak	262.00	200	Horizontal	Pass
2**	5351.705	47.76	1.99	54.0	6.24	AV	262.00	200	Horizontal	Pass
3	5351.375	57.46	1.95	74.0	16.54	Peak	282.00	150	Horizontal	Pass
3**	5351.375	48.93	1.95	54.0	5.07	AV	282.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.300	57.70	1.92	74.0	16.30	Peak	158.00	200	Horizontal	Pass
1**	5060.300	45.53	1.92	54.0	8.47	AV	158.00	200	Horizontal	Pass
2	5149.675	56.05	2.07	74.0	17.95	Peak	216.00	150	Horizontal	Pass
2**	5149.675	45.95	2.07	54.0	8.05	AV	216.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.62	1.93	74.0	17.38	Peak	304.00	150	Horizontal	Pass
1**	5350.055	48.35	1.93	54.0	5.65	AV	304.00	150	Horizontal	Pass
2	5351.155	59.65	1.92	74.0	14.35	Peak	279.00	150	Horizontal	Pass
2**	5351.155	48.30	1.92	54.0	5.70	AV	279.00	150	Horizontal	Pass
3	5351.815	57.02	2.01	74.0	16.98	Peak	282.00	150	Horizontal	Pass
3**	5351.815	48.84	2.01	54.0	5.16	AV	282.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.525	57.29	2.48	74.0	16.71	Peak	300.00	150	Horizontal	Pass
1**	5103.525	46.55	2.48	54.0	7.45	AV	300.00	150	Horizontal	Pass
2	5149.675	55.30	2.07	74.0	18.70	Peak	194.00	100	Horizontal	Pass
2**	5149.675	46.16	2.07	54.0	7.84	AV	194.00	100	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.67	1.93	74.0	16.33	Peak	274.00	200	Horizontal	Pass
1**	5350.055	47.94	1.93	54.0	6.06	AV	274.00	200	Horizontal	Pass
2	5353.905	60.64	2.11	74.0	13.36	Peak	277.00	200	Horizontal	Pass
2**	5353.905	47.70	2.11	54.0	6.30	AV	277.00	200	Horizontal	Pass
3	5352.750	57.64	2.14	74.0	16.36	Peak	285.00	150	Horizontal	Pass
3**	5352.750	48.92	2.14	54.0	5.08	AV	285.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5013.500	57.69	2.11	74.0	16.31	Peak	0.00	200	Horizontal	Pass
1**	5013.500	45.78	2.11	54.0	8.22	AV	0.00	200	Horizontal	Pass
2	5149.675	56.04	2.07	74.0	17.96	Peak	223.00	150	Horizontal	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	223.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.27	1.93	74.0	16.73	Peak	25.00	150	Horizontal	Pass
1**	5350.000	48.00	1.93	54.0	6.00	AV	25.00	150	Horizontal	Pass
2	5350.220	58.30	1.92	74.0	15.70	Peak	289.00	150	Horizontal	Pass
2**	5350.220	47.76	1.92	54.0	6.24	AV	289.00	150	Horizontal	Pass
3	5350.495	57.46	1.90	74.0	16.54	Peak	274.00	150	Horizontal	Pass
3**	5350.495	48.64	1.90	54.0	5.36	AV	274.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5021.300	57.04	1.85	74.0	16.96	Peak	270.00	150	Horizontal	Pass
1**	5021.300	45.41	1.85	54.0	8.59	AV	270.00	150	Horizontal	Pass
2	5149.675	55.49	2.07	74.0	18.51	Peak	54.00	150	Horizontal	Pass
2**	5149.675	45.78	2.07	54.0	8.22	AV	54.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.30	1.93	74.0	16.70	Peak	254.00	200	Horizontal	Pass
1**	5350.055	48.43	1.93	54.0	5.57	AV	254.00	200	Horizontal	Pass
2	5351.870	58.55	2.02	74.0	15.45	Peak	255.00	100	Horizontal	Pass
2**	5351.870	47.39	2.02	54.0	6.61	AV	255.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5056.725	57.78	1.96	74.0	16.22	Peak	298.00	100	Horizontal	Pass
1**	5056.725	45.82	1.96	54.0	8.18	AV	298.00	100	Horizontal	Pass
2	5149.675	56.59	2.07	74.0	17.41	Peak	23.00	150	Horizontal	Pass
2**	5149.675	45.84	2.07	54.0	8.16	AV	23.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.48	1.93	74.0	15.52	Peak	280.00	100	Horizontal	Pass
1**	5350.055	48.69	1.93	54.0	5.31	AV	280.00	100	Horizontal	Pass
2	5352.365	59.89	2.08	74.0	14.11	Peak	255.00	100	Horizontal	Pass
2**	5352.365	48.77	2.08	54.0	5.23	AV	255.00	100	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5083.375	57.76	2.25	74.0	16.24	Peak	15.00	200	Horizontal	Pass
1**	5083.375	46.39	2.25	54.0	7.61	AV	15.00	200	Horizontal	Pass
2	5149.675	56.19	2.07	74.0	17.81	Peak	179.00	100	Horizontal	Pass
2**	5149.675	46.18	2.07	54.0	7.82	AV	179.00	100	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.20	1.93	74.0	17.80	Peak	101.00	200	Horizontal	Pass
1**	5350.055	46.57	1.93	54.0	7.43	AV	101.00	200	Horizontal	Pass
2	5391.855	59.87	2.15	74.0	14.13	Peak	264.00	200	Horizontal	Pass
2**	5391.855	46.88	2.15	54.0	7.12	AV	264.00	200	Horizontal	Pass
3	5386.465	56.81	2.33	74.0	17.19	Peak	290.00	150	Horizontal	Pass
3**	5386.465	48.72	2.33	54.0	5.28	AV	290.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.875	57.08	2.42	74.0	16.92	Peak	144.00	150	Horizontal	Pass
1**	5102.875	46.18	2.42	54.0	7.82	AV	144.00	150	Horizontal	Pass
2	5149.675	54.95	2.07	74.0	19.05	Peak	100.00	200	Horizontal	Pass
2**	5149.675	45.65	2.07	54.0	8.35	AV	100.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.34	1.93	74.0	14.66	Peak	282.00	200	Horizontal	Pass
1**	5350.055	48.85	1.93	54.0	5.15	AV	282.00	200	Horizontal	Pass
2	5353.025	58.95	2.17	74.0	15.05	Peak	282.00	150	Horizontal	Pass
2**	5353.025	48.52	2.17	54.0	5.48	AV	282.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.525	57.45	2.48	74.0	16.55	Peak	265.00	200	Horizontal	Pass
1**	5103.525	46.25	2.48	54.0	7.75	AV	265.00	200	Horizontal	Pass
2	5149.675	55.15	2.07	74.0	18.85	Peak	261.00	150	Horizontal	Pass
2**	5149.675	45.88	2.07	54.0	8.12	AV	261.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.81	1.93	74.0	17.19	Peak	32.00	100	Horizontal	Pass
1**	5350.000	47.98	1.93	54.0	6.02	AV	32.00	100	Horizontal	Pass
2	5350.715	59.01	1.89	74.0	14.99	Peak	280.00	150	Horizontal	Pass
2**	5350.715	47.54	1.89	54.0	6.46	AV	280.00	150	Horizontal	Pass
3	5350.330	58.54	1.91	74.0	15.46	Peak	283.00	150	Horizontal	Pass
3**	5350.330	48.52	1.91	54.0	5.48	AV	283.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.575	57.17	2.02	74.0	16.83	Peak	0.00	150	Horizontal	Pass
1**	4997.575	45.48	2.02	54.0	8.52	AV	0.00	150	Horizontal	Pass
2	5149.675	56.22	2.07	74.0	17.78	Peak	202.00	150	Horizontal	Pass
2**	5149.675	45.97	2.07	54.0	8.03	AV	202.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.99	1.93	74.0	15.01	Peak	275.00	100	Horizontal	Pass
1**	5350.055	48.42	1.93	54.0	5.58	AV	275.00	100	Horizontal	Pass
2	5350.880	58.76	1.88	74.0	15.24	Peak	308.00	200	Horizontal	Pass
2**	5350.880	48.43	1.88	54.0	5.57	AV	308.00	200	Horizontal	Pass
3	5351.925	58.57	2.02	74.0	15.43	Peak	286.00	150	Horizontal	Pass
3**	5351.925	48.56	2.02	54.0	5.44	AV	286.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.375	58.52	2.14	74.0	15.48	Peak	131.00	100	Horizontal	Pass
1**	5096.375	46.90	2.14	54.0	7.10	AV	131.00	100	Horizontal	Pass
2	5149.675	56.15	2.07	74.0	17.85	Peak	284.00	200	Horizontal	Pass
2**	5149.675	47.06	2.07	54.0	6.94	AV	284.00	200	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.63	1.93	74.0	17.37	Peak	303.00	150	Horizontal	Pass
1**	5350.055	47.24	1.93	54.0	6.76	AV	303.00	150	Horizontal	Pass
2	5402.250	59.87	1.98	74.0	14.13	Peak	253.00	200	Horizontal	Pass
2**	5402.250	47.23	1.98	54.0	6.77	AV	253.00	200	Horizontal	Pass
3	5381.460	57.65	2.24	74.0	16.35	Peak	250.00	150	Horizontal	Pass
3**	5381.460	48.95	2.24	54.0	5.05	AV	250.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5106.450	57.31	2.11	74.0	16.69	Peak	257.00	100	Horizontal	Pass
1**	5106.450	45.63	2.11	54.0	8.37	AV	257.00	100	Horizontal	Pass
2	5149.675	55.07	2.07	74.0	18.93	Peak	222.00	150	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	222.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.84	1.93	74.0	18.16	Peak	307.00	100	Horizontal	Pass
1**	5350.000	45.76	1.93	54.0	8.24	AV	307.00	100	Horizontal	Pass
2	5422.655	57.98	2.45	74.0	16.02	Peak	338.00	100	Horizontal	Pass
2**	5422.655	46.33	2.45	54.0	7.67	AV	338.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4839.300	57.18	2.09	74.0	16.82	Peak	199.00	200	Horizontal	Pass
1**	4839.300	45.43	2.09	54.0	8.57	AV	199.00	200	Horizontal	Pass
2	5149.675	55.27	2.07	74.0	18.73	Peak	155.00	200	Horizontal	Pass
2**	5149.675	45.80	2.07	54.0	8.20	AV	155.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.91	1.93	74.0	18.09	Peak	36.00	100	Horizontal	Pass
1**	5350.000	45.69	1.93	54.0	8.31	AV	36.00	100	Horizontal	Pass
2	5352.090	58.07	2.05	74.0	15.93	Peak	274.00	150	Horizontal	Pass
2**	5352.090	45.86	2.05	54.0	8.14	AV	274.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.200	57.49	2.45	74.0	16.51	Peak	148.00	200	Horizontal	Pass
1**	5103.200	45.86	2.45	54.0	8.14	AV	148.00	200	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	255.00	200	Horizontal	Pass
2**	5149.675	45.82	2.07	54.0	8.18	AV	255.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.25	1.93	74.0	18.75	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.71	1.93	54.0	8.29	AV	0.00	150	Horizontal	Pass
2	5417.980	58.18	2.33	74.0	15.82	Peak	35.00	200	Horizontal	Pass
2**	5417.980	46.20	2.33	54.0	7.80	AV	35.00	200	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.000	58.24	2.29	74.0	15.76	Peak	360.00	150	Horizontal	Pass
1**	5431.000	46.56	2.29	54.0	7.44	AV	360.00	150	Horizontal	Pass
2	5460.000	57.48	2.50	74.0	16.52	Peak	256.00	100	Horizontal	Pass
2**	5460.000	47.01	2.50	54.0	6.99	AV	256.00	100	Horizontal	Pass
3	5467.800	59.31	3.15	68.2	8.89	Peak	77.00	100	Horizontal	Pass
3**	5467.800	48.03	3.15	--	--	AV	77.00	100	Horizontal	N/A
4	5469.950	58.00	2.87	68.2	10.20	Peak	250.00	150	Horizontal	Pass
4**	5469.950	48.73	2.87	--	--	AV	250.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.98	2.55	68.2	6.22	Peak	126.00	150	Horizontal	Pass
2	5725.100	62.55	2.55	68.2	5.65	Peak	135.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.950	58.35	2.39	74.0	15.65	Peak	359.00	200	Horizontal	Pass
1**	5455.950	46.54	2.39	54.0	7.46	AV	359.00	200	Horizontal	Pass
2	5460.000	56.14	2.50	74.0	17.86	Peak	353.00	200	Horizontal	Pass
2**	5460.000	46.87	2.50	54.0	7.13	AV	353.00	200	Horizontal	Pass
3	5469.800	59.16	2.88	68.2	9.04	Peak	278.00	100	Horizontal	Pass
3**	5469.800	48.02	2.88	--	--	AV	278.00	100	Horizontal	N/A
4	5469.950	58.15	2.87	68.2	10.05	Peak	320.00	100	Horizontal	Pass
4**	5469.950	48.36	2.87	--	--	AV	320.00	100	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.08	2.55	68.2	6.12	Peak	133.00	150	Horizontal	Pass
2	5726.050	63.08	2.53	68.2	5.12	Peak	0.00	100	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.01	2.47	74.0	14.99	Peak	311.00	100	Horizontal	Pass
1**	5459.800	48.30	2.47	54.0	5.70	AV	311.00	100	Horizontal	Pass
2	5460.000	57.24	2.50	74.0	16.76	Peak	320.00	200	Horizontal	Pass
2**	5460.000	48.59	2.50	54.0	5.41	AV	320.00	200	Horizontal	Pass
3	5461.750	62.55	2.71	68.2	5.65	Peak	280.00	100	Horizontal	Pass
3**	5461.750	49.42	2.71	--	--	AV	280.00	100	Horizontal	N/A
4	5469.950	60.14	2.87	68.2	8.06	Peak	283.00	100	Horizontal	Pass
4**	5469.950	51.67	2.87	--	--	AV	283.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.55	2.55	68.2	8.65	Peak	271.00	200	Horizontal	Pass
2	5726.800	62.46	2.51	68.2	5.74	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.350	58.06	2.39	74.0	15.94	Peak	4.00	150	Horizontal	Pass
1**	5447.350	46.57	2.39	54.0	7.43	AV	4.00	150	Horizontal	Pass
2	5460.000	56.06	2.50	74.0	17.94	Peak	132.00	150	Horizontal	Pass
2**	5460.000	46.99	2.50	54.0	7.01	AV	132.00	150	Horizontal	Pass
3	5468.700	59.87	3.03	68.2	8.33	Peak	281.00	150	Horizontal	Pass
3**	5468.700	48.46	3.03	--	--	AV	281.00	150	Horizontal	N/A
4	5469.950	57.24	2.87	68.2	10.96	Peak	70.00	200	Horizontal	Pass
4**	5469.950	48.80	2.87	--	--	AV	70.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.91	2.55	68.2	6.29	Peak	359.00	150	Horizontal	Pass
2	5726.350	63.12	2.52	68.2	5.08	Peak	134.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.850	58.35	2.42	74.0	15.65	Peak	324.00	150	Horizontal	Pass
1**	5458.850	47.53	2.42	54.0	6.47	AV	324.00	150	Horizontal	Pass
2	5460.000	57.29	2.50	74.0	16.71	Peak	282.00	150	Horizontal	Pass
2**	5460.000	47.94	2.50	54.0	6.06	AV	282.00	150	Horizontal	Pass
3	5469.900	62.68	2.87	68.2	5.52	Peak	284.00	150	Horizontal	Pass
3**	5469.900	51.09	2.87	--	--	AV	284.00	150	Horizontal	N/A
4	5469.950	60.72	2.87	68.2	7.48	Peak	57.00	150	Horizontal	Pass
4**	5469.950	50.82	2.87	--	--	AV	57.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.40	2.55	68.2	8.80	Peak	327.00	150	Horizontal	Pass
2	5725.100	60.39	2.55	68.2	7.81	Peak	64.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.600	59.67	2.49	74.0	14.33	Peak	278.00	150	Horizontal	Pass
1**	5457.600	48.44	2.49	54.0	5.56	AV	278.00	150	Horizontal	Pass
2	5460.000	57.67	2.50	74.0	16.33	Peak	43.00	150	Horizontal	Pass
2**	5460.000	48.83	2.50	54.0	5.17	AV	43.00	150	Horizontal	Pass
3	5468.750	62.27	3.02	68.2	5.93	Peak	270.00	100	Horizontal	Pass
3**	5468.750	50.10	3.02	--	--	AV	270.00	100	Horizontal	N/A
4	5469.950	59.63	2.87	68.2	8.57	Peak	60.00	100	Horizontal	Pass
4**	5469.950	50.62	2.87	--	--	AV	60.00	100	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.47	2.55	68.2	10.73	Peak	168.00	200	Horizontal	Pass
2	5756.850	58.85	2.49	68.2	9.35	Peak	9.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.900	59.40	2.50	74.0	14.60	Peak	274.00	200	Horizontal	Pass
1**	5426.900	47.92	2.50	54.0	6.08	AV	274.00	200	Horizontal	Pass
2	5460.000	56.65	2.50	74.0	17.35	Peak	141.00	150	Horizontal	Pass
2**	5460.000	46.72	2.50	54.0	7.28	AV	141.00	150	Horizontal	Pass
3	5466.250	58.91	2.81	68.2	9.29	Peak	279.00	150	Horizontal	Pass
3**	5466.250	47.17	2.81	--	--	AV	279.00	150	Horizontal	N/A
4	5469.950	57.68	2.87	68.2	10.52	Peak	55.00	150	Horizontal	Pass
4**	5469.950	47.13	2.87	--	--	AV	55.00	150	Horizontal	N/A
5	5432.450	56.41	2.18	74.0	17.59	Peak	279.00	150	Horizontal	Pass
5**	5432.450	48.86	2.18	54.0	5.14	AV	279.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	2.55	68.2	11.69	Peak	48.00	200	Horizontal	Pass
2	5812.850	58.41	2.58	68.2	9.79	Peak	1.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.850	58.55	2.48	74.0	15.45	Peak	75.00	200	Horizontal	Pass
1**	5457.850	47.12	2.48	54.0	6.88	AV	75.00	200	Horizontal	Pass
2	5460.000	57.36	2.50	74.0	16.64	Peak	334.00	200	Horizontal	Pass
2**	5460.000	47.26	2.50	54.0	6.74	AV	334.00	200	Horizontal	Pass
3	5468.600	60.25	3.04	68.2	7.95	Peak	281.00	200	Horizontal	Pass
3**	5468.600	49.21	3.04	--	--	AV	281.00	200	Horizontal	N/A
4	5469.950	59.45	2.87	68.2	8.75	Peak	304.00	100	Horizontal	Pass
4**	5469.950	49.23	2.87	--	--	AV	304.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	61.40	2.55	68.2	6.80	Peak	134.00	100	Horizontal	Pass
2	5726.100	62.93	2.53	68.2	5.27	Peak	341.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.900	59.29	2.48	74.0	14.71	Peak	282.00	200	Horizontal	Pass
1**	5459.900	48.76	2.48	54.0	5.24	AV	282.00	200	Horizontal	Pass
2	5460.000	58.20	2.50	74.0	15.80	Peak	0.00	100	Horizontal	Pass
2**	5460.000	48.70	2.50	54.0	5.30	AV	0.00	100	Horizontal	Pass
3	5468.750	62.40	3.02	68.2	5.80	Peak	274.00	100	Horizontal	Pass
3**	5468.750	50.71	3.02	--	--	AV	274.00	100	Horizontal	N/A
4	5469.950	60.54	2.87	68.2	7.66	Peak	282.00	150	Horizontal	Pass
4**	5469.950	51.78	2.87	--	--	AV	282.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.14	2.55	68.2	8.06	Peak	125.00	150	Horizontal	Pass
2	5728.550	60.89	2.62	68.2	7.31	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.500	58.71	2.34	74.0	15.29	Peak	360.00	200	Horizontal	Pass
1**	5455.500	47.95	2.34	54.0	6.05	AV	360.00	200	Horizontal	Pass
2	5460.000	57.48	2.50	74.0	16.52	Peak	273.00	100	Horizontal	Pass
2**	5460.000	48.21	2.50	54.0	5.79	AV	273.00	100	Horizontal	Pass
3	5469.900	60.26	2.87	68.2	7.94	Peak	71.00	150	Horizontal	Pass
3**	5469.900	49.52	2.87	--	--	AV	71.00	150	Horizontal	N/A
4	5469.950	58.29	2.87	68.2	9.91	Peak	222.00	100	Horizontal	Pass
4**	5469.950	49.47	2.87	--	--	AV	222.00	100	Horizontal	N/A
5	5456.050	56.83	2.40	74.0	17.17	Peak	60.00	150	Horizontal	Pass
5**	5456.050	48.78	2.40	54.0	5.22	AV	60.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	2.55	68.2	10.67	Peak	342.00	200	Horizontal	Pass
2	5729.350	58.80	2.60	68.2	9.40	Peak	167.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.450	59.23	2.45	74.0	14.77	Peak	276.00	100	Horizontal	Pass
1**	5419.450	48.20	2.45	54.0	5.80	AV	276.00	100	Horizontal	Pass
2	5460.000	56.20	2.50	74.0	17.80	Peak	306.00	150	Horizontal	Pass
2**	5460.000	46.96	2.50	54.0	7.04	AV	306.00	150	Horizontal	Pass
3	5468.050	57.91	3.12	68.2	10.29	Peak	245.00	200	Horizontal	Pass
3**	5468.050	47.56	3.12	--	--	AV	245.00	200	Horizontal	N/A
4	5469.950	58.08	2.87	68.2	10.12	Peak	280.00	100	Horizontal	Pass
4**	5469.950	47.36	2.87	--	--	AV	280.00	100	Horizontal	N/A
5	5432.550	57.18	2.17	74.0	16.82	Peak	283.00	150	Horizontal	Pass
5**	5432.550	48.86	2.17	54.0	5.14	AV	283.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.27	2.55	68.2	5.93	Peak	360.00	200	Horizontal	Pass
2	5730.100	61.93	2.42	68.2	6.27	Peak	328.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.050	58.29	2.46	74.0	15.71	Peak	22.00	150	Horizontal	Pass
1**	5428.050	46.44	2.46	54.0	7.56	AV	22.00	150	Horizontal	Pass
2	5460.000	55.75	2.50	74.0	18.25	Peak	242.00	150	Horizontal	Pass
2**	5460.000	46.31	2.50	54.0	7.69	AV	242.00	150	Horizontal	Pass
3	5467.750	58.35	3.16	68.2	9.85	Peak	70.00	150	Horizontal	Pass
3**	5467.750	46.71	3.16	--	--	AV	70.00	150	Horizontal	N/A
4	5469.950	55.69	2.87	68.2	12.51	Peak	330.00	150	Horizontal	Pass
4**	5469.950	46.81	2.87	--	--	AV	330.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	2.55	68.2	11.69	Peak	127.00	200	Horizontal	Pass
2	5755.650	58.22	2.34	68.2	9.98	Peak	314.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.350	57.79	2.30	74.0	16.21	Peak	214.00	200	Horizontal	Pass
1**	5441.350	46.08	2.30	54.0	7.92	AV	214.00	200	Horizontal	Pass
2	5460.000	55.78	2.50	74.0	18.22	Peak	47.00	200	Horizontal	Pass
2**	5460.000	46.16	2.50	54.0	7.84	AV	47.00	200	Horizontal	Pass
3	5464.600	58.18	2.74	68.2	10.02	Peak	200.00	100	Horizontal	Pass
3**	5464.600	46.26	2.74	--	--	AV	200.00	100	Horizontal	N/A
4	5469.950	55.82	2.87	68.2	12.38	Peak	306.00	100	Horizontal	Pass
4**	5469.950	46.84	2.87	--	--	AV	306.00	100	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.43	2.55	68.2	11.77	Peak	162.00	100	Horizontal	Pass
2	5750.050	58.22	2.30	68.2	9.98	Peak	1.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5416.100	57.80	2.15	74.0	16.20	Peak	346.00	150	Horizontal	Pass
1**	5416.100	46.15	2.15	54.0	7.85	AV	346.00	150	Horizontal	Pass
2	5460.000	55.88	2.50	74.0	18.12	Peak	338.00	150	Horizontal	Pass
2**	5460.000	46.24	2.50	54.0	7.76	AV	338.00	150	Horizontal	Pass
3	5468.400	59.12	3.07	68.2	9.08	Peak	252.00	100	Horizontal	Pass
3**	5468.400	46.67	3.07	--	--	AV	252.00	100	Horizontal	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	85.00	100	Horizontal	Pass
4**	5469.950	46.53	2.87	--	--	AV	85.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.71	2.55	68.2	11.49	Peak	122.00	150	Horizontal	Pass
2	5767.150	58.23	2.64	68.2	9.97	Peak	200.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.450	63.00	2.10	74.0	11.00	Peak	282.00	200	Horizontal	Pass
1**	5444.450	45.85	2.10	54.0	8.15	AV	282.00	200	Horizontal	Pass
2	5460.000	55.63	2.50	74.0	18.37	Peak	355.00	200	Horizontal	Pass
2**	5460.000	46.47	2.50	54.0	7.53	AV	355.00	200	Horizontal	Pass
3	5460.550	59.10	2.57	68.2	9.10	Peak	282.00	150	Horizontal	Pass
3**	5460.550	46.29	2.57	--	--	AV	282.00	150	Horizontal	N/A
4	5469.950	56.28	2.87	68.2	11.92	Peak	69.00	100	Horizontal	Pass
4**	5469.950	46.67	2.87	--	--	AV	69.00	100	Horizontal	N/A
5	5439.150	55.83	2.31	74.0	18.17	Peak	224.00	150	Horizontal	Pass
5**	5439.150	48.96	2.31	54.0	5.04	AV	224.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.58	2.55	68.2	11.62	Peak	322.00	200	Horizontal	Pass
2	5816.850	58.27	2.64	68.2	9.93	Peak	217.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.450	57.81	2.70	68.2	10.39	Peak	256.00	200	Horizontal	Pass
2	5650.000	55.89	2.54	68.2	12.31	Peak	150.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.10	2.32	68.2	11.10	Peak	280.00	200	Horizontal	Pass
2	5942.650	58.76	2.68	68.2	9.44	Peak	327.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.300	57.46	2.31	68.2	10.74	Peak	184.00	150	Horizontal	Pass
2	5650.000	56.79	2.54	68.2	11.41	Peak	297.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.37	2.32	68.2	11.83	Peak	54.00	150	Horizontal	Pass
2	5941.450	58.03	2.86	68.2	10.17	Peak	323.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.550	58.73	2.53	68.2	9.47	Peak	105.00	150	Horizontal	Pass
2	5650.000	56.55	2.54	68.2	11.65	Peak	37.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.49	2.32	68.2	11.71	Peak	75.00	100	Horizontal	Pass
2	5941.900	58.38	2.84	68.2	9.82	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.300	58.36	2.57	68.2	9.84	Peak	249.00	200	Horizontal	Pass
2	5650.000	56.92	2.54	68.2	11.28	Peak	106.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.30	2.32	68.2	12.90	Peak	22.00	200	Horizontal	Pass
2	5940.050	58.52	2.50	68.2	9.68	Peak	332.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.100	58.25	2.11	68.2	9.95	Peak	360.00	100	Horizontal	Pass
2	5650.000	56.17	2.54	68.2	12.03	Peak	174.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.02	2.32	68.2	12.18	Peak	64.00	100	Horizontal	Pass
2	5929.700	58.73	2.63	68.2	9.47	Peak	345.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.750	59.48	2.52	68.2	8.72	Peak	71.00	200	Horizontal	Pass
2	5650.000	57.31	2.54	68.2	10.89	Peak	330.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.16	2.32	68.2	12.04	Peak	360.00	150	Horizontal	Pass
2	5942.700	58.77	2.67	68.2	9.43	Peak	206.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.850	58.62	2.30	68.2	9.58	Peak	67.00	100	Horizontal	Pass
2	5650.000	56.11	2.54	68.2	12.09	Peak	244.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.28	2.32	68.2	11.92	Peak	89.00	100	Horizontal	Pass
2	5941.300	58.72	2.82	68.2	9.48	Peak	33.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.700	58.36	2.64	68.2	9.84	Peak	266.00	150	Horizontal	Pass
2	5650.000	57.78	2.54	68.2	10.42	Peak	348.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.93	2.32	68.2	11.27	Peak	273.00	100	Horizontal	Pass
2	5944.250	58.48	2.41	68.2	9.72	Peak	31.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.850	60.01	2.56	68.2	8.19	Peak	360.00	100	Horizontal	Pass
2	5650.000	59.00	2.54	68.2	9.20	Peak	335.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.22	2.32	68.2	11.98	Peak	245.00	200	Horizontal	Pass
2	5942.600	58.00	2.69	68.2	10.20	Peak	46.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.650	57.38	2.34	68.2	10.82	Peak	150.00	200	Horizontal	Pass
2	5650.000	55.39	2.54	68.2	12.81	Peak	21.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.75	2.32	68.2	12.45	Peak	309.00	100	Horizontal	Pass
2	5941.300	58.63	2.82	68.2	9.57	Peak	134.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.650	57.42	2.47	68.2	10.78	Peak	305.00	200	Horizontal	Pass
2	5650.000	56.47	2.54	68.2	11.73	Peak	64.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.68	2.32	68.2	12.52	Peak	275.00	100	Horizontal	Pass
2	5942.300	58.38	2.75	68.2	9.82	Peak	101.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	57.83	2.55	68.2	10.37	Peak	204.00	200	Horizontal	Pass
2	5650.000	56.04	2.54	68.2	12.16	Peak	147.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.54	2.32	68.2	12.66	Peak	48.00	150	Horizontal	Pass
2	5941.450	58.13	2.86	68.2	10.07	Peak	187.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2410450-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2410450-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2410450-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--