



**23.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 5.16     | 13               | Pass    |




**23.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 6        | 13               | Pass    |




**23.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 6.05     | 13               | Pass    |




**23.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 5.72     | 13               | Pass    |




**23.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 6.37     | 13               | Pass    |




**23.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 6.8      | 13               | Pass    |



**23.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770                  | 0.1             | 6.61     | 13               | Pass    |



--BLANK BELOW--