

**16.7. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	5.72	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	998912	19.988 ms	22.273 dBm	28.399 dBm	6.126 dB

Probability	Value (dB)
10,000%	3.281 dB
1,0000%	5.016 dB
0,1000%	5.719 dB
0,0100%	5.859 dB
0,0010%	5.953 dB
0,0001%	6.000 dB

Go To Local      Show Remote Screen

**16.8. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:8,  
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB  
Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.52	13	Pass


**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1024090	10,000%	3.422 dB
Sample Time	20.492 ms	1,0000%	5.578 dB
Avg Power	21.246 dBm	0,1000%	6.516 dB
Max Power	28.315 dBm	0,0100%	6.844 dB
PAR	7.070 dB	0,0010%	6.938 dB
		0,0001%	7.031 dB

Go To Local      Show Remote Screen

**16.9. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**16.10. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.52	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1024090	10,000%	3.469 dB
Sample Time	20.492 ms	1,0000%	5.578 dB
Avg Power	21.211 dBm	0,1000%	6.516 dB
Max Power	28.318 dBm	0,0100%	6.844 dB
PAR	7.107 dB	0,0010%	6.938 dB
		0,0001%	7.078 dB

Go To Local      Show Remote Screen

**16.11. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.72	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**


Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	999112	19.992 ms	21.765 dBm	28.445 dBm	6.680 dB

Probability	Value (dB)
10,000%	3.141 dB
1,0000%	4.922 dB
0,1000%	5.719 dB
0,0100%	5.953 dB
0,0010%	6.141 dB
0,0001%	6.281 dB


Go To Local      Show Remote Screen

**16.12. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 17. CA\_38C

17.1. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**17.2. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**






**17.3. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**17.4. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:4,  
Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB  
Number:Full|Full, RB Position:Low|Low)**




## 18. CA\_41C\_full

18.1. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:1, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



**18.2. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:2, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.3. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:3, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.6	0.1	9.94	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2592.60000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	
Sample Count	999312
Sample Time	9.998 ms
Avg Power	18.880 dBm
Max Power	29.431 dBm
PAR	10.551 dB


Probability	
10,000%	5.766 dB
1,0000%	8.672 dB
0,1000%	9.938 dB
0,0100%	10.266 dB
0,0010%	10.359 dB
0,0001%	10.453 dB

Go To Local
Show Remote Screen


**18.4. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:4, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.5. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:5, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.6. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:6,  
Channel:40526|40670, Bandwidth:10|20MHz, Modulation:16QAM, RB  
Number:Full|Full, RB Position:Low|Low)**





**18.7. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:7, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	9.94	13	Pass


**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2592.80000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	Value	Probability	Value
Sample Count	999112	10,000%	5.719 dB
Sample Time	9.996 ms	1,0000%	8.672 dB
Avg Power	18.769 dBm	0,1000%	9.938 dB
Max Power	29.400 dBm	0,0010%	10.453 dB
PAR	10.630 dB	0,0001%	10.547 dB

Go To Local      Show Remote Screen

**18.8. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:8,  
Channel:40571|40715, Bandwidth:20|10MHz, Modulation:16QAM, RB  
Number:Full|Full, RB Position:Low|Low)**



**18.9. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:9, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**18.10. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:10, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.64	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	Value
Sample Count	998912
Sample Time	9.994 ms
Avg Power	17.559 dBm
Max Power	29.454 dBm
PAR	11.895 dB

Probability	Value
10,000%	5.578 dB
1,0000%	9.047 dB
0,1000%	10.641 dB
0,0100%	11.391 dB
0,0010%	11.625 dB
0,0001%	11.766 dB

Go To Local
Show Remote Screen

**18.11. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:11, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.1	0.1	9.89	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count		Probability	
Sample Count	999112	10,000%	5.766 dB
Sample Time	19.992 ms	1,0000%	8.625 dB
Avg Power	18.854 dBm	0,1000%	9.891 dB
Max Power	29.348 dBm	0,0100%	10.219 dB
PAR	10.495 dB	0,0010%	10.359 dB
		0,0001%	10.406 dB

Go To Local
Show Remote Screen

**18.12. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:12, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**18.13. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:13, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	9.89	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	
Sample Count	999312
Sample Time	19.996 ms
Avg Power	18.850 dBm
Max Power	29.409 dBm
PAR	10.559 dB

Probability	
10,000%	5.719 dB
1,0000%	8.625 dB
0,1000%	9.891 dB
0,0100%	10.266 dB
0,0010%	10.359 dB
0,0001%	10.500 dB

Go To Local
Show Remote Screen

**18.14. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:14, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	10.45	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value (dB)
Sample Count	1023880	10,000%	5.531 dB
Sample Time	20.488 ms	1,0000%	8.953 dB
Avg Power	17.944 dBm	0,1000%	10.453 dB
Max Power	29.451 dBm	0,0100%	11.297 dB
PAR	11.507 dB	0,0001%	11.391 dB

Go To Local      Show Remote Screen



**18.15. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:15, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.94	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	999112	10,000%	5.859 dB
Sample Time	19.992 ms	1,0000%	8.531 dB
Avg Power	18.541 dBm	0,1000%	9.938 dB
Max Power	29.398 dBm	0,0100%	10.359 dB
PAR	10.858 dB	0,0010%	10.547 dB
		0,0001%	10.688 dB

Go To Local      Show Remote Screen

**18.16. LTE-A Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:16, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.69	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	
Sample Count	1023880
Sample Time	20.488 ms
Avg Power	17.396 dBm
Max Power	29.506 dBm
PAR	12.110 dB

Probability	
10,000%	5.625 dB
1,0000%	9.000 dB
0,1000%	10.688 dB
0,0100%	11.484 dB
0,0010%	11.766 dB
0,0001%	12.000 dB

Go To Local
Show Remote Screen


## 19. n5

**19.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.2	13	Pass




**19.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.05	13	Pass




**19.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.14	13	Pass




**19.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.91	13	Pass



**19.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.52	13	Pass






**19.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.42	13	Pass




**19.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.75	13	Pass




**19.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.3	13	Pass




**19.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.2	13	Pass




**19.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.23	13	Pass




**19.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.19	13	Pass




**19.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.95	13	Pass



**19.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.52	13	Pass






**19.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.52	13	Pass




**19.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.75	13	Pass




**19.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.44	13	Pass




**19.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.25	13	Pass




**19.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.23	13	Pass




**19.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.19	13	Pass




**19.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.05	13	Pass



**19.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.52	13	Pass






**19.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.52	13	Pass




**19.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.8	13	Pass




## 20. n7

**20.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**20.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.25	13	Pass




**20.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6	13	Pass




**20.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.14	13	Pass




**20.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.67	13	Pass



**20.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.52	13	Pass






**20.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.42	13	Pass




**20.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.66	13	Pass




**20.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.44	13	Pass




**20.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.16	13	Pass




**20.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.33	13	Pass




**20.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.14	13	Pass




**20.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6	13	Pass



**20.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.52	13	Pass






**20.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.75	13	Pass




**20.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.7	13	Pass




**20.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.16	13	Pass




**20.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.25	13	Pass




**20.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.95	13	Pass




**20.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.14	13	Pass




**20.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.62	13	Pass



**20.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.47	13	Pass






**20.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.37	13	Pass




**20.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.66	13	Pass




## 21. n38\_PC3

21.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




**21.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	5.2	13	Pass




**21.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	6	13	Pass




**21.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	6.19	13	Pass




**21.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	5.95	13	Pass



**21.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	6.47	13	Pass






**21.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	5.53	13	Pass




**21.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	6.75	13	Pass




**21.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	5.25	13	Pass




**21.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	5.2	13	Pass




**21.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.37	13	Pass




**21.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.19	13	Pass




**21.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.05	13	Pass



**21.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.47	13	Pass






**21.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	5.72	13	Pass




**21.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.75	13	Pass




**21.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	5.34	13	Pass




**21.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	5.16	13	Pass




**21.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.14	13	Pass




**21.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.19	13	Pass




**21.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.09	13	Pass



**21.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.47	13	Pass






**21.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.52	13	Pass




**21.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.75	13	Pass




## 22. n41

**22.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**22.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**




**22.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6	13	Pass




**22.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6.14	13	Pass




**22.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6.19	13	Pass



**22.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6.52	13	Pass






**22.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6.19	13	Pass




**22.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	6.89	13	Pass




**22.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.11	13	Pass




**22.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.16	13	Pass




**22.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.77	13	Pass




**22.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.14	13	Pass




**22.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.77	13	Pass



**22.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.47	13	Pass






**22.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.19	13	Pass




**22.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.75	13	Pass




**22.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	4.92	13	Pass




**22.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.11	13	Pass




**22.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.14	13	Pass




**22.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.14	13	Pass




**22.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.91	13	Pass



**22.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.42	13	Pass






**22.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.23	13	Pass




**22.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.75	13	Pass




## 23. n66 15kHz

**23.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**23.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.11	13	Pass




**23.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.91	13	Pass




**23.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.05	13	Pass




**23.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.58	13	Pass



**23.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.37	13	Pass






**23.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.56	13	Pass




**23.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.7	13	Pass




**23.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.16	13	Pass




**23.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.06	13	Pass




**23.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6	13	Pass




**23.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6	13	Pass




**23.13 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.72	13	Pass



**23.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.37	13	Pass






**23.15 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.37	13	Pass



**23.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.7	13	Pass



**23.17 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	5.34	13	Pass

