



U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.575	57.17	2.02	74.0	16.83	Peak	0.00	150	Horizontal	Pass
1**	4997.575	45.48	2.02	54.0	8.52	AV	0.00	150	Horizontal	Pass
2	5149.675	56.22	2.07	74.0	17.78	Peak	202.00	150	Horizontal	Pass
2**	5149.675	45.97	2.07	54.0	8.03	AV	202.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.99	1.93	74.0	15.01	Peak	275.00	100	Horizontal	Pass
1**	5350.055	48.42	1.93	54.0	5.58	AV	275.00	100	Horizontal	Pass
2	5350.880	58.76	1.88	74.0	15.24	Peak	308.00	200	Horizontal	Pass
2**	5350.880	48.43	1.88	54.0	5.57	AV	308.00	200	Horizontal	Pass
3	5351.925	58.57	2.02	74.0	15.43	Peak	286.00	150	Horizontal	Pass
3**	5351.925	48.56	2.02	54.0	5.44	AV	286.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.375	58.52	2.14	74.0	15.48	Peak	131.00	100	Horizontal	Pass
1**	5096.375	46.90	2.14	54.0	7.10	AV	131.00	100	Horizontal	Pass
2	5149.675	56.15	2.07	74.0	17.85	Peak	284.00	200	Horizontal	Pass
2**	5149.675	47.06	2.07	54.0	6.94	AV	284.00	200	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.63	1.93	74.0	17.37	Peak	303.00	150	Horizontal	Pass
1**	5350.055	47.24	1.93	54.0	6.76	AV	303.00	150	Horizontal	Pass
2	5402.250	59.87	1.98	74.0	14.13	Peak	253.00	200	Horizontal	Pass
2**	5402.250	47.23	1.98	54.0	6.77	AV	253.00	200	Horizontal	Pass
3	5381.460	57.65	2.24	74.0	16.35	Peak	250.00	150	Horizontal	Pass
3**	5381.460	48.95	2.24	54.0	5.05	AV	250.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5106.450	57.31	2.11	74.0	16.69	Peak	257.00	100	Horizontal	Pass
1**	5106.450	45.63	2.11	54.0	8.37	AV	257.00	100	Horizontal	Pass
2	5149.675	55.07	2.07	74.0	18.93	Peak	222.00	150	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	222.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.84	1.93	74.0	18.16	Peak	307.00	100	Horizontal	Pass
1**	5350.000	45.76	1.93	54.0	8.24	AV	307.00	100	Horizontal	Pass
2	5422.655	57.98	2.45	74.0	16.02	Peak	338.00	100	Horizontal	Pass
2**	5422.655	46.33	2.45	54.0	7.67	AV	338.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4839.300	57.18	2.09	74.0	16.82	Peak	199.00	200	Horizontal	Pass
1**	4839.300	45.43	2.09	54.0	8.57	AV	199.00	200	Horizontal	Pass
2	5149.675	55.27	2.07	74.0	18.73	Peak	155.00	200	Horizontal	Pass
2**	5149.675	45.80	2.07	54.0	8.20	AV	155.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.91	1.93	74.0	18.09	Peak	36.00	100	Horizontal	Pass
1**	5350.000	45.69	1.93	54.0	8.31	AV	36.00	100	Horizontal	Pass
2	5352.090	58.07	2.05	74.0	15.93	Peak	274.00	150	Horizontal	Pass
2**	5352.090	45.86	2.05	54.0	8.14	AV	274.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.200	57.49	2.45	74.0	16.51	Peak	148.00	200	Horizontal	Pass
1**	5103.200	45.86	2.45	54.0	8.14	AV	148.00	200	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	255.00	200	Horizontal	Pass
2**	5149.675	45.82	2.07	54.0	8.18	AV	255.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.25	1.93	74.0	18.75	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.71	1.93	54.0	8.29	AV	0.00	150	Horizontal	Pass
2	5417.980	58.18	2.33	74.0	15.82	Peak	35.00	200	Horizontal	Pass
2**	5417.980	46.20	2.33	54.0	7.80	AV	35.00	200	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.000	58.24	2.29	74.0	15.76	Peak	360.00	150	Horizontal	Pass
1**	5431.000	46.56	2.29	54.0	7.44	AV	360.00	150	Horizontal	Pass
2	5460.000	57.48	2.50	74.0	16.52	Peak	256.00	100	Horizontal	Pass
2**	5460.000	47.01	2.50	54.0	6.99	AV	256.00	100	Horizontal	Pass
3	5467.800	59.31	3.15	68.2	8.89	Peak	77.00	100	Horizontal	Pass
3**	5467.800	48.03	3.15	--	--	AV	77.00	100	Horizontal	N/A
4	5469.950	58.00	2.87	68.2	10.20	Peak	250.00	150	Horizontal	Pass
4**	5469.950	48.73	2.87	--	--	AV	250.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.98	2.55	68.2	6.22	Peak	126.00	150	Horizontal	Pass
2	5725.100	62.55	2.55	68.2	5.65	Peak	135.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.950	58.35	2.39	74.0	15.65	Peak	359.00	200	Horizontal	Pass
1**	5455.950	46.54	2.39	54.0	7.46	AV	359.00	200	Horizontal	Pass
2	5460.000	56.14	2.50	74.0	17.86	Peak	353.00	200	Horizontal	Pass
2**	5460.000	46.87	2.50	54.0	7.13	AV	353.00	200	Horizontal	Pass
3	5469.800	59.16	2.88	68.2	9.04	Peak	278.00	100	Horizontal	Pass
3**	5469.800	48.02	2.88	--	--	AV	278.00	100	Horizontal	N/A
4	5469.950	58.15	2.87	68.2	10.05	Peak	320.00	100	Horizontal	Pass
4**	5469.950	48.36	2.87	--	--	AV	320.00	100	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.08	2.55	68.2	6.12	Peak	133.00	150	Horizontal	Pass
2	5726.050	63.08	2.53	68.2	5.12	Peak	0.00	100	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.01	2.47	74.0	14.99	Peak	311.00	100	Horizontal	Pass
1**	5459.800	48.30	2.47	54.0	5.70	AV	311.00	100	Horizontal	Pass
2	5460.000	57.24	2.50	74.0	16.76	Peak	320.00	200	Horizontal	Pass
2**	5460.000	48.59	2.50	54.0	5.41	AV	320.00	200	Horizontal	Pass
3	5461.750	62.55	2.71	68.2	5.65	Peak	280.00	100	Horizontal	Pass
3**	5461.750	49.42	2.71	--	--	AV	280.00	100	Horizontal	N/A
4	5469.950	60.14	2.87	68.2	8.06	Peak	283.00	100	Horizontal	Pass
4**	5469.950	51.67	2.87	--	--	AV	283.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.55	2.55	68.2	8.65	Peak	271.00	200	Horizontal	Pass
2	5726.800	62.46	2.51	68.2	5.74	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.350	58.06	2.39	74.0	15.94	Peak	4.00	150	Horizontal	Pass
1**	5447.350	46.57	2.39	54.0	7.43	AV	4.00	150	Horizontal	Pass
2	5460.000	56.06	2.50	74.0	17.94	Peak	132.00	150	Horizontal	Pass
2**	5460.000	46.99	2.50	54.0	7.01	AV	132.00	150	Horizontal	Pass
3	5468.700	59.87	3.03	68.2	8.33	Peak	281.00	150	Horizontal	Pass
3**	5468.700	48.46	3.03	--	--	AV	281.00	150	Horizontal	N/A
4	5469.950	57.24	2.87	68.2	10.96	Peak	70.00	200	Horizontal	Pass
4**	5469.950	48.80	2.87	--	--	AV	70.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.91	2.55	68.2	6.29	Peak	359.00	150	Horizontal	Pass
2	5726.350	63.12	2.52	68.2	5.08	Peak	134.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.850	58.35	2.42	74.0	15.65	Peak	324.00	150	Horizontal	Pass
1**	5458.850	47.53	2.42	54.0	6.47	AV	324.00	150	Horizontal	Pass
2	5460.000	57.29	2.50	74.0	16.71	Peak	282.00	150	Horizontal	Pass
2**	5460.000	47.94	2.50	54.0	6.06	AV	282.00	150	Horizontal	Pass
3	5469.900	62.68	2.87	68.2	5.52	Peak	284.00	150	Horizontal	Pass
3**	5469.900	51.09	2.87	--	--	AV	284.00	150	Horizontal	N/A
4	5469.950	60.72	2.87	68.2	7.48	Peak	57.00	150	Horizontal	Pass
4**	5469.950	50.82	2.87	--	--	AV	57.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.40	2.55	68.2	8.80	Peak	327.00	150	Horizontal	Pass
2	5725.100	60.39	2.55	68.2	7.81	Peak	64.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.600	59.67	2.49	74.0	14.33	Peak	278.00	150	Horizontal	Pass
1**	5457.600	48.44	2.49	54.0	5.56	AV	278.00	150	Horizontal	Pass
2	5460.000	57.67	2.50	74.0	16.33	Peak	43.00	150	Horizontal	Pass
2**	5460.000	48.83	2.50	54.0	5.17	AV	43.00	150	Horizontal	Pass
3	5468.750	62.27	3.02	68.2	5.93	Peak	270.00	100	Horizontal	Pass
3**	5468.750	50.10	3.02	--	--	AV	270.00	100	Horizontal	N/A
4	5469.950	59.63	2.87	68.2	8.57	Peak	60.00	100	Horizontal	Pass
4**	5469.950	50.62	2.87	--	--	AV	60.00	100	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.47	2.55	68.2	10.73	Peak	168.00	200	Horizontal	Pass
2	5756.850	58.85	2.49	68.2	9.35	Peak	9.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.900	59.40	2.50	74.0	14.60	Peak	274.00	200	Horizontal	Pass
1**	5426.900	47.92	2.50	54.0	6.08	AV	274.00	200	Horizontal	Pass
2	5460.000	56.65	2.50	74.0	17.35	Peak	141.00	150	Horizontal	Pass
2**	5460.000	46.72	2.50	54.0	7.28	AV	141.00	150	Horizontal	Pass
3	5466.250	58.91	2.81	68.2	9.29	Peak	279.00	150	Horizontal	Pass
3**	5466.250	47.17	2.81	--	--	AV	279.00	150	Horizontal	N/A
4	5469.950	57.68	2.87	68.2	10.52	Peak	55.00	150	Horizontal	Pass
4**	5469.950	47.13	2.87	--	--	AV	55.00	150	Horizontal	N/A
5	5432.450	56.41	2.18	74.0	17.59	Peak	279.00	150	Horizontal	Pass
5**	5432.450	48.86	2.18	54.0	5.14	AV	279.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	2.55	68.2	11.69	Peak	48.00	200	Horizontal	Pass
2	5812.850	58.41	2.58	68.2	9.79	Peak	1.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.850	58.55	2.48	74.0	15.45	Peak	75.00	200	Horizontal	Pass
1**	5457.850	47.12	2.48	54.0	6.88	AV	75.00	200	Horizontal	Pass
2	5460.000	57.36	2.50	74.0	16.64	Peak	334.00	200	Horizontal	Pass
2**	5460.000	47.26	2.50	54.0	6.74	AV	334.00	200	Horizontal	Pass
3	5468.600	60.25	3.04	68.2	7.95	Peak	281.00	200	Horizontal	Pass
3**	5468.600	49.21	3.04	--	--	AV	281.00	200	Horizontal	N/A
4	5469.950	59.45	2.87	68.2	8.75	Peak	304.00	100	Horizontal	Pass
4**	5469.950	49.23	2.87	--	--	AV	304.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	61.40	2.55	68.2	6.80	Peak	134.00	100	Horizontal	Pass
2	5726.100	62.93	2.53	68.2	5.27	Peak	341.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.900	59.29	2.48	74.0	14.71	Peak	282.00	200	Horizontal	Pass
1**	5459.900	48.76	2.48	54.0	5.24	AV	282.00	200	Horizontal	Pass
2	5460.000	58.20	2.50	74.0	15.80	Peak	0.00	100	Horizontal	Pass
2**	5460.000	48.70	2.50	54.0	5.30	AV	0.00	100	Horizontal	Pass
3	5468.750	62.40	3.02	68.2	5.80	Peak	274.00	100	Horizontal	Pass
3**	5468.750	50.71	3.02	--	--	AV	274.00	100	Horizontal	N/A
4	5469.950	60.54	2.87	68.2	7.66	Peak	282.00	150	Horizontal	Pass
4**	5469.950	51.78	2.87	--	--	AV	282.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.14	2.55	68.2	8.06	Peak	125.00	150	Horizontal	Pass
2	5728.550	60.89	2.62	68.2	7.31	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.500	58.71	2.34	74.0	15.29	Peak	360.00	200	Horizontal	Pass
1**	5455.500	47.95	2.34	54.0	6.05	AV	360.00	200	Horizontal	Pass
2	5460.000	57.48	2.50	74.0	16.52	Peak	273.00	100	Horizontal	Pass
2**	5460.000	48.21	2.50	54.0	5.79	AV	273.00	100	Horizontal	Pass
3	5469.900	60.26	2.87	68.2	7.94	Peak	71.00	150	Horizontal	Pass
3**	5469.900	49.52	2.87	--	--	AV	71.00	150	Horizontal	N/A
4	5469.950	58.29	2.87	68.2	9.91	Peak	222.00	100	Horizontal	Pass
4**	5469.950	49.47	2.87	--	--	AV	222.00	100	Horizontal	N/A
5	5456.050	56.83	2.40	74.0	17.17	Peak	60.00	150	Horizontal	Pass
5**	5456.050	48.78	2.40	54.0	5.22	AV	60.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	2.55	68.2	10.67	Peak	342.00	200	Horizontal	Pass
2	5729.350	58.80	2.60	68.2	9.40	Peak	167.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.450	59.23	2.45	74.0	14.77	Peak	276.00	100	Horizontal	Pass
1**	5419.450	48.20	2.45	54.0	5.80	AV	276.00	100	Horizontal	Pass
2	5460.000	56.20	2.50	74.0	17.80	Peak	306.00	150	Horizontal	Pass
2**	5460.000	46.96	2.50	54.0	7.04	AV	306.00	150	Horizontal	Pass
3	5468.050	57.91	3.12	68.2	10.29	Peak	245.00	200	Horizontal	Pass
3**	5468.050	47.56	3.12	--	--	AV	245.00	200	Horizontal	N/A
4	5469.950	58.08	2.87	68.2	10.12	Peak	280.00	100	Horizontal	Pass
4**	5469.950	47.36	2.87	--	--	AV	280.00	100	Horizontal	N/A
5	5432.550	57.18	2.17	74.0	16.82	Peak	283.00	150	Horizontal	Pass
5**	5432.550	48.86	2.17	54.0	5.14	AV	283.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.27	2.55	68.2	5.93	Peak	360.00	200	Horizontal	Pass
2	5730.100	61.93	2.42	68.2	6.27	Peak	328.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.050	58.29	2.46	74.0	15.71	Peak	22.00	150	Horizontal	Pass
1**	5428.050	46.44	2.46	54.0	7.56	AV	22.00	150	Horizontal	Pass
2	5460.000	55.75	2.50	74.0	18.25	Peak	242.00	150	Horizontal	Pass
2**	5460.000	46.31	2.50	54.0	7.69	AV	242.00	150	Horizontal	Pass
3	5467.750	58.35	3.16	68.2	9.85	Peak	70.00	150	Horizontal	Pass
3**	5467.750	46.71	3.16	--	--	AV	70.00	150	Horizontal	N/A
4	5469.950	55.69	2.87	68.2	12.51	Peak	330.00	150	Horizontal	Pass
4**	5469.950	46.81	2.87	--	--	AV	330.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	2.55	68.2	11.69	Peak	127.00	200	Horizontal	Pass
2	5755.650	58.22	2.34	68.2	9.98	Peak	314.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.350	57.79	2.30	74.0	16.21	Peak	214.00	200	Horizontal	Pass
1**	5441.350	46.08	2.30	54.0	7.92	AV	214.00	200	Horizontal	Pass
2	5460.000	55.78	2.50	74.0	18.22	Peak	47.00	200	Horizontal	Pass
2**	5460.000	46.16	2.50	54.0	7.84	AV	47.00	200	Horizontal	Pass
3	5464.600	58.18	2.74	68.2	10.02	Peak	200.00	100	Horizontal	Pass
3**	5464.600	46.26	2.74	--	--	AV	200.00	100	Horizontal	N/A
4	5469.950	55.82	2.87	68.2	12.38	Peak	306.00	100	Horizontal	Pass
4**	5469.950	46.84	2.87	--	--	AV	306.00	100	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.43	2.55	68.2	11.77	Peak	162.00	100	Horizontal	Pass
2	5750.050	58.22	2.30	68.2	9.98	Peak	1.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5416.100	57.80	2.15	74.0	16.20	Peak	346.00	150	Horizontal	Pass
1**	5416.100	46.15	2.15	54.0	7.85	AV	346.00	150	Horizontal	Pass
2	5460.000	55.88	2.50	74.0	18.12	Peak	338.00	150	Horizontal	Pass
2**	5460.000	46.24	2.50	54.0	7.76	AV	338.00	150	Horizontal	Pass
3	5468.400	59.12	3.07	68.2	9.08	Peak	252.00	100	Horizontal	Pass
3**	5468.400	46.67	3.07	--	--	AV	252.00	100	Horizontal	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	85.00	100	Horizontal	Pass
4**	5469.950	46.53	2.87	--	--	AV	85.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.71	2.55	68.2	11.49	Peak	122.00	150	Horizontal	Pass
2	5767.150	58.23	2.64	68.2	9.97	Peak	200.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.450	63.00	2.10	74.0	11.00	Peak	282.00	200	Horizontal	Pass
1**	5444.450	45.85	2.10	54.0	8.15	AV	282.00	200	Horizontal	Pass
2	5460.000	55.63	2.50	74.0	18.37	Peak	355.00	200	Horizontal	Pass
2**	5460.000	46.47	2.50	54.0	7.53	AV	355.00	200	Horizontal	Pass
3	5460.550	59.10	2.57	68.2	9.10	Peak	282.00	150	Horizontal	Pass
3**	5460.550	46.29	2.57	--	--	AV	282.00	150	Horizontal	N/A
4	5469.950	56.28	2.87	68.2	11.92	Peak	69.00	100	Horizontal	Pass
4**	5469.950	46.67	2.87	--	--	AV	69.00	100	Horizontal	N/A
5	5439.150	55.83	2.31	74.0	18.17	Peak	224.00	150	Horizontal	Pass
5**	5439.150	48.96	2.31	54.0	5.04	AV	224.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.58	2.55	68.2	11.62	Peak	322.00	200	Horizontal	Pass
2	5816.850	58.27	2.64	68.2	9.93	Peak	217.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.450	57.81	2.70	68.2	10.39	Peak	256.00	200	Horizontal	Pass
2	5650.000	55.89	2.54	68.2	12.31	Peak	150.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.10	2.32	68.2	11.10	Peak	280.00	200	Horizontal	Pass
2	5942.650	58.76	2.68	68.2	9.44	Peak	327.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.300	57.46	2.31	68.2	10.74	Peak	184.00	150	Horizontal	Pass
2	5650.000	56.79	2.54	68.2	11.41	Peak	297.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.37	2.32	68.2	11.83	Peak	54.00	150	Horizontal	Pass
2	5941.450	58.03	2.86	68.2	10.17	Peak	323.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.550	58.73	2.53	68.2	9.47	Peak	105.00	150	Horizontal	Pass
2	5650.000	56.55	2.54	68.2	11.65	Peak	37.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.49	2.32	68.2	11.71	Peak	75.00	100	Horizontal	Pass
2	5941.900	58.38	2.84	68.2	9.82	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.300	58.36	2.57	68.2	9.84	Peak	249.00	200	Horizontal	Pass
2	5650.000	56.92	2.54	68.2	11.28	Peak	106.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.30	2.32	68.2	12.90	Peak	22.00	200	Horizontal	Pass
2	5940.050	58.52	2.50	68.2	9.68	Peak	332.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.100	58.25	2.11	68.2	9.95	Peak	360.00	100	Horizontal	Pass
2	5650.000	56.17	2.54	68.2	12.03	Peak	174.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.02	2.32	68.2	12.18	Peak	64.00	100	Horizontal	Pass
2	5929.700	58.73	2.63	68.2	9.47	Peak	345.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.750	59.48	2.52	68.2	8.72	Peak	71.00	200	Horizontal	Pass
2	5650.000	57.31	2.54	68.2	10.89	Peak	330.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.16	2.32	68.2	12.04	Peak	360.00	150	Horizontal	Pass
2	5942.700	58.77	2.67	68.2	9.43	Peak	206.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.850	58.62	2.30	68.2	9.58	Peak	67.00	100	Horizontal	Pass
2	5650.000	56.11	2.54	68.2	12.09	Peak	244.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.28	2.32	68.2	11.92	Peak	89.00	100	Horizontal	Pass
2	5941.300	58.72	2.82	68.2	9.48	Peak	33.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.700	58.36	2.64	68.2	9.84	Peak	266.00	150	Horizontal	Pass
2	5650.000	57.78	2.54	68.2	10.42	Peak	348.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.93	2.32	68.2	11.27	Peak	273.00	100	Horizontal	Pass
2	5944.250	58.48	2.41	68.2	9.72	Peak	31.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.850	60.01	2.56	68.2	8.19	Peak	360.00	100	Horizontal	Pass
2	5650.000	59.00	2.54	68.2	9.20	Peak	335.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.22	2.32	68.2	11.98	Peak	245.00	200	Horizontal	Pass
2	5942.600	58.00	2.69	68.2	10.20	Peak	46.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.650	57.38	2.34	68.2	10.82	Peak	150.00	200	Horizontal	Pass
2	5650.000	55.39	2.54	68.2	12.81	Peak	21.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.75	2.32	68.2	12.45	Peak	309.00	100	Horizontal	Pass
2	5941.300	58.63	2.82	68.2	9.57	Peak	134.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.650	57.42	2.47	68.2	10.78	Peak	305.00	200	Horizontal	Pass
2	5650.000	56.47	2.54	68.2	11.73	Peak	64.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.68	2.32	68.2	12.52	Peak	275.00	100	Horizontal	Pass
2	5942.300	58.38	2.75	68.2	9.82	Peak	101.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	57.83	2.55	68.2	10.37	Peak	204.00	200	Horizontal	Pass
2	5650.000	56.04	2.54	68.2	12.16	Peak	147.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.54	2.32	68.2	12.66	Peak	48.00	150	Horizontal	Pass
2	5941.450	58.13	2.86	68.2	10.07	Peak	187.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2440298-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2440298-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2440298-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--