



**19.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.38	-25	Pass	401
0.15	30	0.01	RMS	1.49	-64.52	-25	Pass	2986
30	1000	0.1	RMS	972.182	-55.75	-25	Pass	9701
1000	2486	1	RMS	2486	-43.4	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.45	60	Pass	401
2700	3000	1	RMS	2959.5	-42.16	-25	Pass	401
3000	12000	1	RMS	11850	-52.38	-25	Pass	9002
12000	27000	1	RMS	25105	-40.8	-25	Pass	15002




**19.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.86	-25	Pass	401
0.15	30	0.01	RMS	0.32	-65.09	-25	Pass	2986
30	1000	0.1	RMS	991.694	-55.92	-25	Pass	9701
1000	2486	1	RMS	2484	-43.5	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.17	60	Pass	401
2700	3000	1	RMS	2963.25	-42.23	-25	Pass	401
3000	12000	1	RMS	11844	-52.57	-25	Pass	9002
12000	27000	1	RMS	25099	-40.91	-25	Pass	15002




**19.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.55	-25	Pass	401
0.15	30	0.01	RMS	27.26	-64.68	-25	Pass	2986
30	1000	0.1	RMS	934.457	-55.41	-25	Pass	9701
1000	2486	1	RMS	2481	-43.18	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.57	60	Pass	401
2700	3000	1	RMS	2959.5	-42.15	-25	Pass	401
3000	12000	1	RMS	11442	-52.5	-25	Pass	9002
12000	27000	1	RMS	25103	-40.77	-25	Pass	15002




**19.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-67.56	-25	Pass	401
0.15	30	0.01	RMS	4.06	-64.56	-25	Pass	2986
30	1000	0.1	RMS	873.416	-54.89	-25	Pass	9701
1000	2486	1	RMS	2478	-43.41	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.87	60	Pass	401
2700	3000	1	RMS	2958	-42.22	-25	Pass	401
3000	12000	1	RMS	11845	-52.62	-25	Pass	9002
12000	27000	1	RMS	25111	-40.8	-25	Pass	15002




**19.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.44	-65.06	-25	Pass	2986
30	1000	0.1	RMS	908.339	-55.5	-25	Pass	9701
1000	2486	1	RMS	2485	-42.08	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.08	60	Pass	401
2700	3000	1	RMS	2960.25	-42.03	-25	Pass	401
3000	12000	1	RMS	11863	-52.78	-25	Pass	9002
12000	27000	1	RMS	26186	-40.99	-25	Pass	15002




**19.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-25	Pass	401
0.15	30	0.01	RMS	23.1	-65.11	-25	Pass	2986
30	1000	0.1	RMS	890.928	-55.8	-25	Pass	9701
1000	2486	1	RMS	2486	-40.94	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.22	60	Pass	401
2700	3000	1	RMS	2956.5	-42.08	-25	Pass	401
3000	12000	1	RMS	11877	-52.65	-25	Pass	9002
12000	27000	1	RMS	25105	-40.57	-25	Pass	15002




**19.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.03	-25	Pass	401
0.15	30	0.01	RMS	1.06	-64.84	-25	Pass	2986
30	1000	0.1	RMS	907.239	-55.2	-25	Pass	9701
1000	2486	1	RMS	2481	-43.4	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.67	60	Pass	401
2700	3000	1	RMS	2979	-42.13	-25	Pass	401
3000	12000	1	RMS	11863	-52.52	-25	Pass	9002
12000	27000	1	RMS	25088	-40.74	-25	Pass	15002



**19.10. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.38	-25	Pass	401
0.15	30	0.01	RMS	9.02	-65.17	-25	Pass	2986
30	1000	0.1	RMS	897.932	-55.92	-25	Pass	9701
1000	2486	1	RMS	2484	-43.43	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.14	60	Pass	401
2700	3000	1	RMS	2933.25	-42.13	-25	Pass	401
3000	12000	1	RMS	11855	-52.46	-25	Pass	9002
12000	27000	1	RMS	25086	-40.75	-25	Pass	15002






**19.11. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.14	-25	Pass	401
0.15	30	0.01	RMS	24.88	-65.01	-25	Pass	2986
30	1000	0.1	RMS	913.443	-55.95	-25	Pass	9701
1000	2486	1	RMS	2486	-43.29	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.04	60	Pass	401
2700	3000	1	RMS	2963.25	-42.16	-25	Pass	401
3000	12000	1	RMS	11852	-52.63	-25	Pass	9002
12000	27000	1	RMS	25106	-40.83	-25	Pass	15002



**19.12. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-67.67	-25	Pass	401
0.15	30	0.01	RMS	12.7	-64.29	-25	Pass	2986
30	1000	0.1	RMS	912.342	-55.74	-25	Pass	9701
1000	2486	1	RMS	2485	-43.26	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.04	60	Pass	401
2700	3000	1	RMS	2933.25	-42.13	-25	Pass	401
3000	12000	1	RMS	11861	-52.46	-25	Pass	9002
12000	27000	1	RMS	25098	-40.82	-25	Pass	15002



### 19.13. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-68.36	-25	Pass	401
0.15	30	0.01	RMS	19.59	-65.03	-25	Pass	2986
30	1000	0.1	RMS	867.712	-55.79	-25	Pass	9701
1000	2486	1	RMS	2485	-40.77	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.75	60	Pass	401
2700	3000	1	RMS	2964	-42.16	-25	Pass	401
3000	12000	1	RMS	11854	-52.42	-25	Pass	9002
12000	27000	1	RMS	25101	-40.9	-25	Pass	15002




**19.14. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.57	-25	Pass	401
0.15	30	0.01	RMS	24.15	-65.52	-25	Pass	2986
30	1000	0.1	RMS	850.201	-55.94	-25	Pass	9701
1000	2486	1	RMS	2486	-40.76	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.46	60	Pass	401
2700	3000	1	RMS	2955.75	-42.23	-25	Pass	401
3000	12000	1	RMS	11846	-52.72	-25	Pass	9002
12000	27000	1	RMS	25116	-40.78	-25	Pass	15002




**19.15. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.72	-65.09	-25	Pass	2986
30	1000	0.1	RMS	852.002	-55.77	-25	Pass	9701
1000	2486	1	RMS	2486	-43.31	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.67	60	Pass	401
2700	3000	1	RMS	2965.5	-42.29	-25	Pass	401
3000	12000	1	RMS	11455	-52.53	-25	Pass	9002
12000	27000	1	RMS	25809	-40.92	-25	Pass	15002



**19.16. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-68.06	-25	Pass	401
0.15	30	0.01	RMS	29.15	-64.96	-25	Pass	2986
30	1000	0.1	RMS	669.5	-55.86	-25	Pass	9701
1000	2486	1	RMS	2436	-41.55	-25	Pass	1487
2486	2700	1	RMS	2586.045	24.11	60	Pass	401
2700	3000	1	RMS	2960.25	-42.18	-25	Pass	401
3000	12000	1	RMS	11858	-52.69	-25	Pass	9002
12000	27000	1	RMS	25102	-40.93	-25	Pass	15002



### 19.17. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.5	-25	Pass	401
0.15	30	0.01	RMS	0.3	-64.77	-25	Pass	2986
30	1000	0.1	RMS	899.033	-55.67	-25	Pass	9701
1000	2486	1	RMS	2485	-43.29	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.74	60	Pass	401
2700	3000	1	RMS	2962.5	-42.23	-25	Pass	401
3000	12000	1	RMS	11458	-52.64	-25	Pass	9002
12000	27000	1	RMS	25821	-40.85	-25	Pass	15002



**19.18. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.36	-25	Pass	401
0.15	30	0.01	RMS	21	-65.26	-25	Pass	2986
30	1000	0.1	RMS	904.036	-55.69	-25	Pass	9701
1000	2486	1	RMS	2477	-43.31	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.99	60	Pass	401
2700	3000	1	RMS	2976	-42.18	-25	Pass	401
3000	12000	1	RMS	11451	-52.54	-25	Pass	9002
12000	27000	1	RMS	25099	-40.68	-25	Pass	15002






**19.19. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.18	-25	Pass	401
0.15	30	0.01	RMS	6.34	-65.04	-25	Pass	2986
30	1000	0.1	RMS	904.136	-55.52	-25	Pass	9701
1000	2486	1	RMS	2486	-40.84	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.08	60	Pass	401
2700	3000	1	RMS	2942.25	-42.31	-25	Pass	401
3000	12000	1	RMS	11858	-52.7	-25	Pass	9002
12000	27000	1	RMS	25106	-40.8	-25	Pass	15002




**19.20. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.25	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.2	-25	Pass	2986
30	1000	0.1	RMS	880.721	-55.45	-25	Pass	9701
1000	2486	1	RMS	2484	-41.85	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.16	60	Pass	401
2700	3000	1	RMS	2978.25	-42.19	-25	Pass	401
3000	12000	1	RMS	11854	-52.64	-25	Pass	9002
12000	27000	1	RMS	25104	-40.88	-25	Pass	15002




**19.21. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-68.55	-25	Pass	401
0.15	30	0.01	RMS	29.28	-65.31	-25	Pass	2986
30	1000	0.1	RMS	988.092	-55.86	-25	Pass	9701
1000	2486	1	RMS	2479	-43.37	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.79	60	Pass	401
2700	3000	1	RMS	2967	-42.18	-25	Pass	401
3000	12000	1	RMS	11915	-52.66	-25	Pass	9002
12000	27000	1	RMS	25099	-40.94	-25	Pass	15002




**19.22. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-67.73	-25	Pass	401
0.15	30	0.01	RMS	24.73	-64.92	-25	Pass	2986
30	1000	0.1	RMS	920.347	-55.75	-25	Pass	9701
1000	2486	1	RMS	2486	-43.37	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.17	60	Pass	401
2700	3000	1	RMS	2955.75	-42.24	-25	Pass	401
3000	12000	1	RMS	11444	-52.64	-25	Pass	9002
12000	27000	1	RMS	25101	-40.96	-25	Pass	15002




**19.23. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.34	-25	Pass	2986
30	1000	0.1	RMS	914.443	-55.68	-25	Pass	9701
1000	2486	1	RMS	2483	-43.45	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.25	60	Pass	401
2700	3000	1	RMS	2961.75	-42.23	-25	Pass	401
3000	12000	1	RMS	11856	-52.74	-25	Pass	9002
12000	27000	1	RMS	25095	-40.84	-25	Pass	15002



**19.24. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.84	-25	Pass	401
0.15	30	0.01	RMS	0.46	-64.75	-25	Pass	2986
30	1000	0.1	RMS	901.134	-55.61	-25	Pass	9701
1000	2486	1	RMS	2486	-43.58	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.83	60	Pass	401
2700	3000	1	RMS	2958.75	-42.16	-25	Pass	401
3000	12000	1	RMS	11844	-52.67	-25	Pass	9002
12000	27000	1	RMS	25751	-40.88	-25	Pass	15002




## 20. CA\_7C

### 20.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.22	-25	Pass	401
0.15	30	0.01	RMS	15.6	-68.86	-25	Pass	2986
30	1000	0.1	RMS	892.129	-59.52	-25	Pass	9701
1000	2475	1	RMS	2473	-42.96	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.71	60	Pass	401
2735	3000	1	RMS	2958.925	-45.98	-25	Pass	401
3000	12000	1	RMS	11846	-46.35	-25	Pass	9002
12000	26000	1	RMS	25098	-34.79	-25	Pass	14002



## 20.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-25	Pass	401
0.15	30	0.01	RMS	26.93	-68.95	-25	Pass	2986
30	1000	0.1	RMS	915.444	-59.54	-25	Pass	9701
1000	2475	1	RMS	2475	-44.15	-25	Pass	1476
2475	2735	1	RMS	2527	9.76	60	Pass	401
2735	3000	1	RMS	2962.9	-46.07	-25	Pass	401
3000	12000	1	RMS	11472	-46.38	-25	Pass	9002
12000	26000	1	RMS	25107	-34.77	-25	Pass	14002






### 20.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-72.01	-25	Pass	401
0.15	30	0.01	RMS	29.64	-68.58	-25	Pass	2986
30	1000	0.1	RMS	850.101	-59.53	-25	Pass	9701
1000	2475	1	RMS	2473	-43.52	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.78	60	Pass	401
2735	3000	1	RMS	2962.238	-46.07	-25	Pass	401
3000	12000	1	RMS	11858	-46.45	-25	Pass	9002
12000	26000	1	RMS	25106	-34.6	-25	Pass	14002



### 20.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.74	-25	Pass	401
0.15	30	0.01	RMS	1.04	-68.57	-25	Pass	2986
30	1000	0.1	RMS	905.838	-59.65	-25	Pass	9701
1000	2475	1	RMS	2475	-45.66	-25	Pass	1476
2475	2735	1	RMS	2525.05	8.75	60	Pass	401
2735	3000	1	RMS	2929.113	-46.05	-25	Pass	401
3000	12000	1	RMS	11858	-46.27	-25	Pass	9002
12000	26000	1	RMS	25826	-34.75	-25	Pass	14002



### 20.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-25	Pass	401
0.15	30	0.01	RMS	16.38	-68.94	-25	Pass	2986
30	1000	0.1	RMS	855.704	-59.73	-25	Pass	9701
1000	2475	1	RMS	2439	-47.31	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.7	60	Pass	401
2735	3000	1	RMS	2930.438	-46.02	-25	Pass	401
3000	12000	1	RMS	11852	-46.19	-25	Pass	9002
12000	26000	1	RMS	25851	-34.7	-25	Pass	14002



## 20.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.85	-25	Pass	401
0.15	30	0.01	RMS	18.7	-68.75	-25	Pass	2986
30	1000	0.1	RMS	907.138	-59.58	-25	Pass	9701
1000	2475	1	RMS	2475	-46.83	-25	Pass	1476
2475	2735	1	RMS	2545.85	9.72	60	Pass	401
2735	3000	1	RMS	2964.888	-46.03	-25	Pass	401
3000	12000	1	RMS	11851	-46.28	-25	Pass	9002
12000	26000	1	RMS	25099	-34.71	-25	Pass	14002



### 20.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.79	-25	Pass	2986
30	1000	0.1	RMS	908.339	-59.71	-25	Pass	9701
1000	2475	1	RMS	2447	-47.54	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.66	60	Pass	401
2735	3000	1	RMS	2969.525	-46.08	-25	Pass	401
3000	12000	1	RMS	11858	-46.43	-25	Pass	9002
12000	26000	1	RMS	25111	-34.88	-25	Pass	14002



### 20.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.47	-67.85	-25	Pass	2986
30	1000	0.1	RMS	903.136	-59.24	-25	Pass	9701
1000	2475	1	RMS	2475	-46.97	-25	Pass	1476
2475	2735	1	RMS	2547.15	8.78	60	Pass	401
2735	3000	1	RMS	2929.113	-46	-25	Pass	401
3000	12000	1	RMS	11853	-46.33	-25	Pass	9002
12000	26000	1	RMS	25095	-34.65	-25	Pass	14002



### 20.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-71.19	-25	Pass	401
0.15	30	0.01	RMS	28.09	-68.93	-25	Pass	2986
30	1000	0.1	RMS	974.183	-59.28	-25	Pass	9701
1000	2475	1	RMS	2475	-47.34	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.8	60	Pass	401
2735	3000	1	RMS	2962.238	-45.98	-25	Pass	401
3000	12000	1	RMS	11869	-46.42	-25	Pass	9002
12000	26000	1	RMS	25102	-34.68	-25	Pass	14002



### 20.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-72.56	-25	Pass	401
0.15	30	0.01	RMS	28.4	-68.8	-25	Pass	2986
30	1000	0.1	RMS	997.698	-59.57	-25	Pass	9701
1000	2475	1	RMS	2475	-47.16	-25	Pass	1476
2475	2735	1	RMS	2562.75	9.63	60	Pass	401
2735	3000	1	RMS	2962.9	-45.98	-25	Pass	401
3000	12000	1	RMS	11860	-46.26	-25	Pass	9002
12000	26000	1	RMS	25101	-34.67	-25	Pass	14002






### 20.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.81	-25	Pass	401
0.15	30	0.01	RMS	5.24	-68.51	-25	Pass	2986
30	1000	0.1	RMS	898.933	-59.15	-25	Pass	9701
1000	2475	1	RMS	2473	-47.39	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.92	60	Pass	401
2735	3000	1	RMS	2948.988	-46	-25	Pass	401
3000	12000	1	RMS	11846	-46.38	-25	Pass	9002
12000	26000	1	RMS	25113	-34.7	-25	Pass	14002



### 20.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.28	-25	Pass	401
0.15	30	0.01	RMS	14.54	-68.45	-25	Pass	2986
30	1000	0.1	RMS	890.327	-59.33	-25	Pass	9701
1000	2475	1	RMS	2472	-47.63	-25	Pass	1476
2475	2735	1	RMS	2560.8	8.64	60	Pass	401
2735	3000	1	RMS	2946.338	-46.03	-25	Pass	401
3000	12000	1	RMS	11845	-46.49	-25	Pass	9002
12000	26000	1	RMS	25094	-34.85	-25	Pass	14002



### 20.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-25	Pass	401
0.15	30	0.01	RMS	8.77	-68.64	-25	Pass	2986
30	1000	0.1	RMS	917.645	-59.52	-25	Pass	9701
1000	2475	1	RMS	2473	-47.45	-25	Pass	1476
2475	2735	1	RMS	2501	11.45	60	Pass	401
2735	3000	1	RMS	2960.25	-46.04	-25	Pass	401
3000	12000	1	RMS	11861	-46.34	-25	Pass	9002
12000	26000	1	RMS	25422	-34.81	-25	Pass	14002



### 20.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	Pass	401
0.15	30	0.01	RMS	1.41	-68.29	-25	Pass	2986
30	1000	0.1	RMS	899.033	-59.31	-25	Pass	9701
1000	2475	1	RMS	2475	-43.02	-25	Pass	1476
2475	2735	1	RMS	2509.45	6.49	60	Pass	401
2735	3000	1	RMS	2960.25	-45.93	-25	Pass	401
3000	12000	1	RMS	11850	-46.18	-25	Pass	9002
12000	26000	1	RMS	25799	-34.68	-25	Pass	14002



### 20.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-25	Pass	401
0.15	30	0.01	RMS	1.88	-68.29	-25	Pass	2986
30	1000	0.1	RMS	910.241	-59.24	-25	Pass	9701
1000	2475	1	RMS	2443	-47.47	-25	Pass	1476
2475	2735	1	RMS	2501	11.41	60	Pass	401
2735	3000	1	RMS	2962.238	-45.9	-25	Pass	401
3000	12000	1	RMS	11848	-46.27	-25	Pass	9002
12000	26000	1	RMS	25101	-34.68	-25	Pass	14002



### 20.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.16	-25	Pass	401
0.15	30	0.01	RMS	26.42	-68.68	-25	Pass	2986
30	1000	0.1	RMS	904.737	-59.32	-25	Pass	9701
1000	2475	1	RMS	2475	-44.97	-25	Pass	1476
2475	2735	1	RMS	2506.85	5.36	60	Pass	401
2735	3000	1	RMS	2945.013	-46.01	-25	Pass	401
3000	12000	1	RMS	11855	-46.29	-25	Pass	9002
12000	26000	1	RMS	25791	-34.83	-25	Pass	14002



### 20.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.42	-25	Pass	2986
30	1000	0.1	RMS	899.834	-59.43	-25	Pass	9701
1000	2475	1	RMS	2441	-47.52	-25	Pass	1476
2475	2735	1	RMS	2515.95	12	60	Pass	401
2735	3000	1	RMS	2981.45	-45.99	-25	Pass	401
3000	12000	1	RMS	11865	-46.45	-25	Pass	9002
12000	26000	1	RMS	25407	-34.7	-25	Pass	14002



### 20.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.68	-25	Pass	401
0.15	30	0.01	RMS	1.85	-68.38	-25	Pass	2986
30	1000	0.1	RMS	875.017	-59.44	-25	Pass	9701
1000	2475	1	RMS	2475	-45.75	-25	Pass	1476
2475	2735	1	RMS	2517.25	6.47	60	Pass	401
2735	3000	1	RMS	2960.25	-45.94	-25	Pass	401
3000	12000	1	RMS	11852	-46.28	-25	Pass	9002
12000	26000	1	RMS	25112	-34.74	-25	Pass	14002






### 20.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.91	-25	Pass	401
0.15	30	0.01	RMS	16.53	-68.57	-25	Pass	2986
30	1000	0.1	RMS	893.73	-59.31	-25	Pass	9701
1000	2475	1	RMS	2423	-47.61	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.92	60	Pass	401
2735	3000	1	RMS	2961.575	-46.03	-25	Pass	401
3000	12000	1	RMS	11462	-46.39	-25	Pass	9002
12000	26000	1	RMS	25095	-34.68	-25	Pass	14002



### 20.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.22	-25	Pass	401
0.15	30	0.01	RMS	25.61	-68.16	-25	Pass	2986
30	1000	0.1	RMS	996.798	-59.2	-25	Pass	9701
1000	2475	1	RMS	2475	-46.55	-25	Pass	1476
2475	2735	1	RMS	2517.9	5.41	60	Pass	401
2735	3000	1	RMS	2931.763	-45.92	-25	Pass	401
3000	12000	1	RMS	11848	-46.16	-25	Pass	9002
12000	26000	1	RMS	25105	-34.61	-25	Pass	14002



### 20.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.72	-25	Pass	401
0.15	30	0.01	RMS	21.72	-68.57	-25	Pass	2986
30	1000	0.1	RMS	907.439	-59.41	-25	Pass	9701
1000	2475	1	RMS	2435	-47.5	-25	Pass	1476
2475	2735	1	RMS	2530.9	12.05	60	Pass	401
2735	3000	1	RMS	2967.538	-45.92	-25	Pass	401
3000	12000	1	RMS	11857	-46.39	-25	Pass	9002
12000	26000	1	RMS	25107	-34.77	-25	Pass	14002



### 20.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.85	-25	Pass	401
0.15	30	0.01	RMS	1.51	-68.49	-25	Pass	2986
30	1000	0.1	RMS	981.588	-59.17	-25	Pass	9701
1000	2475	1	RMS	2475	-46.78	-25	Pass	1476
2475	2735	1	RMS	2536.1	6.22	60	Pass	401
2735	3000	1	RMS	2928.45	-45.97	-25	Pass	401
3000	12000	1	RMS	11497	-46.4	-25	Pass	9002
12000	26000	1	RMS	25845	-34.72	-25	Pass	14002



### 20.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.96	-25	Pass	401
0.15	30	0.01	RMS	0.86	-68.8	-25	Pass	2986
30	1000	0.1	RMS	989.693	-59.44	-25	Pass	9701
1000	2475	1	RMS	2472	-47.24	-25	Pass	1476
2475	2735	1	RMS	2530.9	12.08	60	Pass	401
2735	3000	1	RMS	2976.813	-45.99	-25	Pass	401
3000	12000	1	RMS	11859	-46.37	-25	Pass	9002
12000	26000	1	RMS	25112	-34.67	-25	Pass	14002



### 20.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-71.41	-25	Pass	401
0.15	30	0.01	RMS	12.77	-68.49	-25	Pass	2986
30	1000	0.1	RMS	876.518	-59.15	-25	Pass	9701
1000	2475	1	RMS	2475	-47.13	-25	Pass	1476
2475	2735	1	RMS	2556.25	5.25	60	Pass	401
2735	3000	1	RMS	2939.713	-45.98	-25	Pass	401
3000	12000	1	RMS	11856	-46.15	-25	Pass	9002
12000	26000	1	RMS	25099	-34.53	-25	Pass	14002




## 21. CA\_38C

### 21.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.57	-25	Pass	401
0.15	30	0.01	RMS	25.08	-64.22	-25	Pass	2986
30	1000	0.1	RMS	903.336	-55.38	-25	Pass	9701
1000	2525	1	RMS	2515	-42.71	-25	Pass	1526
2525	2665	1	RMS	2570.85	9.23	60	Pass	401
2665	3000	1	RMS	2951.425	-41.9	-25	Pass	401
3000	12000	1	RMS	11851	-46.3	-25	Pass	9002
12000	26500	1	RMS	25083	-34.35	-25	Pass	14502



## 21.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.48	-25	Pass	401
0.15	30	0.01	RMS	0.24	-64.17	-25	Pass	2986
30	1000	0.1	RMS	895.331	-55.44	-25	Pass	9701
1000	2525	1	RMS	2523	-42.71	-25	Pass	1526
2525	2665	1	RMS	2573.65	6.7	60	Pass	401
2665	3000	1	RMS	2979.9	-41.99	-25	Pass	401
3000	12000	1	RMS	11851	-46.23	-25	Pass	9002
12000	26500	1	RMS	25104	-34.55	-25	Pass	14502






### 21.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.51	-25	Pass	401
0.15	30	0.01	RMS	29.79	-64.57	-25	Pass	2986
30	1000	0.1	RMS	885.724	-55.29	-25	Pass	9701
1000	2525	1	RMS	2514	-42.42	-25	Pass	1526
2525	2665	1	RMS	2598.85	8.95	60	Pass	401
2665	3000	1	RMS	2959.8	-41.9	-25	Pass	401
3000	12000	1	RMS	11450	-46.35	-25	Pass	9002
12000	26500	1	RMS	25773	-34.61	-25	Pass	14502



### 21.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-67.42	-25	Pass	401
0.15	30	0.01	RMS	0.25	-63.99	-25	Pass	2986
30	1000	0.1	RMS	901.235	-55.43	-25	Pass	9701
1000	2525	1	RMS	2525	-42.56	-25	Pass	1526
2525	2665	1	RMS	2573.65	5.53	60	Pass	401
2665	3000	1	RMS	2961.475	-41.96	-25	Pass	401
3000	12000	1	RMS	11849	-46.36	-25	Pass	9002
12000	26500	1	RMS	25085	-34.57	-25	Pass	14502



### 21.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-67.11	-25	Pass	401
0.15	30	0.01	RMS	10.98	-64.23	-25	Pass	2986
30	1000	0.1	RMS	998.199	-55.08	-25	Pass	9701
1000	2525	1	RMS	2498	-42.88	-25	Pass	1526
2525	2665	1	RMS	2609	8.95	60	Pass	401
2665	3000	1	RMS	2984.088	-42	-25	Pass	401
3000	12000	1	RMS	11850	-46.44	-25	Pass	9002
12000	26500	1	RMS	25101	-34.3	-25	Pass	14502



### 21.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.32	-25	Pass	401
0.15	30	0.01	RMS	1.27	-64.56	-25	Pass	2986
30	1000	0.1	RMS	901.735	-55.36	-25	Pass	9701
1000	2525	1	RMS	2508	-42.64	-25	Pass	1526
2525	2665	1	RMS	2582.4	6.42	60	Pass	401
2665	3000	1	RMS	2974.038	-41.9	-25	Pass	401
3000	12000	1	RMS	11850	-46.35	-25	Pass	9002
12000	26500	1	RMS	26206	-34.42	-25	Pass	14502



### 21.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.26	-25	Pass	401
0.15	30	0.01	RMS	0.53	-65.03	-25	Pass	2986
30	1000	0.1	RMS	877.919	-55.42	-25	Pass	9701
1000	2525	1	RMS	2507	-42.85	-25	Pass	1526
2525	2665	1	RMS	2609	8.78	60	Pass	401
2665	3000	1	RMS	2959.8	-41.91	-25	Pass	401
3000	12000	1	RMS	11863	-46.27	-25	Pass	9002
12000	26500	1	RMS	25798	-34.32	-25	Pass	14502



### 21.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-67.52	-25	Pass	401
0.15	30	0.01	RMS	0.21	-64.11	-25	Pass	2986
30	1000	0.1	RMS	887.225	-54.96	-25	Pass	9701
1000	2525	1	RMS	2496	-42.69	-25	Pass	1526
2525	2665	1	RMS	2582.05	5.87	60	Pass	401
2665	3000	1	RMS	2959.8	-41.83	-25	Pass	401
3000	12000	1	RMS	11892	-46.34	-25	Pass	9002
12000	26500	1	RMS	25101	-34.34	-25	Pass	14502



### 21.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.094	-67.3	-25	Pass	401
0.15	30	0.01	RMS	18.98	-64.58	-25	Pass	2986
30	1000	0.1	RMS	867.512	-55.15	-25	Pass	9701
1000	2525	1	RMS	2499	-42.79	-25	Pass	1526
2525	2665	1	RMS	2590.8	8.64	60	Pass	401
2665	3000	1	RMS	2966.5	-41.96	-25	Pass	401
3000	12000	1	RMS	11467	-46.43	-25	Pass	9002
12000	26500	1	RMS	25095	-34.43	-25	Pass	14502



### 21.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.53	-25	Pass	401
0.15	30	0.01	RMS	0.55	-64.34	-25	Pass	2986
30	1000	0.1	RMS	915.744	-55.28	-25	Pass	9701
1000	2525	1	RMS	2503	-42.76	-25	Pass	1526
2525	2665	1	RMS	2593.25	6.85	60	Pass	401
2665	3000	1	RMS	2961.475	-41.95	-25	Pass	401
3000	12000	1	RMS	11483	-46.35	-25	Pass	9002
12000	26500	1	RMS	25109	-34.58	-25	Pass	14502






### 21.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.31	-25	Pass	401
0.15	30	0.01	RMS	22.48	-64.56	-25	Pass	2986
30	1000	0.1	RMS	914.143	-55.22	-25	Pass	9701
1000	2525	1	RMS	2495	-42.64	-25	Pass	1526
2525	2665	1	RMS	2590.8	9.24	60	Pass	401
2665	3000	1	RMS	2958.125	-41.81	-25	Pass	401
3000	12000	1	RMS	11862	-46.33	-25	Pass	9002
12000	26500	1	RMS	25789	-34.56	-25	Pass	14502



### 21.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.66	-25	Pass	401
0.15	30	0.01	RMS	26.34	-64.12	-25	Pass	2986
30	1000	0.1	RMS	876.918	-55.13	-25	Pass	9701
1000	2525	1	RMS	2514	-42.74	-25	Pass	1526
2525	2665	1	RMS	2591.85	5.99	60	Pass	401
2665	3000	1	RMS	2960.638	-41.84	-25	Pass	401
3000	12000	1	RMS	11846	-46.24	-25	Pass	9002
12000	26500	1	RMS	25103	-34.43	-25	Pass	14502



### 21.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.47	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.02	-25	Pass	2986
30	1000	0.1	RMS	892.429	-55.35	-25	Pass	9701
1000	2525	1	RMS	2495	-42.94	-25	Pass	1526
2525	2665	1	RMS	2571.2	8.59	60	Pass	401
2665	3000	1	RMS	2958.125	-41.97	-25	Pass	401
3000	12000	1	RMS	11873	-46.34	-25	Pass	9002
12000	26500	1	RMS	25098	-34.46	-25	Pass	14502



### 21.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.96	-25	Pass	401
0.15	30	0.01	RMS	9.07	-64.8	-25	Pass	2986
30	1000	0.1	RMS	891.228	-55.19	-25	Pass	9701
1000	2525	1	RMS	2525	-41.62	-25	Pass	1526
2525	2665	1	RMS	2573.65	5.55	60	Pass	401
2665	3000	1	RMS	2960.638	-41.79	-25	Pass	401
3000	12000	1	RMS	11846	-46.36	-25	Pass	9002
12000	26500	1	RMS	25092	-34.32	-25	Pass	14502



### 21.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.62	-25	Pass	2986
30	1000	0.1	RMS	908.439	-55.44	-25	Pass	9701
1000	2525	1	RMS	2514	-42.55	-25	Pass	1526
2525	2665	1	RMS	2570.85	8.82	60	Pass	401
2665	3000	1	RMS	2966.5	-41.82	-25	Pass	401
3000	12000	1	RMS	11849	-46.22	-25	Pass	9002
12000	26500	1	RMS	25103	-34.27	-25	Pass	14502



### 21.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.88	-25	Pass	401
0.15	30	0.01	RMS	28.63	-64.35	-25	Pass	2986
30	1000	0.1	RMS	922.949	-55.36	-25	Pass	9701
1000	2525	1	RMS	2525	-42.24	-25	Pass	1526
2525	2665	1	RMS	2572.6	4.43	60	Pass	401
2665	3000	1	RMS	2982.413	-42	-25	Pass	401
3000	12000	1	RMS	11860	-46.34	-25	Pass	9002
12000	26500	1	RMS	25111	-34.38	-25	Pass	14502



### 21.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-66.87	-25	Pass	401
0.15	30	0.01	RMS	26.67	-64.03	-25	Pass	2986
30	1000	0.1	RMS	995.297	-55.36	-25	Pass	9701
1000	2525	1	RMS	2501	-42.57	-25	Pass	1526
2525	2665	1	RMS	2576.1	8.82	60	Pass	401
2665	3000	1	RMS	2959.8	-41.96	-25	Pass	401
3000	12000	1	RMS	11849	-46.32	-25	Pass	9002
12000	26500	1	RMS	25813	-34.49	-25	Pass	14502



### 21.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.64	-25	Pass	401
0.15	30	0.01	RMS	24.04	-64.59	-25	Pass	2986
30	1000	0.1	RMS	915.144	-55.06	-25	Pass	9701
1000	2525	1	RMS	2525	-42.17	-25	Pass	1526
2525	2665	1	RMS	2577.5	5.67	60	Pass	401
2665	3000	1	RMS	2953.1	-41.92	-25	Pass	401
3000	12000	1	RMS	11855	-46.23	-25	Pass	9002
12000	26500	1	RMS	25099	-34.54	-25	Pass	14502






### 21.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.31	-25	Pass	401
0.15	30	0.01	RMS	1.41	-64.06	-25	Pass	2986
30	1000	0.1	RMS	897.332	-55.3	-25	Pass	9701
1000	2525	1	RMS	2500	-42.67	-25	Pass	1526
2525	2665	1	RMS	2576.1	8.92	60	Pass	401
2665	3000	1	RMS	2964.825	-41.86	-25	Pass	401
3000	12000	1	RMS	11852	-46.21	-25	Pass	9002
12000	26500	1	RMS	25097	-34.31	-25	Pass	14502



### 21.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.09	-25	Pass	401
0.15	30	0.01	RMS	1.09	-64.26	-25	Pass	2986
30	1000	0.1	RMS	905.938	-55.27	-25	Pass	9701
1000	2525	1	RMS	2519	-42.58	-25	Pass	1526
2525	2665	1	RMS	2582.4	4.86	60	Pass	401
2665	3000	1	RMS	2966.5	-41.81	-25	Pass	401
3000	12000	1	RMS	11854	-46.19	-25	Pass	9002
12000	26500	1	RMS	25801	-34.46	-25	Pass	14502



### 21.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.32	-25	Pass	401
0.15	30	0.01	RMS	0.78	-64.11	-25	Pass	2986
30	1000	0.1	RMS	900.034	-55.34	-25	Pass	9701
1000	2525	1	RMS	2506	-42.53	-25	Pass	1526
2525	2665	1	RMS	2581	8.76	60	Pass	401
2665	3000	1	RMS	2964.825	-41.84	-25	Pass	401
3000	12000	1	RMS	11855	-46.08	-25	Pass	9002
12000	26500	1	RMS	25085	-34.55	-25	Pass	14502



### 21.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.84	-25	Pass	401
0.15	30	0.01	RMS	14.94	-63.82	-25	Pass	2986
30	1000	0.1	RMS	880.121	-55.3	-25	Pass	9701
1000	2525	1	RMS	2525	-42.44	-25	Pass	1526
2525	2665	1	RMS	2582.4	5.1	60	Pass	401
2665	3000	1	RMS	2957.288	-41.76	-25	Pass	401
3000	12000	1	RMS	11859	-46.17	-25	Pass	9002
12000	26500	1	RMS	25079	-34.52	-25	Pass	14502



### 21.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.77	-25	Pass	401
0.15	30	0.01	RMS	0.22	-64.49	-25	Pass	2986
30	1000	0.1	RMS	879.02	-55.32	-25	Pass	9701
1000	2525	1	RMS	2506	-42.44	-25	Pass	1526
2525	2665	1	RMS	2581	8.65	60	Pass	401
2665	3000	1	RMS	2956.45	-41.88	-25	Pass	401
3000	12000	1	RMS	11868	-46.31	-25	Pass	9002
12000	26500	1	RMS	25802	-34.45	-25	Pass	14502



### 21.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.59	-25	Pass	401
0.15	30	0.01	RMS	0.33	-64.29	-25	Pass	2986
30	1000	0.1	RMS	997.198	-55.3	-25	Pass	9701
1000	2525	1	RMS	2519	-42.51	-25	Pass	1526
2525	2665	1	RMS	2582.75	4.86	60	Pass	401
2665	3000	1	RMS	2963.988	-41.79	-25	Pass	401
3000	12000	1	RMS	11849	-46.16	-25	Pass	9002
12000	26500	1	RMS	25097	-34.33	-25	Pass	14502




## 22. CA\_41C\_full

### 22.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-67.14	-25	Pass	401
0.15	30	0.01	RMS	24	-64.29	-25	Pass	2986
30	1000	0.1	RMS	994.296	-55.28	-25	Pass	9701
1000	2475	1	RMS	2474	-38.86	-25	Pass	1476
2475	2735	1	RMS	2497.1	9.81	60	Pass	401
2735	3000	1	RMS	2964.225	-41.94	-25	Pass	401
3000	12000	1	RMS	11847	-46.33	-25	Pass	9002
12000	27000	1	RMS	25098	-34.18	-25	Pass	15002



## 22.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-67.21	-25	Pass	401
0.15	30	0.01	RMS	28.25	-64.35	-25	Pass	2986
30	1000	0.1	RMS	855.504	-55.4	-25	Pass	9701
1000	2475	1	RMS	2475	-42.08	-25	Pass	1476
2475	2735	1	RMS	2518.55	13.22	60	Pass	401
2735	3000	1	RMS	2969.525	-41.95	-25	Pass	401
3000	12000	1	RMS	11864	-46.48	-25	Pass	9002
12000	27000	1	RMS	25107	-34.47	-25	Pass	15002






### 22.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-67.24	-25	Pass	401
0.15	30	0.01	RMS	0.41	-64.32	-25	Pass	2986
30	1000	0.1	RMS	907.639	-55.19	-25	Pass	9701
1000	2475	1	RMS	2475	-40.97	-25	Pass	1476
2475	2735	1	RMS	2497.1	10.08	60	Pass	401
2735	3000	1	RMS	2958.925	-41.94	-25	Pass	401
3000	12000	1	RMS	11846	-46.23	-25	Pass	9002
12000	27000	1	RMS	25114	-34.3	-25	Pass	15002



## 22.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.36	-25	Pass	401
0.15	30	0.01	RMS	5.64	-64.17	-25	Pass	2986
30	1000	0.1	RMS	891.728	-54.93	-25	Pass	9701
1000	2475	1	RMS	2474	-42.64	-25	Pass	1476
2475	2735	1	RMS	2517.9	12.61	60	Pass	401
2735	3000	1	RMS	2964.225	-41.78	-25	Pass	401
3000	12000	1	RMS	11860	-46.2	-25	Pass	9002
12000	27000	1	RMS	25098	-34.41	-25	Pass	15002



## 22.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.63	-25	Pass	401
0.15	30	0.01	RMS	5.9	-64.9	-25	Pass	2986
30	1000	0.1	RMS	463	-55.24	-25	Pass	9701
1000	2475	1	RMS	2475	-43.42	-25	Pass	1476
2475	2735	1	RMS	2581.6	9.78	60	Pass	401
2735	3000	1	RMS	2961.575	-41.97	-25	Pass	401
3000	12000	1	RMS	11859	-46.31	-25	Pass	9002
12000	27000	1	RMS	25106	-34.31	-25	Pass	15002



## 22.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.73	-25	Pass	401
0.15	30	0.01	RMS	28.72	-64.48	-25	Pass	2986
30	1000	0.1	RMS	897.532	-55.4	-25	Pass	9701
1000	2475	1	RMS	2465	-43.5	-25	Pass	1476
2475	2735	1	RMS	2602.4	13.52	60	Pass	401
2735	3000	1	RMS	2960.913	-41.95	-25	Pass	401
3000	12000	1	RMS	11845	-46.25	-25	Pass	9002
12000	27000	1	RMS	25094	-34.46	-25	Pass	15002



## 22.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.77	-25	Pass	401
0.15	30	0.01	RMS	0.28	-64.42	-25	Pass	2986
30	1000	0.1	RMS	929.553	-55.16	-25	Pass	9701
1000	2475	1	RMS	2472	-43.24	-25	Pass	1476
2475	2735	1	RMS	2581.6	10.05	60	Pass	401
2735	3000	1	RMS	2929.113	-41.85	-25	Pass	401
3000	12000	1	RMS	11463	-46.18	-25	Pass	9002
12000	27000	1	RMS	25107	-34.38	-25	Pass	15002



## 22.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.32	-25	Pass	401
0.15	30	0.01	RMS	29.53	-64.72	-25	Pass	2986
30	1000	0.1	RMS	877.319	-55.27	-25	Pass	9701
1000	2475	1	RMS	2475	-43.46	-25	Pass	1476
2475	2735	1	RMS	2603.05	12.15	60	Pass	401
2735	3000	1	RMS	2964.225	-41.93	-25	Pass	401
3000	12000	1	RMS	11841	-46.32	-25	Pass	9002
12000	27000	1	RMS	25089	-34.35	-25	Pass	15002



## 22.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.03	-25	Pass	401
0.15	30	0.01	RMS	22.24	-63.65	-25	Pass	2986
30	1000	0.1	RMS	879.62	-55.23	-25	Pass	9701
1000	2475	1	RMS	2472	-43.34	-25	Pass	1476
2475	2735	1	RMS	2666.1	9.96	60	Pass	401
2735	3000	1	RMS	2948.988	-41.92	-25	Pass	401
3000	12000	1	RMS	11855	-46.38	-25	Pass	9002
12000	27000	1	RMS	25828	-34.4	-25	Pass	15002



### 22.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.77	-25	Pass	401
0.15	30	0.01	RMS	29.75	-64.3	-25	Pass	2986
30	1000	0.1	RMS	861.108	-55.32	-25	Pass	9701
1000	2475	1	RMS	2473	-43.25	-25	Pass	1476
2475	2735	1	RMS	2685.6	13.43	60	Pass	401
2735	3000	1	RMS	2964.225	-41.84	-25	Pass	401
3000	12000	1	RMS	11842	-46.14	-25	Pass	9002
12000	27000	1	RMS	25099	-34.35	-25	Pass	15002






### 22.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-67.04	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.52	-25	Pass	2986
30	1000	0.1	RMS	895.431	-55.19	-25	Pass	9701
1000	2475	1	RMS	2474	-43.22	-25	Pass	1476
2475	2735	1	RMS	2666.1	9.87	60	Pass	401
2735	3000	1	RMS	2958.925	-41.8	-25	Pass	401
3000	12000	1	RMS	11851	-46.25	-25	Pass	9002
12000	27000	1	RMS	25102	-34.41	-25	Pass	15002



## 22.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.82	-25	Pass	401
0.15	30	0.01	RMS	6.83	-64.36	-25	Pass	2986
30	1000	0.1	RMS	912.742	-55.1	-25	Pass	9701
1000	2475	1	RMS	2474	-43.35	-25	Pass	1476
2475	2735	1	RMS	2686.25	12.6	60	Pass	401
2735	3000	1	RMS	2952.3	-41.93	-25	Pass	401
3000	12000	1	RMS	11854	-46.4	-25	Pass	9002
12000	27000	1	RMS	25785	-34.43	-25	Pass	15002



### 22.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.36	-25	Pass	401
0.15	30	0.01	RMS	1.64	-64.38	-25	Pass	2986
30	1000	0.1	RMS	913.142	-55.04	-25	Pass	9701
1000	2475	1	RMS	2474	-43.13	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.3	60	Pass	401
2735	3000	1	RMS	2944.35	-41.86	-25	Pass	401
3000	12000	1	RMS	11843	-46.2	-25	Pass	9002
12000	27000	1	RMS	25101	-34.25	-25	Pass	15002



### 22.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.55	-64.58	-25	Pass	2986
30	1000	0.1	RMS	907.739	-55.12	-25	Pass	9701
1000	2475	1	RMS	2475	-40.11	-25	Pass	1476
2475	2735	1	RMS	2533.5	7.85	60	Pass	401
2735	3000	1	RMS	2934.413	-41.92	-25	Pass	401
3000	12000	1	RMS	11889	-46.38	-25	Pass	9002
12000	27000	1	RMS	25095	-34.44	-25	Pass	15002



### 22.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.96	-25	Pass	401
0.15	30	0.01	RMS	22.45	-64.31	-25	Pass	2986
30	1000	0.1	RMS	882.922	-55.12	-25	Pass	9701
1000	2475	1	RMS	2472	-43.2	-25	Pass	1476
2475	2735	1	RMS	2534.15	9.7	60	Pass	401
2735	3000	1	RMS	2956.275	-41.87	-25	Pass	401
3000	12000	1	RMS	11839	-46.22	-25	Pass	9002
12000	27000	1	RMS	25091	-34.53	-25	Pass	15002



### 22.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-67.31	-25	Pass	401
0.15	30	0.01	RMS	0.53	-64.09	-25	Pass	2986
30	1000	0.1	RMS	895.331	-55.24	-25	Pass	9701
1000	2475	1	RMS	2475	-40.65	-25	Pass	1476
2475	2735	1	RMS	2533.5	6.28	60	Pass	401
2735	3000	1	RMS	2959.588	-41.79	-25	Pass	401
3000	12000	1	RMS	11855	-46.32	-25	Pass	9002
12000	27000	1	RMS	25106	-34.26	-25	Pass	15002



### 22.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.29	-25	Pass	401
0.15	30	0.01	RMS	0.28	-64.28	-25	Pass	2986
30	1000	0.1	RMS	869.814	-55.21	-25	Pass	9701
1000	2475	1	RMS	2473	-43.32	-25	Pass	1476
2475	2735	1	RMS	2573.8	9.57	60	Pass	401
2735	3000	1	RMS	2960.25	-41.77	-25	Pass	401
3000	12000	1	RMS	11854	-46.17	-25	Pass	9002
12000	27000	1	RMS	25100	-34.24	-25	Pass	15002



### 22.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.33	-25	Pass	401
0.15	30	0.01	RMS	0.83	-64.05	-25	Pass	2986
30	1000	0.1	RMS	909.24	-55.14	-25	Pass	9701
1000	2475	1	RMS	2474	-43.37	-25	Pass	1476
2475	2735	1	RMS	2575.1	7.63	60	Pass	401
2735	3000	1	RMS	2960.25	-41.84	-25	Pass	401
3000	12000	1	RMS	11844	-46.19	-25	Pass	9002
12000	27000	1	RMS	25789	-34.39	-25	Pass	15002






### 22.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-67.34	-25	Pass	401
0.15	30	0.01	RMS	0.37	-64.14	-25	Pass	2986
30	1000	0.1	RMS	986.191	-55.39	-25	Pass	9701
1000	2475	1	RMS	2463	-43.3	-25	Pass	1476
2475	2735	1	RMS	2573.8	9.79	60	Pass	401
2735	3000	1	RMS	2956.275	-41.9	-25	Pass	401
3000	12000	1	RMS	11857	-46.25	-25	Pass	9002
12000	27000	1	RMS	25801	-34.48	-25	Pass	15002



## 22.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-66.95	-25	Pass	401
0.15	30	0.01	RMS	4.67	-64.21	-25	Pass	2986
30	1000	0.1	RMS	901.935	-54.46	-25	Pass	9701
1000	2475	1	RMS	2469	-43.11	-25	Pass	1476
2475	2735	1	RMS	2580.3	6.29	60	Pass	401
2735	3000	1	RMS	2980.125	-41.77	-25	Pass	401
3000	12000	1	RMS	11852	-45.97	-25	Pass	9002
12000	27000	1	RMS	25105	-34.47	-25	Pass	15002



### 22.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.93	-25	Pass	401
0.15	30	0.01	RMS	16.43	-64.39	-25	Pass	2986
30	1000	0.1	RMS	969.38	-55.13	-25	Pass	9701
1000	2475	1	RMS	2474	-43.23	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.12	60	Pass	401
2735	3000	1	RMS	2960.25	-41.88	-25	Pass	401
3000	12000	1	RMS	11850	-46.23	-25	Pass	9002
12000	27000	1	RMS	25102	-34.41	-25	Pass	15002



## 22.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.83	-25	Pass	401
0.15	30	0.01	RMS	3.81	-64.13	-25	Pass	2986
30	1000	0.1	RMS	896.431	-54.93	-25	Pass	9701
1000	2475	1	RMS	2436	-43.07	-25	Pass	1476
2475	2735	1	RMS	2652.45	7.44	60	Pass	401
2735	3000	1	RMS	2961.575	-41.9	-25	Pass	401
3000	12000	1	RMS	11858	-46.06	-25	Pass	9002
12000	27000	1	RMS	25068	-34.37	-25	Pass	15002



### 22.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.43	-25	Pass	401
0.15	30	0.01	RMS	24.98	-64.82	-25	Pass	2986
30	1000	0.1	RMS	894.43	-55.44	-25	Pass	9701
1000	2475	1	RMS	2474	-43.26	-25	Pass	1476
2475	2735	1	RMS	2651.15	9.91	60	Pass	401
2735	3000	1	RMS	2954.95	-41.89	-25	Pass	401
3000	12000	1	RMS	11854	-46.07	-25	Pass	9002
12000	27000	1	RMS	25108	-34.23	-25	Pass	15002



### 22.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.79	-25	Pass	401
0.15	30	0.01	RMS	16.03	-64.63	-25	Pass	2986
30	1000	0.1	RMS	881.622	-55.08	-25	Pass	9701
1000	2475	1	RMS	2462	-43.22	-25	Pass	1476
2475	2735	1	RMS	2653.1	6.25	60	Pass	401
2735	3000	1	RMS	2997.35	-41.86	-25	Pass	401
3000	12000	1	RMS	11845	-46.16	-25	Pass	9002
12000	27000	1	RMS	25737	-34.31	-25	Pass	15002



## 23. n5


### 23.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	Pass	2986
30	814	0.1	RMS	814	-53.97	-13	Pass	7841
814	859	0.1	RMS	825.1	5.27	60	Pass	451
859	1000	0.1	RMS	890.7	-63.7	-13	Pass	1411
1000	3000	1	RMS	2871	-48.58	-13	Pass	2001
3000	10000	1	RMS	8903	-58.52	-13	Pass	7001



**23.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.81	-13	Pass	7841
814	859	0.1	RMS	824.3	18.28	60	Pass	451
859	1000	0.1	RMS	898.7	-63.73	-13	Pass	1411
1000	3000	1	RMS	2868	-48.61	-13	Pass	2001
3000	10000	1	RMS	8898	-58.49	-13	Pass	7001






**23.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.22	-13	Pass	2986
30	814	0.1	RMS	811.9	-63.7	-13	Pass	7841
814	859	0.1	RMS	828.6	17.82	60	Pass	451
859	1000	0.1	RMS	908.9	-63.73	-13	Pass	1411
1000	3000	1	RMS	2869	-48.58	-13	Pass	2001
3000	10000	1	RMS	9000	-58.49	-13	Pass	7001




**23.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.74	-13	Pass	7841
814	859	0.1	RMS	837.9	5.36	60	Pass	451
859	1000	0.1	RMS	897.5	-63.76	-13	Pass	1411
1000	3000	1	RMS	2871	-48.59	-13	Pass	2001
3000	10000	1	RMS	8906	-58.52	-13	Pass	7001




**23.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	814	0.1	RMS	727.3	-63.94	-13	Pass	7841
814	859	0.1	RMS	834.3	18.31	60	Pass	451
859	1000	0.1	RMS	903.9	-63.73	-13	Pass	1411
1000	3000	1	RMS	2865	-48.61	-13	Pass	2001
3000	10000	1	RMS	8994	-58.53	-13	Pass	7001




**23.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.23	-13	Pass	2986
30	814	0.1	RMS	812.3	-64.11	-13	Pass	7841
814	859	0.1	RMS	838.6	17.88	60	Pass	451
859	1000	0.1	RMS	997.4	-63.61	-13	Pass	1411
1000	3000	1	RMS	2869	-48.59	-13	Pass	2001
3000	10000	1	RMS	8900	-58.5	-13	Pass	7001




**23.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	Pass	2986
30	814	0.1	RMS	754.5	-64.03	-13	Pass	7841
814	859	0.1	RMS	845.1	5.32	60	Pass	451
859	1000	0.1	RMS	899.8	-63.72	-13	Pass	1411
1000	3000	1	RMS	2869	-48.53	-13	Pass	2001
3000	10000	1	RMS	8925	-58.53	-13	Pass	7001




**23.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	Pass	2986
30	814	0.1	RMS	743.6	-64.04	-13	Pass	7841
814	859	0.1	RMS	844.3	18.27	60	Pass	451
859	1000	0.1	RMS	911.4	-63.78	-13	Pass	1411
1000	3000	1	RMS	2869	-48.59	-13	Pass	2001
3000	10000	1	RMS	8909	-58.45	-13	Pass	7001




**23.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	811	-63.97	-13	Pass	7841
814	859	0.1	RMS	848.6	17.72	60	Pass	451
859	1000	0.1	RMS	994.1	-63.82	-13	Pass	1411
1000	3000	1	RMS	2868	-48.56	-13	Pass	2001
3000	10000	1	RMS	8903	-58.46	-13	Pass	7001



**23.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-13	Pass	2986
30	814	0.1	RMS	814	-47.16	-13	Pass	7841
814	859	0.1	RMS	824.7	0.38	60	Pass	451
859	1000	0.1	RMS	897.8	-63.84	-13	Pass	1411
1000	3000	1	RMS	2869	-48.6	-13	Pass	2001
3000	10000	1	RMS	8901	-58.44	-13	Pass	7001






**23.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	814	0.1	RMS	814	-62.06	-13	Pass	7841
814	859	0.1	RMS	824.5	18.39	60	Pass	451
859	1000	0.1	RMS	901.5	-63.68	-13	Pass	1411
1000	3000	1	RMS	2865	-48.6	-13	Pass	2001
3000	10000	1	RMS	8898	-58.46	-13	Pass	7001




**23.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.91	-13	Pass	7841
814	859	0.1	RMS	838.5	18.56	60	Pass	451
859	1000	0.1	RMS	892.5	-63.45	-13	Pass	1411
1000	3000	1	RMS	2869	-48.55	-13	Pass	2001
3000	10000	1	RMS	8908	-58.46	-13	Pass	7001




**23.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	Pass	2986
30	814	0.1	RMS	813.8	-50.4	-13	Pass	7841
814	859	0.1	RMS	838	0.21	60	Pass	451
859	1000	0.1	RMS	898.4	-63.67	-13	Pass	1411
1000	3000	1	RMS	2869	-48.58	-13	Pass	2001
3000	10000	1	RMS	8903	-58.46	-13	Pass	7001




**23.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	814	0.1	RMS	812.3	-63.27	-13	Pass	7841
814	859	0.1	RMS	829.5	18.28	60	Pass	451
859	1000	0.1	RMS	902.6	-63.75	-13	Pass	1411
1000	3000	1	RMS	2869	-48.55	-13	Pass	2001
3000	10000	1	RMS	8989	-58.5	-13	Pass	7001




**23.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	Pass	2986
30	814	0.1	RMS	809.9	-63.92	-13	Pass	7841
814	859	0.1	RMS	843.5	18.53	60	Pass	451
859	1000	0.1	RMS	892.8	-63.73	-13	Pass	1411
1000	3000	1	RMS	2872	-48.55	-13	Pass	2001
3000	10000	1	RMS	8985	-58.46	-13	Pass	7001




**23.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.03	-13	Pass	2986
30	814	0.1	RMS	813.7	-53.54	-13	Pass	7841
814	859	0.1	RMS	838.4	0.36	60	Pass	451
859	1000	0.1	RMS	885.7	-63.74	-13	Pass	1411
1000	3000	1	RMS	2869	-48.56	-13	Pass	2001
3000	10000	1	RMS	8901	-58.51	-13	Pass	7001




**23.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	Pass	2986
30	814	0.1	RMS	809.8	-63.88	-13	Pass	7841
814	859	0.1	RMS	834.5	18.28	60	Pass	451
859	1000	0.1	RMS	882.9	-63.61	-13	Pass	1411
1000	3000	1	RMS	2867	-48.59	-13	Pass	2001
3000	10000	1	RMS	8904	-58.5	-13	Pass	7001



**23.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	814	0.1	RMS	809.8	-63.68	-13	Pass	7841
814	859	0.1	RMS	848.5	18.6	60	Pass	451
859	1000	0.1	RMS	897.2	-63.58	-13	Pass	1411
1000	3000	1	RMS	2870	-48.59	-13	Pass	2001
3000	10000	1	RMS	8932	-58.5	-13	Pass	7001






**23.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.95	-13	Pass	2986
30	814	0.1	RMS	813.5	-47.23	-13	Pass	7841
814	859	0.1	RMS	841.2	-0.94	60	Pass	451
859	1000	0.1	RMS	901.9	-63.73	-13	Pass	1411
1000	3000	1	RMS	2869	-48.54	-13	Pass	2001
3000	10000	1	RMS	9000	-58.44	-13	Pass	7001




**23.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	814	0.1	RMS	814	-60.95	-13	Pass	7841
814	859	0.1	RMS	824.5	18.01	60	Pass	451
859	1000	0.1	RMS	889.3	-63.73	-13	Pass	1411
1000	3000	1	RMS	2871	-48.57	-13	Pass	2001
3000	10000	1	RMS	8902	-58.47	-13	Pass	7001




**23.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	811.6	-63.76	-13	Pass	7841
814	859	0.1	RMS	843.4	18.13	60	Pass	451
859	1000	0.1	RMS	892.1	-63.71	-13	Pass	1411
1000	3000	1	RMS	2869	-48.59	-13	Pass	2001
3000	10000	1	RMS	8900	-58.44	-13	Pass	7001




**23.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	814	0.1	RMS	813.4	-48.53	-13	Pass	7841
814	859	0.1	RMS	839.3	-1.02	60	Pass	451
859	1000	0.1	RMS	881.2	-63.66	-13	Pass	1411
1000	3000	1	RMS	2876	-48.53	-13	Pass	2001
3000	10000	1	RMS	8916	-58.46	-13	Pass	7001




**23.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.51	-13	Pass	7841
814	859	0.1	RMS	827	18.12	60	Pass	451
859	1000	0.1	RMS	891.5	-63.72	-13	Pass	1411
1000	3000	1	RMS	2865	-48.56	-13	Pass	2001
3000	10000	1	RMS	8998	-58.44	-13	Pass	7001




**23.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	814	0.1	RMS	810.9	-63.68	-13	Pass	7841
814	859	0.1	RMS	845.9	18.14	60	Pass	451
859	1000	0.1	RMS	893.7	-63.8	-13	Pass	1411
1000	3000	1	RMS	2866	-48.54	-13	Pass	2001
3000	10000	1	RMS	8897	-58.48	-13	Pass	7001




**23.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2986
30	814	0.1	RMS	813.8	-49.29	-13	Pass	7841
814	859	0.1	RMS	839.1	-0.97	60	Pass	451
859	1000	0.1	RMS	891.3	-63.77	-13	Pass	1411
1000	3000	1	RMS	2868	-48.53	-13	Pass	2001
3000	10000	1	RMS	8991	-58.45	-13	Pass	7001



**23.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.81	-13	Pass	7841
814	859	0.1	RMS	829.5	18.02	60	Pass	451
859	1000	0.1	RMS	893.8	-63.77	-13	Pass	1411
1000	3000	1	RMS	2869	-48.56	-13	Pass	2001
3000	10000	1	RMS	8901	-58.41	-13	Pass	7001





**23.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	814	0.1	RMS	811.1	-63.68	-13	Pass	7841
814	859	0.1	RMS	848.4	18.15	60	Pass	451
859	1000	0.1	RMS	881.3	-63.69	-13	Pass	1411
1000	3000	1	RMS	2870	-48.56	-13	Pass	2001
3000	10000	1	RMS	8904	-58.46	-13	Pass	7001



## 24. n7


### 24.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2986
30	1000	0.1	RMS	889.327	-63.78	-13	Pass	9701
1000	2490	1	RMS	2490	-44.81	-13	Pass	1491
2490	2580	1	RMS	2503.725	13.21	60	Pass	401
2580	3000	1	RMS	2871	-48.6	-13	Pass	421
3000	6500	1	RMS	6199	-62.82	-13	Pass	3501
6500	26000	1	RMS	25196	-46.07	-13	Pass	19503




**24.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.09	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.25	-13	Pass	2986
30	1000	0.1	RMS	883.623	-63.6	-13	Pass	9701
1000	2490	1	RMS	2490	-48.94	-13	Pass	1491
2490	2580	1	RMS	2500.125	19.7	60	Pass	401
2580	3000	1	RMS	2869	-48.56	-13	Pass	421
3000	6500	1	RMS	6201	-62.82	-13	Pass	3501
6500	26000	1	RMS	25206	-46.12	-13	Pass	19503




**24.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.43	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.94	-13	Pass	2986
30	1000	0.1	RMS	896.031	-63.7	-13	Pass	9701
1000	2490	1	RMS	2488	-49.5	-13	Pass	1491
2490	2580	1	RMS	2504.625	19.74	60	Pass	401
2580	3000	1	RMS	2869	-48.56	-13	Pass	421
3000	6500	1	RMS	6202	-62.85	-13	Pass	3501
6500	26000	1	RMS	25198	-46.07	-13	Pass	19503




**24.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2986
30	1000	0.1	RMS	888.826	-63.68	-13	Pass	9701
1000	2490	1	RMS	2488	-50.39	-13	Pass	1491
2490	2580	1	RMS	2535.9	13.4	60	Pass	401
2580	3000	1	RMS	2869	-48.61	-13	Pass	421
3000	6500	1	RMS	6201	-62.86	-13	Pass	3501
6500	26000	1	RMS	25201	-46.04	-13	Pass	19503




**24.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	1000	0.1	RMS	896.331	-63.72	-13	Pass	9701
1000	2490	1	RMS	2490	-50.26	-13	Pass	1491
2490	2580	1	RMS	2532.75	19.93	60	Pass	401
2580	3000	1	RMS	2868	-48.59	-13	Pass	421
3000	6500	1	RMS	6201	-62.85	-13	Pass	3501
6500	26000	1	RMS	25200	-46.08	-13	Pass	19503




**24.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	890.628	-63.7	-13	Pass	9701
1000	2490	1	RMS	2489	-50.29	-13	Pass	1491
2490	2580	1	RMS	2537.025	19.97	60	Pass	401
2580	3000	1	RMS	2868	-48.61	-13	Pass	421
3000	6500	1	RMS	6201	-62.85	-13	Pass	3501
6500	26000	1	RMS	25203	-46.12	-13	Pass	19503



**24.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.77	-13	Pass	9701
1000	2490	1	RMS	2490	-50.38	-13	Pass	1491
2490	2580	1	RMS	2566.275	13.4	60	Pass	401
2580	3000	1	RMS	2580	-46.54	-13	Pass	421
3000	6500	1	RMS	6200	-62.9	-13	Pass	3501
6500	26000	1	RMS	25200	-46	-13	Pass	19503






**24.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	886.024	-63.66	-13	Pass	9701
1000	2490	1	RMS	2489	-50.39	-13	Pass	1491
2490	2580	1	RMS	2565.15	19.89	60	Pass	401
2580	3000	1	RMS	2871	-48.59	-13	Pass	421
3000	6500	1	RMS	6204	-62.9	-13	Pass	3501
6500	26000	1	RMS	25205	-46.07	-13	Pass	19503




**24.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	898.633	-63.77	-13	Pass	9701
1000	2490	1	RMS	2490	-50.36	-13	Pass	1491
2490	2580	1	RMS	2569.65	19.87	60	Pass	401
2580	3000	1	RMS	2867	-48.62	-13	Pass	421
3000	6500	1	RMS	6202	-62.82	-13	Pass	3501
6500	26000	1	RMS	25204	-46.12	-13	Pass	19503




**24.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2986
30	1000	0.1	RMS	888.026	-63.76	-13	Pass	9701
1000	2490	1	RMS	2490	-33.64	-13	Pass	1491
2490	2580	1	RMS	2522.85	6.3	60	Pass	401
2580	3000	1	RMS	2580	-48.52	-13	Pass	421
3000	6500	1	RMS	6208	-62.92	-13	Pass	3501
6500	26000	1	RMS	25198	-46.08	-13	Pass	19503




**24.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.2	-13	Pass	2986
30	1000	0.1	RMS	985.19	-63.72	-13	Pass	9701
1000	2490	1	RMS	2489	-48.99	-13	Pass	1491
2490	2580	1	RMS	2500.575	19.72	60	Pass	401
2580	3000	1	RMS	2869	-48.56	-13	Pass	421
3000	6500	1	RMS	6199	-62.89	-13	Pass	3501
6500	26000	1	RMS	25201	-46.01	-13	Pass	19503




**24.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.89	-13	Pass	2986
30	1000	0.1	RMS	891.028	-63.63	-13	Pass	9701
1000	2490	1	RMS	2489	-50.07	-13	Pass	1491
2490	2580	1	RMS	2524.2	20	60	Pass	401
2580	3000	1	RMS	2866	-48.56	-13	Pass	421
3000	6500	1	RMS	6201	-62.81	-13	Pass	3501
6500	26000	1	RMS	25201	-46.03	-13	Pass	19503




**24.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	877.019	-63.5	-13	Pass	9701
1000	2490	1	RMS	2490	-46.53	-13	Pass	1491
2490	2580	1	RMS	2531.175	6.29	60	Pass	401
2580	3000	1	RMS	2580	-45.95	-13	Pass	421
3000	6500	1	RMS	6200	-62.86	-13	Pass	3501
6500	26000	1	RMS	25205	-46.07	-13	Pass	19503




**24.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2986
30	1000	0.1	RMS	999.199	-63.67	-13	Pass	9701
1000	2490	1	RMS	2488	-49.96	-13	Pass	1491
2490	2580	1	RMS	2523.075	19.9	60	Pass	401
2580	3000	1	RMS	2869	-48.54	-13	Pass	421
3000	6500	1	RMS	6201	-62.83	-13	Pass	3501
6500	26000	1	RMS	25202	-46.04	-13	Pass	19503



**24.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	895.531	-63.83	-13	Pass	9701
1000	2490	1	RMS	2489	-50.3	-13	Pass	1491
2490	2580	1	RMS	2546.7	19.95	60	Pass	401
2580	3000	1	RMS	2869	-48.57	-13	Pass	421
3000	6500	1	RMS	6200	-62.9	-13	Pass	3501
6500	26000	1	RMS	25201	-46.09	-13	Pass	19503






**24.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	889.827	-63.71	-13	Pass	9701
1000	2490	1	RMS	2489	-49.19	-13	Pass	1491
2490	2580	1	RMS	2546.475	6.34	60	Pass	401
2580	3000	1	RMS	2580	-39.09	-13	Pass	421
3000	6500	1	RMS	6200	-62.87	-13	Pass	3501
6500	26000	1	RMS	25191	-46.14	-13	Pass	19503




**24.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	Pass	2986
30	1000	0.1	RMS	999.099	-63.75	-13	Pass	9701
1000	2490	1	RMS	2489	-50.34	-13	Pass	1491
2490	2580	1	RMS	2545.575	19.91	60	Pass	401
2580	3000	1	RMS	2869	-48.54	-13	Pass	421
3000	6500	1	RMS	6199	-62.85	-13	Pass	3501
6500	26000	1	RMS	25203	-46.09	-13	Pass	19503




**24.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.29	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.46	-13	Pass	2986
30	1000	0.1	RMS	895.331	-63.75	-13	Pass	9701
1000	2490	1	RMS	2485	-50.39	-13	Pass	1491
2490	2580	1	RMS	2569.2	19.95	60	Pass	401
2580	3000	1	RMS	2867	-48.57	-13	Pass	421
3000	6500	1	RMS	6198	-62.9	-13	Pass	3501
6500	26000	1	RMS	25198	-46.12	-13	Pass	19503




**24.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	998.799	-63.77	-13	Pass	9701
1000	2490	1	RMS	2490	-37.65	-13	Pass	1491
2490	2580	1	RMS	2535.45	4.2	60	Pass	401
2580	3000	1	RMS	2580	-45.49	-13	Pass	421
3000	6500	1	RMS	6201	-62.88	-13	Pass	3501
6500	26000	1	RMS	25199	-45.97	-13	Pass	19503




**24.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.95	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.16	-13	Pass	2986
30	1000	0.1	RMS	887.826	-63.7	-13	Pass	9701
1000	2490	1	RMS	2489	-48.88	-13	Pass	1491
2490	2580	1	RMS	2500.575	19.67	60	Pass	401
2580	3000	1	RMS	2867	-48.57	-13	Pass	421
3000	6500	1	RMS	6200	-62.83	-13	Pass	3501
6500	26000	1	RMS	25207	-46.01	-13	Pass	19503




**24.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	906.938	-63.64	-13	Pass	9701
1000	2490	1	RMS	2490	-50.17	-13	Pass	1491
2490	2580	1	RMS	2539.275	19.95	60	Pass	401
2580	3000	1	RMS	2867	-48.58	-13	Pass	421
3000	6500	1	RMS	6199	-62.85	-13	Pass	3501
6500	26000	1	RMS	25201	-46.09	-13	Pass	19503




**24.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.1	-13	Pass	2986
30	1000	0.1	RMS	886.625	-63.82	-13	Pass	9701
1000	2490	1	RMS	2490	-40.37	-13	Pass	1491
2490	2580	1	RMS	2532.975	4.1	60	Pass	401
2580	3000	1	RMS	2580	-35.97	-13	Pass	421
3000	6500	1	RMS	6203	-62.9	-13	Pass	3501
6500	26000	1	RMS	25203	-46.12	-13	Pass	19503



**24.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2986
30	1000	0.1	RMS	903.736	-63.69	-13	Pass	9701
1000	2490	1	RMS	2490	-49.61	-13	Pass	1491
2490	2580	1	RMS	2515.65	19.81	60	Pass	401
2580	3000	1	RMS	2868	-48.6	-13	Pass	421
3000	6500	1	RMS	6200	-62.87	-13	Pass	3501
6500	26000	1	RMS	25199	-46.16	-13	Pass	19503






**24.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.06	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.64	-13	Pass	2986
30	1000	0.1	RMS	887.626	-63.72	-13	Pass	9701
1000	2490	1	RMS	2489	-50.38	-13	Pass	1491
2490	2580	1	RMS	2554.125	19.84	60	Pass	401
2580	3000	1	RMS	2871	-48.59	-13	Pass	421
3000	6500	1	RMS	6204	-62.94	-13	Pass	3501
6500	26000	1	RMS	25195	-46.11	-13	Pass	19503




**24.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	895.631	-63.64	-13	Pass	9701
1000	2490	1	RMS	2490	-46.52	-13	Pass	1491
2490	2580	1	RMS	2534.325	4.3	60	Pass	401
2580	3000	1	RMS	2580	-38.14	-13	Pass	421
3000	6500	1	RMS	6240	-62.87	-13	Pass	3501
6500	26000	1	RMS	25204	-46.07	-13	Pass	19503




**24.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.5	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.76	-13	Pass	9701
1000	2490	1	RMS	2488	-50.24	-13	Pass	1491
2490	2580	1	RMS	2530.5	20.03	60	Pass	401
2580	3000	1	RMS	2871	-48.58	-13	Pass	421
3000	6500	1	RMS	6201	-62.93	-13	Pass	3501
6500	26000	1	RMS	25200	-46.03	-13	Pass	19503



**24.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	1000	0.1	RMS	902.035	-63.82	-13	Pass	9701
1000	2490	1	RMS	2489	-50.39	-13	Pass	1491
2490	2580	1	RMS	2569.2	19.92	60	Pass	401
2580	3000	1	RMS	2870	-48.59	-13	Pass	421
3000	6500	1	RMS	6203	-62.9	-13	Pass	3501
6500	26000	1	RMS	25202	-46.05	-13	Pass	19503



## 25. n66 15kHz


### 25.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.91	-13	Pass	2986
30	1000	0.1	RMS	896.732	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-47.15	-13	Pass	701
1700	1790	1	RMS	1713.5	14.84	60	Pass	401
1790	3000	1	RMS	2870	-48.83	-13	Pass	1211
3000	6500	1	RMS	6200	-63.27	-13	Pass	3501
6500	20000	1	RMS	19909	-50.72	-13	Pass	13502




**25.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.66	-13	Pass	2986
30	1000	0.1	RMS	888.326	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	Pass	701
1700	1790	1	RMS	1710.125	20.65	60	Pass	401
1790	3000	1	RMS	2870	-48.79	-13	Pass	1211
3000	6500	1	RMS	6199	-63.24	-13	Pass	3501
6500	20000	1	RMS	18268	-50.68	-13	Pass	13502




**25.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.56	-13	Pass	2986
30	1000	0.1	RMS	989.493	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-52.59	-13	Pass	701
1700	1790	1	RMS	1714.625	20.69	60	Pass	401
1790	3000	1	RMS	2864	-48.84	-13	Pass	1211
3000	6500	1	RMS	6200	-63.14	-13	Pass	3501
6500	20000	1	RMS	18297	-50.68	-13	Pass	13502



**25.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2986
30	1000	0.1	RMS	896.732	-63.75	-13	Pass	9701
1000	1700	1	RMS	1692	-52.75	-13	Pass	701
1700	1790	1	RMS	1743.875	14.71	60	Pass	401
1790	3000	1	RMS	2868	-48.87	-13	Pass	1211
3000	6500	1	RMS	6200	-63.24	-13	Pass	3501
6500	20000	1	RMS	19895	-50.74	-13	Pass	13502






**25.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	892.028	-63.75	-13	Pass	9701
1000	1700	1	RMS	1695	-52.79	-13	Pass	701
1700	1790	1	RMS	1742.75	20.84	60	Pass	401
1790	3000	1	RMS	2870	-48.84	-13	Pass	1211
3000	6500	1	RMS	6201	-63.2	-13	Pass	3501
6500	20000	1	RMS	19906	-50.69	-13	Pass	13502




**25.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	Pass	2986
30	1000	0.1	RMS	894.63	-63.72	-13	Pass	9701
1000	1700	1	RMS	1690	-52.76	-13	Pass	701
1700	1790	1	RMS	1747.025	20.87	60	Pass	401
1790	3000	1	RMS	2870	-48.89	-13	Pass	1211
3000	6500	1	RMS	6200	-63.22	-13	Pass	3501
6500	20000	1	RMS	19903	-50.62	-13	Pass	13502




**25.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-13	Pass	2986
30	1000	0.1	RMS	887.225	-63.71	-13	Pass	9701
1000	1700	1	RMS	1697	-52.79	-13	Pass	701
1700	1790	1	RMS	1776.05	14.6	60	Pass	401
1790	3000	1	RMS	1790	-44.48	-13	Pass	1211
3000	6500	1	RMS	6200	-63.2	-13	Pass	3501
6500	20000	1	RMS	18272	-50.66	-13	Pass	13502




**25.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.34	-13	Pass	2986
30	1000	0.1	RMS	881.021	-63.78	-13	Pass	9701
1000	1700	1	RMS	1693	-52.76	-13	Pass	701
1700	1790	1	RMS	1775.15	20.5	60	Pass	401
1790	3000	1	RMS	2868	-48.78	-13	Pass	1211
3000	6500	1	RMS	6199	-63.26	-13	Pass	3501
6500	20000	1	RMS	19908	-50.68	-13	Pass	13502




**25.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	894.93	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-52.75	-13	Pass	701
1700	1790	1	RMS	1779.425	20.48	60	Pass	401
1790	3000	1	RMS	2877	-48.86	-13	Pass	1211
3000	6500	1	RMS	6200	-63.17	-13	Pass	3501
6500	20000	1	RMS	19915	-50.65	-13	Pass	13502




**25.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	890.928	-63.86	-13	Pass	9701
1000	1700	1	RMS	1700	-38.88	-13	Pass	701
1700	1790	1	RMS	1727.45	9.11	60	Pass	401
1790	3000	1	RMS	2869	-48.84	-13	Pass	1211
3000	6500	1	RMS	6199	-63.27	-13	Pass	3501
6500	20000	1	RMS	19907	-50.66	-13	Pass	13502




**25.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-13	Pass	2986
30	1000	0.1	RMS	896.431	-63.73	-13	Pass	9701
1000	1700	1	RMS	1692	-49.7	-13	Pass	701
1700	1790	1	RMS	1710.35	20.69	60	Pass	401
1790	3000	1	RMS	2872	-48.86	-13	Pass	1211
3000	6500	1	RMS	6202	-63.24	-13	Pass	3501
6500	20000	1	RMS	19911	-50.7	-13	Pass	13502



**25.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	Pass	2986
30	1000	0.1	RMS	893.93	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	Pass	701
1700	1790	1	RMS	1729.25	20.78	60	Pass	401
1790	3000	1	RMS	2867	-48.85	-13	Pass	1211
3000	6500	1	RMS	6201	-63.26	-13	Pass	3501
6500	20000	1	RMS	19903	-50.68	-13	Pass	13502






**25.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	Pass	2986
30	1000	0.1	RMS	913.343	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-50.3	-13	Pass	701
1700	1790	1	RMS	1752.425	8.65	60	Pass	401
1790	3000	1	RMS	2864	-48.85	-13	Pass	1211
3000	6500	1	RMS	6241	-63.28	-13	Pass	3501
6500	20000	1	RMS	19926	-50.69	-13	Pass	13502




**25.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.97	-13	Pass	2986
30	1000	0.1	RMS	890.227	-63.63	-13	Pass	9701
1000	1700	1	RMS	1698	-52.74	-13	Pass	701
1700	1790	1	RMS	1735.325	20.66	60	Pass	401
1790	3000	1	RMS	2869	-48.87	-13	Pass	1211
3000	6500	1	RMS	6201	-63.22	-13	Pass	3501
6500	20000	1	RMS	19909	-50.71	-13	Pass	13502




**25.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2986
30	1000	0.1	RMS	893.63	-63.83	-13	Pass	9701
1000	1700	1	RMS	1666	-52.81	-13	Pass	701
1700	1790	1	RMS	1754.225	20.73	60	Pass	401
1790	3000	1	RMS	2869	-48.75	-13	Pass	1211
3000	6500	1	RMS	6200	-63.23	-13	Pass	3501
6500	20000	1	RMS	18277	-50.66	-13	Pass	13502




**25.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-13	Pass	2986
30	1000	0.1	RMS	893.73	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	Pass	701
1700	1790	1	RMS	1763.675	8.63	60	Pass	401
1790	3000	1	RMS	1790	-40.06	-13	Pass	1211
3000	6500	1	RMS	6199	-63.25	-13	Pass	3501
6500	20000	1	RMS	18279	-50.65	-13	Pass	13502




**25.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2986
30	1000	0.1	RMS	892.829	-63.67	-13	Pass	9701
1000	1700	1	RMS	1690	-52.74	-13	Pass	701
1700	1790	1	RMS	1760.525	20.65	60	Pass	401
1790	3000	1	RMS	2869	-48.78	-13	Pass	1211
3000	6500	1	RMS	6200	-63.24	-13	Pass	3501
6500	20000	1	RMS	19895	-50.74	-13	Pass	13502




**25.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2986
30	1000	0.1	RMS	899.033	-63.87	-13	Pass	9701
1000	1700	1	RMS	1699	-52.79	-13	Pass	701
1700	1790	1	RMS	1779.425	20.52	60	Pass	401
1790	3000	1	RMS	2870	-48.85	-13	Pass	1211
3000	6500	1	RMS	6201	-63.33	-13	Pass	3501
6500	20000	1	RMS	19903	-50.65	-13	Pass	13502




**25.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.31	-13	Pass	2986
30	1000	0.1	RMS	903.436	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-34.45	-13	Pass	701
1700	1790	1	RMS	1747.925	6	60	Pass	401
1790	3000	1	RMS	1790	-45.45	-13	Pass	1211
3000	6500	1	RMS	6202	-63.22	-13	Pass	3501
6500	20000	1	RMS	19903	-50.62	-13	Pass	13502



**25.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	Pass	2986
30	1000	0.1	RMS	889.026	-63.62	-13	Pass	9701
1000	1700	1	RMS	1699	-51.28	-13	Pass	701
1700	1790	1	RMS	1710.575	20.92	60	Pass	401
1790	3000	1	RMS	2870	-48.83	-13	Pass	1211
3000	6500	1	RMS	6201	-63.25	-13	Pass	3501
6500	20000	1	RMS	19903	-50.55	-13	Pass	13502






**25.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.23	-13	Pass	2986
30	1000	0.1	RMS	895.831	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-52.64	-13	Pass	701
1700	1790	1	RMS	1749.275	20.8	60	Pass	401
1790	3000	1	RMS	2869	-48.88	-13	Pass	1211
3000	6500	1	RMS	6202	-63.21	-13	Pass	3501
6500	20000	1	RMS	19894	-50.61	-13	Pass	13502




**25.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2986
30	1000	0.1	RMS	903.136	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-37.34	-13	Pass	701
1700	1790	1	RMS	1759.4	5.76	60	Pass	401
1790	3000	1	RMS	1790	-37.53	-13	Pass	1211
3000	6500	1	RMS	6199	-63.22	-13	Pass	3501
6500	20000	1	RMS	19904	-50.71	-13	Pass	13502




**25.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	1000	0.1	RMS	893.529	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.13	-13	Pass	701
1700	1790	1	RMS	1725.425	20.75	60	Pass	401
1790	3000	1	RMS	2874	-48.8	-13	Pass	1211
3000	6500	1	RMS	6201	-63.21	-13	Pass	3501
6500	20000	1	RMS	19902	-50.66	-13	Pass	13502




**25.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.44	-13	Pass	2986
30	1000	0.1	RMS	888.526	-63.71	-13	Pass	9701
1000	1700	1	RMS	1698	-52.72	-13	Pass	701
1700	1790	1	RMS	1764.125	20.66	60	Pass	401
1790	3000	1	RMS	2868	-48.82	-13	Pass	1211
3000	6500	1	RMS	6202	-63.28	-13	Pass	3501
6500	20000	1	RMS	18293	-50.73	-13	Pass	13502




**25.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-13	Pass	2986
30	1000	0.1	RMS	897.732	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-43.31	-13	Pass	701
1700	1790	1	RMS	1758.05	5.58	60	Pass	401
1790	3000	1	RMS	1790	-33.25	-13	Pass	1211
3000	6500	1	RMS	6199	-63.27	-13	Pass	3501
6500	20000	1	RMS	19902	-50.68	-13	Pass	13502




**25.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.9	-13	Pass	2986
30	1000	0.1	RMS	995.497	-63.79	-13	Pass	9701
1000	1700	1	RMS	1699	-52.66	-13	Pass	701
1700	1790	1	RMS	1740.5	20.88	60	Pass	401
1790	3000	1	RMS	2866	-48.84	-13	Pass	1211
3000	6500	1	RMS	6201	-63.25	-13	Pass	3501
6500	20000	1	RMS	19903	-50.67	-13	Pass	13502



**25.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	898.733	-63.92	-13	Pass	9701
1000	1700	1	RMS	1674	-52.8	-13	Pass	701
1700	1790	1	RMS	1779.2	20.64	60	Pass	401
1790	3000	1	RMS	2870	-48.89	-13	Pass	1211
3000	6500	1	RMS	6198	-63.28	-13	Pass	3501
6500	20000	1	RMS	19923	-50.66	-13	Pass	13502



## 26. n38\_PC3

### 26.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.91	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.17	-13	Pass	2986
30	1000	0.1	RMS	901.335	-61.08	-13	Pass	9701
1000	2560	1	RMS	2559	-36.07	-13	Pass	1561
2560	2630	1	RMS	2572.95	9.07	60	Pass	401
2630	3000	1	RMS	2630	-45.78	-13	Pass	401
3000	6500	1	RMS	6058	-62.75	-13	Pass	3501
6500	26500	1	RMS	25205	-45.11	-13	Pass	20003






**26.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.12	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.05	-13	Pass	2986
30	1000	0.1	RMS	997.098	-60.98	-13	Pass	9701
1000	2560	1	RMS	2553	-43.74	-13	Pass	1561
2560	2630	1	RMS	2571.025	21.09	60	Pass	401
2630	3000	1	RMS	2863.1	-48.55	-13	Pass	401
3000	6500	1	RMS	6206	-62.45	-13	Pass	3501
6500	26500	1	RMS	25515	-45.24	-13	Pass	20003




**26.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.24	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.97	-13	Pass	2986
30	1000	0.1	RMS	999.5	-61.63	-13	Pass	9701
1000	2560	1	RMS	2557	-49.98	-13	Pass	1561
2560	2630	1	RMS	2589.05	21.08	60	Pass	401
2630	3000	1	RMS	2864.025	-48.6	-13	Pass	401
3000	6500	1	RMS	6196	-62.61	-13	Pass	3501
6500	26500	1	RMS	25453	-45.31	-13	Pass	20003




**26.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.47	-13	Pass	401
0.15	30	0.01	RMS	0.54	-69.48	-13	Pass	2986
30	1000	0.1	RMS	998.999	-61.19	-13	Pass	9701
1000	2560	1	RMS	2552	-42.74	-13	Pass	1561
2560	2630	1	RMS	2588.875	9.11	60	Pass	401
2630	3000	1	RMS	2630	-42.06	-13	Pass	401
3000	6500	1	RMS	6203	-62.65	-13	Pass	3501
6500	26500	1	RMS	25194	-45.29	-13	Pass	20003




**26.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.98	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.86	-13	Pass	2986
30	1000	0.1	RMS	738.2	-61.45	-13	Pass	9701
1000	2560	1	RMS	2554	-49.97	-13	Pass	1561
2560	2630	1	RMS	2586.075	21.04	60	Pass	401
2630	3000	1	RMS	2869.575	-48.57	-13	Pass	401
3000	6500	1	RMS	6205	-62.56	-13	Pass	3501
6500	26500	1	RMS	25504	-45.38	-13	Pass	20003




**26.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.32	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.85	-13	Pass	2986
30	1000	0.1	RMS	721.8	-61.27	-13	Pass	9701
1000	2560	1	RMS	2523	-50.02	-13	Pass	1561
2560	2630	1	RMS	2603.925	21.02	60	Pass	401
2630	3000	1	RMS	2866.8	-48.44	-13	Pass	401
3000	6500	1	RMS	6198	-62.49	-13	Pass	3501
6500	26500	1	RMS	25203	-45.36	-13	Pass	20003




**26.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.26	-13	Pass	401
0.15	30	0.01	RMS	0.6	-69.79	-13	Pass	2986
30	1000	0.1	RMS	997.598	-61.19	-13	Pass	9701
1000	2560	1	RMS	2560	-46.74	-13	Pass	1561
2560	2630	1	RMS	2602.875	9.16	60	Pass	401
2630	3000	1	RMS	2630	-35.43	-13	Pass	401
3000	6500	1	RMS	6211	-62.67	-13	Pass	3501
6500	26500	1	RMS	25203	-45.24	-13	Pass	20003




**26.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.62	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.81	-13	Pass	2986
30	1000	0.1	RMS	888.626	-60.35	-13	Pass	9701
1000	2560	1	RMS	2511	-50.04	-13	Pass	1561
2560	2630	1	RMS	2600.95	21.25	60	Pass	401
2630	3000	1	RMS	2868.65	-48.57	-13	Pass	401
3000	6500	1	RMS	6198	-62.65	-13	Pass	3501
6500	26500	1	RMS	25191	-45.27	-13	Pass	20003



**26.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.99	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.8	-13	Pass	2986
30	1000	0.1	RMS	869.914	-61.67	-13	Pass	9701
1000	2560	1	RMS	2502	-50	-13	Pass	1561
2560	2630	1	RMS	2618.975	21.22	60	Pass	401
2630	3000	1	RMS	2876.975	-48.59	-13	Pass	401
3000	6500	1	RMS	6063	-62.6	-13	Pass	3501
6500	26500	1	RMS	25158	-45.19	-13	Pass	20003






**26.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.58	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.38	-13	Pass	2986
30	1000	0.1	RMS	728.7	-61.37	-13	Pass	9701
1000	2560	1	RMS	2560	-36.59	-13	Pass	1561
2560	2630	1	RMS	2572.95	7.37	60	Pass	401
2630	3000	1	RMS	2630	-40.28	-13	Pass	401
3000	6500	1	RMS	6204	-62.57	-13	Pass	3501
6500	26500	1	RMS	25198	-45.23	-13	Pass	20003




**26.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.26	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.58	-13	Pass	2986
30	1000	0.1	RMS	903.336	-60.73	-13	Pass	9701
1000	2560	1	RMS	2543	-44.47	-13	Pass	1561
2560	2630	1	RMS	2571.2	21.31	60	Pass	401
2630	3000	1	RMS	2868.65	-48.48	-13	Pass	401
3000	6500	1	RMS	6242	-62.47	-13	Pass	3501
6500	26500	1	RMS	25515	-45.56	-13	Pass	20003




**26.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.93	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.7	-13	Pass	2986
30	1000	0.1	RMS	922.749	-60.66	-13	Pass	9701
1000	2560	1	RMS	2557	-49.67	-13	Pass	1561
2560	2630	1	RMS	2598.85	21.38	60	Pass	401
2630	3000	1	RMS	2874.2	-48.6	-13	Pass	401
3000	6500	1	RMS	6210	-62.56	-13	Pass	3501
6500	26500	1	RMS	25209	-45.46	-13	Pass	20003




**26.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.7	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.9	-13	Pass	2986
30	1000	0.1	RMS	985.991	-61.64	-13	Pass	9701
1000	2560	1	RMS	2560	-38.82	-13	Pass	1561
2560	2630	1	RMS	2582.4	7.44	60	Pass	401
2630	3000	1	RMS	2630	-38.3	-13	Pass	401
3000	6500	1	RMS	6238	-62.61	-13	Pass	3501
6500	26500	1	RMS	25206	-45.37	-13	Pass	20003




**26.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.77	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.31	-13	Pass	2986
30	1000	0.1	RMS	920.747	-61.11	-13	Pass	9701
1000	2560	1	RMS	2553	-44.18	-13	Pass	1561
2560	2630	1	RMS	2581.175	21.41	60	Pass	401
2630	3000	1	RMS	2868.65	-48.56	-13	Pass	401
3000	6500	1	RMS	6238	-62.58	-13	Pass	3501
6500	26500	1	RMS	25465	-45.28	-13	Pass	20003




**26.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.32	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.63	-13	Pass	2986
30	1000	0.1	RMS	876.518	-61.06	-13	Pass	9701
1000	2560	1	RMS	2550	-49.95	-13	Pass	1561
2560	2630	1	RMS	2608.825	21.35	60	Pass	401
2630	3000	1	RMS	2636.475	-45.5	-13	Pass	401
3000	6500	1	RMS	6234	-62.62	-13	Pass	3501
6500	26500	1	RMS	25501	-45.41	-13	Pass	20003




**26.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.52	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.06	-13	Pass	2986
30	1000	0.1	RMS	858.206	-61.32	-13	Pass	9701
1000	2560	1	RMS	2560	-41.75	-13	Pass	1561
2560	2630	1	RMS	2592.55	7.47	60	Pass	401
2630	3000	1	RMS	2630	-35.63	-13	Pass	401
3000	6500	1	RMS	6201	-62.43	-13	Pass	3501
6500	26500	1	RMS	25902	-45.36	-13	Pass	20003



**26.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.37	-13	Pass	2986
30	1000	0.1	RMS	888.526	-61.22	-13	Pass	9701
1000	2560	1	RMS	2548	-49.95	-13	Pass	1561
2560	2630	1	RMS	2591.15	21.5	60	Pass	401
2630	3000	1	RMS	2869.575	-48.53	-13	Pass	401
3000	6500	1	RMS	6212	-62.66	-13	Pass	3501
6500	26500	1	RMS	25447	-45.47	-13	Pass	20003






**26.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.01	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.89	-13	Pass	2986
30	1000	0.1	RMS	890.427	-60.94	-13	Pass	9701
1000	2560	1	RMS	2526	-50.05	-13	Pass	1561
2560	2630	1	RMS	2618.8	21.33	60	Pass	401
2630	3000	1	RMS	2646.65	-45.97	-13	Pass	401
3000	6500	1	RMS	6053	-62.68	-13	Pass	3501
6500	26500	1	RMS	25857	-45.34	-13	Pass	20003




**26.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.68	-13	Pass	401
0.15	30	0.01	RMS	0.6	-69.36	-13	Pass	2986
30	1000	0.1	RMS	885.024	-60.89	-13	Pass	9701
1000	2560	1	RMS	2560	-37.66	-13	Pass	1561
2560	2630	1	RMS	2604.625	6.17	60	Pass	401
2630	3000	1	RMS	2630	-37.23	-13	Pass	401
3000	6500	1	RMS	6206	-62.57	-13	Pass	3501
6500	26500	1	RMS	25196	-44.88	-13	Pass	20003




**26.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.45	-13	Pass	401
0.15	30	0.01	RMS	0.35	-69.77	-13	Pass	2986
30	1000	0.1	RMS	884.724	-61.4	-13	Pass	9701
1000	2560	1	RMS	2533	-44.03	-13	Pass	1561
2560	2630	1	RMS	2571.025	21.29	60	Pass	401
2630	3000	1	RMS	2869.575	-48.57	-13	Pass	401
3000	6500	1	RMS	6237	-62.38	-13	Pass	3501
6500	26500	1	RMS	25417	-45.29	-13	Pass	20003




**26.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.61	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.95	-13	Pass	2986
30	1000	0.1	RMS	896.231	-60.98	-13	Pass	9701
1000	2560	1	RMS	2552	-49.94	-13	Pass	1561
2560	2630	1	RMS	2608.825	21.28	60	Pass	401
2630	3000	1	RMS	2646.65	-46.55	-13	Pass	401
3000	6500	1	RMS	6236	-62.54	-13	Pass	3501
6500	26500	1	RMS	25197	-45.27	-13	Pass	20003




**26.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.49	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.54	-13	Pass	2986
30	1000	0.1	RMS	891.028	-61.05	-13	Pass	9701
1000	2560	1	RMS	2560	-38.12	-13	Pass	1561
2560	2630	1	RMS	2609.7	6.15	60	Pass	401
2630	3000	1	RMS	2630	-36.21	-13	Pass	401
3000	6500	1	RMS	6239	-62.74	-13	Pass	3501
6500	26500	1	RMS	25203	-45.2	-13	Pass	20003




**26.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.89	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.67	-13	Pass	2986
30	1000	0.1	RMS	490	-61.25	-13	Pass	9701
1000	2560	1	RMS	2538	-44.33	-13	Pass	1561
2560	2630	1	RMS	2576.1	21.34	60	Pass	401
2630	3000	1	RMS	2864.95	-48.52	-13	Pass	401
3000	6500	1	RMS	6206	-62.48	-13	Pass	3501
6500	26500	1	RMS	25977	-45.26	-13	Pass	20003




**26.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.87	-13	Pass	2986
30	1000	0.1	RMS	891.428	-61.61	-13	Pass	9701
1000	2560	1	RMS	2534	-50.04	-13	Pass	1561
2560	2630	1	RMS	2613.9	21.35	60	Pass	401
2630	3000	1	RMS	2651.275	-47.21	-13	Pass	401
3000	6500	1	RMS	5221	-62.73	-13	Pass	3501
6500	26500	1	RMS	25198	-44.94	-13	Pass	20003



**26.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.58	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.62	-13	Pass	2986
30	1000	0.1	RMS	729	-61.16	-13	Pass	9701
1000	2560	1	RMS	2560	-38.52	-13	Pass	1561
2560	2630	1	RMS	2617.575	6.14	60	Pass	401
2630	3000	1	RMS	2630	-34.25	-13	Pass	401
3000	6500	1	RMS	6201	-62.63	-13	Pass	3501
6500	26500	1	RMS	25477	-45.5	-13	Pass	20003






**26.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.13	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.48	-13	Pass	2986
30	1000	0.1	RMS	976.184	-61.49	-13	Pass	9701
1000	2560	1	RMS	2543	-44.31	-13	Pass	1561
2560	2630	1	RMS	2581	21.38	60	Pass	401
2630	3000	1	RMS	2871.425	-48.53	-13	Pass	401
3000	6500	1	RMS	6209	-62.61	-13	Pass	3501
6500	26500	1	RMS	25494	-45.33	-13	Pass	20003



**26.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2986
30	1000	0.1	RMS	739.3	-61.14	-13	Pass	9701
1000	2560	1	RMS	2525	-50.03	-13	Pass	1561
2560	2630	1	RMS	2618.8	21.23	60	Pass	401
2630	3000	1	RMS	2656.825	-47.09	-13	Pass	401
3000	6500	1	RMS	6239	-62.5	-13	Pass	3501
6500	26500	1	RMS	25205	-45.21	-13	Pass	20003



## 27. n41


### 27.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.48	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.4	-13	Pass	2986
30	1000	0.1	RMS	899.834	-61.16	-13	Pass	9701
1000	2486	1	RMS	2486	-36.79	-13	Pass	1487
2486	2700	1	RMS	2513.82	10.86	60	Pass	401
2700	3000	1	RMS	2871.75	-48.84	-13	Pass	401
3000	6500	1	RMS	6200	-62.93	-13	Pass	3501
6500	26500	1	RMS	25190	-45.67	-13	Pass	20003




**27.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.69	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.49	-13	Pass	2986
30	1000	0.1	RMS	930.554	-61.41	-13	Pass	9701
1000	2486	1	RMS	2479	-45.16	-13	Pass	1487
2486	2700	1	RMS	2497.235	21.46	60	Pass	401
2700	3000	1	RMS	2867.25	-48.79	-13	Pass	401
3000	6500	1	RMS	4994	-61.23	-13	Pass	3501
6500	26500	1	RMS	25221	-45.7	-13	Pass	20003




**27.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-13	Pass	2986
30	1000	0.1	RMS	744.3	-60.89	-13	Pass	9701
1000	2486	1	RMS	2485	-50.46	-13	Pass	1487
2486	2700	1	RMS	2514.89	22.26	60	Pass	401
2700	3000	1	RMS	2868	-48.82	-13	Pass	401
3000	6500	1	RMS	6197	-62.9	-13	Pass	3501
6500	26500	1	RMS	25194	-45.26	-13	Pass	20003




**27.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.91	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.22	-13	Pass	2986
30	1000	0.1	RMS	739.4	-61.52	-13	Pass	9701
1000	2486	1	RMS	2485	-50.61	-13	Pass	1487
2486	2700	1	RMS	2601.025	10.91	60	Pass	401
2700	3000	1	RMS	2872.5	-48.83	-13	Pass	401
3000	6500	1	RMS	6195	-63.01	-13	Pass	3501
6500	26500	1	RMS	25961	-45.52	-13	Pass	20003




**27.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.14	-13	Pass	401
0.15	30	0.01	RMS	0.5	-70.3	-13	Pass	2986
30	1000	0.1	RMS	981.388	-61.24	-13	Pass	9701
1000	2486	1	RMS	2480	-50.69	-13	Pass	1487
2486	2700	1	RMS	2583.905	22.27	60	Pass	401
2700	3000	1	RMS	2871	-48.9	-13	Pass	401
3000	6500	1	RMS	5168	-62.16	-13	Pass	3501
6500	26500	1	RMS	25186	-45.69	-13	Pass	20003



**27.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-13	Pass	2986
30	1000	0.1	RMS	991.394	-61.37	-13	Pass	9701
1000	2486	1	RMS	2484	-50.57	-13	Pass	1487
2486	2700	1	RMS	2602.095	22.28	60	Pass	401
2700	3000	1	RMS	2872.5	-48.91	-13	Pass	401
3000	6500	1	RMS	5204	-61.47	-13	Pass	3501
6500	26500	1	RMS	25185	-45.57	-13	Pass	20003






**27.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.61	-13	Pass	401
0.15	30	0.01	RMS	0.87	-70.41	-13	Pass	2986
30	1000	0.1	RMS	949.166	-61.38	-13	Pass	9701
1000	2486	1	RMS	2483	-50.56	-13	Pass	1487
2486	2700	1	RMS	2672.715	10.1	60	Pass	401
2700	3000	1	RMS	2700	-32.73	-13	Pass	401
3000	6500	1	RMS	6202	-62.93	-13	Pass	3501
6500	26500	1	RMS	25191	-45.39	-13	Pass	20003




**27.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.78	-13	Pass	2986
30	1000	0.1	RMS	925.651	-61.18	-13	Pass	9701
1000	2486	1	RMS	2484	-50.51	-13	Pass	1487
2486	2700	1	RMS	2671.11	21.86	60	Pass	401
2700	3000	1	RMS	2869.5	-48.8	-13	Pass	401
3000	6500	1	RMS	5342	-62.54	-13	Pass	3501
6500	26500	1	RMS	25492	-45.26	-13	Pass	20003




**27.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.23	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.13	-13	Pass	2986
30	1000	0.1	RMS	884.123	-60.72	-13	Pass	9701
1000	2486	1	RMS	2485	-50.26	-13	Pass	1487
2486	2700	1	RMS	2688.765	21.77	60	Pass	401
2700	3000	1	RMS	2700	-47.33	-13	Pass	401
3000	6500	1	RMS	6195	-62.91	-13	Pass	3501
6500	26500	1	RMS	25194	-45.7	-13	Pass	20003




**27.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.11	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.25	-13	Pass	2986
30	1000	0.1	RMS	992.095	-61.4	-13	Pass	9701
1000	2486	1	RMS	2486	-32.32	-13	Pass	1487
2486	2700	1	RMS	2553.41	6.72	60	Pass	401
2700	3000	1	RMS	2868	-48.8	-13	Pass	401
3000	6500	1	RMS	6209	-62.95	-13	Pass	3501
6500	26500	1	RMS	25198	-45.56	-13	Pass	20003




**27.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.18	-13	Pass	2986
30	1000	0.1	RMS	876.718	-61.69	-13	Pass	9701
1000	2486	1	RMS	2486	-49.65	-13	Pass	1487
2486	2700	1	RMS	2497.235	21.62	60	Pass	401
2700	3000	1	RMS	2871.75	-48.76	-13	Pass	401
3000	6500	1	RMS	4994	-60.8	-13	Pass	3501
6500	26500	1	RMS	25189	-45.55	-13	Pass	20003




**27.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.16	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.7	-13	Pass	2986
30	1000	0.1	RMS	510.3	-61.31	-13	Pass	9701
1000	2486	1	RMS	2486	-50.55	-13	Pass	1487
2486	2700	1	RMS	2555.015	22.51	60	Pass	401
2700	3000	1	RMS	2874	-48.79	-13	Pass	401
3000	6500	1	RMS	5110	-62.92	-13	Pass	3501
6500	26500	1	RMS	25228	-45.71	-13	Pass	20003




**27.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.51	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.09	-13	Pass	2986
30	1000	0.1	RMS	937.959	-61.24	-13	Pass	9701
1000	2486	1	RMS	2486	-45.79	-13	Pass	1487
2486	2700	1	RMS	2571.065	6.32	60	Pass	401
2700	3000	1	RMS	2700	-44.96	-13	Pass	401
3000	6500	1	RMS	6212	-62.9	-13	Pass	3501
6500	26500	1	RMS	25479	-45.57	-13	Pass	20003



**27.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.42	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.12	-13	Pass	2986
30	1000	0.1	RMS	735.1	-61.36	-13	Pass	9701
1000	2486	1	RMS	2486	-50.58	-13	Pass	1487
2486	2700	1	RMS	2564.11	22.31	60	Pass	401
2700	3000	1	RMS	2867.25	-48.77	-13	Pass	401
3000	6500	1	RMS	5128	-62.33	-13	Pass	3501
6500	26500	1	RMS	25170	-45.73	-13	Pass	20003






**27.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.81	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.9	-13	Pass	2986
30	1000	0.1	RMS	990.494	-61.48	-13	Pass	9701
1000	2486	1	RMS	2480	-50.68	-13	Pass	1487
2486	2700	1	RMS	2621.89	22.7	60	Pass	401
2700	3000	1	RMS	2871.75	-48.84	-13	Pass	401
3000	6500	1	RMS	5244	-62.36	-13	Pass	3501
6500	26500	1	RMS	25177	-45.28	-13	Pass	20003




**27.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-13	Pass	2986
30	1000	0.1	RMS	978.686	-61.61	-13	Pass	9701
1000	2486	1	RMS	2485	-50.24	-13	Pass	1487
2486	2700	1	RMS	2633.66	6.63	60	Pass	401
2700	3000	1	RMS	2700	-30.33	-13	Pass	401
3000	6500	1	RMS	6202	-62.84	-13	Pass	3501
6500	26500	1	RMS	25516	-45.86	-13	Pass	20003




**27.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.93	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.39	-13	Pass	2986
30	1000	0.1	RMS	934.356	-60.95	-13	Pass	9701
1000	2486	1	RMS	2485	-50.75	-13	Pass	1487
2486	2700	1	RMS	2630.985	22.73	60	Pass	401
2700	3000	1	RMS	2865.75	-48.86	-13	Pass	401
3000	6500	1	RMS	5262	-62.85	-13	Pass	3501
6500	26500	1	RMS	25195	-45.38	-13	Pass	20003




**27.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	Pass	2986
30	1000	0.1	RMS	871.115	-61.4	-13	Pass	9701
1000	2486	1	RMS	2484	-50.59	-13	Pass	1487
2486	2700	1	RMS	2688.765	21.63	60	Pass	401
2700	3000	1	RMS	2704.5	-48.56	-13	Pass	401
3000	6500	1	RMS	6195	-62.86	-13	Pass	3501
6500	26500	1	RMS	25489	-45.59	-13	Pass	20003




**27.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.23	-13	Pass	2986
30	1000	0.1	RMS	914.443	-61.22	-13	Pass	9701
1000	2486	1	RMS	2486	-36.49	-13	Pass	1487
2486	2700	1	RMS	2576.95	3.46	60	Pass	401
2700	3000	1	RMS	2700	-43.43	-13	Pass	401
3000	6500	1	RMS	6201	-62.86	-13	Pass	3501
6500	26500	1	RMS	25802	-45.42	-13	Pass	20003




**27.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	1000	0.1	RMS	853.503	-60.99	-13	Pass	9701
1000	2486	1	RMS	2486	-49.67	-13	Pass	1487
2486	2700	1	RMS	2497.235	21.86	60	Pass	401
2700	3000	1	RMS	2881.5	-48.78	-13	Pass	401
3000	6500	1	RMS	4994	-60.63	-13	Pass	3501
6500	26500	1	RMS	25841	-45.52	-13	Pass	20003




**27.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.68	-13	Pass	2986
30	1000	0.1	RMS	902.635	-61.32	-13	Pass	9701
1000	2486	1	RMS	2485	-50.25	-13	Pass	1487
2486	2700	1	RMS	2595.14	22.43	60	Pass	401
2700	3000	1	RMS	2866.5	-48.8	-13	Pass	401
3000	6500	1	RMS	5190	-60.66	-13	Pass	3501
6500	26500	1	RMS	25200	-45.7	-13	Pass	20003



**27.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.81	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.18	-13	Pass	2986
30	1000	0.1	RMS	897.632	-61.48	-13	Pass	9701
1000	2486	1	RMS	2486	-38.54	-13	Pass	1487
2486	2700	1	RMS	2564.645	3.16	60	Pass	401
2700	3000	1	RMS	2700.75	-36.75	-13	Pass	401
3000	6500	1	RMS	6198	-62.89	-13	Pass	3501
6500	26500	1	RMS	25819	-45.28	-13	Pass	20003






**27.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.02	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.98	-13	Pass	2986
30	1000	0.1	RMS	868.013	-61.15	-13	Pass	9701
1000	2486	1	RMS	2479	-50.63	-13	Pass	1487
2486	2700	1	RMS	2543.78	22.11	60	Pass	401
2700	3000	1	RMS	2867.25	-48.8	-13	Pass	401
3000	6500	1	RMS	6207	-62.88	-13	Pass	3501
6500	26500	1	RMS	25206	-45.64	-13	Pass	20003




**27.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-13	Pass	2986
30	1000	0.1	RMS	755.8	-60.96	-13	Pass	9701
1000	2486	1	RMS	2485	-50.6	-13	Pass	1487
2486	2700	1	RMS	2641.685	22.38	60	Pass	401
2700	3000	1	RMS	2866.5	-48.82	-13	Pass	401
3000	6500	1	RMS	6237	-63.04	-13	Pass	3501
6500	26500	1	RMS	25505	-45.3	-13	Pass	20003




**27.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.53	-13	Pass	401
0.15	30	0.01	RMS	0.38	-70.52	-13	Pass	2986
30	1000	0.1	RMS	883.123	-61.03	-13	Pass	9701
1000	2486	1	RMS	2486	-44.45	-13	Pass	1487
2486	2700	1	RMS	2592.465	3.5	60	Pass	401
2700	3000	1	RMS	2702.25	-34.11	-13	Pass	401
3000	6500	1	RMS	6239	-63.08	-13	Pass	3501
6500	26500	1	RMS	25897	-45.47	-13	Pass	20003




**27.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.26	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.66	-13	Pass	2986
30	1000	0.1	RMS	954.67	-61.16	-13	Pass	9701
1000	2486	1	RMS	2479	-50.55	-13	Pass	1487
2486	2700	1	RMS	2590.86	22.32	60	Pass	401
2700	3000	1	RMS	2868	-48.83	-13	Pass	401
3000	6500	1	RMS	5182	-61.78	-13	Pass	3501
6500	26500	1	RMS	25202	-45.63	-13	Pass	20003



**27.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.47	-13	Pass	401
0.15	30	0.01	RMS	0.42	-69.82	-13	Pass	2986
30	1000	0.1	RMS	958.773	-61.68	-13	Pass	9701
1000	2486	1	RMS	2484	-50.68	-13	Pass	1487
2486	2700	1	RMS	2688.765	21.82	60	Pass	401
2700	3000	1	RMS	2865.75	-48.86	-13	Pass	401
3000	6500	1	RMS	6236	-62.86	-13	Pass	3501
6500	26500	1	RMS	25197	-45.57	-13	Pass	20003



--BLANK BELOW--