

# FCC TEST REPORT

For

**Mobile Phone**

**Model Number: RMX3867**

**FCC ID: 2AUYFRMX3867**

**Report Number : WT238001936**

Test Laboratory : Shenzhen Academy of Metrology and Quality  
Inspection  
Site Location : No.4, Tongfa Road, Xili Street, Nanshan District,  
Shenzhen, Guangdong, China  
Tel : 0086-755-86928965  
Fax : 0086-755-86009898-31396  
Web : [www.smq.com.cn](http://www.smq.com.cn)  
E-mail : [emcrf@smq.com.cn](mailto:emcrf@smq.com.cn)

## Revision History

No	Date	Remark
V1.0	2023.12.20	Initial issue

## TEST REPORT DECLARATION

Applicant : Realme Chongqing Mobile Telecommunications Corp., Ltd.  
Address : No.178 Yulong Avenue, Yufengshan, Yubei District,  
Chongqing, China  
Manufacturer : Realme Chongqing Mobile Telecommunications Corp., Ltd.  
Address : No.178 Yulong Avenue, Yufengshan, Yubei District,  
Chongqing, China  
EUT Description : Mobile Phone  
Model No. : RMX3867  
Trade mark : realme  
FCC ID : 2AUYFRMX3867

Test Standards:

### FCC Part 15 Subpart C

The EUT described above is tested by Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory to determine the maximum emissions from the EUT. Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory is assumed full responsibility for the accuracy of the test results. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with FCC Rules Part 15.207, 15.209, 15.247.

The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.

Project Engineer: 陈司林 Date: Dec.20, 2023  
(Chen Silin 陈司林)  
Checked by: 万晓婧 Date: Dec.20, 2023  
(Wan Xiaojing 万晓婧)  
Approved by: 林奕翔 Date: Dec.20, 2023  
(Lin Yixiang 林奕翔)

## TABLE OF CONTENTS

<b>TEST REPORT DECLARATION .....</b>	<b>3</b>
<b>1. TEST RESULTS SUMMARY .....</b>	<b>6</b>
<b>2. GENERAL INFORMATION.....</b>	<b>7</b>
2.1. Report information.....	7
2.2. Laboratory Accreditation and Relationship to Customer .....	7
2.3. Measurement Uncertainty .....	8
<b>3. PRODUCT DESCRIPTION.....</b>	<b>9</b>
3.1. EUT Description.....	9
3.2. Related Submittal(s) / Grant (s) .....	10
3.3. Block Diagram of EUT Configuration .....	10
3.4. Operating Condition of EUT .....	10
3.5. Directional Antenna Gain .....	11
3.6. Support Equipment List .....	11
3.7. Test Conditions.....	11
3.8. Special Accessories.....	11
3.9. Equipment Modifications .....	11
<b>4. TEST EQUIPMENT USED .....</b>	<b>12</b>
<b>5. DUTY CYCLE .....</b>	<b>13</b>
5.1. LIMITS OF DUTY CYCLE.....	13
5.2. TEST PROCEDURE.....	13
5.3. TEST SETUP .....	13
5.4. TEST DATA.....	13
<b>6. 6DB BANDWIDTH MEASUREMENT.....</b>	<b>18</b>
6.1. LIMITS OF 6dB BANDWIDTH MEASUREMENT .....	18
6.2. TEST PROCEDURE.....	18
6.3. TEST SETUP.....	18
6.4. Test Data .....	18
<b>7. MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT .....</b>	<b>51</b>
7.1. LIMITS OF Maximum Conducted Output Power Measurement.....	51
7.2. TEST PROCEDURE.....	51
7.3. TEST SETUP .....	51
7.4. TEST DATA.....	51
<b>8. MAXIMUM POWER SPECTRAL DENSITY LEVEL MEASUREMENT .....</b>	<b>85</b>
8.1. LIMITS OF Maximum Power Spectral Density Level Measurement.....	85
8.2. TEST PROCEDURE.....	85
8.3. TEST DATA.....	85
<b>9. CONDUCTED BANDEDGE AND SPURIOUS MEASUREMENT.....</b>	<b>132</b>
9.1. LIMITS OF Conducted Bandedge and Spurious Measurement.....	132
9.2. TEST PROCEDURE.....	132
9.3. TEST DATA.....	132
<b>10. RADIATED BANDEDGE AND SPURIOUS MEASUREMENT .....</b>	<b>239</b>
10.1. LIMITS OF Radiated Bandedge and Spurious Measurement .....	239
10.2. TEST PROCEDURE.....	239

10.3.	TEST DATA.....	240
<b>11.</b>	<b>CONDUCTED EMISSION TEST FOR AC POWER PORT MEASUREMENT .....</b>	<b>299</b>
11.1.	Test Standard and Limit .....	299
11.2.	Test Procedure .....	299
11.3.	Test Arrangement.....	299
11.4.	Test Data .....	299
<b>12.</b>	<b>ANTENNA REQUIREMENTS.....</b>	<b>302</b>
12.1.	Antenna Connector .....	302
12.2.	Antenna Gain .....	302

## 1. TEST RESULTS SUMMARY

Table 1 Test Results Summary

Test Items	FCC Rules	Test Results
6dB DTS bandwidth measurement	15.247 (a) (2)	Pass
Maximum Peak Conducted Power	15.247 (b) (3)	Pass
Maximum Power Spectral Density Level	15.247 (e)	Pass
Conducted Bandedge and Spurious	15.247 (d)	Pass
Radiated Bandedge and Spurious	15.247 (d) 15.209 15.205	Pass
Conducted emission test for AC power port	15.207	Pass
Antenna Requirement	15.203	Pass

Remark: "N/A" means "Not applicable."

## **2. GENERAL INFORMATION**

### **2.1. Report information**

This report is not a certificate of quality; it only applies to the sample of the specific product/equipment given at the time of its testing. The results are not used to indicate or imply that they are application to the similar items. In addition, such results must not be used to indicate or imply that SMQ approves recommends or endorses the manufacture, supplier or use of such product/equipment, or that SMQ in any way guarantees the later performance of the product/equipment.

The sample/s mentioned in this report is/are supplied by Applicant, SMQ therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture or any information supplied.

Additional copies of the report are available to the Applicant at an additional fee. No third part can obtain a copy of this report through SMQ, unless the applicant has authorized SMQ in writing to do so.

The lab will not be liable for any loss or damage resulting for false, inaccurate, inappropriate or incomplete product information provided by the applicant/manufacturer.

### **2.2. Laboratory Accreditation and Relationship to Customer**

The testing report were performed by the Shenzhen Academy of Metrology and quality Inspection EMC Laboratory (Guangdong EMC compliance testing center), in their facilities located at NETC Building, No.4 Tongfa Rd., Xili, Nanshan, Shenzhen, China. At the time of testing, Laboratory is accredited by the following organizations:

China National Accreditation Service for Conformity Assessment (CNAS) accredits the Laboratory for conformance to FCC standards, EMC international standards and EN standards. The Registration Number is CNAS L0579.

The Laboratory is Accredited Testing Laboratory of FCC with Designation number CN1165 and Site registration number 582918.

The Laboratory is registered to perform emission tests with Innovation, Science and Economic Development (ISED), and the registration number is 11177A.

The Laboratory is registered to perform emission tests with VCCI, and the registration number are C-20048, G20076, R-20077, R-20078 and T-20047.

The Laboratory is Accredited Testing Laboratory of American Association for

Laboratory Accreditation (A2LA) and certificate number is 3292.01.

### **2.3. Measurement Uncertainty**

Conducted Emission

9 kHz~150 kHz U=3.7dB k=2

150 kHz~30MHz U=3.3dB k=2

Radiated Emission

30MHz~1000MHz U=4.3dB k=2

1GHz~6GHz U=4.6 dB k=2

6GHz~40GHz U=5.1dB k=2



### 3. PRODUCT DESCRIPTION

NOTE: The extreme test conditions for temperature and antenna gain were declared by the manufacturer.

#### 3.1. EUT Description

Description : Mobile Phone  
 Manufacturer : Realme Chongqing Mobile Telecommunications Corp., Ltd.  
 Model Number : RMX3867  
 Operate Frequency : 2.412GHz~2.462GHz  
 Antenna Designation : IFA Ant 1: -1.20dBi, Ant 2: -3.87dBi  
 Operating voltage : DC3.85V (Low)/DC4.0V (Nominal)/DC4.5V (Max)  
 Software Version : realme UI 5.0  
 Hardware Version : 11

Remark: /

WLAN:

Table 2 Working Frequencies Lists (802.11b, 802.11g, 802.11n HT20, 802.11ac VHT20, and 802.11ax HE20)

Channel	Frequency	Channel	Frequency
1	2412MHz	8	2447MHz
2	2417MHz	9	2452MHz
3	2422MHz	10	2457MHz
4	2427MHz	11	2462MHz
5	2432MHz	---	---
6	2437MHz	---	---
7	2442MHz	---	---


Table 3 Working Frequencies Lists (802.11n HT40, 802.11ac VHT40, and 802.11ax HE40)

Channel	Frequency	Channel	Frequency
3	2422MHz	8	2447MHz
4	2427MHz	9	2452MHz
5	2432MHz	---	---
6	2437MHz	---	---
7	2442MHz	---	---

### 3.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: **2AUYFRMX3867** filing to comply with Section 15.207, 15.209, 15.247 of the FCC Part 15, Subpart C Rules.

### 3.3. Block Diagram of EUT Configuration



### 3.4. Operating Condition of EUT

The Radiated spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission (X plane).

Worst-case mode and channel used for 30-1000 MHz radiated and power line conducted emissions was the mode and channel with the highest output power.

Worst-case data rates as provided by the client were:

802.11b mode: 1 Mbps

802.11g mode: 6 Mbps

802.11n HT20 mode: MCS0

802.11n HT40 mode: MCS0

802.11ac VHT20 mode: MCS0

802.11ac VHT40 mode: MCS0

802.11ax HE20 mode: MCS0

802.11ax HE40 mode: MCS0

802.11ax HE20 MU RU26/52/106 mode: MCS0

802.11ax HE40 MU RU26/52/106/242 mode: MCS0

802.11b and 802.11g operates in SISO/CDD mode. For SISO/CDD conducted measurements, the modes tested in this report will be considered as a worst case mode.

802.11n, 802.11ac and 802.11ax operate in SISO/MIMO mode. For SISO/MIMO conducted measurements, the modes tested in this report will be considered as a worst case mode.

The EUT supports a MIMO function.

Modulation Mode:	Single(TX)	Two(TX)
802.11b/g	support	No support
802.11n HT20	support	support
802.11n HT40	support	support
802.11ac VHT20	support	support
802.11ac VHT40	support	support
802.11ax HE20	support	support
802.11ax HE40	support	support

For RSE and bandedge test, both of Single (TX) and Two (TX) mode are evaluated, only the worst case is recorded in this report.

### 3.5. Directional Antenna Gain

Per ANSI C63.10-2013 Subclause 14.4.3.

### 3.6. Support Equipment List

Table 4 Support Equipment List

Name	Model No.	S/N	Manufacturer
Adapter 1# for EUT	VCB7CAUH	---	Dongguan Yohoo Electronic Technology Co., Ltd
Adapter 2# for EUT	VCB7CAUH	---	Jiangsu ChenYang Electronics Co., Ltd.
Adapter 3# for EUT	VCB7OAUH		Dongguan Aohai Technology Co.,Ltd.
Rechargeable Li-ion Polymer Battery for EUT	BLPA43	---	Sunwoda Electronic Co., Ltd.
USB Cable for EUT	DL129	---	---

### 3.7. Test Conditions

Date of test: Nov.09, 2023- Dec.20, 2023

Date of EUT Receive: Nov.07, 2023

Temperature: 20°C-25°C

Relative Humidity: 47%-56%

### 3.8. Special Accessories

Not available for this EUT intended for grant.

### 3.9. Equipment Modifications

Not available for this EUT intended for grant.

#### 4. TEST EQUIPMENT USED

Table 5 Test Equipment

No.	Equipment	Manufacturer	Model No.	Last Cal.	Cal. Interval
SB9054/05	Test Receiver	R&S	ESCI	Jun.30, 2023	1 Year
SB8501/06	AMN	R&S	ESH2-Z5	Jan.19, 2023	1 Year
SB9549	Shielded Room	Albatross	SR	Aug.30, 2023	1 Year
SB15044/01	Test Receiver	R&S	ESW8	Sep.12, 2023	1 Year
SB3345	Loop Antenna	Schwarzbeck	FMZB1516-113	Jan.19, 2023	1 Year
SB18856	Broadband Antenna	SCHWARZBECK	VULB9163	Sep.06, 2023	1 Year
SB9422/16	Horn Antenna	R&S	HF907	Mar.16, 2023	1 Year
SB18844	Semi Anechoic Chamber	Albatross	9×6×6(m)	Mar.20, 2023	1 Year
SB8501/09	Test Receiver	R&S	ESU40	Jan.19, 2023	1 Year
SB3435	Horn Antenna	R&S	HF906	Nov.21, 2023	1 Year
SB9058/03	Pre-Amplifier	R&S	SCU 18	Jan.19, 2023	1 Year
SB8501/11	Antenna	R&S	3160-09	Feb.22, 2023	3 Years
SB8501/12	Antenna	R&S	3160-10	Feb.22, 2023	3 Years
SB8501/16	Pre-Amplifier	R&S	SCU-26	Jan.19, 2023	1 Year
SB9555/02	Fully Anechoic Chamber	Albatross	10.0×5.2×5.4(m)	Aug.15, 2023	1 Year
SB20321/01	Spectrum Analyzer	R&S	FSV3044	Apr.24, 2023	1 Year

Table 6 Test software

Name	Manufacturer	Version
Bluetooth and WiFi Test System	Shenzhen JS tonscond co.,ltd	3.2.22

## 5. DUTY CYCLE

### 5.1. LIMITS OF DUTY CYCLE

None; for reporting purposes only

### 5.2. TEST PROCEDURE

1. Set span = Zero
2. RBW = 10MHz
3. VBW = 10MHz,
4. Detector = Peak

### 5.3. TEST SETUP




### 5.4. TEST DATA


Table 7 Duty Cycle Test Data

Test Mode	On Time (ms)	Duty Cycle (%)	Duty Factor	1/T Minimum VBW (kHz)
802.11b	8.39	99.52	0	0.01
802.11g	1.39	97.20	0.12	0.01
802.11n HT20	1.29	96.99	0.13	0.01
802.11n HT40	0.63	94.03	0.27	0.01
802.11ac VHT20	1.31	97.04	0.13	0.01
802.11ac VHT40	0.66	94.29	0.26	0.01
802.11ax HE20	1.02	96.23	0.17	0.01
802.11ax HE40	0.54	93.10	0.31	0.01


11B\_2437




11G\_2437




11N20\_2437




11N40\_2437



11A20\_2437




11AC40\_2437



15:44:19 17.11.2023


11AX20\_2437



08:42:18 20.11.2023

11AX40\_2437





## 6. 6DB BANDWIDTH MEASUREMENT

### 6.1.LIMITS OF 6dB BANDWIDTH MEASUREMENT

CFR 47 (FCC) part 15.247 (a) (2)

### 6.2.TEST PROCEDURE

ANSI C63.10-2013 Clause 11.8

The transmitter output was connected to the spectrum analyzer.

- a) Set RBW = 100 kHz.
- b) Set the VBW  $\geq [3 \times \text{RBW}]$ .
- c)Detector = Peak.
- d)Trace mode = max hold.
- e)Sweep = auto couple.
- f)Allow the trace to stabilize.
- g)Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission

### 6.3.TEST SETUP





### 6.4. Test Data

6dB Bandwidth Test Data

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	7.60	2408.44	2416.04	0.5	PASS
	Ant2	2412	7.56	2408.44	2416.00	0.5	PASS
	Ant1	2437	8.08	2432.92	2441.00	0.5	PASS
	Ant2	2437	7.08	2433.96	2441.04	0.5	PASS
	Ant1	2462	7.56	2457.96	2465.52	0.5	PASS
	Ant2	2462	8.52	2457.96	2466.48	0.5	PASS
11G	Ant1	2412	15.32	2404.20	2419.52	0.5	PASS
	Ant2	2412	15.68	2403.84	2419.52	0.5	PASS
	Ant1	2437	15.92	2428.84	2444.76	0.5	PASS
	Ant2	2437	15.72	2429.44	2445.16	0.5	PASS
	Ant1	2462	16.24	2453.88	2470.12	0.5	PASS
	Ant2	2462	16.48	2453.76	2470.24	0.5	PASS
11N20MIMO	Ant1	2412	16.24	2404.24	2420.48	0.5	PASS
	Ant2	2412	16.32	2403.20	2419.52	0.5	PASS
	Ant1	2437	15.36	2429.20	2444.56	0.5	PASS
	Ant2	2437	16.32	2429.44	2445.76	0.5	PASS


	Ant1	2462	15.48	2454.40	2469.88	0.5	PASS
	Ant2	2462	17.56	2453.20	2470.76	0.5	PASS
11N40MIMO	Ant1	2422	35.36	2404.32	2439.68	0.5	PASS
	Ant2	2422	35.84	2404.08	2439.92	0.5	PASS
	Ant1	2437	32.56	2419.24	2451.80	0.5	PASS
	Ant2	2437	34.48	2419.56	2454.04	0.5	PASS
	Ant1	2452	35.84	2434.16	2470.00	0.5	PASS
	Ant2	2452	33.68	2434.40	2468.08	0.5	PASS
11AC20MIMO	Ant1	2412	15.68	2404.44	2420.12	0.5	PASS
	Ant2	2412	16.32	2403.80	2420.12	0.5	PASS
	Ant1	2437	16.00	2428.56	2444.56	0.5	PASS
	Ant2	2437	16.36	2429.44	2445.80	0.5	PASS
	Ant1	2462	16.04	2454.08	2470.12	0.5	PASS
	Ant2	2462	17.60	2453.16	2470.76	0.5	PASS
11AC40MIMO	Ant1	2422	35.36	2404.48	2439.84	0.5	PASS
	Ant2	2422	35.44	2404.24	2439.68	0.5	PASS
	Ant1	2437	32.40	2419.32	2451.72	0.5	PASS
	Ant2	2437	34.80	2419.24	2454.04	0.5	PASS
	Ant1	2452	36.00	2434.08	2470.08	0.5	PASS
	Ant2	2452	34.72	2434.24	2468.96	0.5	PASS
11AX20MIMO	Ant1	2412	17.68	2403.68	2421.36	0.5	PASS
	Ant2	2412	16.40	2404.04	2420.44	0.5	PASS
	Ant1	2437	18.20	2427.56	2445.76	0.5	PASS
	Ant2	2437	17.00	2429.44	2446.44	0.5	PASS
	Ant1	2462	17.44	2453.56	2471.00	0.5	PASS
	Ant2	2462	18.72	2452.44	2471.16	0.5	PASS
11AX40MIMO	Ant1	2422	37.60	2403.28	2440.88	0.5	PASS
	Ant2	2422	38.00	2402.96	2440.96	0.5	PASS
	Ant1	2437	37.84	2418.04	2455.88	0.5	PASS
	Ant2	2437	37.68	2418.20	2455.88	0.5	PASS
	Ant1	2452	37.92	2433.04	2470.96	0.5	PASS
	Ant2	2452	36.64	2433.92	2470.56	0.5	PASS






08:44:22 15.11.2023

11B\_Ant1\_2437




08:34:02 15.11.2023

11B\_Ant2\_2437




08:51:29 15.11.2023


11B\_Ant1\_2462




11B\_Ant2\_2462




11G\_Ant1\_2412




11G\_Ant2\_2412




11G\_Ant1\_2437




11G\_Ant2\_2437




11G\_Ant1\_2462




11G\_Ant2\_2462




11N20MIMO\_Ant1\_2412




11N20MIMO\_Ant2\_2412



11N20MIMO\_Ant1\_2437




11N20MIMO\_Ant2\_2437




11N20MIMO\_Ant1\_2462







11N20MIMO\_Ant2\_2462



11N40MIMO\_Ant1\_2422




11N40MIMO\_Ant2\_2422




10:07:07 15.11.2023

11N40MIMO\_Ant1\_2437




10:10:43 15.11.2023

11N40MIMO\_Ant2\_2437




10:17:30 15.11.2023


11N40MIMO\_Ant1\_2452




11N40MIMO\_Ant2\_2452



11AC20MIMO\_Ant1\_2412




11AC20MIMO\_Ant2\_2412




14:19:46 17.11.2023

11AC20MIMO\_Ant1\_2437




14:35:59 17.11.2023

11AC20MIMO\_Ant2\_2437




14:38:11 17.11.2023

11AC20MIMO\_Ant1\_2462




14:47:22 17.11.2023

11AC20MIMO\_Ant2\_2462




14:58:00 17.11.2023

11AC40MIMO\_Ant1\_2422




15:20:34 17.11.2023

11AC40MIMO\_Ant2\_2422




15:32:54 17.11.2023

### 11AC40MIMO\_Ant1\_2437




15:44:27 17.11.2023

### 11AC40MIMO\_Ant2\_2437




15:46:10 17.11.2023

### 11AC40MIMO\_Ant1\_2452




16:14:46 17.11.2023

### 11AC40MIMO\_Ant2\_2452




08:28:17 20.11.2023

### 11AX20MIMO\_Ant1\_2412




08:34:55 20.11.2023


### 11AX20MIMO\_Ant2\_2412



11AX20MIMO\_Ant1\_2437




11AX20MIMO\_Ant2\_2437




11AX20MIMO\_Ant1\_2462







11AX20MIMO\_Ant2\_2462



11AX40MIMO\_Ant1\_2422




11AX40MIMO\_Ant2\_2422




08:59:56 20.11.2023

### 11AX40MIMO\_Ant1\_2437




09:04:26 20.11.2023

### 11AX40MIMO\_Ant2\_2437




09:06:21 20.11.2023

### 11AX40MIMO\_Ant1\_2452



09:08:31 20.11.2023

### 11AX40MIMO\_Ant2\_2452




09:11:32 20.11.2023

OFDMA Mode:


TestMode	Antenna	Frequency[MHz]	RuSize	RuIndex	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit [MHz]	Verdict
11AX20 MIMO	Ant1	2412	26Tone	RU0	2.08	2402.44	2404.52	0.5	PASS
			52Tone	RU37	17.04	2402.48	2419.52	0.5	PASS
			106Tone	RU53	17.16	2402.40	2419.56	0.5	PASS
	Ant2	2412	26Tone	RU0	2.08	2402.44	2404.52	0.5	PASS
			52Tone	RU37	17.08	2402.44	2419.52	0.5	PASS
			106Tone	RU53	17.16	2402.40	2419.56	0.5	PASS
	Ant1	2437	26Tone	RU0	2.04	2427.48	2429.52	0.5	PASS
			52Tone	RU37	8.28	2427.44	2435.72	0.5	PASS
			106Tone	RU53	17.12	2427.40	2444.52	0.5	PASS
	Ant2	2437	26Tone	RU0	17.08	2427.44	2444.52	0.5	PASS
			52Tone	RU37	17.72	2427.44	2445.16	0.5	PASS
			106Tone	RU53	17.68	2427.44	2445.12	0.5	PASS
Ant1	2462	26Tone	RU0	2.04	2452.48	2454.52	0.5	PASS	
		52Tone	RU37	17.08	2452.44	2469.52	0.5	PASS	
		106Tone	RU53	17.16	2452.40	2469.56	0.5	PASS	
Ant2	2462	26Tone	RU0	2.04	2452.48	2454.52	0.5	PASS	
		52Tone	RU37	4.12	2452.44	2456.56	0.5	PASS	
		106Tone	RU53	17.12	2452.40	2469.52	0.5	PASS	
11AX40 MIMO	Ant1	2422	26Tone	RU0	2.32	2402.80	2405.12	0.5	PASS
			52Tone	RU37	4.32	2402.88	2407.20	0.5	PASS
			106Tone	RU53	16.80	2402.96	2419.76	0.5	PASS
			242Tone	RU61	18.96	2402.96	2421.92	0.5	PASS
	Ant2	2422	26Tone	RU0	2.24	2402.88	2405.12	0.5	PASS
			52Tone	RU37	4.24	2402.88	2407.12	0.5	PASS
			106Tone	RU53	8.40	2402.96	2411.36	0.5	PASS
			242Tone	RU61	18.88	2402.96	2421.84	0.5	PASS
	Ant1	2437	26Tone	RU0	2.24	2417.88	2420.12	0.5	PASS
			52Tone	RU37	4.08	2417.96	2422.04	0.5	PASS
			106Tone	RU53	8.40	2417.96	2426.36	0.5	PASS
			242Tone	RU61	18.96	2417.88	2436.84	0.5	PASS
	Ant2	2437	26Tone	RU0	2.24	2417.80	2420.04	0.5	PASS
			52Tone	RU37	4.16	2417.88	2422.04	0.5	PASS
			106Tone	RU53	8.48	2417.80	2426.28	0.5	PASS
			242Tone	RU61	19.04	2417.80	2436.84	0.5	PASS
	Ant1	2452	26Tone	RU0	2.24	2432.88	2435.12	0.5	PASS
			52Tone	RU37	4.32	2432.80	2437.12	0.5	PASS
			106Tone	RU53	16.64	2432.96	2449.60	0.5	PASS
			242Tone	RU61	19.12	2432.80	2451.92	0.5	PASS
	Ant2	2452	26Tone	RU0	2.16	2432.88	2435.04	0.5	PASS
			52Tone	RU37	4.16	2432.96	2437.12	0.5	PASS
			106Tone	RU53	8.32	2432.96	2441.28	0.5	PASS
			242Tone	RU61	18.88	2432.96	2451.84	0.5	PASS

### 11AX20MIMO\_Ant1\_2412\_26Tone\_RU0




09:14:40 11.12.2023

### 11AX20MIMO\_Ant1\_2412\_52Tone\_RU37




09:23:09 11.12.2023

### 11AX20MIMO\_Ant1\_2412\_106Tone\_RU53




09:35:53 11.12.2023


### 11AX20MIMO\_Ant2\_2412\_26Tone\_RU0




### 11AX20MIMO\_Ant2\_2412\_52Tone\_RU37




### 11AX20MIMO\_Ant2\_2412\_106Tone\_RU53




### 11AX20MIMO\_Ant1\_2437\_26Tone\_RU0



### 11AX20MIMO\_Ant1\_2437\_52Tone\_RU37




### 11AX20MIMO\_Ant1\_2437\_106Tone\_RU53



### 11AX20MIMO\_Ant2\_2437\_26Tone\_RU0



### 11AX20MIMO\_Ant2\_2437\_52Tone\_RU37



### 11AX20MIMO\_Ant2\_2437\_106Tone\_RU53

