

Annex A.2 Peak to Average Ratio

1. WCDMA_Band2

1.1. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	3	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1852.40000 Ref. Level: 30.00 Connector:RF2COM


Statistic Count	Value	Probability	Value
Sample Count	999512	10,000%	1.688 dB
Sample Time	40.000 ms	1,0000%	2.531 dB
Avg Power	23.125 dBm	0,1000%	3.000 dB
Max Power	26.546 dBm	0,0010%	3.328 dB
PAR	3.422 dB	0,0001%	3.328 dB

Go To Local Show Remote Screen

1.2. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9400)




1.3. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9538)




2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1412)




2.3. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1513)




3. WCDMA_Band5


3.1. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4132)



3.2. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4182)




3.3. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4233)




4. LTE_Band2


4.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band12


8.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9. LTE_Band13


9.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



9.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10. LTE_Band17

10.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)



10.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



10.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.5	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172 GPRF


Power
 Spectrum
 FFT Spectrum
 IQ Recorder
 IQ vs. Slot
 EPS

Frequency: **709.00000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count		Probability	
Sample Count	999912	10,000%	2.719 dB
Sample Time	20.008 ms	1,0000%	4.359 dB
Avg Power	22.793 dBm	0,1000%	4.500 dB
Max Power	27.439 dBm	0,0100%	4.547 dB
PAR	4.646 dB	0,0010%	4.547 dB
		0,0001%	4.594 dB

10.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



10.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	3.7	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power **Spectrum** FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 710.00000 Ref. Level: 30.00 Connector:RF2COM

x: Off y: ---
x: Off y: ---
x: Off y: ---


Statistic Count		Probability	
Sample Count	999512	10,000%	2.484 dB
Sample Time	20.000 ms	1,0000%	3.609 dB
Avg Power	23.562 dBm	0,1000%	3.703 dB
Max Power	27.415 dBm	0,0010%	3.750 dB
PAR	3.853 dB	0,0001%	3.797 dB

Go To Local
Show Remote Screen


10.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




10.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)



10.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



10.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)



10.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.06	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 711.00000 Ref. Level: 30.00 Connector:RF2COM


x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	Value
Sample Count	1023670
Sample Time	20.483 ms
Avg Power	22.489 dBm
Max Power	28.221 dBm
PAR	5.731 dB


Probability	Value
10,000%	2.250 dB
1,0000%	4.172 dB
0,1000%	5.063 dB
0,0100%	5.438 dB
0,0010%	5.625 dB
0,0001%	5.672 dB

Go To Local
Show Remote Screen

10.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




11. LTE_Band26(part22)


11.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




11.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



11.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)



11.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



11.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.45	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 836.50000 Ref. Level: 30.00 Connector:RF2COM

x: Off y: ---
x: Off y: ---
x: Off y: ---


Statistic Count		Probability	
Sample Count	999512	10,000%	2.719 dB
Sample Time	10.000 ms	1,0000%	4.359 dB
Avg Power	23.076 dBm	0,1000%	4.453 dB
Max Power	27.596 dBm	0,0010%	4.453 dB
PAR	4.519 dB	0,0001%	4.453 dB

Go To Local
Show Remote Screen

11.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



11.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)



11.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.34	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS
Power

Frequency: 841.50000 Ref. Level: 30.00 Connector:RF2COM


Probability[%]

Statistic Count	Value
Sample Count	998512
Sample Time	9.990 ms
Avg Power	22.586 dBm
Max Power	28.587 dBm
PAR	6.001 dB


Probability	Value
10,000%	2.484 dB
1,0000%	4.547 dB
0,1000%	5.344 dB
0,0100%	5.578 dB
0,0010%	5.766 dB
0,0001%	5.906 dB

Go To Local
Show Remote Screen

11.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




12. LTE_Band26(part90)


12.1. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



12.3. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




13. LTE_Band66


13.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



13.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



13.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



13.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	5.44	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1770.00000 Ref. Level: 30.00 Connector:RF2COM

GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic


Marker / Display

Statistic Count	1 / 1	Probability	
Sample Count	998512	10,000%	2.297 dB
Sample Time	9.990 ms	1,0000%	4.406 dB
Avg Power	22.132 dBm	0,1000%	5.859 dB
Max Power	28.559 dBm	0,0010%	6.047 dB
PAR	6.426 dB	0,0001%	6.234 dB


Go To Local

Show Remote Screen

13.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14. LTE_Band38


14.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



15. LTE_Band41 full

15.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



15.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	8.62	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Frequency: 2506.00000 Ref. Level: 30.00 Connector:RF2COM

GPRF


Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Probability[%]


Statistic Count	1 / 1	Probability	
Sample Count	998512	10,000%	4.969 dB
Sample Time	9.990 ms	1,0000%	7.453 dB
Avg Power	17.487 dBm	0,1000%	8.625 dB
Max Power	27.016 dBm	0,0100%	9.141 dB
PAR	9.529 dB	0,0001%	9.469 dB

Go To Local
Show Remote Screen


15.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




15.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



15.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




16. CA_7C

16.1. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



16.2. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



16.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2534.80000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	
Sample Count	999312
Sample Time	9.998 ms
Avg Power	21.924 dBm
Max Power	29.347 dBm
PAR	7.422 dB

Probability	
10,000%	3.328 dB
1,0000%	5.063 dB
0,1000%	6.000 dB
0,0100%	6.609 dB
0,0010%	7.031 dB
0,0001%	7.266 dB

Go To Local
Show Remote Screen

16.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6.61	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2534.80000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	998912	10,000%	3.469 dB
Sample Time	9.994 ms	1,0000%	5.578 dB
Avg Power	20.916 dBm	0,1000%	6.609 dB
Max Power	29.072 dBm	0,0010%	7.688 dB
PAR	8.156 dB	0,0001%	8.063 dB

Go To Local Show Remote Screen

16.5. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.19	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	999112	10,000%	3.188 dB
Sample Time	9.996 ms	1,0000%	5.109 dB
Avg Power	21.918 dBm	0,1000%	6.188 dB
Max Power	29.682 dBm	0,0010%	7.172 dB
PAR	7.764 dB	0,0001%	7.359 dB

Go To Local Show Remote Screen

**16.6. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



16.7. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	5.86	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	999513	10,000%	3.281 dB
Sample Time	20.000 ms	1,0000%	5.016 dB
Avg Power	21.917 dBm	0,1000%	5.859 dB
Max Power	28.967 dBm	0,0010%	6.844 dB
PAR	7.050 dB	0,0001%	6.984 dB

Go To Local Show Remote Screen

**16.8. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.52	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023670	10,000%	3.422 dB
Sample Time	20.483 ms	1,0000%	5.531 dB
Avg Power	20.968 dBm	0,1000%	6.516 dB
Max Power	28.863 dBm	0,0010%	7.547 dB
PAR	7.895 dB	0,0001%	7.781 dB

Go To Local Show Remote Screen

16.9. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	5.95	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
[-] [X]

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	
Sample Count	999513
Sample Time	20.000 ms
Avg Power	21.963 dBm
Max Power	29.150 dBm
PAR	7.187 dB

Probability	
10,000%	3.281 dB
1,0000%	5.016 dB
0,1000%	5.953 dB
0,0100%	6.516 dB
0,0010%	6.844 dB
0,0001%	7.125 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

16.10. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.66	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023460	10,000%	3.469 dB
Sample Time	20.479 ms	1,0000%	5.578 dB
Avg Power	20.911 dBm	0,1000%	6.656 dB
Max Power	28.819 dBm	0,0010%	7.688 dB
PAR	7.908 dB	0,0001%	7.781 dB

Go To Local Show Remote Screen

16.11. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



16.12. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.7	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023460	10,000%	3.422 dB
Sample Time	20.479 ms	1,0000%	5.531 dB
Avg Power	20.926 dBm	0,1000%	6.703 dB
Max Power	29.402 dBm	0,0010%	7.875 dB
PAR	8.475 dB	0,0001%	8.297 dB


Go To Local Show Remote Screen

17. CA_38C

17.1. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



**17.2. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2,
Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



17.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.56	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2595.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	999712	20.004 ms	18.576 dBm	29.555 dBm	10.979 dB

Probability	Value
10,000%	5.906 dB
1,0000%	8.344 dB
0,1000%	9.563 dB
0,0100%	10.219 dB
0,0010%	10.641 dB
0,0001%	10.922 dB


Go To Local Show Remote Screen

**17.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4,
Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




18. CA_41C_full


18.1. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




18.2. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



18.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



18.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



18.5. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.3	0.1	9.61	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.30000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value (dB)
Sample Count	999312	10,000%	5.813 dB
Sample Time	9.998 ms	1,0000%	8.438 dB
Avg Power	17.742 dBm	0,1000%	9.609 dB
Max Power	29.203 dBm	0,0010%	10.828 dB
PAR	11.461 dB	0,0001%	11.063 dB

Go To Local Show Remote Screen

**18.6. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6,
Channel:40526|40670, Bandwidth:10|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



18.7. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	9.66	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.80000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	999112	10,000%	5.813 dB
Sample Time	9.996 ms	1,0000%	8.531 dB
Avg Power	17.789 dBm	0,1000%	9.656 dB
Max Power	29.101 dBm	0,0010%	10.734 dB
PAR	11.312 dB	0,0001%	11.156 dB

Go To Local Show Remote Screen

**18.8. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8,
Channel:40571|40715, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



18.9. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.84	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value (dB)
Sample Count	999112	10,000%	5.859 dB
Sample Time	9.996 ms	1,0000%	8.484 dB
Avg Power	17.752 dBm	0,1000%	9.844 dB
Max Power	29.395 dBm	0,0010%	11.109 dB
PAR	11.643 dB	0,0001%	11.438 dB

Go To Local Show Remote Screen