



19.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-43.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.88	-25	Pass	2986
30	1000	0.1	RMS	963.7	-58.19	-25	Pass	9701
1000	2486	1	RMS	2480	-44.17	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.48	60	Pass	401
2700	3000	1	RMS	3000	-43.07	-25	Pass	401
3000	12000	1	RMS	11857	-59.85	-25	Pass	9001
12000	27000	1	RMS	25010	-37.48	-25	Pass	15001




19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.3	-25	Pass	2986
30	1000	0.1	RMS	894	-58.22	-25	Pass	9701
1000	2486	1	RMS	2484	-44.15	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.53	60	Pass	401
2700	3000	1	RMS	2998.5	-43.07	-25	Pass	401
3000	12000	1	RMS	11867	-59.94	-25	Pass	9001
12000	27000	1	RMS	25016	-37.67	-25	Pass	15001




19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.29	-25	Pass	2986
30	1000	0.1	RMS	938.3	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.16	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.19	60	Pass	401
2700	3000	1	RMS	2700	-43.02	-25	Pass	401
3000	12000	1	RMS	11857	-59.91	-25	Pass	9001
12000	27000	1	RMS	25015	-37.56	-25	Pass	15001




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.15	-25	Pass	2986
30	1000	0.1	RMS	925.5	-58.24	-25	Pass	9701
1000	2486	1	RMS	2482	-44.23	-25	Pass	1487
2486	2700	1	RMS	2685.555	20.57	60	Pass	401
2700	3000	1	RMS	3000	-43.06	-25	Pass	401
3000	12000	1	RMS	11852	-59.91	-25	Pass	9001
12000	27000	1	RMS	25019	-37.5	-25	Pass	15001




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.7	-25	Pass	2986
30	1000	0.1	RMS	923.7	-58.08	-25	Pass	9701
1000	2486	1	RMS	2486	-43.9	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.93	60	Pass	401
2700	3000	1	RMS	3000	-43.08	-25	Pass	401
3000	12000	1	RMS	11850	-59.84	-25	Pass	9001
12000	27000	1	RMS	25011	-37.41	-25	Pass	15001




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.05	-25	Pass	2986
30	1000	0.1	RMS	932.7	-58.11	-25	Pass	9701
1000	2486	1	RMS	2485	-43.87	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.13	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11848	-59.96	-25	Pass	9001
12000	27000	1	RMS	25014	-37.48	-25	Pass	15001



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.76	-25	Pass	2986
30	1000	0.1	RMS	938.7	-58.12	-25	Pass	9701
1000	2486	1	RMS	2486	-44.16	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.11	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11845	-59.93	-25	Pass	9001
12000	27000	1	RMS	25009	-37.6	-25	Pass	15001



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-37	-25	Pass	2986
30	1000	0.1	RMS	937.7	-58.25	-25	Pass	9701
1000	2486	1	RMS	2486	-44.12	-25	Pass	1487
2486	2700	1	RMS	2588.72	20.69	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11860	-59.88	-25	Pass	9001
12000	27000	1	RMS	25012	-37.45	-25	Pass	15001



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.75	-25	Pass	2986
30	1000	0.1	RMS	936.4	-58.13	-25	Pass	9701
1000	2486	1	RMS	2485	-44.21	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.54	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11844	-59.91	-25	Pass	9001
12000	27000	1	RMS	25015	-37.44	-25	Pass	15001



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.35	-25	Pass	2986
30	1000	0.1	RMS	949.7	-58.18	-25	Pass	9701
1000	2486	1	RMS	2486	-44.17	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.28	60	Pass	401
2700	3000	1	RMS	3000	-43.07	-25	Pass	401
3000	12000	1	RMS	11863	-59.91	-25	Pass	9001
12000	27000	1	RMS	25011	-37.43	-25	Pass	15001



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.65	-25	Pass	2986
30	1000	0.1	RMS	925.1	-58.15	-25	Pass	9701
1000	2486	1	RMS	2486	-43.64	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.41	60	Pass	401
2700	3000	1	RMS	3000	-43.07	-25	Pass	401
3000	12000	1	RMS	11851	-59.93	-25	Pass	9001
12000	27000	1	RMS	25016	-37.58	-25	Pass	15001



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.59	-25	Pass	2986
30	1000	0.1	RMS	903.6	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.67	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.51	60	Pass	401
2700	3000	1	RMS	3000	-43.02	-25	Pass	401
3000	12000	1	RMS	11850	-59.88	-25	Pass	9001
12000	27000	1	RMS	25016	-37.56	-25	Pass	15001



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.94	-25	Pass	2986
30	1000	0.1	RMS	923.7	-58.11	-25	Pass	9701
1000	2486	1	RMS	2484	-44.13	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.3	60	Pass	401
2700	3000	1	RMS	3000	-43.06	-25	Pass	401
3000	12000	1	RMS	11851	-59.9	-25	Pass	9001
12000	27000	1	RMS	25012	-37.43	-25	Pass	15001



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.74	-25	Pass	2986
30	1000	0.1	RMS	917.2	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-44.14	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.58	60	Pass	401
2700	3000	1	RMS	3000	-43.07	-25	Pass	401
3000	12000	1	RMS	11847	-59.86	-25	Pass	9001
12000	27000	1	RMS	25016	-37.56	-25	Pass	15001



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.77	-25	Pass	2986
30	1000	0.1	RMS	917.5	-58.12	-25	Pass	9701
1000	2486	1	RMS	2484	-44.16	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.05	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	11858	-59.96	-25	Pass	9001
12000	27000	1	RMS	25012	-37.42	-25	Pass	15001



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-36.98	-25	Pass	2986
30	1000	0.1	RMS	930.5	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.85	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11857	-59.9	-25	Pass	9001
12000	27000	1	RMS	25013	-37.43	-25	Pass	15001



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.41	-25	Pass	2986
30	1000	0.1	RMS	935.3	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.86	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.98	60	Pass	401
2700	3000	1	RMS	2999.25	-43.07	-25	Pass	401
3000	12000	1	RMS	11849	-59.92	-25	Pass	9001
12000	27000	1	RMS	25012	-37.58	-25	Pass	15001



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.28	-25	Pass	2986
30	1000	0.1	RMS	894.1	-58.03	-25	Pass	9701
1000	2486	1	RMS	2486	-43.64	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.97	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	11848	-59.91	-25	Pass	9001
12000	27000	1	RMS	25012	-37.48	-25	Pass	15001



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.78	-25	Pass	2986
30	1000	0.1	RMS	934.1	-58.05	-25	Pass	9701
1000	2486	1	RMS	2484	-44.1	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.41	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	11851	-59.87	-25	Pass	9001
12000	27000	1	RMS	25011	-37.48	-25	Pass	15001



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.98	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.22	-25	Pass	9701
1000	2486	1	RMS	2481	-44.14	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.63	60	Pass	401
2700	3000	1	RMS	3000	-42.99	-25	Pass	401
3000	12000	1	RMS	11858	-59.9	-25	Pass	9001
12000	27000	1	RMS	25012	-37.52	-25	Pass	15001



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.18	-25	Pass	2986
30	1000	0.1	RMS	919.2	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.11	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.22	60	Pass	401
2700	3000	1	RMS	2999.25	-43.08	-25	Pass	401
3000	12000	1	RMS	11857	-59.86	-25	Pass	9001
12000	27000	1	RMS	25011	-37.49	-25	Pass	15001



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.31	-25	Pass	2986
30	1000	0.1	RMS	918.9	-58.17	-25	Pass	9701
1000	2486	1	RMS	2484	-44.23	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.19	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11842	-59.96	-25	Pass	9001
12000	27000	1	RMS	25016	-37.38	-25	Pass	15001




20. CA_7C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	Pass	2986
30	1000	0.1	RMS	996.998	-59.81	-25	Pass	9701
1000	2475	1	RMS	2473	-47.78	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.46	60	Pass	401
2735	3000	1	RMS	2958.925	-46.36	-25	Pass	401
3000	12000	1	RMS	11851	-46.84	-25	Pass	9002
12000	26000	1	RMS	25096	-35.12	-25	Pass	14002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.47	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.54	-25	Pass	2986
30	1000	0.1	RMS	899.433	-59.92	-25	Pass	9701
1000	2475	1	RMS	2475	-46.99	-25	Pass	1476
2475	2735	1	RMS	2525.05	9.52	60	Pass	401
2735	3000	1	RMS	2954.95	-46.42	-25	Pass	401
3000	12000	1	RMS	11853	-46.84	-25	Pass	9002
12000	26000	1	RMS	25105	-35.12	-25	Pass	14002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.61	-68.46	-25	Pass	2986
30	1000	0.1	RMS	912.642	-60.05	-25	Pass	9701
1000	2475	1	RMS	2474	-47.88	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.5	60	Pass	401
2735	3000	1	RMS	2955.613	-46.37	-25	Pass	401
3000	12000	1	RMS	11853	-46.87	-25	Pass	9002
12000	26000	1	RMS	25104	-35.22	-25	Pass	14002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.6	-69.03	-25	Pass	2986
30	1000	0.1	RMS	848.8	-59.96	-25	Pass	9701
1000	2475	1	RMS	2475	-47.39	-25	Pass	1476
2475	2735	1	RMS	2525.05	8.57	60	Pass	401
2735	3000	1	RMS	2960.25	-46.34	-25	Pass	401
3000	12000	1	RMS	11451	-46.91	-25	Pass	9002
12000	26000	1	RMS	25102	-35.13	-25	Pass	14002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.55	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.93	-25	Pass	2986
30	1000	0.1	RMS	902.135	-60.06	-25	Pass	9701
1000	2475	1	RMS	2465	-47.85	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.58	60	Pass	401
2735	3000	1	RMS	2955.613	-46.42	-25	Pass	401
3000	12000	1	RMS	11474	-46.89	-25	Pass	9002
12000	26000	1	RMS	25099	-35.09	-25	Pass	14002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.16	-25	Pass	2986
30	1000	0.1	RMS	994.396	-60.02	-25	Pass	9701
1000	2475	1	RMS	2474	-47.88	-25	Pass	1476
2475	2735	1	RMS	2547.15	9.52	60	Pass	401
2735	3000	1	RMS	2966.875	-46.38	-25	Pass	401
3000	12000	1	RMS	11871	-46.93	-25	Pass	9002
12000	26000	1	RMS	25112	-35.21	-25	Pass	14002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.01	-25	Pass	2986
30	1000	0.1	RMS	900.534	-59.93	-25	Pass	9701
1000	2475	1	RMS	2467	-47.77	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.55	60	Pass	401
2735	3000	1	RMS	2963.563	-46.37	-25	Pass	401
3000	12000	1	RMS	11851	-46.96	-25	Pass	9002
12000	26000	1	RMS	25100	-34.99	-25	Pass	14002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.42	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.36	-25	Pass	2986
30	1000	0.1	RMS	909.64	-59.95	-25	Pass	9701
1000	2475	1	RMS	2475	-47.79	-25	Pass	1476
2475	2735	1	RMS	2543.9	8.84	60	Pass	401
2735	3000	1	RMS	2932.425	-46.41	-25	Pass	401
3000	12000	1	RMS	11859	-46.9	-25	Pass	9002
12000	26000	1	RMS	25099	-35.2	-25	Pass	14002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.91	-25	Pass	2986
30	1000	0.1	RMS	904.136	-59.94	-25	Pass	9701
1000	2475	1	RMS	2474	-48.14	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.8	60	Pass	401
2735	3000	1	RMS	2956.938	-46.35	-25	Pass	401
3000	12000	1	RMS	11455	-46.99	-25	Pass	9002
12000	26000	1	RMS	25101	-35.17	-25	Pass	14002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.55	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.91	-25	Pass	2986
30	1000	0.1	RMS	911.942	-60.02	-25	Pass	9701
1000	2475	1	RMS	2458	-47.93	-25	Pass	1476
2475	2735	1	RMS	2565.35	9.49	60	Pass	401
2735	3000	1	RMS	2958.263	-46.38	-25	Pass	401
3000	12000	1	RMS	11852	-47	-25	Pass	9002
12000	26000	1	RMS	25790	-35.15	-25	Pass	14002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.83	-25	Pass	2986
30	1000	0.1	RMS	888.426	-59.92	-25	Pass	9701
1000	2475	1	RMS	2468	-47.98	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.93	60	Pass	401
2735	3000	1	RMS	2976.15	-46.4	-25	Pass	401
3000	12000	1	RMS	11851	-46.84	-25	Pass	9002
12000	26000	1	RMS	25103	-35.16	-25	Pass	14002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.98	-25	Pass	2986
30	1000	0.1	RMS	849.6	-60.26	-25	Pass	9701
1000	2475	1	RMS	2473	-47.95	-25	Pass	1476
2475	2735	1	RMS	2567.3	8.47	60	Pass	401
2735	3000	1	RMS	2957.6	-46.36	-25	Pass	401
3000	12000	1	RMS	11852	-46.86	-25	Pass	9002
12000	26000	1	RMS	25100	-35.14	-25	Pass	14002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.99	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.93	-25	Pass	2986
30	1000	0.1	RMS	928.753	-59.99	-25	Pass	9701
1000	2475	1	RMS	2475	-47.81	-25	Pass	1476
2475	2735	1	RMS	2501	11.1	60	Pass	401
2735	3000	1	RMS	2962.9	-46.4	-25	Pass	401
3000	12000	1	RMS	11844	-46.92	-25	Pass	9002
12000	26000	1	RMS	25099	-35.11	-25	Pass	14002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.53	-25	Pass	2986
30	1000	0.1	RMS	900.134	-60.04	-25	Pass	9701
1000	2475	1	RMS	2475	-45.47	-25	Pass	1476
2475	2735	1	RMS	2526.35	6.54	60	Pass	401
2735	3000	1	RMS	2960.913	-46.36	-25	Pass	401
3000	12000	1	RMS	11862	-46.9	-25	Pass	9002
12000	26000	1	RMS	25099	-35.14	-25	Pass	14002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.4	-25	Pass	2986
30	1000	0.1	RMS	870.814	-60.09	-25	Pass	9701
1000	2475	1	RMS	2475	-47.78	-25	Pass	1476
2475	2735	1	RMS	2501	11.01	60	Pass	401
2735	3000	1	RMS	2945.675	-46.38	-25	Pass	401
3000	12000	1	RMS	11859	-46.97	-25	Pass	9002
12000	26000	1	RMS	25920	-35.3	-25	Pass	14002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.64	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.65	-25	Pass	2986
30	1000	0.1	RMS	879.32	-59.74	-25	Pass	9701
1000	2475	1	RMS	2475	-46.39	-25	Pass	1476
2475	2735	1	RMS	2527.65	5.6	60	Pass	401
2735	3000	1	RMS	2965.55	-46.33	-25	Pass	401
3000	12000	1	RMS	11851	-46.74	-25	Pass	9002
12000	26000	1	RMS	25096	-35.19	-25	Pass	14002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.81	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.97	-25	Pass	9701
1000	2475	1	RMS	2475	-47.83	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.57	60	Pass	401
2735	3000	1	RMS	2961.575	-46.35	-25	Pass	401
3000	12000	1	RMS	11846	-46.89	-25	Pass	9002
12000	26000	1	RMS	25836	-35.13	-25	Pass	14002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.82	-25	Pass	2986
30	1000	0.1	RMS	893.83	-59.94	-25	Pass	9701
1000	2475	1	RMS	2475	-47.36	-25	Pass	1476
2475	2735	1	RMS	2552.35	6.63	60	Pass	401
2735	3000	1	RMS	2958.263	-46.36	-25	Pass	401
3000	12000	1	RMS	11847	-46.93	-25	Pass	9002
12000	26000	1	RMS	25818	-35.13	-25	Pass	14002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.57	-69.07	-25	Pass	2986
30	1000	0.1	RMS	890.227	-60.03	-25	Pass	9701
1000	2475	1	RMS	2461	-47.79	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.55	60	Pass	401
2735	3000	1	RMS	2970.85	-46.43	-25	Pass	401
3000	12000	1	RMS	11854	-46.89	-25	Pass	9002
12000	26000	1	RMS	25082	-35.21	-25	Pass	14002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.02	-25	Pass	2986
30	1000	0.1	RMS	909.44	-60.08	-25	Pass	9701
1000	2475	1	RMS	2475	-47.76	-25	Pass	1476
2475	2735	1	RMS	2551.7	5.59	60	Pass	401
2735	3000	1	RMS	2964.888	-46.41	-25	Pass	401
3000	12000	1	RMS	11862	-46.97	-25	Pass	9002
12000	26000	1	RMS	25108	-35.15	-25	Pass	14002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.93	-25	Pass	2986
30	1000	0.1	RMS	913.543	-59.87	-25	Pass	9701
1000	2475	1	RMS	2473	-48	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.86	60	Pass	401
2735	3000	1	RMS	2956.938	-46.42	-25	Pass	401
3000	12000	1	RMS	11858	-46.96	-25	Pass	9002
12000	26000	1	RMS	25103	-35.12	-25	Pass	14002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.88	-25	Pass	2986
30	1000	0.1	RMS	889.127	-59.85	-25	Pass	9701
1000	2475	1	RMS	2475	-47.88	-25	Pass	1476
2475	2735	1	RMS	2565.35	6.65	60	Pass	401
2735	3000	1	RMS	2958.263	-46.42	-25	Pass	401
3000	12000	1	RMS	11848	-46.96	-25	Pass	9002
12000	26000	1	RMS	25100	-35.19	-25	Pass	14002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.02	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.99	-25	Pass	2986
30	1000	0.1	RMS	987.292	-60.14	-25	Pass	9701
1000	2475	1	RMS	2472	-47.99	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.87	60	Pass	401
2735	3000	1	RMS	2958.925	-46.36	-25	Pass	401
3000	12000	1	RMS	11464	-46.97	-25	Pass	9002
12000	26000	1	RMS	25098	-35.17	-25	Pass	14002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.34	-25	Pass	2986
30	1000	0.1	RMS	911.341	-60.16	-25	Pass	9701
1000	2475	1	RMS	2475	-48.01	-25	Pass	1476
2475	2735	1	RMS	2563.4	5.63	60	Pass	401
2735	3000	1	RMS	2964.225	-46.43	-25	Pass	401
3000	12000	1	RMS	11854	-46.87	-25	Pass	9002
12000	26000	1	RMS	25098	-35.16	-25	Pass	14002




21. CA_38C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.59	-25	Pass	2986
30	1000	0.1	RMS	729.2	-56.41	-25	Pass	9701
1000	2525	1	RMS	2514	-42.88	-25	Pass	1526
2525	2665	1	RMS	2599.2	8.41	60	Pass	401
2665	3000	1	RMS	2959.8	-42.45	-25	Pass	401
3000	12000	1	RMS	11840	-46.82	-25	Pass	9002
12000	26500	1	RMS	25100	-34.91	-25	Pass	14502



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.12	-25	Pass	401
0.15	30	0.01	RMS	0.27	-65.28	-25	Pass	2986
30	1000	0.1	RMS	908.339	-55.93	-25	Pass	9701
1000	2525	1	RMS	2524	-41.6	-25	Pass	1526
2525	2665	1	RMS	2572.6	8.68	60	Pass	401
2665	3000	1	RMS	2956.45	-42.4	-25	Pass	401
3000	12000	1	RMS	11857	-46.84	-25	Pass	9002
12000	26500	1	RMS	25101	-34.82	-25	Pass	14502



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.26	-25	Pass	401
0.15	30	0.01	RMS	13.57	-53.26	-25	Pass	2986
30	1000	0.1	RMS	887.025	-55.93	-25	Pass	9701
1000	2525	1	RMS	2514	-42.75	-25	Pass	1526
2525	2665	1	RMS	2599.2	8.81	60	Pass	401
2665	3000	1	RMS	2962.313	-42.42	-25	Pass	401
3000	12000	1	RMS	11861	-46.6	-25	Pass	9002
12000	26500	1	RMS	25104	-34.84	-25	Pass	14502



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.04	-25	Pass	2986
30	1000	0.1	RMS	847.3	-55.25	-25	Pass	9701
1000	2525	1	RMS	2524	-42.42	-25	Pass	1526
2525	2665	1	RMS	2574	8.02	60	Pass	401
2665	3000	1	RMS	2958.963	-42.26	-25	Pass	401
3000	12000	1	RMS	11840	-46.85	-25	Pass	9002
12000	26500	1	RMS	25094	-34.56	-25	Pass	14502



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.36	-65.2	-25	Pass	2986
30	1000	0.1	RMS	911.341	-54.64	-25	Pass	9701
1000	2525	1	RMS	2524	-42.88	-25	Pass	1526
2525	2665	1	RMS	2580.65	9.34	60	Pass	401
2665	3000	1	RMS	2665	-41.82	-25	Pass	401
3000	12000	1	RMS	11843	-46.83	-25	Pass	9002
12000	26500	1	RMS	25099	-34.84	-25	Pass	14502



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-68.87	-25	Pass	401
0.15	30	0.01	RMS	18.29	-65.02	-25	Pass	2986
30	1000	0.1	RMS	761.6	-55.37	-25	Pass	9701
1000	2525	1	RMS	2525	-43.01	-25	Pass	1526
2525	2665	1	RMS	2603.75	8.46	60	Pass	401
2665	3000	1	RMS	2973.2	-42.34	-25	Pass	401
3000	12000	1	RMS	11847	-46.8	-25	Pass	9002
12000	26500	1	RMS	25086	-35	-25	Pass	14502



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-65.4	-25	Pass	2986
30	1000	0.1	RMS	877.519	-56.05	-25	Pass	9701
1000	2525	1	RMS	2502	-43.42	-25	Pass	1526
2525	2665	1	RMS	2609	9.01	60	Pass	401
2665	3000	1	RMS	2958.963	-42.37	-25	Pass	401
3000	12000	1	RMS	11861	-46.78	-25	Pass	9002
12000	26500	1	RMS	25836	-34.94	-25	Pass	14502



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.66	-25	Pass	401
0.15	30	0.01	RMS	18.44	-65.52	-25	Pass	2986
30	1000	0.1	RMS	911.041	-56.02	-25	Pass	9701
1000	2525	1	RMS	2523	-43.25	-25	Pass	1526
2525	2665	1	RMS	2583.45	7.35	60	Pass	401
2665	3000	1	RMS	2959.8	-42.39	-25	Pass	401
3000	12000	1	RMS	11859	-46.87	-25	Pass	9002
12000	26500	1	RMS	25095	-34.83	-25	Pass	14502



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.35	-64.68	-25	Pass	2986
30	1000	0.1	RMS	990.694	-56.21	-25	Pass	9701
1000	2525	1	RMS	2491	-43.49	-25	Pass	1526
2525	2665	1	RMS	2619.15	8.49	60	Pass	401
2665	3000	1	RMS	2958.125	-42.41	-25	Pass	401
3000	12000	1	RMS	11855	-46.91	-25	Pass	9002
12000	26500	1	RMS	25095	-34.78	-25	Pass	14502



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.13	-25	Pass	401
0.15	30	0.01	RMS	4.62	-65.04	-25	Pass	2986
30	1000	0.1	RMS	912.342	-56.01	-25	Pass	9701
1000	2525	1	RMS	2510	-43.41	-25	Pass	1526
2525	2665	1	RMS	2615.3	9.17	60	Pass	401
2665	3000	1	RMS	2665	-41.24	-25	Pass	401
3000	12000	1	RMS	11886	-46.95	-25	Pass	9002
12000	26500	1	RMS	25070	-34.94	-25	Pass	14502



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.32	-64.98	-25	Pass	2986
30	1000	0.1	RMS	973.783	-56.12	-25	Pass	9701
1000	2525	1	RMS	2506	-43.29	-25	Pass	1526
2525	2665	1	RMS	2619.15	8.99	60	Pass	401
2665	3000	1	RMS	2958.963	-42.39	-25	Pass	401
3000	12000	1	RMS	11852	-46.95	-25	Pass	9002
12000	26500	1	RMS	25101	-34.97	-25	Pass	14502



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.56	-25	Pass	401
0.15	30	0.01	RMS	1.07	-65.9	-25	Pass	2986
30	1000	0.1	RMS	902.335	-56.05	-25	Pass	9701
1000	2525	1	RMS	2509	-43.37	-25	Pass	1526
2525	2665	1	RMS	2615.3	7.91	60	Pass	401
2665	3000	1	RMS	2665.838	-42.34	-25	Pass	401
3000	12000	1	RMS	11851	-46.95	-25	Pass	9002
12000	26500	1	RMS	25104	-34.83	-25	Pass	14502



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.91	-25	Pass	401
0.15	30	0.01	RMS	21.75	-65.96	-25	Pass	2986
30	1000	0.1	RMS	920.848	-55.93	-25	Pass	9701
1000	2525	1	RMS	2496	-42.67	-25	Pass	1526
2525	2665	1	RMS	2608.65	9.01	60	Pass	401
2665	3000	1	RMS	2683.425	-41.08	-25	Pass	401
3000	12000	1	RMS	11477	-46.92	-25	Pass	9002
12000	26500	1	RMS	25099	-34.88	-25	Pass	14502



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.22	-64.83	-25	Pass	2986
30	1000	0.1	RMS	915.844	-56.34	-25	Pass	9701
1000	2525	1	RMS	2523	-38.3	-25	Pass	1526
2525	2665	1	RMS	2577.85	7.64	60	Pass	401
2665	3000	1	RMS	2665	-40.56	-25	Pass	401
3000	12000	1	RMS	11849	-46.62	-25	Pass	9002
12000	26500	1	RMS	25107	-34.91	-25	Pass	14502



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.32	-65.27	-25	Pass	2986
30	1000	0.1	RMS	902.435	-56.07	-25	Pass	9701
1000	2525	1	RMS	2507	-43.28	-25	Pass	1526
2525	2665	1	RMS	2608.3	8.78	60	Pass	401
2665	3000	1	RMS	2683.425	-41.91	-25	Pass	401
3000	12000	1	RMS	11854	-46.84	-25	Pass	9002
12000	26500	1	RMS	25782	-35	-25	Pass	14502



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.51	-25	Pass	401
0.15	30	0.01	RMS	26.34	-65.29	-25	Pass	2986
30	1000	0.1	RMS	882.722	-56.01	-25	Pass	9701
1000	2525	1	RMS	2523	-40.15	-25	Pass	1526
2525	2665	1	RMS	2578.55	6.83	60	Pass	401
2665	3000	1	RMS	2665.838	-41.8	-25	Pass	401
3000	12000	1	RMS	11855	-46.83	-25	Pass	9002
12000	26500	1	RMS	25102	-34.97	-25	Pass	14502



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68	-25	Pass	401
0.15	30	0.01	RMS	9.69	-65.8	-25	Pass	2986
30	1000	0.1	RMS	927.352	-56.16	-25	Pass	9701
1000	2525	1	RMS	2505	-43.35	-25	Pass	1526
2525	2665	1	RMS	2576.1	8.88	60	Pass	401
2665	3000	1	RMS	2688.45	-42.22	-25	Pass	401
3000	12000	1	RMS	11848	-46.99	-25	Pass	9002
12000	26500	1	RMS	25098	-34.84	-25	Pass	14502



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.54	-65.09	-25	Pass	2986
30	1000	0.1	RMS	990.694	-56.07	-25	Pass	9701
1000	2525	1	RMS	2524	-39.04	-25	Pass	1526
2525	2665	1	RMS	2582.4	7.81	60	Pass	401
2665	3000	1	RMS	2665.838	-39.21	-25	Pass	401
3000	12000	1	RMS	11862	-46.89	-25	Pass	9002
12000	26500	1	RMS	25101	-34.87	-25	Pass	14502



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.75	-65.61	-25	Pass	2986
30	1000	0.1	RMS	879.92	-56.3	-25	Pass	9701
1000	2525	1	RMS	2501	-42.95	-25	Pass	1526
2525	2665	1	RMS	2613.55	8.91	60	Pass	401
2665	3000	1	RMS	2688.45	-41.82	-25	Pass	401
3000	12000	1	RMS	11852	-46.62	-25	Pass	9002
12000	26500	1	RMS	25106	-35.04	-25	Pass	14502



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-69.22	-25	Pass	401
0.15	30	0.01	RMS	25.08	-66.05	-25	Pass	2986
30	1000	0.1	RMS	892.229	-56.19	-25	Pass	9701
1000	2525	1	RMS	2524	-41.01	-25	Pass	1526
2525	2665	1	RMS	2608.3	6.25	60	Pass	401
2665	3000	1	RMS	2665.838	-40.78	-25	Pass	401
3000	12000	1	RMS	11859	-46.93	-25	Pass	9002
12000	26500	1	RMS	25102	-34.88	-25	Pass	14502



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-67.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-65.47	-25	Pass	2986
30	1000	0.1	RMS	893.029	-56.27	-25	Pass	9701
1000	2525	1	RMS	2506	-42.14	-25	Pass	1526
2525	2665	1	RMS	2581.35	8.46	60	Pass	401
2665	3000	1	RMS	2693.475	-41.07	-25	Pass	401
3000	12000	1	RMS	11847	-46.85	-25	Pass	9002
12000	26500	1	RMS	25795	-34.97	-25	Pass	14502



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.17	-25	Pass	401
0.15	30	0.01	RMS	3.14	-65.56	-25	Pass	2986
30	1000	0.1	RMS	991.995	-56.5	-25	Pass	9701
1000	2525	1	RMS	2524	-40.71	-25	Pass	1526
2525	2665	1	RMS	2614.25	7.88	60	Pass	401
2665	3000	1	RMS	2665.838	-37.57	-25	Pass	401
3000	12000	1	RMS	11859	-46.84	-25	Pass	9002
12000	26500	1	RMS	25793	-35.04	-25	Pass	14502



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.8	-25	Pass	401
0.15	30	0.01	RMS	0.8	-65.87	-25	Pass	2986
30	1000	0.1	RMS	874.517	-56.39	-25	Pass	9701
1000	2525	1	RMS	2510	-43.43	-25	Pass	1526
2525	2665	1	RMS	2581	9.06	60	Pass	401
2665	3000	1	RMS	2693.475	-42.22	-25	Pass	401
3000	12000	1	RMS	11859	-46.83	-25	Pass	9002
12000	26500	1	RMS	25105	-35.11	-25	Pass	14502



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-68.77	-25	Pass	401
0.15	30	0.01	RMS	19.69	-65.46	-25	Pass	2986
30	1000	0.1	RMS	917.645	-56.24	-25	Pass	9701
1000	2525	1	RMS	2524	-42.19	-25	Pass	1526
2525	2665	1	RMS	2612.15	6.76	60	Pass	401
2665	3000	1	RMS	2665.838	-39.6	-25	Pass	401
3000	12000	1	RMS	11857	-46.92	-25	Pass	9002
12000	26500	1	RMS	25094	-34.8	-25	Pass	14502




22. CA_41C_full

22.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.35	-25	Pass	401
0.15	30	0.01	RMS	0.28	-65.76	-25	Pass	2986
30	1000	0.1	RMS	912.942	-56.24	-25	Pass	9701
1000	2475	1	RMS	2474	-40.72	-25	Pass	1476
2475	2735	1	RMS	2519.2	7.2	60	Pass	401
2735	3000	1	RMS	2962.238	-42.46	-25	Pass	401
3000	12000	1	RMS	11861	-46.94	-25	Pass	9002
12000	27000	1	RMS	25092	-34.81	-25	Pass	15002



22.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.63	-25	Pass	401
0.15	30	0.01	RMS	8.03	-66.22	-25	Pass	2986
30	1000	0.1	RMS	901.335	-56.26	-25	Pass	9701
1000	2475	1	RMS	2475	-42.35	-25	Pass	1476
2475	2735	1	RMS	2517.9	12.45	60	Pass	401
2735	3000	1	RMS	2961.575	-42.45	-25	Pass	401
3000	12000	1	RMS	11859	-46.8	-25	Pass	9002
12000	27000	1	RMS	25098	-34.88	-25	Pass	15002



22.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	Pass	401
0.15	30	0.01	RMS	23.44	-65.57	-25	Pass	2986
30	1000	0.1	RMS	851.001	-56.05	-25	Pass	9701
1000	2475	1	RMS	2474	-38.22	-25	Pass	1476
2475	2735	1	RMS	2519.85	6.35	60	Pass	401
2735	3000	1	RMS	2956.275	-42.49	-25	Pass	401
3000	12000	1	RMS	11854	-46.87	-25	Pass	9002
12000	27000	1	RMS	25102	-34.85	-25	Pass	15002



22.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.61	-25	Pass	401
0.15	30	0.01	RMS	5.95	-66.51	-25	Pass	2986
30	1000	0.1	RMS	905.738	-56.23	-25	Pass	9701
1000	2475	1	RMS	2475	-43.1	-25	Pass	1476
2475	2735	1	RMS	2518.55	11.93	60	Pass	401
2735	3000	1	RMS	2980.125	-42.48	-25	Pass	401
3000	12000	1	RMS	11863	-47.05	-25	Pass	9002
12000	27000	1	RMS	25090	-34.92	-25	Pass	15002



22.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-65.38	-25	Pass	2986
30	1000	0.1	RMS	864.01	-56.51	-25	Pass	9701
1000	2475	1	RMS	2475	-43.85	-25	Pass	1476
2475	2735	1	RMS	2603.7	6.8	60	Pass	401
2735	3000	1	RMS	2956.275	-42.56	-25	Pass	401
3000	12000	1	RMS	11852	-46.76	-25	Pass	9002
12000	27000	1	RMS	25100	-34.87	-25	Pass	15002



22.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.47	-25	Pass	401
0.15	30	0.01	RMS	5.57	-65.77	-25	Pass	2986
30	1000	0.1	RMS	899.734	-56.17	-25	Pass	9701
1000	2475	1	RMS	2461	-44	-25	Pass	1476
2475	2735	1	RMS	2603.05	12.93	60	Pass	401
2735	3000	1	RMS	2945.013	-42.52	-25	Pass	401
3000	12000	1	RMS	11849	-46.87	-25	Pass	9002
12000	27000	1	RMS	25089	-34.98	-25	Pass	15002



22.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.76	-65.71	-25	Pass	2986
30	1000	0.1	RMS	898.433	-56.09	-25	Pass	9701
1000	2475	1	RMS	2474	-43.98	-25	Pass	1476
2475	2735	1	RMS	2581.6	7.07	60	Pass	401
2735	3000	1	RMS	2968.2	-42.46	-25	Pass	401
3000	12000	1	RMS	11849	-46.82	-25	Pass	9002
12000	27000	1	RMS	25101	-34.9	-25	Pass	15002



22.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.76	-25	Pass	401
0.15	30	0.01	RMS	25.68	-65.41	-25	Pass	2986
30	1000	0.1	RMS	895.531	-56.22	-25	Pass	9701
1000	2475	1	RMS	2458	-44	-25	Pass	1476
2475	2735	1	RMS	2601.75	11.88	60	Pass	401
2735	3000	1	RMS	2963.563	-42.33	-25	Pass	401
3000	12000	1	RMS	11843	-46.83	-25	Pass	9002
12000	27000	1	RMS	25086	-34.94	-25	Pass	15002



22.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.72	-25	Pass	401
0.15	30	0.01	RMS	0.36	-65.68	-25	Pass	2986
30	1000	0.1	RMS	984.19	-56.28	-25	Pass	9701
1000	2475	1	RMS	2475	-43.91	-25	Pass	1476
2475	2735	1	RMS	2666.1	6.64	60	Pass	401
2735	3000	1	RMS	2960.913	-42.43	-25	Pass	401
3000	12000	1	RMS	11859	-46.85	-25	Pass	9002
12000	27000	1	RMS	25086	-34.92	-25	Pass	15002



22.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-69.53	-25	Pass	401
0.15	30	0.01	RMS	29.64	-65.27	-25	Pass	2986
30	1000	0.1	RMS	999.3	-56.27	-25	Pass	9701
1000	2475	1	RMS	2475	-44.1	-25	Pass	1476
2475	2735	1	RMS	2685.6	12.28	60	Pass	401
2735	3000	1	RMS	2964.225	-42.48	-25	Pass	401
3000	12000	1	RMS	11491	-46.93	-25	Pass	9002
12000	27000	1	RMS	25107	-34.87	-25	Pass	15002



22.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.15	-25	Pass	401
0.15	30	0.01	RMS	7.22	-64.81	-25	Pass	2986
30	1000	0.1	RMS	476.2	-54.96	-25	Pass	9701
1000	2475	1	RMS	2461	-43.76	-25	Pass	1476
2475	2735	1	RMS	2666.1	7.24	60	Pass	401
2735	3000	1	RMS	2978.138	-42.23	-25	Pass	401
3000	12000	1	RMS	11846	-46.66	-25	Pass	9002
12000	27000	1	RMS	25428	-34.84	-25	Pass	15002



22.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.36	-64.91	-25	Pass	2986
30	1000	0.1	RMS	977.685	-55.98	-25	Pass	9701
1000	2475	1	RMS	2475	-43.89	-25	Pass	1476
2475	2735	1	RMS	2685.6	11.9	60	Pass	401
2735	3000	1	RMS	2959.588	-42.4	-25	Pass	401
3000	12000	1	RMS	11847	-46.85	-25	Pass	9002
12000	27000	1	RMS	25838	-34.95	-25	Pass	15002



22.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.96	-25	Pass	401
0.15	30	0.01	RMS	28.82	-63.79	-25	Pass	2986
30	1000	0.1	RMS	803.4	-54.99	-25	Pass	9701
1000	2475	1	RMS	2473	-43.98	-25	Pass	1476
2475	2735	1	RMS	2534.15	7.35	60	Pass	401
2735	3000	1	RMS	2964.888	-42.34	-25	Pass	401
3000	12000	1	RMS	11450	-46.87	-25	Pass	9002
12000	27000	1	RMS	25091	-34.73	-25	Pass	15002



22.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.4	-65.07	-25	Pass	2986
30	1000	0.1	RMS	933.856	-55.96	-25	Pass	9701
1000	2475	1	RMS	2475	-39.98	-25	Pass	1476
2475	2735	1	RMS	2528.95	6.35	60	Pass	401
2735	3000	1	RMS	2966.213	-42.33	-25	Pass	401
3000	12000	1	RMS	11861	-46.73	-25	Pass	9002
12000	27000	1	RMS	25093	-34.88	-25	Pass	15002



22.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.79	-25	Pass	2986
30	1000	0.1	RMS	898.032	-56.14	-25	Pass	9701
1000	2475	1	RMS	2459	-43.92	-25	Pass	1476
2475	2735	1	RMS	2497.1	6.79	60	Pass	401
2735	3000	1	RMS	2958.925	-42.3	-25	Pass	401
3000	12000	1	RMS	11882	-46.77	-25	Pass	9002
12000	27000	1	RMS	25110	-34.9	-25	Pass	15002



22.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-65.22	-25	Pass	2986
30	1000	0.1	RMS	901.535	-55.9	-25	Pass	9701
1000	2475	1	RMS	2475	-41.65	-25	Pass	1476
2475	2735	1	RMS	2530.25	5.89	60	Pass	401
2735	3000	1	RMS	2960.25	-42.41	-25	Pass	401
3000	12000	1	RMS	11850	-46.86	-25	Pass	9002
12000	27000	1	RMS	25116	-34.93	-25	Pass	15002



22.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.33	-25	Pass	2986
30	1000	0.1	RMS	895.03	-56	-25	Pass	9701
1000	2475	1	RMS	2475	-44.05	-25	Pass	1476
2475	2735	1	RMS	2611.5	8.31	60	Pass	401
2735	3000	1	RMS	2952.963	-42.35	-25	Pass	401
3000	12000	1	RMS	11856	-46.74	-25	Pass	9002
12000	27000	1	RMS	25096	-34.83	-25	Pass	15002



22.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.8	-65.01	-25	Pass	2986
30	1000	0.1	RMS	880.921	-56.27	-25	Pass	9701
1000	2475	1	RMS	2474	-43.8	-25	Pass	1476
2475	2735	1	RMS	2607.6	6.48	60	Pass	401
2735	3000	1	RMS	2965.55	-42.39	-25	Pass	401
3000	12000	1	RMS	11853	-46.75	-25	Pass	9002
12000	27000	1	RMS	25811	-34.86	-25	Pass	15002



22.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.6	-25	Pass	401
0.15	30	0.01	RMS	2.76	-64.56	-25	Pass	2986
30	1000	0.1	RMS	848.2	-54.78	-25	Pass	9701
1000	2475	1	RMS	2460	-43.79	-25	Pass	1476
2475	2735	1	RMS	2611.5	7.18	60	Pass	401
2735	3000	1	RMS	2934.413	-42.25	-25	Pass	401
3000	12000	1	RMS	11861	-46.73	-25	Pass	9002
12000	27000	1	RMS	25101	-34.61	-25	Pass	15002



22.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.35	-25	Pass	401
0.15	30	0.01	RMS	20.08	-65.1	-25	Pass	2986
30	1000	0.1	RMS	905.938	-55.93	-25	Pass	9701
1000	2475	1	RMS	2473	-44.04	-25	Pass	1476
2475	2735	1	RMS	2604.35	6.02	60	Pass	401
2735	3000	1	RMS	2964.225	-42.26	-25	Pass	401
3000	12000	1	RMS	11474	-46.85	-25	Pass	9002
12000	27000	1	RMS	25806	-34.99	-25	Pass	15002



22.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-68.35	-25	Pass	401
0.15	30	0.01	RMS	28.64	-65.7	-25	Pass	2986
30	1000	0.1	RMS	999.5	-56.05	-25	Pass	9701
1000	2475	1	RMS	2473	-43.76	-25	Pass	1476
2475	2735	1	RMS	2651.15	6.79	60	Pass	401
2735	3000	1	RMS	2960.913	-42.33	-25	Pass	401
3000	12000	1	RMS	11857	-46.73	-25	Pass	9002
12000	27000	1	RMS	25103	-34.8	-25	Pass	15002



22.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-68.05	-25	Pass	401
0.15	30	0.01	RMS	0.61	-65.11	-25	Pass	2986
30	1000	0.1	RMS	934.356	-56.05	-25	Pass	9701
1000	2475	1	RMS	2472	-43.8	-25	Pass	1476
2475	2735	1	RMS	2655.7	6.96	60	Pass	401
2735	3000	1	RMS	2958.263	-42.32	-25	Pass	401
3000	12000	1	RMS	11866	-46.83	-25	Pass	9002
12000	27000	1	RMS	25105	-34.91	-25	Pass	15002



22.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.49	-25	Pass	401
0.15	30	0.01	RMS	21.78	-65.21	-25	Pass	2986
30	1000	0.1	RMS	988.993	-56.22	-25	Pass	9701
1000	2475	1	RMS	2474	-43.98	-25	Pass	1476
2475	2735	1	RMS	2651.15	7.94	60	Pass	401
2735	3000	1	RMS	2960.913	-42.34	-25	Pass	401
3000	12000	1	RMS	11853	-46.75	-25	Pass	9002
12000	27000	1	RMS	25088	-34.82	-25	Pass	15002



22.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.89	-25	Pass	401
0.15	30	0.01	RMS	9.59	-65.62	-25	Pass	2986
30	1000	0.1	RMS	907.839	-55.89	-25	Pass	9701
1000	2475	1	RMS	2469	-43.83	-25	Pass	1476
2475	2735	1	RMS	2679.75	5.9	60	Pass	401
2735	3000	1	RMS	2984.1	-42.3	-25	Pass	401
3000	12000	1	RMS	11854	-46.58	-25	Pass	9002
12000	27000	1	RMS	25101	-34.71	-25	Pass	15002



23. n5


23.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	814	0.1	RMS	813.9	-54.58	-13	Pass	7841
814	859	0.1	RMS	824.8	3.52	60	Pass	451
859	1000	0.1	RMS	997	-62.4	-13	Pass	1411
1000	3000	1	RMS	2696	-47	-13	Pass	2001
3000	10000	1	RMS	9531	-62.56	-13	Pass	7001




23.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	814	0.1	RMS	814	-61.29	-13	Pass	7841
814	859	0.1	RMS	824.3	16.76	60	Pass	451
859	1000	0.1	RMS	932.5	-62.45	-13	Pass	1411
1000	3000	1	RMS	2696	-47.02	-13	Pass	2001
3000	10000	1	RMS	9535	-62.56	-13	Pass	7001




23.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	814	0.1	RMS	804.1	-61.48	-13	Pass	7841
814	859	0.1	RMS	828.6	16.23	60	Pass	451
859	1000	0.1	RMS	980.6	-62.25	-13	Pass	1411
1000	3000	1	RMS	2702	-47.01	-13	Pass	2001
3000	10000	1	RMS	9527	-62.49	-13	Pass	7001




23.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2986
30	814	0.1	RMS	814	-61.18	-13	Pass	7841
814	859	0.1	RMS	834.9	3.74	60	Pass	451
859	1000	0.1	RMS	961.5	-62.54	-13	Pass	1411
1000	3000	1	RMS	2676	-47.02	-13	Pass	2001
3000	10000	1	RMS	9529	-62.5	-13	Pass	7001




23.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.29	-13	Pass	7841
814	859	0.1	RMS	834.3	16.82	60	Pass	451
859	1000	0.1	RMS	899.4	-62.45	-13	Pass	1411
1000	3000	1	RMS	2689	-47.03	-13	Pass	2001
3000	10000	1	RMS	9525	-62.53	-13	Pass	7001




23.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	Pass	2986
30	814	0.1	RMS	806.7	-61.45	-13	Pass	7841
814	859	0.1	RMS	838.6	16.32	60	Pass	451
859	1000	0.1	RMS	929.5	-62.41	-13	Pass	1411
1000	3000	1	RMS	2673	-47.01	-13	Pass	2001
3000	10000	1	RMS	9529	-62.54	-13	Pass	7001




23.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	814	0.1	RMS	804.2	-61.53	-13	Pass	7841
814	859	0.1	RMS	844.7	3.77	60	Pass	451
859	1000	0.1	RMS	967	-62.38	-13	Pass	1411
1000	3000	1	RMS	2678	-47.03	-13	Pass	2001
3000	10000	1	RMS	9527	-62.56	-13	Pass	7001




23.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2986
30	814	0.1	RMS	812.2	-61.47	-13	Pass	7841
814	859	0.1	RMS	844.3	16.78	60	Pass	451
859	1000	0.1	RMS	956.2	-62.48	-13	Pass	1411
1000	3000	1	RMS	2686	-47.03	-13	Pass	2001
3000	10000	1	RMS	9538	-62.54	-13	Pass	7001




23.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	814	0.1	RMS	798	-61.61	-13	Pass	7841
814	859	0.1	RMS	848.6	16.27	60	Pass	451
859	1000	0.1	RMS	958.8	-62.47	-13	Pass	1411
1000	3000	1	RMS	2684	-47.02	-13	Pass	2001
3000	10000	1	RMS	9533	-62.55	-13	Pass	7001




23.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.27	-13	Pass	2986
30	814	0.1	RMS	813.8	-45.31	-13	Pass	7841
814	859	0.1	RMS	835.9	-1.05	60	Pass	451
859	1000	0.1	RMS	948.3	-62.43	-13	Pass	1411
1000	3000	1	RMS	2697	-47.02	-13	Pass	2001
3000	10000	1	RMS	9530	-62.55	-13	Pass	7001




23.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.88	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.21	-13	Pass	7841
814	859	0.1	RMS	824.5	16.75	60	Pass	451
859	1000	0.1	RMS	994	-62.43	-13	Pass	1411
1000	3000	1	RMS	2697	-47.03	-13	Pass	2001
3000	10000	1	RMS	9530	-62.53	-13	Pass	7001




23.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	814	0.1	RMS	796	-62.5	-13	Pass	7841
814	859	0.1	RMS	838.5	17.11	60	Pass	451
859	1000	0.1	RMS	995	-62.48	-13	Pass	1411
1000	3000	1	RMS	2684	-47.03	-13	Pass	2001
3000	10000	1	RMS	9529	-62.54	-13	Pass	7001




23.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.52	-13	Pass	2986
30	814	0.1	RMS	814	-50.17	-13	Pass	7841
814	859	0.1	RMS	831.9	-1.01	60	Pass	451
859	1000	0.1	RMS	935.2	-62.48	-13	Pass	1411
1000	3000	1	RMS	2694	-47.03	-13	Pass	2001
3000	10000	1	RMS	9530	-62.44	-13	Pass	7001




23.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.44	-13	Pass	2986
30	814	0.1	RMS	800.4	-62.41	-13	Pass	7841
814	859	0.1	RMS	829.5	16.71	60	Pass	451
859	1000	0.1	RMS	939.4	-62.55	-13	Pass	1411
1000	3000	1	RMS	2669	-46.98	-13	Pass	2001
3000	10000	1	RMS	9522	-62.56	-13	Pass	7001




23.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.35	-13	Pass	7841
814	859	0.1	RMS	843.5	16.99	60	Pass	451
859	1000	0.1	RMS	962.4	-62.49	-13	Pass	1411
1000	3000	1	RMS	2677	-47.04	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001




23.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.75	-13	Pass	2986
30	814	0.1	RMS	813.9	-53.25	-13	Pass	7841
814	859	0.1	RMS	834.7	-0.89	60	Pass	451
859	1000	0.1	RMS	996.4	-62.44	-13	Pass	1411
1000	3000	1	RMS	2695	-47.06	-13	Pass	2001
3000	10000	1	RMS	9530	-62.59	-13	Pass	7001




23.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.52	-13	Pass	7841
814	859	0.1	RMS	834.5	16.82	60	Pass	451
859	1000	0.1	RMS	964.7	-62.46	-13	Pass	1411
1000	3000	1	RMS	2674	-47.02	-13	Pass	2001
3000	10000	1	RMS	9527	-62.52	-13	Pass	7001




23.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	814	0.1	RMS	809.4	-61.51	-13	Pass	7841
814	859	0.1	RMS	848.5	16.91	60	Pass	451
859	1000	0.1	RMS	963.8	-62.42	-13	Pass	1411
1000	3000	1	RMS	2672	-47.05	-13	Pass	2001
3000	10000	1	RMS	9529	-62.55	-13	Pass	7001




23.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	814	0.1	RMS	814	-44.72	-13	Pass	7841
814	859	0.1	RMS	835.5	-2.11	60	Pass	451
859	1000	0.1	RMS	941	-62.39	-13	Pass	1411
1000	3000	1	RMS	2654	-47.03	-13	Pass	2001
3000	10000	1	RMS	9530	-62.48	-13	Pass	7001




23.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.27	-13	Pass	7841
814	859	0.1	RMS	824.5	16.59	60	Pass	451
859	1000	0.1	RMS	925.3	-62.44	-13	Pass	1411
1000	3000	1	RMS	2677	-47.03	-13	Pass	2001
3000	10000	1	RMS	9525	-62.57	-13	Pass	7001




23.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	814	0.1	RMS	796.6	-61.61	-13	Pass	7841
814	859	0.1	RMS	843.4	16.51	60	Pass	451
859	1000	0.1	RMS	918.9	-62.35	-13	Pass	1411
1000	3000	1	RMS	2694	-47.06	-13	Pass	2001
3000	10000	1	RMS	9527	-62.58	-13	Pass	7001




23.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	814	0.1	RMS	813.8	-46.27	-13	Pass	7841
814	859	0.1	RMS	833	-2.16	60	Pass	451
859	1000	0.1	RMS	953.6	-62.5	-13	Pass	1411
1000	3000	1	RMS	2700	-47.04	-13	Pass	2001
3000	10000	1	RMS	9528	-62.64	-13	Pass	7001




23.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.33	-13	Pass	7841
814	859	0.1	RMS	827	16.62	60	Pass	451
859	1000	0.1	RMS	969.8	-62.37	-13	Pass	1411
1000	3000	1	RMS	2687	-47.06	-13	Pass	2001
3000	10000	1	RMS	9533	-62.6	-13	Pass	7001




23.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.34	-13	Pass	2986
30	814	0.1	RMS	809.3	-61.52	-13	Pass	7841
814	859	0.1	RMS	845.9	16.49	60	Pass	451
859	1000	0.1	RMS	982	-62.53	-13	Pass	1411
1000	3000	1	RMS	2698	-47.04	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001




23.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	814	0.1	RMS	813.8	-48.22	-13	Pass	7841
814	859	0.1	RMS	835.5	-2.1	60	Pass	451
859	1000	0.1	RMS	982.3	-62.48	-13	Pass	1411
1000	3000	1	RMS	2674	-47.01	-13	Pass	2001
3000	10000	1	RMS	9531	-62.49	-13	Pass	7001




23.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-13	Pass	2986
30	814	0.1	RMS	803.3	-62.47	-13	Pass	7841
814	859	0.1	RMS	829.5	16.56	60	Pass	451
859	1000	0.1	RMS	971.6	-62.54	-13	Pass	1411
1000	3000	1	RMS	2693	-47	-13	Pass	2001
3000	10000	1	RMS	9531	-62.47	-13	Pass	7001



23.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2986
30	814	0.1	RMS	795.8	-62.56	-13	Pass	7841
814	859	0.1	RMS	848.4	16.46	60	Pass	451
859	1000	0.1	RMS	960.9	-62.47	-13	Pass	1411
1000	3000	1	RMS	2673	-47.03	-13	Pass	2001
3000	10000	1	RMS	9527	-62.48	-13	Pass	7001



24. n7


24.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-25	Pass	2986
30	1000	0.1	RMS	932.5	-61.84	-25	Pass	9701
1000	2495	1	RMS	2495	-35.29	-25	Pass	1496
2495	2575	1	RMS	2503.4	13.29	60	Pass	401
2575	3000	1	RMS	2677	-47.43	-25	Pass	426
3000	6500	1	RMS	6220	-64.98	-25	Pass	3501
6500	26000	1	RMS	25327	-44.9	-25	Pass	19501




24.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.72	-25	Pass	2986
30	1000	0.1	RMS	946.2	-61.86	-25	Pass	9701
1000	2495	1	RMS	2494	-46.45	-25	Pass	1496
2495	2575	1	RMS	2500.4	19.33	60	Pass	401
2575	3000	1	RMS	2686	-47.45	-25	Pass	426
3000	6500	1	RMS	6216	-64.95	-25	Pass	3501
6500	26000	1	RMS	25334	-44.86	-25	Pass	19501




24.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-25	Pass	2986
30	1000	0.1	RMS	951.1	-61.88	-25	Pass	9701
1000	2495	1	RMS	2495	-47.12	-25	Pass	1496
2495	2575	1	RMS	2504.6	19.43	60	Pass	401
2575	3000	1	RMS	2697	-47.46	-25	Pass	426
3000	6500	1	RMS	6219	-64.96	-25	Pass	3501
6500	26000	1	RMS	25275	-44.91	-25	Pass	19501




24.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-25	Pass	2986
30	1000	0.1	RMS	944.9	-61.83	-25	Pass	9701
1000	2495	1	RMS	2488	-48.02	-25	Pass	1496
2495	2575	1	RMS	2536.2	13.06	60	Pass	401
2575	3000	1	RMS	2587	-47.33	-25	Pass	426
3000	6500	1	RMS	6220	-64.95	-25	Pass	3501
6500	26000	1	RMS	25309	-44.86	-25	Pass	19501




24.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2986
30	1000	0.1	RMS	993	-62	-25	Pass	9701
1000	2495	1	RMS	2490	-47.95	-25	Pass	1496
2495	2575	1	RMS	2532.8	19.35	60	Pass	401
2575	3000	1	RMS	2584	-43.39	-25	Pass	426
3000	6500	1	RMS	6221	-64.97	-25	Pass	3501
6500	26000	1	RMS	25307	-44.89	-25	Pass	19501




24.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	950.8	-62.08	-25	Pass	9701
1000	2495	1	RMS	2494	-47.91	-25	Pass	1496
2495	2575	1	RMS	2537.2	19.18	60	Pass	401
2575	3000	1	RMS	2588	-44.97	-25	Pass	426
3000	6500	1	RMS	6217	-64.98	-25	Pass	3501
6500	26000	1	RMS	25343	-44.89	-25	Pass	19501




24.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-25	Pass	2986
30	1000	0.1	RMS	954.8	-61.89	-25	Pass	9701
1000	2495	1	RMS	2491	-48.05	-25	Pass	1496
2495	2575	1	RMS	2568.6	13.25	60	Pass	401
2575	3000	1	RMS	2575	-34.59	-25	Pass	426
3000	6500	1	RMS	6221	-64.95	-25	Pass	3501
6500	26000	1	RMS	25310	-44.92	-25	Pass	19501




24.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-25	Pass	2986
30	1000	0.1	RMS	971.9	-61.98	-25	Pass	9701
1000	2495	1	RMS	2492	-48	-25	Pass	1496
2495	2575	1	RMS	2565.4	19.1	60	Pass	401
2575	3000	1	RMS	2576	-46.9	-25	Pass	426
3000	6500	1	RMS	6218	-64.93	-25	Pass	3501
6500	26000	1	RMS	25341	-44.83	-25	Pass	19501




24.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.96	-25	Pass	2986
30	1000	0.1	RMS	950.7	-61.89	-25	Pass	9701
1000	2495	1	RMS	2494	-48.06	-25	Pass	1496
2495	2575	1	RMS	2569.6	19.5	60	Pass	401
2575	3000	1	RMS	2575	-45.58	-25	Pass	426
3000	6500	1	RMS	6221	-64.97	-25	Pass	3501
6500	26000	1	RMS	25342	-44.89	-25	Pass	19501




24.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-25	Pass	2986
30	1000	0.1	RMS	927.8	-62.03	-25	Pass	9701
1000	2485	1	RMS	2485	-40.97	-25	Pass	1486
2485	2585	1	RMS	2512.5	8.62	60	Pass	401
2585	3000	1	RMS	2697	-47.48	-25	Pass	416
3000	6500	1	RMS	6221	-64.97	-25	Pass	3501
6500	26000	1	RMS	25744	-44.86	-25	Pass	19501




24.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-25	Pass	2986
30	1000	0.1	RMS	929.8	-61.98	-25	Pass	9701
1000	2485	1	RMS	2484	-47.67	-25	Pass	1486
2485	2585	1	RMS	2500.5	19.58	60	Pass	401
2585	3000	1	RMS	2679	-47.48	-25	Pass	416
3000	6500	1	RMS	6219	-64.94	-25	Pass	3501
6500	26000	1	RMS	25350	-44.89	-25	Pass	19501




24.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-25	Pass	2986
30	1000	0.1	RMS	901.5	-61.91	-25	Pass	9701
1000	2485	1	RMS	2485	-47.91	-25	Pass	1486
2485	2585	1	RMS	2514.5	19.46	60	Pass	401
2585	3000	1	RMS	2697	-47.46	-25	Pass	416
3000	6500	1	RMS	6221	-65	-25	Pass	3501
6500	26000	1	RMS	25341	-44.89	-25	Pass	19501




24.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	949.3	-62	-25	Pass	9701
1000	2485	1	RMS	2485	-48.16	-25	Pass	1486
2485	2585	1	RMS	2540	8.48	60	Pass	401
2585	3000	1	RMS	2679	-47.47	-25	Pass	416
3000	6500	1	RMS	6220	-64.99	-25	Pass	3501
6500	26000	1	RMS	25315	-44.84	-25	Pass	19501




24.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-25	Pass	2986
30	1000	0.1	RMS	962.1	-61.93	-25	Pass	9701
1000	2485	1	RMS	2482	-48.16	-25	Pass	1486
2485	2585	1	RMS	2528	19.44	60	Pass	401
2585	3000	1	RMS	2698	-47.44	-25	Pass	416
3000	6500	1	RMS	6221	-64.99	-25	Pass	3501
6500	26000	1	RMS	25320	-44.92	-25	Pass	19501




24.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.46	-25	Pass	2986
30	1000	0.1	RMS	945.7	-61.99	-25	Pass	9701
1000	2485	1	RMS	2485	-48.24	-25	Pass	1486
2485	2585	1	RMS	2542	19.47	60	Pass	401
2585	3000	1	RMS	2593	-45.65	-25	Pass	416
3000	6500	1	RMS	6219	-64.95	-25	Pass	3501
6500	26000	1	RMS	25316	-44.86	-25	Pass	19501




24.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-25	Pass	2986
30	1000	0.1	RMS	948.5	-61.98	-25	Pass	9701
1000	2485	1	RMS	2438	-48.28	-25	Pass	1486
2485	2585	1	RMS	2567.5	8.76	60	Pass	401
2585	3000	1	RMS	2585	-40.47	-25	Pass	416
3000	6500	1	RMS	6220	-64.99	-25	Pass	3501
6500	26000	1	RMS	25741	-44.79	-25	Pass	19501




24.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-25	Pass	2986
30	1000	0.1	RMS	959.9	-61.92	-25	Pass	9701
1000	2485	1	RMS	2482	-48.2	-25	Pass	1486
2485	2585	1	RMS	2555.5	19.34	60	Pass	401
2585	3000	1	RMS	2696	-47.48	-25	Pass	416
3000	6500	1	RMS	6219	-64.96	-25	Pass	3501
6500	26000	1	RMS	25330	-44.85	-25	Pass	19501




24.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-25	Pass	2986
30	1000	0.1	RMS	941.5	-61.85	-25	Pass	9701
1000	2485	1	RMS	2478	-48.3	-25	Pass	1486
2485	2585	1	RMS	2569.5	19.46	60	Pass	401
2585	3000	1	RMS	2694	-47.45	-25	Pass	416
3000	6500	1	RMS	6222	-65.03	-25	Pass	3501
6500	26000	1	RMS	25328	-44.84	-25	Pass	19501




24.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.92	-25	Pass	2986
30	1000	0.1	RMS	956.6	-61.97	-25	Pass	9701
1000	2480	1	RMS	2480	-44.26	-25	Pass	1481
2480	2590	1	RMS	2517.4	7.21	60	Pass	401
2590	3000	1	RMS	2699	-47.47	-25	Pass	411
3000	6500	1	RMS	6220	-64.99	-25	Pass	3501
6500	26000	1	RMS	25338	-44.78	-25	Pass	19501




24.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.02	-25	Pass	2986
30	1000	0.1	RMS	965.5	-62	-25	Pass	9701
1000	2480	1	RMS	2478	-48.17	-25	Pass	1481
2480	2590	1	RMS	2500.625	19.49	60	Pass	401
2590	3000	1	RMS	2686	-47.45	-25	Pass	411
3000	6500	1	RMS	6220	-64.91	-25	Pass	3501
6500	26000	1	RMS	25347	-44.88	-25	Pass	19501




24.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-25	Pass	2986
30	1000	0.1	RMS	972.7	-61.87	-25	Pass	9701
1000	2480	1	RMS	2480	-48.33	-25	Pass	1481
2480	2590	1	RMS	2519.325	19.32	60	Pass	401
2590	3000	1	RMS	2693	-47.47	-25	Pass	411
3000	6500	1	RMS	6221	-64.98	-25	Pass	3501
6500	26000	1	RMS	25342	-44.91	-25	Pass	19501




24.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	990.8	-61.99	-25	Pass	9701
1000	2480	1	RMS	2479	-48.24	-25	Pass	1481
2480	2590	1	RMS	2542.15	7.19	60	Pass	401
2590	3000	1	RMS	2695	-47.48	-25	Pass	411
3000	6500	1	RMS	6219	-64.95	-25	Pass	3501
6500	26000	1	RMS	25306	-44.84	-25	Pass	19501




24.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	Pass	2986
30	1000	0.1	RMS	966.9	-61.96	-25	Pass	9701
1000	2480	1	RMS	2440	-48.31	-25	Pass	1481
2480	2590	1	RMS	2525.65	19.3	60	Pass	401
2590	3000	1	RMS	2692	-47.46	-25	Pass	411
3000	6500	1	RMS	6220	-64.97	-25	Pass	3501
6500	26000	1	RMS	25337	-44.83	-25	Pass	19501




24.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.14	-25	Pass	2986
30	1000	0.1	RMS	917.7	-61.99	-25	Pass	9701
1000	2480	1	RMS	2477	-48.25	-25	Pass	1481
2480	2590	1	RMS	2544.35	19.31	60	Pass	401
2590	3000	1	RMS	2671	-47.47	-25	Pass	411
3000	6500	1	RMS	6220	-65.02	-25	Pass	3501
6500	26000	1	RMS	25331	-44.89	-25	Pass	19501




24.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-25	Pass	2986
30	1000	0.1	RMS	930.5	-61.96	-25	Pass	9701
1000	2480	1	RMS	2480	-48.33	-25	Pass	1481
2480	2590	1	RMS	2568.275	7.49	60	Pass	401
2590	3000	1	RMS	2590	-42.87	-25	Pass	411
3000	6500	1	RMS	6220	-64.99	-25	Pass	3501
6500	26000	1	RMS	25753	-44.86	-25	Pass	19501




24.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.34	-25	Pass	2986
30	1000	0.1	RMS	955.7	-61.94	-25	Pass	9701
1000	2480	1	RMS	2480	-48.26	-25	Pass	1481
2480	2590	1	RMS	2550.675	19.2	60	Pass	401
2590	3000	1	RMS	2674	-47.47	-25	Pass	411
3000	6500	1	RMS	6219	-64.96	-25	Pass	3501
6500	26000	1	RMS	25327	-44.9	-25	Pass	19501



24.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	950.3	-61.92	-25	Pass	9701
1000	2480	1	RMS	2441	-48.3	-25	Pass	1481
2480	2590	1	RMS	2569.375	19.39	60	Pass	401
2590	3000	1	RMS	2677	-47.47	-25	Pass	411
3000	6500	1	RMS	6219	-64.94	-25	Pass	3501
6500	26000	1	RMS	25337	-44.79	-25	Pass	19501



25. n66 15kHz


25.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2986
30	1000	0.1	RMS	939.5	-61.93	-13	Pass	9701
1000	1700	1	RMS	1700	-43.71	-13	Pass	701
1700	1790	1	RMS	1711.7	14.16	60	Pass	401
1790	3000	1	RMS	2684	-47.12	-13	Pass	1211
3000	6500	1	RMS	6220	-64.99	-13	Pass	3501
6500	20000	1	RMS	6508	-49.21	-13	Pass	13501




25.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.32	-13	Pass	2986
30	1000	0.1	RMS	992.9	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1790	1	RMS	1710.35	20.25	60	Pass	401
1790	3000	1	RMS	2669	-47.18	-13	Pass	1211
3000	6500	1	RMS	6219	-64.98	-13	Pass	3501
6500	20000	1	RMS	6508	-49.31	-13	Pass	13501




25.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.74	-13	Pass	2986
30	1000	0.1	RMS	918.7	-61.92	-13	Pass	9701
1000	1700	1	RMS	1696	-50.79	-13	Pass	701
1700	1790	1	RMS	1714.625	20.38	60	Pass	401
1790	3000	1	RMS	2688	-47.15	-13	Pass	1211
3000	6500	1	RMS	6220	-64.91	-13	Pass	3501
6500	20000	1	RMS	6510	-49.3	-13	Pass	13501




25.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	962.4	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1746.125	14.16	60	Pass	401
1790	3000	1	RMS	2693	-47.18	-13	Pass	1211
3000	6500	1	RMS	6217	-64.98	-13	Pass	3501
6500	20000	1	RMS	6506	-49.2	-13	Pass	13501




25.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	985.8	-61.96	-13	Pass	9701
1000	1700	1	RMS	1693	-51.01	-13	Pass	701
1700	1790	1	RMS	1742.75	20.2	60	Pass	401
1790	3000	1	RMS	2678	-47.15	-13	Pass	1211
3000	6500	1	RMS	6222	-65.01	-13	Pass	3501
6500	20000	1	RMS	6509	-49.23	-13	Pass	13501




25.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2986
30	1000	0.1	RMS	957.2	-61.91	-13	Pass	9701
1000	1700	1	RMS	1646	-51.05	-13	Pass	701
1700	1790	1	RMS	1747.25	20.1	60	Pass	401
1790	3000	1	RMS	2689	-47.19	-13	Pass	1211
3000	6500	1	RMS	6221	-64.95	-13	Pass	3501
6500	20000	1	RMS	6511	-49.21	-13	Pass	13501




25.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	1000	0.1	RMS	918.8	-61.91	-13	Pass	9701
1000	1700	1	RMS	1699	-51.02	-13	Pass	701
1700	1790	1	RMS	1778.3	14.26	60	Pass	401
1790	3000	1	RMS	1790	-46.61	-13	Pass	1211
3000	6500	1	RMS	6218	-64.96	-13	Pass	3501
6500	20000	1	RMS	6508	-49.2	-13	Pass	13501




25.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2986
30	1000	0.1	RMS	932.1	-61.91	-13	Pass	9701
1000	1700	1	RMS	1699	-51.02	-13	Pass	701
1700	1790	1	RMS	1775.375	20.36	60	Pass	401
1790	3000	1	RMS	2679	-47.17	-13	Pass	1211
3000	6500	1	RMS	6218	-64.93	-13	Pass	3501
6500	20000	1	RMS	6507	-49.34	-13	Pass	13501




25.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	1000	0.1	RMS	934.3	-61.96	-13	Pass	9701
1000	1700	1	RMS	1670	-51.06	-13	Pass	701
1700	1790	1	RMS	1779.65	20.47	60	Pass	401
1790	3000	1	RMS	2696	-47.11	-13	Pass	1211
3000	6500	1	RMS	6219	-64.96	-13	Pass	3501
6500	20000	1	RMS	6510	-49.26	-13	Pass	13501




25.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	1000	0.1	RMS	946.1	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-35.45	-13	Pass	701
1700	1790	1	RMS	1711.7	8.74	60	Pass	401
1790	3000	1	RMS	2695	-47.16	-13	Pass	1211
3000	6500	1	RMS	6219	-65.01	-13	Pass	3501
6500	20000	1	RMS	6510	-49.18	-13	Pass	13501




25.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.56	-13	Pass	2986
30	1000	0.1	RMS	956.5	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1710.575	20.49	60	Pass	401
1790	3000	1	RMS	2675	-47.17	-13	Pass	1211
3000	6500	1	RMS	3421	-64.78	-13	Pass	3501
6500	20000	1	RMS	6506	-49.35	-13	Pass	13501




25.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.78	-13	Pass	2986
30	1000	0.1	RMS	908.6	-61.88	-13	Pass	9701
1000	1700	1	RMS	1699	-50.93	-13	Pass	701
1700	1790	1	RMS	1729.475	20.44	60	Pass	401
1790	3000	1	RMS	2671	-47.17	-13	Pass	1211
3000	6500	1	RMS	6217	-64.99	-13	Pass	3501
6500	20000	1	RMS	6508	-49.27	-13	Pass	13501




25.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.27	-13	Pass	2986
30	1000	0.1	RMS	957.9	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-45.16	-13	Pass	701
1700	1790	1	RMS	1751.75	8.22	60	Pass	401
1790	3000	1	RMS	2674	-47.17	-13	Pass	1211
3000	6500	1	RMS	6221	-65	-13	Pass	3501
6500	20000	1	RMS	6510	-49.21	-13	Pass	13501




25.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	1000	0.1	RMS	991.8	-61.81	-13	Pass	9701
1000	1700	1	RMS	1697	-51.05	-13	Pass	701
1700	1790	1	RMS	1735.55	20.39	60	Pass	401
1790	3000	1	RMS	2694	-47.16	-13	Pass	1211
3000	6500	1	RMS	3471	-64.4	-13	Pass	3501
6500	20000	1	RMS	6506	-49.33	-13	Pass	13501




25.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	939.8	-61.94	-13	Pass	9701
1000	1700	1	RMS	1696	-51.02	-13	Pass	701
1700	1790	1	RMS	1754.45	20.32	60	Pass	401
1790	3000	1	RMS	2648	-47.19	-13	Pass	1211
3000	6500	1	RMS	6220	-64.92	-13	Pass	3501
6500	20000	1	RMS	6511	-49.27	-13	Pass	13501




25.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	943.9	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.33	-13	Pass	701
1700	1790	1	RMS	1777.175	8.26	60	Pass	401
1790	3000	1	RMS	1790	-36.92	-13	Pass	1211
3000	6500	1	RMS	6220	-64.93	-13	Pass	3501
6500	20000	1	RMS	6510	-49.24	-13	Pass	13501




25.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-13	Pass	2986
30	1000	0.1	RMS	951.1	-62	-13	Pass	9701
1000	1700	1	RMS	1698	-51.06	-13	Pass	701
1700	1790	1	RMS	1760.525	20.36	60	Pass	401
1790	3000	1	RMS	2698	-47.15	-13	Pass	1211
3000	6500	1	RMS	6219	-65	-13	Pass	3501
6500	20000	1	RMS	6506	-49.3	-13	Pass	13501




25.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1790	1	RMS	1779.425	20.47	60	Pass	401
1790	3000	1	RMS	2666	-47.17	-13	Pass	1211
3000	6500	1	RMS	6220	-64.95	-13	Pass	3501
6500	20000	1	RMS	6511	-49.35	-13	Pass	13501




25.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	970.2	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-37.48	-13	Pass	701
1700	1790	1	RMS	1711.925	5.57	60	Pass	401
1790	3000	1	RMS	1790	-42.71	-13	Pass	1211
3000	6500	1	RMS	6220	-64.94	-13	Pass	3501
6500	20000	1	RMS	6505	-49.2	-13	Pass	13501




25.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2986
30	1000	0.1	RMS	920.4	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.42	-13	Pass	701
1700	1790	1	RMS	1710.575	20.28	60	Pass	401
1790	3000	1	RMS	2666	-47.14	-13	Pass	1211
3000	6500	1	RMS	6217	-65	-13	Pass	3501
6500	20000	1	RMS	6510	-49.2	-13	Pass	13501




25.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	1000	0.1	RMS	926	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1749.275	20.26	60	Pass	401
1790	3000	1	RMS	2694	-47.14	-13	Pass	1211
3000	6500	1	RMS	6216	-64.94	-13	Pass	3501
6500	20000	1	RMS	6508	-49.31	-13	Pass	13501




25.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.81	-13	Pass	2986
30	1000	0.1	RMS	937.7	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-39.01	-13	Pass	701
1700	1790	1	RMS	1748.15	5.27	60	Pass	401
1790	3000	1	RMS	1790	-40.89	-13	Pass	1211
3000	6500	1	RMS	6222	-64.87	-13	Pass	3501
6500	20000	1	RMS	6510	-49.25	-13	Pass	13501




25.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	956.5	-61.93	-13	Pass	9701
1000	1700	1	RMS	1697	-50.85	-13	Pass	701
1700	1790	1	RMS	1725.65	20.36	60	Pass	401
1790	3000	1	RMS	2697	-47.13	-13	Pass	1211
3000	6500	1	RMS	6220	-64.98	-13	Pass	3501
6500	20000	1	RMS	6507	-49.25	-13	Pass	13501




25.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2986
30	1000	0.1	RMS	986.4	-61.93	-13	Pass	9701
1000	1700	1	RMS	1699	-50.96	-13	Pass	701
1700	1790	1	RMS	1764.35	20.18	60	Pass	401
1790	3000	1	RMS	2676	-47.14	-13	Pass	1211
3000	6500	1	RMS	6221	-64.95	-13	Pass	3501
6500	20000	1	RMS	6505	-49.31	-13	Pass	13501




25.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	955	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-42.17	-13	Pass	701
1700	1790	1	RMS	1747.925	5.39	60	Pass	401
1790	3000	1	RMS	1790	-38.92	-13	Pass	1211
3000	6500	1	RMS	6220	-64.99	-13	Pass	3501
6500	20000	1	RMS	6511	-49.32	-13	Pass	13501




25.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	969.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1692	-50.96	-13	Pass	701
1700	1790	1	RMS	1740.725	20.18	60	Pass	401
1790	3000	1	RMS	2663	-47.17	-13	Pass	1211
3000	6500	1	RMS	6220	-64.92	-13	Pass	3501
6500	20000	1	RMS	6511	-49.24	-13	Pass	13501



25.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	947.6	-62	-13	Pass	9701
1000	1700	1	RMS	1671	-51.05	-13	Pass	701
1700	1790	1	RMS	1779.425	20.29	60	Pass	401
1790	3000	1	RMS	2690	-47.11	-13	Pass	1211
3000	6500	1	RMS	6219	-64.94	-13	Pass	3501
6500	20000	1	RMS	6509	-49.32	-13	Pass	13501



26. n38_PC3


26.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-51.71	-25	Pass	2986
30	1000	0.1	RMS	998.8	-59.29	-25	Pass	9701
1000	2550	1	RMS	2550	-40.78	-25	Pass	1551
2550	2640	1	RMS	2572.725	8.16	60	Pass	401
2640	3000	1	RMS	2686.8	-47.29	-25	Pass	401
3000	6500	1	RMS	6218	-64.57	-25	Pass	3501
6500	26500	1	RMS	26425	-43.51	-25	Pass	20001




26.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.47	-25	Pass	2986
30	1000	0.1	RMS	988.8	-59.78	-25	Pass	9701
1000	2550	1	RMS	2550	-46.92	-25	Pass	1551
2550	2640	1	RMS	2570.925	20.14	60	Pass	401
2640	3000	1	RMS	2673.3	-47.15	-25	Pass	401
3000	6500	1	RMS	6240	-64.67	-25	Pass	3501
6500	26500	1	RMS	25368	-43.79	-25	Pass	20001




26.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.99	-25	Pass	2986
30	1000	0.1	RMS	945.3	-59.68	-25	Pass	9701
1000	2550	1	RMS	2538	-47.08	-25	Pass	1551
2550	2640	1	RMS	2588.925	20.15	60	Pass	401
2640	3000	1	RMS	2640	-46.27	-25	Pass	401
3000	6500	1	RMS	6212	-64.68	-25	Pass	3501
6500	26500	1	RMS	25325	-44.01	-25	Pass	20001




26.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-25	Pass	2986
30	1000	0.1	RMS	901.9	-59.22	-25	Pass	9701
1000	2550	1	RMS	2548	-46.86	-25	Pass	1551
2550	2640	1	RMS	2587.125	8.16	60	Pass	401
2640	3000	1	RMS	2640	-46.77	-25	Pass	401
3000	6500	1	RMS	6219	-64.49	-25	Pass	3501
6500	26500	1	RMS	26413	-43.58	-25	Pass	20001




26.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-25	Pass	2986
30	1000	0.1	RMS	900	-59.35	-25	Pass	9701
1000	2550	1	RMS	2547	-47.04	-25	Pass	1551
2550	2640	1	RMS	2586	20.22	60	Pass	401
2640	3000	1	RMS	2688.6	-46.81	-25	Pass	401
3000	6500	1	RMS	6220	-64.67	-25	Pass	3501
6500	26500	1	RMS	26407	-43.58	-25	Pass	20001




26.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-25	Pass	2986
30	1000	0.1	RMS	983.4	-59.65	-25	Pass	9701
1000	2550	1	RMS	2502	-47.12	-25	Pass	1551
2550	2640	1	RMS	2604	20.27	60	Pass	401
2640	3000	1	RMS	2655.3	-45.64	-25	Pass	401
3000	6500	1	RMS	6220	-64.69	-25	Pass	3501
6500	26500	1	RMS	26435	-43.83	-25	Pass	20001




26.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.44	-25	Pass	2986
30	1000	0.1	RMS	874.8	-59.14	-25	Pass	9701
1000	2550	1	RMS	2534	-47.39	-25	Pass	1551
2550	2640	1	RMS	2604	8.16	60	Pass	401
2640	3000	1	RMS	2640	-39.72	-25	Pass	401
3000	6500	1	RMS	6218	-64.75	-25	Pass	3501
6500	26500	1	RMS	25349	-43.77	-25	Pass	20001




26.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2986
30	1000	0.1	RMS	823.1	-59.7	-25	Pass	9701
1000	2550	1	RMS	2549	-46.84	-25	Pass	1551
2550	2640	1	RMS	2600.85	20.04	60	Pass	401
2640	3000	1	RMS	2652.6	-45.88	-25	Pass	401
3000	6500	1	RMS	6222	-64.6	-25	Pass	3501
6500	26500	1	RMS	26421	-43.61	-25	Pass	20001




26.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-25	Pass	2986
30	1000	0.1	RMS	872.1	-59.56	-25	Pass	9701
1000	2550	1	RMS	2550	-47.33	-25	Pass	1551
2550	2640	1	RMS	2619.075	20.15	60	Pass	401
2640	3000	1	RMS	2670.6	-46	-25	Pass	401
3000	6500	1	RMS	6215	-64.66	-25	Pass	3501
6500	26500	1	RMS	25266	-43.76	-25	Pass	20001




26.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-25	Pass	2986
30	1000	0.1	RMS	950.4	-59.44	-25	Pass	9701
1000	2540	1	RMS	2540	-41.75	-25	Pass	1541
2540	2650	1	RMS	2574.1	6.42	60	Pass	401
2650	3000	1	RMS	2650	-46.94	-25	Pass	401
3000	6500	1	RMS	6224	-64.73	-25	Pass	3501
6500	26500	1	RMS	26428	-43.59	-25	Pass	20001




26.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.34	-25	Pass	2986
30	1000	0.1	RMS	851.2	-59.17	-25	Pass	9701
1000	2540	1	RMS	2520	-46.61	-25	Pass	1541
2540	2650	1	RMS	2571.075	20.01	60	Pass	401
2650	3000	1	RMS	2673.625	-46.62	-25	Pass	401
3000	6500	1	RMS	6221	-64.72	-25	Pass	3501
6500	26500	1	RMS	26428	-43.56	-25	Pass	20001




26.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.06	-25	Pass	2986
30	1000	0.1	RMS	785.4	-59.3	-25	Pass	9701
1000	2540	1	RMS	2496	-46.85	-25	Pass	1541
2540	2650	1	RMS	2598.85	20.23	60	Pass	401
2650	3000	1	RMS	2650	-45.02	-25	Pass	401
3000	6500	1	RMS	6224	-64.65	-25	Pass	3501
6500	26500	1	RMS	25771	-43.95	-25	Pass	20001




26.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.64	-25	Pass	401
0.15	30	0.01	RMS	0.18	-55.37	-25	Pass	2986
30	1000	0.1	RMS	949	-59.5	-25	Pass	9701
1000	2540	1	RMS	2540	-45.16	-25	Pass	1541
2540	2650	1	RMS	2584	6.36	60	Pass	401
2650	3000	1	RMS	2650	-44.82	-25	Pass	401
3000	6500	1	RMS	6219	-64.78	-25	Pass	3501
6500	26500	1	RMS	26410	-43.88	-25	Pass	20001




26.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	401
0.15	30	0.01	RMS	0.19	-55.22	-25	Pass	2986
30	1000	0.1	RMS	890.7	-59.14	-25	Pass	9701
1000	2540	1	RMS	2529	-47.08	-25	Pass	1541
2540	2650	1	RMS	2580.975	20	60	Pass	401
2650	3000	1	RMS	2683.25	-46.69	-25	Pass	401
3000	6500	1	RMS	6220	-64.67	-25	Pass	3501
6500	26500	1	RMS	25236	-44.17	-25	Pass	20001




26.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-25	Pass	2986
30	1000	0.1	RMS	871.8	-59.6	-25	Pass	9701
1000	2540	1	RMS	2507	-47.44	-25	Pass	1541
2540	2650	1	RMS	2608.75	20.11	60	Pass	401
2650	3000	1	RMS	2659.625	-45.1	-25	Pass	401
3000	6500	1	RMS	6242	-64.64	-25	Pass	3501
6500	26500	1	RMS	26428	-43.73	-25	Pass	20001




26.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-51.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.56	-25	Pass	2986
30	1000	0.1	RMS	803.1	-59.59	-25	Pass	9701
1000	2540	1	RMS	2538	-47.06	-25	Pass	1541
2540	2650	1	RMS	2593.35	6.25	60	Pass	401
2650	3000	1	RMS	2650	-40.72	-25	Pass	401
3000	6500	1	RMS	6227	-64.71	-25	Pass	3501
6500	26500	1	RMS	26414	-43.78	-25	Pass	20001




26.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.64	-25	Pass	2986
30	1000	0.1	RMS	947.2	-59.12	-25	Pass	9701
1000	2540	1	RMS	2539	-46.99	-25	Pass	1541
2540	2650	1	RMS	2591.15	20.09	60	Pass	401
2650	3000	1	RMS	2693.75	-46.52	-25	Pass	401
3000	6500	1	RMS	6220	-64.75	-25	Pass	3501
6500	26500	1	RMS	25758	-43.79	-25	Pass	20001




26.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	919.1	-59.17	-25	Pass	9701
1000	2540	1	RMS	2517	-47.04	-25	Pass	1541
2540	2650	1	RMS	2618.925	20.14	60	Pass	401
2650	3000	1	RMS	2670.125	-45.22	-25	Pass	401
3000	6500	1	RMS	6217	-64.63	-25	Pass	3501
6500	26500	1	RMS	26421	-43.9	-25	Pass	20001




26.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-25	Pass	2986
30	1000	0.1	RMS	874.5	-59.83	-25	Pass	9701
1000	2530	1	RMS	2530	-42.2	-25	Pass	1531
2530	2660	1	RMS	2573.225	4.99	60	Pass	401
2660	3000	1	RMS	2660	-44.34	-25	Pass	401
3000	6500	1	RMS	6216	-64.79	-25	Pass	3501
6500	26500	1	RMS	26414	-43.93	-25	Pass	20001




26.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.29	-25	Pass	2986
30	1000	0.1	RMS	978.2	-59.68	-25	Pass	9701
1000	2530	1	RMS	2520	-46.87	-25	Pass	1531
2530	2660	1	RMS	2570.95	19.91	60	Pass	401
2660	3000	1	RMS	2673.6	-46.95	-25	Pass	401
3000	6500	1	RMS	3032	-64.51	-25	Pass	3501
6500	26500	1	RMS	25316	-44.01	-25	Pass	20001




26.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-25	Pass	2986
30	1000	0.1	RMS	935	-59.46	-25	Pass	9701
1000	2530	1	RMS	2506	-47.16	-25	Pass	1531
2530	2660	1	RMS	2608.975	20.02	60	Pass	401
2660	3000	1	RMS	2660	-45.63	-25	Pass	401
3000	6500	1	RMS	6216	-64.8	-25	Pass	3501
6500	26500	1	RMS	26433	-43.6	-25	Pass	20001




26.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-25	Pass	2986
30	1000	0.1	RMS	963.5	-59.19	-25	Pass	9701
1000	2530	1	RMS	2530	-43.15	-25	Pass	1531
2530	2660	1	RMS	2578.75	5	60	Pass	401
2660	3000	1	RMS	2660	-42.85	-25	Pass	401
3000	6500	1	RMS	6241	-64.62	-25	Pass	3501
6500	26500	1	RMS	25750	-43.7	-25	Pass	20001




26.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-25	Pass	2986
30	1000	0.1	RMS	974.4	-59.35	-25	Pass	9701
1000	2530	1	RMS	2525	-47.1	-25	Pass	1531
2530	2660	1	RMS	2576.15	19.98	60	Pass	401
2660	3000	1	RMS	2678.7	-47.04	-25	Pass	401
3000	6500	1	RMS	6216	-64.67	-25	Pass	3501
6500	26500	1	RMS	26441	-43.67	-25	Pass	20001




26.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-25	Pass	2986
30	1000	0.1	RMS	919	-59.51	-25	Pass	9701
1000	2530	1	RMS	2511	-46.89	-25	Pass	1531
2530	2660	1	RMS	2613.85	20.13	60	Pass	401
2660	3000	1	RMS	2665.1	-45.36	-25	Pass	401
3000	6500	1	RMS	6220	-64.58	-25	Pass	3501
6500	26500	1	RMS	26438	-43.75	-25	Pass	20001




26.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.22	-25	Pass	2986
30	1000	0.1	RMS	996.3	-58.64	-25	Pass	9701
1000	2530	1	RMS	2530	-44.63	-25	Pass	1531
2530	2660	1	RMS	2583.95	5.09	60	Pass	401
2660	3000	1	RMS	2660	-41.03	-25	Pass	401
3000	6500	1	RMS	6210	-64.78	-25	Pass	3501
6500	26500	1	RMS	25336	-44.01	-25	Pass	20001




26.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.34	-25	Pass	2986
30	1000	0.1	RMS	933	-59.52	-25	Pass	9701
1000	2530	1	RMS	2530	-46.98	-25	Pass	1531
2530	2660	1	RMS	2581.025	20.17	60	Pass	401
2660	3000	1	RMS	2682.95	-46.95	-25	Pass	401
3000	6500	1	RMS	6220	-64.7	-25	Pass	3501
6500	26500	1	RMS	26425	-43.38	-25	Pass	20001



26.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-52.16	-25	Pass	2986
30	1000	0.1	RMS	926.6	-59.78	-25	Pass	9701
1000	2530	1	RMS	2516	-46.95	-25	Pass	1531
2530	2660	1	RMS	2618.725	19.91	60	Pass	401
2660	3000	1	RMS	2670.2	-45.68	-25	Pass	401
3000	6500	1	RMS	6216	-64.74	-25	Pass	3501
6500	26500	1	RMS	26431	-43.93	-25	Pass	20001



27. n41


27.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	995.2	-61.79	-25	Pass	9701
1000	2476	1	RMS	2476	-43.75	-25	Pass	1477
2476	2710	1	RMS	2511.685	9.35	60	Pass	401
2710	3000	1	RMS	2710.725	-47.66	-25	Pass	401
3000	6500	1	RMS	6220	-64.93	-25	Pass	3501
6500	26500	1	RMS	26430	-44.71	-25	Pass	20001




27.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-25	Pass	2986
30	1000	0.1	RMS	981.5	-61.99	-25	Pass	9701
1000	2476	1	RMS	2475	-48.29	-25	Pass	1477
2476	2710	1	RMS	2497.06	20.83	60	Pass	401
2710	3000	1	RMS	2710	-47.62	-25	Pass	401
3000	6500	1	RMS	6220	-64.98	-25	Pass	3501
6500	26500	1	RMS	26425	-44.67	-25	Pass	20001




27.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	Pass	2986
30	1000	0.1	RMS	910.3	-61.92	-25	Pass	9701
1000	2476	1	RMS	2444	-48.31	-25	Pass	1477
2476	2710	1	RMS	2515.195	20.33	60	Pass	401
2710	3000	1	RMS	2710	-47.66	-25	Pass	401
3000	6500	1	RMS	6218	-64.96	-25	Pass	3501
6500	26500	1	RMS	26429	-44.74	-25	Pass	20001




27.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-25	Pass	2986
30	1000	0.1	RMS	981.2	-61.99	-25	Pass	9701
1000	2476	1	RMS	2448	-48.33	-25	Pass	1477
2476	2710	1	RMS	2587.15	9.52	60	Pass	401
2710	3000	1	RMS	2710	-47.69	-25	Pass	401
3000	6500	1	RMS	6220	-64.88	-25	Pass	3501
6500	26500	1	RMS	26432	-44.67	-25	Pass	20001




27.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.23	-25	Pass	2986
30	1000	0.1	RMS	950.2	-62	-25	Pass	9701
1000	2476	1	RMS	2476	-48.29	-25	Pass	1477
2476	2710	1	RMS	2584.225	20.33	60	Pass	401
2710	3000	1	RMS	2710.725	-47.68	-25	Pass	401
3000	6500	1	RMS	6223	-64.93	-25	Pass	3501
6500	26500	1	RMS	26427	-44.72	-25	Pass	20001




27.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-25	Pass	2986
30	1000	0.1	RMS	948.8	-61.93	-25	Pass	9701
1000	2476	1	RMS	2445	-48.31	-25	Pass	1477
2476	2710	1	RMS	2601.775	20.51	60	Pass	401
2710	3000	1	RMS	2710	-47.66	-25	Pass	401
3000	6500	1	RMS	6216	-65	-25	Pass	3501
6500	26500	1	RMS	26433	-44.65	-25	Pass	20001




27.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.91	-25	Pass	2986
30	1000	0.1	RMS	959.3	-61.96	-25	Pass	9701
1000	2476	1	RMS	2440	-48.34	-25	Pass	1477
2476	2710	1	RMS	2671.975	9.9	60	Pass	401
2710	3000	1	RMS	2710	-42.7	-25	Pass	401
3000	6500	1	RMS	6221	-64.91	-25	Pass	3501
6500	26500	1	RMS	26428	-44.67	-25	Pass	20001




27.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	953.4	-61.99	-25	Pass	9701
1000	2476	1	RMS	2440	-48.34	-25	Pass	1477
2476	2710	1	RMS	2670.805	20.68	60	Pass	401
2710	3000	1	RMS	2710	-47.62	-25	Pass	401
3000	6500	1	RMS	6219	-64.97	-25	Pass	3501
6500	26500	1	RMS	26426	-44.73	-25	Pass	20001




27.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53	-25	Pass	2986
30	1000	0.1	RMS	956.6	-62	-25	Pass	9701
1000	2476	1	RMS	2468	-48.34	-25	Pass	1477
2476	2710	1	RMS	2688.94	21.04	60	Pass	401
2710	3000	1	RMS	2711.45	-47.39	-25	Pass	401
3000	6500	1	RMS	6218	-64.95	-25	Pass	3501
6500	26500	1	RMS	26428	-44.59	-25	Pass	20001




27.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.11	-25	Pass	2986
30	1000	0.1	RMS	948.4	-61.85	-25	Pass	9701
1000	2436	1	RMS	2435	-48.39	-25	Pass	1437
2436	2750	1	RMS	2505.08	4.15	60	Pass	401
2750	3000	1	RMS	2790	-47.82	-25	Pass	401
3000	6500	1	RMS	6219	-64.95	-25	Pass	3501
6500	26500	1	RMS	26427	-44.54	-25	Pass	20001




27.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-25	Pass	2986
30	1000	0.1	RMS	971.4	-61.9	-25	Pass	9701
1000	2436	1	RMS	2416	-48.42	-25	Pass	1437
2436	2750	1	RMS	2497.23	20.01	60	Pass	401
2750	3000	1	RMS	2789.375	-47.81	-25	Pass	401
3000	6500	1	RMS	6222	-64.96	-25	Pass	3501
6500	26500	1	RMS	26430	-44.66	-25	Pass	20001




27.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-25	Pass	2986
30	1000	0.1	RMS	946	-62.02	-25	Pass	9701
1000	2436	1	RMS	2435	-48.45	-25	Pass	1437
2436	2750	1	RMS	2555.32	19.13	60	Pass	401
2750	3000	1	RMS	2792.5	-47.85	-25	Pass	401
3000	6500	1	RMS	6219	-64.97	-25	Pass	3501
6500	26500	1	RMS	26427	-44.63	-25	Pass	20001




27.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54	-25	Pass	2986
30	1000	0.1	RMS	930.3	-61.92	-25	Pass	9701
1000	2436	1	RMS	2421	-48.37	-25	Pass	1437
2436	2750	1	RMS	2569.45	4.62	60	Pass	401
2750	3000	1	RMS	2791.875	-47.83	-25	Pass	401
3000	6500	1	RMS	6220	-65	-25	Pass	3501
6500	26500	1	RMS	26431	-44.68	-25	Pass	20001




27.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-25	Pass	2986
30	1000	0.1	RMS	949	-62.03	-25	Pass	9701
1000	2436	1	RMS	2432	-48.37	-25	Pass	1437
2436	2750	1	RMS	2563.955	20.28	60	Pass	401
2750	3000	1	RMS	2790	-47.8	-25	Pass	401
3000	6500	1	RMS	6221	-64.99	-25	Pass	3501
6500	26500	1	RMS	26426	-44.66	-25	Pass	20001




27.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-25	Pass	2986
30	1000	0.1	RMS	939.6	-61.76	-25	Pass	9701
1000	2436	1	RMS	2417	-48.41	-25	Pass	1437
2436	2750	1	RMS	2622.045	20.48	60	Pass	401
2750	3000	1	RMS	2790	-47.81	-25	Pass	401
3000	6500	1	RMS	6219	-64.99	-25	Pass	3501
6500	26500	1	RMS	26429	-44.6	-25	Pass	20001




27.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-25	Pass	2986
30	1000	0.1	RMS	934.7	-61.96	-25	Pass	9701
1000	2436	1	RMS	2419	-48.35	-25	Pass	1437
2436	2750	1	RMS	2633.82	4.73	60	Pass	401
2750	3000	1	RMS	2790	-47.83	-25	Pass	401
3000	6500	1	RMS	6219	-64.92	-25	Pass	3501
6500	26500	1	RMS	26430	-44.52	-25	Pass	20001




27.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-25	Pass	2986
30	1000	0.1	RMS	928.7	-62.03	-25	Pass	9701
1000	2436	1	RMS	2424	-48.4	-25	Pass	1437
2436	2750	1	RMS	2630.68	19.64	60	Pass	401
2750	3000	1	RMS	2790	-47.82	-25	Pass	401
3000	6500	1	RMS	6219	-64.95	-25	Pass	3501
6500	26500	1	RMS	26430	-44.65	-25	Pass	20001




27.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-25	Pass	2986
30	1000	0.1	RMS	949.9	-61.92	-25	Pass	9701
1000	2436	1	RMS	2425	-48.4	-25	Pass	1437
2436	2750	1	RMS	2688.77	20.41	60	Pass	401
2750	3000	1	RMS	2790	-47.82	-25	Pass	401
3000	6500	1	RMS	6220	-64.95	-25	Pass	3501
6500	26500	1	RMS	26429	-44.59	-25	Pass	20001




27.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-25	Pass	2986
30	1000	0.1	RMS	981.5	-61.93	-25	Pass	9701
1000	2396	1	RMS	2395	-48.68	-25	Pass	1397
2396	2790	1	RMS	2510.26	1.91	60	Pass	401
2790	3000	1	RMS	2790.525	-47.83	-25	Pass	401
3000	6500	1	RMS	6219	-64.92	-25	Pass	3501
6500	26500	1	RMS	26424	-44.72	-25	Pass	20001




27.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-25	Pass	2986
30	1000	0.1	RMS	990.8	-61.97	-25	Pass	9701
1000	2396	1	RMS	2390	-48.7	-25	Pass	1397
2396	2790	1	RMS	2497.455	18.64	60	Pass	401
2790	3000	1	RMS	2790.525	-47.83	-25	Pass	401
3000	6500	1	RMS	6220	-64.97	-25	Pass	3501
6500	26500	1	RMS	26430	-44.7	-25	Pass	20001




27.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-25	Pass	2986
30	1000	0.1	RMS	930.7	-62.04	-25	Pass	9701
1000	2396	1	RMS	2392	-48.65	-25	Pass	1397
2396	2790	1	RMS	2594.97	20.06	60	Pass	401
2790	3000	1	RMS	2790.525	-47.81	-25	Pass	401
3000	6500	1	RMS	6217	-64.97	-25	Pass	3501
6500	26500	1	RMS	26425	-44.73	-25	Pass	20001




27.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	991.2	-61.95	-25	Pass	9701
1000	2396	1	RMS	2394	-48.71	-25	Pass	1397
2396	2790	1	RMS	2569.36	2.19	60	Pass	401
2790	3000	1	RMS	2790.525	-47.83	-25	Pass	401
3000	6500	1	RMS	6221	-64.95	-25	Pass	3501
6500	26500	1	RMS	26429	-44.66	-25	Pass	20001




27.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.45	-25	Pass	2986
30	1000	0.1	RMS	955.2	-62	-25	Pass	9701
1000	2396	1	RMS	2395	-48.67	-25	Pass	1397
2396	2790	1	RMS	2543.75	19.31	60	Pass	401
2790	3000	1	RMS	2791.575	-47.82	-25	Pass	401
3000	6500	1	RMS	6218	-64.95	-25	Pass	3501
6500	26500	1	RMS	26428	-44.58	-25	Pass	20001




27.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.3	-25	Pass	2986
30	1000	0.1	RMS	894.7	-61.92	-25	Pass	9701
1000	2396	1	RMS	2396	-48.72	-25	Pass	1397
2396	2790	1	RMS	2642.25	19.17	60	Pass	401
2790	3000	1	RMS	2791.05	-47.83	-25	Pass	401
3000	6500	1	RMS	6221	-64.95	-25	Pass	3501
6500	26500	1	RMS	26428	-44.54	-25	Pass	20001




27.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-25	Pass	2986
30	1000	0.1	RMS	981.7	-62.01	-25	Pass	9701
1000	2396	1	RMS	2395	-48.63	-25	Pass	1397
2396	2790	1	RMS	2602.85	2.62	60	Pass	401
2790	3000	1	RMS	2792.625	-47.83	-25	Pass	401
3000	6500	1	RMS	6220	-64.98	-25	Pass	3501
6500	26500	1	RMS	26428	-44.75	-25	Pass	20001




27.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-25	Pass	2986
30	1000	0.1	RMS	927.7	-62.09	-25	Pass	9701
1000	2396	1	RMS	2392	-48.7	-25	Pass	1397
2396	2790	1	RMS	2591.03	20.05	60	Pass	401
2790	3000	1	RMS	2790	-47.82	-25	Pass	401
3000	6500	1	RMS	6221	-65	-25	Pass	3501
6500	26500	1	RMS	26431	-44.58	-25	Pass	20001



27.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-25	Pass	2986
30	1000	0.1	RMS	962.7	-61.96	-25	Pass	9701
1000	2396	1	RMS	2395	-48.72	-25	Pass	1397
2396	2790	1	RMS	2688.545	19.13	60	Pass	401
2790	3000	1	RMS	2790.525	-47.84	-25	Pass	401
3000	6500	1	RMS	6222	-64.99	-25	Pass	3501
6500	26500	1	RMS	26426	-44.75	-25	Pass	20001



--BLANK BELOW--