



U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.67	1.93	74.0	19.33	Peak	92.00	150	Horizontal	Pass
1**	5350.055	45.51	1.93	54.0	8.49	AV	92.00	150	Horizontal	Pass
2	5456.865	58.03	2.50	74.0	15.97	Peak	293.00	150	Horizontal	Pass
2**	5456.865	45.85	2.50	54.0	8.15	AV	293.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.225	57.43	2.18	74.0	16.57	Peak	0.00	200	Horizontal	Pass
1**	5050.225	45.34	2.18	54.0	8.66	AV	0.00	200	Horizontal	Pass
2	5149.675	54.72	2.07	74.0	19.28	Peak	221.00	150	Horizontal	Pass
2**	5149.675	45.24	2.07	54.0	8.76	AV	221.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.38	1.93	74.0	18.62	Peak	29.00	150	Horizontal	Pass
1**	5350.055	45.57	1.93	54.0	8.43	AV	29.00	150	Horizontal	Pass
2	5387.840	57.49	2.16	74.0	16.51	Peak	228.00	100	Horizontal	Pass
2**	5387.840	45.58	2.16	54.0	8.42	AV	228.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.675	57.36	2.27	74.0	16.64	Peak	2.00	150	Horizontal	Pass
1**	5097.675	45.79	2.27	54.0	8.21	AV	2.00	150	Horizontal	Pass
2	5149.675	55.05	2.07	74.0	18.95	Peak	178.00	150	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	178.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.51	1.93	74.0	18.49	Peak	198.00	100	Horizontal	Pass
1**	5350.055	45.31	1.93	54.0	8.69	AV	198.00	100	Horizontal	Pass
2	5416.000	57.70	2.15	74.0	16.30	Peak	38.00	100	Horizontal	Pass
2**	5416.000	45.84	2.15	54.0	8.16	AV	38.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5025.525	57.37	1.87	74.0	16.63	Peak	334.00	100	Horizontal	Pass
1**	5025.525	45.20	1.87	54.0	8.80	AV	334.00	100	Horizontal	Pass
2	5149.675	55.07	2.07	74.0	18.93	Peak	310.00	150	Horizontal	Pass
2**	5149.675	45.63	2.07	54.0	8.37	AV	310.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.51	1.93	74.0	18.49	Peak	246.00	200	Horizontal	Pass
1**	5350.055	45.68	1.93	54.0	8.32	AV	246.00	200	Horizontal	Pass
2	5430.740	57.65	2.29	74.0	16.35	Peak	47.00	200	Horizontal	Pass
2**	5430.740	45.98	2.29	54.0	8.02	AV	47.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	57.34	2.39	74.0	16.66	Peak	33.00	150	Horizontal	Pass
1**	5141.225	46.19	2.39	54.0	7.81	AV	33.00	150	Horizontal	Pass
2	5149.675	55.43	2.07	74.0	18.57	Peak	17.00	200	Horizontal	Pass
2**	5149.675	45.63	2.07	54.0	8.37	AV	17.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.49	1.93	74.0	18.51	Peak	0.00	200	Horizontal	Pass
1**	5350.055	45.30	1.93	54.0	8.70	AV	0.00	200	Horizontal	Pass
2	5366.500	57.41	2.18	74.0	16.59	Peak	128.00	150	Horizontal	Pass
2**	5366.500	45.56	2.18	54.0	8.44	AV	128.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	57.61	2.36	74.0	16.39	Peak	215.00	100	Horizontal	Pass
1**	5140.575	45.86	2.36	54.0	8.14	AV	215.00	100	Horizontal	Pass
2	5149.675	56.11	2.07	74.0	17.89	Peak	106.00	200	Horizontal	Pass
2**	5149.675	45.42	2.07	54.0	8.58	AV	106.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.43	1.93	74.0	18.57	Peak	97.00	200	Horizontal	Pass
1**	5350.055	45.64	1.93	54.0	8.36	AV	97.00	200	Horizontal	Pass
2	5428.045	57.73	2.46	74.0	16.27	Peak	207.00	150	Horizontal	Pass
2**	5428.045	45.80	2.46	54.0	8.20	AV	207.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.600	56.95	2.21	74.0	17.05	Peak	326.00	200	Horizontal	Pass
1**	4840.600	45.33	2.21	54.0	8.67	AV	326.00	200	Horizontal	Pass
2	5149.675	55.66	2.07	74.0	18.34	Peak	23.00	100	Horizontal	Pass
2**	5149.675	45.86	2.07	54.0	8.14	AV	23.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.01	1.93	74.0	17.99	Peak	71.00	100	Horizontal	Pass
1**	5350.055	45.39	1.93	54.0	8.61	AV	71.00	100	Horizontal	Pass
2	5432.115	57.70	2.22	74.0	16.30	Peak	207.00	200	Horizontal	Pass
2**	5432.115	45.85	2.22	54.0	8.15	AV	207.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.275	57.28	2.33	74.0	16.72	Peak	283.00	200	Horizontal	Pass
1**	5087.275	45.70	2.33	54.0	8.30	AV	283.00	200	Horizontal	Pass
2	5149.675	56.56	2.07	74.0	17.44	Peak	102.00	100	Horizontal	Pass
2**	5149.675	45.43	2.07	54.0	8.57	AV	102.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	1.93	74.0	18.55	Peak	178.00	150	Horizontal	Pass
1**	5350.000	45.54	1.93	54.0	8.46	AV	178.00	150	Horizontal	Pass
2	5451.200	57.47	2.18	74.0	16.53	Peak	271.00	150	Horizontal	Pass
2**	5451.200	46.00	2.18	54.0	8.00	AV	271.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.925	57.02	2.36	74.0	16.98	Peak	211.00	200	Horizontal	Pass
1**	5087.925	45.68	2.36	54.0	8.32	AV	211.00	200	Horizontal	Pass
2	5149.675	54.33	2.07	74.0	19.67	Peak	227.00	100	Horizontal	Pass
2**	5149.675	45.49	2.07	54.0	8.51	AV	227.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.41	1.93	74.0	18.59	Peak	64.00	150	Horizontal	Pass
1**	5350.055	45.72	1.93	54.0	8.28	AV	64.00	150	Horizontal	Pass
2	5423.370	57.19	2.44	74.0	16.81	Peak	165.00	200	Horizontal	Pass
2**	5423.370	45.86	2.44	54.0	8.14	AV	165.00	200	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5105.150	58.01	2.39	74.0	15.99	Peak	23.00	200	Horizontal	Pass
1**	5105.150	45.99	2.39	54.0	8.01	AV	23.00	200	Horizontal	Pass
2	5149.675	55.45	2.07	74.0	18.55	Peak	67.00	150	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	67.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.85	1.93	74.0	19.15	Peak	300.00	100	Horizontal	Pass
1**	5350.000	45.44	1.93	54.0	8.56	AV	300.00	100	Horizontal	Pass
2	5440.090	57.90	2.32	74.0	16.10	Peak	286.00	150	Horizontal	Pass
2**	5440.090	45.67	2.32	54.0	8.33	AV	286.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	57.10	2.42	74.0	16.90	Peak	345.00	100	Horizontal	Pass
1**	5136.350	45.99	2.42	54.0	8.01	AV	345.00	100	Horizontal	Pass
2	5149.675	55.46	2.07	74.0	18.54	Peak	249.00	200	Horizontal	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	249.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.20	1.93	74.0	18.80	Peak	6.00	100	Horizontal	Pass
1**	5350.000	45.32	1.93	54.0	8.68	AV	6.00	100	Horizontal	Pass
2	5437.560	57.80	2.24	74.0	16.20	Peak	66.00	150	Horizontal	Pass
2**	5437.560	45.77	2.24	54.0	8.23	AV	66.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.500	56.98	2.26	74.0	17.02	Peak	92.00	200	Horizontal	Pass
1**	5078.500	45.67	2.26	54.0	8.33	AV	92.00	200	Horizontal	Pass
2	5149.675	55.03	2.07	74.0	18.97	Peak	352.00	100	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	352.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.60	1.93	74.0	19.40	Peak	357.00	100	Horizontal	Pass
1**	5350.000	45.60	1.93	54.0	8.40	AV	357.00	100	Horizontal	Pass
2	5366.005	57.37	2.16	74.0	16.63	Peak	111.00	200	Horizontal	Pass
2**	5366.005	45.45	2.16	54.0	8.55	AV	111.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5045.350	57.05	2.07	74.0	16.95	Peak	215.00	200	Horizontal	Pass
1**	5045.350	45.67	2.07	54.0	8.33	AV	215.00	200	Horizontal	Pass
2	5149.675	55.03	2.07	74.0	18.97	Peak	86.00	100	Horizontal	Pass
2**	5149.675	45.58	2.07	54.0	8.42	AV	86.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.42	1.93	74.0	18.58	Peak	299.00	150	Horizontal	Pass
1**	5350.000	45.54	1.93	54.0	8.46	AV	299.00	150	Horizontal	Pass
2	5420.180	57.56	2.44	74.0	16.44	Peak	292.00	150	Horizontal	Pass
2**	5420.180	45.88	2.44	54.0	8.12	AV	292.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	57.37	2.28	74.0	16.63	Peak	94.00	100	Horizontal	Pass
1**	5144.475	45.60	2.28	54.0	8.40	AV	94.00	100	Horizontal	Pass
2	5149.675	55.34	2.07	74.0	18.66	Peak	33.00	150	Horizontal	Pass
2**	5149.675	45.72	2.07	54.0	8.28	AV	33.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.54	1.93	74.0	18.46	Peak	154.00	150	Horizontal	Pass
1**	5350.055	45.47	1.93	54.0	8.53	AV	154.00	150	Horizontal	Pass
2	5427.385	57.97	2.54	74.0	16.03	Peak	67.00	200	Horizontal	Pass
2**	5427.385	45.91	2.54	54.0	8.09	AV	67.00	200	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.975	57.48	1.90	74.0	16.52	Peak	123.00	200	Horizontal	Pass
1**	4994.975	45.21	1.90	54.0	8.79	AV	123.00	200	Horizontal	Pass
2	5149.675	54.63	2.07	74.0	19.37	Peak	304.00	200	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	304.00	200	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.09	1.93	74.0	17.91	Peak	285.00	200	Horizontal	Pass
1**	5350.000	45.83	1.93	54.0	8.17	AV	285.00	200	Horizontal	Pass
2	5429.145	58.15	2.34	74.0	15.85	Peak	22.00	100	Horizontal	Pass
2**	5429.145	45.77	2.34	54.0	8.23	AV	22.00	100	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.575	57.33	2.35	74.0	16.67	Peak	123.00	200	Horizontal	Pass
1**	5101.575	45.87	2.35	54.0	8.13	AV	123.00	200	Horizontal	Pass
2	5149.675	54.93	2.07	74.0	19.07	Peak	308.00	100	Horizontal	Pass
2**	5149.675	45.60	2.07	54.0	8.40	AV	308.00	100	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.78	1.93	74.0	18.22	Peak	31.00	150	Horizontal	Pass
1**	5350.055	45.56	1.93	54.0	8.44	AV	31.00	150	Horizontal	Pass
2	5428.870	57.59	2.37	74.0	16.41	Peak	78.00	150	Horizontal	Pass
2**	5428.870	46.00	2.37	54.0	8.00	AV	78.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.075	56.77	2.43	74.0	17.23	Peak	129.00	100	Horizontal	Pass
1**	5134.075	45.79	2.43	54.0	8.21	AV	129.00	100	Horizontal	Pass
2	5149.675	54.83	2.07	74.0	19.17	Peak	289.00	200	Horizontal	Pass
2**	5149.675	45.40	2.07	54.0	8.60	AV	289.00	200	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.22	1.93	74.0	17.78	Peak	38.00	100	Horizontal	Pass
1**	5350.000	45.52	1.93	54.0	8.48	AV	38.00	100	Horizontal	Pass
2	5395.375	57.66	1.98	74.0	16.34	Peak	76.00	100	Horizontal	Pass
2**	5395.375	45.41	1.98	54.0	8.59	AV	76.00	100	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.450	57.38	2.37	74.0	16.62	Peak	60.00	150	Horizontal	Pass
1**	5080.450	45.81	2.37	54.0	8.19	AV	60.00	150	Horizontal	Pass
2	5149.675	55.39	2.07	74.0	18.61	Peak	102.00	200	Horizontal	Pass
2**	5149.675	45.38	2.07	54.0	8.62	AV	102.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.44	1.93	74.0	18.56	Peak	264.00	150	Horizontal	Pass
1**	5350.055	45.66	1.93	54.0	8.34	AV	264.00	150	Horizontal	Pass
2	5422.490	57.84	2.44	74.0	16.16	Peak	197.00	150	Horizontal	Pass
2**	5422.490	46.10	2.44	54.0	7.90	AV	197.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.500	57.20	2.04	74.0	16.80	Peak	0.00	100	Horizontal	Pass
1**	5117.500	45.48	2.04	54.0	8.52	AV	0.00	100	Horizontal	Pass
2	5149.675	54.96	2.07	74.0	19.04	Peak	102.00	100	Horizontal	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	102.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.30	1.93	74.0	18.70	Peak	253.00	150	Horizontal	Pass
1**	5350.000	45.54	1.93	54.0	8.46	AV	253.00	150	Horizontal	Pass
2	5418.310	57.59	2.38	74.0	16.41	Peak	176.00	200	Horizontal	Pass
2**	5418.310	45.92	2.38	54.0	8.08	AV	176.00	200	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5051.525	57.11	2.11	74.0	16.89	Peak	360.00	200	Horizontal	Pass
1**	5051.525	45.83	2.11	54.0	8.17	AV	360.00	200	Horizontal	Pass
2	5149.675	54.13	2.07	74.0	19.87	Peak	126.00	200	Horizontal	Pass
2**	5149.675	45.65	2.07	54.0	8.35	AV	126.00	200	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.90	1.93	74.0	18.10	Peak	252.00	200	Horizontal	Pass
1**	5350.000	45.85	1.93	54.0	8.15	AV	252.00	200	Horizontal	Pass
2	5426.340	57.47	2.44	74.0	16.53	Peak	359.00	150	Horizontal	Pass
2**	5426.340	45.98	2.44	54.0	8.02	AV	359.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4892.600	57.21	1.43	74.0	16.79	Peak	216.00	150	Horizontal	Pass
1**	4892.600	44.86	1.43	54.0	9.14	AV	216.00	150	Horizontal	Pass
2	5149.675	54.82	2.07	74.0	19.18	Peak	34.00	150	Horizontal	Pass
2**	5149.675	45.33	2.07	54.0	8.67	AV	34.00	150	Horizontal	Pass
3	5105.475	57.48	2.32	74.0	16.52	Peak	96.00	150	Horizontal	Pass
3**	5105.475	48.69	2.32	54.0	5.31	AV	96.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	1.93	74.0	18.08	Peak	311.00	150	Horizontal	Pass
1**	5350.000	45.42	1.93	54.0	8.58	AV	311.00	150	Horizontal	Pass
2	5457.635	57.53	2.49	74.0	16.47	Peak	25.00	200	Horizontal	Pass
2**	5457.635	46.03	2.49	54.0	7.97	AV	25.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5072.650	57.24	2.13	74.0	16.76	Peak	28.00	200	Horizontal	Pass
1**	5072.650	45.51	2.13	54.0	8.49	AV	28.00	200	Horizontal	Pass
2	5149.675	55.31	2.07	74.0	18.69	Peak	328.00	100	Horizontal	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	328.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.16	1.93	74.0	18.84	Peak	301.00	150	Horizontal	Pass
1**	5350.000	45.89	1.93	54.0	8.11	AV	301.00	150	Horizontal	Pass
2	5429.365	57.52	2.31	74.0	16.48	Peak	345.00	150	Horizontal	Pass
2**	5429.365	45.87	2.31	54.0	8.13	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.325	57.12	1.86	74.0	16.88	Peak	0.00	100	Horizontal	Pass
1**	4994.325	45.17	1.86	54.0	8.83	AV	0.00	100	Horizontal	Pass
2	5149.675	55.17	2.07	74.0	18.83	Peak	102.00	200	Horizontal	Pass
2**	5149.675	45.46	2.07	54.0	8.54	AV	102.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.04	1.93	74.0	18.96	Peak	358.00	150	Horizontal	Pass
1**	5350.000	45.57	1.93	54.0	8.43	AV	358.00	150	Horizontal	Pass
2	5399.225	57.41	1.98	74.0	16.59	Peak	35.00	200	Horizontal	Pass
2**	5399.225	45.52	1.98	54.0	8.48	AV	35.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.000	57.07	2.23	74.0	16.93	Peak	142.00	200	Horizontal	Pass
1**	5085.000	45.75	2.23	54.0	8.25	AV	142.00	200	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	0.00	150	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.32	1.93	74.0	18.68	Peak	68.00	150	Horizontal	Pass
1**	5350.000	45.49	1.93	54.0	8.51	AV	68.00	150	Horizontal	Pass
2	5444.930	57.29	2.18	74.0	16.71	Peak	300.00	150	Horizontal	Pass
2**	5444.930	45.69	2.18	54.0	8.31	AV	300.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4776.900	57.26	1.35	74.0	16.74	Peak	9.00	200	Horizontal	Pass
1**	4776.900	44.87	1.35	54.0	9.13	AV	9.00	200	Horizontal	Pass
2	5149.675	54.89	2.07	74.0	19.11	Peak	347.00	150	Horizontal	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	347.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.42	1.93	74.0	18.58	Peak	20.00	150	Horizontal	Pass
1**	5350.055	45.33	1.93	54.0	8.67	AV	20.00	150	Horizontal	Pass
2	5427.440	57.34	2.53	74.0	16.66	Peak	218.00	200	Horizontal	Pass
2**	5427.440	45.91	2.53	54.0	8.09	AV	218.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4982.950	57.43	2.08	74.0	16.57	Peak	360.00	100	Horizontal	Pass
1**	4982.950	45.42	2.08	54.0	8.58	AV	360.00	100	Horizontal	Pass
2	5149.675	54.59	2.07	74.0	19.41	Peak	218.00	150	Horizontal	Pass
2**	5149.675	45.54	2.07	54.0	8.46	AV	218.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.62	1.93	74.0	18.38	Peak	73.00	100	Horizontal	Pass
1**	5350.055	45.76	1.93	54.0	8.24	AV	73.00	100	Horizontal	Pass
2	5358.140	58.82	2.21	74.0	15.18	Peak	86.00	150	Horizontal	Pass
2**	5358.140	45.76	2.21	54.0	8.24	AV	86.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4999.850	56.86	2.20	74.0	17.14	Peak	71.00	100	Horizontal	Pass
1**	4999.850	45.59	2.20	54.0	8.41	AV	71.00	100	Horizontal	Pass
2	5149.675	55.12	2.07	74.0	18.88	Peak	17.00	200	Horizontal	Pass
2**	5149.675	45.37	2.07	54.0	8.63	AV	17.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.12	1.93	74.0	18.88	Peak	44.00	150	Horizontal	Pass
1**	5350.000	45.67	1.93	54.0	8.33	AV	44.00	150	Horizontal	Pass
2	5420.345	57.62	2.44	74.0	16.38	Peak	221.00	100	Horizontal	Pass
2**	5420.345	45.92	2.44	54.0	8.08	AV	221.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.925	57.13	2.23	74.0	16.87	Peak	331.00	150	Horizontal	Pass
1**	4840.925	45.70	2.23	54.0	8.30	AV	331.00	150	Horizontal	Pass
2	5149.675	55.42	2.07	74.0	18.58	Peak	206.00	150	Horizontal	Pass
2**	5149.675	45.61	2.07	54.0	8.39	AV	206.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.33	1.93	74.0	18.67	Peak	354.00	200	Horizontal	Pass
1**	5350.000	45.71	1.93	54.0	8.29	AV	354.00	200	Horizontal	Pass
2	5412.205	57.80	1.84	74.0	16.20	Peak	310.00	100	Horizontal	Pass
2**	5412.205	45.49	1.84	54.0	8.51	AV	310.00	100	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.950	57.79	2.44	74.0	16.21	Peak	208.00	150	Horizontal	Pass
1**	5421.950	45.99	2.44	54.0	8.01	AV	208.00	150	Horizontal	Pass
2	5460.000	56.20	2.50	74.0	17.80	Peak	46.00	100	Horizontal	Pass
2**	5460.000	46.23	2.50	54.0	7.77	AV	46.00	100	Horizontal	Pass
3	5468.350	57.84	3.08	68.2	10.36	Peak	157.00	100	Horizontal	Pass
3**	5468.350	46.77	3.08	--	--	AV	157.00	100	Horizontal	N/A
4	5469.950	56.11	2.87	68.2	12.09	Peak	170.00	200	Horizontal	Pass
4**	5469.950	46.78	2.87	--	--	AV	170.00	200	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.67	2.55	68.2	9.53	Peak	154.00	100	Horizontal	Pass
2	5725.200	59.19	2.55	68.2	9.01	Peak	188.00	100	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.750	57.26	2.16	74.0	16.74	Peak	114.00	150	Horizontal	Pass
1**	5451.750	45.57	2.16	54.0	8.43	AV	114.00	150	Horizontal	Pass
2	5460.000	55.53	2.50	74.0	18.47	Peak	74.00	150	Horizontal	Pass
2**	5460.000	46.12	2.50	54.0	7.88	AV	74.00	150	Horizontal	Pass
3	5463.100	57.49	2.79	68.2	10.71	Peak	360.00	200	Horizontal	Pass
3**	5463.100	46.37	2.79	--	--	AV	360.00	200	Horizontal	N/A
4	5469.950	55.41	2.87	68.2	12.79	Peak	264.00	150	Horizontal	Pass
4**	5469.950	46.32	2.87	--	--	AV	264.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.74	2.55	68.2	9.46	Peak	184.00	200	Horizontal	Pass
2	5725.500	60.89	2.54	68.2	7.31	Peak	188.00	200	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.950	58.63	2.41	74.0	15.37	Peak	155.00	200	Horizontal	Pass
1**	5458.950	47.20	2.41	54.0	6.80	AV	155.00	200	Horizontal	Pass
2	5460.000	56.83	2.50	74.0	17.17	Peak	131.00	100	Horizontal	Pass
2**	5460.000	47.44	2.50	54.0	6.56	AV	131.00	100	Horizontal	Pass
3	5469.550	60.72	2.91	68.2	7.48	Peak	192.00	200	Horizontal	Pass
3**	5469.550	49.55	2.91	--	--	AV	192.00	200	Horizontal	N/A
4	5469.950	58.64	2.87	68.2	9.56	Peak	141.00	100	Horizontal	Pass
4**	5469.950	49.70	2.87	--	--	AV	141.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.33	2.55	68.2	8.87	Peak	178.00	100	Horizontal	Pass
2	5726.350	60.36	2.52	68.2	7.84	Peak	175.00	200	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.400	58.05	2.45	74.0	15.95	Peak	251.00	150	Horizontal	Pass
1**	5458.400	45.94	2.45	54.0	8.06	AV	251.00	150	Horizontal	Pass
2	5460.000	54.82	2.50	74.0	19.18	Peak	220.00	100	Horizontal	Pass
2**	5460.000	45.85	2.50	54.0	8.15	AV	220.00	100	Horizontal	Pass
3	5469.900	58.11	2.87	68.2	10.09	Peak	190.00	200	Horizontal	Pass
3**	5469.900	46.28	2.87	--	--	AV	190.00	200	Horizontal	N/A
4	5469.950	57.36	2.87	68.2	10.84	Peak	154.00	100	Horizontal	Pass
4**	5469.950	46.40	2.87	--	--	AV	154.00	100	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.57	2.55	68.2	9.63	Peak	155.00	150	Horizontal	Pass
2	5726.750	61.13	2.51	68.2	7.07	Peak	183.00	100	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.700	58.64	2.46	74.0	15.36	Peak	181.00	150	Horizontal	Pass
1**	5459.700	47.28	2.46	54.0	6.72	AV	181.00	150	Horizontal	Pass
2	5460.000	56.21	2.50	74.0	17.79	Peak	134.00	150	Horizontal	Pass
2**	5460.000	47.83	2.50	54.0	6.17	AV	134.00	150	Horizontal	Pass
3	5467.850	60.07	3.15	68.2	8.13	Peak	193.00	200	Horizontal	Pass
3**	5467.850	49.13	3.15	--	--	AV	193.00	200	Horizontal	N/A
4	5469.950	59.25	2.87	68.2	8.95	Peak	193.00	200	Horizontal	Pass
4**	5469.950	49.92	2.87	--	--	AV	193.00	200	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.47	2.55	68.2	7.73	Peak	185.00	100	Horizontal	Pass
2	5726.300	60.86	2.52	68.2	7.34	Peak	169.00	200	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5422.900	57.68	2.45	74.0	16.32	Peak	0.00	200	Horizontal	Pass
1**	5422.900	46.12	2.45	54.0	7.88	AV	0.00	200	Horizontal	Pass
2	5460.000	55.61	2.50	74.0	18.39	Peak	40.00	150	Horizontal	Pass
2**	5460.000	45.90	2.50	54.0	8.10	AV	40.00	150	Horizontal	Pass
3	5467.800	57.64	3.15	68.2	10.56	Peak	196.00	100	Horizontal	Pass
3**	5467.800	46.46	3.15	--	--	AV	196.00	100	Horizontal	N/A
4	5469.950	55.41	2.87	68.2	12.79	Peak	0.00	150	Horizontal	Pass
4**	5469.950	46.15	2.87	--	--	AV	0.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.23	2.55	68.2	11.97	Peak	92.00	150	Horizontal	Pass
2	5747.900	57.97	2.35	68.2	10.23	Peak	183.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.400	59.24	2.42	74.0	14.76	Peak	163.00	100	Horizontal	Pass
1**	5428.400	47.67	2.42	54.0	6.33	AV	163.00	100	Horizontal	Pass
2	5460.000	56.61	2.50	74.0	17.39	Peak	183.00	100	Horizontal	Pass
2**	5460.000	46.82	2.50	54.0	7.18	AV	183.00	100	Horizontal	Pass
3	5466.200	58.57	2.80	68.2	9.63	Peak	102.00	150	Horizontal	Pass
3**	5466.200	47.04	2.80	--	--	AV	102.00	150	Horizontal	N/A
4	5469.950	57.48	2.87	68.2	10.72	Peak	174.00	150	Horizontal	Pass
4**	5469.950	47.28	2.87	--	--	AV	174.00	150	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.57	2.55	68.2	11.63	Peak	162.00	100	Horizontal	Pass
2	5824.650	58.57	2.54	68.2	9.63	Peak	245.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.100	57.72	2.35	74.0	16.28	Peak	356.00	100	Horizontal	Pass
1**	5446.100	45.74	2.35	54.0	8.26	AV	356.00	100	Horizontal	Pass
2	5460.000	55.39	2.50	74.0	18.61	Peak	164.00	100	Horizontal	Pass
2**	5460.000	46.09	2.50	54.0	7.91	AV	164.00	100	Horizontal	Pass
3	5466.800	57.88	2.94	68.2	10.32	Peak	129.00	200	Horizontal	Pass
3**	5466.800	46.63	2.94	--	--	AV	129.00	200	Horizontal	N/A
4	5469.950	56.44	2.87	68.2	11.76	Peak	138.00	200	Horizontal	Pass
4**	5469.950	46.53	2.87	--	--	AV	138.00	200	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.38	2.55	68.2	6.82	Peak	167.00	100	Horizontal	Pass
2	5725.100	62.60	2.55	68.2	5.60	Peak	149.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.250	58.28	2.32	74.0	15.72	Peak	165.00	100	Horizontal	Pass
1**	5440.250	46.63	2.32	54.0	7.37	AV	165.00	100	Horizontal	Pass
2	5460.000	57.12	2.50	74.0	16.88	Peak	168.00	150	Horizontal	Pass
2**	5460.000	47.94	2.50	54.0	6.06	AV	168.00	150	Horizontal	Pass
3	5469.750	60.82	2.88	68.2	7.38	Peak	176.00	100	Horizontal	Pass
3**	5469.750	49.52	2.88	--	--	AV	176.00	100	Horizontal	N/A
4	5469.950	58.67	2.87	68.2	9.53	Peak	190.00	200	Horizontal	Pass
4**	5469.950	49.71	2.87	--	--	AV	190.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.36	2.55	68.2	8.84	Peak	169.00	150	Horizontal	Pass
2	5728.000	61.59	2.58	68.2	6.61	Peak	177.00	200	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5417.500	57.58	2.26	74.0	16.42	Peak	212.00	200	Horizontal	Pass
1**	5417.500	45.98	2.26	54.0	8.02	AV	212.00	200	Horizontal	Pass
2	5460.000	55.00	2.50	74.0	19.00	Peak	95.00	200	Horizontal	Pass
2**	5460.000	45.82	2.50	54.0	8.18	AV	95.00	200	Horizontal	Pass
3	5468.150	57.68	3.11	68.2	10.52	Peak	315.00	150	Horizontal	Pass
3**	5468.150	46.54	3.11	--	--	AV	315.00	150	Horizontal	N/A
4	5469.950	54.81	2.87	68.2	13.39	Peak	288.00	150	Horizontal	Pass
4**	5469.950	46.40	2.87	--	--	AV	288.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.40	2.55	68.2	11.80	Peak	336.00	200	Horizontal	Pass
2	5809.650	58.11	2.66	68.2	10.09	Peak	276.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5429.050	60.92	2.35	74.0	13.08	Peak	181.00	200	Horizontal	Pass
1**	5429.050	48.74	2.35	54.0	5.26	AV	181.00	200	Horizontal	Pass
2	5460.000	56.76	2.50	74.0	17.24	Peak	345.00	200	Horizontal	Pass
2**	5460.000	47.94	2.50	54.0	6.06	AV	345.00	200	Horizontal	Pass
3	5468.350	58.82	3.08	68.2	9.38	Peak	187.00	100	Horizontal	Pass
3**	5468.350	48.19	3.08	--	--	AV	187.00	100	Horizontal	N/A
4	5469.950	56.12	2.87	68.2	12.08	Peak	164.00	200	Horizontal	Pass
4**	5469.950	47.57	2.87	--	--	AV	164.00	200	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.33	2.55	68.2	11.87	Peak	192.00	100	Horizontal	Pass
2	5781.050	58.04	2.52	68.2	10.16	Peak	312.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5420.800	57.73	2.43	74.0	16.27	Peak	350.00	200	Horizontal	Pass
1**	5420.800	45.83	2.43	54.0	8.17	AV	350.00	200	Horizontal	Pass
2	5460.000	55.60	2.50	74.0	18.40	Peak	37.00	150	Horizontal	Pass
2**	5460.000	46.12	2.50	54.0	7.88	AV	37.00	150	Horizontal	Pass
3	5468.650	57.29	3.04	68.2	10.91	Peak	22.00	200	Horizontal	Pass
3**	5468.650	46.15	3.04	--	--	AV	22.00	200	Horizontal	N/A
4	5469.950	56.25	2.87	68.2	11.95	Peak	55.00	150	Horizontal	Pass
4**	5469.950	46.52	2.87	--	--	AV	55.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.12	2.55	68.2	11.08	Peak	277.00	100	Horizontal	Pass
2	5805.050	57.46	2.79	68.2	10.74	Peak	307.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.800	57.55	2.30	74.0	16.45	Peak	78.00	200	Horizontal	Pass
1**	5438.800	45.60	2.30	54.0	8.40	AV	78.00	200	Horizontal	Pass
2	5460.000	56.07	2.50	74.0	17.93	Peak	13.00	200	Horizontal	Pass
2**	5460.000	46.06	2.50	54.0	7.94	AV	13.00	200	Horizontal	Pass
3	5465.600	58.36	2.66	68.2	9.84	Peak	140.00	200	Horizontal	Pass
3**	5465.600	45.88	2.66	--	--	AV	140.00	200	Horizontal	N/A
4	5469.950	55.64	2.87	68.2	12.56	Peak	184.00	150	Horizontal	Pass
4**	5469.950	46.28	2.87	--	--	AV	184.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.47	2.55	68.2	12.73	Peak	239.00	200	Horizontal	Pass
2	5744.550	58.15	2.21	68.2	10.05	Peak	19.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5370.300	57.93	2.21	74.0	16.07	Peak	360.00	100	Horizontal	Pass
1**	5370.300	45.89	2.21	54.0	8.11	AV	360.00	100	Horizontal	Pass
2	5460.000	54.88	2.50	74.0	19.12	Peak	168.00	100	Horizontal	Pass
2**	5460.000	45.76	2.50	54.0	8.24	AV	168.00	100	Horizontal	Pass
3	5462.300	58.63	2.74	68.2	9.57	Peak	59.00	150	Horizontal	Pass
3**	5462.300	46.11	2.74	--	--	AV	59.00	150	Horizontal	N/A
4	5469.950	56.31	2.87	68.2	11.89	Peak	353.00	150	Horizontal	Pass
4**	5469.950	46.49	2.87	--	--	AV	353.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.60	2.55	68.2	11.60	Peak	141.00	150	Horizontal	Pass
2	5816.000	57.85	2.68	68.2	10.35	Peak	171.00	200	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.450	57.08	2.31	74.0	16.92	Peak	172.00	150	Horizontal	Pass
1**	5439.450	45.76	2.31	54.0	8.24	AV	172.00	150	Horizontal	Pass
2	5460.000	56.78	2.50	74.0	17.22	Peak	224.00	150	Horizontal	Pass
2**	5460.000	45.80	2.50	54.0	8.20	AV	224.00	150	Horizontal	Pass
3	5466.400	57.69	2.85	68.2	10.51	Peak	158.00	150	Horizontal	Pass
3**	5466.400	46.29	2.85	--	--	AV	158.00	150	Horizontal	N/A
4	5469.950	55.69	2.87	68.2	12.51	Peak	44.00	200	Horizontal	Pass
4**	5469.950	46.34	2.87	--	--	AV	44.00	200	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.10	2.55	68.2	11.10	Peak	10.00	200	Horizontal	Pass
2	5758.000	57.93	2.66	68.2	10.27	Peak	123.00	200	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.900	58.32	2.34	68.2	9.88	Peak	151.00	200	Horizontal	Pass
2	5650.000	56.09	2.54	68.2	12.11	Peak	201.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.37	2.32	68.2	12.83	Peak	32.00	150	Horizontal	Pass
2	5928.150	57.99	2.59	68.2	10.21	Peak	278.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	57.54	2.53	68.2	10.66	Peak	284.00	150	Horizontal	Pass
2	5650.000	55.59	2.54	68.2	12.61	Peak	44.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.13	2.32	68.2	13.07	Peak	29.00	150	Horizontal	Pass
2	5943.650	58.26	2.47	68.2	9.94	Peak	305.00	200	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.750	63.16	2.57	68.2	5.04	Peak	166.00	150	Horizontal	Pass
2	5650.000	58.95	2.54	68.2	9.25	Peak	156.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.37	2.32	68.2	11.83	Peak	137.00	150	Horizontal	Pass
2	5935.550	58.38	2.48	68.2	9.82	Peak	262.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.700	57.77	2.52	68.2	10.43	Peak	187.00	200	Horizontal	Pass
2	5650.000	55.47	2.54	68.2	12.73	Peak	301.00	200	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.79	2.32	68.2	12.41	Peak	222.00	200	Horizontal	Pass
2	5929.000	58.38	2.69	68.2	9.82	Peak	151.00	200	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.450	60.51	2.02	68.2	7.69	Peak	171.00	150	Horizontal	Pass
2	5650.000	57.92	2.54	68.2	10.28	Peak	178.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.30	2.32	68.2	12.90	Peak	168.00	150	Horizontal	Pass
2	5929.700	57.96	2.63	68.2	10.24	Peak	170.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.100	61.60	2.54	68.2	6.60	Peak	183.00	100	Horizontal	Pass
2	5650.000	62.20	2.54	68.2	6.00	Peak	187.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.64	2.32	68.2	11.56	Peak	338.00	200	Horizontal	Pass
2	5941.100	58.13	2.77	68.2	10.07	Peak	324.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.650	57.66	2.58	68.2	10.54	Peak	314.00	150	Horizontal	Pass
2	5650.000	56.22	2.54	68.2	11.98	Peak	157.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.94	2.32	68.2	11.26	Peak	214.00	150	Horizontal	Pass
2	5948.050	57.71	2.71	68.2	10.49	Peak	294.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.450	60.04	2.31	68.2	8.16	Peak	173.00	150	Horizontal	Pass
2	5650.000	56.97	2.54	68.2	11.23	Peak	253.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.74	2.32	68.2	12.46	Peak	61.00	150	Horizontal	Pass
2	5931.500	58.13	2.47	68.2	10.07	Peak	113.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.350	62.67	2.71	68.2	5.53	Peak	184.00	200	Horizontal	Pass
2	5650.000	58.69	2.54	68.2	9.51	Peak	191.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.75	2.32	68.2	12.45	Peak	320.00	150	Horizontal	Pass
2	5936.650	58.25	2.39	68.2	9.95	Peak	155.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.950	57.77	2.52	68.2	10.43	Peak	126.00	200	Horizontal	Pass
2	5650.000	55.76	2.54	68.2	12.44	Peak	60.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.68	2.32	68.2	12.52	Peak	277.00	150	Horizontal	Pass
2	5940.200	58.09	2.54	68.2	10.11	Peak	70.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.300	57.79	2.31	68.2	10.41	Peak	123.00	200	Horizontal	Pass
2	5650.000	56.48	2.54	68.2	11.72	Peak	178.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.35	2.32	68.2	11.85	Peak	65.00	200	Horizontal	Pass
2	5948.100	57.70	2.71	68.2	10.50	Peak	145.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.800	57.80	2.65	68.2	10.40	Peak	72.00	150	Horizontal	Pass
2	5650.000	57.55	2.54	68.2	10.65	Peak	190.00	100	Horizontal	Pass


U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.44	2.32	68.2	11.76	Peak	24.00	100	Horizontal	Pass
2	5942.400	57.99	2.73	68.2	10.21	Peak	255.00	200	Horizontal	Pass


SISO-Antenna 1

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.775	56.89	2.39	74.0	17.11	Peak	3.00	100	Horizontal	Pass
1**	5080.775	45.96	2.39	54.0	8.04	AV	3.00	100	Horizontal	Pass
2	5149.675	54.82	2.07	74.0	19.18	Peak	171.00	150	Horizontal	Pass
2**	5149.675	45.79	2.07	54.0	8.21	AV	171.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.89	1.93	74.0	19.11	Peak	238.00	100	Horizontal	Pass
1**	5350.000	45.56	1.93	54.0	8.44	AV	238.00	100	Horizontal	Pass
2	5359.790	57.33	2.26	74.0	16.67	Peak	241.00	200	Horizontal	Pass
2**	5359.790	46.09	2.26	54.0	7.91	AV	241.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.975	57.49	2.27	74.0	16.51	Peak	225.00	100	Horizontal	Pass
1**	5085.975	45.72	2.27	54.0	8.28	AV	225.00	100	Horizontal	Pass
2	5149.675	55.32	2.07	74.0	18.68	Peak	270.00	100	Horizontal	Pass
2**	5149.675	46.47	2.07	54.0	7.53	AV	270.00	100	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.85	1.93	74.0	18.15	Peak	32.00	150	Horizontal	Pass
1**	5350.055	45.39	1.93	54.0	8.61	AV	32.00	150	Horizontal	Pass
2	5427.495	57.81	2.52	74.0	16.19	Peak	229.00	150	Horizontal	Pass
2**	5427.495	46.05	2.52	54.0	7.95	AV	229.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5079.475	56.88	2.31	74.0	17.12	Peak	276.00	150	Horizontal	Pass
1**	5079.475	45.83	2.31	54.0	8.17	AV	276.00	150	Horizontal	Pass
2	5149.675	54.63	2.07	74.0	19.37	Peak	186.00	150	Horizontal	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	186.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.42	1.93	74.0	18.58	Peak	360.00	200	Horizontal	Pass
1**	5350.055	45.31	1.93	54.0	8.69	AV	360.00	200	Horizontal	Pass
2	5428.155	57.87	2.45	74.0	16.13	Peak	92.00	150	Horizontal	Pass
2**	5428.155	45.92	2.45	54.0	8.08	AV	92.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.875	57.78	1.97	74.0	16.22	Peak	249.00	100	Horizontal	Pass
1**	5063.875	45.45	1.97	54.0	8.55	AV	249.00	100	Horizontal	Pass
2	5149.675	54.78	2.07	74.0	19.22	Peak	73.00	200	Horizontal	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	73.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.47	1.93	74.0	18.53	Peak	149.00	150	Horizontal	Pass
1**	5350.000	45.47	1.93	54.0	8.53	AV	149.00	150	Horizontal	Pass
2	5360.010	57.80	2.27	74.0	16.20	Peak	39.00	150	Horizontal	Pass
2**	5360.010	45.54	2.27	54.0	8.46	AV	39.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4987.500	56.85	1.95	74.0	17.15	Peak	345.00	100	Horizontal	Pass
1**	4987.500	45.31	1.95	54.0	8.69	AV	345.00	100	Horizontal	Pass
2	5149.675	55.98	2.07	74.0	18.02	Peak	79.00	200	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	79.00	200	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.49	1.93	74.0	18.51	Peak	229.00	150	Horizontal	Pass
1**	5350.000	45.56	1.93	54.0	8.44	AV	229.00	150	Horizontal	Pass
2	5425.350	57.60	2.35	74.0	16.40	Peak	53.00	150	Horizontal	Pass
2**	5425.350	46.27	2.35	54.0	7.73	AV	53.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.425	57.03	2.37	74.0	16.97	Peak	52.00	100	Horizontal	Pass
1**	5133.425	46.21	2.37	54.0	7.79	AV	52.00	100	Horizontal	Pass
2	5149.675	56.19	2.07	74.0	17.81	Peak	165.00	150	Horizontal	Pass
2**	5149.675	46.60	2.07	54.0	7.40	AV	165.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.83	1.93	74.0	18.17	Peak	0.00	150	Horizontal	Pass
1**	5350.055	45.60	1.93	54.0	8.40	AV	0.00	150	Horizontal	Pass
2	5351.430	57.29	1.96	74.0	16.71	Peak	117.00	150	Horizontal	Pass
2**	5351.430	45.29	1.96	54.0	8.71	AV	117.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.775	57.41	2.31	74.0	16.59	Peak	53.00	150	Horizontal	Pass
1**	5132.775	45.70	2.31	54.0	8.30	AV	53.00	150	Horizontal	Pass
2	5149.675	54.84	2.07	74.0	19.16	Peak	331.00	200	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	331.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.55	1.93	74.0	18.45	Peak	349.00	100	Horizontal	Pass
1**	5350.055	45.68	1.93	54.0	8.32	AV	349.00	100	Horizontal	Pass
2	5459.395	57.41	2.42	74.0	16.59	Peak	313.00	150	Horizontal	Pass
2**	5459.395	46.03	2.42	54.0	7.97	AV	313.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4979.700	57.66	2.16	74.0	16.34	Peak	112.00	100	Horizontal	Pass
1**	4979.700	45.44	2.16	54.0	8.56	AV	112.00	100	Horizontal	Pass
2	5149.675	55.54	2.07	74.0	18.46	Peak	75.00	200	Horizontal	Pass
2**	5149.675	46.28	2.07	54.0	7.72	AV	75.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.10	1.93	74.0	17.90	Peak	103.00	100	Horizontal	Pass
1**	5350.000	45.55	1.93	54.0	8.45	AV	103.00	100	Horizontal	Pass
2	5429.915	57.79	2.30	74.0	16.21	Peak	243.00	100	Horizontal	Pass
2**	5429.915	45.90	2.30	54.0	8.10	AV	243.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.000	57.52	2.23	74.0	16.48	Peak	71.00	150	Horizontal	Pass
1**	5085.000	45.57	2.23	54.0	8.43	AV	71.00	150	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	77.00	150	Horizontal	Pass
2**	5149.675	46.07	2.07	54.0	7.93	AV	77.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.00	1.93	74.0	19.00	Peak	360.00	200	Horizontal	Pass
1**	5350.055	45.58	1.93	54.0	8.42	AV	360.00	200	Horizontal	Pass
2	5419.740	57.37	2.45	74.0	16.63	Peak	60.00	100	Horizontal	Pass
2**	5419.740	46.00	2.45	54.0	8.00	AV	60.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.600	57.40	2.37	74.0	16.60	Peak	67.00	150	Horizontal	Pass
1**	5139.600	46.00	2.37	54.0	8.00	AV	67.00	150	Horizontal	Pass
2	5149.675	55.24	2.07	74.0	18.76	Peak	179.00	200	Horizontal	Pass
2**	5149.675	45.95	2.07	54.0	8.05	AV	179.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.34	1.93	74.0	18.66	Peak	94.00	200	Horizontal	Pass
1**	5350.055	45.60	1.93	54.0	8.40	AV	94.00	200	Horizontal	Pass
2	5431.785	57.30	2.26	74.0	16.70	Peak	316.00	200	Horizontal	Pass
2**	5431.785	45.84	2.26	54.0	8.16	AV	316.00	200	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.550	57.91	2.00	74.0	16.09	Peak	360.00	100	Horizontal	Pass
1**	5063.550	45.56	2.00	54.0	8.44	AV	360.00	100	Horizontal	Pass
2	5149.675	55.98	2.07	74.0	18.02	Peak	158.00	150	Horizontal	Pass
2**	5149.675	45.71	2.07	54.0	8.29	AV	158.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.40	1.93	74.0	18.60	Peak	300.00	200	Horizontal	Pass
1**	5350.000	45.62	1.93	54.0	8.38	AV	300.00	200	Horizontal	Pass
2	5441.355	58.06	2.30	74.0	15.94	Peak	94.00	150	Horizontal	Pass
2**	5441.355	45.90	2.30	54.0	8.10	AV	94.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	56.60	2.42	74.0	17.40	Peak	19.00	100	Horizontal	Pass
1**	5136.675	45.67	2.42	54.0	8.33	AV	19.00	100	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	307.00	100	Horizontal	Pass
2**	5149.675	45.64	2.07	54.0	8.36	AV	307.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.63	1.93	74.0	17.37	Peak	132.00	200	Horizontal	Pass
1**	5350.000	45.33	1.93	54.0	8.67	AV	132.00	200	Horizontal	Pass
2	5423.370	57.59	2.44	74.0	16.41	Peak	228.00	200	Horizontal	Pass
2**	5423.370	46.10	2.44	54.0	7.90	AV	228.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	56.97	2.43	74.0	17.03	Peak	211.00	100	Horizontal	Pass
1**	5134.400	46.07	2.43	54.0	7.93	AV	211.00	100	Horizontal	Pass
2	5149.675	55.60	2.07	74.0	18.40	Peak	329.00	100	Horizontal	Pass
2**	5149.675	45.71	2.07	54.0	8.29	AV	329.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	1.93	74.0	19.02	Peak	182.00	100	Horizontal	Pass
1**	5350.000	45.47	1.93	54.0	8.53	AV	182.00	100	Horizontal	Pass
2	5436.955	57.45	2.18	74.0	16.55	Peak	94.00	100	Horizontal	Pass
2**	5436.955	45.55	2.18	54.0	8.45	AV	94.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5066.475	57.24	2.07	74.0	16.76	Peak	51.00	200	Horizontal	Pass
1**	5066.475	45.73	2.07	54.0	8.27	AV	51.00	200	Horizontal	Pass
2	5149.675	55.39	2.07	74.0	18.61	Peak	360.00	150	Horizontal	Pass
2**	5149.675	45.54	2.07	54.0	8.46	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.15	1.93	74.0	18.85	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.57	1.93	54.0	8.43	AV	8.00	150	Horizontal	Pass
2	5386.850	57.74	2.36	74.0	16.26	Peak	310.00	200	Horizontal	Pass
2**	5386.850	45.69	2.36	54.0	8.31	AV	310.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5002.125	57.25	2.04	74.0	16.75	Peak	306.00	100	Horizontal	Pass
1**	5002.125	45.28	2.04	54.0	8.72	AV	306.00	100	Horizontal	Pass
2	5149.675	55.82	2.07	74.0	18.18	Peak	93.00	200	Horizontal	Pass
2**	5149.675	45.45	2.07	54.0	8.55	AV	93.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.02	1.93	74.0	17.98	Peak	55.00	200	Horizontal	Pass
1**	5350.055	45.59	1.93	54.0	8.41	AV	55.00	200	Horizontal	Pass
2	5448.780	57.30	2.35	74.0	16.70	Peak	86.00	150	Horizontal	Pass
2**	5448.780	45.72	2.35	54.0	8.28	AV	86.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.525	57.26	2.48	74.0	16.74	Peak	356.00	100	Horizontal	Pass
1**	5103.525	46.10	2.48	54.0	7.90	AV	356.00	100	Horizontal	Pass
2	5149.675	55.51	2.07	74.0	18.49	Peak	348.00	200	Horizontal	Pass
2**	5149.675	45.51	2.07	54.0	8.49	AV	348.00	200	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.22	1.93	74.0	18.78	Peak	46.00	100	Horizontal	Pass
1**	5350.000	45.76	1.93	54.0	8.24	AV	46.00	100	Horizontal	Pass
2	5374.970	57.90	2.25	74.0	16.10	Peak	158.00	150	Horizontal	Pass
2**	5374.970	45.80	2.25	54.0	8.20	AV	158.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4909.175	57.38	1.77	74.0	16.62	Peak	303.00	100	Horizontal	Pass
1**	4909.175	45.15	1.77	54.0	8.85	AV	303.00	100	Horizontal	Pass
2	5149.675	55.18	2.07	74.0	18.82	Peak	207.00	150	Horizontal	Pass
2**	5149.675	45.48	2.07	54.0	8.52	AV	207.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.93	1.93	74.0	18.07	Peak	77.00	100	Horizontal	Pass
1**	5350.000	45.81	1.93	54.0	8.19	AV	77.00	100	Horizontal	Pass
2	5373.540	57.64	2.28	74.0	16.36	Peak	269.00	200	Horizontal	Pass
2**	5373.540	45.64	2.28	54.0	8.36	AV	269.00	200	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5001.475	57.20	2.11	74.0	16.80	Peak	70.00	150	Horizontal	Pass
1**	5001.475	45.49	2.11	54.0	8.51	AV	70.00	150	Horizontal	Pass
2	5149.675	54.56	2.07	74.0	19.44	Peak	22.00	200	Horizontal	Pass
2**	5149.675	45.88	2.07	54.0	8.12	AV	22.00	200	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.29	1.93	74.0	18.71	Peak	252.00	100	Horizontal	Pass
1**	5350.000	45.76	1.93	54.0	8.24	AV	252.00	100	Horizontal	Pass
2	5385.585	57.39	2.26	74.0	16.61	Peak	225.00	150	Horizontal	Pass
2**	5385.585	45.84	2.26	54.0	8.16	AV	225.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4987.175	57.74	1.95	74.0	16.26	Peak	49.00	200	Horizontal	Pass
1**	4987.175	45.14	1.95	54.0	8.86	AV	49.00	200	Horizontal	Pass
2	5149.675	55.05	2.07	74.0	18.95	Peak	113.00	200	Horizontal	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	113.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.46	1.93	74.0	18.54	Peak	260.00	200	Horizontal	Pass
1**	5350.000	45.88	1.93	54.0	8.12	AV	260.00	200	Horizontal	Pass
2	5428.925	57.56	2.36	74.0	16.44	Peak	356.00	200	Horizontal	Pass
2**	5428.925	46.04	2.36	54.0	7.96	AV	356.00	200	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	57.66	2.23	74.0	16.34	Peak	243.00	100	Horizontal	Pass
1**	5147.400	45.79	2.23	54.0	8.21	AV	243.00	100	Horizontal	Pass
2	5149.675	56.52	2.07	74.0	17.48	Peak	204.00	200	Horizontal	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	204.00	200	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.03	1.93	74.0	18.97	Peak	93.00	150	Horizontal	Pass
1**	5350.055	45.93	1.93	54.0	8.07	AV	93.00	150	Horizontal	Pass
2	5426.780	57.24	2.48	74.0	16.76	Peak	19.00	150	Horizontal	Pass
2**	5426.780	45.97	2.48	54.0	8.03	AV	19.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.550	57.36	2.38	74.0	16.64	Peak	135.00	100	Horizontal	Pass
1**	5102.550	45.77	2.38	54.0	8.23	AV	135.00	100	Horizontal	Pass
2	5149.675	55.04	2.07	74.0	18.96	Peak	102.00	100	Horizontal	Pass
2**	5149.675	45.38	2.07	54.0	8.62	AV	102.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.51	1.93	74.0	18.49	Peak	68.00	200	Horizontal	Pass
1**	5350.055	45.78	1.93	54.0	8.22	AV	68.00	200	Horizontal	Pass
2	5422.270	57.74	2.44	74.0	16.26	Peak	71.00	200	Horizontal	Pass
2**	5422.270	46.16	2.44	54.0	7.84	AV	71.00	200	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5105.475	56.89	2.32	74.0	17.11	Peak	166.00	100	Horizontal	Pass
1**	5105.475	46.04	2.32	54.0	7.96	AV	166.00	100	Horizontal	Pass
2	5149.675	55.22	2.07	74.0	18.78	Peak	219.00	100	Horizontal	Pass
2**	5149.675	45.63	2.07	54.0	8.37	AV	219.00	100	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	1.93	74.0	18.69	Peak	30.00	100	Horizontal	Pass
1**	5350.000	45.45	1.93	54.0	8.55	AV	30.00	100	Horizontal	Pass
2	5419.190	58.20	2.46	74.0	15.80	Peak	69.00	150	Horizontal	Pass
2**	5419.190	46.17	2.46	54.0	7.83	AV	69.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.575	57.61	2.28	74.0	16.39	Peak	289.00	150	Horizontal	Pass
1**	5075.575	45.80	2.28	54.0	8.20	AV	289.00	150	Horizontal	Pass
2	5149.675	55.52	2.07	74.0	18.48	Peak	156.00	100	Horizontal	Pass
2**	5149.675	45.65	2.07	54.0	8.35	AV	156.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.80	1.93	74.0	18.20	Peak	338.00	150	Horizontal	Pass
1**	5350.000	45.72	1.93	54.0	8.28	AV	338.00	150	Horizontal	Pass
2	5417.980	57.90	2.33	74.0	16.10	Peak	218.00	200	Horizontal	Pass
2**	5417.980	45.86	2.33	54.0	8.14	AV	218.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5112.625	57.02	2.11	74.0	16.98	Peak	124.00	200	Horizontal	Pass
1**	5112.625	45.47	2.11	54.0	8.53	AV	124.00	200	Horizontal	Pass
2	5149.675	55.06	2.07	74.0	18.94	Peak	284.00	100	Horizontal	Pass
2**	5149.675	45.62	2.07	54.0	8.38	AV	284.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	1.93	74.0	18.83	Peak	191.00	200	Horizontal	Pass
1**	5350.000	45.89	1.93	54.0	8.11	AV	191.00	200	Horizontal	Pass
2	5422.325	58.03	2.44	74.0	15.97	Peak	109.00	200	Horizontal	Pass
2**	5422.325	45.97	2.44	54.0	8.03	AV	109.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.875	57.09	2.19	74.0	16.91	Peak	264.00	100	Horizontal	Pass
1**	5076.875	45.68	2.19	54.0	8.32	AV	264.00	100	Horizontal	Pass
2	5149.675	54.99	2.07	74.0	19.01	Peak	269.00	150	Horizontal	Pass
2**	5149.675	45.58	2.07	54.0	8.42	AV	269.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.24	1.93	74.0	18.76	Peak	310.00	150	Horizontal	Pass
1**	5350.000	45.63	1.93	54.0	8.37	AV	310.00	150	Horizontal	Pass
2	5426.505	57.72	2.46	74.0	16.28	Peak	31.00	100	Horizontal	Pass
2**	5426.505	45.97	2.46	54.0	8.03	AV	31.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	57.03	2.25	74.0	16.97	Peak	0.00	100	Horizontal	Pass
1**	5132.125	45.38	2.25	54.0	8.62	AV	0.00	100	Horizontal	Pass
2	5149.675	55.39	2.07	74.0	18.61	Peak	126.00	100	Horizontal	Pass
2**	5149.675	45.51	2.07	54.0	8.49	AV	126.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	1.93	74.0	18.69	Peak	261.00	200	Horizontal	Pass
1**	5350.000	45.74	1.93	54.0	8.26	AV	261.00	200	Horizontal	Pass
2	5422.985	57.95	2.45	74.0	16.05	Peak	118.00	200	Horizontal	Pass
2**	5422.985	46.15	2.45	54.0	7.85	AV	118.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5105.800	58.35	2.25	74.0	15.65	Peak	127.00	100	Horizontal	Pass
1**	5105.800	45.88	2.25	54.0	8.12	AV	127.00	100	Horizontal	Pass
2	5149.675	54.51	2.07	74.0	19.49	Peak	191.00	150	Horizontal	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	191.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.33	1.93	74.0	17.67	Peak	166.00	100	Horizontal	Pass
1**	5350.055	45.86	1.93	54.0	8.14	AV	166.00	100	Horizontal	Pass
2	5352.640	57.74	2.12	74.0	16.26	Peak	85.00	150	Horizontal	Pass
2**	5352.640	45.72	2.12	54.0	8.28	AV	85.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4805.500	57.32	1.39	74.0	16.68	Peak	160.00	100	Horizontal	Pass
1**	4805.500	44.85	1.39	54.0	9.15	AV	160.00	100	Horizontal	Pass
2	5149.675	55.03	2.07	74.0	18.97	Peak	229.00	200	Horizontal	Pass
2**	5149.675	45.55	2.07	54.0	8.45	AV	229.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.50	1.93	74.0	18.50	Peak	258.00	150	Horizontal	Pass
1**	5350.055	45.70	1.93	54.0	8.30	AV	258.00	150	Horizontal	Pass
2	5445.315	57.49	2.23	74.0	16.51	Peak	75.00	150	Horizontal	Pass
2**	5445.315	45.72	2.23	54.0	8.28	AV	75.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5065.500	57.11	2.04	74.0	16.89	Peak	0.00	150	Horizontal	Pass
1**	5065.500	45.36	2.04	54.0	8.64	AV	0.00	150	Horizontal	Pass
2	5149.675	55.12	2.07	74.0	18.88	Peak	158.00	100	Horizontal	Pass
2**	5149.675	46.02	2.07	54.0	7.98	AV	158.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.34	1.93	74.0	18.66	Peak	102.00	100	Horizontal	Pass
1**	5350.055	45.55	1.93	54.0	8.45	AV	102.00	100	Horizontal	Pass
2	5426.945	58.39	2.50	74.0	15.61	Peak	49.00	150	Horizontal	Pass
2**	5426.945	46.08	2.50	54.0	7.92	AV	49.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.850	57.79	2.04	74.0	16.21	Peak	12.00	100	Horizontal	Pass
1**	5413.850	45.92	2.04	54.0	8.08	AV	12.00	100	Horizontal	Pass
2	5460.000	55.72	2.50	74.0	18.28	Peak	206.00	100	Horizontal	Pass
2**	5460.000	46.44	2.50	54.0	7.56	AV	206.00	100	Horizontal	Pass
3	5465.200	58.18	2.69	68.2	10.02	Peak	168.00	100	Horizontal	Pass
3**	5465.200	46.48	2.69	--	--	AV	168.00	100	Horizontal	N/A
4	5469.950	56.46	2.87	68.2	11.74	Peak	175.00	200	Horizontal	Pass
4**	5469.950	47.48	2.87	--	--	AV	175.00	200	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.30	2.55	68.2	10.90	Peak	247.00	100	Horizontal	Pass
2	5726.900	58.11	2.51	68.2	10.09	Peak	211.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5430.100	58.04	2.30	74.0	15.96	Peak	146.00	100	Horizontal	Pass
1**	5430.100	46.06	2.30	54.0	7.94	AV	146.00	100	Horizontal	Pass
2	5460.000	56.32	2.50	74.0	17.68	Peak	54.00	200	Horizontal	Pass
2**	5460.000	46.54	2.50	54.0	7.46	AV	54.00	200	Horizontal	Pass
3	5469.250	57.92	2.95	68.2	10.28	Peak	173.00	100	Horizontal	Pass
3**	5469.250	47.35	2.95	--	--	AV	173.00	100	Horizontal	N/A
4	5469.950	57.46	2.87	68.2	10.74	Peak	57.00	150	Horizontal	Pass
4**	5469.950	47.33	2.87	--	--	AV	57.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.42	2.55	68.2	11.78	Peak	200.00	150	Horizontal	Pass
2	5728.100	58.47	2.59	68.2	9.73	Peak	128.00	200	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	58.98	2.47	74.0	15.02	Peak	209.00	200	Horizontal	Pass
1**	5459.800	48.34	2.47	54.0	5.66	AV	209.00	200	Horizontal	Pass
2	5460.000	58.18	2.50	74.0	15.82	Peak	91.00	100	Horizontal	Pass
2**	5460.000	48.57	2.50	54.0	5.43	AV	91.00	100	Horizontal	Pass
3	5469.700	63.12	2.89	68.2	5.08	Peak	97.00	150	Horizontal	Pass
3**	5469.700	52.27	2.89	--	--	AV	97.00	150	Horizontal	N/A
4	5469.950	60.89	2.87	68.2	7.31	Peak	69.00	150	Horizontal	Pass
4**	5469.950	53.39	2.87	--	--	AV	69.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.69	2.55	68.2	11.51	Peak	339.00	100	Horizontal	Pass
2	5725.600	58.03	2.54	68.2	10.17	Peak	15.00	200	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.900	58.22	2.50	74.0	15.78	Peak	215.00	100	Horizontal	Pass
1**	5456.900	46.60	2.50	54.0	7.40	AV	215.00	100	Horizontal	Pass
2	5460.000	55.28	2.50	74.0	18.72	Peak	232.00	200	Horizontal	Pass
2**	5460.000	46.16	2.50	54.0	7.84	AV	232.00	200	Horizontal	Pass
3	5467.400	58.30	3.08	68.2	9.90	Peak	299.00	200	Horizontal	Pass
3**	5467.400	47.46	3.08	--	--	AV	299.00	200	Horizontal	N/A
4	5469.950	56.15	2.87	68.2	12.05	Peak	138.00	150	Horizontal	Pass
4**	5469.950	47.47	2.87	--	--	AV	138.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.36	2.55	68.2	10.84	Peak	99.00	150	Horizontal	Pass
2	5729.600	58.03	2.54	68.2	10.17	Peak	240.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	60.08	2.47	74.0	13.92	Peak	94.00	100	Horizontal	Pass
1**	5459.800	48.83	2.47	54.0	5.17	AV	94.00	100	Horizontal	Pass
2	5460.000	57.57	2.50	74.0	16.43	Peak	94.00	200	Horizontal	Pass
2**	5460.000	48.17	2.50	54.0	5.83	AV	94.00	200	Horizontal	Pass
3	5467.800	63.17	3.15	68.2	5.03	Peak	91.00	100	Horizontal	Pass
3**	5467.800	52.67	3.15	--	--	AV	91.00	100	Horizontal	N/A
4	5469.950	61.05	2.87	68.2	7.15	Peak	99.00	150	Horizontal	Pass
4**	5469.950	53.27	2.87	--	--	AV	99.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.23	2.55	68.2	9.97	Peak	89.00	200	Horizontal	Pass
2	5725.200	60.71	2.55	68.2	7.49	Peak	95.00	100	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.900	57.74	2.44	74.0	16.26	Peak	296.00	200	Horizontal	Pass
1**	5421.900	46.19	2.44	54.0	7.81	AV	296.00	200	Horizontal	Pass
2	5460.000	55.48	2.50	74.0	18.52	Peak	0.00	200	Horizontal	Pass
2**	5460.000	46.68	2.50	54.0	7.32	AV	0.00	200	Horizontal	Pass
3	5469.350	59.07	2.94	68.2	9.13	Peak	230.00	100	Horizontal	Pass
3**	5469.350	48.23	2.94	--	--	AV	230.00	100	Horizontal	N/A
4	5469.950	58.46	2.87	68.2	9.74	Peak	236.00	150	Horizontal	Pass
4**	5469.950	47.64	2.87	--	--	AV	236.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.00	2.55	68.2	11.20	Peak	99.00	100	Horizontal	Pass
2	5816.500	57.95	2.67	68.2	10.25	Peak	43.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5427.700	58.55	2.50	74.0	15.45	Peak	206.00	100	Horizontal	Pass
1**	5427.700	47.89	2.50	54.0	6.11	AV	206.00	100	Horizontal	Pass
2	5460.000	55.65	2.50	74.0	18.35	Peak	89.00	150	Horizontal	Pass
2**	5460.000	47.84	2.50	54.0	6.16	AV	89.00	150	Horizontal	Pass
3	5464.600	60.02	2.74	68.2	8.18	Peak	94.00	200	Horizontal	Pass
3**	5464.600	48.24	2.74	--	--	AV	94.00	200	Horizontal	N/A
4	5469.950	57.13	2.87	68.2	11.07	Peak	53.00	150	Horizontal	Pass
4**	5469.950	48.02	2.87	--	--	AV	53.00	150	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.11	2.55	68.2	7.09	Peak	93.00	150	Horizontal	Pass
2	5728.450	62.38	2.61	68.2	5.82	Peak	94.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.650	57.64	2.30	74.0	16.36	Peak	67.00	100	Horizontal	Pass
1**	5438.650	46.14	2.30	54.0	7.86	AV	67.00	100	Horizontal	Pass
2	5460.000	56.27	2.50	74.0	17.73	Peak	107.00	200	Horizontal	Pass
2**	5460.000	46.93	2.50	54.0	7.07	AV	107.00	200	Horizontal	Pass
3	5468.750	59.41	3.02	68.2	8.79	Peak	169.00	200	Horizontal	Pass
3**	5468.750	47.63	3.02	--	--	AV	169.00	200	Horizontal	N/A
4	5469.950	57.23	2.87	68.2	10.97	Peak	104.00	200	Horizontal	Pass
4**	5469.950	47.83	2.87	--	--	AV	104.00	200	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.36	2.55	68.2	9.84	Peak	210.00	200	Horizontal	Pass
2	5725.950	58.36	2.53	68.2	9.84	Peak	87.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.750	58.45	2.42	74.0	15.55	Peak	202.00	200	Horizontal	Pass
1**	5458.750	47.76	2.42	54.0	6.24	AV	202.00	200	Horizontal	Pass
2	5460.000	57.17	2.50	74.0	16.83	Peak	149.00	100	Horizontal	Pass
2**	5460.000	48.86	2.50	54.0	5.14	AV	149.00	100	Horizontal	Pass
3	5469.050	62.59	2.98	68.2	5.61	Peak	95.00	100	Horizontal	Pass
3**	5469.050	51.76	2.98	--	--	AV	95.00	100	Horizontal	N/A
4	5469.950	62.01	2.87	68.2	6.19	Peak	83.00	150	Horizontal	Pass
4**	5469.950	51.71	2.87	--	--	AV	83.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.43	2.55	68.2	10.77	Peak	100.00	100	Horizontal	Pass
2	5725.700	58.15	2.54	68.2	10.05	Peak	93.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.600	57.51	2.28	74.0	16.49	Peak	121.00	200	Horizontal	Pass
1**	5449.600	46.18	2.28	54.0	7.82	AV	121.00	200	Horizontal	Pass
2	5460.000	56.00	2.50	74.0	18.00	Peak	63.00	200	Horizontal	Pass
2**	5460.000	46.80	2.50	54.0	7.20	AV	63.00	200	Horizontal	Pass
3	5465.500	58.82	2.67	68.2	9.38	Peak	92.00	150	Horizontal	Pass
3**	5465.500	46.89	2.67	--	--	AV	92.00	150	Horizontal	N/A
4	5469.950	57.58	2.87	68.2	10.62	Peak	225.00	200	Horizontal	Pass
4**	5469.950	47.56	2.87	--	--	AV	225.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.50	2.55	68.2	11.70	Peak	170.00	200	Horizontal	Pass
2	5778.800	58.46	2.21	68.2	9.74	Peak	95.00	100	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.100	59.99	2.28	74.0	14.01	Peak	98.00	150	Horizontal	Pass
1**	5431.100	48.12	2.28	54.0	5.88	AV	98.00	150	Horizontal	Pass
2	5460.000	56.90	2.50	74.0	17.10	Peak	225.00	100	Horizontal	Pass
2**	5460.000	47.30	2.50	54.0	6.70	AV	225.00	100	Horizontal	Pass
3	5463.850	58.83	2.79	68.2	9.37	Peak	218.00	200	Horizontal	Pass
3**	5463.850	47.64	2.79	--	--	AV	218.00	200	Horizontal	N/A
4	5469.950	58.19	2.87	68.2	10.01	Peak	95.00	200	Horizontal	Pass
4**	5469.950	48.25	2.87	--	--	AV	95.00	200	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	61.06	2.55	68.2	7.14	Peak	90.00	200	Horizontal	Pass
2	5726.650	63.18	2.52	68.2	5.02	Peak	92.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.450	57.43	2.45	74.0	16.57	Peak	360.00	150	Horizontal	Pass
1**	5426.450	46.06	2.45	54.0	7.94	AV	360.00	150	Horizontal	Pass
2	5460.000	55.19	2.50	74.0	18.81	Peak	47.00	150	Horizontal	Pass
2**	5460.000	46.05	2.50	54.0	7.95	AV	47.00	150	Horizontal	Pass
3	5468.050	57.61	3.12	68.2	10.59	Peak	171.00	100	Horizontal	Pass
3**	5468.050	46.41	3.12	--	--	AV	171.00	100	Horizontal	N/A
4	5469.950	55.70	2.87	68.2	12.50	Peak	153.00	150	Horizontal	Pass
4**	5469.950	46.38	2.87	--	--	AV	153.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.07	2.55	68.2	12.13	Peak	244.00	200	Horizontal	Pass
2	5765.350	57.66	2.71	68.2	10.54	Peak	294.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5423.400	57.85	2.44	74.0	16.15	Peak	190.00	200	Horizontal	Pass
1**	5423.400	46.21	2.44	54.0	7.79	AV	190.00	200	Horizontal	Pass
2	5460.000	55.51	2.50	74.0	18.49	Peak	168.00	150	Horizontal	Pass
2**	5460.000	45.89	2.50	54.0	8.11	AV	168.00	150	Horizontal	Pass
3	5465.450	57.54	2.67	68.2	10.66	Peak	223.00	150	Horizontal	Pass
3**	5465.450	45.91	2.67	--	--	AV	223.00	150	Horizontal	N/A
4	5469.950	55.52	2.87	68.2	12.68	Peak	118.00	150	Horizontal	Pass
4**	5469.950	46.16	2.87	--	--	AV	118.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.08	2.55	68.2	12.12	Peak	174.00	100	Horizontal	Pass
2	5770.600	57.72	2.45	68.2	10.48	Peak	299.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5425.250	57.75	2.34	74.0	16.25	Peak	5.00	100	Horizontal	Pass
1**	5425.250	45.72	2.34	54.0	8.28	AV	5.00	100	Horizontal	Pass
2	5460.000	55.47	2.50	74.0	18.53	Peak	49.00	150	Horizontal	Pass
2**	5460.000	45.83	2.50	54.0	8.17	AV	49.00	150	Horizontal	Pass
3	5460.900	57.79	2.62	68.2	10.41	Peak	28.00	100	Horizontal	Pass
3**	5460.900	45.87	2.62	--	--	AV	28.00	100	Horizontal	N/A
4	5469.950	56.94	2.87	68.2	11.26	Peak	122.00	150	Horizontal	Pass
4**	5469.950	46.15	2.87	--	--	AV	122.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.18	2.55	68.2	12.02	Peak	229.00	100	Horizontal	Pass
2	5727.200	58.43	2.52	68.2	9.77	Peak	141.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.250	57.73	2.10	74.0	16.27	Peak	162.00	200	Horizontal	Pass
1**	5444.250	45.44	2.10	54.0	8.56	AV	162.00	200	Horizontal	Pass
2	5460.000	55.85	2.50	74.0	18.15	Peak	336.00	200	Horizontal	Pass
2**	5460.000	45.94	2.50	54.0	8.06	AV	336.00	200	Horizontal	Pass
3	5467.800	57.80	3.15	68.2	10.40	Peak	107.00	100	Horizontal	Pass
3**	5467.800	46.31	3.15	--	--	AV	107.00	100	Horizontal	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	165.00	150	Horizontal	Pass
4**	5469.950	46.41	2.87	--	--	AV	165.00	150	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.09	2.55	68.2	12.11	Peak	242.00	200	Horizontal	Pass
2	5765.300	57.88	2.71	68.2	10.32	Peak	353.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.800	57.82	2.37	68.2	10.38	Peak	124.00	100	Horizontal	Pass
2	5650.000	55.83	2.54	68.2	12.37	Peak	81.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.45	2.32	68.2	12.75	Peak	194.00	200	Horizontal	Pass
2	5942.000	57.89	2.82	68.2	10.31	Peak	0.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.050	57.56	2.52	68.2	10.64	Peak	360.00	200	Horizontal	Pass
2	5650.000	55.75	2.54	68.2	12.45	Peak	101.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.06	2.32	68.2	12.14	Peak	78.00	200	Horizontal	Pass
2	5931.250	57.77	2.49	68.2	10.43	Peak	58.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.600	58.49	2.31	68.2	9.71	Peak	214.00	150	Horizontal	Pass
2	5650.000	55.65	2.54	68.2	12.55	Peak	360.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.52	2.32	68.2	11.68	Peak	122.00	150	Horizontal	Pass
2	5942.050	57.87	2.81	68.2	10.33	Peak	237.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.650	57.62	2.53	68.2	10.58	Peak	83.00	200	Horizontal	Pass
2	5650.000	56.24	2.54	68.2	11.96	Peak	149.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.71	2.32	68.2	11.49	Peak	255.00	100	Horizontal	Pass
2	5941.750	58.16	2.87	68.2	10.04	Peak	324.00	200	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.850	57.70	2.34	68.2	10.50	Peak	142.00	100	Horizontal	Pass
2	5650.000	56.13	2.54	68.2	12.07	Peak	158.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.05	2.32	68.2	11.15	Peak	24.00	150	Horizontal	Pass
2	5930.200	57.79	2.59	68.2	10.41	Peak	28.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.700	59.85	2.67	68.2	8.35	Peak	93.00	200	Horizontal	Pass
2	5650.000	56.36	2.54	68.2	11.84	Peak	150.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.88	2.32	68.2	12.32	Peak	105.00	150	Horizontal	Pass
2	5938.500	57.92	2.34	68.2	10.28	Peak	82.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.550	57.29	2.69	68.2	10.91	Peak	353.00	100	Horizontal	Pass
2	5650.000	55.68	2.54	68.2	12.52	Peak	238.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.93	2.32	68.2	12.27	Peak	0.00	200	Horizontal	Pass
2	5931.900	58.07	2.42	68.2	10.13	Peak	213.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.850	57.89	2.56	68.2	10.31	Peak	56.00	100	Horizontal	Pass
2	5650.000	57.90	2.54	68.2	10.30	Peak	97.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.09	2.32	68.2	12.11	Peak	353.00	150	Horizontal	Pass
2	5942.950	58.88	2.62	68.2	9.32	Peak	65.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.600	58.44	2.53	68.2	9.76	Peak	74.00	200	Horizontal	Pass
2	5650.000	57.33	2.54	68.2	10.87	Peak	250.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.82	2.32	68.2	11.38	Peak	253.00	100	Horizontal	Pass
2	5946.250	57.82	2.35	68.2	10.38	Peak	342.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.700	57.31	2.32	68.2	10.89	Peak	307.00	150	Horizontal	Pass
2	5650.000	56.03	2.54	68.2	12.17	Peak	227.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.85	2.32	68.2	12.35	Peak	333.00	100	Horizontal	Pass
2	5948.400	57.71	2.67	68.2	10.49	Peak	257.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.400	57.40	2.53	68.2	10.80	Peak	90.00	100	Horizontal	Pass
2	5650.000	55.96	2.54	68.2	12.24	Peak	173.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.61	2.32	68.2	12.59	Peak	360.00	200	Horizontal	Pass
2	5941.300	58.10	2.82	68.2	10.10	Peak	213.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.050	57.64	2.54	68.2	10.56	Peak	31.00	100	Horizontal	Pass
2	5650.000	55.94	2.54	68.2	12.26	Peak	116.00	100	Horizontal	Pass


U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.36	2.32	68.2	11.84	Peak	144.00	100	Horizontal	Pass
2	5935.150	57.69	2.50	68.2	10.51	Peak	164.00	150	Horizontal	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.375	57.37	2.43	74.0	16.63	Peak	190.00	100	Horizontal	Pass
1**	5135.375	45.83	2.43	54.0	8.17	AV	190.00	100	Horizontal	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	57.00	150	Horizontal	Pass
2**	5149.675	46.16	2.07	54.0	7.84	AV	57.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	1.93	74.0	17.43	Peak	111.00	100	Horizontal	Pass
1**	5350.000	46.15	1.93	54.0	7.85	AV	111.00	100	Horizontal	Pass
2	5365.950	58.13	2.16	74.0	15.87	Peak	88.00	100	Horizontal	Pass
2**	5365.950	46.21	2.16	54.0	7.79	AV	88.00	100	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5038.525	58.20	1.97	74.0	15.80	Peak	100.00	200	Horizontal	Pass
1**	5038.525	45.27	1.97	54.0	8.73	AV	100.00	200	Horizontal	Pass
2	5149.675	55.46	2.07	74.0	18.54	Peak	82.00	100	Horizontal	Pass
2**	5149.675	46.55	2.07	54.0	7.45	AV	82.00	100	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.12	1.93	74.0	18.88	Peak	256.00	100	Horizontal	Pass
1**	5350.055	45.72	1.93	54.0	8.28	AV	256.00	100	Horizontal	Pass
2	5435.030	58.05	2.06	74.0	15.95	Peak	99.00	150	Horizontal	Pass
2**	5435.030	45.44	2.06	54.0	8.56	AV	99.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5108.075	57.00	1.94	74.0	17.00	Peak	333.00	150	Horizontal	Pass
1**	5108.075	45.40	1.94	54.0	8.60	AV	333.00	150	Horizontal	Pass
2	5149.675	55.06	2.07	74.0	18.94	Peak	272.00	200	Horizontal	Pass
2**	5149.675	45.35	2.07	54.0	8.65	AV	272.00	200	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.35	1.93	74.0	18.65	Peak	348.00	150	Horizontal	Pass
1**	5350.000	45.94	1.93	54.0	8.06	AV	348.00	150	Horizontal	Pass
2	5441.795	58.17	2.29	74.0	15.83	Peak	301.00	100	Horizontal	Pass
2**	5441.795	45.75	2.29	54.0	8.25	AV	301.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	57.44	2.26	74.0	16.56	Peak	142.00	100	Horizontal	Pass
1**	5145.125	45.84	2.26	54.0	8.16	AV	142.00	100	Horizontal	Pass
2	5149.675	55.64	2.07	74.0	18.36	Peak	90.00	200	Horizontal	Pass
2**	5149.675	46.77	2.07	54.0	7.23	AV	90.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.85	1.93	74.0	18.15	Peak	117.00	100	Horizontal	Pass
1**	5350.000	46.09	1.93	54.0	7.91	AV	117.00	100	Horizontal	Pass
2	5388.500	57.93	1.99	74.0	16.07	Peak	158.00	200	Horizontal	Pass
2**	5388.500	46.32	1.99	54.0	7.68	AV	158.00	200	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	57.65	2.02	74.0	16.35	Peak	37.00	100	Horizontal	Pass
1**	5149.025	45.83	2.02	54.0	8.17	AV	37.00	100	Horizontal	Pass
2	5149.675	55.02	2.07	74.0	18.98	Peak	163.00	100	Horizontal	Pass
2**	5149.675	45.84	2.07	54.0	8.16	AV	163.00	100	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.77	1.93	74.0	17.23	Peak	351.00	150	Horizontal	Pass
1**	5350.000	46.12	1.93	54.0	7.88	AV	351.00	150	Horizontal	Pass
2	5368.315	57.84	2.22	74.0	16.16	Peak	147.00	150	Horizontal	Pass
2**	5368.315	46.28	2.22	54.0	7.72	AV	147.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.41	2.18	74.0	16.59	Peak	101.00	200	Horizontal	Pass
1**	5147.725	47.69	2.18	54.0	6.31	AV	101.00	200	Horizontal	Pass
2	5149.675	56.54	2.07	74.0	17.46	Peak	73.00	200	Horizontal	Pass
2**	5149.675	46.95	2.07	54.0	7.05	AV	73.00	200	Horizontal	Pass


U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.91	1.93	74.0	18.09	Peak	325.00	150	Horizontal	Pass
1**	5350.055	45.67	1.93	54.0	8.33	AV	325.00	150	Horizontal	Pass
2	5367.930	57.91	2.23	74.0	16.09	Peak	261.00	200	Horizontal	Pass
2**	5367.930	45.53	2.23	54.0	8.47	AV	261.00	200	Horizontal	Pass


U-NII-1 11ac160 CH50

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.000	58.27	2.30	74.0	15.73	Peak	236.00	200	Horizontal	Pass
1**	5098.000	46.90	2.30	54.0	7.10	AV	236.00	200	Horizontal	Pass
2	5149.675	55.51	2.07	74.0	18.49	Peak	100.00	200	Horizontal	Pass
2**	5149.675	46.00	2.07	54.0	8.00	AV	100.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.05	1.93	74.0	16.95	Peak	186.00	150	Horizontal	Pass
1**	5350.000	46.06	1.93	54.0	7.94	AV	186.00	150	Horizontal	Pass
2	5387.180	57.54	2.32	74.0	16.46	Peak	102.00	200	Horizontal	Pass
2**	5387.180	46.69	2.32	54.0	7.31	AV	102.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.100	57.26	2.39	74.0	16.74	Peak	360.00	150	Horizontal	Pass
1**	5081.100	46.03	2.39	54.0	7.97	AV	360.00	150	Horizontal	Pass
2	5149.675	55.47	2.07	74.0	18.53	Peak	97.00	100	Horizontal	Pass
2**	5149.675	46.40	2.07	54.0	7.60	AV	97.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.49	1.93	74.0	17.51	Peak	218.00	100	Horizontal	Pass
1**	5350.000	46.18	1.93	54.0	7.82	AV	218.00	100	Horizontal	Pass
2	5426.890	58.23	2.49	74.0	15.77	Peak	226.00	100	Horizontal	Pass
2**	5426.890	46.69	2.49	54.0	7.31	AV	226.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.050	57.38	2.13	74.0	16.62	Peak	87.00	100	Horizontal	Pass
1**	5122.050	45.62	2.13	54.0	8.38	AV	87.00	100	Horizontal	Pass
2	5149.675	55.31	2.07	74.0	18.69	Peak	82.00	200	Horizontal	Pass
2**	5149.675	45.91	2.07	54.0	8.09	AV	82.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.55	1.93	74.0	17.45	Peak	305.00	100	Horizontal	Pass
1**	5350.055	46.34	1.93	54.0	7.66	AV	305.00	100	Horizontal	Pass
2	5378.270	58.10	2.10	74.0	15.90	Peak	94.00	200	Horizontal	Pass
2**	5378.270	46.13	2.10	54.0	7.87	AV	94.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	57.66	2.23	74.0	16.34	Peak	98.00	150	Horizontal	Pass
1**	5147.400	47.97	2.23	54.0	6.03	AV	98.00	150	Horizontal	Pass
2	5149.675	56.51	2.07	74.0	17.49	Peak	218.00	200	Horizontal	Pass
2**	5149.675	47.59	2.07	54.0	6.41	AV	218.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.90	1.93	74.0	18.10	Peak	318.00	150	Horizontal	Pass
1**	5350.000	45.53	1.93	54.0	8.47	AV	318.00	150	Horizontal	Pass
2	5446.690	57.53	2.41	74.0	16.47	Peak	298.00	200	Horizontal	Pass
2**	5446.690	45.96	2.41	54.0	8.04	AV	298.00	200	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	57.18	2.28	74.0	16.82	Peak	221.00	200	Horizontal	Pass
1**	5144.475	46.02	2.28	54.0	7.98	AV	221.00	200	Horizontal	Pass
2	5149.675	55.05	2.07	74.0	18.95	Peak	140.00	150	Horizontal	Pass
2**	5149.675	46.03	2.07	54.0	7.97	AV	140.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.65	1.93	74.0	18.35	Peak	181.00	100	Horizontal	Pass
1**	5350.055	46.36	1.93	54.0	7.64	AV	181.00	100	Horizontal	Pass
2	5381.240	58.36	2.25	74.0	15.64	Peak	173.00	100	Horizontal	Pass
2**	5381.240	46.23	2.25	54.0	7.77	AV	173.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.600	57.61	2.36	74.0	16.39	Peak	95.00	100	Horizontal	Pass
1**	5074.600	45.61	2.36	54.0	8.39	AV	95.00	100	Horizontal	Pass
2	5149.675	54.75	2.07	74.0	19.25	Peak	211.00	150	Horizontal	Pass
2**	5149.675	45.45	2.07	54.0	8.55	AV	211.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	1.93	74.0	18.64	Peak	18.00	100	Horizontal	Pass
1**	5350.000	45.52	1.93	54.0	8.48	AV	18.00	100	Horizontal	Pass
2	5426.120	56.97	2.42	74.0	17.03	Peak	5.00	200	Horizontal	Pass
2**	5426.120	46.22	2.42	54.0	7.78	AV	5.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.075	57.25	2.32	74.0	16.75	Peak	226.00	100	Horizontal	Pass
1**	5082.075	45.56	2.32	54.0	8.44	AV	226.00	100	Horizontal	Pass
2	5149.675	56.79	2.07	74.0	17.21	Peak	321.00	150	Horizontal	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	321.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.23	1.93	74.0	18.77	Peak	199.00	200	Horizontal	Pass
1**	5350.055	45.52	1.93	54.0	8.48	AV	199.00	200	Horizontal	Pass
2	5427.385	57.44	2.54	74.0	16.56	Peak	175.00	150	Horizontal	Pass
2**	5427.385	46.03	2.54	54.0	7.97	AV	175.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	57.54	2.27	74.0	16.46	Peak	219.00	100	Horizontal	Pass
1**	5145.450	45.94	2.27	54.0	8.06	AV	219.00	100	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	131.00	100	Horizontal	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	131.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.89	1.93	74.0	18.11	Peak	156.00	100	Horizontal	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	156.00	100	Horizontal	Pass
2	5453.950	57.65	2.21	74.0	16.35	Peak	177.00	200	Horizontal	Pass
2**	5453.950	45.49	2.21	54.0	8.51	AV	177.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.100	57.27	2.04	74.0	16.73	Peak	200.00	200	Horizontal	Pass
1**	5107.100	45.64	2.04	54.0	8.36	AV	200.00	200	Horizontal	Pass
2	5149.675	54.82	2.07	74.0	19.18	Peak	0.00	200	Horizontal	Pass
2**	5149.675	45.66	2.07	54.0	8.34	AV	0.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.87	1.93	74.0	19.13	Peak	217.00	100	Horizontal	Pass
1**	5350.055	45.52	1.93	54.0	8.48	AV	217.00	100	Horizontal	Pass
2	5427.055	57.47	2.51	74.0	16.53	Peak	140.00	150	Horizontal	Pass
2**	5427.055	46.10	2.51	54.0	7.90	AV	140.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	57.87	2.18	74.0	16.13	Peak	93.00	150	Horizontal	Pass
1**	5131.475	45.79	2.18	54.0	8.21	AV	93.00	150	Horizontal	Pass
2	5149.675	55.32	2.07	74.0	18.68	Peak	172.00	100	Horizontal	Pass
2**	5149.675	46.00	2.07	54.0	8.00	AV	172.00	100	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.17	1.93	74.0	17.83	Peak	205.00	150	Horizontal	Pass
1**	5350.055	46.08	1.93	54.0	7.92	AV	205.00	150	Horizontal	Pass
2	5351.980	61.76	2.03	74.0	12.24	Peak	194.00	150	Horizontal	Pass
2**	5351.980	45.85	2.03	54.0	8.15	AV	194.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.950	57.66	2.28	74.0	16.34	Peak	81.00	200	Horizontal	Pass
1**	5073.950	45.86	2.28	54.0	8.14	AV	81.00	200	Horizontal	Pass
2	5149.675	56.08	2.07	74.0	17.92	Peak	63.00	100	Horizontal	Pass
2**	5149.675	46.05	2.07	54.0	7.95	AV	63.00	100	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.90	1.93	74.0	19.10	Peak	298.00	150	Horizontal	Pass
1**	5350.000	45.69	1.93	54.0	8.31	AV	298.00	150	Horizontal	Pass
2	5456.700	57.65	2.48	74.0	16.35	Peak	264.00	100	Horizontal	Pass
2**	5456.700	45.66	2.48	54.0	8.34	AV	264.00	100	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.925	57.63	2.36	74.0	16.37	Peak	161.00	150	Horizontal	Pass
1**	5087.925	46.16	2.36	54.0	7.84	AV	161.00	150	Horizontal	Pass
2	5149.675	56.11	2.07	74.0	17.89	Peak	199.00	150	Horizontal	Pass
2**	5149.675	45.95	2.07	54.0	8.05	AV	199.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.72	1.93	74.0	18.28	Peak	178.00	200	Horizontal	Pass
1**	5350.055	46.25	1.93	54.0	7.75	AV	178.00	200	Horizontal	Pass
2	5385.420	57.78	2.25	74.0	16.22	Peak	203.00	200	Horizontal	Pass
2**	5385.420	45.63	2.25	54.0	8.37	AV	203.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	57.25	2.41	74.0	16.75	Peak	186.00	200	Horizontal	Pass
1**	5137.000	46.27	2.41	54.0	7.73	AV	186.00	200	Horizontal	Pass
2	5149.675	55.98	2.07	74.0	18.02	Peak	218.00	200	Horizontal	Pass
2**	5149.675	45.97	2.07	54.0	8.03	AV	218.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.86	1.93	74.0	18.14	Peak	130.00	200	Horizontal	Pass
1**	5350.055	45.90	1.93	54.0	8.10	AV	130.00	200	Horizontal	Pass
2	5422.820	57.98	2.45	74.0	16.02	Peak	208.00	150	Horizontal	Pass
2**	5422.820	45.98	2.45	54.0	8.02	AV	208.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.725	57.27	2.17	74.0	16.73	Peak	91.00	200	Horizontal	Pass
1**	5121.725	46.12	2.17	54.0	7.88	AV	91.00	200	Horizontal	Pass
2	5149.675	55.56	2.07	74.0	18.44	Peak	143.00	100	Horizontal	Pass
2**	5149.675	45.99	2.07	54.0	8.01	AV	143.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.67	1.93	74.0	18.33	Peak	150.00	150	Horizontal	Pass
1**	5350.000	46.21	1.93	54.0	7.79	AV	150.00	150	Horizontal	Pass
2	5420.345	57.30	2.44	74.0	16.70	Peak	180.00	150	Horizontal	Pass
2**	5420.345	45.92	2.44	54.0	8.08	AV	180.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.300	57.31	2.21	74.0	16.69	Peak	197.00	100	Horizontal	Pass
1**	5073.300	45.69	2.21	54.0	8.31	AV	197.00	100	Horizontal	Pass
2	5149.675	55.56	2.07	74.0	18.44	Peak	235.00	100	Horizontal	Pass
2**	5149.675	45.39	2.07	54.0	8.61	AV	235.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	1.93	74.0	18.27	Peak	104.00	200	Horizontal	Pass
1**	5350.000	47.16	1.93	54.0	6.84	AV	104.00	200	Horizontal	Pass
2	5411.050	57.50	1.99	74.0	16.50	Peak	85.00	100	Horizontal	Pass
2**	5411.050	45.66	1.99	54.0	8.34	AV	85.00	100	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5032.025	57.07	2.20	74.0	16.93	Peak	99.00	100	Horizontal	Pass
1**	5032.025	45.55	2.20	54.0	8.45	AV	99.00	100	Horizontal	Pass
2	5149.675	55.12	2.07	74.0	18.88	Peak	313.00	200	Horizontal	Pass
2**	5149.675	46.58	2.07	54.0	7.42	AV	313.00	200	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.56	1.93	74.0	17.44	Peak	88.00	150	Horizontal	Pass
1**	5350.000	46.04	1.93	54.0	7.96	AV	88.00	150	Horizontal	Pass
2	5387.730	57.69	2.19	74.0	16.31	Peak	95.00	200	Horizontal	Pass
2**	5387.730	46.77	2.19	54.0	7.23	AV	95.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.225	57.74	2.23	74.0	16.26	Peak	177.00	100	Horizontal	Pass
1**	5076.225	46.42	2.23	54.0	7.58	AV	177.00	100	Horizontal	Pass
2	5149.675	55.07	2.07	74.0	18.93	Peak	236.00	150	Horizontal	Pass
2**	5149.675	45.73	2.07	54.0	8.27	AV	236.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.70	1.93	74.0	17.30	Peak	168.00	150	Horizontal	Pass
1**	5350.055	46.27	1.93	54.0	7.73	AV	168.00	150	Horizontal	Pass
2	5431.895	57.73	2.25	74.0	16.27	Peak	95.00	200	Horizontal	Pass
2**	5431.895	45.64	2.25	54.0	8.36	AV	95.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.000	57.51	2.23	74.0	16.49	Peak	92.00	200	Horizontal	Pass
1**	5085.000	46.62	2.23	54.0	7.38	AV	92.00	200	Horizontal	Pass
2	5149.675	55.19	2.07	74.0	18.81	Peak	230.00	100	Horizontal	Pass
2**	5149.675	45.75	2.07	54.0	8.25	AV	230.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.87	1.93	74.0	17.13	Peak	279.00	150	Horizontal	Pass
1**	5350.055	46.01	1.93	54.0	7.99	AV	279.00	150	Horizontal	Pass
2	5356.435	57.55	2.14	74.0	16.45	Peak	63.00	200	Horizontal	Pass
2**	5356.435	45.53	2.14	54.0	8.47	AV	63.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4832.150	57.27	2.02	74.0	16.73	Peak	182.00	150	Horizontal	Pass
1**	4832.150	45.12	2.02	54.0	8.88	AV	182.00	150	Horizontal	Pass
2	5149.675	55.48	2.07	74.0	18.52	Peak	245.00	100	Horizontal	Pass
2**	5149.675	45.51	2.07	54.0	8.49	AV	245.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.88	1.93	74.0	18.12	Peak	91.00	100	Horizontal	Pass
1**	5350.000	46.83	1.93	54.0	7.17	AV	91.00	100	Horizontal	Pass
2	5361.715	57.72	2.35	74.0	16.28	Peak	256.00	200	Horizontal	Pass
2**	5361.715	46.22	2.35	54.0	7.78	AV	256.00	200	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.600	57.37	2.36	74.0	16.63	Peak	88.00	100	Horizontal	Pass
1**	5074.600	46.83	2.36	54.0	7.17	AV	88.00	100	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	73.00	100	Horizontal	Pass
2**	5149.675	45.92	2.07	54.0	8.08	AV	73.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.46	1.93	74.0	17.54	Peak	39.00	200	Horizontal	Pass
1**	5350.000	46.36	1.93	54.0	7.64	AV	39.00	200	Horizontal	Pass
2	5413.965	57.95	2.05	74.0	16.05	Peak	197.00	100	Horizontal	Pass
2**	5413.965	46.06	2.05	54.0	7.94	AV	197.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4746.675	56.86	1.30	74.0	17.14	Peak	123.00	200	Horizontal	Pass
1**	4746.675	44.38	1.30	54.0	9.62	AV	123.00	200	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	28.00	150	Horizontal	Pass
2**	5149.675	45.47	2.07	54.0	8.53	AV	28.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.01	1.93	74.0	18.99	Peak	313.00	150	Horizontal	Pass
1**	5350.055	45.46	1.93	54.0	8.54	AV	313.00	150	Horizontal	Pass
2	5457.250	57.48	2.51	74.0	16.52	Peak	299.00	150	Horizontal	Pass
2**	5457.250	45.71	2.51	54.0	8.29	AV	299.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.500	56.90	2.43	74.0	17.10	Peak	186.00	150	Horizontal	Pass
1**	5091.500	45.88	2.43	54.0	8.12	AV	186.00	150	Horizontal	Pass
2	5149.675	56.66	2.07	74.0	17.34	Peak	259.00	200	Horizontal	Pass
2**	5149.675	45.40	2.07	54.0	8.60	AV	259.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.52	1.93	74.0	18.48	Peak	104.00	200	Horizontal	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	104.00	200	Horizontal	Pass
2	5456.150	57.78	2.41	74.0	16.22	Peak	317.00	150	Horizontal	Pass
2**	5456.150	45.81	2.41	54.0	8.19	AV	317.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4847.100	57.06	2.12	74.0	16.94	Peak	360.00	100	Horizontal	Pass
1**	4847.100	45.07	2.12	54.0	8.93	AV	360.00	100	Horizontal	Pass
2	5149.675	55.14	2.07	74.0	18.86	Peak	174.00	200	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	174.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.04	1.93	74.0	18.96	Peak	62.00	100	Horizontal	Pass
1**	5350.055	45.32	1.93	54.0	8.68	AV	62.00	100	Horizontal	Pass
2	5360.120	57.71	2.28	74.0	16.29	Peak	153.00	200	Horizontal	Pass
2**	5360.120	45.70	2.28	54.0	8.30	AV	153.00	200	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.250	57.53	2.31	74.0	16.47	Peak	17.00	200	Horizontal	Pass
1**	5387.250	45.77	2.31	54.0	8.23	AV	17.00	200	Horizontal	Pass
2	5460.000	55.52	2.50	74.0	18.48	Peak	43.00	150	Horizontal	Pass
2**	5460.000	46.74	2.50	54.0	7.26	AV	43.00	150	Horizontal	Pass
3	5469.150	58.67	2.97	68.2	9.53	Peak	187.00	200	Horizontal	Pass
3**	5469.150	47.84	2.97	--	--	AV	187.00	200	Horizontal	N/A
4	5469.950	57.53	2.87	68.2	10.67	Peak	190.00	100	Horizontal	Pass
4**	5469.950	47.54	2.87	--	--	AV	190.00	100	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.84	2.55	68.2	7.36	Peak	170.00	150	Horizontal	Pass
2	5726.250	61.72	2.53	68.2	6.48	Peak	168.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5420.400	58.29	2.44	74.0	15.71	Peak	315.00	200	Horizontal	Pass
1**	5420.400	46.14	2.44	54.0	7.86	AV	315.00	200	Horizontal	Pass
2	5460.000	56.18	2.50	74.0	17.82	Peak	208.00	150	Horizontal	Pass
2**	5460.000	46.30	2.50	54.0	7.70	AV	208.00	150	Horizontal	Pass
3	5467.900	58.43	3.14	68.2	9.77	Peak	272.00	100	Horizontal	Pass
3**	5467.900	47.28	3.14	--	--	AV	272.00	100	Horizontal	N/A
4	5469.950	56.44	2.87	68.2	11.76	Peak	217.00	100	Horizontal	Pass
4**	5469.950	47.39	2.87	--	--	AV	217.00	100	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.23	2.55	68.2	7.97	Peak	255.00	200	Horizontal	Pass
2	5725.250	58.61	2.55	68.2	9.59	Peak	176.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.250	58.08	2.29	74.0	15.92	Peak	153.00	100	Horizontal	Pass
1**	5374.250	45.60	2.29	54.0	8.40	AV	153.00	100	Horizontal	Pass
2	5460.000	56.20	2.50	74.0	17.80	Peak	208.00	150	Horizontal	Pass
2**	5460.000	47.19	2.50	54.0	6.81	AV	208.00	150	Horizontal	Pass
3	5469.800	62.47	2.88	68.2	5.73	Peak	165.00	200	Horizontal	Pass
3**	5469.800	51.64	2.88	--	--	AV	165.00	200	Horizontal	N/A
4	5469.950	62.46	2.87	68.2	5.74	Peak	176.00	100	Horizontal	Pass
4**	5469.950	51.96	2.87	--	--	AV	176.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.92	2.55	68.2	7.28	Peak	93.00	150	Horizontal	Pass
2	5726.850	62.32	2.51	68.2	5.88	Peak	91.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.350	58.29	2.41	74.0	15.71	Peak	53.00	200	Horizontal	Pass
1**	5459.350	46.20	2.41	54.0	7.80	AV	53.00	200	Horizontal	Pass
2	5460.000	55.72	2.50	74.0	18.28	Peak	273.00	150	Horizontal	Pass
2**	5460.000	46.28	2.50	54.0	7.72	AV	273.00	150	Horizontal	Pass
3	5464.050	57.98	2.78	68.2	10.22	Peak	97.00	100	Horizontal	Pass
3**	5464.050	46.66	2.78	--	--	AV	97.00	100	Horizontal	N/A
4	5469.950	56.82	2.87	68.2	11.38	Peak	100.00	150	Horizontal	Pass
4**	5469.950	47.15	2.87	--	--	AV	100.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.81	2.55	68.2	9.39	Peak	231.00	100	Horizontal	Pass
2	5725.200	60.01	2.55	68.2	8.19	Peak	223.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.900	58.60	2.38	74.0	15.40	Peak	199.00	150	Horizontal	Pass
1**	5447.900	46.06	2.38	54.0	7.94	AV	199.00	150	Horizontal	Pass
2	5460.000	56.30	2.50	74.0	17.70	Peak	178.00	100	Horizontal	Pass
2**	5460.000	47.09	2.50	54.0	6.91	AV	178.00	100	Horizontal	Pass
3	5468.150	63.10	3.11	68.2	5.10	Peak	99.00	150	Horizontal	Pass
3**	5468.150	52.07	3.11	--	--	AV	99.00	150	Horizontal	N/A
4	5469.950	61.26	2.87	68.2	6.94	Peak	99.00	200	Horizontal	Pass
4**	5469.950	51.77	2.87	--	--	AV	99.00	200	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.82	2.55	68.2	6.38	Peak	99.00	150	Horizontal	Pass
2	5725.650	63.11	2.54	68.2	5.09	Peak	97.00	100	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.150	59.66	2.40	74.0	14.34	Peak	215.00	150	Horizontal	Pass
1**	5459.150	47.82	2.40	54.0	6.18	AV	215.00	150	Horizontal	Pass
2	5460.000	56.21	2.50	74.0	17.79	Peak	98.00	150	Horizontal	Pass
2**	5460.000	47.09	2.50	54.0	6.91	AV	98.00	150	Horizontal	Pass
3	5468.550	60.27	3.05	68.2	7.93	Peak	185.00	100	Horizontal	Pass
3**	5468.550	49.09	3.05	--	--	AV	185.00	100	Horizontal	N/A
4	5469.950	57.13	2.87	68.2	11.07	Peak	249.00	100	Horizontal	Pass
4**	5469.950	48.32	2.87	--	--	AV	249.00	100	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.25	2.55	68.2	11.95	Peak	296.00	200	Horizontal	Pass
2	5752.700	58.32	2.63	68.2	9.88	Peak	259.00	100	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.200	58.70	2.10	74.0	15.30	Peak	69.00	200	Horizontal	Pass
1**	5436.200	47.96	2.10	54.0	6.04	AV	69.00	200	Horizontal	Pass
2	5460.000	57.19	2.50	74.0	16.81	Peak	203.00	100	Horizontal	Pass
2**	5460.000	47.80	2.50	54.0	6.20	AV	203.00	100	Horizontal	Pass
3	5469.250	59.76	2.95	68.2	8.44	Peak	183.00	100	Horizontal	Pass
3**	5469.250	48.28	2.95	--	--	AV	183.00	100	Horizontal	N/A
4	5469.950	57.43	2.87	68.2	10.77	Peak	185.00	100	Horizontal	Pass
4**	5469.950	48.70	2.87	--	--	AV	185.00	100	Horizontal	N/A
5	5443.850	56.00	2.14	74.0	18.00	Peak	330.00	150	Horizontal	Pass
5**	5443.850	48.68	2.14	54.0	5.32	AV	330.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.68	2.55	68.2	10.52	Peak	153.00	150	Horizontal	Pass
2	5729.350	60.95	2.60	68.2	7.25	Peak	218.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.750	57.88	2.03	74.0	16.12	Peak	270.00	150	Horizontal	Pass
1**	5410.750	45.61	2.03	54.0	8.39	AV	270.00	150	Horizontal	Pass
2	5460.000	55.65	2.50	74.0	18.35	Peak	244.00	100	Horizontal	Pass
2**	5460.000	46.64	2.50	54.0	7.36	AV	244.00	100	Horizontal	Pass
3	5469.900	59.67	2.87	68.2	8.53	Peak	179.00	150	Horizontal	Pass
3**	5469.900	48.19	2.87	--	--	AV	179.00	100	Horizontal	N/A
4	5469.950	58.10	2.87	68.2	10.10	Peak	184.00	150	Horizontal	Pass
4**	5469.950	47.93	2.87	--	--	AV	184.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.71	2.55	68.2	6.49	Peak	190.00	100	Horizontal	Pass
2	5726.100	63.19	2.53	68.2	5.01	Peak	239.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.350	57.48	2.41	74.0	16.52	Peak	170.00	200	Horizontal	Pass
1**	5459.350	46.75	2.41	54.0	7.25	AV	170.00	200	Horizontal	Pass
2	5460.000	56.64	2.50	74.0	17.36	Peak	240.00	200	Horizontal	Pass
2**	5460.000	47.18	2.50	54.0	6.82	AV	240.00	200	Horizontal	Pass
3	5469.700	62.80	2.89	68.2	5.40	Peak	99.00	150	Horizontal	Pass
3**	5469.700	50.99	2.89	--	--	AV	99.00	150	Horizontal	N/A
4	5469.950	60.45	2.87	68.2	7.75	Peak	99.00	200	Horizontal	Pass
4**	5469.950	51.44	2.87	--	--	AV	99.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.13	2.55	68.2	9.07	Peak	220.00	100	Horizontal	Pass
2	5725.600	62.66	2.54	68.2	5.54	Peak	161.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.200	58.94	2.52	74.0	15.06	Peak	177.00	150	Horizontal	Pass
1**	5457.200	47.79	2.52	54.0	6.21	AV	177.00	150	Horizontal	Pass
2	5460.000	56.37	2.50	74.0	17.63	Peak	228.00	200	Horizontal	Pass
2**	5460.000	47.08	2.50	54.0	6.92	AV	228.00	200	Horizontal	Pass
3	5467.250	60.03	3.05	68.2	8.17	Peak	182.00	100	Horizontal	Pass
3**	5467.250	48.78	3.05	--	--	AV	182.00	100	Horizontal	N/A
4	5469.950	56.52	2.87	68.2	11.68	Peak	104.00	200	Horizontal	Pass
4**	5469.950	48.26	2.87	--	--	AV	104.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.39	2.55	68.2	10.81	Peak	73.00	100	Horizontal	Pass
2	5815.250	58.05	2.64	68.2	10.15	Peak	27.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.950	58.95	2.40	74.0	15.05	Peak	104.00	200	Horizontal	Pass
1**	5446.950	48.48	2.40	54.0	5.52	AV	104.00	200	Horizontal	Pass
2	5460.000	56.66	2.50	74.0	17.34	Peak	182.00	150	Horizontal	Pass
2**	5460.000	47.81	2.50	54.0	6.19	AV	182.00	150	Horizontal	Pass
3	5466.000	59.21	2.75	68.2	8.99	Peak	97.00	150	Horizontal	Pass
3**	5466.000	48.78	2.75	--	--	AV	97.00	150	Horizontal	N/A
4	5469.950	57.23	2.87	68.2	10.97	Peak	185.00	150	Horizontal	Pass
4**	5469.950	48.57	2.87	--	--	AV	185.00	150	Horizontal	N/A
5	5448.150	57.02	2.38	74.0	16.98	Peak	100.00	150	Horizontal	Pass
5**	5448.150	48.90	2.38	54.0	5.10	AV	100.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.71	2.55	68.2	8.49	Peak	241.00	150	Horizontal	Pass
2	5728.850	60.94	2.64	68.2	7.26	Peak	176.00	150	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.850	58.22	2.37	74.0	15.78	Peak	209.00	100	Horizontal	Pass
1**	5428.850	45.81	2.37	54.0	8.19	AV	209.00	100	Horizontal	Pass
2	5460.000	55.29	2.50	74.0	18.71	Peak	264.00	200	Horizontal	Pass
2**	5460.000	45.86	2.50	54.0	8.14	AV	264.00	200	Horizontal	Pass
3	5467.800	57.16	3.15	68.2	11.04	Peak	212.00	150	Horizontal	Pass
3**	5467.800	46.64	3.15	--	--	AV	212.00	150	Horizontal	N/A
4	5469.950	55.59	2.87	68.2	12.61	Peak	103.00	100	Horizontal	Pass
4**	5469.950	46.22	2.87	--	--	AV	103.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.28	2.55	68.2	8.92	Peak	258.00	200	Horizontal	Pass
2	5725.500	60.10	2.54	68.2	8.10	Peak	249.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.800	58.23	2.44	74.0	15.77	Peak	292.00	200	Horizontal	Pass
1**	5421.800	46.15	2.44	54.0	7.85	AV	292.00	200	Horizontal	Pass
2	5460.000	55.66	2.50	74.0	18.34	Peak	253.00	200	Horizontal	Pass
2**	5460.000	45.89	2.50	54.0	8.11	AV	253.00	200	Horizontal	Pass
3	5462.250	57.52	2.74	68.2	10.68	Peak	29.00	200	Horizontal	Pass
3**	5462.250	46.05	2.74	--	--	AV	29.00	200	Horizontal	N/A
4	5469.950	55.35	2.87	68.2	12.85	Peak	174.00	150	Horizontal	Pass
4**	5469.950	46.33	2.87	--	--	AV	174.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.01	2.55	68.2	12.19	Peak	360.00	100	Horizontal	Pass
2	5819.500	58.12	2.37	68.2	10.08	Peak	129.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.550	57.32	2.31	74.0	16.68	Peak	253.00	200	Horizontal	Pass
1**	5440.550	45.63	2.31	54.0	8.37	AV	253.00	200	Horizontal	Pass
2	5460.000	55.39	2.50	74.0	18.61	Peak	222.00	150	Horizontal	Pass
2**	5460.000	45.91	2.50	54.0	8.09	AV	222.00	150	Horizontal	Pass
3	5467.900	57.92	3.14	68.2	10.28	Peak	167.00	200	Horizontal	Pass
3**	5467.900	46.59	3.14	--	--	AV	167.00	200	Horizontal	N/A
4	5469.950	55.89	2.87	68.2	12.31	Peak	5.00	200	Horizontal	Pass
4**	5469.950	46.41	2.87	--	--	AV	5.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.97	2.55	68.2	12.23	Peak	24.00	100	Horizontal	Pass
2	5759.550	57.41	2.64	68.2	10.79	Peak	93.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.100	61.26	2.38	74.0	12.74	Peak	101.00	100	Horizontal	Pass
1**	5448.100	45.92	2.38	54.0	8.08	AV	101.00	100	Horizontal	Pass
2	5460.000	55.27	2.50	74.0	18.73	Peak	87.00	200	Horizontal	Pass
2**	5460.000	46.11	2.50	54.0	7.89	AV	87.00	200	Horizontal	Pass
3	5467.500	57.53	3.11	68.2	10.67	Peak	112.00	150	Horizontal	Pass
3**	5467.500	46.90	3.11	--	--	AV	112.00	150	Horizontal	N/A
4	5469.950	56.76	2.87	68.2	11.44	Peak	219.00	150	Horizontal	Pass
4**	5469.950	46.40	2.87	--	--	AV	219.00	150	Horizontal	N/A
5	5438.650	55.67	2.30	74.0	18.33	Peak	221.00	150	Horizontal	Pass
5**	5438.650	48.01	2.30	54.0	5.99	AV	221.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.38	2.55	68.2	7.82	Peak	158.00	100	Horizontal	Pass
2	5725.750	62.77	2.54	68.2	5.43	Peak	240.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.400	57.69	2.53	68.2	10.51	Peak	205.00	100	Horizontal	Pass
2	5650.000	55.92	2.54	68.2	12.28	Peak	357.00	100	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.50	2.32	68.2	11.70	Peak	15.00	200	Horizontal	Pass
2	5939.800	57.72	2.43	68.2	10.48	Peak	78.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.300	58.09	2.12	68.2	10.11	Peak	184.00	150	Horizontal	Pass
2	5650.000	56.39	2.54	68.2	11.81	Peak	128.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.93	2.32	68.2	12.27	Peak	241.00	150	Horizontal	Pass
2	5930.800	58.08	2.54	68.2	10.12	Peak	17.00	200	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.950	61.96	2.65	68.2	6.24	Peak	190.00	100	Horizontal	Pass
2	5650.000	57.28	2.54	68.2	10.92	Peak	147.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.32	2.32	68.2	11.88	Peak	77.00	100	Horizontal	Pass
2	5926.400	57.78	2.33	68.2	10.42	Peak	239.00	100	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.400	57.53	2.33	68.2	10.67	Peak	360.00	100	Horizontal	Pass
2	5650.000	56.99	2.54	68.2	11.21	Peak	84.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.82	2.32	68.2	12.38	Peak	224.00	150	Horizontal	Pass
2	5947.350	58.05	2.59	68.2	10.15	Peak	85.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.550	59.19	2.32	68.2	9.01	Peak	165.00	150	Horizontal	Pass
2	5650.000	56.29	2.54	68.2	11.91	Peak	99.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.59	2.32	68.2	12.61	Peak	293.00	200	Horizontal	Pass
2	5941.800	58.34	2.86	68.2	9.86	Peak	126.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	61.02	2.53	68.2	7.18	Peak	150.00	100	Horizontal	Pass
2	5650.000	60.25	2.54	68.2	7.95	Peak	179.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.09	2.32	68.2	11.11	Peak	41.00	150	Horizontal	Pass
2	5945.450	58.05	2.30	68.2	10.15	Peak	189.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.500	57.53	2.30	68.2	10.67	Peak	219.00	150	Horizontal	Pass
2	5650.000	55.68	2.54	68.2	12.52	Peak	163.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.45	2.32	68.2	12.75	Peak	344.00	150	Horizontal	Pass
2	5935.600	58.11	2.47	68.2	10.09	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.050	60.60	2.52	68.2	7.60	Peak	184.00	150	Horizontal	Pass
2	5650.000	58.78	2.54	68.2	9.42	Peak	168.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.57	2.32	68.2	12.63	Peak	177.00	100	Horizontal	Pass
2	5947.800	58.01	2.69	68.2	10.19	Peak	169.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.650	61.75	2.58	68.2	6.45	Peak	188.00	150	Horizontal	Pass
2	5650.000	57.72	2.54	68.2	10.48	Peak	191.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.52	2.32	68.2	11.68	Peak	0.00	150	Horizontal	Pass
2	5948.950	57.86	2.62	68.2	10.34	Peak	97.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.250	56.86	2.57	68.2	11.34	Peak	240.00	200	Horizontal	Pass
2	5650.000	55.94	2.54	68.2	12.26	Peak	296.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.71	2.32	68.2	12.49	Peak	258.00	150	Horizontal	Pass
2	5949.450	58.35	2.57	68.2	9.85	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.100	57.76	2.54	68.2	10.44	Peak	164.00	200	Horizontal	Pass
2	5650.000	55.95	2.54	68.2	12.25	Peak	318.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.38	2.32	68.2	12.82	Peak	194.00	100	Horizontal	Pass
2	5946.150	57.35	2.33	68.2	10.85	Peak	246.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.500	57.47	2.51	68.2	10.73	Peak	129.00	200	Horizontal	Pass
2	5650.000	55.53	2.54	68.2	12.67	Peak	91.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.50	2.32	68.2	12.70	Peak	45.00	150	Horizontal	Pass
2	5937.200	57.66	2.34	68.2	10.54	Peak	265.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2441396-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2441396-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2441396-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--