








此图仅供参考，实际产品可能有所调整，请以实物为准。













MT6319NP 4-Phase Buck (VMODEM, VSRAM_MODEM, VGPU)


PHIC 000-0411 connect to input cap. 000-0411 Err12.





33.Headphone&Switch







AUDIO SWITCH




Switching Charger Power Path



DC-DC:




OIS_VDD:




LCD&CTP-Connector

Main LCM+CTP INCELL




LCD MIPI Common Mode Filter






First using OR ,Second using EMI Filter.


LCM Backlight LED Driver





LCM Bias









RECIVER



MIC -- Main




Sub MIC




Part No.	I2C address	NOTE
HM550307	I2C Address : 0x30 (Write:0x60, Read:0x31)	
HM550308	I2C Address : 0x30 (Write:0x60, Read:0x31)	



eCOMPASS




G-Sensor:STK8327





ALS & P Sensor



Fingerprint Connector




Power Key / Side Key /AI Key




SVOOC Charger


Note 45W Charger Pump



Battery Connector




SD CARD




SIM1

SIM1




DET


CD&GND




SIM2


eSIM&SIM Card Switch








RealMe重庆移动通信有限公司
型号: RMX3943








RealMe重庆移动通信有限公司
型号: RMX3943


















D4901 D4902 need capacitor value$0.5\mu\text{f}$ Vramo24V,Recomend use PPS024V71BSF

L4901/L4902 使用 100n

Default NC


Default NC






PRX LNA BANK


DRX LNA BANK




N77_TRX



ENDC MMPA




RealMe重庆移动通信有限公司
型号: RMX3943



ANT0: LMHB TRX




ANT1: LB DRX + B32 PRX




ANT1 Tuner


ANT4: MHB PRX MIMO + UHB PRX MIMO




ANT5: PRX + MHB PRX MIMO + UHB DRX MIMO



ANT2: L+L B20_N28 DRX




ANT3: UHB PRX + MHB DRX




ANT3 Tuner


ANT8: UHB DRX + WIFI 5G



ANT9 : GPS + WIFI 2.4G





SAR sensor






ANT0: MHB TRX + LB DRX


MHB 3P3T (MHB)




ANT1: LB PRX + B32 PRX




ANT2: L+L B20_N28 DRX




ANT5: MHB PRX MIMO + UHB DRX MIMO



ANT3: UHB PRX + MHB DRX



ANT9 : GPS + WIFI 2.4G



ANT8: UHB DRX + WIFI 5G

ANT4: B32 DRX + MHB PRX MIMO + UHB PRX MIMO

