


## **Annex A.5 Spurious Emission at Antenna Terminals**

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-24.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-27.01	-13	Pass	2986
30	500	0.1	Peak	427.2	-42.4	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.18	-13	N/A	5001
1000	10000	1	Peak	6987	-39.97	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-23.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-25.72	-13	Pass	2986
30	500	0.1	Peak	471.2	-42.79	-13	Pass	4701
500	1000	0.1	Peak	836.6	31.27	-13	N/A	5001
1000	10000	1	Peak	9531	-39.76	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-22.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-25.33	-13	Pass	2986
30	500	0.1	Peak	406.2	-42.66	-13	Pass	4701
500	1000	0.1	Peak	848.9	31.24	-13	N/A	5001
1000	10000	1	Peak	7737	-39.73	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.25	-13	Pass	2986
30	1000	0.1	Peak	960.9	-46.69	-13	Pass	9701
1000	3000	1	Peak	1850	28.3	-13	N/A	2001
3000	20000	1	Peak	19766	-39.27	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.42	-13	Pass	2986
30	1000	0.1	Peak	806.7	-47.15	-13	Pass	9701
1000	3000	1	Peak	1880	28.47	-13	N/A	2001
3000	20000	1	Peak	19971	-38.42	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.44	-13	Pass	2986
30	1000	0.1	Peak	990.5	-47.08	-13	Pass	9701
1000	3000	1	Peak	1910	28.41	-13	N/A	2001
3000	20000	1	Peak	19950	-39.5	-13	Pass	17001



## 1. EGPRS\_GSM850

### 1.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-23.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.5	-13	Pass	2986
30	500	0.1	Peak	433.6	-42.84	-13	Pass	4701
500	1000	0.1	Peak	824.3	28.13	-13	N/A	5001
1000	10000	1	Peak	7771	-39.29	-13	Pass	9001






## 1.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-23.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.1	-13	Pass	2986
30	500	0.1	Peak	385.1	-43	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.85	-13	N/A	5001
1000	10000	1	Peak	7733	-39.82	-13	Pass	9001



### 1.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-24.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.1	-13	Pass	2986
30	500	0.1	Peak	468.5	-42.57	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.92	-13	N/A	5001
1000	10000	1	Peak	7749	-39.7	-13	Pass	9001



## 2. EGPRS\_PCS


### 2.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.04	-13	Pass	2986
30	1000	0.1	Peak	936.3	-46.99	-13	Pass	9701
1000	3000	1	Peak	1850	28.28	-13	N/A	2001
3000	20000	1	Peak	19992	-39.33	-13	Pass	17001




## 2.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.14	-13	Pass	2986
30	1000	0.1	Peak	991.6	-46.93	-13	Pass	9701
1000	3000	1	Peak	1880	28.49	-13	N/A	2001
3000	20000	1	Peak	19745	-39.72	-13	Pass	17001



### 2.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-28.47	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.59	-13	Pass	2986
30	1000	0.1	Peak	896	-47.06	-13	Pass	9701
1000	3000	1	Peak	1910	29.44	-13	N/A	2001
3000	20000	1	Peak	19814	-38.5	-13	Pass	17001



## 1. WCDMA\_Band2


### 1.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.65	-13	Pass	2986
30	1000	0.1	Peak	949.2	-51.04	-13	Pass	9701
1000	3000	1	Peak	1851	23.31	-13	N/A	2001
3000	20000	1	Peak	19811	-24.96	-13	Pass	17001




## 1.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.87	-13	Pass	2986
30	1000	0.1	Peak	929.6	-51.48	-13	Pass	9701
1000	3000	1	Peak	1879	23.27	-13	N/A	2001
3000	20000	1	Peak	19970	-25.48	-13	Pass	17001



### 1.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-34.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-36.93	-13	Pass	2986
30	1000	0.1	Peak	925.7	-51.31	-13	Pass	9701
1000	3000	1	Peak	1906	23.48	-13	N/A	2001
3000	20000	1	Peak	19365	-26.12	-13	Pass	17001






## 2. WCDMA\_Band4


### 2.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.29	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.05	-13	Pass	2986
30	1000	0.1	Peak	767.4	-50.58	-13	Pass	9701
1000	3000	1	Peak	1711	23.23	-13	N/A	2001
3000	20000	1	Peak	19047	-25.82	-13	Pass	17001




## 2.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.15	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.11	-13	Pass	2986
30	1000	0.1	Peak	933.1	-51.01	-13	Pass	9701
1000	3000	1	Peak	1731	23.29	-13	N/A	2001
3000	20000	1	Peak	19979	-26.09	-13	Pass	17001



### 2.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.8	-13	Pass	2986
30	1000	0.1	Peak	954.8	-50.54	-13	Pass	9701
1000	3000	1	Peak	1751	23.43	-13	N/A	2001
3000	20000	1	Peak	19987	-25.93	-13	Pass	17001



### 3. WCDMA\_Band5


#### 3.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.51	-13	Pass	2986
30	500	0.1	Peak	419.9	-53.05	-13	Pass	4701
500	1000	0.1	Peak	827	18.77	-13	N/A	5001
1000	10000	1	Peak	7713	-30.63	-13	Pass	9001




### 3.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.11	-13	Pass	2986
30	500	0.1	Peak	478.1	-52.92	-13	Pass	4701
500	1000	0.1	Peak	837	18.81	-13	N/A	5001
1000	10000	1	Peak	9543	-30.25	-13	Pass	9001



### 3.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.91	-13	Pass	2986
30	500	0.1	Peak	478.2	-52.4	-13	Pass	4701
500	1000	0.1	Peak	847.2	17.19	-13	N/A	5001
1000	10000	1	Peak	9477	-30.42	-13	Pass	9001



## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2986
30	1000	0.1	RMS	910.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1850.2	21.93	60	Pass	401
1920	3000	1	RMS	2653	-46.84	-13	Pass	1081
3000	12000	1	RMS	11923	-40.47	-13	Pass	9001
12000	20000	1	RMS	19997	-28.11	-13	Pass	8001



**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.9	-13	Pass	2986
30	1000	0.1	RMS	910.2	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1850.2	21.47	60	Pass	401
1920	3000	1	RMS	2655	-46.82	-13	Pass	1081
3000	12000	1	RMS	11947	-40.54	-13	Pass	9001
12000	20000	1	RMS	19997	-28.06	-13	Pass	8001






**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.9	-13	Pass	2986
30	1000	0.1	RMS	914.4	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1879.6	22.01	60	Pass	401
1920	3000	1	RMS	2651	-46.8	-13	Pass	1081
3000	12000	1	RMS	11938	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.02	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.69	-13	Pass	2986
30	1000	0.1	RMS	946.7	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.72	-13	Pass	841
1840	1920	1	RMS	1879.6	21.51	60	Pass	401
1920	3000	1	RMS	2652	-46.79	-13	Pass	1081
3000	12000	1	RMS	11967	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.09	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2986
30	1000	0.1	RMS	924	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	Pass	841
1840	1920	1	RMS	1908.8	21.91	60	Pass	401
1920	3000	1	RMS	2649	-46.87	-13	Pass	1081
3000	12000	1	RMS	11845	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.09	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1830	-50.75	-13	Pass	841
1840	1920	1	RMS	1908.8	21.62	60	Pass	401
1920	3000	1	RMS	2645	-46.83	-13	Pass	1081
3000	12000	1	RMS	11935	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.04	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1850.2	22.02	60	Pass	401
1920	3000	1	RMS	2656	-46.88	-13	Pass	1081
3000	12000	1	RMS	11958	-40.53	-13	Pass	9001
12000	20000	1	RMS	19996	-28.07	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.13	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.2	21.65	60	Pass	401
1920	3000	1	RMS	2649	-46.84	-13	Pass	1081
3000	12000	1	RMS	11941	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.14	-13	Pass	8001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.35	-13	Pass	2986
30	1000	0.1	RMS	940.9	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1878.8	22.02	60	Pass	401
1920	3000	1	RMS	2641	-46.86	-13	Pass	1081
3000	12000	1	RMS	11846	-40.51	-13	Pass	9001
12000	20000	1	RMS	19995	-28.06	-13	Pass	8001



### 1.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.02	-13	Pass	2986
30	1000	0.1	RMS	915	-62.14	-13	Pass	9701
1000	1840	1	RMS	1834	-50.79	-13	Pass	841
1840	1920	1	RMS	1878.8	21.57	60	Pass	401
1920	3000	1	RMS	2651	-46.81	-13	Pass	1081
3000	12000	1	RMS	11847	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.1	-13	Pass	8001






### 1.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.68	-13	Pass	2986
30	1000	0.1	RMS	940.9	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.74	-13	Pass	841
1840	1920	1	RMS	1907.2	21.95	60	Pass	401
1920	3000	1	RMS	2650	-46.84	-13	Pass	1081
3000	12000	1	RMS	11848	-40.52	-13	Pass	9001
12000	20000	1	RMS	19996	-28.1	-13	Pass	8001



### 1.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.72	-13	Pass	2986
30	1000	0.1	RMS	946.3	-62.26	-13	Pass	9701
1000	1840	1	RMS	1835	-50.74	-13	Pass	841
1840	1920	1	RMS	1907.2	21.66	60	Pass	401
1920	3000	1	RMS	2655	-46.88	-13	Pass	1081
3000	12000	1	RMS	11929	-40.57	-13	Pass	9001
12000	20000	1	RMS	19997	-28.08	-13	Pass	8001



### 1.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.63	-13	Pass	2986
30	1000	0.1	RMS	932	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1850.4	22.11	60	Pass	401
1920	3000	1	RMS	2654	-46.82	-13	Pass	1081
3000	12000	1	RMS	11960	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001



### 1.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.77	-13	Pass	2986
30	1000	0.1	RMS	906.9	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1850.4	21.6	60	Pass	401
1920	3000	1	RMS	2657	-46.85	-13	Pass	1081
3000	12000	1	RMS	11977	-40.56	-13	Pass	9001
12000	20000	1	RMS	19996	-28.08	-13	Pass	8001



### 1.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.79	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1877.8	22.09	60	Pass	401
1920	3000	1	RMS	2653	-46.8	-13	Pass	1081
3000	12000	1	RMS	11962	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001



### 1.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.59	-13	Pass	2986
30	1000	0.1	RMS	912.2	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1877.8	21.8	60	Pass	401
1920	3000	1	RMS	2652	-46.81	-13	Pass	1081
3000	12000	1	RMS	11962	-40.55	-13	Pass	9001
12000	20000	1	RMS	19996	-28.06	-13	Pass	8001



### 1.17. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.55	-13	Pass	2986
30	1000	0.1	RMS	887.2	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.72	-13	Pass	841
1840	1920	1	RMS	1905.4	22.07	60	Pass	401
1920	3000	1	RMS	2650	-46.83	-13	Pass	1081
3000	12000	1	RMS	11947	-40.46	-13	Pass	9001
12000	20000	1	RMS	19997	-28	-13	Pass	8001



### 1.18. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.18	-13	Pass	2986
30	1000	0.1	RMS	921	-62.12	-13	Pass	9701
1000	1840	1	RMS	1834	-50.76	-13	Pass	841
1840	1920	1	RMS	1905.4	21.82	60	Pass	401
1920	3000	1	RMS	2654	-46.84	-13	Pass	1081
3000	12000	1	RMS	11960	-40.52	-13	Pass	9001
12000	20000	1	RMS	19996	-28.16	-13	Pass	8001






### 1.19. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.44	-13	Pass	2986
30	1000	0.1	RMS	909.8	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1920	1	RMS	1850.6	22.2	60	Pass	401
1920	3000	1	RMS	2645	-46.83	-13	Pass	1081
3000	12000	1	RMS	11958	-40.48	-13	Pass	9001
12000	20000	1	RMS	19995	-28.08	-13	Pass	8001



### 1.20. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.34	-13	Pass	2986
30	1000	0.1	RMS	906.3	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-49.4	-13	Pass	841
1840	1920	1	RMS	1850.6	21.87	60	Pass	401
1920	3000	1	RMS	2651	-46.86	-13	Pass	1081
3000	12000	1	RMS	11952	-40.45	-13	Pass	9001
12000	20000	1	RMS	19999	-28.14	-13	Pass	8001



### 1.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.53	-13	Pass	2986
30	1000	0.1	RMS	886.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1831	-50.72	-13	Pass	841
1840	1920	1	RMS	1875.6	22.19	60	Pass	401
1920	3000	1	RMS	2652	-46.79	-13	Pass	1081
3000	12000	1	RMS	11853	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001



### 1.22. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.71	-13	Pass	2986
30	1000	0.1	RMS	900.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1835	-50.7	-13	Pass	841
1840	1920	1	RMS	1875.6	21.71	60	Pass	401
1920	3000	1	RMS	2651	-46.8	-13	Pass	1081
3000	12000	1	RMS	11949	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.05	-13	Pass	8001



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.65	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1832	-50.74	-13	Pass	841
1840	1920	1	RMS	1900.6	22.17	60	Pass	401
1920	3000	1	RMS	2652	-46.84	-13	Pass	1081
3000	12000	1	RMS	11960	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001



### 1.24. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.56	-13	Pass	2986
30	1000	0.1	RMS	934	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1900.6	21.78	60	Pass	401
1920	3000	1	RMS	2657	-46.81	-13	Pass	1081
3000	12000	1	RMS	11952	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001



### 1.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.78	-13	Pass	2986
30	1000	0.1	RMS	905.4	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-48.94	-13	Pass	841
1840	1920	1	RMS	1850.8	22.15	60	Pass	401
1920	3000	1	RMS	2653	-46.79	-13	Pass	1081
3000	12000	1	RMS	11933	-40.52	-13	Pass	9001
12000	20000	1	RMS	19994	-28.13	-13	Pass	8001



### 1.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-48.85	-13	Pass	841
1840	1920	1	RMS	1850.8	21.8	60	Pass	401
1920	3000	1	RMS	2654	-46.84	-13	Pass	1081
3000	12000	1	RMS	11941	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001






### 1.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.19	-13	Pass	2986
30	1000	0.1	RMS	903.9	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-50.69	-13	Pass	841
1840	1920	1	RMS	1873.4	22.13	60	Pass	401
1920	3000	1	RMS	2656	-46.84	-13	Pass	1081
3000	12000	1	RMS	11948	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001



### 1.28. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.03	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1873.4	21.65	60	Pass	401
1920	3000	1	RMS	2651	-46.84	-13	Pass	1081
3000	12000	1	RMS	11852	-40.43	-13	Pass	9001
12000	20000	1	RMS	19999	-27.98	-13	Pass	8001



### 1.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.22	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1837	-50.72	-13	Pass	841
1840	1920	1	RMS	1895.8	22.3	60	Pass	401
1920	3000	1	RMS	2645	-46.84	-13	Pass	1081
3000	12000	1	RMS	11940	-40.54	-13	Pass	9001
12000	20000	1	RMS	19997	-28.09	-13	Pass	8001



### 1.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.09	-13	Pass	9701
1000	1840	1	RMS	1839	-50.74	-13	Pass	841
1840	1920	1	RMS	1895.8	21.9	60	Pass	401
1920	3000	1	RMS	2642	-46.87	-13	Pass	1081
3000	12000	1	RMS	11955	-40.56	-13	Pass	9001
12000	20000	1	RMS	19998	-28.05	-13	Pass	8001



### 1.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.16	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-48.6	-13	Pass	841
1840	1920	1	RMS	1851	22.12	60	Pass	401
1920	3000	1	RMS	2650	-46.8	-13	Pass	1081
3000	12000	1	RMS	11952	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.11	-13	Pass	8001



### 1.32. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.22	-13	Pass	2986
30	1000	0.1	RMS	953.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-48.28	-13	Pass	841
1840	1920	1	RMS	1851	21.84	60	Pass	401
1920	3000	1	RMS	2648	-46.85	-13	Pass	1081
3000	12000	1	RMS	11838	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.05	-13	Pass	8001



### 1.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.69	-13	Pass	2986
30	1000	0.1	RMS	942.7	-62.2	-13	Pass	9701
1000	1840	1	RMS	1836	-50.75	-13	Pass	841
1840	1920	1	RMS	1871	22.06	60	Pass	401
1920	3000	1	RMS	2660	-46.88	-13	Pass	1081
3000	12000	1	RMS	11928	-40.46	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001



### 1.34. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.92	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1839	-50.77	-13	Pass	841
1840	1920	1	RMS	1871	21.61	60	Pass	401
1920	3000	1	RMS	2654	-46.82	-13	Pass	1081
3000	12000	1	RMS	11951	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.03	-13	Pass	8001






### 1.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.52	-13	Pass	2986
30	1000	0.1	RMS	932.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1891	22.19	60	Pass	401
1920	3000	1	RMS	2653	-46.8	-13	Pass	1081
3000	12000	1	RMS	11853	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.01	-13	Pass	8001



### 1.36. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1839	-50.76	-13	Pass	841
1840	1920	1	RMS	1891	21.74	60	Pass	401
1920	3000	1	RMS	2651	-46.87	-13	Pass	1081
3000	12000	1	RMS	11851	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.07	-13	Pass	8001



## 2. LTE\_Band4


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2986
30	1000	0.1	RMS	950.9	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.21	-13	Pass	701
1700	1765	1	RMS	1710.238	22.03	60	Pass	401
1765	3000	1	RMS	2659	-46.81	-13	Pass	1236
3000	12000	1	RMS	11982	-40.53	-13	Pass	9001
12000	20000	1	RMS	19999	-28.11	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.28	-13	Pass	2986
30	1000	0.1	RMS	871.1	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1710.238	21.76	60	Pass	401
1765	3000	1	RMS	2652	-46.82	-13	Pass	1236
3000	12000	1	RMS	11936	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.16	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.78	-13	Pass	2986
30	1000	0.1	RMS	942.1	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.3	-13	Pass	701
1700	1765	1	RMS	1732.013	22.05	60	Pass	401
1765	3000	1	RMS	2650	-46.83	-13	Pass	1236
3000	12000	1	RMS	11948	-40.49	-13	Pass	9001
12000	20000	1	RMS	19996	-28.12	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.54	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.22	-13	Pass	9701
1000	1700	1	RMS	1696	-51.32	-13	Pass	701
1700	1765	1	RMS	1732.013	21.72	60	Pass	401
1765	3000	1	RMS	2651	-46.83	-13	Pass	1236
3000	12000	1	RMS	11946	-40.52	-13	Pass	9001
12000	20000	1	RMS	19990	-28.12	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.92	-13	Pass	2986
30	1000	0.1	RMS	892.8	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.33	-13	Pass	701
1700	1765	1	RMS	1753.788	22.07	60	Pass	401
1765	3000	1	RMS	2647	-46.81	-13	Pass	1236
3000	12000	1	RMS	11849	-40.58	-13	Pass	9001
12000	20000	1	RMS	19999	-28.14	-13	Pass	8001



**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.8	-13	Pass	2986
30	1000	0.1	RMS	886.8	-62.07	-13	Pass	9701
1000	1700	1	RMS	1699	-51.3	-13	Pass	701
1700	1765	1	RMS	1753.788	21.85	60	Pass	401
1765	3000	1	RMS	2653	-46.86	-13	Pass	1236
3000	12000	1	RMS	11952	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001






**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.59	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1710.238	22.11	60	Pass	401
1765	3000	1	RMS	2655	-46.85	-13	Pass	1236
3000	12000	1	RMS	11947	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-27.98	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.5	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	Pass	701
1700	1765	1	RMS	1710.238	21.93	60	Pass	401
1765	3000	1	RMS	2651	-46.88	-13	Pass	1236
3000	12000	1	RMS	11920	-40.54	-13	Pass	9001
12000	20000	1	RMS	19999	-28.06	-13	Pass	8001



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.03	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1694	-51.33	-13	Pass	701
1700	1765	1	RMS	1731.2	22.07	60	Pass	401
1765	3000	1	RMS	2655	-46.78	-13	Pass	1236
3000	12000	1	RMS	11845	-40.53	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1765	1	RMS	1731.2	21.64	60	Pass	401
1765	3000	1	RMS	2650	-46.86	-13	Pass	1236
3000	12000	1	RMS	11851	-40.48	-13	Pass	9001
12000	20000	1	RMS	19998	-28.12	-13	Pass	8001



### 2.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.31	-13	Pass	701
1700	1765	1	RMS	1752.325	22.07	60	Pass	401
1765	3000	1	RMS	2651	-46.84	-13	Pass	1236
3000	12000	1	RMS	11943	-40.52	-13	Pass	9001
12000	20000	1	RMS	19997	-28.06	-13	Pass	8001



## 2.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.19	-13	Pass	9701
1000	1700	1	RMS	1694	-51.33	-13	Pass	701
1700	1765	1	RMS	1752.325	21.78	60	Pass	401
1765	3000	1	RMS	2650	-46.9	-13	Pass	1236
3000	12000	1	RMS	11935	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.18	-13	Pass	8001



### 2.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1765	1	RMS	1710.4	22.21	60	Pass	401
1765	3000	1	RMS	2644	-46.84	-13	Pass	1236
3000	12000	1	RMS	11960	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.14	-13	Pass	8001



## 2.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.4	21.84	60	Pass	401
1765	3000	1	RMS	2659	-46.81	-13	Pass	1236
3000	12000	1	RMS	11933	-40.51	-13	Pass	9001
12000	20000	1	RMS	19999	-28.06	-13	Pass	8001






### 2.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.27	-13	Pass	9701
1000	1700	1	RMS	1618	-51.3	-13	Pass	701
1700	1765	1	RMS	1730.388	22.15	60	Pass	401
1765	3000	1	RMS	2661	-46.8	-13	Pass	1236
3000	12000	1	RMS	11973	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.13	-13	Pass	8001



## 2.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.43	-13	Pass	2986
30	1000	0.1	RMS	971.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1608	-51.32	-13	Pass	701
1700	1765	1	RMS	1730.388	21.89	60	Pass	401
1765	3000	1	RMS	2648	-46.88	-13	Pass	1236
3000	12000	1	RMS	11949	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001



## 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.65	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.25	-13	Pass	9701
1000	1700	1	RMS	1579	-51.32	-13	Pass	701
1700	1765	1	RMS	1750.375	22.16	60	Pass	401
1765	3000	1	RMS	2648	-46.82	-13	Pass	1236
3000	12000	1	RMS	11942	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001



## 2.18. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.91	-13	Pass	2986
30	1000	0.1	RMS	951.6	-62.27	-13	Pass	9701
1000	1700	1	RMS	1615	-51.31	-13	Pass	701
1700	1765	1	RMS	1750.375	22.07	60	Pass	401
1765	3000	1	RMS	2651	-46.87	-13	Pass	1236
3000	12000	1	RMS	11944	-40.47	-13	Pass	9001
12000	20000	1	RMS	19996	-28.09	-13	Pass	8001



## 2.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.52	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	Pass	701
1700	1765	1	RMS	1710.563	22.3	60	Pass	401
1765	3000	1	RMS	2639	-46.83	-13	Pass	1236
3000	12000	1	RMS	11852	-40.54	-13	Pass	9001
12000	20000	1	RMS	19994	-28.12	-13	Pass	8001



## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.19	-13	Pass	701
1700	1765	1	RMS	1710.563	22.06	60	Pass	401
1765	3000	1	RMS	2650	-46.87	-13	Pass	1236
3000	12000	1	RMS	11953	-40.51	-13	Pass	9001
12000	20000	1	RMS	20000	-28.13	-13	Pass	8001



## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.13	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.13	-13	Pass	9701
1000	1700	1	RMS	1613	-51.32	-13	Pass	701
1700	1765	1	RMS	1728.113	22.26	60	Pass	401
1765	3000	1	RMS	2658	-46.86	-13	Pass	1236
3000	12000	1	RMS	11947	-40.5	-13	Pass	9001
12000	20000	1	RMS	19993	-28.17	-13	Pass	8001



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.68	-13	Pass	2986
30	1000	0.1	RMS	916	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1765	1	RMS	1728.113	21.85	60	Pass	401
1765	3000	1	RMS	2653	-46.8	-13	Pass	1236
3000	12000	1	RMS	11857	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001






### 2.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.8	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1612	-51.12	-13	Pass	701
1700	1765	1	RMS	1745.5	22.38	60	Pass	401
1765	3000	1	RMS	2659	-46.59	-13	Pass	1236
3000	12000	1	RMS	11958	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



## 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.86	-13	Pass	2986
30	1000	0.1	RMS	965.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1607	-51.11	-13	Pass	701
1700	1765	1	RMS	1745.663	22.07	60	Pass	401
1765	3000	1	RMS	2651	-46.59	-13	Pass	1236
3000	12000	1	RMS	11936	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.97	-13	Pass	8001



## 2.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-49.54	-13	Pass	701
1700	1765	1	RMS	1710.888	22.43	60	Pass	401
1765	3000	1	RMS	2659	-46.66	-13	Pass	1236
3000	12000	1	RMS	11852	-40.32	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001



## 2.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-49.39	-13	Pass	701
1700	1765	1	RMS	1710.888	22.16	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11931	-40.33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.88	-13	Pass	8001



## 2.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.09	-13	Pass	701
1700	1765	1	RMS	1725.838	22.47	60	Pass	401
1765	3000	1	RMS	2652	-46.68	-13	Pass	1236
3000	12000	1	RMS	11859	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.91	-13	Pass	8001



## 2.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	1000	0.1	RMS	923	-62.12	-13	Pass	9701
1000	1700	1	RMS	1610	-51.09	-13	Pass	701
1700	1765	1	RMS	1725.838	22.08	60	Pass	401
1765	3000	1	RMS	2652	-46.68	-13	Pass	1236
3000	12000	1	RMS	11934	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.82	-13	Pass	8001



## 2.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	1000	0.1	RMS	912.5	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-51.12	-13	Pass	701
1700	1765	1	RMS	1740.788	22.43	60	Pass	401
1765	3000	1	RMS	2654	-46.64	-13	Pass	1236
3000	12000	1	RMS	11855	-40.33	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001



### 2.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.68	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1583	-51.1	-13	Pass	701
1700	1765	1	RMS	1740.788	22.16	60	Pass	401
1765	3000	1	RMS	2645	-46.64	-13	Pass	1236
3000	12000	1	RMS	11862	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001






### 2.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-49.23	-13	Pass	701
1700	1765	1	RMS	1711.05	22.46	60	Pass	401
1765	3000	1	RMS	2652	-46.62	-13	Pass	1236
3000	12000	1	RMS	11960	-40.36	-13	Pass	9001
12000	20000	1	RMS	19991	-27.9	-13	Pass	8001



### 2.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.24	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-48.94	-13	Pass	701
1700	1765	1	RMS	1711.05	22.22	60	Pass	401
1765	3000	1	RMS	2657	-46.68	-13	Pass	1236
3000	12000	1	RMS	11845	-40.3	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



### 2.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.96	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1765	1	RMS	1723.563	22.46	60	Pass	401
1765	3000	1	RMS	2650	-46.59	-13	Pass	1236
3000	12000	1	RMS	11955	-40.37	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001



### 2.34. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.35	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1723.563	22.11	60	Pass	401
1765	3000	1	RMS	2659	-46.65	-13	Pass	1236
3000	12000	1	RMS	11967	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001



### 2.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.79	-13	Pass	2986
30	1000	0.1	RMS	916.1	-61.99	-13	Pass	9701
1000	1700	1	RMS	1597	-51.12	-13	Pass	701
1700	1765	1	RMS	1736.075	22.47	60	Pass	401
1765	3000	1	RMS	1765	-40.14	-13	Pass	1236
3000	12000	1	RMS	11949	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.9	-13	Pass	8001



### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.9	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.19	-13	Pass	9701
1000	1700	1	RMS	1614	-51.12	-13	Pass	701
1700	1765	1	RMS	1736.075	22.06	60	Pass	401
1765	3000	1	RMS	1765	-40.34	-13	Pass	1236
3000	12000	1	RMS	11973	-40.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



## 7. LTE\_Band5


**7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.5	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.18	-13	Pass	7841
814	860	0.1	RMS	824.3	19.77	60	Pass	461
860	1000	0.1	RMS	988.9	-62.32	-13	Pass	1401
1000	3000	1	RMS	2653	-46.67	-13	Pass	2001
3000	10000	1	RMS	7731	-41.78	-13	Pass	7001



**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.04	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.41	-13	Pass	7841
814	860	0.1	RMS	824.2	18.36	60	Pass	461
860	1000	0.1	RMS	919.7	-62.45	-13	Pass	1401
1000	3000	1	RMS	2652	-46.66	-13	Pass	2001
3000	10000	1	RMS	7755	-41.83	-13	Pass	7001






**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2986
30	814	0.1	RMS	803.3	-62.35	-13	Pass	7841
814	860	0.1	RMS	836.1	19.97	60	Pass	461
860	1000	0.1	RMS	917.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2650	-46.67	-13	Pass	2001
3000	10000	1	RMS	7731	-41.82	-13	Pass	7001




**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.63	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.48	-13	Pass	7841
814	860	0.1	RMS	836.1	18.42	60	Pass	461
860	1000	0.1	RMS	907	-62.5	-13	Pass	1401
1000	3000	1	RMS	2651	-46.68	-13	Pass	2001
3000	10000	1	RMS	7739	-41.82	-13	Pass	7001




**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.24	-13	Pass	7841
814	860	0.1	RMS	847.8	19.89	60	Pass	461
860	1000	0.1	RMS	926.1	-62.33	-13	Pass	1401
1000	3000	1	RMS	2655	-46.63	-13	Pass	2001
3000	10000	1	RMS	7729	-41.84	-13	Pass	7001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.33	-13	Pass	2986
30	814	0.1	RMS	772.9	-62.4	-13	Pass	7841
814	860	0.1	RMS	847.9	18.51	60	Pass	461
860	1000	0.1	RMS	932.1	-62.5	-13	Pass	1401
1000	3000	1	RMS	2659	-46.72	-13	Pass	2001
3000	10000	1	RMS	7750	-41.84	-13	Pass	7001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.35	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.2	-13	Pass	7841
814	860	0.1	RMS	824.2	20.15	60	Pass	461
860	1000	0.1	RMS	941.3	-62.26	-13	Pass	1401
1000	3000	1	RMS	2648	-46.71	-13	Pass	2001
3000	10000	1	RMS	7737	-41.79	-13	Pass	7001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.72	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.49	-13	Pass	7841
814	860	0.1	RMS	824.2	18.67	60	Pass	461
860	1000	0.1	RMS	895.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2652	-46.69	-13	Pass	2001
3000	10000	1	RMS	9544	-41.87	-13	Pass	7001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.55	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	835.2	20.12	60	Pass	461
860	1000	0.1	RMS	922.4	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.65	-13	Pass	2001
3000	10000	1	RMS	9548	-41.8	-13	Pass	7001



### 7.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.92	-13	Pass	2986
30	814	0.1	RMS	807.2	-62.4	-13	Pass	7841
814	860	0.1	RMS	835.2	18.73	60	Pass	461
860	1000	0.1	RMS	937	-62.39	-13	Pass	1401
1000	3000	1	RMS	2649	-46.72	-13	Pass	2001
3000	10000	1	RMS	7736	-41.81	-13	Pass	7001






### 7.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.7	-13	Pass	2986
30	814	0.1	RMS	807.2	-62.45	-13	Pass	7841
814	860	0.1	RMS	846.2	20.15	60	Pass	461
860	1000	0.1	RMS	909.6	-62.45	-13	Pass	1401
1000	3000	1	RMS	2649	-46.66	-13	Pass	2001
3000	10000	1	RMS	7736	-41.83	-13	Pass	7001



### 7.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.07	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.41	-13	Pass	7841
814	860	0.1	RMS	846.2	18.79	60	Pass	461
860	1000	0.1	RMS	918.3	-62.38	-13	Pass	1401
1000	3000	1	RMS	2651	-46.72	-13	Pass	2001
3000	10000	1	RMS	7735	-41.83	-13	Pass	7001



### 7.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.7	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.3	20.1	60	Pass	461
860	1000	0.1	RMS	945.2	-62.4	-13	Pass	1401
1000	3000	1	RMS	2643	-46.69	-13	Pass	2001
3000	10000	1	RMS	7727	-41.8	-13	Pass	7001



### 7.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.91	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.3	18.58	60	Pass	461
860	1000	0.1	RMS	934.1	-62.37	-13	Pass	1401
1000	3000	1	RMS	2654	-46.69	-13	Pass	2001
3000	10000	1	RMS	7736	-41.85	-13	Pass	7001



### 7.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2986
30	814	0.1	RMS	803.4	-62.37	-13	Pass	7841
814	860	0.1	RMS	834.3	20.18	60	Pass	461
860	1000	0.1	RMS	923.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2651	-46.67	-13	Pass	2001
3000	10000	1	RMS	7746	-41.83	-13	Pass	7001



### 7.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.15	-13	Pass	2986
30	814	0.1	RMS	800.8	-62.39	-13	Pass	7841
814	860	0.1	RMS	834.3	18.91	60	Pass	461
860	1000	0.1	RMS	916.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2650	-46.69	-13	Pass	2001
3000	10000	1	RMS	7736	-41.83	-13	Pass	7001



### 7.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.43	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.29	-13	Pass	7841
814	860	0.1	RMS	844.3	20.25	60	Pass	461
860	1000	0.1	RMS	907.5	-62.44	-13	Pass	1401
1000	3000	1	RMS	2648	-46.68	-13	Pass	2001
3000	10000	1	RMS	7725	-41.87	-13	Pass	7001



### 7.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.31	-13	Pass	7841
814	860	0.1	RMS	844.3	18.95	60	Pass	461
860	1000	0.1	RMS	932.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	2651	-46.71	-13	Pass	2001
3000	10000	1	RMS	7739	-41.81	-13	Pass	7001






### 7.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.72	-13	Pass	2986
30	814	0.1	RMS	811.4	-61.25	-13	Pass	7841
814	860	0.1	RMS	824.6	20.53	60	Pass	461
860	1000	0.1	RMS	928.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2653	-46.67	-13	Pass	2001
3000	10000	1	RMS	7732	-41.82	-13	Pass	7001



### 7.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.47	-13	Pass	7841
814	860	0.1	RMS	824.6	19.2	60	Pass	461
860	1000	0.1	RMS	936.5	-62.47	-13	Pass	1401
1000	3000	1	RMS	2657	-46.71	-13	Pass	2001
3000	10000	1	RMS	7735	-41.84	-13	Pass	7001



### 7.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.57	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.44	-13	Pass	7841
814	860	0.1	RMS	832.1	20.6	60	Pass	461
860	1000	0.1	RMS	944.7	-62.42	-13	Pass	1401
1000	3000	1	RMS	2649	-46.68	-13	Pass	2001
3000	10000	1	RMS	7741	-41.78	-13	Pass	7001



### 7.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2986
30	814	0.1	RMS	802.8	-62.41	-13	Pass	7841
814	860	0.1	RMS	832.1	19.07	60	Pass	461
860	1000	0.1	RMS	923.8	-62.47	-13	Pass	1401
1000	3000	1	RMS	2648	-46.69	-13	Pass	2001
3000	10000	1	RMS	7736	-41.8	-13	Pass	7001



### 7.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-13	Pass	2986
30	814	0.1	RMS	790.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	839.6	20.68	60	Pass	461
860	1000	0.1	RMS	928.1	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.66	-13	Pass	2001
3000	10000	1	RMS	7749	-41.83	-13	Pass	7001



### 7.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	19.32	60	Pass	461
860	1000	0.1	RMS	914.2	-62.35	-13	Pass	1401
1000	3000	1	RMS	2652	-46.68	-13	Pass	2001
3000	10000	1	RMS	7725	-41.82	-13	Pass	7001



### 3. LTE\_Band7


#### 3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.31	-25	Pass	2986
30	1000	0.1	RMS	922.7	-62.07	-25	Pass	9701
1000	2490	1	RMS	2489	-47.76	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.89	60	Pass	401
2580	3000	1	RMS	2655	-46.69	-25	Pass	421
3000	12000	1	RMS	10001	-49.04	-25	Pass	9001
12000	26000	1	RMS	25014	-45.71	-25	Pass	14001



### 3.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-25	Pass	2986
30	1000	0.1	RMS	875.8	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-47.83	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.58	60	Pass	401
2580	3000	1	RMS	2656	-46.71	-25	Pass	421
3000	12000	1	RMS	10001	-50.13	-25	Pass	9001
12000	26000	1	RMS	25007	-41.09	-25	Pass	14001






### 3.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-25	Pass	2986
30	1000	0.1	RMS	918.9	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.79	60	Pass	401
2580	3000	1	RMS	2656	-46.69	-25	Pass	421
3000	12000	1	RMS	10131	-46.35	-25	Pass	9001
12000	26000	1	RMS	25011	-41.08	-25	Pass	14001




### 3.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-25	Pass	2986
30	1000	0.1	RMS	929.1	-62.13	-25	Pass	9701
1000	2490	1	RMS	2490	-47.92	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.91	60	Pass	401
2580	3000	1	RMS	2653	-46.71	-25	Pass	421
3000	12000	1	RMS	10131	-47.16	-25	Pass	9001
12000	26000	1	RMS	25011	-41.11	-25	Pass	14001




**3.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.86	-25	Pass	2986
30	1000	0.1	RMS	906.5	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.11	60	Pass	401
2580	3000	1	RMS	2653	-46.7	-25	Pass	421
3000	12000	1	RMS	10261	-45.44	-25	Pass	9001
12000	26000	1	RMS	25009	-40.96	-25	Pass	14001




### 3.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.74	-25	Pass	2986
30	1000	0.1	RMS	908.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2489	-47.92	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.12	60	Pass	401
2580	3000	1	RMS	2648	-46.71	-25	Pass	421
3000	12000	1	RMS	10261	-45.74	-25	Pass	9001
12000	26000	1	RMS	25012	-41.13	-25	Pass	14001




**3.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-25	Pass	2986
30	1000	0.1	RMS	912.6	-62.07	-25	Pass	9701
1000	2490	1	RMS	2490	-47.08	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.89	60	Pass	401
2580	3000	1	RMS	2652	-46.68	-25	Pass	421
3000	12000	1	RMS	10002	-49.13	-25	Pass	9001
12000	26000	1	RMS	25013	-41.01	-25	Pass	14001




**3.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-41.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-25	Pass	2986
30	1000	0.1	RMS	922.4	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.19	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.76	60	Pass	401
2580	3000	1	RMS	2653	-46.66	-25	Pass	421
3000	12000	1	RMS	10002	-49.61	-25	Pass	9001
12000	26000	1	RMS	25016	-41.05	-25	Pass	14001



**3.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.58	-25	Pass	2986
30	1000	0.1	RMS	932.4	-62.11	-25	Pass	9701
1000	2490	1	RMS	2486	-47.92	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.92	60	Pass	401
2580	3000	1	RMS	2649	-46.68	-25	Pass	421
3000	12000	1	RMS	10122	-46.3	-25	Pass	9001
12000	26000	1	RMS	25014	-41.13	-25	Pass	14001



### 3.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.63	-25	Pass	2986
30	1000	0.1	RMS	931.7	-61.94	-25	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.74	60	Pass	401
2580	3000	1	RMS	2651	-46.64	-25	Pass	421
3000	12000	1	RMS	10122	-47.34	-25	Pass	9001
12000	26000	1	RMS	25010	-41.06	-25	Pass	14001






### 3.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.56	-25	Pass	2986
30	1000	0.1	RMS	912.4	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.81	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.07	60	Pass	401
2580	3000	1	RMS	2650	-46.66	-25	Pass	421
3000	12000	1	RMS	10242	-45.06	-25	Pass	9001
12000	26000	1	RMS	25023	-41.13	-25	Pass	14001



### 3.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.77	-25	Pass	2986
30	1000	0.1	RMS	940.1	-62.1	-25	Pass	9701
1000	2490	1	RMS	2489	-47.94	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.92	60	Pass	401
2580	3000	1	RMS	2647	-46.68	-25	Pass	421
3000	12000	1	RMS	10242	-45.79	-25	Pass	9001
12000	26000	1	RMS	25012	-41.11	-25	Pass	14001



### 3.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-25	Pass	2986
30	1000	0.1	RMS	946.2	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-46.45	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.91	60	Pass	401
2580	3000	1	RMS	2652	-46.64	-25	Pass	421
3000	12000	1	RMS	10003	-49.07	-25	Pass	9001
12000	26000	1	RMS	25012	-41.06	-25	Pass	14001



### 3.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-25	Pass	2986
30	1000	0.1	RMS	950.7	-62.15	-25	Pass	9701
1000	2490	1	RMS	2489	-46.8	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.82	60	Pass	401
2580	3000	1	RMS	2656	-46.69	-25	Pass	421
3000	12000	1	RMS	10003	-49.6	-25	Pass	9001
12000	26000	1	RMS	25013	-40.98	-25	Pass	14001



### 3.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-25	Pass	2986
30	1000	0.1	RMS	883.9	-62.16	-25	Pass	9701
1000	2490	1	RMS	2487	-47.83	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.89	60	Pass	401
2580	3000	1	RMS	2652	-46.7	-25	Pass	421
3000	12000	1	RMS	10113	-46.13	-25	Pass	9001
12000	26000	1	RMS	25012	-40.93	-25	Pass	14001



### 3.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-25	Pass	2986
30	1000	0.1	RMS	909.8	-61.94	-25	Pass	9701
1000	2490	1	RMS	2487	-47.92	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.83	60	Pass	401
2580	3000	1	RMS	2658	-46.67	-25	Pass	421
3000	12000	1	RMS	10113	-46.88	-25	Pass	9001
12000	26000	1	RMS	25010	-41.11	-25	Pass	14001



### 3.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-42.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.7	-25	Pass	2986
30	1000	0.1	RMS	932.8	-61.99	-25	Pass	9701
1000	2490	1	RMS	2490	-47.94	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.04	60	Pass	401
2595	3000	1	RMS	2649	-46.65	-25	Pass	406
3000	12000	1	RMS	10223	-46.34	-25	Pass	9001
12000	26000	1	RMS	25015	-41.08	-25	Pass	14001



### 3.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.59	-25	Pass	2986
30	1000	0.1	RMS	930.4	-62.17	-25	Pass	9701
1000	2490	1	RMS	2487	-47.88	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.14	60	Pass	401
2595	3000	1	RMS	2651	-46.65	-25	Pass	406
3000	12000	1	RMS	10223	-47.56	-25	Pass	9001
12000	26000	1	RMS	25011	-41.1	-25	Pass	14001






### 3.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-25	Pass	2986
30	1000	0.1	RMS	923	-61.96	-25	Pass	9701
1000	2490	1	RMS	2486	-46.5	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.74	60	Pass	401
2580	3000	1	RMS	2649	-46.7	-25	Pass	421
3000	12000	1	RMS	10004	-48.98	-25	Pass	9001
12000	26000	1	RMS	25011	-41.12	-25	Pass	14001



### 3.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-25	Pass	2986
30	1000	0.1	RMS	913.9	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-46.66	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.86	60	Pass	401
2580	3000	1	RMS	2651	-46.67	-25	Pass	421
3000	12000	1	RMS	10004	-49.92	-25	Pass	9001
12000	26000	1	RMS	25016	-41.02	-25	Pass	14001



### 3.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.54	-25	Pass	2986
30	1000	0.1	RMS	942.1	-62.03	-25	Pass	9701
1000	2490	1	RMS	2490	-47.87	-25	Pass	1491
2490	2580	1	RMS	2526	22.95	60	Pass	401
2580	3000	1	RMS	2654	-46.67	-25	Pass	421
3000	12000	1	RMS	10104	-45.95	-25	Pass	9001
12000	26000	1	RMS	25013	-41.06	-25	Pass	14001



### 3.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.02	-25	Pass	2986
30	1000	0.1	RMS	947	-62.13	-25	Pass	9701
1000	2490	1	RMS	2489	-47.9	-25	Pass	1491
2490	2580	1	RMS	2526	21.75	60	Pass	401
2580	3000	1	RMS	2659	-46.68	-25	Pass	421
3000	12000	1	RMS	10104	-47.05	-25	Pass	9001
12000	26000	1	RMS	25011	-41	-25	Pass	14001



### 3.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45	-25	Pass	2986
30	1000	0.1	RMS	918.6	-62.11	-25	Pass	9701
1000	2490	1	RMS	2488	-47.89	-25	Pass	1491
2490	2595	1	RMS	2551.163	23	60	Pass	401
2595	3000	1	RMS	2648	-46.69	-25	Pass	406
3000	12000	1	RMS	10204	-46.66	-25	Pass	9001
12000	26000	1	RMS	25012	-41.02	-25	Pass	14001



### 3.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-25	Pass	2986
30	1000	0.1	RMS	906.1	-62.12	-25	Pass	9701
1000	2490	1	RMS	2486	-47.91	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.02	60	Pass	401
2595	3000	1	RMS	2650	-46.7	-25	Pass	406
3000	12000	1	RMS	10204	-47.61	-25	Pass	9001
12000	26000	1	RMS	25011	-41.06	-25	Pass	14001



## 8. LTE\_Band12


8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2986
30	689	0.1	RMS	495.9	-63.41	-13	Pass	6591
689	726	0.1	RMS	699.268	20.6	60	Pass	401
726	1000	0.1	RMS	793.3	-62.21	-13	Pass	2741
1000	3000	1	RMS	2652	-46.66	-13	Pass	2001
3000	10000	1	RMS	7733	-41.83	-13	Pass	7001



**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.04	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.268	19.03	60	Pass	401
726	1000	0.1	RMS	936	-62.05	-13	Pass	2741
1000	3000	1	RMS	2653	-46.71	-13	Pass	2001
3000	10000	1	RMS	7729	-41.81	-13	Pass	7001






**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2986
30	689	0.1	RMS	521.9	-63.34	-13	Pass	6591
689	726	0.1	RMS	707.038	20.77	60	Pass	401
726	1000	0.1	RMS	928	-62.13	-13	Pass	2741
1000	3000	1	RMS	2655	-46.66	-13	Pass	2001
3000	10000	1	RMS	7729	-41.78	-13	Pass	7001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.35	-13	Pass	2986
30	689	0.1	RMS	686.5	-63.43	-13	Pass	6591
689	726	0.1	RMS	707.038	19.26	60	Pass	401
726	1000	0.1	RMS	924	-62.14	-13	Pass	2741
1000	3000	1	RMS	2651	-46.68	-13	Pass	2001
3000	10000	1	RMS	9532	-41.84	-13	Pass	7001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.91	-13	Pass	2986
30	689	0.1	RMS	655.2	-63.35	-13	Pass	6591
689	726	0.1	RMS	714.808	20.2	60	Pass	401
726	1000	0.1	RMS	922.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	2651	-46.65	-13	Pass	2001
3000	10000	1	RMS	7738	-41.78	-13	Pass	7001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2986
30	689	0.1	RMS	523.7	-63.46	-13	Pass	6591
689	726	0.1	RMS	714.808	18.84	60	Pass	401
726	1000	0.1	RMS	929.4	-62.24	-13	Pass	2741
1000	3000	1	RMS	2657	-46.69	-13	Pass	2001
3000	10000	1	RMS	7753	-41.84	-13	Pass	7001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.33	-13	Pass	2986
30	689	0.1	RMS	518.6	-63.32	-13	Pass	6591
689	726	0.1	RMS	699.268	20.49	60	Pass	401
726	1000	0.1	RMS	958	-62.23	-13	Pass	2741
1000	3000	1	RMS	2650	-46.66	-13	Pass	2001
3000	10000	1	RMS	7728	-41.84	-13	Pass	7001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.43	-13	Pass	6591
689	726	0.1	RMS	699.268	19.11	60	Pass	401
726	1000	0.1	RMS	893.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	2651	-46.68	-13	Pass	2001
3000	10000	1	RMS	9545	-41.83	-13	Pass	7001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.44	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.28	-13	Pass	6591
689	726	0.1	RMS	706.205	20.36	60	Pass	401
726	1000	0.1	RMS	912.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2652	-46.67	-13	Pass	2001
3000	10000	1	RMS	7730	-41.8	-13	Pass	7001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-13	Pass	2986
30	689	0.1	RMS	680.6	-63.41	-13	Pass	6591
689	726	0.1	RMS	706.205	18.89	60	Pass	401
726	1000	0.1	RMS	954.1	-62.19	-13	Pass	2741
1000	3000	1	RMS	2652	-46.68	-13	Pass	2001
3000	10000	1	RMS	7732	-41.79	-13	Pass	7001






### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-13	Pass	2986
30	689	0.1	RMS	509.2	-63.31	-13	Pass	6591
689	726	0.1	RMS	713.235	20.77	60	Pass	401
726	1000	0.1	RMS	910.5	-61.95	-13	Pass	2741
1000	3000	1	RMS	2650	-46.64	-13	Pass	2001
3000	10000	1	RMS	9549	-41.84	-13	Pass	7001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.55	-13	Pass	2986
30	689	0.1	RMS	520.5	-63.36	-13	Pass	6591
689	726	0.1	RMS	713.235	19.36	60	Pass	401
726	1000	0.1	RMS	878.1	-62.11	-13	Pass	2741
1000	3000	1	RMS	2659	-46.65	-13	Pass	2001
3000	10000	1	RMS	7736	-41.73	-13	Pass	7001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.97	-13	Pass	2986
30	689	0.1	RMS	502.5	-63.25	-13	Pass	6591
689	726	0.1	RMS	699.36	20.56	60	Pass	401
726	1000	0.1	RMS	920	-62	-13	Pass	2741
1000	3000	1	RMS	2651	-46.64	-13	Pass	2001
3000	10000	1	RMS	7747	-41.75	-13	Pass	7001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.01	-13	Pass	2986
30	689	0.1	RMS	511.5	-63.43	-13	Pass	6591
689	726	0.1	RMS	699.36	19.27	60	Pass	401
726	1000	0.1	RMS	921.1	-62.2	-13	Pass	2741
1000	3000	1	RMS	2648	-46.69	-13	Pass	2001
3000	10000	1	RMS	7724	-41.83	-13	Pass	7001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.03	-13	Pass	2986
30	689	0.1	RMS	508.8	-63.34	-13	Pass	6591
689	726	0.1	RMS	705.373	20.43	60	Pass	401
726	1000	0.1	RMS	926.7	-62	-13	Pass	2741
1000	3000	1	RMS	2650	-46.66	-13	Pass	2001
3000	10000	1	RMS	7737	-41.82	-13	Pass	7001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.35	-13	Pass	2986
30	689	0.1	RMS	684.4	-63.47	-13	Pass	6591
689	726	0.1	RMS	705.373	19.05	60	Pass	401
726	1000	0.1	RMS	931.9	-62.29	-13	Pass	2741
1000	3000	1	RMS	2653	-46.64	-13	Pass	2001
3000	10000	1	RMS	7739	-41.8	-13	Pass	7001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2986
30	689	0.1	RMS	523.4	-63.3	-13	Pass	6591
689	726	0.1	RMS	711.293	20.22	60	Pass	401
726	1000	0.1	RMS	945.4	-62.07	-13	Pass	2741
1000	3000	1	RMS	2658	-46.62	-13	Pass	2001
3000	10000	1	RMS	7730	-41.84	-13	Pass	7001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2986
30	689	0.1	RMS	668.5	-63.39	-13	Pass	6591
689	726	0.1	RMS	711.385	18.95	60	Pass	401
726	1000	0.1	RMS	955.1	-62.09	-13	Pass	2741
1000	3000	1	RMS	2646	-46.68	-13	Pass	2001
3000	10000	1	RMS	7737	-41.88	-13	Pass	7001






### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-13	Pass	2986
30	689	0.1	RMS	497.1	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.545	20.16	60	Pass	401
726	1000	0.1	RMS	928.1	-62.21	-13	Pass	2741
1000	3000	1	RMS	2655	-46.64	-13	Pass	2001
3000	10000	1	RMS	7747	-41.85	-13	Pass	7001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.44	-13	Pass	2986
30	689	0.1	RMS	502.9	-63.41	-13	Pass	6591
689	726	0.1	RMS	699.638	18.94	60	Pass	401
726	1000	0.1	RMS	912	-62.19	-13	Pass	2741
1000	3000	1	RMS	2649	-46.63	-13	Pass	2001
3000	10000	1	RMS	7734	-41.79	-13	Pass	7001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.54	-13	Pass	2986
30	689	0.1	RMS	684.7	-63.26	-13	Pass	6591
689	726	0.1	RMS	703.06	20.55	60	Pass	401
726	1000	0.1	RMS	920.9	-61.95	-13	Pass	2741
1000	3000	1	RMS	2654	-46.6	-13	Pass	2001
3000	10000	1	RMS	7726	-41.82	-13	Pass	7001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.85	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.42	-13	Pass	6591
689	726	0.1	RMS	703.06	19.01	60	Pass	401
726	1000	0.1	RMS	896.1	-62.17	-13	Pass	2741
1000	3000	1	RMS	2647	-46.66	-13	Pass	2001
3000	10000	1	RMS	7731	-41.82	-13	Pass	7001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	689	0.1	RMS	508.9	-63.34	-13	Pass	6591
689	726	0.1	RMS	706.575	20.76	60	Pass	401
726	1000	0.1	RMS	926.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	2652	-46.64	-13	Pass	2001
3000	10000	1	RMS	9549	-41.81	-13	Pass	7001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	689	0.1	RMS	675.9	-63.32	-13	Pass	6591
689	726	0.1	RMS	706.575	19.37	60	Pass	401
726	1000	0.1	RMS	915.5	-62.11	-13	Pass	2741
1000	3000	1	RMS	2649	-46.7	-13	Pass	2001
3000	10000	1	RMS	7734	-41.81	-13	Pass	7001



## 9. LTE\_Band13


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-13	Pass	2986
30	767	0.1	RMS	766.7	-62.53	-13	Pass	7371
767	797	0.1	RMS	777.35	20.71	60	Pass	401
797	1000	0.1	RMS	924.6	-62.22	-13	Pass	2031
1000	3000	1	RMS	2651	-46.67	-13	Pass	2001
3000	10000	1	RMS	7736	-41.78	-13	Pass	7001



**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.18	-13	Pass	2986
30	767	0.1	RMS	758.8	-62.75	-13	Pass	7371
767	797	0.1	RMS	777.35	19.42	60	Pass	401
797	1000	0.1	RMS	959.6	-62.21	-13	Pass	2031
1000	3000	1	RMS	2652	-46.68	-13	Pass	2001
3000	10000	1	RMS	7733	-41.8	-13	Pass	7001






**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.82	-13	Pass	2986
30	767	0.1	RMS	766	-62.63	-13	Pass	7371
767	797	0.1	RMS	779.825	20.73	60	Pass	401
797	1000	0.1	RMS	938.5	-62.24	-13	Pass	2031
1000	3000	1	RMS	2648	-46.68	-13	Pass	2001
3000	10000	1	RMS	9548	-41.88	-13	Pass	7001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.31	-13	Pass	2986
30	767	0.1	RMS	765.9	-62.76	-13	Pass	7371
767	797	0.1	RMS	779.825	19.43	60	Pass	401
797	1000	0.1	RMS	913.9	-62.01	-13	Pass	2031
1000	3000	1	RMS	2649	-46.71	-13	Pass	2001
3000	10000	1	RMS	7755	-41.85	-13	Pass	7001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.05	-13	Pass	2986
30	767	0.1	RMS	765.6	-62.69	-13	Pass	7371
767	797	0.1	RMS	782.3	20.54	60	Pass	401
797	1000	0.1	RMS	955.4	-62.3	-13	Pass	2031
1000	3000	1	RMS	2647	-46.67	-13	Pass	2001
3000	10000	1	RMS	7746	-41.81	-13	Pass	7001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.75	-13	Pass	2986
30	767	0.1	RMS	754.9	-62.57	-13	Pass	7371
767	797	0.1	RMS	782.375	19.22	60	Pass	401
797	1000	0.1	RMS	938.9	-62.31	-13	Pass	2031
1000	3000	1	RMS	2651	-46.7	-13	Pass	2001
3000	10000	1	RMS	7735	-41.78	-13	Pass	7001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.66	-13	Pass	2986
30	767	0.1	RMS	764.2	-62.59	-13	Pass	7371
767	797	0.1	RMS	777.575	20.85	60	Pass	401
797	1000	0.1	RMS	797.1	-61.26	-13	Pass	2031
1000	3000	1	RMS	2651	-46.63	-13	Pass	2001
3000	10000	1	RMS	7739	-41.84	-13	Pass	7001



**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.13	-13	Pass	2986
30	767	0.1	RMS	765.6	-62.67	-13	Pass	7371
767	797	0.1	RMS	777.575	19.45	60	Pass	401
797	1000	0.1	RMS	797.1	-61.81	-13	Pass	2031
1000	3000	1	RMS	2652	-46.69	-13	Pass	2001
3000	10000	1	RMS	7743	-41.82	-13	Pass	7001



## 10. LTE\_Band17


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.68	-13	Pass	2986
30	694	0.1	RMS	693.7	-63.25	-13	Pass	6641
694	726	0.1	RMS	704.32	20.68	60	Pass	401
726	1000	0.1	RMS	915.5	-61.99	-13	Pass	2741
1000	3000	1	RMS	2652	-46.65	-13	Pass	2001
3000	10000	1	RMS	7735	-41.77	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.55	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.38	-13	Pass	6641
694	726	0.1	RMS	704.32	19.25	60	Pass	401
726	1000	0.1	RMS	891.1	-62.17	-13	Pass	2741
1000	3000	1	RMS	2655	-46.66	-13	Pass	2001
3000	10000	1	RMS	7725	-41.85	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2986
30	694	0.1	RMS	515.4	-63.18	-13	Pass	6641
694	726	0.1	RMS	707.84	20.83	60	Pass	401
726	1000	0.1	RMS	912.6	-62.14	-13	Pass	2741
1000	3000	1	RMS	2653	-46.65	-13	Pass	2001
3000	10000	1	RMS	7731	-41.73	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.95	-13	Pass	2986
30	694	0.1	RMS	526.1	-63.36	-13	Pass	6641
694	726	0.1	RMS	707.84	19.58	60	Pass	401
726	1000	0.1	RMS	919.2	-62.13	-13	Pass	2741
1000	3000	1	RMS	2649	-46.65	-13	Pass	2001
3000	10000	1	RMS	7733	-41.81	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.35	-13	Pass	2986
30	694	0.1	RMS	693.3	-63.22	-13	Pass	6641
694	726	0.1	RMS	711.36	20.54	60	Pass	401
726	1000	0.1	RMS	943.4	-62.19	-13	Pass	2741
1000	3000	1	RMS	2652	-46.65	-13	Pass	2001
3000	10000	1	RMS	7729	-41.82	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2986
30	694	0.1	RMS	690.6	-63.37	-13	Pass	6641
694	726	0.1	RMS	711.36	19.35	60	Pass	401
726	1000	0.1	RMS	974.3	-62.23	-13	Pass	2741
1000	3000	1	RMS	2647	-46.62	-13	Pass	2001
3000	10000	1	RMS	7738	-41.8	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.85	-13	Pass	2986
30	694	0.1	RMS	694	-62.39	-13	Pass	6641
694	726	0.1	RMS	704.56	20.53	60	Pass	401
726	1000	0.1	RMS	925.3	-62.08	-13	Pass	2741
1000	3000	1	RMS	2653	-46.62	-13	Pass	2001
3000	10000	1	RMS	7730	-41.8	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.85	-13	Pass	6641
694	726	0.1	RMS	704.56	19.22	60	Pass	401
726	1000	0.1	RMS	935.6	-62.21	-13	Pass	2741
1000	3000	1	RMS	2649	-46.66	-13	Pass	2001
3000	10000	1	RMS	7730	-41.77	-13	Pass	7001



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.24	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.87	-13	Pass	6641
694	726	0.1	RMS	705.6	20.92	60	Pass	401
726	1000	0.1	RMS	893.5	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.66	-13	Pass	2001
3000	10000	1	RMS	7732	-41.75	-13	Pass	7001



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.18	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.19	-13	Pass	6641
694	726	0.1	RMS	705.6	19.38	60	Pass	401
726	1000	0.1	RMS	923.9	-62.3	-13	Pass	2741
1000	3000	1	RMS	2656	-46.67	-13	Pass	2001
3000	10000	1	RMS	7737	-41.76	-13	Pass	7001






### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.95	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.59	-13	Pass	6641
694	726	0.1	RMS	706.56	20.56	60	Pass	401
726	1000	0.1	RMS	889.1	-61.95	-13	Pass	2741
1000	3000	1	RMS	2648	-46.63	-13	Pass	2001
3000	10000	1	RMS	7734	-41.84	-13	Pass	7001



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.78	-13	Pass	2986
30	694	0.1	RMS	694	-63.23	-13	Pass	6641
694	726	0.1	RMS	706.56	19.13	60	Pass	401
726	1000	0.1	RMS	913.6	-62.21	-13	Pass	2741
1000	3000	1	RMS	2650	-46.66	-13	Pass	2001
3000	10000	1	RMS	7745	-41.82	-13	Pass	7001



## 11. LTE\_Band26(part22)


11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.91	-13	Pass	2986
30	814	0.1	RMS	811	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.2	19.32	60	Pass	461
860	1000	0.1	RMS	938.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	2648	-46.66	-13	Pass	2001
3000	10000	1	RMS	7753	-41.8	-13	Pass	7001




**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.32	-13	Pass	7841
814	860	0.1	RMS	824.3	18.42	60	Pass	461
860	1000	0.1	RMS	903.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.68	-13	Pass	2001
3000	10000	1	RMS	7734	-41.76	-13	Pass	7001




**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	19.47	60	Pass	461
860	1000	0.1	RMS	941.5	-62.17	-13	Pass	1401
1000	3000	1	RMS	2649	-46.63	-13	Pass	2001
3000	10000	1	RMS	7738	-41.7	-13	Pass	7001




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.04	-13	Pass	2986
30	814	0.1	RMS	803.7	-62.27	-13	Pass	7841
814	860	0.1	RMS	836.1	18.42	60	Pass	461
860	1000	0.1	RMS	918.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2649	-46.69	-13	Pass	2001
3000	10000	1	RMS	7732	-41.81	-13	Pass	7001




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.63	-13	Pass	2986
30	814	0.1	RMS	770.7	-62.42	-13	Pass	7841
814	860	0.1	RMS	847.8	19.46	60	Pass	461
860	1000	0.1	RMS	923.3	-62.39	-13	Pass	1401
1000	3000	1	RMS	2655	-46.61	-13	Pass	2001
3000	10000	1	RMS	7744	-41.79	-13	Pass	7001



**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.82	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.33	-13	Pass	7841
814	860	0.1	RMS	847.9	18.48	60	Pass	461
860	1000	0.1	RMS	921.4	-62.26	-13	Pass	1401
1000	3000	1	RMS	2653	-46.64	-13	Pass	2001
3000	10000	1	RMS	7732	-41.78	-13	Pass	7001






**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.54	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.2	19.71	60	Pass	461
860	1000	0.1	RMS	912.7	-62.28	-13	Pass	1401
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	7728	-41.77	-13	Pass	7001




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.65	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.2	18.73	60	Pass	461
860	1000	0.1	RMS	912.1	-62.5	-13	Pass	1401
1000	3000	1	RMS	2651	-46.55	-13	Pass	2001
3000	10000	1	RMS	7753	-41.79	-13	Pass	7001




**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	835.2	19.64	60	Pass	461
860	1000	0.1	RMS	911.1	-62.34	-13	Pass	1401
1000	3000	1	RMS	2655	-46.57	-13	Pass	2001
3000	10000	1	RMS	9544	-41.79	-13	Pass	7001




**11.10. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.8	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	835.2	18.65	60	Pass	461
860	1000	0.1	RMS	920.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2646	-46.55	-13	Pass	2001
3000	10000	1	RMS	7748	-41.72	-13	Pass	7001




**11.11. LTE Spurious Emission at Antenna  
Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.21	-13	Pass	2986
30	814	0.1	RMS	794.9	-62.33	-13	Pass	7841
814	860	0.1	RMS	846.2	19.66	60	Pass	461
860	1000	0.1	RMS	914.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	2652	-46.56	-13	Pass	2001
3000	10000	1	RMS	7731	-41.73	-13	Pass	7001



**11.12. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.37	-13	Pass	2986
30	814	0.1	RMS	794.7	-62.38	-13	Pass	7841
814	860	0.1	RMS	846.2	18.81	60	Pass	461
860	1000	0.1	RMS	922.4	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.58	-13	Pass	2001
3000	10000	1	RMS	7731	-41.82	-13	Pass	7001



### 11.13. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.29	-13	Pass	2986
30	814	0.1	RMS	794	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.3	19.67	60	Pass	461
860	1000	0.1	RMS	893.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2649	-46.55	-13	Pass	2001
3000	10000	1	RMS	7743	-41.78	-13	Pass	7001



**11.14. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.03	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.3	18.75	60	Pass	461
860	1000	0.1	RMS	942.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.57	-13	Pass	2001
3000	10000	1	RMS	7742	-41.73	-13	Pass	7001






**11.15. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.71	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.26	-13	Pass	7841
814	860	0.1	RMS	834.3	19.78	60	Pass	461
860	1000	0.1	RMS	961.3	-62.32	-13	Pass	1401
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	7728	-41.81	-13	Pass	7001




**11.16. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.57	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.4	-13	Pass	7841
814	860	0.1	RMS	834.3	18.85	60	Pass	461
860	1000	0.1	RMS	933.9	-62.32	-13	Pass	1401
1000	3000	1	RMS	2658	-46.53	-13	Pass	2001
3000	10000	1	RMS	7736	-41.74	-13	Pass	7001




**11.17. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.35	-13	Pass	7841
814	860	0.1	RMS	844.3	19.84	60	Pass	461
860	1000	0.1	RMS	923.2	-62.31	-13	Pass	1401
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	7752	-41.75	-13	Pass	7001



**11.18. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5,**  
**Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-13	Pass	2986
30	814	0.1	RMS	804.3	-62.39	-13	Pass	7841
814	860	0.1	RMS	844.3	18.94	60	Pass	461
860	1000	0.1	RMS	921.4	-62.31	-13	Pass	1401
1000	3000	1	RMS	2651	-46.54	-13	Pass	2001
3000	10000	1	RMS	7745	-41.73	-13	Pass	7001



### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	814	0.1	RMS	814	-61.42	-13	Pass	7841
814	860	0.1	RMS	824.6	20.18	60	Pass	461
860	1000	0.1	RMS	956.2	-62.32	-13	Pass	1401
1000	3000	1	RMS	2650	-46.51	-13	Pass	2001
3000	10000	1	RMS	7739	-41.65	-13	Pass	7001



### 11.20. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.27	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.17	-13	Pass	7841
814	860	0.1	RMS	824.6	19.31	60	Pass	461
860	1000	0.1	RMS	918.4	-62.18	-13	Pass	1401
1000	3000	1	RMS	2659	-46.55	-13	Pass	2001
3000	10000	1	RMS	7749	-41.76	-13	Pass	7001



**11.21. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.09	-13	Pass	2986
30	814	0.1	RMS	804.5	-62.26	-13	Pass	7841
814	860	0.1	RMS	832.1	20.31	60	Pass	461
860	1000	0.1	RMS	942.7	-62.32	-13	Pass	1401
1000	3000	1	RMS	2653	-46.55	-13	Pass	2001
3000	10000	1	RMS	7748	-41.74	-13	Pass	7001



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.45	-13	Pass	2986
30	814	0.1	RMS	808.5	-62.34	-13	Pass	7841
814	860	0.1	RMS	832.1	19.19	60	Pass	461
860	1000	0.1	RMS	925.6	-62.36	-13	Pass	1401
1000	3000	1	RMS	2655	-46.56	-13	Pass	2001
3000	10000	1	RMS	7738	-41.68	-13	Pass	7001






### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.13	-13	Pass	2986
30	814	0.1	RMS	784.1	-62.22	-13	Pass	7841
814	860	0.1	RMS	839.6	20.2	60	Pass	461
860	1000	0.1	RMS	924	-62.26	-13	Pass	1401
1000	3000	1	RMS	2648	-46.55	-13	Pass	2001
3000	10000	1	RMS	7735	-41.76	-13	Pass	7001



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.38	-13	Pass	7841
814	860	0.1	RMS	839.6	19.36	60	Pass	461
860	1000	0.1	RMS	939	-62.42	-13	Pass	1401
1000	3000	1	RMS	2646	-46.53	-13	Pass	2001
3000	10000	1	RMS	9553	-41.74	-13	Pass	7001



### 11.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.98	-13	Pass	2986
30	814	0.1	RMS	813.3	-59.31	-13	Pass	7841
814	860	0.1	RMS	824.8	19.64	60	Pass	461
860	1000	0.1	RMS	940.9	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.55	-13	Pass	2001
3000	10000	1	RMS	7746	-41.72	-13	Pass	7001



### 11.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.36	-13	Pass	2986
30	814	0.1	RMS	813.5	-59.67	-13	Pass	7841
814	860	0.1	RMS	824.8	18.86	60	Pass	461
860	1000	0.1	RMS	934.7	-62.33	-13	Pass	1401
1000	3000	1	RMS	2649	-46.52	-13	Pass	2001
3000	10000	1	RMS	7727	-41.75	-13	Pass	7001



### 11.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.04	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.55	-13	Pass	7841
814	860	0.1	RMS	829.8	19.77	60	Pass	461
860	1000	0.1	RMS	902.3	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.54	-13	Pass	2001
3000	10000	1	RMS	7740	-41.75	-13	Pass	7001



### 11.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.65	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.81	-13	Pass	7841
814	860	0.1	RMS	829.8	18.75	60	Pass	461
860	1000	0.1	RMS	934	-62.36	-13	Pass	1401
1000	3000	1	RMS	2653	-46.57	-13	Pass	2001
3000	10000	1	RMS	7727	-41.76	-13	Pass	7001



### 11.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.66	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.32	-13	Pass	7841
814	860	0.1	RMS	834.8	19.65	60	Pass	461
860	1000	0.1	RMS	919.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2655	-46.51	-13	Pass	2001
3000	10000	1	RMS	7743	-41.77	-13	Pass	7001



### 11.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.23	-13	Pass	7841
814	860	0.1	RMS	834.8	18.81	60	Pass	461
860	1000	0.1	RMS	918.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2650	-46.54	-13	Pass	2001
3000	10000	1	RMS	7749	-41.72	-13	Pass	7001






## 1. LTE\_Band26(part90)


**1.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.68	-13	Pass	2986
30	809	0.1	Peak	800.2	-51.18	-13	Pass	7791
809	829	0.1	Peak	814.2	25.07	60	Pass	401
829	1000	0.1	Peak	841.2	-50.55	-13	Pass	1711
1000	3000	1	Peak	2692	-34.18	-13	Pass	2001
3000	10000	1	Peak	7769	-29.95	-13	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.65	-13	Pass	2986
30	809	0.1	Peak	783.5	-51.79	-13	Pass	7791
809	829	0.1	Peak	814.25	25.65	60	Pass	401
829	1000	0.1	Peak	847.3	-51.34	-13	Pass	1711
1000	3000	1	Peak	2999	-34.63	-13	Pass	2001
3000	10000	1	Peak	8100	-29.7	-13	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.75	-13	Pass	2986
30	809	0.1	Peak	802.6	-51.5	-13	Pass	7791
809	829	0.1	Peak	818.6	25.3	60	Pass	401
829	1000	0.1	Peak	918.5	-51.82	-13	Pass	1711
1000	3000	1	Peak	2681	-34.63	-13	Pass	2001
3000	10000	1	Peak	7735	-30.24	-13	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.07	-13	Pass	2986
30	809	0.1	Peak	790.2	-51.1	-13	Pass	7791
809	829	0.1	Peak	818.55	25.28	60	Pass	401
829	1000	0.1	Peak	929.4	-51.26	-13	Pass	1711
1000	3000	1	Peak	2653	-35.09	-13	Pass	2001
3000	10000	1	Peak	7694	-29.72	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.09	-13	Pass	2986
30	809	0.1	Peak	804.4	-51.13	-13	Pass	7791
809	829	0.1	Peak	822.85	25.04	60	Pass	401
829	1000	0.1	Peak	925.5	-51.28	-13	Pass	1711
1000	3000	1	Peak	2658	-34.07	-13	Pass	2001
3000	10000	1	Peak	7779	-30.24	-13	Pass	7001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.4	-13	Pass	2986
30	809	0.1	Peak	778.9	-51.32	-13	Pass	7791
809	829	0.1	Peak	822.85	25.44	60	Pass	401
829	1000	0.1	Peak	872.4	-50.6	-13	Pass	1711
1000	3000	1	Peak	2506	-34.95	-13	Pass	2001
3000	10000	1	Peak	7307	-29.85	-13	Pass	7001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.16	-13	Pass	2986
30	809	0.1	Peak	809	-40.51	-13	Pass	7791
809	829	0.1	Peak	814.2	24.87	60	Pass	401
829	1000	0.1	Peak	932	-51.23	-13	Pass	1711
1000	3000	1	Peak	2806	-34.51	-13	Pass	2001
3000	10000	1	Peak	7807	-29.68	-13	Pass	7001



**1.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.34	-13	Pass	2986
30	809	0.1	Peak	809	-40.68	-13	Pass	7791
809	829	0.1	Peak	814.2	25.33	60	Pass	401
829	1000	0.1	Peak	962.4	-51.47	-13	Pass	1711
1000	3000	1	Peak	2656	-35.63	-13	Pass	2001
3000	10000	1	Peak	6986	-30.11	-13	Pass	7001






**1.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.16	-13	Pass	2986
30	809	0.1	Peak	798.3	-51.66	-13	Pass	7791
809	829	0.1	Peak	817.7	25.37	60	Pass	401
829	1000	0.1	Peak	913.7	-51.47	-13	Pass	1711
1000	3000	1	Peak	2645	-35.16	-13	Pass	2001
3000	10000	1	Peak	7621	-30	-13	Pass	7001




**1.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.58	-13	Pass	401
0.15	30	0.01	Peak	0.18	-38.14	-13	Pass	2986
30	809	0.1	Peak	738.2	-52	-13	Pass	7791
809	829	0.1	Peak	817.75	25.24	60	Pass	401
829	1000	0.1	Peak	894.7	-51.65	-13	Pass	1711
1000	3000	1	Peak	2681	-34.88	-13	Pass	2001
3000	10000	1	Peak	7752	-30.29	-13	Pass	7001




**1.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.47	-13	Pass	2986
30	809	0.1	Peak	781.2	-51.32	-13	Pass	7791
809	829	0.1	Peak	821.2	25.19	60	Pass	401
829	1000	0.1	Peak	946.9	-51.4	-13	Pass	1711
1000	3000	1	Peak	2652	-35.25	-13	Pass	2001
3000	10000	1	Peak	7760	-30.09	-13	Pass	7001




**1.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-34.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.93	-13	Pass	2986
30	809	0.1	Peak	764.1	-51.81	-13	Pass	7791
809	829	0.1	Peak	821.25	25.74	60	Pass	401
829	1000	0.1	Peak	965	-51.5	-13	Pass	1711
1000	3000	1	Peak	2744	-35.05	-13	Pass	2001
3000	10000	1	Peak	7762	-30.49	-13	Pass	7001




**1.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.22	-13	Pass	2986
30	809	0.1	Peak	809	-50.85	-13	Pass	7791
809	829	0.1	Peak	814.35	25.69	60	Pass	401
829	1000	0.1	Peak	928.6	-51.42	-13	Pass	1711
1000	3000	1	Peak	2635	-34.8	-13	Pass	2001
3000	10000	1	Peak	9973	-29.35	-13	Pass	7001




**1.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.76	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.7	-13	Pass	7791
809	829	0.1	Peak	814.25	25.63	60	Pass	401
829	1000	0.1	Peak	871.5	-51.84	-13	Pass	1711
1000	3000	1	Peak	2822	-35.01	-13	Pass	2001
3000	10000	1	Peak	7742	-30.55	-13	Pass	7001




**1.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-35.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.32	-13	Pass	2986
30	809	0.1	Peak	780.9	-51.61	-13	Pass	7791
809	829	0.1	Peak	816.85	25.36	60	Pass	401
829	1000	0.1	Peak	937.3	-51.34	-13	Pass	1711
1000	3000	1	Peak	2779	-34.91	-13	Pass	2001
3000	10000	1	Peak	5930	-29.68	-13	Pass	7001



**1.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.9	-13	Pass	2986
30	809	0.1	Peak	770.8	-51.56	-13	Pass	7791
809	829	0.1	Peak	816.8	25.45	60	Pass	401
829	1000	0.1	Peak	936.3	-50.36	-13	Pass	1711
1000	3000	1	Peak	2680	-34.82	-13	Pass	2001
3000	10000	1	Peak	7685	-29.54	-13	Pass	7001






**1.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.32	-13	Pass	2986
30	809	0.1	Peak	799	-51.39	-13	Pass	7791
809	829	0.1	Peak	819.35	25.29	60	Pass	401
829	1000	0.1	Peak	829.1	-46.87	-13	Pass	1711
1000	3000	1	Peak	2617	-34.75	-13	Pass	2001
3000	10000	1	Peak	7278	-30.06	-13	Pass	7001




**1.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.3	-13	Pass	2986
30	809	0.1	Peak	784.7	-51.38	-13	Pass	7791
809	829	0.1	Peak	819.3	25.44	60	Pass	401
829	1000	0.1	Peak	829.1	-45.24	-13	Pass	1711
1000	3000	1	Peak	2653	-34.47	-13	Pass	2001
3000	10000	1	Peak	7739	-30.48	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.15	-13	Pass	2986
30	809	0.1	Peak	809	-50.96	-13	Pass	7791
809	829	0.1	Peak	814.6	25.54	60	Pass	401
829	1000	0.1	Peak	829.2	-36.11	-13	Pass	1711
1000	3000	1	Peak	2670	-34.52	-13	Pass	2001
3000	10000	1	Peak	7709	-30.29	-13	Pass	7001



**1.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.29	-13	Pass	2986
30	809	0.1	Peak	809	-51.05	-13	Pass	7791
809	829	0.1	Peak	814.55	25.54	60	Pass	401
829	1000	0.1	Peak	829.2	-36.23	-13	Pass	1711
1000	3000	1	Peak	2766	-33.89	-13	Pass	2001
3000	10000	1	Peak	6969	-29.83	-13	Pass	7001



## 5. LTE\_Band38


### 5.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.73	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.26	-25	Pass	9701
1000	2560	1	RMS	2558	-42.4	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.16	60	Pass	401
2630	3000	1	RMS	2644.8	-42.87	-25	Pass	401
3000	12000	1	RMS	5141	-49.34	-25	Pass	9001
12000	26500	1	RMS	25015	-41.87	-25	Pass	14501




**5.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-40.37	-25	Pass	2986
30	1000	0.1	RMS	902.3	-58.13	-25	Pass	9701
1000	2560	1	RMS	2559	-42.16	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.78	60	Pass	401
2630	3000	1	RMS	2650.35	-42.83	-25	Pass	401
3000	12000	1	RMS	5141	-49.22	-25	Pass	9001
12000	26500	1	RMS	25011	-41.87	-25	Pass	14501




**5.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.61	-25	Pass	2986
30	1000	0.1	RMS	922	-58.23	-25	Pass	9701
1000	2560	1	RMS	2557	-43.71	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.97	60	Pass	401
2630	3000	1	RMS	2652.2	-42.85	-25	Pass	401
3000	12000	1	RMS	5185	-52.81	-25	Pass	9001
12000	26500	1	RMS	25011	-41.93	-25	Pass	14501



**5.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-40.44	-25	Pass	2986
30	1000	0.1	RMS	937.4	-58.3	-25	Pass	9701
1000	2560	1	RMS	2555	-43.69	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.59	60	Pass	401
2630	3000	1	RMS	2651.275	-42.84	-25	Pass	401
3000	12000	1	RMS	5185	-55.62	-25	Pass	9001
12000	26500	1	RMS	25014	-41.83	-25	Pass	14501






**5.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.26	-25	Pass	2986
30	1000	0.1	RMS	924.8	-58.26	-25	Pass	9701
1000	2560	1	RMS	2551	-43.87	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.59	60	Pass	401
2630	3000	1	RMS	2630.925	-42.45	-25	Pass	401
3000	12000	1	RMS	5230	-53.72	-25	Pass	9001
12000	26500	1	RMS	25015	-41.78	-25	Pass	14501




**5.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.28	-25	Pass	2986
30	1000	0.1	RMS	941	-58.23	-25	Pass	9701
1000	2560	1	RMS	2532	-43.91	-25	Pass	1561
2560	2630	1	RMS	2615.475	22	60	Pass	401
2630	3000	1	RMS	2630	-42.33	-25	Pass	401
3000	12000	1	RMS	5230	-52.56	-25	Pass	9001
12000	26500	1	RMS	25013	-41.86	-25	Pass	14501




**5.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.89	-25	Pass	2986
30	1000	0.1	RMS	924.4	-58.26	-25	Pass	9701
1000	2560	1	RMS	2560	-41.2	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.17	60	Pass	401
2630	3000	1	RMS	2649.425	-42.9	-25	Pass	401
3000	12000	1	RMS	5142	-53.8	-25	Pass	9001
12000	26500	1	RMS	25012	-41.83	-25	Pass	14501




**5.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.32	-25	Pass	2986
30	1000	0.1	RMS	894.3	-58.12	-25	Pass	9701
1000	2560	1	RMS	2559	-41.6	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.74	60	Pass	401
2630	3000	1	RMS	2654.975	-42.88	-25	Pass	401
3000	12000	1	RMS	5141	-50.36	-25	Pass	9001
12000	26500	1	RMS	25010	-41.96	-25	Pass	14501



**5.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.86	-25	Pass	2986
30	1000	0.1	RMS	904.7	-58.19	-25	Pass	9701
1000	2560	1	RMS	2560	-43.68	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.21	60	Pass	401
2630	3000	1	RMS	2649.425	-42.82	-25	Pass	401
3000	12000	1	RMS	5181	-50.22	-25	Pass	9001
12000	26500	1	RMS	25010	-41.82	-25	Pass	14501



### 5.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.1	-25	Pass	2986
30	1000	0.1	RMS	916.1	-58.28	-25	Pass	9701
1000	2560	1	RMS	2559	-43.92	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.54	60	Pass	401
2630	3000	1	RMS	2656.825	-42.89	-25	Pass	401
3000	12000	1	RMS	5182	-53.26	-25	Pass	9001
12000	26500	1	RMS	25011	-41.92	-25	Pass	14501



### 5.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.35	-25	Pass	2986
30	1000	0.1	RMS	918.4	-58.22	-25	Pass	9701
1000	2560	1	RMS	2560	-43.9	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.94	60	Pass	401
2630	3000	1	RMS	2630	-42.31	-25	Pass	401
3000	12000	1	RMS	5221	-52.6	-25	Pass	9001
12000	26500	1	RMS	25009	-41.84	-25	Pass	14501



### 5.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.03	-25	Pass	2986
30	1000	0.1	RMS	926.1	-58.26	-25	Pass	9701
1000	2560	1	RMS	2547	-43.89	-25	Pass	1561
2560	2630	1	RMS	2610.4	22.26	60	Pass	401
2630	3000	1	RMS	2630	-42.34	-25	Pass	401
3000	12000	1	RMS	5221	-47.51	-25	Pass	9001
12000	26500	1	RMS	25014	-41.94	-25	Pass	14501






### 5.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.02	-25	Pass	2986
30	1000	0.1	RMS	927.5	-58.27	-25	Pass	9701
1000	2560	1	RMS	2560	-41.51	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.39	60	Pass	401
2630	3000	1	RMS	2651.275	-42.88	-25	Pass	401
3000	12000	1	RMS	5142	-57.97	-25	Pass	9001
12000	26500	1	RMS	25021	-41.91	-25	Pass	14501



### 5.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-35.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.55	-25	Pass	2986
30	1000	0.1	RMS	925.8	-58.3	-25	Pass	9701
1000	2560	1	RMS	2559	-42.3	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.84	60	Pass	401
2630	3000	1	RMS	2643.875	-42.87	-25	Pass	401
3000	12000	1	RMS	5142	-50.59	-25	Pass	9001
12000	26500	1	RMS	25014	-41.78	-25	Pass	14501



### 5.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.21	-25	Pass	2986
30	1000	0.1	RMS	942.5	-58.22	-25	Pass	9701
1000	2560	1	RMS	2556	-43.8	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.29	60	Pass	401
2630	3000	1	RMS	2654.05	-42.89	-25	Pass	401
3000	12000	1	RMS	5176	-53.93	-25	Pass	9001
12000	26500	1	RMS	25020	-41.92	-25	Pass	14501



### 5.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.75	-25	Pass	2986
30	1000	0.1	RMS	934.4	-58.26	-25	Pass	9701
1000	2560	1	RMS	2558	-43.92	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.72	60	Pass	401
2630	3000	1	RMS	2648.5	-42.86	-25	Pass	401
3000	12000	1	RMS	5177	-52	-25	Pass	9001
12000	26500	1	RMS	25009	-41.9	-25	Pass	14501



### 5.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.94	-25	Pass	2986
30	1000	0.1	RMS	943.7	-58.36	-25	Pass	9701
1000	2560	1	RMS	2531	-43.89	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.78	60	Pass	401
2645	3000	1	RMS	2645.888	-42.84	-25	Pass	401
3000	12000	1	RMS	5212	-50.88	-25	Pass	9001
12000	26500	1	RMS	25018	-41.91	-25	Pass	14501



### 5.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-40.7	-25	Pass	2986
30	1000	0.1	RMS	895.4	-58.28	-25	Pass	9701
1000	2560	1	RMS	2550	-43.94	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.07	60	Pass	401
2645	3000	1	RMS	2652.1	-42.86	-25	Pass	401
3000	12000	1	RMS	5212	-49.17	-25	Pass	9001
12000	26500	1	RMS	25007	-41.9	-25	Pass	14501



### 5.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.58	-25	Pass	2986
30	1000	0.1	RMS	911.9	-58.3	-25	Pass	9701
1000	2560	1	RMS	2560	-41.27	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.08	60	Pass	401
2630	3000	1	RMS	2645.725	-42.86	-25	Pass	401
3000	12000	1	RMS	5142	-52.05	-25	Pass	9001
12000	26500	1	RMS	25019	-41.94	-25	Pass	14501



### 5.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.4	-25	Pass	2986
30	1000	0.1	RMS	936.7	-58.26	-25	Pass	9701
1000	2560	1	RMS	2560	-41.16	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.25	60	Pass	401
2630	3000	1	RMS	2656.825	-42.9	-25	Pass	401
3000	12000	1	RMS	5142	-55.66	-25	Pass	9001
12000	26500	1	RMS	25012	-41.86	-25	Pass	14501






### 5.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.79	-25	Pass	2986
30	1000	0.1	RMS	926.8	-58.2	-25	Pass	9701
1000	2560	1	RMS	2559	-43.7	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.37	60	Pass	401
2630	3000	1	RMS	2653.125	-42.89	-25	Pass	401
3000	12000	1	RMS	5173	-54.04	-25	Pass	9001
12000	26500	1	RMS	25013	-41.92	-25	Pass	14501



### 5.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.97	-25	Pass	2986
30	1000	0.1	RMS	942.1	-58.16	-25	Pass	9701
1000	2560	1	RMS	2558	-43.71	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.66	60	Pass	401
2630	3000	1	RMS	2647.575	-42.88	-25	Pass	401
3000	12000	1	RMS	5172	-50.36	-25	Pass	9001
12000	26500	1	RMS	25014	-41.9	-25	Pass	14501



### 5.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.12	-25	Pass	2986
30	1000	0.1	RMS	920.9	-58.25	-25	Pass	9701
1000	2560	1	RMS	2512	-43.86	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.31	60	Pass	401
2645	3000	1	RMS	2646.775	-42.81	-25	Pass	401
3000	12000	1	RMS	5203	-58.67	-25	Pass	9001
12000	26500	1	RMS	25011	-41.74	-25	Pass	14501



### 5.24. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.52	-25	Pass	2986
30	1000	0.1	RMS	889.3	-58.34	-25	Pass	9701
1000	2560	1	RMS	2532	-43.86	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.18	60	Pass	401
2645	3000	1	RMS	2648.55	-42.86	-25	Pass	401
3000	12000	1	RMS	5202	-52.58	-25	Pass	9001
12000	26500	1	RMS	25010	-41.79	-25	Pass	14501



## 6. LTE\_Band41 full


### 6.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.41	-25	Pass	2986
30	1000	0.1	RMS	922.3	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-41.87	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.22	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	4993	-53.16	-25	Pass	9001
12000	27000	1	RMS	25009	-37.24	-25	Pass	15001




**6.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.81	-25	Pass	2986
30	1000	0.1	RMS	914.5	-58.28	-25	Pass	9701
1000	2486	1	RMS	2484	-42.35	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.67	60	Pass	401
2700	3000	1	RMS	3000	-43.06	-25	Pass	401
3000	12000	1	RMS	4993	-47.43	-25	Pass	9001
12000	27000	1	RMS	25013	-37.23	-25	Pass	15001




**6.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.65	-25	Pass	2986
30	1000	0.1	RMS	917	-58.28	-25	Pass	9701
1000	2486	1	RMS	2485	-44.23	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.32	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	5182	-51.2	-25	Pass	9001
12000	27000	1	RMS	25007	-37.29	-25	Pass	15001



**6.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-37.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.69	-25	Pass	2986
30	1000	0.1	RMS	927.7	-58.33	-25	Pass	9701
1000	2486	1	RMS	2486	-44.17	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.83	60	Pass	401
2700	3000	1	RMS	2999.25	-43.04	-25	Pass	401
3000	12000	1	RMS	5182	-49.19	-25	Pass	9001
12000	27000	1	RMS	25011	-37.28	-25	Pass	15001






**6.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.29	-25	Pass	2986
30	1000	0.1	RMS	924.1	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-44.24	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.72	60	Pass	401
2700	3000	1	RMS	2700	-42.66	-25	Pass	401
3000	12000	1	RMS	5371	-48.27	-25	Pass	9001
12000	27000	1	RMS	25013	-37.27	-25	Pass	15001




**6.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-40.59	-25	Pass	2986
30	1000	0.1	RMS	896.1	-58.18	-25	Pass	9701
1000	2486	1	RMS	2485	-44.28	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.42	60	Pass	401
2700	3000	1	RMS	2700.75	-42.95	-25	Pass	401
3000	12000	1	RMS	5370	-56.35	-25	Pass	9001
12000	27000	1	RMS	25012	-37.11	-25	Pass	15001




**6.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.36	-25	Pass	2986
30	1000	0.1	RMS	910	-58.25	-25	Pass	9701
1000	2486	1	RMS	2485	-41.61	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.43	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	4994	-48.83	-25	Pass	9001
12000	27000	1	RMS	25011	-37.21	-25	Pass	15001




**6.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-34.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41	-25	Pass	2986
30	1000	0.1	RMS	942.5	-58.3	-25	Pass	9701
1000	2486	1	RMS	2486	-41.02	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.9	60	Pass	401
2700	3000	1	RMS	3000	-43.05	-25	Pass	401
3000	12000	1	RMS	4993	-47.31	-25	Pass	9001
12000	27000	1	RMS	25010	-37.07	-25	Pass	15001



**6.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.61	-25	Pass	2986
30	1000	0.1	RMS	915.5	-58.06	-25	Pass	9701
1000	2486	1	RMS	2484	-44.27	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.38	60	Pass	401
2700	3000	1	RMS	3000	-43.05	-25	Pass	401
3000	12000	1	RMS	5177	-49.77	-25	Pass	9001
12000	27000	1	RMS	25012	-37.16	-25	Pass	15001



### 6.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.16	-25	Pass	2986
30	1000	0.1	RMS	921	-58.27	-25	Pass	9701
1000	2486	1	RMS	2486	-44.24	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.59	60	Pass	401
2700	3000	1	RMS	2998.5	-43.07	-25	Pass	401
3000	12000	1	RMS	5178	-54.81	-25	Pass	9001
12000	27000	1	RMS	25016	-37.22	-25	Pass	15001



### 6.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.25	-25	Pass	2986
30	1000	0.1	RMS	935	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.28	60	Pass	401
2700	3000	1	RMS	2700	-42.83	-25	Pass	401
3000	12000	1	RMS	5361	-48.33	-25	Pass	9001
12000	27000	1	RMS	25016	-37.19	-25	Pass	15001



### 6.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.11	-25	Pass	2986
30	1000	0.1	RMS	961.2	-58.13	-25	Pass	9701
1000	2486	1	RMS	2485	-44.21	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.63	60	Pass	401
2700	3000	1	RMS	2701.5	-43.01	-25	Pass	401
3000	12000	1	RMS	5361	-52.59	-25	Pass	9001
12000	27000	1	RMS	25012	-37.27	-25	Pass	15001






### 6.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.11	-25	Pass	2986
30	1000	0.1	RMS	923.5	-58.33	-25	Pass	9701
1000	2486	1	RMS	2486	-42.19	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.7	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	4993	-50.07	-25	Pass	9001
12000	27000	1	RMS	25010	-37.26	-25	Pass	15001



### 6.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-37.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.99	-25	Pass	2986
30	1000	0.1	RMS	942.7	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-41.32	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.64	60	Pass	401
2700	3000	1	RMS	3000	-43.02	-25	Pass	401
3000	12000	1	RMS	4993	-49.51	-25	Pass	9001
12000	27000	1	RMS	25012	-37.22	-25	Pass	15001



### 6.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.02	-25	Pass	2986
30	1000	0.1	RMS	948.4	-58.29	-25	Pass	9701
1000	2486	1	RMS	2485	-44.23	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.7	60	Pass	401
2700	3000	1	RMS	2996.25	-43.08	-25	Pass	401
3000	12000	1	RMS	5173	-51.79	-25	Pass	9001
12000	27000	1	RMS	25012	-37.21	-25	Pass	15001



### 6.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.27	-25	Pass	2986
30	1000	0.1	RMS	925.4	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2586.58	21.49	60	Pass	401
2700	3000	1	RMS	2998.5	-43.07	-25	Pass	401
3000	12000	1	RMS	5173	-52.17	-25	Pass	9001
12000	27000	1	RMS	25013	-37.25	-25	Pass	15001



### 6.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-35.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.88	-25	Pass	2986
30	1000	0.1	RMS	923.4	-58.27	-25	Pass	9701
1000	2486	1	RMS	2486	-44.25	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.33	60	Pass	401
2700	3000	1	RMS	2700.75	-42.2	-25	Pass	401
3000	12000	1	RMS	5352	-51.17	-25	Pass	9001
12000	27000	1	RMS	25012	-37.17	-25	Pass	15001



### 6.18. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.79	-25	Pass	2986
30	1000	0.1	RMS	931.8	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-44.28	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.3	60	Pass	401
2700	3000	1	RMS	2700	-42.42	-25	Pass	401
3000	12000	1	RMS	5352	-50.29	-25	Pass	9001
12000	27000	1	RMS	25014	-37.26	-25	Pass	15001



### 6.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.42	-25	Pass	2986
30	1000	0.1	RMS	949.7	-58.3	-25	Pass	9701
1000	2486	1	RMS	2485	-41.94	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.81	60	Pass	401
2700	3000	1	RMS	2996.25	-43.05	-25	Pass	401
3000	12000	1	RMS	4994	-46.62	-25	Pass	9001
12000	27000	1	RMS	25014	-37.23	-25	Pass	15001



### 6.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-36.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-41.03	-25	Pass	2986
30	1000	0.1	RMS	944.8	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-42.09	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.69	60	Pass	401
2700	3000	1	RMS	3000	-43.06	-25	Pass	401
3000	12000	1	RMS	4994	-48.57	-25	Pass	9001
12000	27000	1	RMS	25005	-37.2	-25	Pass	15001






### 6.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-39.11	-25	Pass	2986
30	1000	0.1	RMS	942.9	-58.19	-25	Pass	9701
1000	2486	1	RMS	2484	-44.27	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.16	60	Pass	401
2700	3000	1	RMS	2999.25	-43.05	-25	Pass	401
3000	12000	1	RMS	5168	-49.55	-25	Pass	9001
12000	27000	1	RMS	25012	-37.15	-25	Pass	15001



## 6.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.21	-25	Pass	2986
30	1000	0.1	RMS	928	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-44.19	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.6	60	Pass	401
2700	3000	1	RMS	3000	-43.03	-25	Pass	401
3000	12000	1	RMS	5168	-52.01	-25	Pass	9001
12000	27000	1	RMS	25011	-37.24	-25	Pass	15001



### 6.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41	-25	Pass	2986
30	1000	0.1	RMS	907.4	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.18	60	Pass	401
2700	3000	1	RMS	2700.75	-39.35	-25	Pass	401
3000	12000	1	RMS	5343	-55.11	-25	Pass	9001
12000	27000	1	RMS	25011	-37.28	-25	Pass	15001



### 6.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-36.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.62	-25	Pass	2986
30	1000	0.1	RMS	932.4	-58.17	-25	Pass	9701
1000	2486	1	RMS	2482	-44.28	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.17	60	Pass	401
2700	3000	1	RMS	2700.75	-40.14	-25	Pass	401
3000	12000	1	RMS	5342	-49.52	-25	Pass	9001
12000	27000	1	RMS	25011	-37.14	-25	Pass	15001



## 4. LTE\_Band66


### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2986
30	1000	0.1	RMS	934	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1790	1	RMS	1710.35	22.75	60	Pass	401
1790	3000	1	RMS	2657	-46.71	-13	Pass	1211
3000	12000	1	RMS	11871	-40.36	-13	Pass	9001
12000	20000	1	RMS	19993	-27.93	-13	Pass	8001




**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.93	-13	Pass	2986
30	1000	0.1	RMS	888.5	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1790	1	RMS	1710.35	22.04	60	Pass	401
1790	3000	1	RMS	2650	-46.67	-13	Pass	1211
3000	12000	1	RMS	11852	-40.31	-13	Pass	9001
12000	20000	1	RMS	19993	-27.96	-13	Pass	8001




**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.54	-13	Pass	2986
30	1000	0.1	RMS	954.4	-61.99	-13	Pass	9701
1000	1700	1	RMS	1604	-51.12	-13	Pass	701
1700	1790	1	RMS	1744.55	22.87	60	Pass	401
1790	3000	1	RMS	2650	-46.63	-13	Pass	1211
3000	12000	1	RMS	11933	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001



**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	958.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.13	-13	Pass	701
1700	1790	1	RMS	1744.55	22.03	60	Pass	401
1790	3000	1	RMS	2649	-46.67	-13	Pass	1211
3000	12000	1	RMS	11943	-40.32	-13	Pass	9001
12000	20000	1	RMS	19993	-27.96	-13	Pass	8001






**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.92	-13	Pass	2986
30	1000	0.1	RMS	956	-62.02	-13	Pass	9701
1000	1700	1	RMS	1679	-51.1	-13	Pass	701
1700	1790	1	RMS	1778.75	22.71	60	Pass	401
1790	3000	1	RMS	2647	-46.61	-13	Pass	1211
3000	12000	1	RMS	11949	-40.3	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1611	-51.14	-13	Pass	701
1700	1790	1	RMS	1778.75	21.94	60	Pass	401
1790	3000	1	RMS	2648	-46.65	-13	Pass	1211
3000	12000	1	RMS	11856	-40.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	1000	0.1	RMS	906	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.125	22.8	60	Pass	401
1790	3000	1	RMS	2659	-46.69	-13	Pass	1211
3000	12000	1	RMS	11859	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.29	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1790	1	RMS	1710.35	22.09	60	Pass	401
1790	3000	1	RMS	2661	-46.65	-13	Pass	1211
3000	12000	1	RMS	11859	-40.31	-13	Pass	9001
12000	20000	1	RMS	19997	-27.89	-13	Pass	8001



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.18	-13	Pass	2986
30	1000	0.1	RMS	889.8	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1790	1	RMS	1743.65	22.82	60	Pass	401
1790	3000	1	RMS	2641	-46.66	-13	Pass	1211
3000	12000	1	RMS	11936	-40.27	-13	Pass	9001
12000	20000	1	RMS	19997	-27.9	-13	Pass	8001



#### 4.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1583	-51.11	-13	Pass	701
1700	1790	1	RMS	1743.65	21.93	60	Pass	401
1790	3000	1	RMS	2652	-46.62	-13	Pass	1211
3000	12000	1	RMS	11958	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



#### 4.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.83	-13	Pass	2986
30	1000	0.1	RMS	907.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1790	1	RMS	1777.175	22.75	60	Pass	401
1790	3000	1	RMS	2659	-46.63	-13	Pass	1211
3000	12000	1	RMS	11839	-40.3	-13	Pass	9001
12000	20000	1	RMS	19997	-27.91	-13	Pass	8001



#### 4.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.18	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.09	-13	Pass	9701
1000	1700	1	RMS	1612	-51.12	-13	Pass	701
1700	1790	1	RMS	1777.175	22.08	60	Pass	401
1790	3000	1	RMS	2654	-46.61	-13	Pass	1211
3000	12000	1	RMS	11960	-40.28	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001






### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.3	-13	Pass	2986
30	1000	0.1	RMS	953.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	22.99	60	Pass	401
1790	3000	1	RMS	2649	-46.68	-13	Pass	1211
3000	12000	1	RMS	11954	-40.33	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1710.35	22.18	60	Pass	401
1790	3000	1	RMS	2655	-46.64	-13	Pass	1211
3000	12000	1	RMS	11948	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.3	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1592	-51.11	-13	Pass	701
1700	1790	1	RMS	1742.75	22.89	60	Pass	401
1790	3000	1	RMS	2651	-46.69	-13	Pass	1211
3000	12000	1	RMS	11951	-40.22	-13	Pass	9001
12000	20000	1	RMS	19996	-27.92	-13	Pass	8001



#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.71	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.09	-13	Pass	9701
1000	1700	1	RMS	1624	-51.14	-13	Pass	701
1700	1790	1	RMS	1742.75	22.17	60	Pass	401
1790	3000	1	RMS	2659	-46.64	-13	Pass	1211
3000	12000	1	RMS	11944	-40.32	-13	Pass	9001
12000	20000	1	RMS	19994	-27.91	-13	Pass	8001

