


4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.73	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1775.375	22.89	60	Pass	401
1790	3000	1	RMS	2657	-46.66	-13	Pass	1211
3000	12000	1	RMS	11945	-40.2	-13	Pass	9001
12000	20000	1	RMS	19996	-27.81	-13	Pass	8001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1607	-51.13	-13	Pass	701
1700	1790	1	RMS	1775.375	22.25	60	Pass	401
1790	3000	1	RMS	2649	-46.67	-13	Pass	1211
3000	12000	1	RMS	11940	-40.3	-13	Pass	9001
12000	20000	1	RMS	19996	-27.93	-13	Pass	8001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1790	1	RMS	1710.575	23.09	60	Pass	401
1790	3000	1	RMS	2650	-46.7	-13	Pass	1211
3000	12000	1	RMS	11949	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-49.96	-13	Pass	701
1700	1790	1	RMS	1710.575	22.29	60	Pass	401
1790	3000	1	RMS	2651	-46.7	-13	Pass	1211
3000	12000	1	RMS	11883	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.98	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1610	-51.13	-13	Pass	701
1700	1790	1	RMS	1740.5	22.95	60	Pass	401
1790	3000	1	RMS	2648	-46.68	-13	Pass	1211
3000	12000	1	RMS	11850	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.92	-13	Pass	8001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.72	-13	Pass	2986
30	1000	0.1	RMS	932	-62.13	-13	Pass	9701
1000	1700	1	RMS	1610	-51.11	-13	Pass	701
1700	1790	1	RMS	1740.5	22.12	60	Pass	401
1790	3000	1	RMS	2649	-46.64	-13	Pass	1211
3000	12000	1	RMS	11958	-40.3	-13	Pass	9001
12000	20000	1	RMS	19997	-27.9	-13	Pass	8001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.26	-13	Pass	2986
30	1000	0.1	RMS	889.1	-61.92	-13	Pass	9701
1000	1700	1	RMS	1587	-51.08	-13	Pass	701
1700	1790	1	RMS	1770.65	22.96	60	Pass	401
1790	3000	1	RMS	2657	-46.64	-13	Pass	1211
3000	12000	1	RMS	11941	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.53	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.19	-13	Pass	9701
1000	1700	1	RMS	1606	-51.13	-13	Pass	701
1700	1790	1	RMS	1770.65	22.21	60	Pass	401
1790	3000	1	RMS	2650	-46.67	-13	Pass	1211
3000	12000	1	RMS	11945	-40.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.95	-13	Pass	8001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.35	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-49.29	-13	Pass	701
1700	1790	1	RMS	1710.8	23.04	60	Pass	401
1790	3000	1	RMS	2655	-46.62	-13	Pass	1211
3000	12000	1	RMS	11931	-40.27	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.02	-13	Pass	2986
30	1000	0.1	RMS	925.5	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-49.36	-13	Pass	701
1700	1790	1	RMS	1710.8	22.27	60	Pass	401
1790	3000	1	RMS	2655	-46.65	-13	Pass	1211
3000	12000	1	RMS	11953	-40.28	-13	Pass	9001
12000	20000	1	RMS	19997	-27.9	-13	Pass	8001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.15	-13	Pass	2986
30	1000	0.1	RMS	896	-62.14	-13	Pass	9701
1000	1700	1	RMS	1679	-51.1	-13	Pass	701
1700	1790	1	RMS	1738.25	22.91	60	Pass	401
1790	3000	1	RMS	2659	-46.72	-13	Pass	1211
3000	12000	1	RMS	11857	-40.33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.93	-13	Pass	8001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.59	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1738.25	21.96	60	Pass	401
1790	3000	1	RMS	2653	-46.65	-13	Pass	1211
3000	12000	1	RMS	11941	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-13	Pass	2986
30	1000	0.1	RMS	912	-62.11	-13	Pass	9701
1000	1700	1	RMS	1592	-51.09	-13	Pass	701
1700	1790	1	RMS	1765.925	22.94	60	Pass	401
1790	3000	1	RMS	2652	-46.65	-13	Pass	1211
3000	12000	1	RMS	11991	-40.29	-13	Pass	9001
12000	20000	1	RMS	19996	-27.88	-13	Pass	8001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.49	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1790	1	RMS	1765.925	22.22	60	Pass	401
1790	3000	1	RMS	2651	-46.59	-13	Pass	1211
3000	12000	1	RMS	11942	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.96	-13	Pass	8001



4.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-13	Pass	2986
30	1000	0.1	RMS	948	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-48.88	-13	Pass	701
1700	1790	1	RMS	1711.025	23.06	60	Pass	401
1790	3000	1	RMS	2648	-46.65	-13	Pass	1211
3000	12000	1	RMS	11947	-40.26	-13	Pass	9001
12000	20000	1	RMS	19994	-27.88	-13	Pass	8001



4.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.31	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-48.96	-13	Pass	701
1700	1790	1	RMS	1711.025	22.31	60	Pass	401
1790	3000	1	RMS	2654	-46.68	-13	Pass	1211
3000	12000	1	RMS	11841	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001



4.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.3	-13	Pass	2986
30	1000	0.1	RMS	931.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.21	-13	Pass	701
1700	1790	1	RMS	1736	22.67	60	Pass	401
1790	3000	1	RMS	2649	-46.83	-13	Pass	1211
3000	12000	1	RMS	11944	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.11	-13	Pass	8001



4.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.36	-13	Pass	2986
30	1000	0.1	RMS	937	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1790	1	RMS	1736	21.72	60	Pass	401
1790	3000	1	RMS	2656	-46.82	-13	Pass	1211
3000	12000	1	RMS	11956	-40.48	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001



4.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.55	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.16	-13	Pass	9701
1000	1700	1	RMS	1594	-51.3	-13	Pass	701
1700	1790	1	RMS	1760.975	22.71	60	Pass	401
1790	3000	1	RMS	1790	-41.85	-13	Pass	1211
3000	12000	1	RMS	11995	-40.52	-13	Pass	9001
12000	20000	1	RMS	19998	-28.11	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	1000	0.1	RMS	940.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1685	-51.29	-13	Pass	701
1700	1790	1	RMS	1761.2	21.86	60	Pass	401
1790	3000	1	RMS	1790	-42.51	-13	Pass	1211
3000	12000	1	RMS	11949	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001




1. CA_7C

1.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.26	-25	Pass	2986
30	1000	0.1	RMS	854.604	-63.66	-25	Pass	9701
1000	2475	1	RMS	2473	-41.78	-25	Pass	1476
2475	2735	1	RMS	2501	7.39	60	Pass	401
2735	3000	1	RMS	2950.313	-48.93	-25	Pass	401
3000	12000	1	RMS	11847	-51.47	-25	Pass	9002
12000	26000	1	RMS	25999	-36	-25	Pass	14002



1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-25	Pass	2986
30	1000	0.1	RMS	842.3	-63.8	-25	Pass	9701
1000	2475	1	RMS	2475	-44.28	-25	Pass	1476
2475	2735	1	RMS	2521.15	8.12	60	Pass	401
2735	3000	1	RMS	2946.338	-48.98	-25	Pass	401
3000	12000	1	RMS	11993	-51.44	-25	Pass	9002
12000	26000	1	RMS	25996	-35.95	-25	Pass	14002



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-25	Pass	2986
30	1000	0.1	RMS	837.7	-63.74	-25	Pass	9701
1000	2475	1	RMS	2473	-42.14	-25	Pass	1476
2475	2735	1	RMS	2501	7.21	60	Pass	401
2735	3000	1	RMS	2951.638	-48.99	-25	Pass	401
3000	12000	1	RMS	11995	-51.43	-25	Pass	9002
12000	26000	1	RMS	25999	-35.93	-25	Pass	14002



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-25	Pass	2986
30	1000	0.1	RMS	849.7	-63.85	-25	Pass	9701
1000	2475	1	RMS	2475	-45.55	-25	Pass	1476
2475	2735	1	RMS	2521.8	7.25	60	Pass	401
2735	3000	1	RMS	2948.325	-48.97	-25	Pass	401
3000	12000	1	RMS	11977	-51.47	-25	Pass	9002
12000	26000	1	RMS	25989	-36	-25	Pass	14002



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-25	Pass	2986
30	1000	0.1	RMS	841.7	-63.61	-25	Pass	9701
1000	2475	1	RMS	2474	-50.65	-25	Pass	1476
2475	2735	1	RMS	2548.45	7.47	60	Pass	401
2735	3000	1	RMS	2947	-49	-25	Pass	401
3000	12000	1	RMS	12000	-51.4	-25	Pass	9002
12000	26000	1	RMS	25999	-35.95	-25	Pass	14002



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-25	Pass	2986
30	1000	0.1	RMS	842.1	-63.76	-25	Pass	9701
1000	2475	1	RMS	2475	-49.06	-25	Pass	1476
2475	2735	1	RMS	2545.85	9.37	60	Pass	401
2735	3000	1	RMS	2943.688	-48.99	-25	Pass	401
3000	12000	1	RMS	11987	-51.47	-25	Pass	9002
12000	26000	1	RMS	25997	-35.94	-25	Pass	14002



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-25	Pass	2986
30	1000	0.1	RMS	845.9	-63.77	-25	Pass	9701
1000	2475	1	RMS	2472	-50.63	-25	Pass	1476
2475	2735	1	RMS	2548.45	7.32	60	Pass	401
2735	3000	1	RMS	2944.35	-49	-25	Pass	401
3000	12000	1	RMS	11993	-51.44	-25	Pass	9002
12000	26000	1	RMS	25993	-36.01	-25	Pass	14002



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.1	-25	Pass	2986
30	1000	0.1	RMS	841.2	-63.7	-25	Pass	9701
1000	2475	1	RMS	2475	-49.38	-25	Pass	1476
2475	2735	1	RMS	2547.15	8.4	60	Pass	401
2735	3000	1	RMS	2945.675	-48.97	-25	Pass	401
3000	12000	1	RMS	11855	-51.4	-25	Pass	9002
12000	26000	1	RMS	26000	-35.93	-25	Pass	14002



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-73.56	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.23	-25	Pass	2986
30	1000	0.1	RMS	837.5	-63.74	-25	Pass	9701
1000	2475	1	RMS	2467	-50.7	-25	Pass	1476
2475	2735	1	RMS	2540.65	7.4	60	Pass	401
2735	3000	1	RMS	2948.988	-49	-25	Pass	401
3000	12000	1	RMS	11999	-51.4	-25	Pass	9002
12000	26000	1	RMS	25987	-35.97	-25	Pass	14002



1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.13	-25	Pass	2986
30	1000	0.1	RMS	841.8	-63.65	-25	Pass	9701
1000	2475	1	RMS	2475	-49.59	-25	Pass	1476
2475	2735	1	RMS	2560.8	8.44	60	Pass	401
2735	3000	1	RMS	2945.013	-49	-25	Pass	401
3000	12000	1	RMS	11849	-51.44	-25	Pass	9002
12000	26000	1	RMS	25994	-36.01	-25	Pass	14002



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-25	Pass	2986
30	1000	0.1	RMS	841.7	-63.86	-25	Pass	9701
1000	2475	1	RMS	2470	-50.62	-25	Pass	1476
2475	2735	1	RMS	2540.65	7.24	60	Pass	401
2735	3000	1	RMS	2952.3	-48.99	-25	Pass	401
3000	12000	1	RMS	11995	-51.42	-25	Pass	9002
12000	26000	1	RMS	25996	-35.9	-25	Pass	14002



1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2986
30	1000	0.1	RMS	848.3	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-50.01	-25	Pass	1476
2475	2735	1	RMS	2560.8	7.5	60	Pass	401
2735	3000	1	RMS	2951.638	-48.92	-25	Pass	401
3000	12000	1	RMS	11847	-51.42	-25	Pass	9002
12000	26000	1	RMS	25987	-36	-25	Pass	14002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2986
30	1000	0.1	RMS	841.5	-63.49	-25	Pass	9701
1000	2475	1	RMS	2470	-50.63	-25	Pass	1476
2475	2735	1	RMS	2501	11.09	60	Pass	401
2735	3000	1	RMS	2949.65	-48.96	-25	Pass	401
3000	12000	1	RMS	11993	-51.46	-25	Pass	9002
12000	26000	1	RMS	25999	-35.93	-25	Pass	14002



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.4	-25	Pass	2986
30	1000	0.1	RMS	842.1	-63.77	-25	Pass	9701
1000	2475	1	RMS	2475	-41.34	-25	Pass	1476
2475	2735	1	RMS	2504.25	6.75	60	Pass	401
2735	3000	1	RMS	2948.988	-48.98	-25	Pass	401
3000	12000	1	RMS	11842	-51.44	-25	Pass	9002
12000	26000	1	RMS	26000	-35.98	-25	Pass	14002



1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.71	-25	Pass	2986
30	1000	0.1	RMS	847.3	-63.74	-25	Pass	9701
1000	2475	1	RMS	2474	-50.4	-25	Pass	1476
2475	2735	1	RMS	2501	11.08	60	Pass	401
2735	3000	1	RMS	2949.65	-49	-25	Pass	401
3000	12000	1	RMS	11847	-51.4	-25	Pass	9002
12000	26000	1	RMS	25995	-35.93	-25	Pass	14002



1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	Pass	2986
30	1000	0.1	RMS	840.5	-63.68	-25	Pass	9701
1000	2475	1	RMS	2475	-43.75	-25	Pass	1476
2475	2735	1	RMS	2502.95	5.77	60	Pass	401
2735	3000	1	RMS	2948.988	-48.98	-25	Pass	401
3000	12000	1	RMS	11868	-51.45	-25	Pass	9002
12000	26000	1	RMS	25998	-36.01	-25	Pass	14002



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.69	-25	Pass	2986
30	1000	0.1	RMS	833.4	-63.65	-25	Pass	9701
1000	2475	1	RMS	2467	-50.63	-25	Pass	1476
2475	2735	1	RMS	2553.65	11.12	60	Pass	401
2735	3000	1	RMS	2948.988	-48.97	-25	Pass	401
3000	12000	1	RMS	11848	-51.39	-25	Pass	9002
12000	26000	1	RMS	25998	-35.99	-25	Pass	14002



1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-25	Pass	2986
30	1000	0.1	RMS	844.1	-63.76	-25	Pass	9701
1000	2475	1	RMS	2475	-47.02	-25	Pass	1476
2475	2735	1	RMS	2548.45	6.45	60	Pass	401
2735	3000	1	RMS	2947.663	-48.96	-25	Pass	401
3000	12000	1	RMS	11984	-51.41	-25	Pass	9002
12000	26000	1	RMS	25989	-35.98	-25	Pass	14002



1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-25	Pass	2986
30	1000	0.1	RMS	842.7	-63.58	-25	Pass	9701
1000	2475	1	RMS	2469	-50.6	-25	Pass	1476
2475	2735	1	RMS	2553.65	10.96	60	Pass	401
2735	3000	1	RMS	2943.025	-48.99	-25	Pass	401
3000	12000	1	RMS	11851	-51.36	-25	Pass	9002
12000	26000	1	RMS	25996	-35.96	-25	Pass	14002



1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-25	Pass	2986
30	1000	0.1	RMS	842.1	-63.63	-25	Pass	9701
1000	2475	1	RMS	2475	-47.95	-25	Pass	1476
2475	2735	1	RMS	2549.1	5.44	60	Pass	401
2735	3000	1	RMS	2948.325	-48.98	-25	Pass	401
3000	12000	1	RMS	11860	-51.41	-25	Pass	9002
12000	26000	1	RMS	25999	-35.97	-25	Pass	14002



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-25	Pass	2986
30	1000	0.1	RMS	834.3	-63.7	-25	Pass	9701
1000	2475	1	RMS	2473	-50.63	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.39	60	Pass	401
2735	3000	1	RMS	2948.988	-48.98	-25	Pass	401
3000	12000	1	RMS	11998	-51.42	-25	Pass	9002
12000	26000	1	RMS	25999	-36.03	-25	Pass	14002



1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2986
30	1000	0.1	RMS	842.9	-63.81	-25	Pass	9701
1000	2475	1	RMS	2475	-48.06	-25	Pass	1476
2475	2735	1	RMS	2553	6.39	60	Pass	401
2735	3000	1	RMS	2948.325	-48.99	-25	Pass	401
3000	12000	1	RMS	11846	-51.38	-25	Pass	9002
12000	26000	1	RMS	26000	-36.02	-25	Pass	14002



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-25	Pass	2986
30	1000	0.1	RMS	843.9	-63.51	-25	Pass	9701
1000	2475	1	RMS	2470	-50.61	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.51	60	Pass	401
2735	3000	1	RMS	2947	-49.01	-25	Pass	401
3000	12000	1	RMS	11849	-51.43	-25	Pass	9002
12000	26000	1	RMS	26000	-35.96	-25	Pass	14002



1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.25	-25	Pass	2986
30	1000	0.1	RMS	842.1	-63.8	-25	Pass	9701
1000	2475	1	RMS	2475	-48.47	-25	Pass	1476
2475	2735	1	RMS	2553.65	5.45	60	Pass	401
2735	3000	1	RMS	2954.288	-49	-25	Pass	401
3000	12000	1	RMS	11851	-51.37	-25	Pass	9002
12000	26000	1	RMS	25995	-35.94	-25	Pass	14002




2. CA_38C

2.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	Pass	2986
30	1000	0.1	RMS	840.5	-59.87	-25	Pass	9701
1000	2525	1	RMS	2515	-35.04	-25	Pass	1526
2525	2665	1	RMS	2570.85	10.65	60	Pass	401
2665	3000	1	RMS	2683.425	-44.76	-25	Pass	401
3000	12000	1	RMS	11850	-50.93	-25	Pass	9002
12000	26500	1	RMS	26004	-36.09	-25	Pass	14502



2.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	Pass	2986
30	1000	0.1	RMS	843.6	-59.71	-25	Pass	9701
1000	2525	1	RMS	2524	-41.04	-25	Pass	1526
2525	2665	1	RMS	2589.4	7.2	60	Pass	401
2665	3000	1	RMS	2665.838	-44.81	-25	Pass	401
3000	12000	1	RMS	11839	-50.94	-25	Pass	9002
12000	26500	1	RMS	26004	-36.1	-25	Pass	14502



2.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.23	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.87	-25	Pass	2986
30	1000	0.1	RMS	844.6	-59.77	-25	Pass	9701
1000	2525	1	RMS	2514	-36.11	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.34	60	Pass	401
2665	3000	1	RMS	2683.425	-44.67	-25	Pass	401
3000	12000	1	RMS	11844	-51.01	-25	Pass	9002
12000	26500	1	RMS	26004	-36.13	-25	Pass	14502



2.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	Pass	2986
30	1000	0.1	RMS	833.6	-59.79	-25	Pass	9701
1000	2525	1	RMS	2523	-42.54	-25	Pass	1526
2525	2665	1	RMS	2574	6.27	60	Pass	401
2665	3000	1	RMS	2956.45	-45.08	-25	Pass	401
3000	12000	1	RMS	11850	-51.02	-25	Pass	9002
12000	26500	1	RMS	26010	-36.17	-25	Pass	14502



2.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-25	Pass	2986
30	1000	0.1	RMS	860.708	-59.87	-25	Pass	9701
1000	2525	1	RMS	2524	-30.61	-25	Pass	1526
2525	2665	1	RMS	2609	10.94	60	Pass	401
2665	3000	1	RMS	2665	-36.36	-25	Pass	401
3000	12000	1	RMS	11848	-50.96	-25	Pass	9002
12000	26500	1	RMS	26016	-36.13	-25	Pass	14502



2.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.82	-25	Pass	9701
1000	2525	1	RMS	2525	-43.18	-25	Pass	1526
2525	2665	1	RMS	2607.95	6.92	60	Pass	401
2665	3000	1	RMS	2665	-43.24	-25	Pass	401
3000	12000	1	RMS	11855	-50.95	-25	Pass	9002
12000	26500	1	RMS	26000	-36.11	-25	Pass	14502



2.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.93	-25	Pass	2986
30	1000	0.1	RMS	847.8	-59.84	-25	Pass	9701
1000	2525	1	RMS	2524	-33.66	-25	Pass	1526
2525	2665	1	RMS	2580.65	11.11	60	Pass	401
2665	3000	1	RMS	2665	-36.09	-25	Pass	401
3000	12000	1	RMS	11852	-51.01	-25	Pass	9002
12000	26500	1	RMS	25988	-36.06	-25	Pass	14502



2.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.09	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.6	-25	Pass	9701
1000	2525	1	RMS	2523	-44.01	-25	Pass	1526
2525	2665	1	RMS	2597.45	5.73	60	Pass	401
2665	3000	1	RMS	2665	-44.04	-25	Pass	401
3000	12000	1	RMS	11850	-51	-25	Pass	9002
12000	26500	1	RMS	25995	-36.13	-25	Pass	14502



2.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2986
30	1000	0.1	RMS	847.8	-59.77	-25	Pass	9701
1000	2525	1	RMS	2506	-42.41	-25	Pass	1526
2525	2665	1	RMS	2618.8	10.95	60	Pass	401
2665	3000	1	RMS	2675.05	-37.76	-25	Pass	401
3000	12000	1	RMS	11852	-50.99	-25	Pass	9002
12000	26500	1	RMS	25995	-36.12	-25	Pass	14502



2.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.33	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.74	-25	Pass	9701
1000	2525	1	RMS	2523	-44.4	-25	Pass	1526
2525	2665	1	RMS	2608.65	7.25	60	Pass	401
2665	3000	1	RMS	2665.838	-40.98	-25	Pass	401
3000	12000	1	RMS	11845	-51	-25	Pass	9002
12000	26500	1	RMS	25990	-36.08	-25	Pass	14502



2.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.01	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.04	-25	Pass	2986
30	1000	0.1	RMS	855.905	-59.81	-25	Pass	9701
1000	2525	1	RMS	2506	-40.91	-25	Pass	1526
2525	2665	1	RMS	2619.15	11.49	60	Pass	401
2665	3000	1	RMS	2675.05	-36.21	-25	Pass	401
3000	12000	1	RMS	11847	-50.99	-25	Pass	9002
12000	26500	1	RMS	25992	-36.16	-25	Pass	14502



2.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	Pass	2986
30	1000	0.1	RMS	840.3	-59.89	-25	Pass	9701
1000	2525	1	RMS	2523	-45.06	-25	Pass	1526
2525	2665	1	RMS	2612.15	6.05	60	Pass	401
2665	3000	1	RMS	2665.838	-42.29	-25	Pass	401
3000	12000	1	RMS	11854	-51	-25	Pass	9002
12000	26500	1	RMS	26001	-36.12	-25	Pass	14502



2.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.42	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.67	-25	Pass	2986
30	1000	0.1	RMS	844.2	-59.88	-25	Pass	9701
1000	2525	1	RMS	2495	-34.15	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.71	60	Pass	401
2665	3000	1	RMS	2683.425	-35.66	-25	Pass	401
3000	12000	1	RMS	11853	-50.93	-25	Pass	9002
12000	26500	1	RMS	26004	-36.17	-25	Pass	14502



2.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	Pass	2986
30	1000	0.1	RMS	834	-59.87	-25	Pass	9701
1000	2525	1	RMS	2525	-36.99	-25	Pass	1526
2525	2665	1	RMS	2592.9	5.75	60	Pass	401
2665	3000	1	RMS	2665.838	-38.84	-25	Pass	401
3000	12000	1	RMS	11850	-50.97	-25	Pass	9002
12000	26500	1	RMS	26000	-36.08	-25	Pass	14502



2.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	Pass	2986
30	1000	0.1	RMS	860.107	-59.83	-25	Pass	9701
1000	2525	1	RMS	2496	-30.41	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.13	60	Pass	401
2665	3000	1	RMS	2683.425	-35.23	-25	Pass	401
3000	12000	1	RMS	11852	-50.98	-25	Pass	9002
12000	26500	1	RMS	26017	-36.13	-25	Pass	14502



2.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	Pass	2986
30	1000	0.1	RMS	839	-59.77	-25	Pass	9701
1000	2525	1	RMS	2525	-38.18	-25	Pass	1526
2525	2665	1	RMS	2592.55	5.17	60	Pass	401
2665	3000	1	RMS	2665.838	-40.39	-25	Pass	401
3000	12000	1	RMS	11850	-51.01	-25	Pass	9002
12000	26500	1	RMS	25988	-36.19	-25	Pass	14502



2.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.29	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.87	-25	Pass	9701
1000	2525	1	RMS	2501	-31.97	-25	Pass	1526
2525	2665	1	RMS	2613.55	11.58	60	Pass	401
2665	3000	1	RMS	2688.45	-37.07	-25	Pass	401
3000	12000	1	RMS	11851	-51.01	-25	Pass	9002
12000	26500	1	RMS	25986	-36.15	-25	Pass	14502



2.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	Pass	2986
30	1000	0.1	RMS	829	-59.78	-25	Pass	9701
1000	2525	1	RMS	2524	-38.39	-25	Pass	1526
2525	2665	1	RMS	2601.65	5.56	60	Pass	401
2665	3000	1	RMS	2665	-38.02	-25	Pass	401
3000	12000	1	RMS	11854	-51.01	-25	Pass	9002
12000	26500	1	RMS	25991	-36.11	-25	Pass	14502



2.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-25	Pass	2986
30	1000	0.1	RMS	839.7	-59.91	-25	Pass	9701
1000	2525	1	RMS	2501	-29.65	-25	Pass	1526
2525	2665	1	RMS	2613.55	11.02	60	Pass	401
2665	3000	1	RMS	2688.45	-34.96	-25	Pass	401
3000	12000	1	RMS	11850	-51.06	-25	Pass	9002
12000	26500	1	RMS	26001	-36.11	-25	Pass	14502



2.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2986
30	1000	0.1	RMS	842.4	-59.77	-25	Pass	9701
1000	2525	1	RMS	2524	-39.71	-25	Pass	1526
2525	2665	1	RMS	2599.55	5.19	60	Pass	401
2665	3000	1	RMS	2665	-39.39	-25	Pass	401
3000	12000	1	RMS	11846	-50.97	-25	Pass	9002
12000	26500	1	RMS	26010	-36.08	-25	Pass	14502



2.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	Pass	2986
30	1000	0.1	RMS	860.407	-59.89	-25	Pass	9701
1000	2525	1	RMS	2506	-29.74	-25	Pass	1526
2525	2665	1	RMS	2618.45	10.56	60	Pass	401
2665	3000	1	RMS	2693.475	-36.95	-25	Pass	401
3000	12000	1	RMS	11846	-50.96	-25	Pass	9002
12000	26500	1	RMS	25996	-36.14	-25	Pass	14502



2.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.77	-25	Pass	2986
30	1000	0.1	RMS	839.1	-59.86	-25	Pass	9701
1000	2525	1	RMS	2523	-39.92	-25	Pass	1526
2525	2665	1	RMS	2611.8	6.19	60	Pass	401
2665	3000	1	RMS	2665	-36.24	-25	Pass	401
3000	12000	1	RMS	11855	-50.99	-25	Pass	9002
12000	26500	1	RMS	26003	-36.11	-25	Pass	14502



2.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-25	Pass	2986
30	1000	0.1	RMS	850.301	-59.79	-25	Pass	9701
1000	2525	1	RMS	2506	-29.93	-25	Pass	1526
2525	2665	1	RMS	2581.35	10.87	60	Pass	401
2665	3000	1	RMS	2693.475	-35.18	-25	Pass	401
3000	12000	1	RMS	11849	-50.99	-25	Pass	9002
12000	26500	1	RMS	26001	-36.06	-25	Pass	14502



2.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	Pass	2986
30	1000	0.1	RMS	850.601	-59.86	-25	Pass	9701
1000	2525	1	RMS	2525	-40.55	-25	Pass	1526
2525	2665	1	RMS	2608.3	4.9	60	Pass	401
2665	3000	1	RMS	2665.838	-38.28	-25	Pass	401
3000	12000	1	RMS	11850	-50.88	-25	Pass	9002
12000	26500	1	RMS	25996	-36.19	-25	Pass	14502




3. CA_41C_full

3.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	Pass	2986
30	1000	0.1	RMS	845.7	-60.1	-25	Pass	9701
1000	2475	1	RMS	2475	-38.62	-25	Pass	1476
2475	2735	1	RMS	2519.2	6.95	60	Pass	401
2735	3000	1	RMS	2955.613	-45.29	-25	Pass	401
3000	12000	1	RMS	11848	-51.19	-25	Pass	9002
12000	27000	1	RMS	26002	-36.31	-25	Pass	15002



3.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.99	-25	Pass	2986
30	1000	0.1	RMS	851.602	-60.01	-25	Pass	9701
1000	2475	1	RMS	2475	-45.22	-25	Pass	1476
2475	2735	1	RMS	2516.6	8.89	60	Pass	401
2735	3000	1	RMS	2954.288	-45.26	-25	Pass	401
3000	12000	1	RMS	11857	-51.11	-25	Pass	9002
12000	27000	1	RMS	25989	-36.24	-25	Pass	15002



3.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.33	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.96	-25	Pass	2986
30	1000	0.1	RMS	848	-60.04	-25	Pass	9701
1000	2475	1	RMS	2475	-38.91	-25	Pass	1476
2475	2735	1	RMS	2519.2	7.14	60	Pass	401
2735	3000	1	RMS	2957.6	-45.23	-25	Pass	401
3000	12000	1	RMS	11852	-51	-25	Pass	9002
12000	27000	1	RMS	26010	-36.22	-25	Pass	15002



3.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.71	-25	Pass	2986
30	1000	0.1	RMS	859.607	-60.05	-25	Pass	9701
1000	2475	1	RMS	2473	-46.19	-25	Pass	1476
2475	2735	1	RMS	2516.6	7.66	60	Pass	401
2735	3000	1	RMS	2960.25	-45.25	-25	Pass	401
3000	12000	1	RMS	11854	-51.14	-25	Pass	9002
12000	27000	1	RMS	26001	-36.23	-25	Pass	15002



3.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.03	-25	Pass	2986
30	1000	0.1	RMS	848.9	-59.75	-25	Pass	9701
1000	2475	1	RMS	2474	-47.07	-25	Pass	1476
2475	2735	1	RMS	2580.95	6.35	60	Pass	401
2735	3000	1	RMS	2950.313	-45.26	-25	Pass	401
3000	12000	1	RMS	11841	-51.1	-25	Pass	9002
12000	27000	1	RMS	26000	-36.21	-25	Pass	15002



3.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.99	-25	Pass	2986
30	1000	0.1	RMS	830.1	-60.03	-25	Pass	9701
1000	2475	1	RMS	2463	-47	-25	Pass	1476
2475	2735	1	RMS	2603.05	7.9	60	Pass	401
2735	3000	1	RMS	2948.988	-45.25	-25	Pass	401
3000	12000	1	RMS	11854	-51.09	-25	Pass	9002
12000	27000	1	RMS	25999	-36.18	-25	Pass	15002



3.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.66	-25	Pass	2986
30	1000	0.1	RMS	835.7	-60.05	-25	Pass	9701
1000	2475	1	RMS	2473	-46.97	-25	Pass	1476
2475	2735	1	RMS	2581.6	6.5	60	Pass	401
2735	3000	1	RMS	2954.288	-45.23	-25	Pass	401
3000	12000	1	RMS	11850	-51.13	-25	Pass	9002
12000	27000	1	RMS	26002	-36.23	-25	Pass	15002



3.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	Pass	2986
30	1000	0.1	RMS	847.5	-59.9	-25	Pass	9701
1000	2475	1	RMS	2472	-47.05	-25	Pass	1476
2475	2735	1	RMS	2602.4	7.2	60	Pass	401
2735	3000	1	RMS	2954.95	-45.23	-25	Pass	401
3000	12000	1	RMS	11851	-51.04	-25	Pass	9002
12000	27000	1	RMS	25994	-36.11	-25	Pass	15002



3.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	Pass	2986
30	1000	0.1	RMS	841.8	-59.97	-25	Pass	9701
1000	2475	1	RMS	2473	-47.03	-25	Pass	1476
2475	2735	1	RMS	2666.1	6.89	60	Pass	401
2735	3000	1	RMS	2735	-44.42	-25	Pass	401
3000	12000	1	RMS	11840	-51.12	-25	Pass	9002
12000	27000	1	RMS	25993	-36.27	-25	Pass	15002



3.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.38	-25	Pass	2986
30	1000	0.1	RMS	845.1	-60.07	-25	Pass	9701
1000	2475	1	RMS	2461	-47.06	-25	Pass	1476
2475	2735	1	RMS	2685.6	8.05	60	Pass	401
2735	3000	1	RMS	2957.6	-45.24	-25	Pass	401
3000	12000	1	RMS	11853	-51.04	-25	Pass	9002
12000	27000	1	RMS	25996	-36.25	-25	Pass	15002



3.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.01	-25	Pass	2986
30	1000	0.1	RMS	869.113	-59.97	-25	Pass	9701
1000	2475	1	RMS	2470	-47.01	-25	Pass	1476
2475	2735	1	RMS	2666.1	7.37	60	Pass	401
2735	3000	1	RMS	2956.938	-45.23	-25	Pass	401
3000	12000	1	RMS	11854	-51.06	-25	Pass	9002
12000	27000	1	RMS	26007	-36.16	-25	Pass	15002



3.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.34	-25	Pass	2986
30	1000	0.1	RMS	839.8	-60.01	-25	Pass	9701
1000	2475	1	RMS	2439	-47.06	-25	Pass	1476
2475	2735	1	RMS	2686.25	6.47	60	Pass	401
2735	3000	1	RMS	2958.925	-45.24	-25	Pass	401
3000	12000	1	RMS	11859	-51.08	-25	Pass	9002
12000	27000	1	RMS	26002	-36.23	-25	Pass	15002



3.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.24	-25	Pass	2986
30	1000	0.1	RMS	862.809	-59.93	-25	Pass	9701
1000	2475	1	RMS	2475	-47.03	-25	Pass	1476
2475	2735	1	RMS	2534.15	6.48	60	Pass	401
2735	3000	1	RMS	2956.938	-45.17	-25	Pass	401
3000	12000	1	RMS	11849	-51.11	-25	Pass	9002
12000	27000	1	RMS	25996	-36.15	-25	Pass	15002



3.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.75	-25	Pass	2986
30	1000	0.1	RMS	830	-60.04	-25	Pass	9701
1000	2475	1	RMS	2475	-38.55	-25	Pass	1476
2475	2735	1	RMS	2527.65	5.04	60	Pass	401
2735	3000	1	RMS	2952.3	-45.24	-25	Pass	401
3000	12000	1	RMS	11851	-51.06	-25	Pass	9002
12000	27000	1	RMS	26003	-36.18	-25	Pass	15002



3.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.69	-25	Pass	2986
30	1000	0.1	RMS	843.5	-59.98	-25	Pass	9701
1000	2475	1	RMS	2475	-47.01	-25	Pass	1476
2475	2735	1	RMS	2534.8	6.17	60	Pass	401
2735	3000	1	RMS	2950.975	-45.21	-25	Pass	401
3000	12000	1	RMS	11845	-51.13	-25	Pass	9002
12000	27000	1	RMS	25995	-36.24	-25	Pass	15002



3.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.26	-25	Pass	2986
30	1000	0.1	RMS	851.902	-59.99	-25	Pass	9701
1000	2475	1	RMS	2475	-39.89	-25	Pass	1476
2475	2735	1	RMS	2532.85	4.18	60	Pass	401
2735	3000	1	RMS	2956.938	-45.22	-25	Pass	401
3000	12000	1	RMS	11848	-51.09	-25	Pass	9002
12000	27000	1	RMS	26010	-36.21	-25	Pass	15002



3.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	Pass	2986
30	1000	0.1	RMS	838.9	-59.92	-25	Pass	9701
1000	2475	1	RMS	2475	-47	-25	Pass	1476
2475	2735	1	RMS	2611.5	5.54	60	Pass	401
2735	3000	1	RMS	2958.263	-45.24	-25	Pass	401
3000	12000	1	RMS	11848	-51.1	-25	Pass	9002
12000	27000	1	RMS	25999	-36.17	-25	Pass	15002



3.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	Pass	2986
30	1000	0.1	RMS	844.8	-60.04	-25	Pass	9701
1000	2475	1	RMS	2473	-46.94	-25	Pass	1476
2475	2735	1	RMS	2610.2	4.15	60	Pass	401
2735	3000	1	RMS	2959.588	-45.23	-25	Pass	401
3000	12000	1	RMS	11850	-51.01	-25	Pass	9002
12000	27000	1	RMS	26000	-36.18	-25	Pass	15002



3.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.35	-25	Pass	2986
30	1000	0.1	RMS	855.905	-60.01	-25	Pass	9701
1000	2475	1	RMS	2474	-46.98	-25	Pass	1476
2475	2735	1	RMS	2611.5	5.77	60	Pass	401
2735	3000	1	RMS	2954.95	-45.24	-25	Pass	401
3000	12000	1	RMS	11852	-51.11	-25	Pass	9002
12000	27000	1	RMS	26006	-36.16	-25	Pass	15002



3.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	Pass	2986
30	1000	0.1	RMS	848.5	-60.02	-25	Pass	9701
1000	2475	1	RMS	2474	-46.95	-25	Pass	1476
2475	2735	1	RMS	2596.55	3.45	60	Pass	401
2735	3000	1	RMS	2958.263	-45.21	-25	Pass	401
3000	12000	1	RMS	11845	-51.13	-25	Pass	9002
12000	27000	1	RMS	25998	-36.15	-25	Pass	15002



3.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	Pass	2986
30	1000	0.1	RMS	832.2	-59.92	-25	Pass	9701
1000	2475	1	RMS	2465	-47.08	-25	Pass	1476
2475	2735	1	RMS	2651.15	7.52	60	Pass	401
2735	3000	1	RMS	2955.613	-45.28	-25	Pass	401
3000	12000	1	RMS	11863	-51.08	-25	Pass	9002
12000	27000	1	RMS	26001	-36.22	-25	Pass	15002



3.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.04	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.99	-25	Pass	9701
1000	2475	1	RMS	2475	-47.01	-25	Pass	1476
2475	2735	1	RMS	2652.45	5.31	60	Pass	401
2735	3000	1	RMS	2735	-41.89	-25	Pass	401
3000	12000	1	RMS	11843	-51.06	-25	Pass	9002
12000	27000	1	RMS	26010	-36.18	-25	Pass	15002



3.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.08	-25	Pass	2986
30	1000	0.1	RMS	854.904	-59.93	-25	Pass	9701
1000	2475	1	RMS	2475	-47.06	-25	Pass	1476
2475	2735	1	RMS	2651.15	7.07	60	Pass	401
2735	3000	1	RMS	2957.6	-45.22	-25	Pass	401
3000	12000	1	RMS	11846	-51.02	-25	Pass	9002
12000	27000	1	RMS	26000	-36.2	-25	Pass	15002



3.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.65	-25	Pass	2986
30	1000	0.1	RMS	836.5	-59.99	-25	Pass	9701
1000	2475	1	RMS	2472	-47.06	-25	Pass	1476
2475	2735	1	RMS	2653.1	4.21	60	Pass	401
2735	3000	1	RMS	2735.663	-42.77	-25	Pass	401
3000	12000	1	RMS	11850	-51.04	-25	Pass	9002
12000	27000	1	RMS	25999	-36.15	-25	Pass	15002



5. n5


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.24	-70.84	-13	57.84	Pass	2986
30	814	0.1	RMS	814	-57.58	-13	44.58	Pass	7841
814	859	0.1	RMS	824.5	3.94	60	56.06	Pass	451
859	1000	0.1	RMS	892.4	-63.45	-13	50.45	Pass	1411
1000	3000	1	RMS	2870	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8928	-58.64	-13	45.64	Pass	7001




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	814	0.1	RMS	745.2	-63.76	-13	50.76	Pass	7841
814	859	0.1	RMS	824.3	16.81	60	43.19	Pass	451
859	1000	0.1	RMS	872.7	-63.44	-13	50.44	Pass	1411
1000	3000	1	RMS	2885	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	8919	-58.64	-13	45.64	Pass	7001




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.18	-71.65	-13	58.65	Pass	2986
30	814	0.1	RMS	738.7	-63.77	-13	50.77	Pass	7841
814	859	0.1	RMS	828.7	16.33	60	43.67	Pass	451
859	1000	0.1	RMS	909.3	-63.46	-13	50.46	Pass	1411
1000	3000	1	RMS	2884	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8906	-58.66	-13	45.66	Pass	7001




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	57.72	Pass	2986
30	814	0.1	RMS	751.7	-63.73	-13	50.73	Pass	7841
814	859	0.1	RMS	834.6	4.07	60	55.93	Pass	451
859	1000	0.1	RMS	905.4	-63.36	-13	50.36	Pass	1411
1000	3000	1	RMS	2869	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8907	-58.59	-13	45.59	Pass	7001




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	58.25	Pass	2986
30	814	0.1	RMS	747.3	-63.86	-13	50.86	Pass	7841
814	859	0.1	RMS	834.3	16.82	60	43.18	Pass	451
859	1000	0.1	RMS	891.5	-63.48	-13	50.48	Pass	1411
1000	3000	1	RMS	2882	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	8944	-58.59	-13	45.59	Pass	7001




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	57.6	Pass	2986
30	814	0.1	RMS	745.9	-63.74	-13	50.74	Pass	7841
814	859	0.1	RMS	838.7	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	894.5	-63.39	-13	50.39	Pass	1411
1000	3000	1	RMS	2872	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	8942	-58.6	-13	45.6	Pass	7001




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	57.79	Pass	2986
30	814	0.1	RMS	728.7	-63.8	-13	50.8	Pass	7841
814	859	0.1	RMS	844.5	4.26	60	55.74	Pass	451
859	1000	0.1	RMS	999.4	-63.46	-13	50.46	Pass	1411
1000	3000	1	RMS	2875	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	8922	-58.61	-13	45.61	Pass	7001




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.93	-13	57.93	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	744	-63.81	-13	50.81	Pass	7841
814	859	0.1	RMS	844.3	16.78	60	43.22	Pass	451
859	1000	0.1	RMS	888.3	-63.32	-13	50.32	Pass	1411
1000	3000	1	RMS	2873	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	8928	-58.58	-13	45.58	Pass	7001




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	2986
30	814	0.1	RMS	742.4	-63.71	-13	50.71	Pass	7841
814	859	0.1	RMS	848.7	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	880.9	-63.43	-13	50.43	Pass	1411
1000	3000	1	RMS	2867	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	8899	-58.67	-13	45.67	Pass	7001




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	814	0.1	RMS	814	-47.71	-13	34.71	Pass	7841
814	859	0.1	RMS	830.7	-1.11	60	61.11	Pass	451
859	1000	0.1	RMS	998.4	-63.58	-13	50.58	Pass	1411
1000	3000	1	RMS	2884	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	8899	-58.7	-13	45.7	Pass	7001




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-70.54	-13	57.54	Pass	2986
30	814	0.1	RMS	814	-62.08	-13	49.08	Pass	7841
814	859	0.1	RMS	824.5	16.82	60	43.18	Pass	451
859	1000	0.1	RMS	911.6	-63.66	-13	50.66	Pass	1411
1000	3000	1	RMS	2873	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	8936	-58.66	-13	45.66	Pass	7001




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.25	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	810.6	-55.91	-13	42.91	Pass	7841
814	859	0.1	RMS	838.5	17.09	60	42.91	Pass	451
859	1000	0.1	RMS	892.4	-63.59	-13	50.59	Pass	1411
1000	3000	1	RMS	2871	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8949	-58.74	-13	45.74	Pass	7001




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.18	-71.03	-13	58.03	Pass	2986
30	814	0.1	RMS	813.8	-52.5	-13	39.5	Pass	7841
814	859	0.1	RMS	831	-1.02	60	61.02	Pass	451
859	1000	0.1	RMS	900	-63.64	-13	50.64	Pass	1411
1000	3000	1	RMS	2866	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	8923	-58.68	-13	45.68	Pass	7001




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	813.8	-63.43	-13	50.43	Pass	7841
814	859	0.1	RMS	829.5	16.78	60	43.22	Pass	451
859	1000	0.1	RMS	879.6	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2883	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	8928	-58.66	-13	45.66	Pass	7001




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.19	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	813.9	-63.66	-13	50.66	Pass	7841
814	859	0.1	RMS	843.5	17.06	60	42.94	Pass	451
859	1000	0.1	RMS	887.2	-63.66	-13	50.66	Pass	1411
1000	3000	1	RMS	2884	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	8917	-58.71	-13	45.71	Pass	7001




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.18	-70.24	-13	57.24	Pass	2986
30	814	0.1	RMS	814	-55.51	-13	42.51	Pass	7841
814	859	0.1	RMS	836.1	-0.79	60	60.79	Pass	451
859	1000	0.1	RMS	886.9	-63.5	-13	50.5	Pass	1411
1000	3000	1	RMS	2874	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	8932	-58.67	-13	45.67	Pass	7001




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-13	57.67	Pass	2986
30	814	0.1	RMS	735.3	-63.81	-13	50.81	Pass	7841
814	859	0.1	RMS	834.5	16.89	60	43.11	Pass	451
859	1000	0.1	RMS	895.4	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2869	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8902	-58.66	-13	45.66	Pass	7001




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.18	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	813.8	-63.89	-13	50.89	Pass	7841
814	859	0.1	RMS	848.5	17.04	60	42.96	Pass	451
859	1000	0.1	RMS	896.2	-63.52	-13	50.52	Pass	1411
1000	3000	1	RMS	2869	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	8945	-58.7	-13	45.7	Pass	7001




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.21	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	813.6	-45.42	-13	32.42	Pass	7841
814	859	0.1	RMS	833.6	-2.17	60	62.17	Pass	451
859	1000	0.1	RMS	893.7	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2870	-48.51	-13	35.51	Pass	2001
3000	10000	1	RMS	8921	-58.67	-13	45.67	Pass	7001




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	814	0.1	RMS	813.9	-61.04	-13	48.04	Pass	7841
814	859	0.1	RMS	824.5	16.59	60	43.41	Pass	451
859	1000	0.1	RMS	991.7	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2875	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	8917	-58.66	-13	45.66	Pass	7001




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	814	0.1	RMS	814	-57.12	-13	44.12	Pass	7841
814	859	0.1	RMS	843.4	16.62	60	43.38	Pass	451
859	1000	0.1	RMS	888.5	-63.58	-13	50.58	Pass	1411
1000	3000	1	RMS	2884	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	8897	-58.67	-13	45.67	Pass	7001




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.25	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	814	-48.08	-13	35.08	Pass	7841
814	859	0.1	RMS	833.6	-2.21	60	62.21	Pass	451
859	1000	0.1	RMS	979.8	-63.66	-13	50.66	Pass	1411
1000	3000	1	RMS	2884	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	8906	-58.68	-13	45.68	Pass	7001



5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	57.61	Pass	2986
30	814	0.1	RMS	813.8	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	827	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	900.9	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2873	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	8949	-58.66	-13	45.66	Pass	7001




5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.17	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	810.8	-60.71	-13	47.71	Pass	7841
814	859	0.1	RMS	845.9	16.62	60	43.38	Pass	451
859	1000	0.1	RMS	999.5	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2881	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	8943	-58.7	-13	45.7	Pass	7001




5.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	813.7	-49.91	-13	36.91	Pass	7841
814	859	0.1	RMS	836.1	-2.21	60	62.21	Pass	451
859	1000	0.1	RMS	894.6	-63.6	-13	50.6	Pass	1411
1000	3000	1	RMS	2869	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	8913	-58.64	-13	45.64	Pass	7001




5.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	814	0.1	RMS	810	-60.16	-13	47.16	Pass	7841
814	859	0.1	RMS	829.5	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	891.6	-63.51	-13	50.51	Pass	1411
1000	3000	1	RMS	2884	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	8935	-58.7	-13	45.7	Pass	7001



5.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	57.41	Pass	2986
30	814	0.1	RMS	810.7	-57.72	-13	44.72	Pass	7841
814	859	0.1	RMS	848.4	16.6	60	43.4	Pass	451
859	1000	0.1	RMS	902.5	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2871	-48.51	-13	35.51	Pass	2001
3000	10000	1	RMS	8910	-58.65	-13	45.65	Pass	7001




1. n7

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.58	-25	44.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	907.939	-63.78	-25	38.78	Pass	9701
1000	2495	1	RMS	2495	-34.39	-25	9.39	Pass	1496
2495	2575	1	RMS	2501.4	13.79	60	46.21	Pass	401
2575	3000	1	RMS	2867	-48.63	-25	23.63	Pass	426
3000	7000	1	RMS	5005	-59.24	-25	34.24	Pass	4001
7000	26000	1	RMS	25203	-45.91	-25	20.91	Pass	19003




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.08	-25	45.08	Pass	401
0.15	30	0.01	RMS	0.24	-70.98	-25	45.98	Pass	2986
30	1000	0.1	RMS	894.83	-63.63	-25	38.63	Pass	9701
1000	2495	1	RMS	2495	-46.55	-25	21.55	Pass	1496
2495	2575	1	RMS	2500.2	19.83	60	40.17	Pass	401
2575	3000	1	RMS	2869	-48.6	-25	23.6	Pass	426
3000	7000	1	RMS	5001	-55.06	-25	30.06	Pass	4001
7000	26000	1	RMS	25194	-46.01	-25	21.01	Pass	19003




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.59	-25	44.59	Pass	401
0.15	30	0.01	RMS	0.23	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	890.628	-63.74	-25	38.74	Pass	9701
1000	2495	1	RMS	2495	-45.59	-25	20.59	Pass	1496
2495	2575	1	RMS	2504.6	19.94	60	40.06	Pass	401
2575	3000	1	RMS	2867	-48.61	-25	23.61	Pass	426
3000	7000	1	RMS	5009	-55.16	-25	30.16	Pass	4001
7000	26000	1	RMS	25205	-46.13	-25	21.13	Pass	19003




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.2	-71.05	-25	46.05	Pass	2986
30	1000	0.1	RMS	900.034	-63.71	-25	38.71	Pass	9701
1000	2495	1	RMS	2495	-50.41	-25	25.41	Pass	1496
2495	2575	1	RMS	2533.8	13.61	60	46.39	Pass	401
2575	3000	1	RMS	2870	-48.57	-25	23.57	Pass	426
3000	7000	1	RMS	5070	-57.37	-25	32.37	Pass	4001
7000	26000	1	RMS	25194	-46.03	-25	21.03	Pass	19003




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-25	46.22	Pass	2986
30	1000	0.1	RMS	896.131	-63.7	-25	38.7	Pass	9701
1000	2495	1	RMS	2495	-50.47	-25	25.47	Pass	1496
2495	2575	1	RMS	2532.8	19.81	60	40.19	Pass	401
2575	3000	1	RMS	2870	-48.62	-25	23.62	Pass	426
3000	7000	1	RMS	5066	-53.1	-25	28.1	Pass	4001
7000	26000	1	RMS	25203	-46.12	-25	21.12	Pass	19003




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.41	-25	44.41	Pass	401
0.15	30	0.01	RMS	0.18	-71.25	-25	46.25	Pass	2986
30	1000	0.1	RMS	906.438	-63.66	-25	38.66	Pass	9701
1000	2495	1	RMS	2495	-50.43	-25	25.43	Pass	1496
2495	2575	1	RMS	2537	19.83	60	40.17	Pass	401
2575	3000	1	RMS	2869	-48.56	-25	23.56	Pass	426
3000	7000	1	RMS	5074	-52.6	-25	27.6	Pass	4001
7000	26000	1	RMS	25196	-46.08	-25	21.08	Pass	19003




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	862.809	-63.85	-25	38.85	Pass	9701
1000	2495	1	RMS	2492	-50.38	-25	25.38	Pass	1496
2495	2575	1	RMS	2566	13.63	60	46.37	Pass	401
2575	3000	1	RMS	2575	-36.15	-25	11.15	Pass	426
3000	7000	1	RMS	5135	-56.13	-25	31.13	Pass	4001
7000	26000	1	RMS	25200	-45.97	-25	20.97	Pass	19003




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.05	-25	44.05	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-25	45.63	Pass	2986
30	1000	0.1	RMS	993.095	-63.76	-25	38.76	Pass	9701
1000	2495	1	RMS	2492	-50.45	-25	25.45	Pass	1496
2495	2575	1	RMS	2565.2	19.73	60	40.27	Pass	401
2575	3000	1	RMS	2575	-47.33	-25	22.33	Pass	426
3000	7000	1	RMS	5131	-51.54	-25	26.54	Pass	4001
7000	26000	1	RMS	25202	-46.04	-25	21.04	Pass	19003




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-25	46.48	Pass	2986
30	1000	0.1	RMS	895.231	-63.61	-25	38.61	Pass	9701
1000	2495	1	RMS	2495	-50.44	-25	25.44	Pass	1496
2495	2575	1	RMS	2569.6	19.73	60	40.27	Pass	401
2575	3000	1	RMS	2575	-47.96	-25	22.96	Pass	426
3000	7000	1	RMS	5139	-51.74	-25	26.74	Pass	4001
7000	26000	1	RMS	25204	-46.08	-25	21.08	Pass	19003




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-25	45.91	Pass	2986
30	1000	0.1	RMS	884.824	-63.69	-25	38.69	Pass	9701
1000	2480	1	RMS	2480	-41.8	-25	16.8	Pass	1481
2480	2590	1	RMS	2504.75	7.66	60	52.34	Pass	401
2590	3000	1	RMS	2869	-48.57	-25	23.57	Pass	411
3000	7000	1	RMS	6931	-61.1	-25	36.1	Pass	4001
7000	26000	1	RMS	25202	-46.11	-25	21.11	Pass	19003




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-25	46.1	Pass	2986
30	1000	0.1	RMS	981.588	-63.76	-25	38.76	Pass	9701
1000	2480	1	RMS	2480	-50.49	-25	25.49	Pass	1481
2480	2590	1	RMS	2500.35	19.84	60	40.16	Pass	401
2590	3000	1	RMS	2874	-48.61	-25	23.61	Pass	411
3000	7000	1	RMS	5001	-54.26	-25	29.26	Pass	4001
7000	26000	1	RMS	25192	-46.02	-25	21.02	Pass	19003




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-25	46.21	Pass	2986
30	1000	0.1	RMS	903.036	-63.8	-25	38.8	Pass	9701
1000	2480	1	RMS	2480	-50.27	-25	25.27	Pass	1481
2480	2590	1	RMS	2519.325	20.03	60	39.97	Pass	401
2590	3000	1	RMS	2868	-48.58	-25	23.58	Pass	411
3000	7000	1	RMS	5039	-51.59	-25	26.59	Pass	4001
7000	26000	1	RMS	25195	-46.07	-25	21.07	Pass	19003




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-25	46.2	Pass	2986
30	1000	0.1	RMS	904.837	-63.74	-25	38.74	Pass	9701
1000	2480	1	RMS	2480	-49.47	-25	24.47	Pass	1481
2480	2590	1	RMS	2541.05	7.56	60	52.44	Pass	401
2590	3000	1	RMS	2869	-48.62	-25	23.62	Pass	411
3000	7000	1	RMS	6930	-61.12	-25	36.12	Pass	4001
7000	26000	1	RMS	25202	-46.14	-25	21.14	Pass	19003




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.35	-25	42.35	Pass	401
0.15	30	0.01	RMS	0.21	-71.49	-25	46.49	Pass	2986
30	1000	0.1	RMS	997.698	-63.81	-25	38.81	Pass	9701
1000	2480	1	RMS	2469	-50.66	-25	25.66	Pass	1481
2480	2590	1	RMS	2525.375	19.9	60	40.1	Pass	401
2590	3000	1	RMS	2869	-48.62	-25	23.62	Pass	411
3000	7000	1	RMS	5051	-51.76	-25	26.76	Pass	4001
7000	26000	1	RMS	25196	-46.05	-25	21.05	Pass	19003




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-25	45.94	Pass	2986
30	1000	0.1	RMS	874.817	-63.83	-25	38.83	Pass	9701
1000	2480	1	RMS	2477	-50.69	-25	25.69	Pass	1481
2480	2590	1	RMS	2544.35	19.85	60	40.15	Pass	401
2590	3000	1	RMS	2869	-48.61	-25	23.61	Pass	411
3000	7000	1	RMS	5089	-52.06	-25	27.06	Pass	4001
7000	26000	1	RMS	25195	-46.08	-25	21.08	Pass	19003




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-25	45.54	Pass	2986
30	1000	0.1	RMS	886.325	-63.78	-25	38.78	Pass	9701
1000	2480	1	RMS	2476	-50.64	-25	25.64	Pass	1481
2480	2590	1	RMS	2551.5	7.65	60	52.35	Pass	401
2590	3000	1	RMS	2590	-41.59	-25	16.59	Pass	411
3000	7000	1	RMS	5120	-60.42	-25	35.42	Pass	4001
7000	26000	1	RMS	25203	-45.94	-25	20.94	Pass	19003




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-25	46.37	Pass	2986
30	1000	0.1	RMS	998.699	-63.85	-25	38.85	Pass	9701
1000	2480	1	RMS	2450	-50.72	-25	25.72	Pass	1481
2480	2590	1	RMS	2550.4	19.82	60	40.18	Pass	401
2590	3000	1	RMS	2871	-48.61	-25	23.61	Pass	411
3000	7000	1	RMS	5101	-52.48	-25	27.48	Pass	4001
7000	26000	1	RMS	25200	-45.98	-25	20.98	Pass	19003




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.22	-71.06	-25	46.06	Pass	2986
30	1000	0.1	RMS	992.995	-63.75	-25	38.75	Pass	9701
1000	2480	1	RMS	2476	-50.66	-25	25.66	Pass	1481
2480	2590	1	RMS	2569.375	19.77	60	40.23	Pass	401
2590	3000	1	RMS	2868	-48.61	-25	23.61	Pass	411
3000	7000	1	RMS	5139	-51.15	-25	26.15	Pass	4001
7000	26000	1	RMS	25202	-46.08	-25	21.08	Pass	19003




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68	-25	43	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-25	46.31	Pass	2986
30	1000	0.1	RMS	890.928	-63.67	-25	38.67	Pass	9701
1000	2450	1	RMS	2447	-50.79	-25	25.79	Pass	1451
2450	2620	1	RMS	2503.55	4.07	60	55.93	Pass	401
2620	3000	1	RMS	2868.9	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	6921	-61.1	-25	36.1	Pass	4001
7000	26000	1	RMS	25199	-46.07	-25	21.07	Pass	19003




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-25	45.63	Pass	2986
30	1000	0.1	RMS	991.294	-63.69	-25	38.69	Pass	9701
1000	2450	1	RMS	2447	-50.8	-25	25.8	Pass	1451
2450	2620	1	RMS	2500.575	19.87	60	40.13	Pass	401
2620	3000	1	RMS	2869.85	-48.64	-25	23.64	Pass	401
3000	7000	1	RMS	5002	-55.54	-25	30.54	Pass	4001
7000	26000	1	RMS	25196	-46.03	-25	21.03	Pass	19003




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-25	46.07	Pass	2986
30	1000	0.1	RMS	886.325	-63.75	-25	38.75	Pass	9701
1000	2450	1	RMS	2449	-50.8	-25	25.8	Pass	1451
2450	2620	1	RMS	2549.025	19.74	60	40.26	Pass	401
2620	3000	1	RMS	2871.75	-48.6	-25	23.6	Pass	401
3000	7000	1	RMS	5098	-53.54	-25	28.54	Pass	4001
7000	26000	1	RMS	25199	-46.02	-25	21.02	Pass	19003




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-25	46.6	Pass	2986
30	1000	0.1	RMS	888.026	-63.81	-25	38.81	Pass	9701
1000	2450	1	RMS	2450	-50.77	-25	25.77	Pass	1451
2450	2620	1	RMS	2547.75	3.76	60	56.24	Pass	401
2620	3000	1	RMS	2868.9	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	6931	-61.09	-25	36.09	Pass	4001
7000	26000	1	RMS	25201	-46.11	-25	21.11	Pass	19003




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-25	45.79	Pass	2986
30	1000	0.1	RMS	881.922	-63.68	-25	38.68	Pass	9701
1000	2450	1	RMS	2449	-50.81	-25	25.81	Pass	1451
2450	2620	1	RMS	2510.775	19.41	60	40.59	Pass	401
2620	3000	1	RMS	2869.85	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	5022	-54.63	-25	29.63	Pass	4001
7000	26000	1	RMS	25203	-46.08	-25	21.08	Pass	19003




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-25	45.85	Pass	2986
30	1000	0.1	RMS	887.025	-63.83	-25	38.83	Pass	9701
1000	2450	1	RMS	2449	-50.78	-25	25.78	Pass	1451
2450	2620	1	RMS	2558.8	19.4	60	40.6	Pass	401
2620	3000	1	RMS	2868.9	-48.63	-25	23.63	Pass	401
3000	7000	1	RMS	5118	-52.31	-25	27.31	Pass	4001
7000	26000	1	RMS	25202	-46.03	-25	21.03	Pass	19003




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.17	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	885.824	-63.77	-25	38.77	Pass	9701
1000	2450	1	RMS	2450	-50.73	-25	25.73	Pass	1451
2450	2620	1	RMS	2550.725	3.79	60	56.21	Pass	401
2620	3000	1	RMS	2867	-48.63	-25	23.63	Pass	401
3000	7000	1	RMS	6921	-61.11	-25	36.11	Pass	4001
7000	26000	1	RMS	25204	-46.1	-25	21.1	Pass	19003




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	46.41	Pass	2986
30	1000	0.1	RMS	905.838	-63.74	-25	38.74	Pass	9701
1000	2450	1	RMS	2448	-50.8	-25	25.8	Pass	1451
2450	2620	1	RMS	2520.55	19.92	60	40.08	Pass	401
2620	3000	1	RMS	2868.9	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	5042	-52.84	-25	27.84	Pass	4001
7000	26000	1	RMS	25197	-46.05	-25	21.05	Pass	19003



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.18	-71.1	-25	46.1	Pass	2986
30	1000	0.1	RMS	889.026	-63.9	-25	38.9	Pass	9701
1000	2450	1	RMS	2450	-50.77	-25	25.77	Pass	1451
2450	2620	1	RMS	2569	19.72	60	40.28	Pass	401
2620	3000	1	RMS	2865.1	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	5138	-52.1	-25	27.1	Pass	4001
7000	26000	1	RMS	25195	-46.07	-25	21.07	Pass	19003




2. n38_PC3

2.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66	-25	41	Pass	401
0.15	30	0.01	RMS	0.22	-69.68	-25	44.68	Pass	2986
30	1000	0.1	RMS	928.853	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2560	-42.25	-25	17.25	Pass	1561
2560	2630	1	RMS	2576.275	10.97	60	49.03	Pass	401
2630	3000	1	RMS	2870.5	-48.52	-25	23.52	Pass	401
3000	7000	1	RMS	5151	-58.7	-25	33.7	Pass	4001
7000	26500	1	RMS	25189	-45.09	-25	20.09	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66.28	-25	41.28	Pass	401
0.15	30	0.01	RMS	0.27	-69.72	-25	44.72	Pass	2986
30	1000	0.1	RMS	721.3	-61.59	-25	36.59	Pass	9701
1000	2560	1	RMS	2560	-49.46	-25	24.46	Pass	1561
2560	2630	1	RMS	2570.85	19.99	60	40.01	Pass	401
2630	3000	1	RMS	2870.5	-48.57	-25	23.57	Pass	401
3000	7000	1	RMS	5142	-51.5	-25	26.5	Pass	4001
7000	26500	1	RMS	25862	-45.22	-25	20.22	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66.02	-25	41.02	Pass	401
0.15	30	0.01	RMS	0.36	-71.17	-25	46.17	Pass	2986
30	1000	0.1	RMS	778.3	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2560	-49.53	-25	24.53	Pass	1561
2560	2630	1	RMS	2579.075	19.9	60	40.1	Pass	401
2630	3000	1	RMS	2876.975	-48.58	-25	23.58	Pass	401
3000	7000	1	RMS	5158	-51.83	-25	26.83	Pass	4001
7000	26500	1	RMS	25116	-45.25	-25	20.25	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-65.99	-25	40.99	Pass	401
0.15	30	0.01	RMS	0.23	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	926.551	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2560	-49.79	-25	24.79	Pass	1561
2560	2630	1	RMS	2595.875	11.01	60	48.99	Pass	401
2630	3000	1	RMS	2867.725	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	5191	-57.9	-25	32.9	Pass	4001
7000	26500	1	RMS	25203	-45.05	-25	20.05	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66.26	-25	41.26	Pass	401
0.15	30	0.01	RMS	0.38	-69.74	-25	44.74	Pass	2986
30	1000	0.1	RMS	991.094	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2503	-50.12	-25	25.12	Pass	1561
2560	2630	1	RMS	2590.8	19.92	60	40.08	Pass	401
2630	3000	1	RMS	2874.2	-48.64	-25	23.64	Pass	401
3000	7000	1	RMS	5182	-51.16	-25	26.16	Pass	4001
7000	26500	1	RMS	25196	-45.21	-25	20.21	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.97	-25	39.97	Pass	401
0.15	30	0.01	RMS	0.39	-69.3	-25	44.3	Pass	2986
30	1000	0.1	RMS	888.926	-61.66	-25	36.66	Pass	9701
1000	2560	1	RMS	2509	-50.15	-25	25.15	Pass	1561
2560	2630	1	RMS	2599.2	20.02	60	39.98	Pass	401
2630	3000	1	RMS	2869.575	-48.56	-25	23.56	Pass	401
3000	7000	1	RMS	5198	-50.41	-25	25.41	Pass	4001
7000	26500	1	RMS	25543	-45.43	-25	20.43	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-65.55	-25	40.55	Pass	401
0.15	30	0.01	RMS	0.25	-69.18	-25	44.18	Pass	2986
30	1000	0.1	RMS	957.072	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2525	-50.22	-25	25.22	Pass	1561
2560	2630	1	RMS	2616.7	11.05	60	48.95	Pass	401
2630	3000	1	RMS	2630	-40.9	-25	15.9	Pass	401
3000	7000	1	RMS	5231	-58.57	-25	33.57	Pass	4001
7000	26500	1	RMS	25476	-45.4	-25	20.4	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-65.94	-25	40.94	Pass	401
0.15	30	0.01	RMS	0.24	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	723.5	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2509	-50.1	-25	25.1	Pass	1561
2560	2630	1	RMS	2610.925	20.02	60	39.98	Pass	401
2630	3000	1	RMS	2882.525	-48.59	-25	23.59	Pass	401
3000	7000	1	RMS	5222	-52.17	-25	27.17	Pass	4001
7000	26500	1	RMS	25199	-45.2	-25	20.2	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66.15	-25	41.15	Pass	401
0.15	30	0.01	RMS	0.31	-69.42	-25	44.42	Pass	2986
30	1000	0.1	RMS	842.6	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2529	-50.24	-25	25.24	Pass	1561
2560	2630	1	RMS	2619.15	19.9	60	40.1	Pass	401
2630	3000	1	RMS	2865.875	-48.57	-25	23.57	Pass	401
3000	7000	1	RMS	5238	-52.4	-25	27.4	Pass	4001
7000	26500	1	RMS	25813	-45.51	-25	20.51	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-65.5	-25	40.5	Pass	401
0.15	30	0.01	RMS	0.16	-69.3	-25	44.3	Pass	2986
30	1000	0.1	RMS	903.436	-61.04	-25	36.04	Pass	9701
1000	2550	1	RMS	2550	-44.14	-25	19.14	Pass	1551
2550	2640	1	RMS	2581.95	7.8	60	52.2	Pass	401
2640	3000	1	RMS	2871.3	-48.57	-25	23.57	Pass	401
3000	7000	1	RMS	5159	-60.14	-25	35.14	Pass	4001
7000	26500	1	RMS	25838	-45.13	-25	20.13	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-66.09	-25	41.09	Pass	401
0.15	30	0.01	RMS	0.19	-68.94	-25	43.94	Pass	2986
30	1000	0.1	RMS	915.144	-61.51	-25	36.51	Pass	9701
1000	2550	1	RMS	2503	-50.17	-25	25.17	Pass	1551
2550	2640	1	RMS	2570.925	19.92	60	40.08	Pass	401
2640	3000	1	RMS	2868.6	-48.54	-25	23.54	Pass	401
3000	7000	1	RMS	5142	-51.16	-25	26.16	Pass	4001
7000	26500	1	RMS	25169	-45.23	-25	20.23	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.77	-25	36.77	Pass	401
0.15	30	0.01	RMS	0.17	-69.15	-25	44.15	Pass	2986
30	1000	0.1	RMS	638.3	-61.25	-25	36.25	Pass	9701
1000	2550	1	RMS	2550	-50.13	-25	25.13	Pass	1551
2550	2640	1	RMS	2588.925	20.1	60	39.9	Pass	401
2640	3000	1	RMS	2872.2	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	5178	-50.44	-25	25.44	Pass	4001
7000	26500	1	RMS	25481	-45.58	-25	20.58	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.04	-25	38.04	Pass	401
0.15	30	0.01	RMS	0.23	-70.48	-25	45.48	Pass	2986
30	1000	0.1	RMS	930.954	-61.37	-25	36.37	Pass	9701
1000	2550	1	RMS	2548	-47.81	-25	22.81	Pass	1551
2550	2640	1	RMS	2595	7.87	60	52.13	Pass	401
2640	3000	1	RMS	2640	-47.5	-25	22.5	Pass	401
3000	7000	1	RMS	5190	-59.37	-25	34.37	Pass	4001
7000	26500	1	RMS	25175	-45.12	-25	20.12	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.83	-25	36.83	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	971.781	-61.3	-25	36.3	Pass	9701
1000	2550	1	RMS	2505	-50.17	-25	25.17	Pass	1551
2550	2640	1	RMS	2586	20.04	60	39.96	Pass	401
2640	3000	1	RMS	2871.3	-48.59	-25	23.59	Pass	401
3000	7000	1	RMS	5172	-50.64	-25	25.64	Pass	4001
7000	26500	1	RMS	25197	-45.33	-25	20.33	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.71	-25	35.71	Pass	401
0.15	30	0.01	RMS	0.2	-68.81	-25	43.81	Pass	2986
30	1000	0.1	RMS	737.3	-61.29	-25	36.29	Pass	9701
1000	2550	1	RMS	2495	-50.24	-25	25.24	Pass	1551
2550	2640	1	RMS	2604	20.05	60	39.95	Pass	401
2640	3000	1	RMS	2873.1	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	5208	-50.23	-25	25.23	Pass	4001
7000	26500	1	RMS	25473	-45.43	-25	20.43	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.23	-69.87	-25	44.87	Pass	2986
30	1000	0.1	RMS	797.7	-61.31	-25	36.31	Pass	9701
1000	2550	1	RMS	2550	-49.29	-25	24.29	Pass	1551
2550	2640	1	RMS	2607.375	7.9	60	52.1	Pass	401
2640	3000	1	RMS	2640	-41.15	-25	16.15	Pass	401
3000	7000	1	RMS	5217	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25184	-45.2	-25	20.2	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.48	-25	45.48	Pass	401
0.15	30	0.01	RMS	0.22	-69.68	-25	44.68	Pass	2986
30	1000	0.1	RMS	986.991	-61.41	-25	36.41	Pass	9701
1000	2550	1	RMS	2493	-50.21	-25	25.21	Pass	1551
2550	2640	1	RMS	2601.075	19.93	60	40.07	Pass	401
2640	3000	1	RMS	2875.8	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	5202	-50.12	-25	25.12	Pass	4001
7000	26500	1	RMS	25197	-44.74	-25	19.74	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.17	-69.92	-25	44.92	Pass	2986
30	1000	0.1	RMS	872.616	-61.57	-25	36.57	Pass	9701
1000	2550	1	RMS	2492	-50.23	-25	25.23	Pass	1551
2550	2640	1	RMS	2619.075	19.82	60	40.18	Pass	401
2640	3000	1	RMS	2875.8	-48.56	-25	23.56	Pass	401
3000	7000	1	RMS	5238	-52.35	-25	27.35	Pass	4001
7000	26500	1	RMS	25199	-45.02	-25	20.02	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-25	45.95	Pass	401
0.15	30	0.01	RMS	0.27	-69.73	-25	44.73	Pass	2986
30	1000	0.1	RMS	897.932	-61.44	-25	36.44	Pass	9701
1000	2530	1	RMS	2530	-44.06	-25	19.06	Pass	1531
2530	2660	1	RMS	2588.175	4.79	60	55.21	Pass	401
2660	3000	1	RMS	2660	-43.5	-25	18.5	Pass	401
3000	7000	1	RMS	6941	-60.71	-25	35.71	Pass	4001
7000	26500	1	RMS	25202	-45.01	-25	20.01	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.27	-69.4	-25	44.4	Pass	2986
30	1000	0.1	RMS	902.635	-61.5	-25	36.5	Pass	9701
1000	2530	1	RMS	2523	-50.13	-25	25.13	Pass	1531
2530	2660	1	RMS	2570.95	19.74	60	40.26	Pass	401
2660	3000	1	RMS	2869.1	-48.59	-25	23.59	Pass	401
3000	7000	1	RMS	5142	-51.09	-25	26.09	Pass	4001
7000	26500	1	RMS	25499	-45.35	-25	20.35	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.17	-69.77	-25	44.77	Pass	2986
30	1000	0.1	RMS	698	-61.81	-25	36.81	Pass	9701
1000	2530	1	RMS	2529	-49.78	-25	24.78	Pass	1531
2530	2660	1	RMS	2608.975	20	60	40	Pass	401
2660	3000	1	RMS	2867.4	-48.63	-25	23.63	Pass	401
3000	7000	1	RMS	5218	-51.85	-25	26.85	Pass	4001
7000	26500	1	RMS	25478	-45.32	-25	20.32	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.68	-25	42.68	Pass	401
0.15	30	0.01	RMS	0.26	-69.56	-25	44.56	Pass	2986
30	1000	0.1	RMS	859.207	-61.35	-25	36.35	Pass	9701
1000	2530	1	RMS	2530	-44.69	-25	19.69	Pass	1531
2530	2660	1	RMS	2593.375	4.78	60	55.22	Pass	401
2660	3000	1	RMS	2660	-42.29	-25	17.29	Pass	401
3000	7000	1	RMS	6944	-60.81	-25	35.81	Pass	4001
7000	26500	1	RMS	25827	-45.17	-25	20.17	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.24	-70.59	-25	45.59	Pass	2986
30	1000	0.1	RMS	940.661	-61.44	-25	36.44	Pass	9701
1000	2530	1	RMS	2519	-50.1	-25	25.1	Pass	1531
2530	2660	1	RMS	2576.15	19.82	60	40.18	Pass	401
2660	3000	1	RMS	2870.8	-48.56	-25	23.56	Pass	401
3000	7000	1	RMS	5152	-51.7	-25	26.7	Pass	4001
7000	26500	1	RMS	25185	-45.3	-25	20.3	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.25	-69.86	-25	44.86	Pass	2986
30	1000	0.1	RMS	871.515	-60.97	-25	35.97	Pass	9701
1000	2530	1	RMS	2528	-50.13	-25	25.13	Pass	1531
2530	2660	1	RMS	2613.85	20.07	60	39.93	Pass	401
2660	3000	1	RMS	2871.65	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	5228	-52.2	-25	27.2	Pass	4001
7000	26500	1	RMS	25819	-45.43	-25	20.43	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.21	-70.08	-25	45.08	Pass	2986
30	1000	0.1	RMS	907.939	-61.68	-25	36.68	Pass	9701
1000	2530	1	RMS	2530	-45.43	-25	20.43	Pass	1531
2530	2660	1	RMS	2602.475	4.93	60	55.07	Pass	401
2660	3000	1	RMS	2660	-41.2	-25	16.2	Pass	401
3000	7000	1	RMS	5199	-60.84	-25	35.84	Pass	4001
7000	26500	1	RMS	25508	-45.3	-25	20.3	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.21	-69.5	-25	44.5	Pass	2986
30	1000	0.1	RMS	966.878	-61.71	-25	36.71	Pass	9701
1000	2530	1	RMS	2504	-50.12	-25	25.12	Pass	1531
2530	2660	1	RMS	2581.025	19.93	60	40.07	Pass	401
2660	3000	1	RMS	2867.4	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	5162	-51.41	-25	26.41	Pass	4001
7000	26500	1	RMS	25491	-45.46	-25	20.46	Pass	19503



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.69	-25	41.69	Pass	401
0.15	30	0.01	RMS	0.37	-69.68	-25	44.68	Pass	2986
30	1000	0.1	RMS	998.499	-61.83	-25	36.83	Pass	9701
1000	2530	1	RMS	2521	-50.15	-25	25.15	Pass	1531
2530	2660	1	RMS	2619.05	19.76	60	40.24	Pass	401
2660	3000	1	RMS	2871.65	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	5238	-52.33	-25	27.33	Pass	4001
7000	26500	1	RMS	25204	-45.32	-25	20.32	Pass	19503




4. n41

4.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.45	-25	29.45	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-25	31.74	Pass	2986
30	1000	0.1	RMS	939.6	-60.85	-25	35.85	Pass	9701
1000	2486	1	RMS	2486	-42.07	-25	17.07	Pass	1487
2486	2700	1	RMS	2503.655	11.2	60	48.8	Pass	401
2700	3000	1	RMS	2998.5	-47.78	-25	22.78	Pass	401
3000	7000	1	RMS	5002	-59.76	-25	34.76	Pass	4001
7000	26500	1	RMS	25291	-46.01	-25	21.01	Pass	19501




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.91	-25	29.91	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-25	32.24	Pass	2986
30	1000	0.1	RMS	933.7	-60.95	-25	35.95	Pass	9701
1000	2486	1	RMS	2486	-47.73	-25	22.73	Pass	1487
2486	2700	1	RMS	2496.7	19.32	60	40.68	Pass	401
2700	3000	1	RMS	2998.5	-47.79	-25	22.79	Pass	401
3000	7000	1	RMS	4994	-52.1	-25	27.1	Pass	4001
7000	26500	1	RMS	25296	-45.81	-25	20.81	Pass	19501




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	28.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-25	31.81	Pass	2986
30	1000	0.1	RMS	902.3	-60.84	-25	35.84	Pass	9701
1000	2486	1	RMS	2486	-47.89	-25	22.89	Pass	1487
2486	2700	1	RMS	2505.26	19.33	60	40.67	Pass	401
2700	3000	1	RMS	3000	-47.74	-25	22.74	Pass	401
3000	7000	1	RMS	5010	-53.22	-25	28.22	Pass	4001
7000	26500	1	RMS	25295	-45.82	-25	20.82	Pass	19501




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-25	29.39	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-25	31.31	Pass	2986
30	1000	0.1	RMS	943.2	-60.76	-25	35.76	Pass	9701
1000	2486	1	RMS	2485	-48.22	-25	23.22	Pass	1487
2486	2700	1	RMS	2590.325	10.76	60	49.24	Pass	401
2700	3000	1	RMS	2789.25	-47.73	-25	22.73	Pass	401
3000	7000	1	RMS	5186	-59.3	-25	34.3	Pass	4001
7000	26500	1	RMS	25294	-45.8	-25	20.8	Pass	19501




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-25	29.79	Pass	401
0.15	30	0.01	RMS	0.16	-56.52	-25	31.52	Pass	2986
30	1000	0.1	RMS	920.7	-60.89	-25	35.89	Pass	9701
1000	2486	1	RMS	2481	-48.21	-25	23.21	Pass	1487
2486	2700	1	RMS	2588.72	19.26	60	40.74	Pass	401
2700	3000	1	RMS	2789.25	-47.77	-25	22.77	Pass	401
3000	7000	1	RMS	5178	-52.23	-25	27.23	Pass	4001
7000	26500	1	RMS	25295	-45.97	-25	20.97	Pass	19501




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-25	28.84	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-25	32.19	Pass	2986
30	1000	0.1	RMS	928.9	-60.81	-25	35.81	Pass	9701
1000	2486	1	RMS	2485	-48.34	-25	23.34	Pass	1487
2486	2700	1	RMS	2597.28	19.07	60	40.93	Pass	401
2700	3000	1	RMS	3000	-47.76	-25	22.76	Pass	401
3000	7000	1	RMS	5194	-52.55	-25	27.55	Pass	4001
7000	26500	1	RMS	25296	-45.91	-25	20.91	Pass	19501




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-25	29.06	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-25	30.83	Pass	2986
30	1000	0.1	RMS	925.5	-61.08	-25	36.08	Pass	9701
1000	2486	1	RMS	2486	-48.38	-25	23.38	Pass	1487
2486	2700	1	RMS	2681.81	10.75	60	49.25	Pass	401
2700	3000	1	RMS	2700	-41.86	-25	16.86	Pass	401
3000	7000	1	RMS	5370	-50.68	-25	25.68	Pass	4001
7000	26500	1	RMS	25299	-45.98	-25	20.98	Pass	19501




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-25	29.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-25	31.7	Pass	2986
30	1000	0.1	RMS	953.3	-60.97	-25	35.97	Pass	9701
1000	2486	1	RMS	2486	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2680.74	18.93	60	41.07	Pass	401
2700	3000	1	RMS	2700	-47.86	-25	22.86	Pass	401
3000	7000	1	RMS	5362	-43.6	-25	18.6	Pass	4001
7000	26500	1	RMS	25296	-46.04	-25	21.04	Pass	19501




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-25	29.23	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-25	31.14	Pass	2986
30	1000	0.1	RMS	912.2	-61.01	-25	36.01	Pass	9701
1000	2486	1	RMS	2483	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2689.3	18.73	60	41.27	Pass	401
2700	3000	1	RMS	2700	-47.8	-25	22.8	Pass	401
3000	7000	1	RMS	5378	-43.41	-25	18.41	Pass	4001
7000	26500	1	RMS	25293	-46.05	-25	21.05	Pass	19501




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-25	29.44	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-25	31.84	Pass	2986
30	1000	0.1	RMS	926.3	-60.88	-25	35.88	Pass	9701
1000	2436	1	RMS	2404	-48.48	-25	23.48	Pass	1437
2436	2750	1	RMS	2545.115	2.83	60	57.17	Pass	401
2750	3000	1	RMS	3000	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	6688	-65.57	-25	40.57	Pass	4001
7000	26500	1	RMS	25294	-45.98	-25	20.98	Pass	19501




**4.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.93	-25	29.93	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-25	32.02	Pass	2986
30	1000	0.1	RMS	928.7	-61.04	-25	36.04	Pass	9701
1000	2436	1	RMS	2419	-48.5	-25	23.5	Pass	1437
2436	2750	1	RMS	2497.23	18.69	60	41.31	Pass	401
2750	3000	1	RMS	2997.5	-47.89	-25	22.89	Pass	401
3000	7000	1	RMS	4994	-51.71	-25	26.71	Pass	4001
7000	26500	1	RMS	25299	-45.93	-25	20.93	Pass	19501




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-25	28.85	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-25	31.93	Pass	2986
30	1000	0.1	RMS	925.3	-60.85	-25	35.85	Pass	9701
1000	2436	1	RMS	2407	-48.55	-25	23.55	Pass	1437
2436	2750	1	RMS	2555.32	17.98	60	42.02	Pass	401
2750	3000	1	RMS	2790	-47.9	-25	22.9	Pass	401
3000	7000	1	RMS	5110	-52.69	-25	27.69	Pass	4001
7000	26500	1	RMS	25295	-45.95	-25	20.95	Pass	19501




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-25	28.88	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-25	31.63	Pass	2986
30	1000	0.1	RMS	933.7	-60.94	-25	35.94	Pass	9701
1000	2436	1	RMS	2405	-48.54	-25	23.54	Pass	1437
2436	2750	1	RMS	2570.235	2.96	60	57.04	Pass	401
2750	3000	1	RMS	2750	-47.85	-25	22.85	Pass	401
3000	7000	1	RMS	5186	-65.11	-25	40.11	Pass	4001
7000	26500	1	RMS	25301	-45.97	-25	20.97	Pass	19501




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-25	29.14	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-25	32.03	Pass	2986
30	1000	0.1	RMS	937.6	-61.1	-25	36.1	Pass	9701
1000	2436	1	RMS	2418	-48.56	-25	23.56	Pass	1437
2436	2750	1	RMS	2563.955	18.98	60	41.02	Pass	401
2750	3000	1	RMS	2788.125	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	5128	-53.15	-25	28.15	Pass	4001
7000	26500	1	RMS	25289	-45.92	-25	20.92	Pass	19501




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.87	-25	29.87	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-25	31.14	Pass	2986
30	1000	0.1	RMS	932	-61.05	-25	36.05	Pass	9701
1000	2436	1	RMS	2415	-48.52	-25	23.52	Pass	1437
2436	2750	1	RMS	2622.045	18.92	60	41.08	Pass	401
2750	3000	1	RMS	3000	-47.83	-25	22.83	Pass	401
3000	7000	1	RMS	5244	-51.93	-25	26.93	Pass	4001
7000	26500	1	RMS	25293	-45.94	-25	20.94	Pass	19501




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-25	28.38	Pass	401
0.15	30	0.01	RMS	0.17	-57.83	-25	32.83	Pass	2986
30	1000	0.1	RMS	935.7	-61.03	-25	36.03	Pass	9701
1000	2436	1	RMS	2406	-48.5	-25	23.5	Pass	1437
2436	2750	1	RMS	2633.035	2.99	60	57.01	Pass	401
2750	3000	1	RMS	2750	-42.83	-25	17.83	Pass	401
3000	7000	1	RMS	5327	-61.59	-25	36.59	Pass	4001
7000	26500	1	RMS	25298	-46.07	-25	21.07	Pass	19501




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	28.89	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-25	31.73	Pass	2986
30	1000	0.1	RMS	954.9	-61.07	-25	36.07	Pass	9701
1000	2436	1	RMS	2423	-48.54	-25	23.54	Pass	1437
2436	2750	1	RMS	2630.68	17.99	60	42.01	Pass	401
2750	3000	1	RMS	2998.75	-47.85	-25	22.85	Pass	401
3000	7000	1	RMS	5262	-53.84	-25	28.84	Pass	4001
7000	26500	1	RMS	25298	-46.03	-25	21.03	Pass	19501




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-25	29.35	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-25	31.57	Pass	2986
30	1000	0.1	RMS	942.1	-60.99	-25	35.99	Pass	9701
1000	2436	1	RMS	2409	-48.49	-25	23.49	Pass	1437
2436	2750	1	RMS	2688.77	18.56	60	41.44	Pass	401
2750	3000	1	RMS	2998.75	-47.85	-25	22.85	Pass	401
3000	7000	1	RMS	5378	-43.23	-25	18.23	Pass	4001
7000	26500	1	RMS	25297	-46.09	-25	21.09	Pass	19501




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-25	28.78	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-25	32.26	Pass	2986
30	1000	0.1	RMS	909.9	-61.1	-25	36.1	Pass	9701
1000	2396	1	RMS	2384	-48.54	-25	23.54	Pass	1397
2396	2790	1	RMS	2541.78	0.67	60	59.33	Pass	401
2790	3000	1	RMS	2999.475	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	6689	-65.51	-25	40.51	Pass	4001
7000	26500	1	RMS	25298	-46.06	-25	21.06	Pass	19501




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.67	-25	29.67	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-25	31.9	Pass	2986
30	1000	0.1	RMS	933.3	-60.81	-25	35.81	Pass	9701
1000	2396	1	RMS	2386	-48.4	-25	23.4	Pass	1397
2396	2790	1	RMS	2497.455	17.64	60	42.36	Pass	401
2790	3000	1	RMS	3000	-47.75	-25	22.75	Pass	401
3000	7000	1	RMS	4994	-51.61	-25	26.61	Pass	4001
7000	26500	1	RMS	25295	-46	-25	21	Pass	19501




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	28.55	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-25	31.58	Pass	2986
30	1000	0.1	RMS	924.4	-60.96	-25	35.96	Pass	9701
1000	2396	1	RMS	2391	-48.44	-25	23.44	Pass	1397
2396	2790	1	RMS	2594.97	18.93	60	41.07	Pass	401
2790	3000	1	RMS	2997.375	-47.75	-25	22.75	Pass	401
3000	7000	1	RMS	5190	-52.03	-25	27.03	Pass	4001
7000	26500	1	RMS	25294	-45.94	-25	20.94	Pass	19501




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.63	-25	29.63	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-25	32.21	Pass	2986
30	1000	0.1	RMS	960.6	-60.97	-25	35.97	Pass	9701
1000	2396	1	RMS	2381	-48.45	-25	23.45	Pass	1397
2396	2790	1	RMS	2546.705	1.05	60	58.95	Pass	401
2790	3000	1	RMS	2998.425	-47.72	-25	22.72	Pass	401
3000	7000	1	RMS	6689	-65.54	-25	40.54	Pass	4001
7000	26500	1	RMS	25297	-46.02	-25	21.02	Pass	19501




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-25	30.14	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-25	32.09	Pass	2986
30	1000	0.1	RMS	934.1	-60.93	-25	35.93	Pass	9701
1000	2396	1	RMS	2387	-48.44	-25	23.44	Pass	1397
2396	2790	1	RMS	2543.75	18.46	60	41.54	Pass	401
2790	3000	1	RMS	2790	-47.75	-25	22.75	Pass	401
3000	7000	1	RMS	5088	-52.94	-25	27.94	Pass	4001
7000	26500	1	RMS	25298	-46.03	-25	21.03	Pass	19501




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	28.55	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-25	32.11	Pass	2986
30	1000	0.1	RMS	939.7	-60.88	-25	35.88	Pass	9701
1000	2396	1	RMS	2395	-48.42	-25	23.42	Pass	1397
2396	2790	1	RMS	2642.25	17.9	60	42.1	Pass	401
2790	3000	1	RMS	3000	-47.7	-25	22.7	Pass	401
3000	7000	1	RMS	5284	-51.32	-25	26.32	Pass	4001
7000	26500	1	RMS	25295	-46.06	-25	21.06	Pass	19501




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-25	29.09	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-25	31.65	Pass	2986
30	1000	0.1	RMS	951.4	-60.83	-25	35.83	Pass	9701
1000	2396	1	RMS	2385	-48.45	-25	23.45	Pass	1397
2396	2790	1	RMS	2603.835	0.92	60	59.08	Pass	401
2790	3000	1	RMS	2790	-47.75	-25	22.75	Pass	401
3000	7000	1	RMS	5320	-64.23	-25	39.23	Pass	4001
7000	26500	1	RMS	25295	-46.04	-25	21.04	Pass	19501




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-25	28.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-25	31.5	Pass	2986
30	1000	0.1	RMS	925.3	-60.89	-25	35.89	Pass	9701
1000	2396	1	RMS	2396	-48.42	-25	23.42	Pass	1397
2396	2790	1	RMS	2591.03	18.99	60	41.01	Pass	401
2790	3000	1	RMS	3000	-47.71	-25	22.71	Pass	401
3000	7000	1	RMS	5182	-51.44	-25	26.44	Pass	4001
7000	26500	1	RMS	25301	-46.01	-25	21.01	Pass	19501



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-25	28.09	Pass	401
0.15	30	0.01	RMS	0.15	-57.16	-25	32.16	Pass	2986
30	1000	0.1	RMS	927.1	-60.89	-25	35.89	Pass	9701
1000	2396	1	RMS	2382	-48.44	-25	23.44	Pass	1397
2396	2790	1	RMS	2688.545	17.51	60	42.49	Pass	401
2790	3000	1	RMS	3000	-47.74	-25	22.74	Pass	401
3000	7000	1	RMS	5378	-43.1	-25	18.1	Pass	4001
7000	26500	1	RMS	25314	-46.08	-25	21.08	Pass	19501




1. n66 15kHz

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	43.79	Pass	2986
30	1000	0.1	RMS	938	-61.03	-13	48.03	Pass	9701
1000	1700	1	RMS	1700	-48.81	-13	35.81	Pass	701
1700	1790	1	RMS	1711.475	12.71	60	47.29	Pass	401
1790	3000	1	RMS	2643	-47.5	-13	34.5	Pass	1211
3000	7000	1	RMS	3425	-61.9	-13	48.9	Pass	4001
7000	20000	1	RMS	19958	-50.76	-13	37.76	Pass	13001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	43.9	Pass	2986
30	1000	0.1	RMS	916.4	-60.97	-13	47.97	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	38.04	Pass	701
1700	1790	1	RMS	1710.35	19.66	60	40.34	Pass	401
1790	3000	1	RMS	2647	-47.51	-13	34.51	Pass	1211
3000	7000	1	RMS	3421	-56.83	-13	43.83	Pass	4001
7000	20000	1	RMS	19930	-50.73	-13	37.73	Pass	13001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-13	41.14	Pass	401
0.15	30	0.01	RMS	0.16	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	904.7	-60.97	-13	47.97	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	38.13	Pass	701
1700	1790	1	RMS	1714.625	19.63	60	40.37	Pass	401
1790	3000	1	RMS	2649	-47.44	-13	34.44	Pass	1211
3000	7000	1	RMS	3429	-55.9	-13	42.9	Pass	4001
7000	20000	1	RMS	19919	-50.75	-13	37.75	Pass	13001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.26	-13	42.26	Pass	401
0.15	30	0.01	RMS	0.16	-56.56	-13	43.56	Pass	2986
30	1000	0.1	RMS	945.4	-61.05	-13	48.05	Pass	9701
1000	1700	1	RMS	1699	-51.22	-13	38.22	Pass	701
1700	1790	1	RMS	1743.875	12.76	60	47.24	Pass	401
1790	3000	1	RMS	2642	-47.43	-13	34.43	Pass	1211
3000	7000	1	RMS	3490	-63.79	-13	50.79	Pass	4001
7000	20000	1	RMS	19959	-50.77	-13	37.77	Pass	13001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	41.85	Pass	401
0.15	30	0.01	RMS	0.16	-57.53	-13	44.53	Pass	2986
30	1000	0.1	RMS	928.2	-61.08	-13	48.08	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	38.2	Pass	701
1700	1790	1	RMS	1742.75	19.62	60	40.38	Pass	401
1790	3000	1	RMS	2644	-47.48	-13	34.48	Pass	1211
3000	7000	1	RMS	3486	-58.55	-13	45.55	Pass	4001
7000	20000	1	RMS	19905	-50.7	-13	37.7	Pass	13001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-13	43.27	Pass	2986
30	1000	0.1	RMS	947.8	-60.98	-13	47.98	Pass	9701
1000	1700	1	RMS	1603	-51.19	-13	38.19	Pass	701
1700	1790	1	RMS	1747.25	19.49	60	40.51	Pass	401
1790	3000	1	RMS	2646	-47.49	-13	34.49	Pass	1211
3000	7000	1	RMS	3494	-57.71	-13	44.71	Pass	4001
7000	20000	1	RMS	19911	-50.42	-13	37.42	Pass	13001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	41.32	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	42.46	Pass	2986
30	1000	0.1	RMS	958.6	-60.73	-13	47.73	Pass	9701
1000	1700	1	RMS	1646	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1776.275	12.76	60	47.24	Pass	401
1790	3000	1	RMS	2640	-47.42	-13	34.42	Pass	1211
3000	7000	1	RMS	3555	-61.41	-13	48.41	Pass	4001
7000	20000	1	RMS	19928	-50.37	-13	37.37	Pass	13001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	40.59	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	42.95	Pass	2986
30	1000	0.1	RMS	917.1	-60.95	-13	47.95	Pass	9701
1000	1700	1	RMS	1624	-51.16	-13	38.16	Pass	701
1700	1790	1	RMS	1775.375	19.62	60	40.38	Pass	401
1790	3000	1	RMS	2640	-47.41	-13	34.41	Pass	1211
3000	7000	1	RMS	3551	-56.06	-13	43.06	Pass	4001
7000	20000	1	RMS	19936	-50.35	-13	37.35	Pass	13001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.93	-13	41.93	Pass	401
0.15	30	0.01	RMS	0.16	-57.17	-13	44.17	Pass	2986
30	1000	0.1	RMS	935.3	-60.99	-13	47.99	Pass	9701
1000	1700	1	RMS	1638	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1779.65	19.69	60	40.31	Pass	401
1790	3000	1	RMS	2646	-47.42	-13	34.42	Pass	1211
3000	7000	1	RMS	3559	-55.92	-13	42.92	Pass	4001
7000	20000	1	RMS	19929	-50.41	-13	37.41	Pass	13001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	43.95	Pass	2986
30	1000	0.1	RMS	941.5	-60.89	-13	47.89	Pass	9701
1000	1700	1	RMS	1700	-38.03	-13	25.03	Pass	701
1700	1790	1	RMS	1728.575	7.14	60	52.86	Pass	401
1790	3000	1	RMS	2646	-47.39	-13	34.39	Pass	1211
3000	7000	1	RMS	6688	-65.48	-13	52.48	Pass	4001
7000	20000	1	RMS	19943	-50.34	-13	37.34	Pass	13001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	41.98	Pass	401
0.15	30	0.01	RMS	0.16	-56.92	-13	43.92	Pass	2986
30	1000	0.1	RMS	918.1	-60.76	-13	47.76	Pass	9701
1000	1700	1	RMS	1700	-49.8	-13	36.8	Pass	701
1700	1790	1	RMS	1710.575	19.65	60	40.35	Pass	401
1790	3000	1	RMS	2646	-47.38	-13	34.38	Pass	1211
3000	7000	1	RMS	3421	-55.69	-13	42.69	Pass	4001
7000	20000	1	RMS	19920	-50.42	-13	37.42	Pass	13001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	41.05	Pass	401
0.15	30	0.01	RMS	0.16	-56.94	-13	43.94	Pass	2986
30	1000	0.1	RMS	938.1	-60.91	-13	47.91	Pass	9701
1000	1700	1	RMS	1700	-45.4	-13	32.4	Pass	701
1700	1790	1	RMS	1729.475	19.69	60	40.31	Pass	401
1790	3000	1	RMS	2646	-47.41	-13	34.41	Pass	1211
3000	7000	1	RMS	3459	-57.71	-13	44.71	Pass	4001
7000	20000	1	RMS	19947	-50.37	-13	37.37	Pass	13001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.26	-13	41.26	Pass	401
0.15	30	0.01	RMS	0.16	-56.52	-13	43.52	Pass	2986
30	1000	0.1	RMS	906.1	-60.87	-13	47.87	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	37.58	Pass	701
1700	1790	1	RMS	1741.85	6.72	60	53.28	Pass	401
1790	3000	1	RMS	2643	-47.39	-13	34.39	Pass	1211
3000	7000	1	RMS	6690	-65.4	-13	52.4	Pass	4001
7000	20000	1	RMS	19929	-50.38	-13	37.38	Pass	13001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	40.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	43.55	Pass	2986
30	1000	0.1	RMS	965.4	-60.91	-13	47.91	Pass	9701
1000	1700	1	RMS	1616	-51.11	-13	38.11	Pass	701
1700	1790	1	RMS	1735.55	19.66	60	40.34	Pass	401
1790	3000	1	RMS	2650	-47.4	-13	34.4	Pass	1211
3000	7000	1	RMS	3471	-57.47	-13	44.47	Pass	4001
7000	20000	1	RMS	19895	-50.39	-13	37.39	Pass	13001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.45	-13	41.45	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	43.45	Pass	2986
30	1000	0.1	RMS	952.1	-60.93	-13	47.93	Pass	9701
1000	1700	1	RMS	1697	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1754.45	19.68	60	40.32	Pass	401
1790	3000	1	RMS	2639	-47.41	-13	34.41	Pass	1211
3000	7000	1	RMS	3509	-55.45	-13	42.45	Pass	4001
7000	20000	1	RMS	19905	-50.4	-13	37.4	Pass	13001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-13	43.69	Pass	2986
30	1000	0.1	RMS	937.5	-60.86	-13	47.86	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	38.13	Pass	701
1700	1790	1	RMS	1767.275	6.57	60	53.43	Pass	401
1790	3000	1	RMS	1790	-36.88	-13	23.88	Pass	1211
3000	7000	1	RMS	6690	-65.39	-13	52.39	Pass	4001
7000	20000	1	RMS	19916	-50.31	-13	37.31	Pass	13001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	42.13	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	2986
30	1000	0.1	RMS	936.2	-60.87	-13	47.87	Pass	9701
1000	1700	1	RMS	1627	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1760.525	19.68	60	40.32	Pass	401
1790	3000	1	RMS	1790	-43.79	-13	30.79	Pass	1211
3000	7000	1	RMS	3521	-55.77	-13	42.77	Pass	4001
7000	20000	1	RMS	19926	-50.39	-13	37.39	Pass	13001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	2986
30	1000	0.1	RMS	927.2	-60.88	-13	47.88	Pass	9701
1000	1700	1	RMS	1630	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1779.425	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2641	-47.39	-13	34.39	Pass	1211
3000	7000	1	RMS	3559	-55.39	-13	42.39	Pass	4001
7000	20000	1	RMS	19949	-50.4	-13	37.4	Pass	13001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	44.15	Pass	2986
30	1000	0.1	RMS	906.9	-60.9	-13	47.9	Pass	9701
1000	1700	1	RMS	1700	-39.96	-13	26.96	Pass	701
1700	1790	1	RMS	1739.15	4.17	60	55.83	Pass	401
1790	3000	1	RMS	1790	-43.97	-13	30.97	Pass	1211
3000	7000	1	RMS	6688	-65.42	-13	52.42	Pass	4001
7000	20000	1	RMS	19941	-50.32	-13	37.32	Pass	13001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	946.8	-60.69	-13	47.69	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	36.92	Pass	701
1700	1790	1	RMS	1710.575	19.74	60	40.26	Pass	401
1790	3000	1	RMS	2648	-47.34	-13	34.34	Pass	1211
3000	7000	1	RMS	3421	-56	-13	43	Pass	4001
7000	20000	1	RMS	19925	-50.37	-13	37.37	Pass	13001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	42.67	Pass	2986
30	1000	0.1	RMS	912.1	-60.9	-13	47.9	Pass	9701
1000	1700	1	RMS	1700	-50.39	-13	37.39	Pass	701
1700	1790	1	RMS	1749.275	19.74	60	40.26	Pass	401
1790	3000	1	RMS	2645	-47.44	-13	34.44	Pass	1211
3000	7000	1	RMS	3499	-57.07	-13	44.07	Pass	4001
7000	20000	1	RMS	19931	-50.39	-13	37.39	Pass	13001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	2986
30	1000	0.1	RMS	933.5	-60.86	-13	47.86	Pass	9701
1000	1700	1	RMS	1700	-45.62	-13	32.62	Pass	701
1700	1790	1	RMS	1741.625	3.85	60	56.15	Pass	401
1790	3000	1	RMS	1790	-39.93	-13	26.93	Pass	1211
3000	7000	1	RMS	6690	-65.46	-13	52.46	Pass	4001
7000	20000	1	RMS	19901	-50.37	-13	37.37	Pass	13001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.87	-13	41.87	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	43.93	Pass	2986
30	1000	0.1	RMS	920	-60.97	-13	47.97	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	37.73	Pass	701
1700	1790	1	RMS	1725.65	19.82	60	40.18	Pass	401
1790	3000	1	RMS	2644	-47.4	-13	34.4	Pass	1211
3000	7000	1	RMS	3451	-57.15	-13	44.15	Pass	4001
7000	20000	1	RMS	19923	-50.34	-13	37.34	Pass	13001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	39.88	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	43.55	Pass	2986
30	1000	0.1	RMS	914.5	-60.9	-13	47.9	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	37.82	Pass	701
1700	1790	1	RMS	1764.35	19.67	60	40.33	Pass	401
1790	3000	1	RMS	2638	-47.4	-13	34.4	Pass	1211
3000	7000	1	RMS	3529	-57.26	-13	44.26	Pass	4001
7000	20000	1	RMS	19886	-50.39	-13	37.39	Pass	13001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	40.09	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	43.23	Pass	2986
30	1000	0.1	RMS	919.9	-60.95	-13	47.95	Pass	9701
1000	1700	1	RMS	1700	-48.59	-13	35.59	Pass	701
1700	1790	1	RMS	1742.525	3.79	60	56.21	Pass	401
1790	3000	1	RMS	1790	-36.95	-13	23.95	Pass	1211
3000	7000	1	RMS	6686	-65.4	-13	52.4	Pass	4001
7000	20000	1	RMS	19923	-50.35	-13	37.35	Pass	13001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.16	-57.67	-13	44.67	Pass	2986
30	1000	0.1	RMS	944.5	-60.88	-13	47.88	Pass	9701
1000	1700	1	RMS	1620	-51.13	-13	38.13	Pass	701
1700	1790	1	RMS	1740.725	19.69	60	40.31	Pass	401
1790	3000	1	RMS	2647	-47.4	-13	34.4	Pass	1211
3000	7000	1	RMS	3481	-58.08	-13	45.08	Pass	4001
7000	20000	1	RMS	19897	-50.35	-13	37.35	Pass	13001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.06	-13	42.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	43.99	Pass	2986
30	1000	0.1	RMS	913.4	-60.9	-13	47.9	Pass	9701
1000	1700	1	RMS	1700	-50.42	-13	37.42	Pass	701
1700	1790	1	RMS	1779.425	19.74	60	40.26	Pass	401
1790	3000	1	RMS	2642	-47.41	-13	34.41	Pass	1211
3000	7000	1	RMS	3559	-55.85	-13	42.85	Pass	4001
7000	20000	1	RMS	19936	-50.38	-13	37.38	Pass	13001



--BLANK BELOW--