



U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.23	1.93	74.0	18.77	Peak	199.00	200	Horizontal	Pass
1**	5350.055	45.52	1.93	54.0	8.48	AV	199.00	200	Horizontal	Pass
2	5427.385	57.44	2.54	74.0	16.56	Peak	175.00	150	Horizontal	Pass
2**	5427.385	46.03	2.54	54.0	7.97	AV	175.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	57.54	2.27	74.0	16.46	Peak	219.00	100	Horizontal	Pass
1**	5145.450	45.94	2.27	54.0	8.06	AV	219.00	100	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	131.00	100	Horizontal	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	131.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.89	1.93	74.0	18.11	Peak	156.00	100	Horizontal	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	156.00	100	Horizontal	Pass
2	5453.950	57.65	2.21	74.0	16.35	Peak	177.00	200	Horizontal	Pass
2**	5453.950	45.49	2.21	54.0	8.51	AV	177.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.100	57.27	2.04	74.0	16.73	Peak	200.00	200	Horizontal	Pass
1**	5107.100	45.64	2.04	54.0	8.36	AV	200.00	200	Horizontal	Pass
2	5149.675	54.82	2.07	74.0	19.18	Peak	0.00	200	Horizontal	Pass
2**	5149.675	45.66	2.07	54.0	8.34	AV	0.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.87	1.93	74.0	19.13	Peak	217.00	100	Horizontal	Pass
1**	5350.055	45.52	1.93	54.0	8.48	AV	217.00	100	Horizontal	Pass
2	5427.055	57.47	2.51	74.0	16.53	Peak	140.00	150	Horizontal	Pass
2**	5427.055	46.10	2.51	54.0	7.90	AV	140.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	57.87	2.18	74.0	16.13	Peak	93.00	150	Horizontal	Pass
1**	5131.475	45.79	2.18	54.0	8.21	AV	93.00	150	Horizontal	Pass
2	5149.675	55.32	2.07	74.0	18.68	Peak	172.00	100	Horizontal	Pass
2**	5149.675	46.00	2.07	54.0	8.00	AV	172.00	100	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.17	1.93	74.0	17.83	Peak	205.00	150	Horizontal	Pass
1**	5350.055	46.08	1.93	54.0	7.92	AV	205.00	150	Horizontal	Pass
2	5351.980	61.76	2.03	74.0	12.24	Peak	194.00	150	Horizontal	Pass
2**	5351.980	45.85	2.03	54.0	8.15	AV	194.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.950	57.66	2.28	74.0	16.34	Peak	81.00	200	Horizontal	Pass
1**	5073.950	45.86	2.28	54.0	8.14	AV	81.00	200	Horizontal	Pass
2	5149.675	56.08	2.07	74.0	17.92	Peak	63.00	100	Horizontal	Pass
2**	5149.675	46.05	2.07	54.0	7.95	AV	63.00	100	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.90	1.93	74.0	19.10	Peak	298.00	150	Horizontal	Pass
1**	5350.000	45.69	1.93	54.0	8.31	AV	298.00	150	Horizontal	Pass
2	5456.700	57.65	2.48	74.0	16.35	Peak	264.00	100	Horizontal	Pass
2**	5456.700	45.66	2.48	54.0	8.34	AV	264.00	100	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.925	57.63	2.36	74.0	16.37	Peak	161.00	150	Horizontal	Pass
1**	5087.925	46.16	2.36	54.0	7.84	AV	161.00	150	Horizontal	Pass
2	5149.675	56.11	2.07	74.0	17.89	Peak	199.00	150	Horizontal	Pass
2**	5149.675	45.95	2.07	54.0	8.05	AV	199.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.72	1.93	74.0	18.28	Peak	178.00	200	Horizontal	Pass
1**	5350.055	46.25	1.93	54.0	7.75	AV	178.00	200	Horizontal	Pass
2	5385.420	57.78	2.25	74.0	16.22	Peak	203.00	200	Horizontal	Pass
2**	5385.420	45.63	2.25	54.0	8.37	AV	203.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	57.25	2.41	74.0	16.75	Peak	186.00	200	Horizontal	Pass
1**	5137.000	46.27	2.41	54.0	7.73	AV	186.00	200	Horizontal	Pass
2	5149.675	55.98	2.07	74.0	18.02	Peak	218.00	200	Horizontal	Pass
2**	5149.675	45.97	2.07	54.0	8.03	AV	218.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.86	1.93	74.0	18.14	Peak	130.00	200	Horizontal	Pass
1**	5350.055	45.90	1.93	54.0	8.10	AV	130.00	200	Horizontal	Pass
2	5422.820	57.98	2.45	74.0	16.02	Peak	208.00	150	Horizontal	Pass
2**	5422.820	45.98	2.45	54.0	8.02	AV	208.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.725	57.27	2.17	74.0	16.73	Peak	91.00	200	Horizontal	Pass
1**	5121.725	46.12	2.17	54.0	7.88	AV	91.00	200	Horizontal	Pass
2	5149.675	55.56	2.07	74.0	18.44	Peak	143.00	100	Horizontal	Pass
2**	5149.675	45.99	2.07	54.0	8.01	AV	143.00	100	Horizontal	Pass


U-NII-2A 11ac40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.67	1.93	74.0	18.33	Peak	150.00	150	Horizontal	Pass
1**	5350.000	46.21	1.93	54.0	7.79	AV	150.00	150	Horizontal	Pass
2	5420.345	57.30	2.44	74.0	16.70	Peak	180.00	150	Horizontal	Pass
2**	5420.345	45.92	2.44	54.0	8.08	AV	180.00	150	Horizontal	Pass


U-NII-2A 11ac80 CH58

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.300	57.31	2.21	74.0	16.69	Peak	197.00	100	Horizontal	Pass
1**	5073.300	45.69	2.21	54.0	8.31	AV	197.00	100	Horizontal	Pass
2	5149.675	55.56	2.07	74.0	18.44	Peak	235.00	100	Horizontal	Pass
2**	5149.675	45.39	2.07	54.0	8.61	AV	235.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	1.93	74.0	18.27	Peak	104.00	200	Horizontal	Pass
1**	5350.000	47.16	1.93	54.0	6.84	AV	104.00	200	Horizontal	Pass
2	5411.050	57.50	1.99	74.0	16.50	Peak	85.00	100	Horizontal	Pass
2**	5411.050	45.66	1.99	54.0	8.34	AV	85.00	100	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5032.025	57.07	2.20	74.0	16.93	Peak	99.00	100	Horizontal	Pass
1**	5032.025	45.55	2.20	54.0	8.45	AV	99.00	100	Horizontal	Pass
2	5149.675	55.12	2.07	74.0	18.88	Peak	313.00	200	Horizontal	Pass
2**	5149.675	46.58	2.07	54.0	7.42	AV	313.00	200	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.56	1.93	74.0	17.44	Peak	88.00	150	Horizontal	Pass
1**	5350.000	46.04	1.93	54.0	7.96	AV	88.00	150	Horizontal	Pass
2	5387.730	57.69	2.19	74.0	16.31	Peak	95.00	200	Horizontal	Pass
2**	5387.730	46.77	2.19	54.0	7.23	AV	95.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.225	57.74	2.23	74.0	16.26	Peak	177.00	100	Horizontal	Pass
1**	5076.225	46.42	2.23	54.0	7.58	AV	177.00	100	Horizontal	Pass
2	5149.675	55.07	2.07	74.0	18.93	Peak	236.00	150	Horizontal	Pass
2**	5149.675	45.73	2.07	54.0	8.27	AV	236.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.70	1.93	74.0	17.30	Peak	168.00	150	Horizontal	Pass
1**	5350.055	46.27	1.93	54.0	7.73	AV	168.00	150	Horizontal	Pass
2	5431.895	57.73	2.25	74.0	16.27	Peak	95.00	200	Horizontal	Pass
2**	5431.895	45.64	2.25	54.0	8.36	AV	95.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.000	57.51	2.23	74.0	16.49	Peak	92.00	200	Horizontal	Pass
1**	5085.000	46.62	2.23	54.0	7.38	AV	92.00	200	Horizontal	Pass
2	5149.675	55.19	2.07	74.0	18.81	Peak	230.00	100	Horizontal	Pass
2**	5149.675	45.75	2.07	54.0	8.25	AV	230.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.87	1.93	74.0	17.13	Peak	279.00	150	Horizontal	Pass
1**	5350.055	46.01	1.93	54.0	7.99	AV	279.00	150	Horizontal	Pass
2	5356.435	57.55	2.14	74.0	16.45	Peak	63.00	200	Horizontal	Pass
2**	5356.435	45.53	2.14	54.0	8.47	AV	63.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4832.150	57.27	2.02	74.0	16.73	Peak	182.00	150	Horizontal	Pass
1**	4832.150	45.12	2.02	54.0	8.88	AV	182.00	150	Horizontal	Pass
2	5149.675	55.48	2.07	74.0	18.52	Peak	245.00	100	Horizontal	Pass
2**	5149.675	45.51	2.07	54.0	8.49	AV	245.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.88	1.93	74.0	18.12	Peak	91.00	100	Horizontal	Pass
1**	5350.000	46.83	1.93	54.0	7.17	AV	91.00	100	Horizontal	Pass
2	5361.715	57.72	2.35	74.0	16.28	Peak	256.00	200	Horizontal	Pass
2**	5361.715	46.22	2.35	54.0	7.78	AV	256.00	200	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.600	57.37	2.36	74.0	16.63	Peak	88.00	100	Horizontal	Pass
1**	5074.600	46.83	2.36	54.0	7.17	AV	88.00	100	Horizontal	Pass
2	5149.675	55.11	2.07	74.0	18.89	Peak	73.00	100	Horizontal	Pass
2**	5149.675	45.92	2.07	54.0	8.08	AV	73.00	100	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.46	1.93	74.0	17.54	Peak	39.00	200	Horizontal	Pass
1**	5350.000	46.36	1.93	54.0	7.64	AV	39.00	200	Horizontal	Pass
2	5413.965	57.95	2.05	74.0	16.05	Peak	197.00	100	Horizontal	Pass
2**	5413.965	46.06	2.05	54.0	7.94	AV	197.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4746.675	56.86	1.30	74.0	17.14	Peak	123.00	200	Horizontal	Pass
1**	4746.675	44.38	1.30	54.0	9.62	AV	123.00	200	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	28.00	150	Horizontal	Pass
2**	5149.675	45.47	2.07	54.0	8.53	AV	28.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.01	1.93	74.0	18.99	Peak	313.00	150	Horizontal	Pass
1**	5350.055	45.46	1.93	54.0	8.54	AV	313.00	150	Horizontal	Pass
2	5457.250	57.48	2.51	74.0	16.52	Peak	299.00	150	Horizontal	Pass
2**	5457.250	45.71	2.51	54.0	8.29	AV	299.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.500	56.90	2.43	74.0	17.10	Peak	186.00	150	Horizontal	Pass
1**	5091.500	45.88	2.43	54.0	8.12	AV	186.00	150	Horizontal	Pass
2	5149.675	56.66	2.07	74.0	17.34	Peak	259.00	200	Horizontal	Pass
2**	5149.675	45.40	2.07	54.0	8.60	AV	259.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.52	1.93	74.0	18.48	Peak	104.00	200	Horizontal	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	104.00	200	Horizontal	Pass
2	5456.150	57.78	2.41	74.0	16.22	Peak	317.00	150	Horizontal	Pass
2**	5456.150	45.81	2.41	54.0	8.19	AV	317.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4847.100	57.06	2.12	74.0	16.94	Peak	360.00	100	Horizontal	Pass
1**	4847.100	45.07	2.12	54.0	8.93	AV	360.00	100	Horizontal	Pass
2	5149.675	55.14	2.07	74.0	18.86	Peak	174.00	200	Horizontal	Pass
2**	5149.675	45.44	2.07	54.0	8.56	AV	174.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.04	1.93	74.0	18.96	Peak	62.00	100	Horizontal	Pass
1**	5350.055	45.32	1.93	54.0	8.68	AV	62.00	100	Horizontal	Pass
2	5360.120	57.71	2.28	74.0	16.29	Peak	153.00	200	Horizontal	Pass
2**	5360.120	45.70	2.28	54.0	8.30	AV	153.00	200	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.250	57.53	2.31	74.0	16.47	Peak	17.00	200	Horizontal	Pass
1**	5387.250	45.77	2.31	54.0	8.23	AV	17.00	200	Horizontal	Pass
2	5460.000	55.52	2.50	74.0	18.48	Peak	43.00	150	Horizontal	Pass
2**	5460.000	46.74	2.50	54.0	7.26	AV	43.00	150	Horizontal	Pass
3	5469.150	58.67	2.97	68.2	9.53	Peak	187.00	200	Horizontal	Pass
3**	5469.150	47.84	2.97	--	--	AV	187.00	200	Horizontal	N/A
4	5469.950	57.53	2.87	68.2	10.67	Peak	190.00	100	Horizontal	Pass
4**	5469.950	47.54	2.87	--	--	AV	190.00	100	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.84	2.55	68.2	7.36	Peak	170.00	150	Horizontal	Pass
2	5726.250	61.72	2.53	68.2	6.48	Peak	168.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5420.400	58.29	2.44	74.0	15.71	Peak	315.00	200	Horizontal	Pass
1**	5420.400	46.14	2.44	54.0	7.86	AV	315.00	200	Horizontal	Pass
2	5460.000	56.18	2.50	74.0	17.82	Peak	208.00	150	Horizontal	Pass
2**	5460.000	46.30	2.50	54.0	7.70	AV	208.00	150	Horizontal	Pass
3	5467.900	58.43	3.14	68.2	9.77	Peak	272.00	100	Horizontal	Pass
3**	5467.900	47.28	3.14	--	--	AV	272.00	100	Horizontal	N/A
4	5469.950	56.44	2.87	68.2	11.76	Peak	217.00	100	Horizontal	Pass
4**	5469.950	47.39	2.87	--	--	AV	217.00	100	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.23	2.55	68.2	7.97	Peak	255.00	200	Horizontal	Pass
2	5725.250	58.61	2.55	68.2	9.59	Peak	176.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.250	58.08	2.29	74.0	15.92	Peak	153.00	100	Horizontal	Pass
1**	5374.250	45.60	2.29	54.0	8.40	AV	153.00	100	Horizontal	Pass
2	5460.000	56.20	2.50	74.0	17.80	Peak	208.00	150	Horizontal	Pass
2**	5460.000	47.19	2.50	54.0	6.81	AV	208.00	150	Horizontal	Pass
3	5469.800	62.47	2.88	68.2	5.73	Peak	165.00	200	Horizontal	Pass
3**	5469.800	51.64	2.88	--	--	AV	165.00	200	Horizontal	N/A
4	5469.950	62.46	2.87	68.2	5.74	Peak	176.00	100	Horizontal	Pass
4**	5469.950	51.96	2.87	--	--	AV	176.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.92	2.55	68.2	7.28	Peak	93.00	150	Horizontal	Pass
2	5726.850	62.32	2.51	68.2	5.88	Peak	91.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.350	58.29	2.41	74.0	15.71	Peak	53.00	200	Horizontal	Pass
1**	5459.350	46.20	2.41	54.0	7.80	AV	53.00	200	Horizontal	Pass
2	5460.000	55.72	2.50	74.0	18.28	Peak	273.00	150	Horizontal	Pass
2**	5460.000	46.28	2.50	54.0	7.72	AV	273.00	150	Horizontal	Pass
3	5464.050	57.98	2.78	68.2	10.22	Peak	97.00	100	Horizontal	Pass
3**	5464.050	46.66	2.78	--	--	AV	97.00	100	Horizontal	N/A
4	5469.950	56.82	2.87	68.2	11.38	Peak	100.00	150	Horizontal	Pass
4**	5469.950	47.15	2.87	--	--	AV	100.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.81	2.55	68.2	9.39	Peak	231.00	100	Horizontal	Pass
2	5725.200	60.01	2.55	68.2	8.19	Peak	223.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.900	58.60	2.38	74.0	15.40	Peak	199.00	150	Horizontal	Pass
1**	5447.900	46.06	2.38	54.0	7.94	AV	199.00	150	Horizontal	Pass
2	5460.000	56.30	2.50	74.0	17.70	Peak	178.00	100	Horizontal	Pass
2**	5460.000	47.09	2.50	54.0	6.91	AV	178.00	100	Horizontal	Pass
3	5468.150	63.10	3.11	68.2	5.10	Peak	99.00	150	Horizontal	Pass
3**	5468.150	52.07	3.11	--	--	AV	99.00	150	Horizontal	N/A
4	5469.950	61.26	2.87	68.2	6.94	Peak	99.00	200	Horizontal	Pass
4**	5469.950	51.77	2.87	--	--	AV	99.00	200	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.82	2.55	68.2	6.38	Peak	99.00	150	Horizontal	Pass
2	5725.650	63.11	2.54	68.2	5.09	Peak	97.00	100	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.150	59.66	2.40	74.0	14.34	Peak	215.00	150	Horizontal	Pass
1**	5459.150	47.82	2.40	54.0	6.18	AV	215.00	150	Horizontal	Pass
2	5460.000	56.21	2.50	74.0	17.79	Peak	98.00	150	Horizontal	Pass
2**	5460.000	47.09	2.50	54.0	6.91	AV	98.00	150	Horizontal	Pass
3	5468.550	60.27	3.05	68.2	7.93	Peak	185.00	100	Horizontal	Pass
3**	5468.550	49.09	3.05	--	--	AV	185.00	100	Horizontal	N/A
4	5469.950	57.13	2.87	68.2	11.07	Peak	249.00	100	Horizontal	Pass
4**	5469.950	48.32	2.87	--	--	AV	249.00	100	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.25	2.55	68.2	11.95	Peak	296.00	200	Horizontal	Pass
2	5752.700	58.32	2.63	68.2	9.88	Peak	259.00	100	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.200	58.70	2.10	74.0	15.30	Peak	69.00	200	Horizontal	Pass
1**	5436.200	47.96	2.10	54.0	6.04	AV	69.00	200	Horizontal	Pass
2	5460.000	57.19	2.50	74.0	16.81	Peak	203.00	100	Horizontal	Pass
2**	5460.000	47.80	2.50	54.0	6.20	AV	203.00	100	Horizontal	Pass
3	5469.250	59.76	2.95	68.2	8.44	Peak	183.00	100	Horizontal	Pass
3**	5469.250	48.28	2.95	--	--	AV	183.00	100	Horizontal	N/A
4	5469.950	57.43	2.87	68.2	10.77	Peak	185.00	100	Horizontal	Pass
4**	5469.950	48.70	2.87	--	--	AV	185.00	100	Horizontal	N/A
5	5443.850	56.00	2.14	74.0	18.00	Peak	330.00	150	Horizontal	Pass
5**	5443.850	48.68	2.14	54.0	5.32	AV	330.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.68	2.55	68.2	10.52	Peak	153.00	150	Horizontal	Pass
2	5729.350	60.95	2.60	68.2	7.25	Peak	218.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.750	57.88	2.03	74.0	16.12	Peak	270.00	150	Horizontal	Pass
1**	5410.750	45.61	2.03	54.0	8.39	AV	270.00	150	Horizontal	Pass
2	5460.000	55.65	2.50	74.0	18.35	Peak	244.00	100	Horizontal	Pass
2**	5460.000	46.64	2.50	54.0	7.36	AV	244.00	100	Horizontal	Pass
3	5469.900	59.67	2.87	68.2	8.53	Peak	179.00	150	Horizontal	Pass
3**	5469.900	48.19	2.87	--	--	AV	179.00	100	Horizontal	N/A
4	5469.950	58.10	2.87	68.2	10.10	Peak	184.00	150	Horizontal	Pass
4**	5469.950	47.93	2.87	--	--	AV	184.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.71	2.55	68.2	6.49	Peak	190.00	100	Horizontal	Pass
2	5726.100	63.19	2.53	68.2	5.01	Peak	239.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.350	57.48	2.41	74.0	16.52	Peak	170.00	200	Horizontal	Pass
1**	5459.350	46.75	2.41	54.0	7.25	AV	170.00	200	Horizontal	Pass
2	5460.000	56.64	2.50	74.0	17.36	Peak	240.00	200	Horizontal	Pass
2**	5460.000	47.18	2.50	54.0	6.82	AV	240.00	200	Horizontal	Pass
3	5469.700	62.80	2.89	68.2	5.40	Peak	99.00	150	Horizontal	Pass
3**	5469.700	50.99	2.89	--	--	AV	99.00	150	Horizontal	N/A
4	5469.950	60.45	2.87	68.2	7.75	Peak	99.00	200	Horizontal	Pass
4**	5469.950	51.44	2.87	--	--	AV	99.00	200	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.13	2.55	68.2	9.07	Peak	220.00	100	Horizontal	Pass
2	5725.600	62.66	2.54	68.2	5.54	Peak	161.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.200	58.94	2.52	74.0	15.06	Peak	177.00	150	Horizontal	Pass
1**	5457.200	47.79	2.52	54.0	6.21	AV	177.00	150	Horizontal	Pass
2	5460.000	56.37	2.50	74.0	17.63	Peak	228.00	200	Horizontal	Pass
2**	5460.000	47.08	2.50	54.0	6.92	AV	228.00	200	Horizontal	Pass
3	5467.250	60.03	3.05	68.2	8.17	Peak	182.00	100	Horizontal	Pass
3**	5467.250	48.78	3.05	--	--	AV	182.00	100	Horizontal	N/A
4	5469.950	56.52	2.87	68.2	11.68	Peak	104.00	200	Horizontal	Pass
4**	5469.950	48.26	2.87	--	--	AV	104.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.39	2.55	68.2	10.81	Peak	73.00	100	Horizontal	Pass
2	5815.250	58.05	2.64	68.2	10.15	Peak	27.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.950	58.95	2.40	74.0	15.05	Peak	104.00	200	Horizontal	Pass
1**	5446.950	48.48	2.40	54.0	5.52	AV	104.00	200	Horizontal	Pass
2	5460.000	56.66	2.50	74.0	17.34	Peak	182.00	150	Horizontal	Pass
2**	5460.000	47.81	2.50	54.0	6.19	AV	182.00	150	Horizontal	Pass
3	5466.000	59.21	2.75	68.2	8.99	Peak	97.00	150	Horizontal	Pass
3**	5466.000	48.78	2.75	--	--	AV	97.00	150	Horizontal	N/A
4	5469.950	57.23	2.87	68.2	10.97	Peak	185.00	150	Horizontal	Pass
4**	5469.950	48.57	2.87	--	--	AV	185.00	150	Horizontal	N/A
5	5448.150	57.02	2.38	74.0	16.98	Peak	100.00	150	Horizontal	Pass
5**	5448.150	48.90	2.38	54.0	5.10	AV	100.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.71	2.55	68.2	8.49	Peak	241.00	150	Horizontal	Pass
2	5728.850	60.94	2.64	68.2	7.26	Peak	176.00	150	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.850	58.22	2.37	74.0	15.78	Peak	209.00	100	Horizontal	Pass
1**	5428.850	45.81	2.37	54.0	8.19	AV	209.00	100	Horizontal	Pass
2	5460.000	55.29	2.50	74.0	18.71	Peak	264.00	200	Horizontal	Pass
2**	5460.000	45.86	2.50	54.0	8.14	AV	264.00	200	Horizontal	Pass
3	5467.800	57.16	3.15	68.2	11.04	Peak	212.00	150	Horizontal	Pass
3**	5467.800	46.64	3.15	--	--	AV	212.00	150	Horizontal	N/A
4	5469.950	55.59	2.87	68.2	12.61	Peak	103.00	100	Horizontal	Pass
4**	5469.950	46.22	2.87	--	--	AV	103.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.28	2.55	68.2	8.92	Peak	258.00	200	Horizontal	Pass
2	5725.500	60.10	2.54	68.2	8.10	Peak	249.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.800	58.23	2.44	74.0	15.77	Peak	292.00	200	Horizontal	Pass
1**	5421.800	46.15	2.44	54.0	7.85	AV	292.00	200	Horizontal	Pass
2	5460.000	55.66	2.50	74.0	18.34	Peak	253.00	200	Horizontal	Pass
2**	5460.000	45.89	2.50	54.0	8.11	AV	253.00	200	Horizontal	Pass
3	5462.250	57.52	2.74	68.2	10.68	Peak	29.00	200	Horizontal	Pass
3**	5462.250	46.05	2.74	--	--	AV	29.00	200	Horizontal	N/A
4	5469.950	55.35	2.87	68.2	12.85	Peak	174.00	150	Horizontal	Pass
4**	5469.950	46.33	2.87	--	--	AV	174.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.01	2.55	68.2	12.19	Peak	360.00	100	Horizontal	Pass
2	5819.500	58.12	2.37	68.2	10.08	Peak	129.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.550	57.32	2.31	74.0	16.68	Peak	253.00	200	Horizontal	Pass
1**	5440.550	45.63	2.31	54.0	8.37	AV	253.00	200	Horizontal	Pass
2	5460.000	55.39	2.50	74.0	18.61	Peak	222.00	150	Horizontal	Pass
2**	5460.000	45.91	2.50	54.0	8.09	AV	222.00	150	Horizontal	Pass
3	5467.900	57.92	3.14	68.2	10.28	Peak	167.00	200	Horizontal	Pass
3**	5467.900	46.59	3.14	--	--	AV	167.00	200	Horizontal	N/A
4	5469.950	55.89	2.87	68.2	12.31	Peak	5.00	200	Horizontal	Pass
4**	5469.950	46.41	2.87	--	--	AV	5.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.97	2.55	68.2	12.23	Peak	24.00	100	Horizontal	Pass
2	5759.550	57.41	2.64	68.2	10.79	Peak	93.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.100	61.26	2.38	74.0	12.74	Peak	101.00	100	Horizontal	Pass
1**	5448.100	45.92	2.38	54.0	8.08	AV	101.00	100	Horizontal	Pass
2	5460.000	55.27	2.50	74.0	18.73	Peak	87.00	200	Horizontal	Pass
2**	5460.000	46.11	2.50	54.0	7.89	AV	87.00	200	Horizontal	Pass
3	5467.500	57.53	3.11	68.2	10.67	Peak	112.00	150	Horizontal	Pass
3**	5467.500	46.90	3.11	--	--	AV	112.00	150	Horizontal	N/A
4	5469.950	56.76	2.87	68.2	11.44	Peak	219.00	150	Horizontal	Pass
4**	5469.950	46.40	2.87	--	--	AV	219.00	150	Horizontal	N/A
5	5438.650	55.67	2.30	74.0	18.33	Peak	221.00	150	Horizontal	Pass
5**	5438.650	48.01	2.30	54.0	5.99	AV	221.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.38	2.55	68.2	7.82	Peak	158.00	100	Horizontal	Pass
2	5725.750	62.77	2.54	68.2	5.43	Peak	240.00	100	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.400	57.69	2.53	68.2	10.51	Peak	205.00	100	Horizontal	Pass
2	5650.000	55.92	2.54	68.2	12.28	Peak	357.00	100	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.50	2.32	68.2	11.70	Peak	15.00	200	Horizontal	Pass
2	5939.800	57.72	2.43	68.2	10.48	Peak	78.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.300	58.09	2.12	68.2	10.11	Peak	184.00	150	Horizontal	Pass
2	5650.000	56.39	2.54	68.2	11.81	Peak	128.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.93	2.32	68.2	12.27	Peak	241.00	150	Horizontal	Pass
2	5930.800	58.08	2.54	68.2	10.12	Peak	17.00	200	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.950	61.96	2.65	68.2	6.24	Peak	190.00	100	Horizontal	Pass
2	5650.000	57.28	2.54	68.2	10.92	Peak	147.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.32	2.32	68.2	11.88	Peak	77.00	100	Horizontal	Pass
2	5926.400	57.78	2.33	68.2	10.42	Peak	239.00	100	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.400	57.53	2.33	68.2	10.67	Peak	360.00	100	Horizontal	Pass
2	5650.000	56.99	2.54	68.2	11.21	Peak	84.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.82	2.32	68.2	12.38	Peak	224.00	150	Horizontal	Pass
2	5947.350	58.05	2.59	68.2	10.15	Peak	85.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.550	59.19	2.32	68.2	9.01	Peak	165.00	150	Horizontal	Pass
2	5650.000	56.29	2.54	68.2	11.91	Peak	99.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.59	2.32	68.2	12.61	Peak	293.00	200	Horizontal	Pass
2	5941.800	58.34	2.86	68.2	9.86	Peak	126.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	61.02	2.53	68.2	7.18	Peak	150.00	100	Horizontal	Pass
2	5650.000	60.25	2.54	68.2	7.95	Peak	179.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.09	2.32	68.2	11.11	Peak	41.00	150	Horizontal	Pass
2	5945.450	58.05	2.30	68.2	10.15	Peak	189.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.500	57.53	2.30	68.2	10.67	Peak	219.00	150	Horizontal	Pass
2	5650.000	55.68	2.54	68.2	12.52	Peak	163.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.45	2.32	68.2	12.75	Peak	344.00	150	Horizontal	Pass
2	5935.600	58.11	2.47	68.2	10.09	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.050	60.60	2.52	68.2	7.60	Peak	184.00	150	Horizontal	Pass
2	5650.000	58.78	2.54	68.2	9.42	Peak	168.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.57	2.32	68.2	12.63	Peak	177.00	100	Horizontal	Pass
2	5947.800	58.01	2.69	68.2	10.19	Peak	169.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.650	61.75	2.58	68.2	6.45	Peak	188.00	150	Horizontal	Pass
2	5650.000	57.72	2.54	68.2	10.48	Peak	191.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.52	2.32	68.2	11.68	Peak	0.00	150	Horizontal	Pass
2	5948.950	57.86	2.62	68.2	10.34	Peak	97.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.250	56.86	2.57	68.2	11.34	Peak	240.00	200	Horizontal	Pass
2	5650.000	55.94	2.54	68.2	12.26	Peak	296.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.71	2.32	68.2	12.49	Peak	258.00	150	Horizontal	Pass
2	5949.450	58.35	2.57	68.2	9.85	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.100	57.76	2.54	68.2	10.44	Peak	164.00	200	Horizontal	Pass
2	5650.000	55.95	2.54	68.2	12.25	Peak	318.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.38	2.32	68.2	12.82	Peak	194.00	100	Horizontal	Pass
2	5946.150	57.35	2.33	68.2	10.85	Peak	246.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.500	57.47	2.51	68.2	10.73	Peak	129.00	200	Horizontal	Pass
2	5650.000	55.53	2.54	68.2	12.67	Peak	91.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.50	2.32	68.2	12.70	Peak	45.00	150	Horizontal	Pass
2	5937.200	57.66	2.34	68.2	10.54	Peak	265.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2441449-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2441449-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2441449-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--